Sept., 1923

What probably happened was this: Mr. Fannin, then gathering the excellent series of mounted British Columbian birds for the newly established Provincial Museum, had taken one of these Japanese egrets to represent the Snowy Egret, assuming it to be the same species which he had had in his collection in 1879, taken at Burrard Inlet. That he had at that time one of the two species of American egret, or an albino of some other heron, I do not attempt to deny; but knowing his delightfully inconsequent methods as I did, I do not think he would have regarded this substitution as at all un-ethical. I could quote somewhat similar actions, together with extraordinary lapses of memory on the part of my old friend in the matter of ornithological records, were it worth while; and Mr. Kermode has told me many amusing anecdotes of this nature in the same connection.

The rule of retaining the original collector's label on a specimen in this museum was honored only in the breach, and it would be difficult to find a single specimen not collected by the museum staff, of which the original label had not been destroyed; this resulted in many errors, both as to date and locality. In short, Fannin, although a born nature lover, and a delightfully unassuming and honest personality, was entirely untrammeled by scientific conventions.

Yet another item that negatives the possibility of this 'record' being that of a genuine straggler is that the bird is in full nuptial plumage. As is well known, all or nearly all extra-limital records of the Herodiones are of juvenile or immature birds which are given to curious northward migrations in late summer after the breeding season.

Captain Harbell's evidence proves that a white heron, which may have been either of the two American egrets, or only an albino of the resident heron, was killed in May, 1879, at Burrard Inlet; Mr. Fannin's catalogue of the birds in the museum in 1891 gives *two* specimens as being collected on that date. So before admitting the Plumed Egret to the North American list (in which case it would be by far the most extraordinary straggler that has ever found its way to this continent), it would be as well to take into account the evidence here submitted.—ALLAN BROOKS, Okanagan Landing, British Columbia, June 25, 1923.

The White Ibis in California.—The danger frequently has been demonstrated of including in the avifauna of any state species that are based upon visual evidence alone. Nevertheless, it also must be admitted that occasionally there are cases when a species involved is so conspicuous in either form or color, or the ability of the observer is of so high a character, that credence must be given by subsequent workers to records so based. It is the belief of the writer that the following record comes within this category. Accordingly the full details are submitted for the benefit of those interested.

While engaged in working up the sections on geographic distribution for Mr. A. C. Bent's forthcoming Life Histories of North American Marsh Birds, a California record of *Guara alba* contained in the files of 'the Biological Survey attracted my attention. The record, which cites a letter from Mr. Harry S. Swarth, dated October 2. 1914, states that this species was "reported by Hornung as seen in the spring of 1914 at Blythe." A letter to Dr. John Hornung, at the Museum of History, Science, and Art, at Los Angeles, elicited the following reply:

"In answer to your inquiry about *Guara alba* will say that, as far as I remember, it was in March, 1914. I was at the time in Palo Verde, collecting material for the Panama Pacific Exposition, when I noticed the bird on the margin of a shallow lagoon. I was about 30 yards away and with no shell in my gun, and while I tried to get one in the barrel a flock of night herons that had seen me gave the alarm and my bird was lost in the impenetrable jungles of the Colorado. As you probably surmise, I am very familiar with the bird, having had occasion to observe it for months and months in front of my tent on the Acaponeta River (Tepic), and in several localities in Central America."

Palo Verde is in the northeast corner of Imperial County. within a few miles of the Colorado River.—FREDERICK C. LINCOLN, Biological Survey, Washington, D. C., June 28, 1923.