

INDEX TO VOLUME XXX

A

- Abbott, C. G., bird notes from San Diego county, 162; American goshawk in San Diego county, California, 192; another hooded merganser in San Diego county, 326
- Abbott, C. H., a cardinal at Redlands, California, 353
- Acanthis linaria linaria*, 237
- Accipiter cooperii*, 128, 147, 162 *velox*, 246
- Aechmophorus occidentalis*, 146
- Aeronauta melanoleucus*, 146 *saxatalis nigrior*, 193 *saxatalis saxatalis*, 193
- Agelaius phoeniceus*, 312 *phoeniceus fortis*, 237
- Aimophila obscura*, 148
- Albatross, Short-tailed, 191 Wandering, 63
- Alexander, H. G., quoted concerning poverty of bird-life in Italy, 129
- Allard, H. A., unusual singing of the eastern chewink, 247
- Allen, Amelia S., additional notes on the birds of the Gold Lake region, northern Sierra Nevada, 361
- Allen-Ridgway correspondence, 45ff
- Aluco pratincola*, 320
- Amphispiza bilineata deserticola*, 158
- Anas diazi novimexicana*, 276 *platyrhynchos*, 128, 158, 237, 321
- Anser albifrons*, 120, 164 *albifrons albifrons*, 165 *albifrons gambeli*, 164, 165
- Anthus rubescens*, 148 *spinoletta japonicus*, 193 *spinoletta rubescens*, 193
- Aphelocoma californica*, 317
- Aquila chrysaëtos*, 237, 250, 360
- Archibuteo ferrugineus*, 255 *lagopus sancti-johannis*, 191
- Archilochus colubris*, 252
- Ardea herodias treganzai*, 160 *herodias wardi*, 330 *occidentalis*, 330 *würdemanni*, 330
- Asio flammeolus*, 164 *wilsonianus*, 147
- Assistant parentage among birds, 127
- Astragalinus lawrencei*, 324 *tristis salicamans*, 147, 161 *psaltria hesperophilus*, 147
- Astur atricapillus*, 192 *atricapillus striatulus*, 237, 246
- Asyndesmus lewisi*, 163, 345, 356
- Auklet, *Rhinoceros*, 325

B

- Baeolophus inornatus affabilis*, 154 *inornatus griseus*, 292 *inornatus murinus*, 154 *inornatus transpositus*, 154
- Bailey, Alfred M., notes on variations in the white-fronted goose, 164; early nesting of the redpoll in Alaska, 320
- Baird-Ridgway correspondence, 16ff
- Biographical sketches of persons whose names have been used in names of birds, 261
- Bird casualties due to automobiles, 157
- Bird Haven, 66, 67, 68
- Bird names as based on personal names, 261
- Bishop, Louis B., Luther Everet Wyman, 176
- Bittern, American, 201 Least, 332
- Blackbird, Brewer, 237, 312, 333, 336, 364 Red-winged, 157, 312 Rusty, 162 Thick-billed Red-winged, 237
- Blake, S. F., field notes on certain California birds, 249
- Bluebird, Western, 194 Mountain, 194
- Bombycilla cedrorum*, 250, 362 *garrula*, 237, 314
- Bonasa umbellus umbelloides*, 237
- Bonnot, Paul, an outlaw barn owl, 320
- Branta canadensis*, 120 *canadensis canadensis*, 237
- Brewster, William, portrait of, 38
- Brown, E. J., portrait of, 54
- Bryant, H. C., summer record of the cedar waxwing in Yosemite valley, 250
- Bubo virginianus*, 190 *virginianus pallescens*, 324 *virginianus virginianus*, 128
- Buffle-head, 246, 251
- Bunting, Lazuli, 131, 161 Snow, 237, 242
- Bush-tit, 133, 320, 360, 364 California, 194 Coast, 250
- Lead-colored, 135
- Buteo abbreviatus*, 159 *borealis*, 18, 149, 150, 197 *borealis borealis*, 128 *borealis calurus*, 125, 145, 147, 250, 361, 362
- lagopus sancti-johannis*, 237
- lineatus elegans*, 228
- swainsoni*, 125, 128

Butorides virescens anthonyi, 251
Buzzard, Turkey, 10

C

Calcarius lapponicus alascensis, 237
Calypte anna, 147, 363
 costae, 144, 324
Canvas-back, 167
Capella delicata, 158, 237
Cardinal, 243, 260, 353
 Arizona, 353, 354
 Eastern, 353
Cardinalis igneus, 243
Carpodacus mexicanus frontalis, 159, 317,
 337
 purpureus, 16
Cathartes atratus, 50
Cerorhinca monocerata, 325
Certhia familiaris, 260
 familiaris montana, 237
 familiaris zelotes, 311
Chaetura vauxi, 362
Chamaea fasciata henshawi, 363
Charitonetta albeola, 246, 251
Chat, Yellow-breasted, 9
 Long-tailed, 161
Chen hyperboreus, 120
Chewink, 247
Chickadee, Long-tailed, 237, 242
 Mountain, 237, 242, 309, 361
Chicken, Prairie, 128
Cinclus mexicanus unicolor, 237
Circus hudsonius, 128, 246
Clabaugh, Ernest D., winter roosts of
 western robins, 126; bird casualties
 due to automobiles, 157; fourth
 known occurrence of the Harris
 sparrow in California, 163
Clangula islandica, 237, 246
Cobb, J. L., and E. L. Sumner, Jr., fur-
 ther experiments in removing birds
 from places of banding, 317
Coccyzus americanus occidentalis, 158
Colaptes cafer collaris, 145, 149, 237, 249,
 341, 346
Columba fasciata, 126, 127, 253
Colymbus nigricollis californicus, 146, 159
Condor, 159, 160
 California, 63, 194
Conure, Carolina, 219
Cooper Ornithological Club, regular
 minutes of, 130, 136, 199, 258, 331,
 363; list of members, 203; third
 annual meeting, minutes of, 250
Coot, 128, 157, 167
 American, 159
Cormorant, 167, 195, 196
 Baird, 147
 Brandt, 146
 Pelagic, 327

Corvus corax sinuatus, 237
 floridanus, 50
Cottam, Clarence, white pelicans winter-
 ing in northern Utah, 160
Cowbird, 162
 Dwarf, 161, 162
Cowles, Raymond B., observation on the
 food habits of a desert sparrow
 hawk, 327
Cozens, Harold H., fifth record of Harris
 sparrow in California, 164
Crane, Little Brown, 332
 Sandhill, 58
 Whooping, 120, 219
Crecicus jamaicensis coturniculus, 158,
 247
Creeper, Rocky Mountain, 237, 242
 Sierra, 311, 361
 Tree, 260
Crossbill, Mexican, 159
 Sierra, 362
 White-winged, 247
Crow, 241
Cryptoglaux acadica, 314, 323
Cuckoo, California, 231, 332
 California Yellow-billed, 158
Currier, Ed. S., Lewis woodpeckers nest-
 ing in colonies, 356
Cyanocephalus cyanocephalus, 322
Cyanocitta stelleri annectens, 190, 237,
 326
 stelleri frontalis, 310
Cypseloides niger borealis, 136

D

Dafila acuta tzitzioha, 162, 359
Davidson, M. E. McLellan, on the present
 status of the Guadalupe petrel, 356
Dawson, William Leon, notice of death
 of, 257
Deane, Ruthven, collection of Ridgway
 portraits, 20, 52
DeGroot, Dudley S., record sets of eggs
 of California raptiores, 360
Dendragapus obscurus, 347
 obscurus richardsonii, 237
Dendroica aestiva, 362
 aestiva brewsteri, 161
 auduboni, 148
 coronata hooveri, 283
 palmarum, 363
Dichromonassa rufescens dickeyi, 253
Dickey, Donald R., a new poor-will from
 the Colorado river valley, 152; a
 third California record of the rusty
 blackbird, 162; a race of the Vir-
 ginia rail from the Pacific coast,
 322
Dickey, Donald R., and A. J. van Rossem,
 a new race of the white-throated
 swift from Central America, 193;

- a new chipping sparrow from Central America, 359
- Diomedea albatrus*, 191
- Dipper, 237
- Dixon, James B., life history of the red-bellied hawk, 228
- Dove, Mourning, 128, 331, 364
Western Mourning, 147
- Dowitcher, Long-billed, 120
- Dryobates pubescens horomus*, 342
pubescens turati, 253
villosum hyloscopus, 311
villosum leucomelas, 339
villosum monticola, 237, 342
- Duck, American Pintail, 162
Mallard, 158, 159
Ring-necked, 201
Ruddy, 131, 159, 167, 249, 258
- E**
- Eagle, 58, 234, 258
Bald, 58, 147, 237, 241, 250
Daggett, 255
Golden, 233, 237, 241, 250, 260, 360
- Edwards, Myrtle S., note on a bush-tit's eye-color, 320
- Egret, American, 201, 202
Lower California Reddish, 253
White, 132
- Elanus leucurus*, 250, 361
- Empidonax difficilis*, 147
hammondii, 362
trailli trailli, 161
traillii, 362
wrightii, 357, 362
- Ereunetes mauri*, 158
- Erismatura jamaicensis*, 159, 249
- Euphagus carolinus*, 162
cyanoccephalus, 237, 312, 333
- Ewan, Joseph, California black rail in Los Angeles county, 247
- F**
- Falco columbarius bendirei*, 352
columbarius columbarius, 357
columbarius suckleyi, 357
peregrinus anatum, 147
sparverius, 362
sparverius phalaena, 147, 246, 250, 327
- Falcon, Prairie, 25, 195, 352, 353
- Fauna and faunal area, 315
- Finch, Black Rosy, 191, 237, 242
Cassin Purple, 361
Gray-crowned Rosy, 237, 242
Hepburn Rosy, 237, 242
House, 317, 318, 337
Purple, 16
San Clemente House, 250
Sierra Nevada Rosy, 191
- Flicker, Red-shafted, 145, 147, 194, 237, 242, 249, 250, 339, 345, 346, 352
- Flycatcher, Hammond, 362
Olive-sided, 185, 259, 274
Greater Olive-sided, 185
Lesser Olive-sided, 185
Traill, 161, 162, 362
Western, 147, 202
Wright, 357, 362
- Forbush, Edward Howe, notice of biographical sketch of, 256
- Foster, G. L. and Grace E., sixth record of Harris sparrow in California, 252
- Frequency of occurrence of birds, 180
- Frigate-bird, 63
- Fulica americana*, 128, 159
- Fulmar, Pacific, 120, 121
Fulmarus glacialis, 120
glacialis columba, 121
glacialis rodgersii, 121
glacialis glupischa, 121
- G**
- Gallinago delicata*, 128
- Gander, Frank F., observations on the feeding habits of some common birds, 362
- Gannet, 119
- Gardner, Leon L., food of young horned owls includes adult marsh hawk, 128
- Gavia pacifica*, 146
- Geranoaëtus fragilis*, 255
grinnelli, 255
melanoleucus, 150
- Glaucidium gnoma pinicola*, 237
- Glaucionetta clangula americana*, 237
- Gnatcatcher, 9, 364
Black-tailed, 139
Plumbeous, 161, 162
Western, 143, 161, 327, 331
- Golden-eye, 239
American, 237, 240
Barrow, 237, 240, 246
- Goldfinch, 193
Green-backed, 147, 331
Lawrence, 159, 324, 331
Willow, 144, 147, 161, 331
- Goose, 258
Canada, 167, 237, 239
Gray, 120
Snow, 120
White-fronted, 120, 164, 165
- Goshawk, 157, 193
American, 192
Western, 237, 241, 246
- Grebe, American Eared, 159
Eared, 146, 202
Western, 146, 331
- Grinnell, Joseph, notes on the systematics of west American birds, 121, 153, 185; September nesting of the

- band-tailed pigeon, 126; do willow downy woodpeckers ever drill in tree bark, 253
- Grosbeak, Black-headed, 314
Blue, 331, 332
California Blue, 161
- Grouse, Gray Ruffed, 237, 240
Howard's, 347
Richardson, 237, 240
Sierra, 348
- Grus canadensis, 120
mexicana, 50
pratensis, 50
- Guillemots, Pigeon, 327
- Guiraca caerulea salicarius, 161
- Gull, 258, 354
Bonaparte, 202
California, 167, 354
Glaucous-winged, 327
Heermann, 146
Ring-billed, 354
Sabine, 131, 163
- H**
- Haliaeetus leucocephalus, 147, 237
- Hanna, Wilson C., notes on the dwarf cowbird in southern California, 161
- Harris, Harry, Robert Ridgway, 5
- Harter, Samuel G. (with Jack C. von Bloeker, Jr.), reddish egret on Los Coronados Islands, Mexico, 253
- Hawk, American Rough-legged, 191, 237
Black Pigeon, 357
Cooper, 128, 147, 162, 232, 233
Desert Sparrow, 145, 147, 246
Duck, 26, 144, 147, 352, 353
Marsh, 128, 233, 246
Pigeon, 352, 353, 357
Red-bellied, 228, 231, 233
Red-tailed, 16, 128, 157, 167
Rough-legged, 241
Sharp-shinned, 190, 246, 353
Sparrow, 172, 173, 175, 250, 327, 352, 353, 362
Swainson, 128, 232
Western Red-tailed, 361, 362
Zone-tailed, 159
- Hen, Heath, 202
- Heron, Anthony Green, 201, 251
Blue, 330
Great Blue, 160
Great White, 330
Ward's, 58
Wurdemann's 330
Yellow-crowned Night, 39
- Hirundo erythrogaster, 146, 148
- Histrionicus histrionicus pacificus, 357
- Hoffmann, Ralph, an oven-bird in Santa Barbara county, California, 327
- Huey, Laurence M., some bird records from northern Lower California,
- 158; a mid-winter Anthony green heron, 251
- Hummingbird, Allen, 147, 202
Anna, 147, 194, 265, 363
Broad-tailed, 252
Calliope, 361
Costa, 141, 144, 234
Ruby-throated, 252
Rufous, 252, 253
- Hylocichla guttata guttata, 148
ustulata, 148, 313
ustulata ustulata, 128
- I**
- Icteria virens longicauda, 161
- Icterus bullockii, 314, 362
cucullatus nelsoni, 362
parisorum, 159
- Index of published portraits of persons whose names have been used in California nomenclature, 305
- Italy, bird life in, 129
- Ivory-bill, 60
- Ixoreus naevius, 148
naevius meruloides, 145, 322
- J**
- Jay, Black-headed, 237, 241, 327
Black-headed Steller, 190
Blue, 10
Blue-fronted, 362
Blue-fronted Steller, 310
California, 131, 317, 318, 352
Pinyon, 322
Rocky Mountain, 237, 241
Steller, 194
- Jewett, Stanley G., assistant parentage among birds, 127; the little green heron in Oregon, 129; the flam-mulated screech owl in Oregon, 164; bird notes from Oregon, 356
- Johnson, Mrs. T. F., western tanager in winter at San Diego, 325
- Junco hyemalis, 247, 252
hyemalis shufeldti, 357
oreganus, 247
oreganus thurberi, 310
- Junco, Oregon, 247
Shufeldt, 357
Sierra, 310, 361
Slate-colored, 247, 252
- K**
- Kermode, F., the Lichtenstein kingbird on Vancouver island, 251
- Killdeer, 144, 246, 313
- Kimball, H. H., an abode of *Otus flammeolus*, 129
- Kingbird, Lichtenstein, 251
- Kingfisher, Belted, 237
- Kinglet, Golden-crowned, 167, 362
Ruby-crowned, 362

UNIV OF IDAHO
MOSCOW

Nov., 1928

INDEX TO VOLUME XXX

369

- Kite, Mississippi, 29
 Swallow-tailed, 29
 White-tailed, 250, 361
- L**
- Lanius ludovicianus anthonyi*, 251
Larus californicus, 354
 delawarensis, 354
 heermanni, 146
Lark, Horned, 145, 146, 147
 Law, J. Eugene, *Toxostoma curvirostris*: I.
 description of a new subspecies
 from the lower Rio Grande, 151
Leucosticte atrata, 191, 237
tephrocotis dawsoni, 191
tephrocotis littoralis, 237
tephrocotis tephrocotis, 237
 Lewis, Harrison F., communication re-
 garding cormorants in relation
 to fisheries, 195
 Lincoln, Frederick C., banded pintail re-
 covered in British Honduras, 359
 Linnet, 260
 California, 159
 Linsdale, Jean M., a method of showing
 relative frequency of occurrence of
 birds, 180; the species and sub-
 species of the fringillid genus *Pas-
 serella* Swainson, 349
Lobipes lobatus, 163
 Lofberg, Lila M., bird banding at Flor-
 ence Lake, 7340 feet altitude, 308
 Loomis, Leverett Mills, notice of death of,
 194
 Longspur, Alaska, 237, 242
 Loon, Pacific, 146
Lophodytes cucullatus, 326
Lophortyx californica vallicola, 319
gambelii gambelii, 163
Loxia curvirostra bendirei, 362
curvirostra stricklandi, 159
leucoptera, 247
- M**
- Macrorhamphus griseus*, 120
Magpie, Black-billed, 237, 240
 Yellow-billed, 194
 Main, John S., whistling of the Wilson
 snipe, 128
 Mallard, 128, 237, 238, 321
 Martin, Lower California Purple, 124
 Northern Purple, 122, 124
 Purple, 124, 364
 Mattingley, Arthur H. E., communication
 regarding cormorants in relation to
 fisheries, 196
 May, John B., occurrence of the golden-
 crowned sparrow in Massachusetts,
 191
 McCabe, Thomas T. and Elinor Bolles,
 notes on certain injured birds, 190;
 the plumage of the pine siskin, 221;
- migration (?) of the black-headed
 jay, 326; song sparrows endure a
 severe winter, 358
 McLean, D. D., observations on pigeon
 hawks in the Yosemite region, 352
Meadowlark, 128
 Western, 194
 Meadows, Don C., bird notes from Santa
 Catalina island, 250
Melanerpes formicivorus bairdi, 147
Meleagris americana, 50
 occidentalis, 50
Melospiza melodia clementae, 145
melodia cooperi, 161, 317
melodia fisherella, 277
melodia montana, 237
melodia morphna, 358
Merganser, American, 167, 237
 Hooded, 201, 326
 Red-breasted, 146
Mergus americanus, 237
 serrator, 146
 Metzger, C. T., saving the parakeets, 217
 Michael, Charles W., nesting time of band-
 tailed pigeons in Yosemite valley,
 127; the pileated woodpecker feeds
 on berries, 157
 Michael, Chas W. and Enid, behavior of
 saw-whet owls in Yosemite park,
 323
 Michener, Harold, where engineer and
 ornithologist meet: transmission
 troubles caused by birds, 169
 Michener, Harold and Josephine, what
 color is the eye of a bush-tit, 133
 Migratory instinct, antiquity of, 119
 Miller, Alden H., the status of the car-
 dinal in California, 243
 Miller, Loye, the antiquity of the migra-
 tory instinct in birds, 119; the
 sahuaro screech owl in California,
 192; generic re-assignment of
Morphnus daggetti, 255; additions
 to the faunal list of Anacapa
 island, 325
Mimus polyglottos, 320
 polyglottos leucopterus, 148, 159, 314
Mniotilla varia, 145
Mockingbird, 141, 320, 327
 Western, 148, 159, 314
Molothrus ater obscurus, 161
Morphnus daggetti, 255
 guianensis, 255
 Munro, J. A., cormorants nesting on Bare
 island, British Columbia, 327
Murrelet, Ancient, 120
Myadestes townsendi, 148, 237, 311, 323
Myiochanes virens peninsulae, 186
 virens richardsonii, 186
 virens virens, 186

N

Names of persons used in nomenclature
of birds of California, 261
Nannus hiemalis pacificus, 161
Neogyps errans, 255
Neophema bourkei, 217
 elegans, 217
 pulchella, 217
 venusta, 217
Nettion carolinense, 237
Nichols, J. T., fauna and faunal area, 315
Nighthawk, Pacific, 362
Nomenclature of California birds, 261
Nucifraga columbiana, 237, 308, 362
Nutcracker, 240, 309
 Clark, 237, 308, 362
Nuthatch, 250
 Canada, 361
 Pigmy, 311
 Red-breasted, 242, 247, 311
 Rocky Mountain, 237, 242
 Slender-billed, 249, 311, 331, 362
Nuttallornis borealis majorinus, 185

O

Oceanodroma leucorhoa beali, 320
 macrodactyla, 355, 356
 socorroensis, 355
Oidemia americana, 356
 deglandi, 357
 perspicillata, 120, 357
Olor columbianus, 237
Oporornis tolmiei, 362
Oriole, Arizona Hooded, 362, 363
 Bullock, 167, 194, 314, 362
 Scott, 159
Oroscoptes montanus, 325
Otus asio gilmani, 192
 asio quercurinus, 192, 333
 flammeolus, 129
Oven-bird, 327
Owl, American Long-eared, 233
 Barn, 131, 147, 250, 320
 Barred, 9, 10
 Burrowing, 145, 147
 Flammulated Screech, 129, 164
 Great Gray, 157
 Great Horned, 128, 157, 190, 260, 353,
 362
 Hawk, 237, 241
 Long-eared, 147, 228
 Pigmy, 260
 Rocky Mountain Pigmy, 237, 241
 Sahuaroo Screech, 192, 260
 Saw-whet, 314, 323
 Southern California Screech, 333
 Spotted, 260
 Western Horned, 242, 324
Oxyechus vociferus, 144, 246, 313

P

Palmer, T. S., notes on persons whose
names appear in the nomenclature

of California birds, 261
Palmer, Wm., portrait of, 54
Parrakeet, Blue-wing Grass, 217
 Burke Grass, 217
 Carolina, 217
 Elegant Grass, 217
 Pileated, 217
 Turquoisine, 219
 Turquoisine Grass, 217
 Yellow-rumped, 217
Partridge, Hungarian, 195, 331
Passer domesticus, 147, 237
Passerculus sandwichensis alaudinus, 146,
 147
Passerella georgiana, 349
 iliaca, 145, 349
 iliaca altivagans, 350
 iliaca annectens, 350
 iliaca brevicauda, 350
 iliaca canescens, 350
 iliaca fuliginosa, 350
 iliaca fulva, 350
 iliaca iliaca, 350
 iliaca insularis, 350
 iliaca mariposae, 350
 iliaca megarhynchus, 350
 iliaca monoensis, 350
 iliaca schistacea, 350
 iliaca sinuosa, 350
 iliaca stephensi, 350
 iliaca townsendi, 350
 iliaca unalaschcensis, 350
lincolnii gracilis, 349
lincolnii lincolnii, 349
melodia acadica, 349
melodia adusta, 349
melodia atlantica, 349
melodia beata, 349
melodia caurina, 349
melodia clementae, 350
melodia cleonensis, 350
melodia cooperi, 350
melodia coronatorum, 350
melodia fallax, 350
melodia fisherella, 350
melodia goldmani, 350
melodia gouldii, 350
melodia graminea, 350
melodia heermannii, 350
melodia inexpectata, 350
melodia insignis, 350
melodia juddi, 350
melodia kenaiensis, 350
melodia mailliardi, 350
melodia maxillaris, 350
melodia melodia, 350
melodia merrillii, 350
melodia mexicana, 350
melodia micronyx, 350
melodia morphna, 350

- melodia pusillula, 350
 melodia rivularis, 350
 melodia rufina, 350
 melodia saltonis, 350
 melodia samuelis, 350
 melodia sanaka, 350
 melodia santaecrucis, 350
 melodia semidiensis, 350
Passerina amoena, 161
Peacock, California, 258
Pearse, Theed, the nuptial display of the buffle-head, 251
Pelican, 167
 California Brown, 253
 White, 160, 167
Pelecanus erythrorhynchos, 160
Pelidna alpina, 120
 alpina sakhalina, 325
Pemberton, J. R., additions to the known avifauna of the Santa Barbara Islands, 144; the nesting of Howard's grouse, 347
Penthestes atricapillus septentrionalis, 237
 gambeli, 309
 gambeli gambeli, 237
Perisoreus canadensis capitalis, 237
 Personal names as used in bird names, 261
Petrel, Beal Leach, 320
 Guadalupe, 355
Pewee, 259
 Eastern Wood, 186, 259
 Large-billed Wood, 186
 Western Wood, 186, 361
 Wood, 185
Phainopepla, 141, 331
Phalacrocorax albociliatus, 328
 auritus, 327
 cincinatus, 328
 pelagicus resplendens, 147
 penicillatus, 146
Phalaenoptilus nuttallii, 153
 nuttallii californicus, 153
 nuttallii dickeyi, 153
 nuttallii hueyi, 152
 nuttallii nitidus, 152
 nuttallii nuttallii, 152, 153, 357
Phalarope, Northern, 131, 163
 Red, 364
Pheasant, Mikado, 364
 Ring-necked, 195, 331
Phillips, John C., notice of his bulletin on transplanting wild birds and animals, 330
Phloeotomus pileatus abieticola, 344
 pileatus picinus, 157
Phoebe, Black, 327, 363
 Say, 145, 147
Pica pica hudsonia, 237
Picoides americanus dorsalis, 344
 americanus fasciatus, 343
 arcticus, 342
Pigeon, Band-tailed, 126, 127, 253
 Passenger, 9, 29, 217, 219
 Wild, 12
Pintail, 359
Pipilo crissalis, 247
 crissalis senicula, 317
 erythrophthalmus, 247
 maculatus megalonyx, 161, 317
Pipit, 131, 148
 American, 193
Piranga ludoviciana, 125, 313, 325
Planesticus migratorius propinquus, 126
Platycercus flaveolus, 217
Plectrophenax nivalis nivalis, 237
Plover, Black-bellied, 202
 Killdeer, 36
Polioptila californica, 139
 caerulea obscura, 143, 161
 plumbea, 161
Polyborus cheriway, 255
Poor-will, 357
 Huey, 152
 San Ignacio, 153
Porphyrocephalus spurius, 217
 Portraits of persons whose names have been used in bird names, 305
Porzana carolina, 246
Potter, Laurence B., a mockingbird in Saskatchewan, 320
Progne subis hesperia, 122, 124
 subis subis, 122, 124
Psaltriparus minimus, 133
 minimus minimus, 250, 360
Ptarmigan, Willow, 260
Puffin, Tufted, 327
Puffinus opisthomelas, 120
Q
Quail, California, 258, 364
 California Valley, 194
 Desert, 163, 331
 Gambel, 195
 Mountain, 362
 Valley, 167, 319, 331
Querquedula cyanoptera, 158
 discors, 128
R
Rail, California Black, 247
 Farallon, 158
 Pacific Virginia, 322
 Sora, 246
 Virginia, 159
Rallus virginianus, 159
 virginianus pacificus, 322
 virginianus virginianus, 322
Raven, 239, 241
 Western, 237
Ray, Milton S., a record set of eggs of the golden eagle, 250

- Redpoll, 320
 Common, 237, 242
- Red-tail, 198
 Western, 145, 147, 232, 233, 236, 250
- Regulus satrapa olivaceus, 362
- Richmond, Dr. C. W., portrait of, 66
- Richmondena cardinalis canicauda, 244
 cardinalis cardinalis, 243, 353
 cardinalis floridana, 244
 cardinalis ignea, 244
 cardinalis superba, 244, 353
- Ridgway, John L., portrait of, 40
- Ridgway, Robert, bibliography of, 70
 biography of, 5
 bird portraits by, 11, 17, 26, 43, 48
 home of, 8, 29, 30, 38, 62, 65, 66, 67, 68
 portraits of, 4, 14, 20, 28, 35, 38, 52,
 54, 55, 56, 57, 60, 61, 64
 species named for, 70
- Ridgway-Allen correspondence, 45ff
- Ridgway-Baird correspondence, 16ff
- Riley, J. H., and A. Wetmore, an erroneous record for the Japanese pipit
 in Alaska, 193
- Ring-neck, 167
- Robertson, John McB., some returns of
 banded mallards, 321; returns of
 banded gulls, 354
- Robin, albino, 18
 Western, 126, 145, 148, 250, 312, 361
- Rowan, William, bears and birds' eggs,
 246
- Rowley, J. Stuart, western winter wren
 found breeding in Tulare County,
 California, 160; sage thrasher nesting
 near Victorville, California, 325
- S
- Salpinctes guadeloupensis proximus, 155
 obsoletus obsoletus, 156
 obsoletus guadeloupensis, 156
- Sandpiper, Red-backed, 120, 325
 Spotted, 362
 Western, 158
- Sapsucker, Red-breasted, 253, 254
 Red-naped, 339, 344
 Williamson, 303, 339, 344
- Sayornis nigricans, 325, 363
 saya, 145, 147
- Scoter, American, 356
 White-winged, 120, 167
- Seiurus aurocapillus, 327
- Selasphorus allenii, 147
 floresii, 277
 platycercus, 252
 rufus, 252
- Shearwater, Black-vented, 120
- Shrike, Island, 251
 Loggerhead, 259
 Northern, 242
- Siskin, Northern Pine, 122
- Pine, 147, 221, 361
- Sitta canadensis, 247, 311
 carolinensis aculeata, 249, 311
 carolinensis nelsoni, 237
 pygmaea, 311
- Skinner, M. P., Yellowstone's winter birds,
 237
- Smith, Emily, black swifts nesting behind
 a waterfall, 136
- Snipe, Wilson, 128, 158, 201, 237, 239
- Solitaire, Townsend, 144, 148, 237, 239,
 242, 311, 323
- Sparrow, California Black-chinned, 163
 Chipping, 361
 Desert Black-throated, 158
 Eastern Marsh, 167
 English, 147, 157, 192, 219, 237
 Forbush's, 257
 Fox, 145, 349, 361
 Gambel, 145, 146, 148, 164, 250, 252,
 317, 318
 Gambel White-crowned, 189
 Golden-crowned, 148, 163, 164, 191,
 252, 317, 318
 Harris, 163, 164, 167, 252
 Hudsonian White-crowned, 189
 Lark, 327
 Lincoln, 257, 361
 Mountain Song, 237, 242
 Nuttall, 259
 Nuttall White-crowned, 189
 Puget Sound White-crowned, 187, 189
 Rufous-crowned, 148
 Rusty Song, 358
 Salvador Chipping, 359
 San Clemente Song, 145
 San Diego Song, 161, 317, 318
 Santa Cruz Island, 148
 Tree, 191
 Valdez Fox, 318
 Western Savannah, 146, 147
 Western Tree, 237, 242
 White-crowned, 186, 313, 361
 White-throated, 252
- Speotyto cunicularia hypugaea, 145, 147
- Sphyrapicus thyroideus, 303, 344
 varius nuchalis, 344
 williamsoni, 282
- Spinus pinus, 147, 221
 pinus pinus, 122
 lawrencei, 159
- Spizaëtus ornatus, 255
- Spizella atrogularis cana, 163
 monticola ochracea, 257
 passerina cicada, 359
 passerina mexicana, 359
 passerina pinetorum, 359
 pusilla, 16
- Spoonbill, 60
- Roseate, 59

- Starling, European, 219
Stelgidopteryx serripennis, 158
 Storer, Tracy I., further notes on low-
 land nesting of the western robin
 in California, 328
Streptocercyale alcyon, 237
Sturnella neglecta, 128
 Sugden, John W., a nest site of the west-
 ern horned owl in Utah, 324
 Sumner, E. L., Jr., notes on the develop-
 ment of young screech owls, 333
 Sumner, E. L., Jr. (with J. L. Cobb),
 further experiments in removing
 birds from places of banding, 317
 Surf-bird, 259
Surnia ulula caparoch, 237
 Swales, B. H., portrait of, 64
 Swallow, Barn, 148
 Cliff, 258, 331
 Rough-winged, 158
 Violet-green, 331, 362
 Swan, Whistling, 237, 239, 240
 Swarth, H. S., winter occurrence of Sierra
 Nevada rosy finch and black rosy
 finch in California, 191; review of
 Taverner's study of red-tailed
 hawks, 197; a bush-tit's nest on a
 pedestal, 359
 Swift, Black, 136, 166
 Central American White-throated,
 193
 Vaux, 362
 White-throated, 146
Sylvia tolmiei, 286
Synthliboramphus antiquus, 120
 T
Tachycineta thalassina lepida, 362
Tanager, Western, 125, 194, 313, 325, 326,
 361
 Tate, Ralph C., rufous hummingbird in
 the Oklahoma Panhandle, 252
 Taverner, P. A., bears and hawks, 157
 Teal, 239
 Cinnamon, 158
 Green-winged, 237
 Tern, Caspian, 132
Thalasseoactus pelagicus, 49
 Thrasher, Brownsville, 151
 California, 317, 318
 Palmer, 331
 Sage, 325
 Thrush, Alaska Hermit, 148
 Hermit, 249
 Northern Varied, 322
 Russet-backed, 128, 148, 313
 Sierra Hermit, 362
 Varied, 62, 145, 148
 Wood, 9
Thryomanes bewickii carbonarius, 154
 bewickii charienturus, 145, 154, 155,
 325
 bewickii correctus, 154
 bewickii drymoecus, 155, 353
 Tinamou, South American, 195
 Tit, Plain, 250, 327
 Titmouse, San Diego Plain, 154
 Todd, W. E. C., notice of his published
 list of types in the collection of the
 Carnegie museum, 329
Totanus melanoleucus, 120, 147
 Towhee, 9, 141
 Anthony, 317, 318
 Green-tailed, 361
 San Diego, 161, 317, 318
 Spotted, 331
Toxostoma curvirostris, 151
 curvirostris curvirostris, 151
 curvirostris oberholseri, 151
 redivivum, 317
Troglodytes aëdon parkmanii, 362
Turdus migratorius propinquus, 145, 148,
 250, 312, 328
 Turkey, Brush, 259
 Wild, 9, 10, 29, 58, 195
 Tyler, John G., can hawks prevent mouse
 plagues, a reply, 124
Tympanuchus americanus americanus, 128
Tyrannus melancholicus satrapa, 251
Tyto pratincola, 147
 U
Urubitinga urubitinga, 255
 V
 Van Rossem, A. J. (with Donald R.
 Dickey), a new race of the white-
 throated swift from Central Amer-
 ica, 193; a new chipping sparrow
 from Central America, 359
Vermivora celata lutescens, 358, 362
 celata oresterae, 357
Vireo bellii pusillus, 161
 gilvus swainsonii, 325
 huttoni, 148
 huttoni huttoni, 161
 vicinior, 158
Vireo, California Least, 161, 162
 Cassin, 361
 Gray, 158
 Hutton, 148, 161
 Warbling, 202, 361
 Von Bloeker, Jack C., fly-catching habits
 of the western tanager, 125; west-
 ern mockingbird nesting in a mail
 box, 159
 Von Bloeker, Jack C., Jr., and Samuel G.
 Harter, reddish egret on Los Coro-
 nados islands, Mexico, 253
 Vorhies, Chas. T., band-tailed pigeon nest-
 ing in Arizona in September, 253
 Vulture, Black, 58
 Turkey, 63

- W
- Warbler, Alaska Pileolated, 163
 Audubon, 148, 352, 361
 Black-and-White, 144, 145
 Black-throated Blue, 36
 Calaveras, 361
 California Yellow, 161, 162
 Golden Pileolated, 161
 Hermit, 362
 Lutescent, 361, 362
 MacGillivray's, 286
 Myrtle, 283
 Palm, 363
 Pileolated, 361
 Prothonotary, 39
 Rocky Mountain Orange-crowned, 357
 Tolmie, 361, 362
 Yellow, 362
- Waxwing, Bohemian, 237, 242, 314
 Cedar, 250
- Wells, Caroline, notes on some birds of western Montana, 322
- Wetmore, Alexander, the tibio-tarsus of the fossil hawk *Buteo typhoios*, 149; the short-tailed albatross in Oregon, 191
- Wetmore, A., and J. H. Riley, an erroneous record for the Japanese pipit in Alaska, 193
- Wetmoregyps, 255
- Weydemeyer, Winton, some winter records from Montana, 246
- Weydemeyer, Winton and Donald, the woodpeckers of Lincoln County, Montana, 339
- Wilson, A. V., condor caught in San Joaquin valley, 159
- Wilsonia pusilla chryseola, 161
 pusilla pileolata, 163
- Woodpecker, 257
 Alaska Three-toed, 339, 343
 Alpine Three-toed, 339, 344
 Arctic Three-toed, 339, 342
 Batchelder, 339, 342
 Cabanis Hairy, 311
 Cactus, 332
 California, 131, 144, 147, 157, 331
- Eastern Downy, 254
 Gila, 382
 Ivory-billed, 55, 58
 Lewis, 163, 339, 345, 356
 Northern Hairy, 339, 345
 Northern Pileated, 339, 344
 Pileated, 10, 157, 364
 Rocky Mountain Hairy, 237, 242, 342
 White-headed, 311, 361
 Willow, 253, 254
 Willow Downy, 254
- Woods, R. S., nesting of the black-tailed gnatcatcher, 139; an early spring record for the Costa hummingbird, 324
- Wren, Cactus, 143
 House, 142
 San Diego, 145
 San Diego Bewick, 154
 San Joaquin, 358
 Western House, 248, 362
 Western Winter, 160, 161
- Wren-tit, 194
 Pallid, 318, 363
- Wyman, Luther Everet, portrait of, 176; biography of, 176
- X
- Xema sabini, 163
 Xenopus albolarvatus, 311
- Y
- Yellow-legs, 120
 Greater, 147
- Z
- Zamelodia melanocephala, 314
 Zeledon, José C., portrait of, 56, 57
 Zenaida amabilis, 50
 Zenaidura carolinensis, 50
 macroura, 128
 macroura marginella, 147
 yucatanensis, 50
- Zonotrichia albicollis, 252
 coronata, 148, 191, 317
 leucophrys gambelii, 145, 146, 148, 189, 317
 leucophrys leucophrys, 189, 313
 leucophrys nuttalli, 187, 189, 260
 leucophrys pugetensis, 187, 189
 querula, 163, 164, 252