

## INDEX TO VOLUME 57

By SYLVIA L. THOMSSEN

**A**

- Accipiter, 70  
*chionogaster*, 37, 46  
*chionogaster chionogaster*, 38  
*chionogaster ventralis*, 38  
*cooperii*, 160, 161  
*gentilis*, 120  
*gentilis apache*, 121  
*striatus*, 38, 83  
*striatus suttoni*, 161  
*striatus velox*, 161
- Actitis macularia*, 40, 162, 225, 228, 367
- Adams, Claude T., comparative osteology of the night herons, 55
- Aechmophorus occidentalis*, 27
- Aegithalos caudatus*, 83
- Aéronautes saxatalis*, 37, 66  
*saxatalis saxatalis*, 164, 165  
*saxatalis sclateri*, 165
- Aethia cristatella*, 292, 298  
*pusilla*, 299
- Agamia agami*, 227
- Agelaius phoeniceus*, 224, 243  
*phoeniceus mearnsi*, 233  
*phoeniceus phoeniceus*, 233
- Aimophila*, 193–201  
*aestivalis*, 193, 194, 196, 200  
*aestivalis bachmani*, 199  
*botterii*, 53, 193, 194, 196, 199, 201  
*botterii botterii*, 53  
*carpalis*, 78, 193, 194, 198–201  
*cassinii*, 193, 194, 196, 199, 201  
*humeralis*, 78, 196–201  
*mystacalis*, 194, 197, 201  
*notosticta*, 193, 194, 196, 200, 201  
*petenica*, 53, 194, 196, 201  
*quinquestriata*, 193, 194, 201  
*rufescens*, 53, 194, 198, 200, 201  
*rufescens cinerea*, 53  
*rufescens gigas*, 53  
*rufescens rufescens*, 35, 53  
*rufescens subvespera*, 196  
*ruficauda*, 194–201  
*ruficauda acuminata*, 193–198  
*ruficauda lawrencii*, 33, 53, 194, 197  
*ruficauda ruficauda*, 194  
*ruficeps*, 193, 194, 200, 201  
*ruficeps boucardi*, 176  
*ruficeps eremoeca*, 176  
*ruficeps scottii*, 176, 199  
*ruficeps tenuirostris*, 160, 176  
*strigiceps*, 194, 198, 199, 201  
*sumichrasti*, 65, 78, 193–201
- Aix sponsa*, 120
- Ajaia ajaja*, 68
- Albatross, Black-footed, 292  
*Laysan*, 292
- Alvarez, del Toro (see del Toro)
- Amadon, Dean, and Eckelberry, Don R., observations on Mexican birds, 65
- Amazilia cyanocephala cyanocephala*, 35, 42  
*violiceps ellioti*, 43  
*violiceps violiceps*, 33, 42  
*viridifrons*, 42
- Amazona autumnalis*, 229  
*autumnalis autumnalis*, 41  
*autumnalis salvini*, 41
- Amblycercus holosericeus*, 233
- Ammodramus savannarum*, 234  
*savannarum perpalidus*, 53  
*savannarum pratensis*, 53
- Amphispiza bilineata*, 194  
*bilineata bilineata*, 176  
*bilineata grisea*, 176  
*bilineata opuntia*, 176
- Anabacerthia striaticeps*, 230  
*striaticollis variegaticeps*, 34, 45
- Anas acuta*, 21, 118, 161  
*carolinensis*, 21  
*clypeata*, 67  
*cyanoptera*, 22  
*discors*, 22, 37, 68, 161, 377  
*fulvigula*, 227  
*platyrhynchos*, 21, 117, 180, 184  
*rubripes*, 180, 184  
*streperus*, 22
- Anhinga*, 223
- Anhinga anhinga*, 227
- Ani*, Groove-billed, 41
- Anser albifrons*, 10  
*albifrons albifrons*, 307  
*albifrons gambelli*, 307
- Anseranas*, 311
- Anthreptes orientalis*, 261
- Anthropoides paradisea*, 286–289
- Anthus spinolella*, 62, 232  
*spinolella japonica*, 300
- Antpitta*, Scaled, 45
- Ant-Shrike*, Barred, 45
- Aphelocoma coerulescens*, 159, 168, 231, 350, 370  
*ultramarina*, 159  
*ultramarina couchii*, 160, 167
- Aquila*, 70
- Aracari*, Collared, 74
- Aramides cajanea*, 228
- Aramus pictus*, 225  
*scolopaceus*, 228
- Aratinga canicularis*, 41  
*canicularis canicularis*, 33, 36, 41  
*canicularis eburnirostrum*, 41

- holochlora, 41, 66  
*holochlora holochlora*, 35, 41  
*holochlora strenua*, 41  
*Archilochus alexandri*, 165  
*colubris*, 43, 225  
*Ardea*, 60  
*herodias*, 37  
*herodias herodias*, 227  
*herodias wardi*, 227  
*Arenaria*, 236  
*interpres*, 228  
*interpres morinella*, 368  
*Armitage*, Kenneth B., territorial behavior in fall  
 migrant rufous hummingbirds, 239  
*Arremonops conirostris*, 234  
*rufivirgatus*, 78  
*striaticeps*, 234  
*Asio flammeus*, 3, 241, 308, 362  
*wilsonianus*, 14  
*Atlapetes*, Chestnut-capped, 53  
*Atlapetes brunnei-nucha*, 234  
*brunnei-nucha brunnei-nucha*, 34, 53  
*gutturalis*, 234  
*Atticora cyanoleuca*, 188  
*cyanoleuca patagonica*, 188  
*Auklet*, Crested, 292, 298  
*Least*, 299  
*Paroquet*, 298  
*Rhinocerus*, 299  
*Aulacorhynchus prasinus*, 43, 229  
*prasinus chiapensis*, 44  
*prasinus prasinus*, 34, 43  
*Auriparus flaviceps ornatus*, 168  
*Aythya*, 21, 223  
*affinis*, 25, 180, 184, 227  
*americana*, 23  
*collaris*, 23, 372  
*marila*, 120  
*valisineria*, 23
- B**
- Balanophyra formicivora*, 373  
*formicivora formicivora*, 160, 166  
*Baldpate*, 19, 22, 67, 373  
*Bailey*, Robert E., the incubation patch in tina-  
 mous, 301  
*Bartramia longicauda*, 367  
*Basileuterus culicivorus*, 51, 233  
*culicivorus culicivorus*, 34, 51  
*melanogenys*, 233  
*rufifrons rufifrons*, 51  
*Bendell*, James F., age, molt, and weight char-  
 acteristics of blue grouse, 354  
*Blackbird*, Brewer, 89, 121, 174  
*Red-winged*, 243  
*Yellow-headed*, 65, 173  
*Blackford*, John L., woodpecker concentration in  
 burned forest, 28; nesting of European  
*starling* in western Montana, 122; early  
 nesting of golden-crowned kinglet, 242;
- pygmy nuthatches take arboreal bath, 304;  
 cedar waxwings occupy old nest of west-  
 ern tanager, 309  
*Bluebird*, Eastern, 66, 83  
*Bob-white*, 39, 223, 244, 266-268, 271, 272, 276,  
 278-281  
*Bohl*, Wayne H., killdeer decoys duck hawk from  
 young, 243  
*Bolborhynchus lineola*, 70  
*Bombycilla cedrorum*, 37, 171, 232, 309  
*Booby*, Blue-footed, 123  
*Brachyramphus marmoratus*, 298  
*Brant*, 6, 9  
*Black*, 362, 363  
*Branta bernicla*, 362  
*nigricans*, 6  
*Brotogeris*, 223  
*jugularis*, 229  
*Bubo virginianus*, 11, 229  
*virginianus pallescens*, 164  
*Bucephala albeola*, 25  
*clangula*, 25  
*islandica*, 26  
*Bufflehead*, 19, 24-26  
*Bunting*, Indigo, 53, 62, 225  
*Orange-breasted*, 66  
*Painted*, 53, 174  
*Varied*, 174  
*Burhinus bistriatus bistriatus*, 33, 36, 40  
*Burns*, Robert D., and *Howell*, Thomas R., mid-  
 winter nesting of the house finch at Los  
 Angeles, California, 246  
*Busarellus nigricollis nigricollis*, 68  
*Bush-tit*, 62  
*Black-eared*, 66, 168  
*Buss*, Irven O., and *Dziedzic*, Eugene S., relation  
 of cultivation to the disappearance of the  
 Columbian sharp-tailed grouse from south-  
 eastern Washington, 185  
*Buteo albicaudatus hypospodius*, 38  
*jamaicensis*, 66, 227, 319  
*jamaicensis costaricensis*, 35, 38  
*jamaicensis fuertesi*, 161  
*lagopus*, 313-346  
*lagopus kamtschatkensis*, 313, 314, 322, 336,  
 337, 339, 343, 344  
*lagopus lagopus*, 313, 314, 322, 339  
*lagopus pallidus*, 313, 314, 333, 336, 337, 343,  
 344  
*lagopus menzbieri*, 314, 343  
*lagopus sanctijohannis*, 313-346  
*lineatus*, 227  
*magnirostris*, 37  
*nitidus*, 38  
*nitidus maximus*, 38  
*nitidus micrus*, 38  
*platypterus*, 227  
*swainsoni*, 37  
*Buteogallus aequinoctialis*, 68  
*anthracinus*, 37, 38

*anthracinus anthracinus*, 68  
*anthracinus cancrivorus*, 68  
*anthracinus gundlachi*, 68  
*anthracinus micronyx*, 68  
*anthracinus subtilis*, 68  
*gundlachi*, 68  
*urubitinga*, 68  
*Butorides*, 60  
*virescens*, 227

**C**

*Cacicus vitellinus*, 233  
*Cacicue, Mexican*, 51  
*Cade, Tom J.*, variation of the common rough-legged hawk in North America, 313  
*Cairina moschata*, 37, 227  
*Calcarius lapponicus*, 15  
*Calidris canutus*, 368  
*Callipepla squamata castanogastris*, 162  
*squamata pallida*, 162  
*squamata squamata*, 162  
*Calliste*, 78  
*Calocitta formosa*, 37  
*formosa formosa*, 76  
*formosa impudens*, 47  
*formosa pomporta*, 33, 47  
*Calonectris leucomelas*, 293, 294  
*Calypte anna*, 347-353  
*Camtostoma imberbe*, 47  
*imberbe ridgwayi*, 47  
*Campylorhynchus brunneicapillus couesi*, 169  
*Campylopterus hemileucurus*, 229  
*Canachites canadensis franklini*, 213  
*Canvasback*, 19, 20, 23, 26  
*Capella gallinago*, 228  
*Caprimulgus vociferus*, 37, 66, 121  
*Caprimulgus vociferus arizonae*, 160, 164  
*Caracara*, 65  
*Caracara cheriway*, 37  
*Cardellina rubrifrons*, 160  
*Cardinal*, 174, 226  
*Carpodacus mexicanus*, 89, 246, 351, 370  
*mexicanus frontalis*, 174  
*mexicanus potosinus*, 174  
*Casmerodus*, 60  
*albus*, 37, 227  
*Cassiculus melanicterus*, 33, 36, 51  
*Cassidix*, 236  
*mexicanus*, 51, 121, 224, 233  
*mexicanus mexicanus*, 51  
*mexicanus monsoni*, 121  
*Catharacta skua*, 295  
*skua maccormickii*, 296  
*Carthartes aura*, 37, 66, 227  
*aura aura*, 160, 161  
*aura teter*, 161  
*Catharus griseiceps*, 232  
*mexicanus cantator*, 49  
*mexicanus mexicanus*, 34, 49  
*occidentalis*, 66

*Catherpes mexicanus albifrons*, 170  
*mexicanus conspersus*, 170  
*mexicanus mexicanus*, 170  
*Catoptrophorus semipalmatus*, 241, 367, 368  
*Centrocercus urophasianus*, 243  
*Centurus aurifrons*, 44  
*aurifrons frontalis*, 44  
*aurifrons polygrammus*, 44  
*carolinus*, 151, 230  
*hypopolius*, 73  
*rubricapillus*, 230  
*uropygialis*, 73  
*Cercomacra nigricans*, 230  
*Cerorhinca monocerata*, 299  
*Certhia familiaris*, 231, 373  
*familiaris montana*, 169  
*Chachalaca, Plain*, 38  
*Chaetura vauxi*, 67  
*vauxi gaumeri*, 42  
*vauxi richmondi*, 42  
*vauxi tamaulipensis*, 37, 42  
*Chalcomitra*, 249  
*Chamaepetes*, 237  
*unicolor*, 228  
*Chamaethlypis poliocephala*, 36  
*poliocephala palpebralis*, 50  
*Charadrius collaris*, 70  
*hiaticula*, 67, 83, 366, 368  
*hiaticula semipalmatus*, 366  
*nivosus*, 239  
*semipalmatus*, 216  
*vociferus*, 228, 243, 372  
*wilsonia*, 67, 228, 368  
*wilsonia cinnamominus*, 367  
*wilsonia wilsonia*, 366  
*Chat*, 223-225, 235  
*Ground*, 50  
*Yellow-breasted*, 50  
*Chen rossi*, 191  
*Chendytes*, 135-137  
*lawi*, 135-143  
*milleri*, 137-143  
*Chickadee, Black-capped*, 226  
*Carolina*, 226  
*Chlidonias nigra*, 228, 240  
*Chloroceryle aenea*, 229  
*americana*, 229  
*americana hachisuki*, 165  
*americana leucosticta*, 165  
*americana septentrionalis*, 43, 165  
*americana vanrossemi*, 35, 43  
*Chlorophonia*, 78  
*callophrys*, 233  
*Chlorospingus, Brown-capped*, 52  
*Chlorospingus ophthalmicus*, 234  
*ophthalmicus ophthalmicus*, 34, 36, 37, 52  
*ophthalmicus postocularis*, 52  
*pileatus*, 234  
*Chlorura chlorura*, 175  
*Chondestes grammacus*, 37  
*grammacus strigatus*, 176

- Chondroheirax uncinatus*, 37  
*Chordeiles acutipennis*, 66, 129  
  *acutipennis micromeris*, 42  
  *acutipennis texensis*, 42  
  *minor*, 26, 125, 126, 144  
  *minor aseriensis*, 125, 126, 144–147  
  *minor chapmani*, 125, 126, 144, 146, 147  
  *minor henryi*, 144–146  
  *minor hesperis*, 144, 145  
  *minor howelli*, 147  
  *minor neotropicalis*, 144–147  
*Cinclus cinclus*, 83  
*Cinnyris*, 249  
  *habessinicus*, 249–261  
  *habessinicus alter*, 249–261  
  *habessinicus habessinicus*, 249–261  
  *habessinicus hellmayri*, 249–261  
  *habessinicus kinneari*, 249–261  
  *habessinicus turkanae*, 249–261  
  *mariquensis*, 254, 256, 257, 258, 260  
  *mariquensis osiris*, 257  
  *mariquensis suahelicus*, 260  
  *mediocris*, 255  
  *osea*, 258  
  *venustus*, 256  
*Circus cyaneus*, 37, 161, 242  
*Clangula hyemalis*, 189, 304  
*Claravis pretiosa*, 41  
*Coccyzus americanus*, 229  
  *erythrophthalmus*, 67, 163  
*Colaptes auratus*, 82, 151, 230  
  *cafer*, 29, 66, 123, 151  
  *cafer collaris*, 166  
  *cafer nanus*, 160, 165  
*Colibri thalassinus*, 42  
  *thalassinus minor*, 42  
  *thalassinus thalassinus*, 35, 42  
*Colinus*, 237  
  *virginianus*, 228, 244, 266  
  *virginianus coyolcos*, 39  
  *virginianus insignis*, 39  
  *virginianus nelsoni*, 39  
*Columba albilinea*, 224, 229  
  *fasciata*, 66  
  *fasciata fasciata*, 35, 40, 162  
  *flavirostris flavirostris*, 33, 40  
*Columbicallina passerina*, 65, 191, 229  
  *passerina pallescens*, 41  
  *talpacoti*, 65  
*Colymbus arcticus*, 299  
  *stellatus*, 299  
*Contopus*, 244, 245  
  *pertinax*, 35, 47  
  *pertinax minor*, 47  
  *richardsonii placens*, 245  
  *richardsonii richardsonii*, 47  
  *richardsonii sordidulus*, 47  
  *sordidulus peninsulae*, 246  
  *sordidulus saturatus*, 246  
  *sordidulus sordidulus*, 246  
  *sordidulus veliei*, 246  
  *virens*, 47, 231  
*Cooch, Graham*, spring record of Ross goose from James Bay, Ontario, 191  
*Coot*, 22, 228  
  *European*, 83  
*Coragyps atratus*, 37, 70, 227  
*Cormorant, Double-crested*, 224, 226  
  *Olivaceus*, 226  
*Corvus brachyrhynchos*, 121  
  *brachyrhynchos brachyrhynchos*, 231  
  *brachyrhynchos hargravei*, 121  
  *brachyrhynchos hesperis*, 121  
  *brachyrhynchos pascuus*, 231  
  *corax*, 37  
  *corax sinuatus*, 168  
  *monedula*, 84  
*Cotinga ridgwayi*, 230  
*Cowbird*, 83, 84, 224, 225  
  *Bronzed*, 65  
  *Brown-headed*, 65  
  *Red-eyed*, 51  
*Crane, Sandhill*, 40, 189  
  *Whooping*, 286–289, 311  
*Crane-hawk*, Black, 38  
*Creeper, Brown*, 157, 169, 373  
*Crocethia alba*, 368  
*Crossbill, Red*, 53, 66, 120, 121  
*Crotaphaga ani*, 229  
  *major*, 229  
  *sulcirostris*, 47  
  *sulcirostris sulcirostris*, 41  
*Crow*, 231  
  *American*, 121  
*Crypturellus cinnamomeus*, 37  
  *cinnamomeus soconuscensis*, 37  
*Cuckoo, Black-billed*, 67, 163  
  *Lesser Ground*, 41  
  *Squirrel*, 41  
  *Striped*, 70  
*Cunningham, John D.*, notes on food habits of the white-tailed kite in southern California, 371  
*Curassow*, 228  
*Curlew, Hudsonian*, 367  
*Cyanocitta cristata*, 76  
  *cristata bromia*, 231  
  *cristata cristata*, 231  
  *stelleri*, 66, 159, 168  
  *stelleri ridgwayi*, 66  
*Cyanocorax yncas luxuosa*, 76  
*Cyclarhis gujanensis*, 36, 77, 232  
  *gujanensis flaviventris*, 49  
*Cyclorrhynchus psittacula*, 298  
*Cygnus columbianus*, 243  
*Cypseloides niger*, 123  
*Cyrtonyx montezumae mearnsi*, 160, 162  
  *montezumae montezumae*, 162  
*ocellatus*, 40  
  *ocellatus ocellatus*, 35

**D**

- Dacnis cayana*, 232  
*Dalquest, Walter W.*, and *Lewis, Leo D.*, whistling swan and snowy owl in Texas, 243  
*Davis, David E.*, determinate laying in barn swallows and black-billed magpies, 81; observations on the breeding biology of kingbirds, 208  
*Dactylorhynchus thoracicus*, 39  
*Delacour, Jean*, review of his "The Waterfowl of the World," 311  
*del Toro, Miguel Alvarez*, frigate birds crossing the Isthmus of Tehuantepec, 62; the rufescent mourner in Chiapas, Mexico, 370  
*del Toro, Miguel Alvarez*, and *Selander, Robert K.*, a new race of boomer nighthawk from southern Mexico, 144  
*Dendragapus obscurus*, 304, 354-361  
*obscurus richardsonii*, 213  
*Dendrocincla homochroa*, 37, 230  
*homochroa homochroa*, 34, 44  
*Dendrocopos certhia sancti-thomae*, 44  
*Dendrocopos*, 30, 158  
*arizonae*, 158, 159  
*borealis*, 225, 230  
*pubescens*, 151, 230  
*scalaris*, 158, 159, 166  
*scalaris azelus*, 44  
*scalaris cactophilus*, 160, 166  
*scalaris parvus*, 44  
*scalaris percus*, 44  
*scalaris symplectus*, 166  
*villosum*, 29, 30, 66, 151, 158, 159, 166, 230  
*villosum x Dendrocopos scalaris*, 166  
*villosum sanctorum*, 35, 44  
*Dendrocygna autumnalis*, 67  
*Dendroica aestiva*, 233  
*auduboni*, 50, 159, 160  
*auduboni auduboni*, 50, 173  
*auduboni memorialis*, 50, 173  
*auduboni nigrifrons*, 173  
*caeruleascens*, 233  
*castanea*, 67, 233  
*chrysoparia*, 37, 50  
*coronata*, 173, 233  
*discolor*, 233  
*fusca*, 233  
*graciae*, 50, 159, 160  
*graciae decora*, 50  
*graciae graciae*, 50  
*graciae ornata*, 35, 50  
*magnolia*, 67, 233  
*nigrescens*, 173  
*occidentalis*, 371  
*palmarum*, 233  
*pensylvanica*, 67, 233  
*petechia*, 67  
*striata*, 233  
*townsendi*, 173  
*virens*, 67, 233  
*virens virens*, 50

*Dicaeum*, 78

- Dichromonassa*, 60  
*Dickerman, Robert W.*, some recent Arizona bird records, 120  
*Dickerman, Robert W.*, and *Hardy, John William*, the taxonomic status of the maroon-fronted parrot, 305  
*Diomedea immutabilis*, 292  
*nigripes*, 292  
*Dipper*, 83  
*Dolichonyx oryzivorus*, 233  
*Dove, Blue Ground*, 41  
*Common Ground*, 65  
*Ground*, 41, 191  
*Inca*, 41, 65, 191  
*Mexican Ground*, 191  
*Mourning*, 65, 163, 224  
*Ruddy Ground*, 65  
*White-fronted*, 41  
*White-winged*, 40, 163  
*Dowitcher, Short-billed*, 223, 368  
*Dryocopus lineatus*, 230  
*lineatus scapularis*, 44  
*lineatus similis*, 35  
*pileatus*, 151, 190  
*pileatus abieticola*, 230  
*pileatus floridanus*, 230  
*Duck, Black*, 179, 184  
*Black-bellied Tree*, 67  
*Harlequin*, 299  
*Old Squaw*, 189, 304  
*Ring-necked*, 19, 23, 24, 372  
*Ruddy*, 19, 26  
*Wood*, 120  
*Dumetella carolinensis*, 225, 232  
*Dysithamnus*, 223  
*mentalis*, 230  
*Dziedzic, Eugene S.*, and *Buss, Irven O.*, relation of cultivation to the disappearance of the Columbian sharp-tailed grouse from southeastern Washington, 185

**E**

- Eagle, Bald*, 223  
*Eckelberry, Don R.*, painting of four Central American tanagers, opposite 3; painting of cinnamon-tailed sparrow, opposite 65  
*Eckelberry, Don R.*, and *Amadon, Dean*, observations on Mexican birds, 65  
*Edwards, Ernest P.*, and *Lea, Robert B.*, birds of the Monserrate Area, Chiapas, México, 31  
*Egret, Common*, 128  
*Snowy*, 128  
*Elaenia, Yellow-bellied*, 75  
*flavogaster*, 231  
*flavogaster subpagana*, 75  
*forficatus*, 68  
*Elanus leucurus*, 190, 371  
*Empidonax difficilis difficilis*, 167  
*difficilis hellmayri*, 160, 167  
*flavescens dwighti*, 34, 47

- flaviventris, 47, 231  
*hammondii*, 167  
*minimus*, 47, 62, 231  
*traillii*, 231, 245  
*traillii traillii*, 47  
*wrightii*, 167
- Eremophila alpestris*, 78
- Ereunetes mauri*, 368  
*pusillus*, 216, 366, 368
- Erolia bairdii*, 67, 216, 366  
*fuscicollis*, 216, 368  
*maritima*, 216-219  
*maritima groenlandica*, 218, 219  
*mauri*, 241  
*melanotos*, 162, 228, 368  
*minutilla*, 228, 241, 368
- Eudocimus albus*, 68
- Eugenys fulgens aureoviridis*, 165  
*fulgens fulgens*, 160, 165  
*fulgens viridiceps*, 35, 43
- Euphagus carolinus*, 233  
*cyancephalus*, 89, 121, 174
- Euphonia*, Blue-hooded, 77  
 Lesson, 52
- Euthlypis lachrymosa*, 51
- Evenden, Fred G., old-squaw duck at Lake Tahoe, California, 304
- F**
- Falco columbarius*, 228  
*peregrinus*, 67, 216, 243  
*sparverius*, 37, 100, 162, 228
- Falcon*, Laughing, 38  
 Peregrine, 216, 340
- Farner, Donald S., and Mewaldt, L. R., the natural termination of the refractory period in the white-crowned sparrow, 112
- Finch, Black Rosy, 61, 306  
 House, 174, 246, 351, 370  
 Yellow, 78
- Fisher, James, review of his "A History of Birds," 127
- Fisher, Harvey I., major arteries near the heart in the whooping crane, 286
- Flat-bill, Eye-ringed, 47  
 Sulphury, 47
- Flicker, Red-shafted, 29, 66, 123, 151-153, 165, 166  
 Yellow-shafted, 82, 151
- Florida, 60  
*caerulea*, 59, 60, 227
- Flycatcher, Ash-throated, 166  
 Beardless, 47  
 Boat-billed, 46  
 Common Tody, 75  
 Coues, 47, 157  
 Derby, 46, 74  
 Dusky-capped, 74  
 Fork-tailed, 65  
 Hammond, 63, 167
- Least, 47, 62  
 Mexican Crested, 47  
 Nutting, 47  
 Olivaceous, 157  
 Olive-sided, 47, 67, 167  
 Pied, 83  
 Querulous, 47, 74  
 Scissor-tailed, 46, 65, 67, 310  
 Silky, 232  
 Social, 46, 74  
 Sulphur-bellied, 46  
 Traill, 47  
 Tufted, 66  
 Vermilion, 46, 65, 167  
 Vermilion-crowned, 74  
 Western, 167  
 Wright, 63, 167  
 Yellow-bellied, 47  
 Yellowish, 47
- Fratercula corniculata*, 299
- Fregata magnificens*, 62
- French, Norman R., foraging behavior and predation by Clark nutcracker, 61
- Frigate-bird, 62
- Fulica*, 288, 289  
*americana*, 22, 225, 228, 286  
*atra*, 83
- Fulmar, 291-294, 297
- Fulmarus glacialis*, 291  
*glacialis rodgersii*, 292
- G**
- Gadwall, 19, 20, 22, 23
- Galbula ruficauda melanogenia*, 73
- Gallinule, 83, 228
- Gallinula chloropus*, 83, 228
- Gavia immer*, 227
- Gelochelidon nilotica*, 228
- Gem, Green-throated Mountain, 43
- Genelly, Richard E., additional records of emperor goose from California, 63; annual cycle in a population of California quail, 263
- Genelly, Richard E., and Rudd, Robert L., avian mortality from DDT in Californian rice fields, 117
- Geococcyx californianus*, 163  
*velox affinis*, 42  
*velox melanochima*, 41, 42
- Geothlypis trichas*, 241  
*trichas brachydactyla*, 233  
*trichas ignota*, 233
- Geotrygon albifacies anthonyi*, 34, 41
- Geranospiza nigra*, 38
- Glaucidium brasiliianum ridgwayi*, 42  
*gnoma californicum*, 160, 164  
*gnoma gnoma*, 164  
*gnoma pinicola*, 164
- Gnatcatcher, Blue-gray, 49, 171  
 White-lored, 49

- Goldeneye, Barrow, 19, 26  
 Common, 19, 24-26
- Goldfinch, American, 89, 210, 370  
 Lesser, 175
- Goose, Australian Magpie, 311  
 Diving, 135  
 Emperor, 63, 362, 363  
 Ross, 191, 312  
 Tule, 307  
 White-fronted, 10, 307
- Goshawk, 120, 121, 128
- Goura cristata, 369
- Graber, Richard R., the nighthawks of the Tamalipas coast of México, 125
- Grackle, Boat-tailed, 51, 121, 225
- Grallaria guatimalensis guatimalensis, 34, 45  
 guatimalensis mexicanus, 46  
 guatimalensis ochraceiventris, 46
- Grant, Chapman, killdeer fails to desert displaced nest, 372
- Grassquit, Blue-black, 53
- Grebe, Least, 67  
 Pied-billed, 67  
 Western, 27
- Grosbeak, Black-headed, 66, 174  
 Blue, 53, 174, 213-215  
 Evening, 128  
 Rose-breasted, 53, 67
- Ground-Cuckoo, Lesser, 66
- Grouse, Blue, 304, 354-361  
 Columbian Sharp-tailed, 185-187  
 Franklin, 213  
 Ruffed, 213  
 Sage, 243  
 Sharp-tailed, 243  
 Spruce, 213-215
- Grus americana, 286-289  
 antigone, 286-289  
 canadensis, 228  
 canadensis canadensis, 189  
 canadensis tabida, 189  
 cinerea, 286
- Guan, Crested, 38
- Guara alba, 227
- Guira guira, 83
- Guiraca caerulea, 53  
 caerulea eurhyncha, 53  
 caerulea interfusa, 174
- Gull, California, 206, 207, 242  
 Glaucous, 8, 10, 202-207, 297, 362, 363  
 Glaucous-winged, 202-207, 297, 362, 363
- Herring 81, 84, 206, 297  
 Japanese, 296  
 Mew, 296
- Ring-billed, 242
- Slaty-backed, 297
- Western, 206
- Gymnopithys bicolor, 230
- Gymnostinops montezuma, 51
- Habia rubica, 234
- Haematopus, 366
- Haliaeetus leucocephalus, 228
- Hardy, John William, and Dickerman, Robert W., the taxonomic status of the maroon-fronted parrot, 305
- Harpyhalieetus coronatus, 68  
 solitarius, 68
- Hartman, Frank A., heart weight in birds, 221
- Haverschmidt, F., North American shore birds in Surinam, 366
- Hawk, Black-collared, 68  
 Common Black, 38, 68  
 Common Rough-legged, 313-346  
 Cooper, 161  
 Duck, 67, 243, 244  
 Gray, 38  
 Marsh, 161  
 Red-tailed, 38, 66, 161  
 Rough-legged, 313-346  
 Sharp-shinned, 38, 83, 161  
 Sparrow, 100, 162  
 White-chested, 38  
 White-tailed, 38
- Hawk-eagle, Black and White, 69, 70  
 Ornate, 70
- Hedydipna platura, 256, 258
- Heliomaster constantii leocadiae, 33, 43
- Heliornis fulica, 228
- Henicorhina, 226  
 leucophrys, 232  
 leucosticta prostheleuca, 34, 49
- Hering, Louise, new nesting records from Boulder County, Colorado, 62
- Heron, Black-crowned Night, 55  
 Great Blue, 223, 224  
 Green, 225  
 Louisiana, 223  
 Yellow-crowned Night, 55
- Herpetotheres cachinnans cachinnans, 38  
 cachinnans chapmani, 38
- Heterocnus cabanisi, 227  
 mexicanus, 37
- Himantopus himantopus, 228, 366
- Hirundo rustica, 37, 65, 81, 82, 85, 231
- Histrionicus histrionicus, 299
- Howard, Hildegarde, new records and a new species of Chendytes, an extinct genus of diving geese, 135
- Howell, Thomas R., a southern hemisphere migrant in Nicaragua, 188
- Howell, Thomas R., and Burns, Robert D., mid-winter nesting of the house finch at Los Angeles, California, 246
- Hubbs, Carl L., black scoters reported from Baja California, 121
- Hudson, George E., an apparent hybrid between the ring-necked pheasant and the blue grouse, 304

**H**

Hummingbird, Allen, 348, 350

Anna, 312, 347-353

Azure-crowned, 42

Black-chinned, 165

Blue-throated, 165

Broad-tailed, 164, 165

Calliope, 119, 239, 240

Rivoli, 43, 165

Ruby-throated, 43

Rufous, 239

Swallow-tailed, 43

Violet-crowned, 42

Violet-eared, 42

White-eared, 42, 66

*Hydranassa tricolor*, 60, 227

*Hylocharis leucotis*, 66

leucotis leucotis, 35, 42

*Hylocichla fuscescens*, 232

guttata, 49, 121, 171, 232, 349

guttata auduboni, 171

guttata guttata, 171

guttata slevini, 121

ustulata, 67, 121

ustulata almae, 121

*Hypomorphus urubitinga*, 68, 228

*Hypopolioides*, 73

## I

*Ibis*, 227

Glossy, 119, 120

White, 68

White-faced Glossy, 120

Wood, 120

*Icterus chrysater chrysater*, 52

galbula, 67, 233

gularensis, 52

gularis, 36

gularis gularis, 33, 52

gularis troglodytes, 52

mesomelas, 233

parisorum, 173

pustulatus formosus, 33, 52

spurius, 52

virens, 233

virens virens, 50

wagleri wagleri, 52

*Iridoprocne albilinea*, 65, 188

bicolor, 84, 231

Irving, Laurence, nocturnal decline in the temperature of birds in cold weather, 262

*Ixobrychus exilis*, 227

## J

*Jacamar*, Rufous-tailed, 73

*Jacana spinosa*, 228

Jackdaw, 84

*Jaeger*, Long-tailed, 6, 296

Parasitic, 5, 9, 10

Pomarine, 3-10, 16, 296

*Jay*, Blue, 76

Brown, 67, 70, 76

Green, 47, 76

Mexican, 161, 167, 168

Scrub, 350, 352, 370

Steller, 66, 157, 159

White-tipped Brown, 76

Johnsgard, Paul A., courtship activities of the anatidae in eastern Washington, 19

Johnston, David W., the glaucous gull in western North America south of its breeding range, 202

Johnston, Richard F., influence of winter high tides on two populations of salt marsh song sparrows, 308

Jollie, M., new records for Idaho, 189; a hybrid between the spruce grouse and the blue grouse, 213

*Junco*, Mexican, 177

Oregon, 88-110

Slate-colored, 89, 103, 113

*Junco hyemalis*, 89, 94, 108, 113

oreganus, 88-110

phaeonotus palliatus, 160, 177

*Jynx torquilla*, 82

## K

Kelly, Junea, W., history of a nesting of an Anna hummingbird, 347

Kessel, Brina, distributional records of waterfowl from the interior of Alaska, 372

Killdeer, 225, 243, 244, 372

*Kingbird*, Eastern, 67, 208-212

Tropical, 46

Western, 67

*Kingfisher*, 225

Belted, 165

Green, 43

Little Green, 165

*Kinglet*, 232

Golden-crowned, 62, 128, 171, 242

Ruby-crowned, 171, 172

Kinsey, Eric Campbell, a recent record of the pileated woodpecker in Marin County, California, 190

Kimsey, J. Bruce, the white-tailed kite in Humboldt County, California, 190

*Kiskadee*, 74

*Kite*, Gray-headed, 70

Hooked-billed, 37

Swallow-tailed, 68

White-tailed, 190, 371

*Kittiwake*, Common, 297

Red-legged, 296, 297

*Knot*, 368

Kuroda, Nagahisa, observations on pelagic birds of the northwest Pacific, 290

**L**

- Lagopus lagopus*, 237  
*mutus*, 236  
*Lampornis clemenciae bessophilus*, 165  
*clemenciae clemenciae*, 160, 165  
*viridi-pallens viridi-pallens*, 43  
*Laniocera rufescens*, 230, 370  
*Lanius ludovicianus*, 100, 225, 232  
*ludovicianus excubitorides*, 171  
*ludovicianus mexicanus*, 171  
*Lark, Horned* 78  
*Larus argentatus*, 81, 206  
*atricilla*, 228  
*californicus*, 206, 242  
*canus*, 84, 296  
*crassirostris*, 296  
*delawarensis*, 242  
*glaucescens*, 202-207, 297, 362  
*hyperboreus*, 8, 202-207, 362  
*occidentalis occidentalis*, 206  
*schistisagus*, 297  
*Laterallus albicularis*, 228  
*Lea, Robert B., and Edwards, Ernest P.*, birds of the Monserrate area, Chiapas, Mexico, 31  
*Leaf-scraper, Tawny-throated*, 45  
*Legg, Ken*, photograph of brown creeper, 373  
*Lepidocolaptes affinis*, 230  
*affinis affinis*, 34, 45  
*Leptodon cayanensis*, 70  
*Leptotila cassini*, 229  
*verreauxi*, 229  
*verreauxi angelica*, 41  
*verreauxi bangsi*, 41  
*Leucophoyx*, 60  
*Leucosticte atrata*, 61, 306, 307  
*australis*, 306  
*tephrocotis tephrocotis*, 306  
*tephrocotis wallowa*, 306  
*Lewis, Leo D., and Dalquest, Walter W.*, whistling swan and snowy owl in Texas, 243  
*Limnodromus*, 236  
*griseus*, 228, 368  
*griseus griseus*, 368  
*Limosa*, 366  
*Limpkin*, 228  
*Linnet*, 89  
*Lint, Kenton C.*, photograph of great crowned pigeon, 369  
*Lobipes lobatus*, 295  
*Locustella ochotensis ochotensis*, 300  
*Longhurst, William M.*, additional records of "Tule Geese" from Solano County, California, 307  
*Longspur, Lapland*, 15  
*Loon, Black-throated*, 299  
*Red-throated*, 299  
*Lophodytes cucullatus*, 120, 189  
*floridanus*, 189  
*Lophortyx californica*, 188, 263, 284  
*gambelii*, 244

*Lophotriccus pileatus*, 231

*Lowe, Charles H., Jr.*, Gambel quail and water supply on Tiburón Island, Sonora, México, 244

- Loxia curvirostra*, 66, 121  
*curvirostra mesamericana*, 35, 53  
*curvirostra stricklandi*, 53

*Lunda cirrhata*, 299

**M**

*Macgregor, Wallace, G.*, cyanide poisoning of song birds by almonds, 370

*Magpie, Black-billed*, 81, 82, 85, 362, 363

*Magpie-jay*, 47, 76

*Mallard*, 19, 21, 27, 84, 117, 118, 179, 184

*Manacus vitellinus*, 230

*Manakin, Thrush-like*, 371

*Mareca americana* 22, 67, 372  
*penelope*, 373

*Margarornis rubiginosus*, 230

*Marshall, Joe T., Jr.*, hibernation in captive goat-suckers, 129

*Martin, Gray-breasted*, 188

*McMillan, Ian I.*, an observation of flight exhaustion in California quail, 188

*Meadowlark*, 225, 243

*Eastern*, 52, 66, 226

*Megacyrle alcyon*, 165, 229

*Megarynchus pitangua*, 46  
*pitangua mexicanus*, 46

*Melanerpes erythrocephalus*, 74, 151

*formicivorus*, 230

*formicivorus lineatus*, 35, 44

*hypopolius*, 73

*portoricensis*, 74

*uropygialis*, 73

*Melanitta*, 141

*fusca deglandi*, 138, 141

*nigra*, 300

*perspicillata*, 136, 138, 139, 141

*Melanotis hypoleucus*, 76

*melanotis*, 76

*Meleagris*, 237

*gallopavo*, 228

*gallopavo intermedia*, 160, 162

*gallopavo merriami*, 162

*gallopavo mexicana*, 162

*Mellor, Norman H.*, a winter-active poor-will, 120; Inca dove and ground dove recorded at Corona, Riverside County, California, 191

*Melospiza georgiana*, 234

*lincolni*, 89

*lincolni gracilis*, 177

*lincolni lincolni*, 54

*melodia*, 83, 89, 106, 234, 308

*Merganser, Common*, 24, 26

*Hooded*, 120, 189

*Mergus merganser*, 26

- Mewaldt, L. R., and Farner, Donald S., the natural termination of the refractory period in the white-crowned sparrow, 112
- Microstur ruficollis*, 228
- Micrathene whitneyi*, 164
- Micropalama himantopus*, 366
- Miller, Alden H., record of the least flycatcher in central British Columbia, 62; the avifauna of the Sierra del Carmen of Coahuila, México, 154; the breeding range of the black rosy finch, 306; review of Jean Delacour's "The Waterfowl of the World," 311; acorn woodpecker on Santa Catalina Island, California, 373
- Miller, F. W., black skimmer in north-central Texas, 240
- Mimus gilvus gracilis*, 33, 49  
polyglottos, 232  
polyglottos leucopterus, 170
- Miskimen, Mildred, meteorological and social factors in autumnal migration of ducks, 179
- Mitrephanes phaeocercus*, 66, 231
- Mniotilla varia*, 50, 172, 232
- Mockingbird, 170, 232  
Blue, 76  
Blue and White, 76  
Tropical, 49
- Molothrus ater*, 65, 83, 233
- Montgomery, Vester, hermit warbler at Roswell, New Mexico, 371
- Motmot, Blue-crowned, 43  
Russet-crowned, 43, 71-73
- Momotus mexicanus*, 71-73  
*mexicanus saturatus*, 33, 36, 43  
momota, 71  
*momota lessonii*, 34, 43
- Morococcyx erythropygus*, 66  
*erythropygus erythropygus*, 33, 36, 41  
*erythropygus macrorhynchus*, 41  
*erythropygus mexicanus*, 41
- Mourner, Rufescent, 370  
Rufous, 371
- Murre, Common, 298  
Thick-billed, 298
- Murrelet, Ancient, 298  
Japanese, 298  
Marbled, 298
- Muscicapa hypoleuca*, 83
- Muscivora forficata*, 46, 65, 67, 310  
tyrannus, 65
- Myadestes obscurus*, 66  
*obscurus oberholseri*, 34, 49  
*townsendi townsendi*, 171  
*unicolor unicolor*, 34, 49
- Mycteria americana*, 37, 120, 227
- Myiarchus cinerascens*, 47  
*cinerascens cinerascens*, 166  
*crinitus*, 231
- ferox, 230  
nuttingi, 47  
nuttingi flavidior, 47  
nuttingi inquietus, 47  
tuberculifer, 231  
tuberculifer connectens, 47, 74, 75  
tuberculifer lawrenceii, 47, 74, 75  
tuberculifer littoralis, 75  
tyrannulus, 47  
tyrannulus magister, 47  
tyrannulus nelsoni, 47
- Myioborus miniatus*, 51, 66, 233  
miniatus hellmayri, 51  
miniatus intermedius, 34, 51  
luteiventris luteiventris, 35, 46
- Myiodynastes luteiventris swarthi*, 46
- Myiozetetes cayanensis*, 230  
similis, 37, 46  
similis texensis, 46, 74
- Myrmeciza longipes*, 230
- Myrmotherula schisticolor*, 230

**N**

- Nectarinia*, 249  
*habessinicus*, 251  
*erlangeri*, 261  
*erythroceria*, 261  
*nectarinoides*, 261  
*pulchella*, 256, 261  
*melanogastra*, 261
- Nighthawk, 125  
Booming, 125, 144  
Common, 26  
Lesser, 42, 66  
Trilling, 129
- Nightingale-Thrush, Black-headed, 49
- Russet, 66
- Nomonyx dominicus*, 223, 227
- Notharchus macrorhynchos*, 229
- Nothocercus bonapartei*, 227
- Notiochelidon pileata*, 76
- Nucifraga columbiana*, 61, 76
- Numenius phaeopus*, 367, 368
- Nutcracker, Clark, 61, 76
- Nuthatch, Pygmy, 169, 304  
White-breasted, 64, 66, 169
- Nuttallornis borealis*, 37, 47, 67, 167
- Nyctanassa, 60  
violacea, 55-60, 227  
violacea violacea, 55
- Nyctea scandiaca*, 3, 243, 362
- Nyctibius griseus*, 229
- Nycticorax, 60  
nycticorax, 55-60, 227  
nycticorax hoactli, 55
- Nyctidromus albicollis*, 229  
albicollis intercedens, 42  
albicollis yucatanensis, 42

**O**

- Oceanodroma castro*, 295  
*furcata*, 295  
*furcata furcata*, 295  
*leucorhoa*, 122, 295  
*leucorhoa beali*, 122  
*leucorhoa chapmani*, 122  
*leucorhoa leucorhoa*, 295  
*leucorhoa socorroensis*, 122  
*leucorhoa willetti*, 122  
*tristrami*, 295  
*Oceanites oceanicus*, 83  
*Odontophorus guttatus*, 34, 39, 228  
*guttatus matudae*, 39  
*Oidemia nigra*, 121  
*Oporornis philadelphia*, 233  
*tolmiei*, 50  
*Oreopelia chiriquensis*, 229  
*Oriole, Baltimore*, 67  
  Black-throated, 52  
  Lesson, 52  
  Orchard, 52  
  Scott, 173  
  Streak-backed, 52  
  Wagler, 52  
*Oriturus superciliosus*, 200  
*Ortalis vetula poliocephala*, 33, 36, 38  
*vetula vallicola*, 39  
*Osprey*, 70, 161  
*Otus asio*, 321  
  asio cineraceus, 164  
  asio suttoni, 160, 163, 164  
  choliba, 229  
  flammeolus flammeolus, 163  
  trichopsis, 163  
*Owl*, 229  
  Barn, 14, 42, 163  
  Burrowing, 223  
  Elf, 164, 247  
  Flammulated, 163  
  Ferruginous Pygmy, 42  
  Great Horned, 235  
  Hawk, 364  
  Horned, 11, 161, 164, 166, 168, 364  
  Long-eared, 14  
  Pygmy, 164  
  Screech, 163, 164, 321  
  Short-eared, 3, 12-16, 241, 308, 362-364  
  Snowy, 3, 10-12, 16, 243, 362-364  
  Striped Horned, 224  
*Oxyura jamaicensis*, 26

**P**

- Pachyptila turtur*, 364  
*Pachyramphus polychopterus*, 230  
*Pandion haliaetus*, 161  
*Panyptila cayennensis*, 123  
  cayennensis veraecrucis, 123  
  sancti-hieronymi, 123-125

**Parakeet, Barred**, 70*Green*, 41, 66*Orange-fronted*, 41

**Parkes, Kenneth C., and Phillips, Allan R.**, taxonomic comments on the western wood pewee, 244

**Parmelee, David F., and Sutton, George M.**, the purple sandpiper in southern Baffin Island, 216

**Parrot, 229***Maroon-fronted*, 305*Thick-billed*, 305*White-crowned*, 41*Yellow-cheeked*, 41

**Parula americana pusilla**, 172  
*pitiayumi*, 233

**Parus atricapillus atricapillus**, 231

*atricristatus*, 159*atricristatus dyseleptus*, 160, 168*bicolor*, 225, 231*carolinensis*, 231*gambeli*, 159*sclateri*, 159*wollweberi*, 159

**Passer domesticus**, 82, 83, 113  
*montanus*, 83

**Passerculus sandwichensis**, 234, 241

**Passerella melodia**, 241

**Passerherbulus henslowii**, 234

**Passerina ciris pallidior**, 53, 174

**Passerina cyanea**, 37, 53, 62, 234  
*leclancherii*, 66  
*versicolor versicolor*, 174

**Pauraque**, 42

**Pedioecetes phasianellus**, 243  
*phasianellus columbianus*, 185-187

**Pelecanus erythrorhynchos**, 68

*occidentalis*, 120, 227*occidentalis californicus*, 120

**Pelican, Brown**, 120, 224, 235  
  White, 68

**Penelope purpurascens purpurascens**, 38

**Penelopina nigra**, 37

**Penguin, Gentoo**, 83

**Pepper-shrike**, 232

*Rufous-browed*, 49, 77

**Petrel, Australian**, 292

*Fork-tailed*, 295*Leach*, 122, 295*Madeira*, 295*Peale Gadfly*, 294*Solander*, 294*Stejneger*, 295*Storm*, 295*Wilson*, 83

**Petrochelidon fulva**, 75, 76

*fulva citata*, 75*fulva pallida*, 75*pyrrhonota*, 231

**Peucaea**, 194

- P**eucedramus taeniatus, 37, 159, 160  
*taeniatus arizonae*, 160, 172
- P**ewee, Western Wood, 244, 245  
 Wood, 47
- P**haeinopepla, 171
- P**haeinopepla nitens, 171
- P**halaenoptilus nuttallii, 120, 129-134  
*nuttallii nuttallii*, 160, 164
- P**halacrococax auritus, 227  
*macropus*, 371  
*olivaceus*, 227
- P**halarope, Gray, 295  
 Northern, 295  
 Red, 6
- P**halaropus fulicarius, 6, 295
- P**haromachrus, 34  
*mocino*, 66, 229  
*mocino mocino*, 34, 43
- P**hasianus colchicus, 117, 304
- P**heasant, Ring-necked, 117, 118, 277, 304
- P**heucticus ludovicianus, 53, 67, 234  
*melanocephalus*, 66  
*melanocephalus melanocephalus*, 174  
*tibialis*, 234
- P**hilacte canagica, 63, 362
- P**hillips, Allan R., and Parkes, Kenneth C., taxonomic comments on the western wood pewee, 244
- P**hloeoceastes guatemalensis, 44, 230  
*guatemalensis guatemalensis*, 44  
*guatemalensis nelsoni*, 44
- P**hoebe, Black, 167  
 Say, 167
- P**hoenicothraupis fuscicauda, 234  
*phoenicurus phoenicurus*, 113
- P**hyloscopus borealis examinandus, 300  
*collybita*, 84
- P**iaya cayana, 229  
*cayana thermophila*, 33, 41
- P**ica pica, 81, 82, 85, 362
- P**icooides, 30  
*arcticus*, 29, 30  
*tridactylus*, 29, 30, 151
- P**iculus rubiginosus maximus, 35, 44
- P**igeon, Band-tailed, 40, 66, 162  
 Great Crowned, 369  
 Passenger, 312  
 Red-billed, 40
- P**intail, 19, 21, 117, 118, 161
- P**ionus senilis, 229  
*senilis senilis*, 41
- P**ipilo aberti, 363  
*erythrophthalmus*, 66  
*erythrophthalmus alleni*, 234  
*erythrophthalmus erythrophthalmus*, 234  
*fuscos*, 363  
*fuscos potosinus*, 176  
*fuscos texanus*, 160, 175, 176  
*maculatus*, 351  
*maculatus gaigei*, 160, 175  
*maculatus montanus*, 175
- P**ipit, 232  
 Water, 62, 300
- P**ipromorpha oleaginea, 231
- P**iranga flava dextra, 35, 52, 160, 174  
*flava oreophasma*, 174  
*leucoptera*, 234  
*leucoptera leucoptera*, 34, 52  
*ludoviciana*, 37, 174, 307, 309  
*olivacea*, 67  
*rubra*, 52, 67, 121, 174  
*rubra cooperi*, 121  
*rubra rubra*, 52, 121
- P**itangus sulphuratus, 33, 37, 46, 74  
*sulphuratus derbianus*, 47  
*sulphuratus guatimalensis*, 47  
*sulphuratus texanus*, 74
- P**itelka, Frank A., review of James Fisher's "A History of Birds," 127
- P**itelka, Frank A., Tomich, P. Quentin, and Treichel, George W., breeding behavior of jaegers and owls near Barrow, Alaska, 3
- P**latyrinchus mystaceus, 231
- P**legadis falcinellus, 119, 120  
*mexicana*, 120
- P**lover, Black-bellied, 366  
 Collared, 70  
 Golden, 366  
 Ringed, 67, 83  
 Semipalmated, 216, 366  
 Snowy, 239  
 Thick-billed, 67  
 Upland, 366  
 Wilson, 366
- P**luvialis dominica, 366
- P**odiceps dominicus, 67
- P**odilymbus podiceps, 37, 67, 227
- P**oliocephalus dominicus, 227
- P**olioptila albitorques vanrossemi, 33, 49  
*caerulea*, 225, 232  
*caerulea amoenissima*, 171  
*caerulea deppei*, 49
- P**olyborus cheriway, 65, 228
- P**ooecetes gramineus confinis, 176
- P**oor-will, 120, 129-134, 164
- P**orphyrula martinica, 228
- P**orzana carolina, 241
- P**remnoplex brunneus, 230
- P**rogne chalybea, 188  
*subis*, 231
- P**saltriparus melanotis, 66, 169  
*melanotis lloydii*, 160, 168, 169  
*minimus*, 62, 168, 169  
*minimus dimorphicus*, 169
- P**selliphorus tibialis, 234
- P**seudocolaptes lawrencei, 230
- P**silorhinus mexicanus, 76  
*morio*, 76
- P**tarmigan, Alpine, 237  
 Marsh, 237
- P**terodroma inexpectata, 294, 300  
*solandri*, 292, 294, 300

Pteroglossus torquatus, 229  
*torquatus torquatus*, 74  
 Ptilogonys caudatus, 232  
 Puffin, Horned, 299  
   Tufted, 298, 299  
 Puffinus bulleri, 292, 294, 300  
   carneipes, 293, 294  
   griseus, 293  
   tenuirostris, 291, 293, 294  
 Pulsatrix perspicillata, 229  
 Pygochelidon cyanoleuca, 188, 231  
 Pygoscelis papua, 83  
 Pyrocephalus rubinus, 46, 65  
   *rubinus* *blatteus*, 46  
   *rubinus flammeus*, 46, 167  
 Pyrrhura, 223  
   hoffmanni, 229

**Q**

Quail, California, 188, 263, 266–284, 312  
 Gambel, 244  
 Long-toed, 39  
 Montezuma, 162  
 Ocellated, 40  
 Scaled, 162  
 Spotted, 39  
 Quail-Dove, White-faced, 41  
 Querquedula floridana, 189  
 Quetzal, 43, 66, 226, 236  
 Quigley, Ray, Jr., snowy plover, a photograph,  
   239  
 Quiscalus quiscula 233

**R**

Rail, Clapper, 241, 242  
   Virginia, 121, 241, 242  
 Rallus limicola, 121, 241  
   obsoletus, 241  
 Ramphastos sulfuratus sulfuratus, 74  
   swainsonii, 74, 229  
 Ramphocelus dimidiatus, 234  
   icteronotus, 234  
   passerinii, 234  
 Raven, Holarctic, 168  
 Redhead, 19, 23, 26  
 Redshank, 83  
 Redstart, 225  
   Common, 67  
   European, 113  
   Painted, 50, 164, 173  
   Slate-throated, 51, 166  
 Regulus calendula, 171, 232  
   calendula calendula, 171  
   calendula cineraceus, 171  
   satrapa, 62, 232, 242  
   satrapa satrapa, 171  
 Rhinoptynx clamator, 229  
 Rhodinicichla rosea, 232  
 Rhynchocyclus brevirostris brevirostris, 47  
 Rynchos nigra, 240

Rhynchositta pachyrhyncha, 305, 306  
   *pachyrhyncha pachyrhyncha*, 306  
   *pachyrhyncha terrisi*, 306  
   *terrisi*, 305, 306  
 Rhynchospiza stolzmanni, 199  
 Rhynchoetes jubatus, 286  
 Rhytiptera holerythra, 371  
 Richmondena cardinalis, 174  
   *cardinalis cardinalis*, 225, 234, 236  
   *cardinalis floridana*, 225, 234, 236  
 Riggs, Carl D., night migration of the scissor-tailed flycatcher, 310  
 Riparia riparia, 65, 231  
 Rissa brevirostris, 297  
   *tridactyla pollicaris*, 297  
 Road-runner, 163  
   Lesser, 41  
 Robin, 243, 351  
   American, 77, 83, 211, 212  
   Black, 76  
   Clay-colored, 49  
   Rufous-collared, 76  
   White-throated, 49, 66, 77  
 Rudd, Robert L., and Genelly, Richard E., avian mortality from DDT in California rice fields, 117

**S**

Sabine, Winifred S., winter society of the Oregon junco: the flock, 88  
 Salpinctes obsoletus obsoletus, 170  
 Saltator, Black-headed, 52  
 Saltator atriceps, 52, 234  
   *atriceps peeti*, 36, 52  
   *maximus*, 234  
   *striaticeps*, 234  
 Sanderling, 368  
 Sandpiper, Baird, 67, 216, 366  
   Least, 241, 268  
   Pectoral, 162, 368  
   Purple, 216–219  
   Semipalmated, 216, 368  
   Solitary, 40, 367  
   Spotted, 40, 162, 367  
   Stilt, 366  
   Western, 241, 368  
   White-rumped, 216, 368  
 Sapsucker, Yellow-bellied, 121, 166, 225, 226  
 Sarcoramphus papa, 37, 227  
 Sayornis, 245  
   fuscus, 244  
   • *nigricans nigricans*, 167  
    *nigricans semiatra*, 160, 167  
    *phoebe*, 230, 244, 246  
    *saya saya*, 167  
 Scardafella inca, 41, 65, 191  
 Scaup, Greater, 120  
   Lesser, 25, 179, 184  
 Schiffornis turdinus, 230, 371  
 Sclerurus mexicanus mexicanus, 34, 45

- Scoter, American, 121  
     Black, 121, 247, 300  
     Surf, 122  
     White-winged, 122
- Seiurus, 50, 67  
     aurocillus, 233  
     motacilla, 50
- Selander, Robert K., great swallow-tailed swift  
     in Michoacán, México, 123
- Selander, Robert K., and del Toro, Miguel Al-  
     varez, a new race of booming nighthawk  
     from southern México, 144
- Selasphorus platycercus platycercus, 165  
     rufus, 239  
     sasin, 348  
     scintilla, 229
- Serpophaga cinerea, 231
- Setophaea picta, 159, 160  
     picta guatemalae, 35, 50  
     picta picta, 50, 51, 160, 173  
     ruticilla, 67, 233
- Shearwater, Gray-backed, 294  
     Pale-footed, 293  
     Slender-billed, 291, 293, 294, 296
- Sooty, 293  
     Streaked, 293
- Shoveller, 23, 67
- Shrike, Loggerhead, 100, 171
- Sialia sialis, 66, 83, 225, 232
- Sibley, Charles G., the responses of salt-marsh  
     birds to extremely high tides, 241; nesting  
     of the western tanager in the Santa Cruz  
     Mountains, California, 307
- Sicalis luteola, 78  
     luteola chrysops, 78  
     luteola luteola, 78  
     luteola mexicana, 78
- Siskin, Black-headed, 53, 157  
     Pine, 66, 175
- Sitta canadensis, 231  
     carolinensis, 66, 225, 231  
     carolinensis mexicana, 169  
     carolinensis nelsoni, 160, 169  
     carolinensis oberholseri, 169  
     carolinensis umbrosa, 169  
     pygmaea, 304  
     pygmaea melanotis, 160, 169
- Sittasomus griseicapillus, 230  
     griseicapillus sylviooides, 44
- Skimmer, Black, 67, 240
- Skua, Arctic, 9  
     Great, 5, 9, 295
- Snakebird, 227
- Solitaire, Brown-backed, 49, 66, 157  
     Slate-colored, 49  
     Townsend, 171
- Sora, 241, 242
- Sparrow, Black-chested, 193  
     Black-chinned, 177  
     Black-throated, 176, 194  
     Botteri, 53, 193
- Bridled, 197
- Cassin, 193
- Chipping, 53, 89, 92, 93, 177
- Cinnamon-tailed, opp. 65, 78
- English, 113
- Gambel, 89
- Golden-crowned, 112
- Grasshopper, 53
- House, 82, 83, 85
- Lark, 176
- Lincoln, 54, 89, 177
- Olive, 78
- Pine-wood, 193
- Rufous-crowned, 176, 193
- Rufous-tailed, 193
- Rufous-winged, 193
- Russet-tailed, 53
- Rusty, 53
- Savannah, 225, 241
- Song, 83, 84, 89, 106, 224, 241, 308
- Striped, 157
- Sumichrast, 78, 193, 194
- Swamp, 224, 225
- Tree, 88
- Vesper, 176
- White-crowned, 112–115, 177, 241  
     White-throated, 105
- Spatula clypeata, 23
- Speotyto cunicularia, 229
- Sphyrapicus varius, 37, 121, 166, 230  
     varius nuchalis, 166  
     varius ruber, 121  
     varius varius, 166
- Spinus notatus notatus, 53  
     pinus, 66  
     pinus macropterus, 175  
     pinus pinus, 175  
     psaltria, 37  
     psaltria psaltria, 175  
     tristis, 89, 370
- Spizaetus ornatus, 70
- Spizastur melanoleucus, 69, 70
- Spizella, 199, 200  
     arborea, 89  
     atrogularis, 177  
     passerina, 89, 225, 234  
     passerina arizonae, 177  
     passerina mexicana, 53  
     pusilla, 234
- Spoonbill, Roseate, 68
- Sporophila aurita, 234
- Squatarola squatarola, 366, 368
- Starling, 83, 128, 232, 247  
     European, 122
- Star-throat, Plain-capped, 43
- Stelgidopteryx ruficollis, 37, 65, 76, 188, 231
- Stellula calliope, 119, 239
- Stercorarius longicaudus, 6, 9, 296  
     parasiticus, 4, 5, 9, 296  
     pomarinus, 3–10, 296  
     skua, 5, 9

- Sterna dougallii*, 228  
*hirundo*, 228  
*hirundo longipennis*, 298  
*forsteri*, 228.  
*Stilt*, Black-necked, 366  
*Storer*, Robert W., a preliminary survey of the sparrows of the genus *Aimophila*, 193  
*Streptoprocne semicollaris*, 66, 71  
*zonaris*, 71  
*zonaris mexicana*, 42  
*Strix varia*, 229  
*Stultz*, Alma, another blue-footed booby in southern California, 123  
*Sturnella*, 236, 243  
*magna*, 66, 224, 233  
*magna alticola*, 52  
*Sturnus vulgaris*, 83, 122, 232  
*Sula nebouxii*, 123  
*Sunbird*, Shining, 249  
*Sun Grebe*, 228  
*Sutton*, George Miksch, glossy ibis in Oklahoma, 119  
*Sutton*, George M., and *Parmalee*, David F., the purple sandpiper in southern Baffin Island, 216  
*Swallow*, Bank, 65  
*Barn*, 65, 81, 82, 85  
*Black-capped*, 76  
*Blue and White*, 188  
*Cave*, 75  
*Mangrove*, 65, 188  
*Rough-winged*, 65, 76, 188  
*Tree*, 84, 123, 312  
*Violet-green*, 63, 167  
*Swan*, Whistling, 243  
*Swift*, Great Swallow-tailed, 123-125  
*White-collared*, 42, 71  
*White-naped*, 66, 71  
*White-throated*, 66, 164, 165  
*Vaux*, 42, 67  
*Synallaxis brachyura*, 230  
*Synthliboramphus antiquus*, 298  
*wumisuzume*, 292, 298
- T**
- Tachycineta thalassina*, 63  
*thalassina lepida*, 167  
*thalassina thalassina*, 167  
*Tachyphonus rufus*, 234  
*Tanager*, Blue, opp. 3  
*Golden-masked*, opp. 3  
*Hepatic*, 52, 174  
*Scarlet*, 67  
*Scarlet-rumped Black*, opp. 3  
*Silver-throated*, opp. 3  
*Summer*, 52, 67, 121, 128, 174  
*Western*, 174, 307, 309  
*White-winged*, 52  
*Tanagra affinis affinis*, 36, 52  
*elegantissima*, 77, 78  
*luteicapilla*, 233
- Tangara icterocephala*, 233  
*larvata*, 233  
*Tangavius aeneus*, 33, 51, 65  
*Tapera naevia*, 229  
*naevia excellens*, 70  
*Taraba major*, 223, 230  
*Teal*, Cinnamon, 19, 22  
*Blue-winged*, 19, 22, 68, 161, 372  
*Green-winged*, 20-23, 25, 161  
*Telmatodytes*, 226  
*palustris*, 232, 241  
*Terenotriccus erythrurus*, 231  
*Tern*, Black, 240  
*Common*, 67, 223, 224, 235, 298  
*Roseate*, 223, 235  
*Royal*, 67  
*Sandwich*, 67  
*Thalasseus maximus*, 228  
*sandvicensis*, 67  
*Thamnophilus doliatus*, 230  
*doliatus intermedius*, 45  
*doliatus pacificus*, 45  
*Thick-knee*, Mexican, 40  
*Thrasher*, Crissal, 170, 171  
*Curve-billed*, 170  
*Thraupis episcopus*, 234  
*palmarum*, 234  
*Thrush*, Hermit, 121, 171, 349  
*Swainson*, 67, 121  
*Thryomanes bewickii eremophilus*, 160, 170  
*Thryothorus*, 226  
*leucotis*, 232  
*modestus*, 232  
*pleurostictus*, 37, 48  
*pleurostictus acaciaram*, 33, 48  
*Tiaris olivacea*, 234  
*Tigrisoma lineatum*, 227  
*Tilmatura dupontii dupontii*, 35, 43  
*Tinamou*, Rufescent, 37  
*Tinamus major*, 227  
*Tit*, Long-tailed, 83  
*Titmouse*, Black-crested, 168  
*Bridled*, 157  
*Tityra*, Masked, 46, 74  
*Tityra semifasciata*, 74, 230  
*semifasciata griseiceps*, 46  
*semifasciata personata*, 46  
*Todd*, W. E. Clyde, taxonomic comment on races of Leach petrel of the Pacific coast, 122  
*Todirostrum cinereum*, 75  
*Tolmomyias sulphurescens cinereiceps*, 47  
*Tomich*, P. Quentin, Pitelka, Frank A., and Treichel, George W., breeding behavior of jaegers and owls near Barrow, Alaska, 3  
*Totanus flavipes*, 162  
*totanus*, 83  
*Toucan*, Keel-billed, 74  
*Toucanet*, Emerald, 43  
*Towhee*, 225, 226  
*Brown*, 175  
*Green-tailed*, 175

- Red-eyed, 66, 224, 226  
 Spotted, 175, 351  
 White-eyed, 226
- Toxostoma dorsale dorsale, 170, 171  
 curvirostre celsum, 170  
 curvirostre oberholseri, 170  
 rufum, 225, 232
- Tree-hunter, Scaly-throated, 45
- Treichel, George W., Pitelka, Frank A., and  
 Tomich, P. Quentin, breeding behavior of  
 jaegers and owls near Barrow, Alaska, 3
- Tringa flavipes, 228, 367, 368  
 melanoleuca, 228, 367, 368  
 solitaria, 367, 368  
 solitaria cinnamomea, 40
- Tripsurus pucherani, 74
- Troglodytes, 226
- Troglodytes aëdon, 84, 170, 225, 231  
 aëdon parkmani, 170  
 brunneicollis cahooni, 160, 170  
 brunneicollis compositus, 170  
 musculus, 231  
 musculus intermedius, 49  
 troglodytes, 170
- Trogon, Citreoline, 43  
 Collared, 43  
 Violaceous, 43
- Trogon citreolus sumichrasti, 33, 36, 43  
 collaris, 226, 229  
 collaris puella, 34, 43  
 massena, 226, 229  
 violaceus, 229  
 violaceus braccatus, 43
- Tucker, Harold M., calliope hummingbird en-  
 tangled in grass barbs, 119
- Turdus affinis, 77  
 assimilis, 34, 49, 66  
 assimilis assimilis, 77  
 assimilis renominate, 77  
 filaris, 84  
 grayi, 35, 77, 232  
 grayi grayi, 49  
 infuscatus, 76  
 migratorius, 77, 83, 211, 232, 243, 351  
 nigrescens, 76  
 plebejus, 232  
 rufitorques, 76, 77  
 serranus, 76
- Turkey, 162, 223
- Turnstone, Ruddy, 223, 368
- Tyrannula richardsonii, 244, 246
- Tyrannus melancholicus, 46  
 melancholicus chloronotus, 33, 46  
 melancholicus couchii, 46  
 melancholicus occidentalis, 46  
 tyrannus, 67, 208-212  
 verticalis, 67  
 vociferans, 37
- Tyto alba, 14, 163  
 alba pratincola, 42
- U**
- Uria aalge, 298  
 lomvia arra, 298
- Uropsila leucogastra, 48
- Uropygialis, 73
- Urubitornis solitaria, 68
- V**
- Vanellus vanellus, 83
- Verdin, 168, 169
- Vermivora gutturalis, 233  
 peregrina, 67, 233  
 virginiae, 172
- Vireo, Black-capped, 171  
 Gray, 172  
 Hutton, 172  
 Red-eyed, 223, 226  
 Solitary, 50, 157, 172  
 Warbling, 50, 67  
 White-eyed, 223
- Vireo atricapillus, 171  
 carnioli, 226, 232  
 gilvus, 67  
 gilvus gilvus, 50  
 griseus, 232  
 huttoni carolinae, 160, 172  
 huttoni mexicanus, 172  
 huttoni stephensi, 172  
 olivaceus, 232  
 solitarius, 50, 172, 232  
 solitarius montanus, 35, 37, 50  
 solitarius solitarius, 50
- Volatinia jacarina splendens, 33, 53
- von Bloeker, Jack C., Jr., albino swallow in  
 Sequoia National Park, 63
- Vulture, Black, 70, 223  
 Turkey, 66, 68, 161, 223, 225, 235
- W**
- Warbler, Arctic Willow, 300  
 Audubon, 50, 157, 173  
 Bay-breasted, 67  
 Black and White, 50, 172  
 Black-throated Green, 50, 67  
 Black-throated Gray, 173  
 Canada, 67  
 Chestnut-sided, 67  
 Fan-tailed, 51  
 Golden-cheeked, 50  
 Golden-crowned, 51  
 Grace, 50, 157  
 Hermit, 371  
 Hooded, 67  
 Island Grasshopper, 300  
 Macgillivray, 50  
 Magnolia, 67  
 Olive, 172  
 Parula, 172  
 Pileolated, 50, 67, 173

- Red-faced, 157  
 Rufous-capped, 51  
 Tennessee, 67  
 Townsend, 173  
 Virginia, 172  
 Yellow, 67  
 Waterthrush, 67  
     Louisiana, 50  
 Waxwing, Cedar, 171, 223, 309  
 Wetmore, Alexander, the genus *Lophodytes* in  
     the Pleistocene of Florida, 189; a sup-  
     posed record of a fossil cormorant, 371  
 Whip-poor-will, 66, 121, 164  
 Wick, William Q., a recent record of the sharp-  
     tailed grouse in Nevada, 243  
 Widgeon, European, 312, 372  
 Willet, 241, 368  
 Williams, John G., a systematic revision and  
     natural history of the shining sunbird of  
     Africa, 249  
 Wilsonia canadensis, 67, 233  
     citrina, 67  
     pusilla, 67, 233  
     pusilla pileolata, 50, 173  
 Woodhewer, Barred, 44  
     Ruddy, 44  
     Spotted, 44  
     Spotted-crowned, 45  
 Woodpecker, Acorn, 44, 164, 166, 373  
     Arizona, 157  
     Black-backed, 29  
     Black-cheeked, 74  
     Downy, 151-153, 225  
     Gila, 73  
     Golden-fronted, 44  
     Gray-breasted, 73  
     Guatemalan Ivory-billed, 44  
     Hairy, 29, 30, 44, 66, 151-153 157, 166  
     Ivory-billed, 44  
     Ladder-backed, 44, 166  
     Lewis, 64  
     Lineated, 44  
     Olivaceous, 44  
     Pileated, 151, 190, 191, 224, 226  
     Red-bellied, 151, 152, 225  
 Red-headed, 151, 152  
 Ruddy-green, 44  
 Three-toed, 29, 30, 151-153  
 Wren, Banded, 48  
     Bewick, 64, 170  
     Brown-throated, 170  
     Cactus, 162, 169  
     Canyon, 170  
     House, 84  
     Long-billed Marsh, 241  
     Rock, 170  
     Tropical House, 49  
     White-breasted Wood, 49  
 Wryneck, 82, 85
- X**
- Xanthocephalus xanthocephalus, 65, 173  
 Xanthoura yncas vivida, 36, 47, 48  
 Xiphorhynchus erythropygius, 230  
     erythropygius erythropygius, 34, 44  
     flavigaster eburneirostris, 44  
     flavigaster flavigaster, 44  
     nanus, 230
- Y**
- Yeager, Lee E., two woodpecker populations in  
     relation to environmental change, 148  
 Yellow-legs, Greater, 367  
     Lesser, 162, 367  
 Yellow-throat, 241
- Z**
- Zarhynchus wagleri, 233  
 Zenaida asiatica asiatica, 163  
     asiatica mearnsi, 33, 40, 163  
 Zenaidura macroura, 37, 65, 229  
     macroura marginella, 163  
 Zonotrichia albicollis, 234  
     capensis, 198, 199, 234  
     coronata, 112-114  
     leucophrys, 89, 112-114, 241  
     leucophrys gambelii, 112-115, 177