



Fig. 1. Nest and young of Spotted Towhee with eggs of the California Quail.

stroyed. I found one of the quail eggs nearby which had been broken. It contained a chick nearly ready to hatch.

Bent (U. S. Nat. Mus. Bull. 162, 1932:63) gives several instances of the California Quail laying eggs in nests of other species.—DON BLEITZ, *Los Angeles, California, July 15, 1955.*

Additional Data on the Birds of Guadalupe Island.—In our recent paper on the birds of Guadalupe Island, México (Condor, 56, 1954:283–294) the following errors and omissions in the check-list and bibliography were made and require correction. The Eared Grebe (*Colymbus caspicus californicus*) should be included as an accidental visitor as a specimen was reported by Rothschild and Hartert (Novit. Zool., 9, 1902:416). The year of the last record for the Guadalupe Petrel (*Oceanodroma macrodactyla*) is not 1919 but 1912, as reported by Davidson (Condor, 30, 1928:355–56). We are indebted to Dr. Alexander Wetmore for calling this *lapsus* to our attention. In addition to Mrs. Davidson's paper, that of Bond and de Schauensee (Acad. Nat. Sci. Phila. Mono., 6, 1944:7–56) should have been included in the list of pertinent references published since 1927. The latter work mentions several specimens collected at Guadalupe Island, including the second island record for the Osprey (*Pandion haliaëtus carolinensis*), which should therefore be considered a casual rather than an accidental visitor according to our use of the terms.—THOMAS R. HOWELL and TOM J. CADE, *Department of Zoology, University of California, Los Angeles, California, September 22, 1955.*