

INDEX TO VOLUME 60

By SYLVIA L. THOMSEN

A

- Acanthis flammea*, 235
Accipiter cooperii, 141
 gentilis, 61, 140, 377, 379
 gentilis marginatus, 382
 striatus, 140, 141
Actitis macularia, 244
Aechmophorus occidentalis, 68, 136, 224
Aeronautes saxatalis, 22
Aethia cristatella, 258
Agelaius, 357, 366
Agelaius phoeniceus, 20, 70, 176, 182, 221, 310,
 311, 366
 phoeniceus phoeniceus, 372
Aix sponsa, 253, 256, 257
Albatross, Black-footed, 5, 143, 144, 159–163, 188,
 189, 415
 Laysan, 3–6, 160, 162, 189, 404
 Short-tailed, 136
Aldrich, John W., and *Duvall, Allen J.*, distribution
 and migration of races of the mourning dove, 108
Amblycercus holosericeus, 372
Ammodramus savannarum bimaculatus, 68
Ammospiza caudacuta nelsoni, 68
Anas acuta, 224, 234
 carolinensis, 142, 224, 234
 cyanoptera, 224
 discors, 142
 platyrhynchos, 142, 224, 388
 strepera, 224, 337
Anis, 206
Anous stolidus, 189, 190
 tenuirostris, 189, 190
Anser albifrons, 136
 caerulescens atlanticus, 305, 306
 caerulescens caerulescens, 305, 306
 caerulescens hyperboreus, 305, 306
Anthus cervinus, 58
Aphelocoma, 39–41, 169, 173, 180, 356, 359, 361,
 364
 californica, 198
 coerulescens, 44, 171–174, 184, 198, 319, 361
 coerulescens californica, 169
 coerulescens coerulescens, 169
 coerulescens insularis, 166
 insularis, 198
 ultramarina arizonae, 173
Apus apus, 74
 melba, 78
Aquila chrysaetos, 64, 222, 392
Araçari, Collared, 201–203, 207, 209, 212, 217
 Fiery-billed, 201, 202, 207–210, 212, 213, 218
Archaeopteryx, 195
Ardea herodias, 22, 224
Arenaria interpres, 190
 melanocephala, 238, 337

Arundinicola leucocephala, 259

- Asio flammeus*, 62, 238
 otus, 61
 stygicus lambi, 407
Auklet, Cassin's, 144
 Crested, 258, 259
 Rhinoceros, 144, 163
Aulacorhynchus caeruleogularis, 207
Avocet, 221
 American, 192
Aythya americana, 222, 224
 marila, 237

B

- Balanophyra formicivora*, 327
Barbet, Day's, 339
Bartramia, 253, 254
 longicauda, 254
 umatilla, 254
Basileuterus fulvicauda, 244
Becard, Cinnamon, 245
Bittern, Least, 68
Blackbird, 317
 Red-winged, 20, 70, 182, 221, 310
 Yellow-headed, 221
Blackford, John L., territoriality and breeding behavior of a population of blue grouse in Montana, 145; inland occurrence of black turnstone, 337
Bleitz, Don, indigo bunting breeding in Los Angeles County, California, 408
Bluebird, Eastern, 22
 Western, 324
Bohl, Wayne H., and *Gordon, Sidney Paul*, a range extension of *Meleagris gallopavo mexicana* into southwestern New Mexico, 338
Bohl, Wayne H., and *Traylor, Elmo*, a correction in identification of the zone-tailed hawk as a Mexican black hawk, 139
Booby, Brown, 189, 301, 302
 Blue-faced, 189, 301
 Blue-footed, 301, 302
 Colombian, 301
 Red-footed, 189, 190
Brant, Black, 144, 237
Branta bernicla, 306
 bernicla hrota, 305
 canadensis, 224, 305, 306
 nigricans, 237
 sandvicensis, 303, 304, 306
Brock, Elbert M., some prey of the pygmy owl, 338
Brodkorb, Pierce, birds from the middle Pliocene of McKay, Oregon, 252
Brooks, Allan, drawing of a swallow-tailed kite, opposite 3

- Brown, Jerram L., a nesting record of the scissor-tailed flycatcher in Nuevo Leon, México, 193
- Bucephala, 130-132
albeola, 131, 222
clangula, 131, 222
islandica, 131
- Bufflehead, 132, 144, 222
- Bunting, Indigo, 408
Lazuli, 408
Snow, 38, 39, 331
- Bushtit, 343
Black-eared, 206
Common, 352
- Buss, Irven O., and Fritsch, Lee E., food of the American merganser in Unalakleet Inlet, Alaska, 410
- Buteo, 62
albonotatus, 139
platypterus, 246
- Buteogallus anthracinus, 139
- C**
- Cacique, Mexican, 67
- Calcarius, 62
lapponicus, 38
lapponicus alascensis, 235
- Callaeas cinerea, 169
- Calocitta, 169
formosa, 67, 169
- Calyptrata, 324
- Campylorhynchus brunneicapillus, 250
yucatanicus, 250
- Canary, 173
- Capella gallinago, 222
gallinago delicata, 234
- Capito dayi, 339
- Caprimulgus europaeus europaeus, 318
- Caracara, Yellow-headed, 302
- Carpodacus mexicanus, 22, 352
purpureus, 70
- Casmerodium albus, 70, 302
- Cassiculus melanicterus, 67
- Cassidix, 356, 357, 361, 366, 368, 370, 371
mexicanus major, 355, 357, 361, 366, 368, 369, 372
mexicanus mexicanus, 359, 360, 363, 364, 368, 370, 372, 373, 375
mexicanus monsoni, 70, 355
mexicanus nelsoni, 70
mexicanus prosopidicola, 357, 372
nicaraguensis, 370, 372
palustris, 372
- Cassiopeia, 169
- Catharacta skua, 162
- Catherpes mexicanus, 22
- Catoptrophorus inornatus, 136
- Centurus rubricapillus, 209
uropygialis, 70
- Cerorhinca monocerata, 163
- Certhia familiaris, 61
- Chaetura pelagica, 73
- Chamaea, 61
fasciata, 324
- Charadrius, 62
alexandrinus, 192, 221
semipalmatus, 234
- Chen caerulescens, 191
caerulescens caerulescens, 305, 306
hyperborea, 191
- Chendytes lawi, 136
- Chickadee, Chestnut-backed, 22, 352
- Chloris chloris, 332
- Chordeiles minor, 407
minor neotropicalis, 407
- Christman, Gene M., a drawing of South American flamingos, opposite 289
- Circus cyaneus, 224
- Cissolophia beecheyi, 169
- Cistothorus, 63
- Clangula, 130, 132
hyemalis, 131, 337
- Colaptes auratus, 193, 198
cafer, 22, 198, 324
- Colinus hibbardi, 253
striatus mombassicus, 176
- Collocalia, 73, 79
brevirostris, 80
francica, 80
- Columba fasciata, 69
vitiensis, 192
vitiensis griseogularis, 192
- Condor, 143
California, 72
- Contopus sordidulus, 324, 325, 352
- Coot, American, 224
- Cormorant, 411
Brandt, 136
Olivaceous, 302
Pelagic, 237
- Corvus, 61
brachyrhynchos, 169, 171
corax, 51, 64, 169, 222
frugilegus, 184, 366
frugilegus frugilegus, 171, 173
monedula, 331
- Cowbird, 22, 408
Bronzed, 191
Red-eyed, 366
- Crabb, Ben H., and Giles, LeRoy W., snowy plover nesting on Lower Klamath Refuge, Siskiyou County, California, 192
- Crane, Sandhill, 261
- Creagrus furcatus, 302
- Crossbill, Red, 136
- Crotophaga, 206
- Crow, Blue-wattled, 169
- Curlew, Long-billed, 221
- Cyanocitta, 41, 169, 361
cristata, 171, 405

- cristata bromia, 173
 stelleri, 38, 39, 44, 169, 385
 stelleri carbonacea, 41
 stelleri carlottae, 38
- Cyanocorax chrysops**, 169
 yncas, 169
- Cygnopsis**, 306
- Cygnus atratus**, 303
- Cypseloides**, 79
- Cyrtonyx cooki**, 253
 tedfordi, 253
- D**
- Dalquest**, Walter W., pomarine jaeger from the interior of Texas, 258
- Davis**, John, singing behavior and the gonad cycle of the rufous-sided towhee, 308
- Dendragapus fuliginosus**, 147, 152, 157
 obscurus, 38, 145–150, 153, 156–158
 obscurus obscurus, 148
 obscurus pallidus, 148, 156
 obscurus richardsonii, 150, 156
- Dendrocopos arizonae**, 198
 nuttallii, 324, 338
 stricklandi, 198
 villosus, 399
- Dendrocygna autumnalis**, 69
 bicolor, 69
- Dendroica auduboni**, 388
 graciae, 407
 kirtlandii, 350
 petechia rubiginosa, 235
 tigrina, 142
 townsendi, 238
- Dichromanastra rufescens**, 191
- Dickcissel**, 195
- Dickerman**, Robert W., the nest and eggs of the white-throated flycatcher, 259
- Diomedea albatrus**, 136
 immutabilis, 3, 161, 162, 189, 404
 nigripes, 5, 159–161, 188, 189
- Dives dives**, 372
- Dixon**, Keith L., some additions to the avifauna of Guerrero, México, 407
- Dove, Barred**, 182
 Mourning, 108, 109, 113, 116–122, 142, 193, 324, 325, 327, 405
 White-winged, 193
- Dowitcher, Short-billed**, 238, 240
- Drycopus lineatus**, 209
 pileatus, 141
- Duck, Harlequin**, 129, 132, 133, 237, 261
 Labrador, 129
 Ruddy, 223–225
 Wood, 256, 257
- Duvall**, Allen J., and Aldrich, John W., distribution and migration of races of the mourning dove, 108
- E**
- Eagle, Bald**, 407, 408
 Golden, 222, 392, 395
- Eckelberry**, Don R., fiery-billed araçari, from a water color, opp. 201; drawing of a colored araçari (*Pteroglossus torquatus*), 202
- Ectopistes marginella**, 115
- Egret, Common**, 70, 71, 302
 Reddish, 191
 Snowy, 70, 71, 142, 224, 225
- Eider**, 129–134
 Common, 408, 409
 King, 343
 Pacific, 132
 Spectacled, 132
 Steller's, 133
- Eisenmann**, E., mourning dove breeding in Costa Rica, 405
- Elanoides forficatus**, opp. 3
- Elanus caeruleus**, 140
 caeruleus caeruleus, 140
 caeruleus hypoleucus, 140
 caeruleus intermedius, 140
 caeruleus leucurus, 140
 caeruleus majusculus, 140
 caeruleus notatus, 140
 caeruleus sumatranaus, 140
 caeruleus vociferus, 140
 caeruleus wahgiensis, 140
 leucurus, 139
 notatus, 139, 140
 scriptus, 139, 140
 wahgiensis, 139
- Emberiza rustica**, 58
- Empidonax albicularis timidus**, 259, 260
 difficilis, 324, 325, 352
- Eremophila alpestris**, 62
 alpestris arcticola, 238
- Ereunetes mauri**, 70, 238
 pusillus, 70, 238
- Erolia minutilla**, 70, 234
- Escalante**, Rodolfo, the subspecific identity of the oystercatcher in Uruguay, 191
- Eulabeia**, 306
- Euphagus**, 357
 carolinus, 372
 cyanocephalus, 371, 372
- F**
- Falco**, 61, 62
 mexicanus, 22
 peregrinus, 64, 140, 222
 sparverius, 22
- Falcon, Peregrine**, 222
 Prairie, 22
- Farner**, Donald S., a breeding population of *Zonotrichia leucophrys gambelii* in the Northern Cascade Mountains of Washington, 196
- Feinstein**, Bernard, a record of the white-headed marsh tyrant from the State of Rio Grande do Sul, Brazil, 259
- Finch, Black Rosy**, 22
 House, 22, 352

- Purple, 70
 Rosy, 22
 Fish, William R., and Lanyon, Wesley E., geographical variation in the vocalizations of the western meadowlark, 339
 Flamingo, American, 299
 Andean, 289, 299
 Chilean, 289, 299
 James', 289
 Flatbill, Olivaceous, 203
 Flicker, Red-shafted, 22, 324
 Yellow-shafted, 193, 261
 Flycatcher, Kiskadee, 338, 343
 Olive-sided, 238
 Scissor-tailed, 193, 194
 Western, 324, 325, 327, 329, 352
 White-throated, 259, 260
 Fratercula corniculata, 161, 163
 Fregata magnificens, 302
 minor, 189, 190
 Frigate-bird, Great, 189, 190
 Magnificent, 302
 Fringilla coelebs, 332
 Fritsch, Lee E., and Buss, Irven O., food of the American merganser in Unalakwik Inlet, Alaska, 410
 Fulica americana, 224
- G**
- Gadwall, 224, 225, 337
 Galbulula dea, 71
 galbula, 71
 leucogastra, 71
 ruficauda melanogenia, 71
 Garrulus, 169
 glandarius, 171, 173
 Gates, John M., female gadwall returns to nest site after loss of young, 337
 Gavia immer, 136
 stellata, 136, 237
 Gelochelidon nilotica, 67
 Geopelia striata, 182
 Geothlypis trichas, 63
 Giles, LeRoy W., occurrence of the yellow-shafted flicker in northern California, 193
 Giles, LeRoy W., and Crabb, Ben H., snowy plover nesting on Lower Klamath Refuge, Siskiyou County, California, 192
 Glaucidium gnoma, 338
 Godwit, Hudsonian, 198
 Golden-eye, 129, 132, 134
 Common, 222
 Goose, Blue, 191
 Canada, 224
 Hawaiian, 303-306
 Snow, 191
 White-fronted, 136
 Gordon, Sidney Paul, and Bohl, Wayne H., a range extension of *Meleagris gallopavo mexicana* into southwestern New Mexico, 338
- Goshawk, 377-383, 388-393, 395, 399-402
 Grackle, Boat-tailed, 70, 355, 367
 Grebe, Eared, 222
 Pied-billed, 223-225
 Western, 68, 136, 223-225
 Grosbeak, Evening, 70
 Grouse, Blue, 38, 145-153, 155-158
 Dusky, 148-151, 156, 157
 Sooty, 147, 149, 151, 157
 Gull, California, 222, 337, 338
 Franklin's, 197
 Glaucous-winged, 162, 238, 240
 Laughing, 67-68
 Sabine's, 143, 415
 Swallow-tailed, 302
 Gygis alba, 189, 190
 Gymnorhinus cyanocephala, 169
 Gymnostinops, 370
 montezuma, 372
 Gyrfalcon, 238
- H**
- Haematopus ostralegus durnfordi, 191, 192
 ostralegus palliatus, 191, 192
 Halcyon, 60
 Haliaeetus albicilla, 64
 leucocephalus, 396, 407
 Hamilton III, William J., pelagic birds observed on a North Pacific crossing, 159
 Harpagus bidentatus, 407
 Harvey, H. Thomas, kiskadee flycatcher in San Jose, California, 338
 Haverschmidt, F., nesting of a jacamar in a termite nest, 71
 Hawbecker, Albert C., abalones eaten by bald eagles, 407
 Hawk, Broad-winged, 246
 Cooper's, 141
 Marsh, 141, 224
 Mexican Black, 139
 Red-tailed, 141
 Sharp-shinned, 141
 Sparrow, 22
 White, 207
 Zone-tailed, 139
 Hayward, C. Lynn, additional notes on the purple martin in Utah, 406
 Heron, Black-crowned Night, 70, 71, 223-225
 Great Blue, 22, 223-225
 Little Blue, 343
 Hesperiphona vespertina, 70
 vespertina brooksi, 70
 Heteroscelus incanum, 190
 Himantopus mexicanus, 221
 Hirundo neoxena, 79
 rustica, 21, 29, 61, 79
 Histrionicus, 132
 histrionicus, 64, 237
 Holoquiscalus, 357, 370
 lugubris guadeloupensis, 372

- niger, 357
niger niger, 372
- Houck, Warren J., harris sparrow from Humboldt County, California, 337
- Howard, Hildegarde, further records from the Pleistocene of Newport Bay Mesa, California, 136; an ancient cormorant from Nevada, 411
- Howell, Thomas R., Cape May warbler in Nicaragua, 142
- Hummingbird, Allen's, 352
- Hummingbird, Anna, 324
- Humphrey, Philip S., classification and systematic position of the eiders, 129; the trachea of the Hawaiian goose, 303; diving of a captive common eider, 408
- Humphrey, Philip S., and Phillips, Richard E., the odor of the crested auklet, 258
- Hyde, A. Sidney, sharp-tailed sparrow and grasshopper sparrow in Gunnison County, Colorado, 68
- Hydroprogne caspia, 67
- Hylocichla minima, 58
- I**
- Ibis, White-faced, 222, 224, 225
- Icterus bullockii, 198
galbula, 198, 372
spurius, 372
- Iridoprocne bicolor, 17, 29, 69, 237, 324
- Ixobrychus exilis, 68
- J**
- Jacamar, 71
- Jaeger, Long-tailed, 415
Parasitic, 144, 238, 415
Pomarine, 144, 258, 302, 415
- Janthoenas vitiensis anthracinus, 192
- Jay, Blue, 405, 406
Brown, 212
Scrub, 44, 166, 319, 324, 327
Steller's, 38, 42, 43, 47-49, 180, 343, 385, 389, 391, 392, 399
White-tipped Brown, 206
- Johnson, A. W., Behn, F., and Millie, W. R., the South American flamingos, 289
- Johnson, Ned K., notes on the red crossbill in Nevada, 136
- Johnston, David W., sex and age characters and salivary glands of the chimney swift, 73
- Junco hyemalis, 179
oreganus, 381
- Junco, Oregon, 381, 399
- K**
- Kenyon, Karl W., and Rice, Dale W., homing of Laysan albatrosses, 3; birds of Kure Atoll, Hawaii, 188
- Kilham, Lawrence, repeated attacks by a sharp-shinned hawk on a pileated woodpecker, 141
- Killdeer, 192, 337
- Kingbird, Tropical, 69, 72
- Kingfisher, 51
- Kinglet, Golden-crowned, 69
- Kite, Black-winged, 140
Double-toothed, 407
Swallow-tailed, opp. 3
White-tailed, 415
- Kitta chinensis, 169
chinensis chinensis, 169
- Kittiwake, Black-legged, 235, 237
- L**
- Lampronetta, 131, 132, 134
fischeri, 131-134
- Lanius ludovicianus, 173
- Lanyon, Wesley E., and Fish, William R., geographical variation in the vocalizations of the western meadowlark, 339
- Lark, Horned, 238
- Larus atricilla, 67
californicus, 222, 337
glaucescens, 162, 238
- Legg, Ken, Williamson, Francis S. L., and Williams, Laidlaw, breeding of the parula warbler at Point Lobos, California, 345
- Lepidocolaptes souleyetii, 210
- Leucophoxys thula, 70, 142, 224
- Leucophaeus albicollis, 207
- Leucosticte atrata, 22
tephrocotis, 22
- Levy, Seymour H., a new bird record for Arizona, 70
- Limnodromus griseus caurinus, 238
- Lobipes lobatus, 162, 234
- Locustella naevia naevia, 318
- Longspur, Lapland, 38, 39, 235, 239, 241
- Loomelania melania, 301
- Loon, Common, 136
Red-throated, 136, 237
- Lophodytes, 130
- Lophortyx, 253
californicus, 324, 325
shotwelli, 253, 254
- Low, Jessop B., Weller, Milton W., and Wingfield, Billy H., effects of habitat deterioration on bird populations of a small Utah marsh, 220
- Loxia curvirostra, 136
curvirostra bendirei, 137, 138
curvirostra benti, 137, 138
curvirostra grinnelli, 137, 138
- Lunda cirrhata, 161, 163, 235, 237
- Luscinia cyanecula, 58
- Lymnocryptes minimus, 254
- M**
- Magpie, Black-billed, 221, 222
Yellow-billed, 343
- Magpie-Jay, 67
- Mallard, 142, 224, 388, 400

- M**
- Mancalla californiensis*, 136
 - Martin*, Gray-breasted, 210, 211, 217
 - Purple, 14, 15, 25, 26, 29, 406
 - Mayhew*, Wilbur W., the biology of the cliff swallow in California, 7
 - Mayr*, Ernst, the sequence of the songbird families, 194
 - Meadowlark*, Eastern, 70, 340
 - Western, 70, 339-341
 - Megaceryle alcyon*, 51
 - Melanitta*, 132
 - fusca*, 130
 - nigra*, 130, 132
 - perspicillata*, 130, 132, 237
 - Meleagris gallopavo merriami*, 338, 339
 - Melospiza melodia*, 239
 - Merganser*, 129, 132, 134
 - American, 410
 - Common, 144
 - Hooded, 144
 - Mergellus*, 130
 - Mergus*, 129, 132
 - albellus*, 131
 - australis*, 131
 - cucullatus*, 131
 - merganser*, 131
 - merganser americanus*, 410
 - octosetaceus*, 131
 - serrator*, 131
 - squamatus*, 131
 - Mewaldt*, L. Richard, pterygraphy and natural and experimentally induced molt in Clark's nutcracker, 165
 - Meyerriecks*, Andrew J., magpie-jay robs Mexican cacique nests, 67
 - Micrathene whitneyi*, 198
 - whitneyi idonea*, 198
 - whitneyi whitneyi*, 198
 - Microcerculus marginatus*, 243, 244
 - marginatus philomela*, 246-249
 - Micropalama himantopus*, 69
 - Miller*, Robert C., morning and evening song of robins in different latitudes, 105
 - Milvago chimachima*, 302
 - Miortyx teres*, 253
 - Mockingbird*, 261
 - Molothrus*, 357
 - ater*, 22, 357, 366, 408
 - ater ater*, 372
 - Monson*, Gale, reddish egret and bronzed cowbird in California, 191
 - Morley*, Jr., Arthur G., and Sams, James R., old-squaw found at La Jolla, California, 337
 - Motacilla*, 64
 - alba*, 58
 - flava*, 58
 - Murre*, Common, 235, 237
 - Thick-billed, 235, 237
 - Murrelet*, Ancient, 238
 - Xantus, 143, 144
 - Muscivora forficata*, 193
- N**
- Nelson*, Urban C., sora, snowy egret, blue-winged teal, and mourning dove in Juneau, Alaska, 142
 - Nephoectes*, 79
 - Nesochen sandvicensis*, 303-307
 - Nettion*, 252
 - bunkeri*, 252, 253
 - carolinense*, 252
 - crecca*, 253
 - eppelsheimense*, 253
 - Nighthawk*, Booming, 407
 - Nightjar*, 318
 - Nolan*, Jr., Val, blue jay sitting on robin nest in December, 405
 - Nucifraga*, 55
 - columbiana*, 165, 169, 171-173, 184, 366
 - Numenius*, 62
 - americanus*, 221
 - phaeopus hudsonicus*, 238
 - Nutcracker*, Clark's, 165-169, 171-185, 366
 - Nuthatch*, Red-breasted, 72
 - Rock, 102
 - Nuttallornis borealis*, 238
 - Nyctea scandiaca*, 229
 - Nycticorax nycticorax*, 70, 224
- O**
- Oceanodroma furcata*, 161, 162
 - tethys*, 300
 - Oenanthe oenanthe*, 58, 64
 - Old-squaw*, 129, 132, 133, 337
 - Olor columbianus*, 222
 - Orr*, Robert T., red-tailed hawk feeds on crickets, 141
 - Osprey*, 143, 257
 - Otus asio*, 22
 - flammeolus*, 69
 - guatemalae*, 407
 - guatemalae hastatus*, 407
 - Ovenbird*, 244, 350, 351
 - Owl*, Elf, 198
 - Flammulated, 69
 - Pygmy, 312, 338
 - Screech, 22
 - Short-eared, 238
 - Snowy, 229, 240
 - Stygian, 407
 - Vermiculated Screech, 407
 - Oxyura jamaicensis*, 224
 - Oystercatcher*, 191
- P**
- Pachyramphus cinnamomeus*, 245
 - Pandion haliaetus*, 64
 - haliaeetus carolinensis*, 257, 258
 - haliaeetus haliaeetus*, 258
 - Parkes*, Kenneth C., specific relationships in the genus *Elanus*, 139
 - Parula americana*, 345, 346
 - pitiayumi*, 407

- P**
- Parus atricapillus, 61
 - cinctus, 58
 - inornatus, 22, 324
 - rufescens, 22, 352
 - Passer domesticus, 11, 313, 317, 332, 366
 - Passerculus sandwichensis anthinus, 234, 235
 sandwichensis crassus, 235
 - Passerella iliaca, 337
 iliaca sinuosa, 235, 236
 - melodia, 313, 317
 - Passerherbulus caudacutus, 68
 - Passerina amoena, 408
 cyanæa, 408
 - Pelecanus erythrorhynchos, 222
 occidentalis, 301
 - Pelican, Brown, 301
 White, 222
 - Perisoreus canadensis, 169
 - Petrel, Ashy, 143, 144, 415
 Black, 143, 144, 301, 415
 - Black Storm, 161
 - Fork-tailed, 162
 - Galapagos, 300
 - Leach's, 143, 415
 - Least, 415
 - Scaled, 162
 - Petrochelidon pyrrhonota, 7, 29, 79, 238
 - Pewee, Western Wood, 324, 325, 327, 329, 352
 - Phaethon rubricauda, 189
 - Phalacrocorax, 411
 - auritus, 412, 413
 - auritus albociliatus, 412, 413
 - auritus auritus, 412
 - auritus cincinatus, 412, 413
 - olivaceus, 302
 - pelagicus, 237
 - penicillatus, 136, 412
 - Phalarope, Northern, 162, 234
 - Red, 162, 238
 - Wilson's, 221
 - Phalaropus fulicarius, 161, 162, 238
 - Phasianus colchicus, 224
 - Pheasant, Ring-necked, 224
 - Philacte, 306
 - Phillips, Richard E., and Humphrey, Philip S., the
 odor of the crested auklet, 258
 - Phloeoceastes guatemalensis, 209
 - Phoebe, 21
 - Black, 22
 - Eastern, 144
 - Say, 22
 - Phoenicopterus chilensis, 289, 293, 294, 296–299
 ruber, 299
 - Phoenicoparrus andinus, 289, 292–294, 296–299
 jamesi, 289, 291–294, 342
 - Phyllastrephus flavostriatus tenuirostris, 176
 - Phylloscopus borealis, 58
 - Pica pica, 61, 221
 pica hudsonia, 169
 - Pigeon, 400
 - Band-tailed, 69, 343
 - Metallic Wood, 192
 - Pintail, 234
 - Common, 224
 - Pipilo erythrophthalmus, 85, 87, 89, 95, 96, 98–
 103, 308, 309, 325, 327, 328
 - erythrophthalmus megalonyx, 308
 - erythrophthalmus maculatus, 91
 - erythrophthalmus oaxacae, 98
 - erythrophthalmus orientalis, 91
 - fuscus, 324, 325
 - ocai, 85, 87, 89, 95, 98–103
 - ocai brunneascens, 98
 - Pitangus sulphuratus, 338
 - Pitelka, Frank A., timing of molt in Steller jays
 of the Queen Charlotte Islands, British Co-
 lumbia, 38
 - Plectrophenax nivalis, 38, 331
 - Plegadis chihi, 222, 224
 - Plover, American Golden, 190
 - Black-bellied, 192
 - Golden, 69, 144
 - Mountain, 261
 - Semipalmated, 234
 - Snowy, 192, 221
 - Pluvialis dominica, 190
 dominica dominica, 69
 - Podiceps caspicus, 222
 - Podilymbus podiceps, 224
 - Polysticta, 129, 131, 132, 134
 stelleri, 130–134
 - Poorwill, 144
 - Porzana carolina, 142
 - Progne chalybea, 210
 - subis, 14, 29
 - subis subis, 406
 - Psaltriparus melanotis, 206
 minimus, 352
 - Psilorhinus, 169
 - mexicanus, 206
 - morio, 169
 - Pterodroma inexpectata, 161, 162
 - Pteroglossus frantzii, 201, 207
 - torquatus, 201, 202
 - torquatus erythrozonus, 207
 - Puffin, Horned, 163
 - Tufted, 163, 235–237
 - Puffinus griseus, 136, 162, 300
 - lherminieri, 300
 - pacificus, 189
 - puffinus, 3
 - tenuirostris, 162
 - Pycnonotus xanthopygos micrus, 176
- Q**
- Quail, California, 324, 326
 - Mountain, 400
 - Querquedula, 252

- Quiscalus, 357, 370
quiscula quiscula, 372
- R**
- Rabor, D. S., and Rand, A. L., jungle and domestic fowl, *Gallus gallus*, in the Philippines, 138
- Rabor, D. S., and Ripley, S. Dillon, *Columba vitiensis anthracina* (Hachisuka), a reconsideration, 192
- Ralph, Clement L., and Ralph, C. John, notes on the nesting of egrets near San Rafael, California, 70
- Ramphastos sulphuratus, 202
swainsonii, 206
- Rand, A. L., and Rabor, D. S., jungle and domestic fowl, *Gallus gallus*, in the Philippines, 138
- Rausch, Robert, the occurrence and distribution of birds on Middleton Island, Alaska, 227
- Raven, 51
 Common, 222
- Recurvirostra americana*, 221
- Redhead, 222, 224
- Redpoll, Common, 235
- Redstart, American, 72, 408
- Regulus satrapa satrapa, 69
- Rhynchoscyrus olivaceus, 203
- Rice, Dale W., and Kenyon, Karl W., homing of Laysan albatrosses, 3; birds of Kure Atoll, Hawaii, 188
- Richardson, Charles H., and Richardson, Alice I., American redstart in Santa Barbara County, California, 408
- Riparia riparia, 14, 29, 64, 69, 237
- Ripley, S. Dillon, and Rabor, D. S., *Columba vitiensis anthracina* (Hachisuka), a reconsideration, 192
- Rissa tridactyla pollicaris, 235, 237
- Robin, 21, 31, 105-107, 238, 387, 392, 405
 American, 399
- Robins, C. Richard, observations on oceanic birds in the Gulf of Panamá, 300
- Robinson, Richard H., use of nest boxes by wood ducks in the San Joaquin Valley, California, 256
- Rook, 173, 366
- Rynchops nigra, 67
- S**
- Sams, James R., blue goose observed at the Salton Sea, Imperial County, California, 191
- Sams, James R., and Morley, Jr., Arthur G., old-squaw found at La Jolla, California, 337
- Sanderling, 197
- Sandpiper, Least, 70, 192, 234
 Semipalmated, 70, 234, 238, 240
- Solitary, 415
- Spotted, 244
- Stilt, 69
- Western, 70, 192, 238, 240
- Sapsucker, Williamson, 400
Sayornis nigricans, 22
 phoebe, 21
 saya, 22
- Scaphidura orizivora, 372
- Scaup, 144
 Greater, 237
- Schnell, Jay H., nesting behavior and food habits of goshawks in the Sierra Nevada of California, 192
- Scoter, 129, 132, 134
 Black, 143
 Surf, 237, 409
- Seiurus aurocapillus, 244, 350
motacilla, 244
noveboracensis, 244
- Selander, Robert K., age determination and molt in the boat-tailed grackle, 355
- Selasphorus sasin, 352
- Serinus canarius, 173
- Setophaea ruficilla, 408
- Shearwater, Audubon's, 300
 Manx, 3, 415
 New Zealand, 144
 Pale-footed, 415
 Pink-footed, 415
 Slender-billed, 144, 162
 Sooty, 136, 143, 162, 300, 415
 Wedge-tailed, 189
- Shoveler, 222
- Sialia mexicana, 324
sialis, 22
- Sibley, Charles G., and West, David A., hybridization in the red-eyed towhees of Méjico: the eastern plateau populations, 85
- Sick, Helmut, on the distribution of Day's barbet, 339
- Simpson, James M., and Werner, James R., some recent bird records from the Salt River Valley, central Arizona, 68
- Sitta neumayer, 102
tephronota, 102
- Skimmer, Black, 67
- Skua, 143, 144, 162
- Skutch, Alexander F., roosting and nesting of aracari toucans, 201
- Slud, Paul, observations on the nightingale wren in Costa Rica, 243
- Snipe, Common, 222, 234
- Somateria, 129, 131, 132, 134
fischeri, 130
mollissima, 408
mollissima v. nigra, 130, 131, 133
spectabilis, 130, 131, 133
- Sora, 142
- Sparrow, Black-chinned, 408
 English, 11, 21, 22
 Fox, 235, 236, 337
 Golden-crowned, 261, 312, 334
 Grasshopper, 68
 Harris', 261, 337

- House, 313, 331, 366
 Leconte, 68
 Savannah, 234, 235
 Sharp-tailed, 68
 Song, 239, 313, 317, 323, 326, 327, 329,
 330–332
 Tree, 235
 White-crowned, 195, 322, 337
 White-throated, 197, 261, 343
Spatula clypeata, 222
Spiza americana, 195
Spizella arborea ochracea, 235
 _{atrogularis}, 408
 Stager, Kenneth E., an osprey in mideastern Pacific Ocean, 257; a record of the laysan albatross from southern California, 404
 Starling, 30, 69, 144, 261
Steganopus tricolor, 221
Stelgidopteryx ruficollis, 18, 69
Stercorarius parasiticus, 238
 _{pomarinus}, 258, 302
Sterna anaethetus, 302
 _{fusca}, 189, 190
 _{hirundo}, 69
 _{lunata}, 189, 190
 Stilt, Black-necked, 192, 221
Streptoprocne, 79
Strix nebulosa, 55
Sturnella, 62
 _{magna}, 340
 _{magna liliana}, 70
 _{neglecta}, 70, 339–341
Sturnus vulgaris, 30, 69
Sula dactylatra, 189, 301
 _{leucogaster}, 189, 301
 _{nebouxii}, 301
 _{sula}, 189, 190
 Surf-bird, 144
 Swallow, Australian Welcome, 79
 Bank, 14, 15, 17, 18, 21, 26, 29, 30, 69, 237
 Barn, 21, 29, 79
 Cliff, 7, 9, 11–17, 20–27, 29–31, 33, 34, 79, 238
 Rough-winged, 18, 69
 Tree, 17, 26, 29, 30, 69, 237, 324
 Violet-green, 14, 26, 222, 324
 Swan, Australian Black, 303
 Whistling, 222
 Swift, Alpine, 78
 Black, 79
 Chimney, 73–80, 83, 84
 White-throated, 22
 Swiftlet, 73, 78
Synthliboramphus antiquum, 238
- T**
- Tachycineta thalassina*, 14, 222, 324
 Tanager, Western, 261
Tangavirius, 357
 _{aeneus}, 191, 366
 _{aeneus aeneus}, 366, 372
 Tattler, Wandering, 190
Teal, Blue-winged, 142
 Cinnamon, 224
 Green-winged, 224, 234
Telmatodyes, 63
 _{palustris}, 221
 _{palustris aestuarinus}, 69
 Tern, Arctic, 144, 415
 Bridled, 302
 Caspian, 67
 Common, 69, 144
 Elegant, 143, 144, 302
 Fairy, 189, 190
 Gray-backed, 189, 190
 Green-winged, 142
 Gull-billed, 67
 Noddy, 189, 190
 Royal, 302
 Sooty, 189, 190
 White-capped Noddy, 189, 190
Thalasseus elegans, 302
 _{maximus}, 302
 Thrush, Gray-cheeked, 58
Thryomanes bewickii, 22, 323
 Titmouse, Plain, 22, 324
Tityra, Black-crowned, 210
 Masked, 210–212, 217
Tityra inquisitor, 210
 _{semifasciata}, 210
Totanus flavipes, 238
 Toucan, Chestnut-mandibled, 206, 208
 Keel-billed, 202, 207, 215
 Toucanet, Blue-throated, 207, 214, 215
 Towhee, Brown, 324, 325, 327
 Collared, 85, 87, 103
 Red-eyed, 85–87, 91, 97
 Rufous-sided, 85, 87, 103, 308, 314, 316–318,
 324–327, 329–334
 Spotted, 85
Toxostoma, 62
 Taylor, Elmo, and Bohl, Wayne H., a correction in identification of the zone-tailed hawk as a Mexican black hawk, 139
 Tree-duck, Black-bellied, 69
 Fulvous, 69
Tripsurus chrysachen, 209
Troglodytes aedon, 249
 _{brunneicollis}, 249
 _{monticola}, 249
 _{musculus}, 210, 249
 _{ochraceus}, 249, 250
 _{rufociliatus}, 249, 250
 _{solstitialis}, 248, 249
 _{troglodytes}, 61, 234, 236, 318
 Trogon, Bar-tailed, 407
 Massena, 206
Trogon collaris, 407
 _{massena}, 206
 Tropic-bird, Red-billed, 144
 Red-tailed, 189

- Turdus merula*, 317
 migratorius, 21, 106, 238, 391, 405
- Turkey, Merriam's*, 338, 339
- Turnstone, Black*, 238, 240, 337
 Ruddy, 190
- Tympanuchus*, 62
- Tyrannus melancholicus occidentalis*, 69
- Tyrant, White-headed Marsh*, 259
- U**
- Udvardy, Miklos D. F., ecological and distributional analysis of North American birds*, 50
- Uria aalge*, 235, 237
 lomvia arra, 235, 237
- V**
- Vireo flavifrons*, 194
 huttoni, 324, 352
 olivaceus, 238
- Vireo, Hutton's*, 352
 Red-eyed, 238
- W**
- Warbler, Audubon*, 388, 400
 Buff-rumped, 244
 Cape May, 142
 Grace, 407
 Grasshopper, 318
 Kirtland's, 350
 Parula, 345-348, 350-353
 Townsend's, 238
 Tropical Parula, 407
 Wilson's, 239, 352
 Yellow, 235
- Water-thrush*, 244
- Weller, Milton W., Wingfield, Billy H., and Low, Jessop B., effects of habitat deterioration on bird populations of a small Utah marsh*, 220
- Werner, James R., and Simpson, James M., some recent bird records from the Salt River Valley, central Arizona*, 68
- West, David A., and Sibley, Charles G., hybridization in the red-eyed towhees of México: the eastern plateau populations*, 85
- Whimbrel*, 238, 240
- Williams, Laidlaw, Legg, Ken, and Williamson, Francis S. L., breeding of the parula warbler at Point Lobos, California*, 345
- Williamson, Francis S. L., Williams, Laidlaw, and Legg, Ken, breeding of the parula warbler at Point Lobos, California*, 345
- Willet*, 136
- Wilsonia pusilla*, 352
 pusilla pileolata, 239
- Wingfield, Billy H., Weller, Milton W., and Low, Jessop B., effects of habitat deterioration* on bird populations of a small Utah marsh, 220
- Woody, Jack B., the dickcissel in California*, 195
- Woodhewer, Streaked-headed*, 210
- Woodpecker, Acorn*, 327
 Gila, 70
 Golden-naped, 209, 211, 215, 217
 Hairy, 399
 Lewis, 414
 Lineated, 209, 210, 212, 215, 217, 218
 Nuttall, 324, 338
 Pale-billed, 209, 210, 213, 214, 218
 Pileated, 141
 Red-crowned, 209, 214, 217
- Wren, Bewick*, 22, 323, 324, 343
 Canyon, 22
 Long-billed Marsh, 69, 221
 Marsh, 63
 Nightingale, 243-250
 Southern House, 210
 Winter, 234, 236, 318, 326
- Wrentit*, 324, 326
- X**
- Xanthocephalus xanthocephalus*, 221
- Y**
- Yellowlegs, Lesser*, 238
- Yellow-throat*, 63
- Yocom, Charles F., a white-winged dove record for northern California*, 193
- Z**
- Zarhynchus*, 370
 wagleri wagleri, 372
- Zenaida asiatica*, 193
- Zenaidura macroura*, 108, 110-113, 142, 324, 325, 405
 macroura bella, 117
 macroura carolinensis, 110-121, 124, 405,
 macroura caurina, 115, 116, 120
 macroura clarionensis, 110-113, 115, 116, 126
 macroura macroura, 110-114, 116-122, 126
 macroura marginella, 110-122, 405
 macroura peninsulari, 118
 macroura tresmariae, 116, 120
 macroura turturilla, 110-113, 118, 119, 126, 405
- Zonotrichia*, 55
 albicollis, 179
 atricapilla, 312, 334
 leucophrys, 311, 337
 leucophrys gambelii, 196, 261, 311, 331
 leucophrys nuttalli, 261, 311, 333
 leucophrys oriantha, 196
 leucophrys pugetensis, 261, 332, 334
 querula, 337
- Zusi, Richard L., laughing gull takes fish from black skimmer*, 67