

INDEX TO VOLUME 61

By JANE R. DURHAM

- A
- Acanthis*, 394
flammea holboelli, 230
hornemanni, 356, 362, 365
linaria, 362
- Accipiter bicolor*, 328
bicolor fidens, 335
cooperii, 282
striatus, 282
striatus velox, 282
- Actitis macularia*, 284, 413
- Aechmophorus occidentalis*, 280
- Aëronautes saxatalis*, 28, 149, 286
- Agelaius phoeniceus*, 58, 274
- Aimophila aestivalis*, 139, 145
aestivalis illinoiensis, 139
botterii, 136-146
botterii arizonae, 137, 140, 141, 142, 144, 145
botterii botterii, 136, 137, 139, 140-145
botterii goldmani, 137, 140-142, 145
botterii mexicana, 136, 137, 140-145
botterii petenica, 136, 137, 139-141, 143-145
botterii texana, 137, 139, 140-145
botterii vantynei, 136, 141, 143-145
botterii vulcanica, 136, 141, 143-145
cassini, 399
quinquestriata, 221
rufescens, 221, 222, 330
rufescens pyrgitooides, 336
ruficauda, 221
ruficeps canescens, 79
ruficeps simulans, 79
ruficeps sororia, 79
- Aix sponsa*, 385
- Albatross*, Black-footed, 64, 305-314
Galapagos, 310
Laysan, 305-314
- Alca torda*, 431
- Alectoris graeca*, 283
graeca cypriotes, 284
- Amazilia*, 272
amabilis, 272
candida, 327
candida candida, 336
decora, 272
edward, 272
tzacatl, 271, 272, 330, 333
tzacatl tzacatl, 332, 336
violiceps, 208, 215
- Amblycercus holosericeus*, 327
holosericeus holosericeus, 336
- Ammodramus bairdii*, 150
- Amphispiza belli*, 294
belli nevadensis, 294
bilineata, 294, 405, 435
- Anas acuta*, 85, 91, 226, 281, 357, 365
carolinensis, 229, 281, 357, 365, 438
crecca carolinensis, 226, 229
crecca crecca, 227
discors, 281
platyrhynchos, 56, 85, 91, 281
rubripes, 85, 91
strepera, 281
- Anderson, Anders H., and Anderson, Anne, life history of the cactus wren. Part II: the beginning of nesting, 186
- Ani, Groove-billed, 81, 214, 330
- Anser albifrons*, 147
- Anthracothorax nigricollis*, 272
- Anthus spinoletta*, 228, 291
spinoletta blakistoni, 227, 228
spinoletta japonicus, 228
- Antshrike, Barred, 330
- Ant-Tanager, Red, 327
Rosy-throated, 327, 334
- Anthrush, Black-faced, 328, 332
- Ant-wren, Long-billed, 330, 334
- Aphelocoma coerulescens*, 53, 60, 79, 288
coerulescens cactophila, 80
coerulescens hypoleuca, 79-80, 82
ultramarina, 53
- Aphriza virgata*, 225
- Aptenodytes patagonica*, 13
- Aquila chrysaëtos*, 283, 358, 365
- Araçari, Fiery-billed, 71
- Archilochus alexandri*, 286, 404
colubris, 275
- Ardea herodias*, 60
herodias fannini, 60
- Arenaria interpres*, 233
interpres interpres, 229
interpres morinella, 229
melanocephala, 225
- Arremon frontalis*, 156
- Arremonops rufivirgata*, 330
rufivirgatus crassirostris, 336
- Asio flammeus*, 361, 365
otus, 56, 285
- Asyndesmus lewis*, 149, 286
- Atlapetes*, Chestnut-capped, 327, 334
Rufous-capped, 335
- Atlapetes brunnei-nucha*, 156-157, 327, 328, 334
brunnei-nucha allinornatus, 157
brunnei-nucha apertus, 334-336
brunnei-nucha brunnei-nucha, 156, 157
brunnei-nucha frontalis, 156, 157
brunnei-nucha inornatus, 157
brunnei-nucha xanthogenys, 157
- Attila, Polymorphic, 330
- Attila spadiceus*, 330
spadiceus flammulatus, 336
- Aulacorhynchus prasinus*, 327
prasinus prasinus, 336
- Auriparus flaviceps*, 289, 404

- Automolus*, Buff-throated, 327, 332
Automolus ochrolaemus, 327, 328
 ochrolaemus cervinigularis, 332, 336
 Avocet, 169, 371
Aythya americana, 85, 91, 281
 collaris, 281
 marila, 358, 365
 valisineria, 282
- B**
- Bakus, Gerald J., territoriality, movements, and population density of the dipper in Montana, 410
Balanosphyra formicivora albeola, 77, 78
 formicivora angustifrons, 77, 78
 formicivora bairdi, 77
 formicivora formicivora, 77, 78
 formicivora lineata, 77, 78
 formicivora martirensis, 77
 Banks, Richard C., development of nestling white-crowned sparrows in central coastal California, 96
 Banks, Richard C., and Johnson, Ned K., pine grosbeak and Lawrence goldfinch in Nevada, 303
 Barney, Merle D., red-tailed hawk killing a lamb, 157
 Bartholomew, George A., and Howell, Thomas R., further experiments on torpidity in the poor-will, 180
Basileuterus culicivorus, 327, 328
 culicivorus culicivorus, 336
 rufifrons, 220, 222, 330
 rufifrons salvini, 336
Basilinna, 77
 Becard, Rose-throated, 208, 216, 330
 Blackbird, Brewer, 46, 58, 60, 128, 292, 301, 370
 Redwinged, 58, 274
 Sumichrast, 329
 Yellow-headed, 174, 292
 Bluebird, Mountain, 291
 Western, 290
 Bluethroat, 361, 366
 Bobwhite, 213
Bombycilla cedrorum, 291, 438
 Booby, Brown, 223, 224
 Bowers, Darl E., a study of variation in feather pigments of the wrenit, 38
 Brandt, John H., unusual nesting observations in Colorado, 56
 Brant, Eastern, 374
 Light-bellied, 374
Branta bernicla, 374
 canadensis, 281, 427-428
 canadensis leucopareia, 281
 canadensis minima, 281
 canadensis moffitti, 281
Breagyps, 338-340
 clarki, 341, 342
 Brock, Elbert M., occurrence of the great blue heron in arctic Alaska, 59
 Brown, Jerram L., method of head scratching in the wrenit and other species, 53
 Brownell, Katharine A., and Hartman, Frank A., liver lipids in hummingbirds, 270
 Brush-finch, Chestnut-capped, 156-157
Bubo virginianus, 56, 214, 285, 370, 403
Bubulcus ibis, 30
 ibis ibis, 265-269
Bucephala albeola, 54, 282
 clangula, 147, 282, 298
 islandica, 147, 434
 Bufflehead, 54, 282
 Bunting, Lark, 293, 295
 Lazuli, 293
 Snow, 356, 391
 Varied, 221, 399, 404, 405
 Bushtit, Black-eared, 80
 Common, 80, 289
 Buss, Irvan O., and Nagra, Clarence L., change in body weight associated with onset of ovarian recrudescence and oviposition in pheasants, 348
Buteo, 218
 jamaicensis, 56, 85, 92, 157-158, 282
 jamaicensis calurus, 304
 magnirostris, 330, 335
 nitidus, 330, 335
 regalis, 283, 304
 swainsoni, 56, 282
Buteogallus anthracinus, 330, 335
Butorides virescens, 280, 331
 virescens virescens, 335
- C**
- Cacique, Prévost, 327
Calamospiza melanocorys, 293
Calcarius lapponicus, 151, 363, 364, 365
Calidris, 234, 252, 255, 261
 temmincki, 247, 251, 252
Callipepla squamata, 404
Calocitta, 221
 collicie, 218, 221
 formosa collicie, 218
Calypte anna, 161, 275, 371
 costae, 286
 Campbell, John M., further records of the Hudsonian godwit and Mississippi kite in New Mexico, 370
Campephilus principalis, 378
Campylopterus curvipennis, 329, 332
 curvipennis excellens, 332, 336
 hemileucurus, 272, 327
 hemileucurus hemileucurus, 332, 336
Campylorhynchus brunneicapillus, 186-205, 218, 222, 289, 404
 gularis, 218, 222
 jocosus, 218
 zonatus, 330
 zonatus restrictus, 334
 zonatus zonatus, 334, 336

- Canvasback, 282
 Capella gallinago, 284, 359, 365
 Caprimulgus carolinensis, 207
 europaeus, 183
 maculicaudus, 207
 ridgwayi, 206-209
 vociferus, 207
 Caracara, 213
 Cardinal, 330, 390, 391
 Carpodacus cassinii, 53
 mexicanus, 220, 222, 404
 Ceryle alcyon, 327, 328
 poliogaster poliogaster, 336
 Casmerodius albus, 280
 Cassidix mexicanus, 220
 Catbird, 273, 274
 Catharacta skua, 437
 Cathartes, 338, 339
 aura, 213, 282, 331, 335, 341, 342
 Cathartidarium, 339
 Cathartornis, 340
 gracilis, 341
 Catharus aurantirostris, 210, 219
 melpomene, 210
 melpomene clarus, 210
 mexicanus, 327
 mexicanus mexicanus, 336
 Catherpes, 403
 mexicanus, 218, 222, 289
 Catoptrophorus semipalmatus, 284
 Celex castaneus, 328, 336
 Centurus aurifrons, 210, 216, 222, 329, 330
 aurifrons veraecrucis, 336
 carolinus, 386
 pucherani, 330
 pucherani perileucus, 336
 urophygialis, 58, 192, 210, 215, 216, 221, 286,
 406, 435
 Cepphus grylle, 431
 Certhia familiaris, 438
 Ceryle torquata, 331, 336
 Chachalaca, 370
 Common, 330
 Chaetura vauxi, 286, 331, 336
 Chalybura buffonii, 272
 Chamaea, 53
 fasciata, 38-45, 53
 fasciata henshawi, 38
 fasciata intermedia, 38
 fasciata rufula, 38
 Chamaethlypis poliocephala, 331
 poliocephala caninucha, 336
 Charadrius collaris, 159
 dubius, 173
 hiaticula, 170
 semipalmatus, 148, 359, 365
 vociferus, 173, 284
 Chat, Ground, 331
 Yellow-breasted, 292, 371
 Chen caerulescens, 54
 hyperborea, 54, 281
 rossii, 54
 Chickadee, Black-capped, 97, 99, 101
 Mountain, 289
 Chicken, Prairie, 250
 Rhode Island Red, 89, 90
 White Leghorn, 89, 90
 Chionis alba, 158, 159
 Chlidonias niger, 285
 Chloroceryle amazona, 331, 336
 americana, 215, 331
 americana septentrionalis, 336
 Chlorostilbon, 272
 canivetii, 272
 Chlorura chlorura, 293
 Chondestes grammacus, 46, 294, 405
 Chordeiles, 207
 acutipennis, 215, 286, 404
 Chrysolophus amherstiae, 89
 pictus, 89
 Chuck-wills-widow, 207
 Ciccaba virgata, 215
 Cinclodes excelsior, 223
 Cinclus, 6, 8-10, 14, 16, 17
 cinclus, 12, 16, 413, 414
 leuconotus, 7
 mexicanus, 4-17, 410-426, 438
 Circus cyaneus, 56, 283, 369
 Cissilopha beecheii, 52
 san-blasiana, 52
 san-blasiana nelsoni, 52
 Clangula hyemalis, 54, 147, 302-303, 358, 365
 Claravis pretiosa, opp. 65, 65-74, 329, 331, 335
 Coccyzus, 221
 americanus, 285
 minor, 214, 221
 Coffey, Ben B., Jr., the starling in eastern México,
 299
 Colaptes auratus, 149, 379, 385
 cafer, 149, 286
 chrysoides, 406
 Colibri thalassinus, 272
 Colinus virginianus, 213
 Columba, 65
 fasciata, 73, 76
 fasciata fasciata, 76
 fasciata letonai, 76
 fasciata monillis, 76
 fasciata vioscae, 76
 flavirostris, 329, 330
 flavirostris flavirostris, 335
 livia, 58, 85, 92
 nigrirostris, 327, 331, 335
 speciosa, 327, 335
 Columbignallina minuta, 330
 minuta interrupta, 335
 passerina, 155, 213, 302
 talpacoti, 65, 329, 330
 talpacoti rufipennis, 335
 Condor, California, 338, 342

- Contopus cinereus*, 330
cinereus brachytarsus, 336
richardsonii, 333
sordidulus, 80
sordidulus peninsulae, 80
Coragyps, 338, 339
atratus, 213, 331, 335, 341, 342
Cormorant, Double-crested, 147, 154, 280
Olivaceous, 331
Corvus brachyrhynchos, 53, 85, 86, 92, 288, 438
caurinus, 391
corax, 218, 288, 356, 361, 365, 403
cryptoleucus, 403
Coturniculus mexicanus, 141
Coturnix coturnix, 430
Cowbird, Brown-headed, 292, 398, 402, 404
Red-eyed, 208, 220, 330
Crane, Sandhill, 359
Crax rubra, 328, 335
Creeper, Brown, 438
Crocethia, 234
Crossbill, Red, 150, 293, 295
White-winged, 150
Crotophaga sulcirostris, 214, 221, 330
sulcirostris pallidula, 81
sulcirostris sulcirostris, 335
Crouch, James E., vermilion flycatchers nesting in San Diego County, California, 57
Crow, Common, 85, 92, 288, 438
Northwestern, 391
Cuckoo, Mangrove, 214
Squirrel, 214, 330
Yellow-billed, 285
Curassow, 328
Cyanerpes cyaneus, 327, 328
cyaneus cyaneus, 336
Cyanocitta cristata, 53, 149
stelleri, 53, 438
Cyanocompsa cyanoides, 327
cyanoides concreta, 334, 336
Cyanocorax yncas, 327, 329, 336
Cynanthus latirostris, 208, 215
Cypseloides niger, 215, 222
- D**
- Davis, John*, the Sierra Madread element of the avifauna of the Cape District, Baja California, 75; a new race of the Mexican pootoo from western México, 300
Davis, John, and Davis, Betty S., red-naped sapsucker in Monterey County, California, 59
Dawson, William R., and Tordoff, Harrison B., relation of oxygen consumption to temperature in the evening grosbeak, 388
Delacour, J., a late seasonal record of the yellow-breasted chat, 371
Dendrocincla anabatina, 327
anabatina anabatina, 336
Dendrocopos major, 373
pubescens, 165, 287, 379, 438
scalaris, 216, 287, 404
villosus, 286, 379
Dendroica auduboni, 55
caerulescens, 55
castanea, 156
coronata, 150
fusca, 158
nigrescens, 292
palmarum, 150, 302
petechia, 291
petechia castaneiceps, 81
petechia morcomi, 292
townsendi, 53, 292
virens, 99
Dichromanassa rufescens, 298
Dickerman, Robert W., and Warner, Dwain W., the status of *Rallus elegans tenuirostris* in México, 49
Diomedea immutabilis, 305-314
irrorata, 310
nigripes, 305-314
Dipper, 4-17, 410-426
Dives dives, 329
dives dives, 336
Dixon, Keith L., ecological and distributional relations of desert scrub birds of western Texas, 397
Dove, Blue Ground, opp. 65, 65-74, 329, 331
Gray-headed, 328
Ground, 155, 213, 302
Inca, 213
Mourning, 285, 398, 402, 404
Plain-breasted Ground, 330
Ring, 274
Rock, 58, 85, 92
Ruddy Ground, 65, 67, 68
Talpacoti, 329
White-fronted, 65, 214, 327
White-tipped, 65
White-winged, 213, 285, 402, 404
Dowitcher, Long-billed, 148, 284, 359
Dryocopus lineatus, 334
martius, 377, 378
pileatus, 377-387
Du Bois, H. M., black-throated sparrows in northwestern Oregon, 435
Duck, Black, 85, 90, 91
Ring-necked, 281
Ruddy, 282
Wood, 385, 387
Dumetella carolinensis, 273, 274
- E**
- Eagle, Golden*, 283, 356, 358, 364, 366
Eckelberry, Don R., the turquoise-browed motmot, 3; painting of turquoise-browed motmots, opp. 3; painting of blue ground dove, opp. 65; painting of gartered trogon, opp. 305

- Edwards, Ernest P., and Tashian, Richard E., avifauna of the Catemaco basin of southern Veracruz, México, 325
- Egret, Cattle, 30, 265-269
 Common, 280
 Great, 30
 Little, 30-37
 Plumed, 30-37
 Reddish, 298
 Snowy, 54, 267, 281, 331
- Egretta alba, 30
 garzetta, 30-37
 intermedia, 30-37
- Eider, Common, 430
- Elaenia, Yellow-bellied, 330, 333
 Yellow-crowned, 218
- Elaenia flavogaster, 330
 flavogaster subpagana, 333, 336
- Elanus, 153-154
 caeruleus, 153
 caeruleus leucurus, 153
 caeruleus notatus, 153, 154
 caeruleus vociferus, 153
 leucurus, 301
 notatus leucurus, 153
 scriptus, 153
- Elvira chionura, 272
- Emberiza, 170, 436
- Emerald, White-bellied, 327
- Empidonax difficilis, 53
 hammondii, 218, 303
 traillii, 97
 wrightii, 218
- Eremophila alpestris, 287
- Ereunetes, 234, 252
 mauri, 284
 pusillus, 162, 233, 359, 365
- Erithacus rubecula, 101, 107
- Erolia, 234, 250, 252, 261, 262
 acuminata, 261
 alpina, 233, 234, 261
 bairdii, 165, 233, 234, 261
 fuscicollis, 165, 234, 250, 261
 melanotos, 161-179, 233-264, 359, 365
 minutilla, 169
 ptilocnemis, 225
 subminuta, 227
 temminckii, 227
- Escalante, Rodolfo, some records of oceanic birds in Uruguay, 158
- Evenden, Fred G., Gullion, Gordon W., and Pulich, Warren M., notes on the occurrence of birds in southern Nevada, 278
- Eucometis penicillata, 328
 penicillata pallida, 334, 336
- Eudytes crestatus, 158
- Eugenes spectabilis, 272
- Eumomota superciliosa, opp. 3, 3
- Euphagus cyanocephala, 46
 cyanocephalus, 53, 58, 60, 128, 292, 301, 370
- Eupherusa eximia, 272
- Euphonia, Thick-billed, 330
- Euthlypis lachrymosa, 219
- F**
- Falco albigularis, 330, 335
 columbarius, 283
 mexicanus, 283
 peregrinus, 260, 283, 356
 rusticolus, 148, 260, 356, 358, 365
 sparverius, 283, 371
- Falcon, Peregrine, 283, 356, 365
 Prairie, 283
 White-throated, 330
- Farner, Donald S., and King, James R., premigratory changes in body weight and fat in wild and captive male white-crowned sparrows, 315
- Farner, Donald S., and Serventy, D. L., body temperature and the ontogeny of thermoregulation in the slender-billed shearwater, 426
- Fennell, Chester M., Erolia temminckii and Anthus spinoletta blakistoni in Korea, 227
- Finch, Black Rosy, 18-29
 Brown-capped Rosy, 24, 27
 Common House, 220
 Gray-crowned Rosy, 18, 25, 28
 Hepburn Rosy, 25
 House, 398, 399, 402-404
 Rosy, 229
- Flamingo, American, 156
- Flicker, Gilded, 406
 Red-shafted, 149, 286
 Yellow-shafted, 149, 385
- Florisuga mellivora, 272
- Flycatcher, Ash-throated, 287, 291, 295, 398, 399, 402, 404, 407
 Bent-billed, 328
 Boat-billed, 330
 Crested, 287
 Eye-ringed Flat-billed, 328
 Hammond, 218, 303
 Kiskadee, 217, 329
 Olivaceous, 208, 217, 329
 Olive-sided, 287
 Pirate, 330
 Spade-billed, 327, 333
 Streaked, 330
 Sulphur-bellied, 217, 329
 Sulphur-rumped, 327, 332
 Sulphury Flat-billed, 328, 333
 Traill, 97-101
 Vermilion, 57, 58, 216, 287, 403
 Vermilion-crowned, 217, 329
 Wied, 217, 330
 Wright, 218
- Formicarius analis, 328
 analis moniliger, 332, 336
- Forpus, 221
 cyanopygius, 214, 221

- Fowl, Domestic, 85, 89, 91, 93
 Jungle, 89, 90
 Red Jungle, 89
Fratercula arctica, 431
Fregata magnificens, 335
 French, Norman R., distribution and migration of the black rosy finch, 18
 French, Norman R., and Hodges, Ronald W., torpidity in cave-roosting hummingbirds, 223
Fringilla, 315
 Frings, Hubert, and Frings, Mable, observations on salt balance and behavior of Laysan and black-footed albatrosses in captivity, 305
 Fulmar, 426
 Giant, 158
Fulmarus glacialis, 426
- G**
- Gadwall, 28
Gallus gallus, 85, 89
 Gardner, Leon L., gila woodpecker in San Diego County, California, 435
Gavia arctica, 257, 365
 immer, 280
Geococcyx californianus, 285, 404
 velox, 214
Geospiza, 53
Geotrygon montana, 327
 montana montana, 331, 332, 335
 Giller, Donald R., and Selander, Robert K., sympatry of the jays *Cissilopha beecheii* and *C. san-blasiana* in Nayarit, 52; the avifauna of the Barranca de Oblatos, Jalisco, México, 210
 Gilmore, Raymond M., red phalarope in mid-eastern Pacific, 227
Glaucidium brasilianum, 215, 330
 brasilianum ridgwayi, 335
 gnoma californicum, 80
 gnoma gnoma, 80
 gnoma grinnelli, 80
 gnoma hoskinsii, 80
Glaucis hirsuta, 272
 Gnatcatcher, Black-tailed, 291, 398, 399, 402, 404, 407
 Blue-gray, 291
 Godwit, Bar-tailed, 356, 359, 366, 367
 Hudsonian, 58, 370, 371
 Marbled, 55, 58, 163, 284
 Goldeneye, Barrow, 147, 434
 Common, 147, 282, 298
 Goldfinch, American, 293
 Lawrence, 303
 Lesser, 220, 293
 Goadge, William R., locomotion and other behavior of the dipper, 4
 Goose, Blue, 54
 Canada, 281, 427
 Ross, 54
 Snow, 54, 281
 White-fronted, 147
 Grackle, Boat-tailed, 220
 Grassquit, Blue-black, 221, 331
 Yellow-faced, 331, 334
 Grebe, Eared, 299
 Horned, 53, 299
 Least, 226
 Pied-billed, 299, 331
 Red-necked, 299
 Western, 280
 Greenlet, Gray-headed, 327
 Tawny-crowned, 327, 334
 Grosbeak, Black-faced, 327
 Black-headed, 293
 Blue, 46-48, 220, 293
 Blue-black, 327, 334
 Evening, 293, 303, 388-396
 Pine, 303, 394
 Rose-breasted, 436
Grus canadensis, 359, 365
 Guillemot, Black, 431
Guiraca caerulea, 46-48, 220, 293
 Gull, Bonaparte, 148
 California, 156
 Franklin, 226
 Glaucous, 361, 366
 Great Black-backed, 430
 Herring, 154, 430
 Kelp, 159
 Laughing, 298, 331
 Lesser Black-backed, 430
 Mew, 361, 430
 Patagonian Brown-headed, 159
 Ring-billed, 156, 284
 Sabine, 64, 148
 Western, 431
 Gullion, Gordon W., Pulich, Warren M., and Evenden, Fred G., notes on the occurrence of birds in southern Nevada, 278
 Gymnogyps, 338, 339
 amplus, 341, 342
 californianus, 338, 342
Gymnorhinus cyanocephala, 288
Gymnostinops montezuma, 330, 331, 336
 Gyrfalcon, 148, 356, 358
- H**
- Habia gutturalis*, 327-329
 gutturalis littoralis, 336
 gutturalis salvini, 334
 rubica, 327, 329
 rubica rubicoides, 336
 Haderlie, Eugene C., and Haderlie, Aileen E., longevity of an injured scrub jay, 60
Haematopus ostralegus, 169
 Hailman, Jack P., unusual "bunching" behavior of starlings, 369; a third head-scratching method of emberizine sparrows, 435
Halocyptena microsoma, 373

- Hamilton, William J., III, aggressive behavior in migrant pectoral sandpipers, 161
- Hand, Ralph L., Hoffmann, Robert S., and Wright, Philip L., recent bird records from western Montana, 147
- Hardy, John William, and Johnston, Richard F., the Ridgway whip-poor-will and its associated avifauna in southwestern New Mexico, 206
- Hartman, Frank A., and Brownell, Katherine A., liver lipids in hummingbirds, 270
- Hawk, Bicolored, 328
Cooper, 282
Crab, 330
Ferruginous, 283, 304
Gray, 330
Insect, 330
Marsh, 56, 283, 369
Pigeon, 283
Red-tailed, 56, 85, 92, 157-158, 282, 304
Rough-legged, 365
Sharp-shinned, 282
Sparrow, 283, 371
Swainson, 56, 282
White, 327
- Hawk-Owl, 149
- Heliodoxa jacula, 272
- Henicorhina leucosticta, 327, 328
leucosticta prosthaleuca, 336
- Hermit, 327, 331
Longuemare, 328, 332
- Heron, Black-crowned Night, 30-37, 281
Green, 280
Little Green, 331
- Hesperiphona vespertina, 293, 303
vespertina vespertina, 388-396
- Heteropygia maculata, 247
- Himantopus mexicanus, 284
- Hirundo rustica, 99, 218, 288, 369
- Hodges, Ronald W., and French, Norman R., torpidity in cave-roosting hummingbirds, 223
- Hoffmann, Robert S., Hand, Ralph L., and Wright, Philip L., recent bird records from western Montana, 147
- Honeycreeper, Blue, 327
- Howell, Thomas R., land birds from Clipperton Island, 155; a hybrid of the pintail and green-winged teal, 226
- Howell, Thomas R., and Bartholomew, George A., further experiments on torpidity in the poor-will, 180
- Huey, Laurence M., the second occurrence of a brown booby near Parker Dam on the Colorado River, 223
- Hummingbird (see also Emerald and Hermit)
Anna, 161, 223, 275, 371
Black-chinned, 286, 404
Blue-throated, 215
Broad-billed, 208, 215
Broad-tailed, 286
Costa, 286
Rieffer, 330, 332, 333
Ruby-throated, 275
Rufous, 286
Rufous-tailed, 271
Scintillant, 271
Violet-crowned, 208, 215
Xantus, 77
- Husain, K. Z., notes on the taxonomy and zoogeography of the genus *Elanus*, 153
- Hydroprogne caspia, 149
- Hylocharis, 77
leucotis, 77
xantusii, 77
- Hylocichla guttata, 290
guttata nanus, 290
ustulata, 290
- Hylomanes momotula, 328
momotula momotula, 336
- Hylophilus decurtatus, 327-329, 334
decurtatus decurtatus, 336
ochraceiceps, 327, 329
ochraceiceps ochraceiceps, 334, 336
- I
- Ibis, White-faced, 281
- Icteria virens, 292
- Icterus bullockii, 58, 222, 292
cucullatus, 220, 292
mesomelas, 330
mesomelas mesomelas, 336
parisorum, 292, 404
prothemelas, 330, 331
prothemelas prothemelas, 336
pustulatus, 220, 221
spurius, 438
wagleri, 220, 222
- Ictinia mississippiensis, 59, 370, 371
- Iridoprocne albilinea, 331, 336
bicolor, 54, 165, 288
- Ixoreus naevius, 149
- J
- Jacana, 331
spinosa, 331, 335
- Jaeger, Long-tailed, 64, 148, 351, 358, 360-361, 366, 367
Parasitic, 64, 351, 358, 360-361, 366
Pomarine, 64, 255, 259
- Jay, Blue, 53, 149
Brown, 330
Canada, 149
Gray, 229, 391, 392
Green, 327
Piñon, 288
Scrub, 53, 60, 79, 288
Steller, 53, 149, 438
- Jeter, Horace H., cliff swallows of mixed plumage types in a colony in southeastern Arizona, 434

- Johnsgard, Paul A., and Sibley, Charles G., variability in the electrophoretic patterns of avian serum proteins, 85
- Johnson, Myrtle E., another record of the orchard oriole in California, 437
- Johnson, Ned K., and Banks, Richard C., pine grosbeak and Lawrence goldfinch in Nevada, 303
- Johnston, Richard F., and Hardy, John William, the Ridgway whip-poor-will and its associated avifauna in southwestern New Mexico, 206
- Junco, Baird, 79
 Gray-headed, 294, 438
 Oregon, 110-135
 Slate-colored, 86, 92, 110, 128, 294, 346, 436
- Junco, 315
 alticola, 79
 bairdi, 79
 caniceps, 294, 438
 fulvescens, 79
 hyemalis, 86, 92, 110, 294, 436
 oreganus, 110-135
 phaeonotus, 79
 phaeonotus palliatus, 79
- K**
- Kilham, Lawrence, bark-eating of red-headed woodpeckers, 371; behavior and methods of communication of pileated woodpeckers, 377
- Killdeer, 148, 173, 284
- King, James R., and Farner, Donald S., premigratory changes in body weight and fat in wild and captive male white-crowned sparrows, 315
- King, Joseph E., Franklin gull in the central Pacific, 226
- Kingbird, Thick-billed, 208, 217
 Tropical, 70, 217, 329, 333
 Western, 58, 287
- Kingfisher, Belted, 286
 Big Green, 331
 Little Green, 215, 331
 Ringed, 331
- Kinglet, Golden-crowned, 291
 Ruby-crowned, 291, 371
- Kite, Mississippi, 59, 370, 371
 White-tailed, 30, 64
- Kittiwake, 431
- L**
- Lagopus lagopus, 356, 358, 365
- Lampornis castaneiventris, 272
 clemenciae, 215, 222
- Lanio aurantius, 327, 329
 aurantius aurantius, 334, 336
- Lanius excubitor, 362, 365, 366
 ludovicianus, 222, 291, 404
- Lapwing, 161, 165
- Lark, Horned, 151, 287, 295
- Larus, 431
 argentatus, 154, 430
 atricilla, 331, 335
 canus, 361, 365, 430
 delawarensis, 284
 fuscus, 430
 hyperboreus, 361, 365
 marinus, 430
 marinus dominicanus, 159
 occidentalis, 431
 philadelphia, 148
 pipixcan, 226
 ridibundus maculipennis, 159
- Legatus leucophaeus, 330
 leucophaeus variegatus, 336
- Legg, Ken, occurrences of the mockingbird at the northwestern margin of its range, 438
- Lehmann V., F. C., observations on the cattle egret in Colombia, 265
- Lepidocolaptes souleyettii, 328
 souleyettii insignis, 336
- Leptotila, 65
 plumbeiceps, 328
 plumbeiceps plumbeiceps, 335
 verreauxi, 65, 214, 327, 328
 verreauxi fulviventris, 335
- Leucophoyx thula, 54, 267, 281, 331, 335
- Leucopternis albicollis, 327
 albicollis ghiesbreghtii, 335
- Leucosticte atrata, 393
 tephrocotis, 393
 tephrocotis atrata, 18-29
 tephrocotis australis, 21, 28
 tephrocotis kadiaka, 229
 tephrocotis littoralis, 25
 tephrocotis tephrocotis, 18-21, 23, 25, 28
 tephrocotis wallowa, 21, 28
- Levy, Seymour H., the least grebe recorded again in Arizona, 226
- Limnodromus scolopaceus, 148, 284, 359, 365
- Limosa fedoa, 55, 58, 163, 284
 haemastica, 58, 370
 lapponica, 359, 365, 366
- Lindley, Phyllis, Brewer blackbirds in the Sierra Nevada, California, 60
- Lobipes lobatus, 148, 360, 365
- Longhurst, William M., an unusual concentration of white-tailed kites in Napa County, California, 301
- Longspur, Alaska, 230
 Lapland, 151, 230, 255, 364, 366
- Loomelania melanis, 373
- Loon, Arctic, 357
 Common, 280
- Lophodytes cucullatus, 282
- Lophortyx californicus, 283
 gambelii, 280
- Lophura nycthemera, 89
- Loxia, 394
 curvirostra, 293
 leucoptera, 150

Luscinia svecica, 361, 365

M

Machetes, 261

Macronectes giganteus, 158

Magpie, Black-billed, 56, 438

Magpie-jay, 218

Maher, William J., habitat distribution of birds breeding along the upper Kaolak River, northern Alaska, 351

Mallard, 56, 85, 89, 90-92, 170, 281

Manakin, Yellow-thighed, 328, 332

Marshall, David B., new bird records from south-eastern Oregon, 53

Marshall, Joe T., Jr., and Moore, Robert T., a new race of screech owl from Oaxaca, 224

Martin, Purple, 288, 295

McClure, H. Elliott, Yoshii, M., Okada, K., and Scherer, W. F., a method for determining age of nestling herons in Japan, 30

McMillan, Eben, starlings nesting in central California, 157

Meadowlark, Western, 292

Megaceryle alcyon, 286

Megadyptes antipodes, 427

Megarhynchus pitangua, 330
pitangua mexicanus, 336

Megascops vinaceus, 225

Melanerpes erythrocephalus, 371

Melanotis caerulescens, 219

Melospiza undulatus, 93, 274

Melospiza georgiana, 274

lincolnii, 127

lincolnii alticola, 229

lincolnii lincolnii, 229

melodia, 126, 295, 436, 438

melodia gouldii, 96

Melozone, 221

kieneri, 221

Merganser, Hooded, 282

Red-breasted, 282, 358, 366

Mergus serrator, 282, 358, 365

Micrathene whitneyi, 399, 404

Micropalama himantopus, 148, 176

Miller, Alden H., response to experimental light increments by Andean sparrows from an equatorial area, 344

Miller, F. W., the Barrow goldeneye in Texas, 434

Mimus polyglottos, 59, 161, 219, 289, 404, 438

Mockingbird, 59, 161, 289, 374, 398, 399, 401, 402, 404, 436, 438

Blue, 219

Northern, 219

Molothrus ater, 292, 404

ater obscurus, 293

Momotus mexicanus, 3, 215, 221

momota, 3, 327

momota lessonii, 336

Montgomery, Vester, four recent records from southeastern New Mexico, 58

Moore, Robert T., and Marshall, Joe T., Jr., a new race of screech owl from Oaxaca, 224

Morley, Arthur, notes on occurrences of birds in San Diego County, California, 302; brown thrasher in San Diego, California, 374

Motacilla alba lugens, 228

flava, 361, 365

Motmot, Blue-crowned, 3, 327

Russet-crowned, 3, 215

Tody, 328

Turquoise-browed, opp. 3, 3, 61

Murre, Common, 431

Murrell, Stuart L., the eastern brant at Humboldt Bay, California, 374

Myadestes townsendi, 291, 438

unicolor, 327

unicolor unicolor, 334, 336

Myiarchus, 217, 405

cinerascens, 287, 404

tuberculifer, 208, 217, 329

tuberculifer lawrencei, 336

tyrannulus, 217, 287, 330

Myiobius sulphureipygius, 327

sulphureipygius sulphureipygius, 332, 336

Myiodynastes luteiventris, 217, 221, 329

luteiventris luteiventris, 336

maculatus, 330

maculatus insolens, 336

Myiopagis, 218, 221

viridicata, 218, 221

Myiozetetes, 217

similis, 217, 329

similis texensis, 336

N

Nagra, Clarence L., and Buss, Irven O., change in body weight associated with onset of ovarian recrudescence and oviposition in pheasants, 348

Nighthawk, Lesser, 286

Trilling, 215, 398, 402, 404, 405, 407

Nightingale-Thrush, Black-headed, 327

Orange-billed, 219

Nightjar, 183

Buff-collared, 206-209

Novaes, Fernando C., *Procellaria aequinoctialis* on Amazon River in Brazil, 299

Nucifraga columbiana, 288

Numenius arquata, 172

phaeopus, 367

Nutcracker, Clark, 149, 288, 295

Nuthatch, Pygmy, 55, 289, 438

Red-breasted, 289

White-breasted, 76, 78

Nuttallornis borealis, 287

Nyctea scandiaca, 356

Nyctibius griseus, 300

griseus jamaicensis, 300

griseus lambi, 300

griseus mexicanus, 300

Nycticorax nycticorax, 30-37, 281

Nyctidromus albicollis, 207, 330
albicollis yucatanensis, 336

O

Oceanites oceanicus, 426, 429, 430
Oceanodroma homochroa, 373
leucorhoa, 373, 426-428, 431
Odontophorus guttatus, 327, 335
 Okada, Y., Scherer, W. F., McClure, H. Elliott,
 and Yoshii, M., a method for determining
 age of nestling herons in Japan, 30
Oldsquaw, 54, 147, 302-303, 358
Olor buccinator, 147
columbianus, 281
Oncostoma cinereigulare, 328, 336
Oporornis agilis, 158
tolmiei, 292
Oreopeleia, 65
montana, 73
Oreoscoptes montanus, 46, 290
Oreotrochilus chimborazo, 223
 Orians, Gordon H., a review of hawks, owls and
 wildlife, by Craighead and Craighead, 61
Oriole, Black-cowled, 330
Bullock, 58, 292
Hooded, 220, 292
Orchard, 437-438
Scarlet-headed, 220
Scott, 292, 295, 398, 399, 402, 404, 407
Wagler, 220
Yellow-tailed, 330
Oropendola, Montezuma, 330
Ortalis vetula, 330, 335, 370
Osprey, 283
Otus asio, 224, 225, 285, 304, 406
asio cardonensis, 77
asio cineraceus, 77, 224, 285
asio lambi, 224, 225
asio quercinus, 77
asio seductus, 224, 225
asio sinaloensis, 77, 224, 225
asio vinaceus, 224
asio xantusi, 76-77
asio yumanensis, 77, 285
chiapensis chiapensis, 224
cooperi, 225
cooperi chiapensis, 224
cooperi cooperi, 224
Ouzel, Water, 413, 438
Owl, Barn, 214, 285
Burrowing, 285
Elf, 398, 399, 402, 404, 406
Great Horned, 214, 285, 370
Horned, 403
Long-eared, 56, 285
Pygmy, 80
Screech, 76-77, 81, 224, 285, 304, 406
Short-eared, 361
Snowy, 356
Spotted, 149
Squamulated, 215

Streaked Pygmy, 215, 330
Oxyura jamaicensis, 282
Oystercatcher, 169

P

Pachyptila belcheri, 158
turtur, 426, 427, 428
Palaeogyps, 338-340
prodomus, 341
Pandion haliaetus, 283
Parakeet, Grass, 93
Parauque, 207, 330
 Parkes, Kenneth C., subspecific status of *Atlappetes*
brunnei-nucha in South America, 156
Parrot, Red-eared, 328
Parrotlet, Mexican, 214
Partridge, Chukar, 283
Spotted, 327
Parula pitiayumi, 219
Parus, 394
atricapillus, 97
gambeli, 289
inornatus, 289
major, 124
Passer domesticus, 56, 58, 97, 220, 292
Passerculus, 363
sandwichensis, 294, 363, 365
sandwichensis crassus, 229
sandwichensis nevadensis, 294
Passerella iliaca, 295, 436
Passerina amoena, 293
versicolor, 221, 404
Pelecanus erythrorhynchos, 147, 280, 298
occidentalis, 331, 335
Pelican, Brown, 331
White, 147, 280, 298
Penguin, King, 13
Magellanic, 158
Rockhopper, 158
Yellow-eyed, 427
Perdix perdix, 283
Perisoreus canadensis, 391
canadensis arcus, 229
canadensis pacificus, 229
Petrel, Ashy, 64, 373
Black, 64, 373
Leach, 64, 373, 426
Least, 64, 373
Wilson, 426
Petrochelidon fulva, 3, 369, 370
pyrrhonota, 99, 124, 218, 288, 369, 370, 434
pyrrhonota melanogaster, 434
pyrrhonota mimima, 434
pyrrhonota tachina, 434
Peucaea aestivalis arizonae, 140
sartorii, 139
Pewee, Tropical, 330
Western Wood, 80, 333
 Peyton, Leonard J., and Williamson, Francis S. L.,
 breeding record of the double-crested cor-
 morant in south-central Alaska, 154

- Phaeochroa cuvierii*, 272
Phaethornis guy, 272
 longuemareus, 272, 328
 longuemareus adolphi, 332, 336
 superciliaris, 272
 superciliosus, 327, 332
 superciliosus veraecrucis, 331, 336
Phainopepla, 55, 295, 399, 404
Phainopepla nitens, 55, 404
Phalacrocorax auritus, 147, 154, 280
 olivaceus, 331, 335
Phalaenoptilus, 207
 nuttalli, 149, 180-185, 206, 286, 404
Phalarope, Northern, 148, 356, 360
 Red, 227, 233-234, 237, 246, 258-259, 261, 360, 366
 Wilson, 148, 284
Phalaropus fulicarius, 227, 233, 360, 365
Phasianus colchicus, 85-87, 348-350, 430
Phasmagyps, 338, 340
Pheasant, Golden, 89
 Lady Amherst, 89
 Reeves, 89
 Ring-necked, 85-89, 91, 93, 348-350, 430
 Silver, 89
Phœcticus ludovicianus, 436
 melanocephalus, 53, 293
Philomachus, 234, 261
 pugnax, 262
Phloeocastus guatemalensis, 52
Phlogothraupis sanguinolenta, 330
 sanguinolenta sanguinolenta, 336
Phoebe, Black, 216, 287, 331-332, 403
 Eastern, 99-100
 Say, 57, 287, 369, 403
Piaya cayana, 214, 330
 cayana thermophila, 335
Pica nuttalli, 53
 pica, 56, 438
Picoides arcticus, 303
Piculus rubiginosus, 330
 rubiginosus yucatanensis, 336
Pigeon, Band-tailed, 73, 76
 Red-billed, 329
 Scaled, 327
 Short-billed, 327, 331
Pinicola enucleator, 303, 393
 enucleator californica, 303
Pintail, 85, 89, 91, 226, 227, 281, 357, 366
Pionopsitta haematotis, 328
 haematotis haematotis, 335
Pipilo aberti, 293, 406
 erythrophthalmus, 78-79, 293, 438
 erythrophthalmus clementae, 78
 erythrophthalmus magnirostris, 78-79
 erythrophthalmus montanus, 293
 erythrophthalmus umbraticola, 79
 fuscus, 53, 184, 222, 404
 fuscus albigula, 75, 79
 fuscus mesoleucus, 75
Pipit, Blakiston Water, 228
 Water, 151, 291
Pipra mentalis, 328
 mentalis mentalis, 332, 336
Pipromorpha, Oleaginous, 327, 333
Pipromorpha oleaginea, 327, 329, 334
 oleaginea assimilis, 333, 336
Piranga bidentata, 220, 222
 flava, 220
 leucoptera, 327
 leucoptera leucoptera, 336
 ludoviciana, 293
 rubra, 98, 156, 293, 334
 rubra rubra, 156
Pisobia, 261
Pitangus sulphuratus, 217, 221, 329
 sulphuratus derbianus, 336
Pitelka, Frank A., numbers, breeding schedule and territoriality in pectoral sandpipers of northern Alaska, 233
Platypsaris aglaiae, 208, 216, 320
 aglaiae sumichrasti, 336
Platyrrinchus mystaceus, 327
 mystaceus cancrminus, 333, 336
Plectrophenax nivalis, 356, 391
Plegadis chihi, 281
Pliogyps, 338-343
 fisheri, 338-343
Plover, American Golden, 359
 Black-bellied, 54, 148
 Golden, 159, 233, 353, 356, 366
 Little Ringed, 173
 Ringed, 170
 Semipalmated, 148, 359, 366
 Snowy, 156
Pluvialis dominica, 233, 359, 365
Podiceps auritus, 53, 299
 caspicus, 299
 dominicus, 226
 dominicus bangsi, 226
 grisegena, 299
Podilymbus podiceps, 299, 331, 335
Polioptila caerulea, 291
 melanura, 291, 404
Polyborus cheriway, 213
Poocetes gramineus, 294
Poor-will, 149, 180-185, 206-207, 286, 398, 399, 402, 404, 405
Pootoo, Mexican, 300
Porzana carolina, 284
Prion, Fairy, 426
Procellaria aequinoctialis, 299
Progne subis, 222, 288
Protonotaria citrea, 99
Psaltriparus melanotis, 80
 minimus, 53, 80, 289
 minimus grindae, 80, 82
Psilorhinus morio, 330, 336
Ptarmigan, Willow, 356, 358, 361, 366
Pteroglossus frantzii, 71
 torquatus torquatus, 336

Puffin, Common, 431
Puffinus carneipes, 374
 creatopus, 374
 griseus, 158, 374
 tenuirostris, 426-433
 Pulich, Warren M., Evenden, Fred G., and Gul-
 lion, Gordon W., notes on the occurrence
 of birds in southern Nevada, 278
Pyrocephalus rubinus, 57-58, 216, 287, 403
Pyrrhuloxia, 192, 204, 398, 399, 401, 402, 404, 407
Pyrrhuloxia sinuata, 192, 404

Q

Quail, California, 283
 Gambel, 280
 Scaled, 398, 402, 404
 Quail-Dove, Ruddy, 73, 327, 331-332

R

Rainey, Dennis G., Van Hoose, S. G., and Tra-
 montano, John, breeding of the starling in
 southern California, 57
Rallus elegans, 50
 elegans elegans, 50
 elegans tenuirostris, 49-51
 longirostris, 49, 50
 longirostris beldingi, 50
 longirostris grossi, 50
 longirostris pallidus, 50, 51
 longirostris rhyzophorae, 50, 51
 longirostris tenuirostris, 49, 50
Ramphastos sulfuratus, 329, 336
Ramphocaenus rufiventris, 330
 rufiventris rufiventris, 334, 336
 Raven, 361
 Common, 288, 356
 Holarctic, 218
 Razorbill, 431
 Rechnitzer, Andreas B., flamingo in a southern
 California slough, 156
Recurvirostra americana, 371
 avosetta, 169
 Redhead, 85, 89, 91, 281
 Redpoll, 356, 362-363, 366
Regulus calendula, 291, 371
 satrapa, 291
 Reuther, Ronald T., European starling nesting in
 the San Joaquin Valley, California, 57
Rhynchocyclus brevirostris, 328
 brevirostris brevirostris, 336
Richmondia cardinalis, 330, 390, 391
 cardinalis coccinea, 336
 Rickard, W. H., changes in winter bird species
 composition of two habitats in San Miguel
 County, New Mexico, after three-fourths
 of a century, 438
Riparia riparia, 288
 riparia maximiliani, 229
 riparia riparia, 229
Rissa tridactyla, 431
 Roadrunner, 285

California, 402, 404
 Lesser, 214
 Robertson, John McB., ruby-crowned kinglet
 feeding on nectar, 371
 Robin, 76, 80, 97-98, 100, 107, 174, 290, 413
 Clay-colored, 329
 English, 101
 White-necked, 327
 Ruff, 234, 255, 261-263
Rynchops nigra, 298

S

Sabine, Winifred S., the winter society of the
 Oregon junco: intolerance, dominance, and
 the pecking order, 110
 Sabre-wing, 329, 332
 DeLattre, 327, 332
Salpinctes obsoletus, 218, 222, 289, 403
Saltator, Black-headed, 329, 334
 Gray, 330
Saltator atriceps, 329
 atriceps suffuscus, 334, 336
 coerulescens, 330
 coerulescens grandis, 336
 Sams, James R., ground doves nesting in San
 Diego County, 155
 Sams, James R., and Stott, Ken, Jr., distributional
 records of the common goldeneye and the
 crissal thrasher in southeastern California,
 298
 Sandpiper, Baird, 165, 233
 Least, 150, 169, 174
 Pectoral, 150, 161-179, 233-264, 356, 359
 Red-backed, 233, 238, 256
 Rock, 225
 Semipalmated, 162, 175, 233, 238, 356, 359
 Sharp-tailed, 261
 Siberian Pectoral, 261
 Solitary, 64, 173, 284
 Spotted, 284, 366, 413
 Stilt, 148, 176
 Western, 284
 White-rumped, 165, 250, 261
 Sapsucker, Red-naped, 59
 Yellow-bellied, 373, 386
Sarcoramphus, 338-339
 fossilis, 339
 kernense, 339
 papa, 331, 335, 338-342
Sayornis nigricans, 216, 222, 287, 331, 403
 nigricans nigricans, 332, 336
 phoebe, 99
 saya, 57, 287, 369, 403
Scardafella inca, 213, 330, 335
 Scaup, Greater, 358, 366
 Scherer, W. F., McClure, H. Elliott, Yoshii, M.,
 and Okada, Y., a method for determining
 age of nestling herons in Japan, 30
 Seedeater, White-collared, 221, 331
Seiurus aurocapillus, 53, 98

- motacilla, 53, 336
 noveboracensis, 53
 Selander, Robert K., and Giller, Donald R., sympatry of the jays *Cissilopha beechii* and *C. san-blasiana* in Nayarit, 52; the avifauna of the Barranca de Oblatos, Jalisco, México, 210
 Selasphorus, 272
 platycercus, 286
 rufus, 286
 scintilla, 271, 272, 274
 Serventy, D. L., and Farner, Donald S., body temperature and the ontogeny of thermoregulation in the slender-billed shearwater, 426
 Setophaga *ruticilla*, 333
 Shearwater, Manx, 64
 Pale-footed, 64, 373-374
 Pink-footed, 64, 374
 Slender-billed, 426-433
 Sooty, 64, 158, 374
 Sheath-bill, 158-159
 Shoemaker, 299
 Shoveler, 54, 281
 Shrike, Loggerhead, 291, 295, 402, 404
 Northern, 362, 366
 Shrike-Tanager, 327, 334
 Sialia *currucoides*, 291
 mexicana, 290
 Sibley, Charles G., and Johnsgard, Paul A., variability in the electrophoretic patterns of avian serum proteins, 85
 Siskin, Pine, 293, 295, 438
 Sitta, 394
 canadensis, 289
 carolinensis aculeata, 78
 carolinensis alexandrae, 78
 carolinensis lagunae, 78
 carolinensis mexicana, 78
 carolinensis nelsoni, 78
 carolinensis umbrosa, 78
 pygmaea, 55, 289, 438
 Sittasomus *griseicapillus*, 327
 griseicapillus sylvioides, 336
 Skimmer, Black, 298
 Skua, 437
 Skutch, Alexander F., life history of the blue ground dove, 65
 Small, Arnold, rock sandpipers in southern California, 225; recent occurrences of oldsquaw in southern California, 302; more observations of the least petrel and pale-footed shearwater off southern California, 373; some additional records of the skua from California, 437
 Snipe, Common, 284, 359
 Solitaire, Slate-colored, 327, 334
 Townsend, 291, 438
 Somateria *mollissima*, 430
 Sora, 284
 Sparrow, Andean, 344-347
 Bachman, 139
 Baird, 150
 Black-throated, 291, 294, 295, 398, 402, 405, 435
 Botteri, 136-146
 Brewer, 150, 151, 294
 Cassin, 399
 Chipping, 294
 English, 196, 202
 Five-striped, 221
 Fox, 230, 295, 436
 Golden-crowned, 295, 344, 347
 Harris, 55, 151
 House, 56, 58, 97, 99, 220, 292
 Lark, 46, 294, 399, 405
 Lincoln, 127, 229
 Olive, 330
 Rufous-crowned, 79, 81
 Russet-tailed, 221
 Rusty, 221, 330
 Rusty-crowned Ground, 221
 Sage, 294
 Savannah, 150, 229, 230, 294, 362, 363, 366
 Song, 96, 100, 101, 126, 198, 230, 295, 436, 438
 Tree, 86, 92, 97, 100, 101, 112, 294, 363, 364, 366, 436
 Vesper, 151, 294
 White-crowned, 55, 96-109, 151, 276, 294, 315-324, 344, 347, 364
 White-throated, 55, 295, 316, 346
 Spatula *clypeata*, 54, 281
 Speotyto *cunicularia*, 285
 Spheniscus *magellanicus*, 158
 Sphyrapicus *varius*, 373, 386
 varius daggetti, 59
 varius nuchalis, 59
 varius varius, 59
 Spinetail, Rufous-breasted, 330
 Spinus *lawrencei*, 53, 303
 pinus, 293, 438
 psaltria, 53, 220, 293
 tristis, 293
 Spizella *arborea*, 86, 92, 97, 112, 294, 363, 365, 436
 breweri, 53, 150, 294
 passerina, 294
 Sporophila *torqueola*, 221, 331
 torqueola morelleti, 336
 Squatarola *squatarola*, 54, 148
 Stabler, Robert M., nesting of the blue grosbeak in Colorado, 46
 Starling, 57, 58, 160, 274, 299, 301-302, 369, 373, 436
 European, 57, 86, 92, 157
 Steganopus *tricolor*, 284
 Stelgidopteryx *ruficollis*, 3, 218, 288
 Stercorarius *longicaudus*, 148, 360, 365
 parasiticus, 260, 360, 365
 Stern, Ralph J. A., mockingbird observed on the southern tip of Tiburon Peninsula, Marin County, California, 59

- Sterna albifrons*, 298
 antillarum, 59
 paradisaea, 361, 365
Stilt, Black-necked, 284
Stint, Temminck, 227
Storer, Robert W., the arrangement of songbird families, 152
Stott, Ken, Jr., red-necked grebe in San Diego County, California, 299; the starling arrives in San Diego, California, 373
Stott, Ken, Jr., and Sams, James R., distributional records of the common goldeneye and the crissal thrasher in southeastern California, 298
Streptopelia risoria, 274
Strix occidentalis, 149
Sturnella magna, 222
 neglecta, 292
Sturnus vulgaris, 57, 86, 92, 157, 274, 299, 301-302, 369, 373, 436
Sula leucogaster brewsteri, 223
Surfbird, 225
Surnia ulula, 149
Swallow, Cave, 3, 369-370
 Bank, 229, 288
 Barn, 99, 218, 288, 369-370
 Cliff, 99, 124, 218, 288, 369-370, 434
 Mangrove, 331
 Rough-winged, 3, 218, 288
 Tree, 55, 165, 174, 288
 Violet-green, 106, 288
Swan, Trumpeter, 147
 Whistling, 147, 281
Swift, Black, 215
 White-throated, 28, 149, 223, 286
 Vaux, 286, 331
Synallaxis erythrothorax, 330
 erythrothorax furtiva, 336
Syrmaticus reevesi, 89
- T
- Tachycineta thalassina*, 106, 288
Tanager, Abbot, 329, 334
 Blue-gray, 330
 Crimson-collared, 330
 Gray-headed, 328, 334
 Hepatic, 220
 Summer, 98, 156, 293, 334
 Swainson, 220
 Western, 293
 White-winged, 327
Tanagra lauta, 330
 lauta lauta, 336
Tangavius aeneus, 208, 220, 330, 336
Tashian, Richard E., and Edwards, Ernest P., avifauna of the Catemaco Basin of southern Veracruz, México, 325
Teal, Blue-winged, 281
 Green-winged, 226, 227, 229, 281, 357, 366, 438
Telmatodytes palustris, 100
Teratornis, 339-340, 342
 merriami, 338-339, 341-342
Tern, Arctic, 64, 361, 366
 Black, 285
 Caspian, 149
 Cayenne, 158
 Least, 59, 298
Thalasseus eurygnathus, 158
Thamnophilus doliatus, 330
 doliatus intermedius, 336
Thrasher, Bendire, 290, 295
 Brown, 55, 374
 Crissal, 290, 295, 298, 399, 404
 Curve-billed, 195-196, 204, 219, 290, 398, 404
 Le Conte, 290, 295
 Sage, 46, 290
Thraupis abbas, 329, 334, 336
 virens, 330
 virens diaconus, 336
Thrush, Hermit, 290
 Olive-backed, 230
 Rufous-backed, 219
 Swainson, 290
 Varied, 149
 White-necked, 219
Thryomanes bewickii, 53, 218, 222, 404
Thryothorus maculipectus, 329, 330
 maculipectus maculipectus, 336
 sinaloa, 218
Tiaris olivacea, 331
 olivacea pusilla, 334, 336
Tit, Great, 124, 126, 128
Titmouse, Plain, 289
Tityra, Masked, 330
Tityra semifasciata, 330
 semifasciata personata, 336
Tolmomyias sulphureus, 328, 333
 sulphureus cinereiceps, 336
Tordoff, Harrison B., a condor from the Upper Pliocene of Kansas, 338
Tordoff, Harrison B., and Dawson, William R., relation of oxygen consumption to temperature in the evening grosbeak, 388
Totanus flavipes, 163, 284
 melanoleucus, 163, 284
Toucan, Keel-billed, 329
Toucanet, Emerald, 327
Towhee, Abert, 293, 406
 Brown, 75-76, 79, 81, 184, 399, 402, 404, 406
 Green-tailed, 293
 Rufous-sided, 78, 81, 293
 Spotted, 438
Toxostoma, 405
 bendirei, 290
 curvirostre, 219, 290, 404
 dorsale, 290, 298, 404
 lecontei, 290
 lecontei lecontei, 290
 rufum, 55, 374

- Tramontano, John, Rainey, Dennis G., and Van Hoose, S. G., breeding of the starling in southern California, 57
- Tree-runner, Least, 327
- Tringa solitaria*, 173, 284
- Troglodytes musculus*, 330
musculus intermedius, 336
- Trogon, Collared, 327
 Coppery-tailed, 208, 215
 Gartered, opp. 305, 327
- Trogon, 215, 221
ambiguus, 215
citreolus, 215, 221
collaris, 327
collaris puella, 336
elegans, 208, 215
violaceus, opp. 305, 327, 329
violaceus braccatus, 336
- Turdus assimilis*, 219, 327-328
assimilis leucauchen, 336
grayi, 329-330
grayi grayi, 336
migratorius, 80, 97, 174, 290, 413
migratorius confinis, 80
rufo-palliatu, 219, 221
- Turkey, 89
- Turnstone, Black, 225
 European, 229
 Ruddy, 229, 233
- Tympanuchus cupido*, 250
- Tyrannus, 218
crassirostris, 208, 217, 222
melancholicus, 70, 217, 221, 329, 333
melancholicus chloronotus, 336
verticalis, 58, 287
- Tyto alba*, 214, 285
- U
- Uria aalge*, 431
- V
- Vanellus vanellus*, 161, 165
- Van Hoose, S. G., Tramontano, John, and Rainey, Dennis G., breeding of the starling in southern California, 57
- Veniliornis fumigatus*, 330
fumigatus sanguinolentus, 336
- Verdin, 289, 295, 398, 399, 402, 404, 407
- Vermivora celata*, 291
luciae, 406
peregrina, 156
ruficapilla, 149, 291
- Vireo, Bell, 291, 399, 402, 404
 Golden, 219
 Gray, 291
 Hutton, 78
 Red-eyed, 329
 Solitary, 80, 291
 Warbling, 76, 78, 291
 Yellow-green, 219
- Vireo bellii*, 291, 404
flavoviridis, 219, 221
gilvus, 291
gilvus amauronotus, 78
gilvus brewsteri, 78
gilvus gilvus, 78
gilvus leucopolius, 78
gilvus swainsonii, 78
gilvus victoriae, 76, 78
huttoni, 78
huttoni carolinae, 78
huttoni cognatus, 78
huttoni huttoni, 78
huttoni mexicanus, 78
huttoni stephensi, 78
hypochryseus, 219, 221
olivaceus, 329, 330
olivaceus flavoviridis, 336
solitarius, 291
solitarius cassinii, 80
solitarius lucasanus, 80, 82
solitarius pinicolus, 80
solitarius plumbeus, 80
solitarius repetens, 80
solitarius solitarius, 80
vicinior, 291
- Volatinia jacarina*, 221, 331
jacarina splendens, 336
- Vultur, 338-339
fossilis, 339
gryphus, 339
patruus, 339
- Vulture, Black, 213, 331
 King, 331, 338-339
 Turkey, 213, 282, 331
- W
- Wagtail, Pied, 228
 Yellow, 361
- Walker, Alex., Blackburnian and Connecticut warblers in Montana, 158
- Warbler, Audubon, 55
 Bay-breasted, 156
 Blackburnian, 158
 Black-throated Blue, 55
 Black-throated Gray, 292
 Black-throated Green, 99
 Connecticut, 158
 Fan-tailed, 219
 Golden-crowned, 327
 Lucy, 406
 Lutescent, 230
 MacGillivray, 292
 Mangrove, 81
 Myrtle, 150
 Nashville, 149, 291
 Olive-backed, 219
 Orange-crowned, 291
 Palm, 150, 302
 Prothonotary, 99-100
 Rufous-capped, 220, 330
 Tennessee, 156
 Townsend, 292
 Wilson, 292
 Yellow, 291

- Warner, Dwain W., and Dickerman, Robert W.,
the status of *Rallus elegans tenuirostris*
in México, 49
- Waterthrush, Louisiana, 53
Northern, 53
- Waxwing, Cedar, 291, 295, 438
- Webster, J. Dan., a revision of the Botteri spar-
row, 136
- Whale-bird, Slender-billed, 158
- Whimbrel, 367
- Whip-poor-will, 207
Ridgway, 206-209
Spot-tailed, 207
- Whitaker, Lovie M., cave swallow nesting in
building near Cuatro Ciénegas, Coahuila,
México, 369
- Willet, 284
- Williamson, Francis S. L., a review of the birds of
Alaska, by Gabrielson and Lincoln, 229
- Williamson, Francis, S. L., and Peyton, Leonard
J., breeding record of the double-crested
cormorant in south-central Alaska, 154
- Wilsonia pusilla, 53, 292
pusilla chryseola, 292
- Woodhewer, Ivory-billed, 327
Olivaceous, 327
Streaked-headed, 328
Tawny-winged, 327
- Woodpecker, Acorn, 76-77, 81
Black, 377, 378, 379, 387
Black-backed, 303
Chestnut, 328
Downy, 165, 287, 295, 379, 438
Gila, 58, 192, 204, 215, 286, 406, 435
Golden-fronted, 216, 329-330
Guatemalan Ivory-billed, 328
Hairy, 286, 379
Ivory-billed, 378
Ladder-backed, 216, 287, 398, 402, 404, 407
Lewis, 149, 286
Pale-billed, 52
Pileated, 377-387
Pucheran, 330
Red-bellied, 385, 386
Red-capped Green, 330
Red-headed, 371-372
Smoky-brown, 330
Tropical Pileated, 328, 334
- Wren, Banded-backed, 330, 334
Bewick, 218, 399, 404
Cactus, 186-205, 218, 289, 295, 398, 399, 401,
402, 404
Canyon, 218, 289, 403
Long-billed Marsh, 100
Rock, 218, 289, 403
Sinaloa, 218
Southern House, 330
Spotted, 218
Spotted-breasted, 329
White-breasted Wood, 327
Winter, 230
- Wrentit, 38-45, 53
- Wright, Philip L., Hoffmann, Robert S., and
Hand, Ralph L., recent bird records from
western Montana, 147
- X
- Xanthocephalus xanthocephalus, 174, 292
- Xema sabini, 148
- Xenops minutus, 327
minutus mexicanus, 336
- Xiphorhynchus flavigaster, 327-328
flavigaster eburneirostris, 336
- Y
- Yellowlegs, Greater, 163, 284
Lesser, 163, 173, 284
- Yocom, Charles F., migration of starlings into the
coastal region of northwestern California,
301
- Yoshii, M., Okada, Y., Scherer, W. F., and Mc-
Clure, H. Elliott, a method for determining
age of nestling herons in Japan, 30
- Z
- Zenaida asiatica, 213, 285, 404
- Zenaidura macroura, 285, 404
- Zonotrichia, 315, 345, 347
albicollis, 55, 295, 316, 318
atricapilla, 53, 295, 344-345
capensis, 344-347
coronata, 344
leucophrys, 55, 96-109, 151, 276, 294, 344-
345, 364-365
leucophrys gambeli, 151
leucophrys gambelii, 151, 315-324
leucophrys leucophrys, 151
leucophrys nuttalli, 96, 107
leucophrys oriantha, 151
petenica, 144
querula, 55, 151
- Zusi, Richard L., fishing rates in the black skim-
mer, 298