

INDEX TO VOLUME 78

A

- Acanthis flammea, 54, 121
 Accipiter cooperi, 334, 384, 386, 436, 442, 535, 546, 558, 560
 striatus, 101–102, 436, 442
 Aceros plicatus, 371, 372
 Acrocephalus schoenobaenus, 522, 523
 scirpaceus, 522, 523
 Actitis macularia, 442
 Aegolius acadicus, 334, 529
 Aeronautes saxatalis, 41, 46, 405, 442
 Aethia pusilla, 346
 Agelaius phoeniceus, 44, 96, 129–133, 166, 168–170, 173, 522, 523, 535
 tricolor, 522, 523
 Ågren, G., see Sjölander, S.
 Aimophila cassinii, 442
 ruficeps, 45–47, 533, 538, 547
 Albatross, Black-footed, 346, 347
 Laysan, 1–9
 Light-mantled Sooty, 1
 Royal, 1, 367
 Wandering, 367, 368
 Waved, 1, 367
 Alca torda, 304
 Alcippe atriceps, 450–453
 Alectoris chukar, 77, 83
 Amakihi, 226, 267–269
 Amauornis olivaceus, 547
 Amazilia agilis, 411
 chionopectus, 136
 tobaci, 136
 Amazona collaris, 411
 guildingii, 242
 Amblycercus holosericeus, 270
 Ammospiza caudacuta, 522
 lecontei, 522
 maritima, 95
 Amphispiza belli, 430, 432, 442
 bilineata, 438, 442
 Anas acuta, 442
 americana, 442
 crecca, 57, 442
 discors, 442
 penelope, 57
 platyrhynchos, 57, 58, 107–111, 121, 209, 346, 516
 puna, 118
 rubripes, 127
 Anderson, R. M., Shrikes feed on prey remains left by hawks, 269
 Andrle, Patricia R., see Andrle, Robert F.
 Andrle, Robert F., and Patricia R. Andrle, The Whistling Warbler of St. Vincent, West Indies, 236–243
 Ani, Smooth-billed, 162
 Ankney, C. Davison, see Scott, D. M.
 Anous stolidous, 61–66, 128–129, 263–264
 Anthracothorax nigricollis, 136
 Anthus spinoletta, 507, 442
 spraguei, 442
 Antwren, Checker-throated, 247
 Apapane, 267
 Aphelocoma coerulescens, 270, 414, 442
 Aplonis metallicus, 372
 Apus apus, 477
 Aquila chrysaetos, 258–259, 431, 438, 442
 heliaca, 258–259

- Archilochus alexandri, 13–26, 142, 531
 colubris, 106–107
 Ardea herodias, 346
 Arenaria interpres, 144–145
 Arremonops conirostris, 121
 Ashcroft, Ruth, see Partridge, Linda
 Asio flammeus, 334, 405, 468
 otus, 140, 331–336, 534
 Asyndesmus lewisi, 161, 163, 519
 Atlapetes brunneinucha, 520, 521
 Auks, Cassin's, 288, 303, 422
 Auriparus flaviceps, 43, 46, 101, 430, 442
 Austin, George T., Sexual and seasonal differences in foraging of Ladder-backed Woodpeckers, 317–327
 Austin, George T., and Amadeo M. Rhea, Recent southern Nevada bird records, 405–408
 Avocet, 421
 Aythya affinis, 58, 124
 americana, 512
 ferina, 57
 fuligula, 57
 marila, 418
- B**
- Babbler, Black-fronted, 450–453
 Ceylon Scimitar, 450–453
 Rufous, 450–453
 Balasch, J., S. Musquera, L. Palacios, M. Jimenez, and J. Palomeque, Comparative hematology of some Falconiforms, 258–259
 Balda, Russell P., and Gary C. Bateman, Cannibalism in the Piñon Jay, 562–563
 Bananaquit, 240, 270
 Barash, David P., Mobbing behavior by crows: the effect of the "crow-in-distress" model, 120
 Barrett, Gary, see Wallack, Lorna G.
 Bartramia longicauda, 442
 Bateman, Gary C., see Balda, Russell P.
 Beason, Robert C., An observation of nocturnal passerine migration through Panama, 117–118
 Becard, Cinnamon, 422
 Behle, William H., Mohave Desert avifauna in the Virgin River Valley of Utah, Nevada, and Arizona, 40–48
 Bennett, Albert F., see Dawson, William R.
 Bishop, Black-winged Red, 522, 523
 Zanzibar Red, 522, 523
 Bittern, Least, 118
 Blackbird, Brewer's, 36, 476, 477, 535, 547
 Ceylon, 450
 Melodious, 270
 Redwinged, 44, 96, 129–133, 166, 168–170, 173, 522, 523, 535
 Tricolored, 522, 523
 Yellow-headed, 442, 522
 Black-tyrant, Crested, 553
 Blakley, Nigel R., Successive polygyny in upland nesting Redwinged Blackbirds, 129–133
 Bluebird, Eastern, 151, 423
 Mountain, 442
 Western, 156, 384, 386, 388–390
 Boag, D. A., see Thompson, D. C.
 Bobolink, 132, 168, 172
 Bobwhite, 77, 83, 120–121, 415
 Bock, Carl E., and Larry W. Lepthien, Geographical ecology of the common species of *Buteo* and *Parabuteo* wintering in North America, 554–557

- Bolen, Eric G., see Crawford, John A.
Bombycilla cedrorum, 380
 garrula, 406
Bonasa umbellus, 77, 110, 333, 346
Booby, Red-footed, 264–265
Brachyramphus marmoratus, 288, 303
Bradypterus palliseri, 450
Brant, Black, 272
Branta canadensis, 346
 nigricans, 272
Brenowitz, Gene L., see Ligon, J. David
Broom, D. M., Duration of feeding bouts and responses to salt solutions by hummingbirds at artificial feeders, 135–138
Brown, William Y., The breeding of Sooty Terns and Common Noddies on Manana Island, Hawaii, 62–66
Brown, William Y., Growth and fledging age of the Brown Noddy in Hawaii, 263–264
Brown, William Y., Prolonged parental care in the Sooty Tern and Brown Noddy, 128–129
Brush, Alan H., and Ned K. Johnson, The evolution of color differences between Nashville and Virginia's Warblers, 412–414
Brush-tanager, Common, 270
Bubo virginianus, 120, 140, 261, 334, 346, 347, 380, 384, 464, 466, 468
Bubulcus ibis, 273
Bucephala clangula, 57, 418
Bulbul, Yellow-eared, 450–453
Bulweria bulweria, 61
Bunting, Indigo, 98, 195–207
 Lark, 430, 432, 434, 436, 442
 Lazuli, 195–207
 Painted, 195, 339
 Varied, 195, 270
Burger, A. E., see Siegfried, W. R.
Burkholder, Gary, see Smith, Dwight G.
Busbee, Everette L., The ontogeny of cricket-killing and mouse-killing in Loggerhead Shrikes (*Lanius ludovicianus* L.), 357–365
Bushtit, 307–316, 380, 382, 414, 533, 546
Buteo albonotatus, 121, 420, 421
 buteo, 258–259
 jamaicensis, 138, 334, 418, 436, 442, 446–467, 530, 531, 534, 547, 554–557
 lagopus, 269, 554–557
 lineatus, 531, 542, 554–557
 nitidus, 421
 platypterus, 118, 241
 regalis, 138–139, 436, 442, 464–470, 554–557
 swainsoni, 430, 436, 438, 442, 464–468, 557–558
Buteogallus anthracinus, 41, 46, 47, 421
Buzzard, Common, 258–259
 New Britain, 370
- C**
- Cacatua galerita*, 371
 ophthalmica, 371
Cacicus uropygialis, 270
Cacique, Chisel-billed, 270
 Scarlet-rumped, 270
Cacomantis variolosus, 371
Cain, Brian W., Energetics of growth for Black-bellied Tree Ducks, 124–128
Calamospiza melanocorys, 430, 434, 436, 442
Calcarius lapponicus, 116
 mccownii, 442
 ornatus, 442
 pictus, 116–117
- Calder, William A., see Lindstedt, Stan L.
Caldwell, P. J., see Siegfried, W. R.
Calidris alpina, 346
 canutus, 118
 mauri, 118, 442
 minutilla, 118
Callipepla squamata, 430, 442
Caloenas nicobarica, 547
Calypte anna, 10–26, 230–235, 346, 418, 532, 534, 546
 costae, 19, 24, 41, 46, 532, 534
Campephilus principalis, 519
Campylorhynchus brunneicapillus, 31, 43, 46, 101, 270, 430, 438, 442
Canachites canadensis, 110
Canary, 220, 356
Cardellina rubrifrons, 261
Cardinal, 120, 173, 339
 Florida, 270
Cardinalis cardinalis, 120, 173, 270, 339
Carothers, Steven W., and R. Roy Johnson, The Mississippi Kite in Arizona; a second record, 114–115
Carpodacus cassini, 419, 505–511
 mexicanus, 224–229, 262–263, 270, 377, 380, 381, 442, 509, 531, 536, 538
 purpureus, 270, 380, 381, 419, 508, 509
Catbird, 168
Catharacta skua, 58
Catharopeza bishopi, 236–243
Cathartes aura, 120, 261, 384, 420, 431, 442
Catharus guttatus, 261, 384, 406
 ustulatus, 380, 381, 382, 406, 442, 535
Catherpes mexicanus, 419, 531
Centropus ateralbus, 372
 violaceus, 371
Centurus aurifrons, 519
Cephus columba, 57
Certhia familiaris, 261, 380, 384, 386, 388, 406
Certhidea olivacea, 246
Chaetura pelasgica, 384
Chaffinch, 199
Chamaea fasciata, 531, 542
Charadrius alexandrinus, 180–185
 montanus, 265–267
 vociferus, 183, 442, 532, 538
Charmosyna placentis, 373
 rubrigularis, 373
Chasiempis sandwichensis, 226, 267–269
Chen rossii, 405
Chendytes lawi, 537
Cheney, Carl D., see Snyder, Ron L.
Chickadee, Black-capped, 307, 380, 384
 Brown-capped, 307
 Chestnut-backed, 307–316, 380
 Mountain, 261, 384–386, 388, 390
Chicken, Domestic, 110, 208–223, 249, 550–553
 Lesser Prairie, 142–144
Chlidonias niger, 119
Chlorestes notatus, 136
Chlorophanes spiza, 270
Chlorospingus ophthalmicus, 270
Chlorura chlorura, 384, 386, 388, 442
Chondestes grammacus, 339, 442
Chordeiles acutipennis, 41, 46, 442
 minor, 442
Chrysocolaptes guttacristatus, 450
Chukar, 77, 83
Cicada Bird, 547
Cinclus mexicanus, 132
Cink, Calvin L., The influence of early learning on nest site selection in the House Sparrow, 103–104
Circus cyaneus, 269, 334, 431, 436, 438, 442, 464, 466

- Coccyzus erythrophthalmus*, 346
 melacoryphus, 119
- Cockatoo*, Blue-eyed, 371
 Sulphur-crested, 371
- Coereba flaveola*, 240, 270
- Colaptes auratus*, 42, 46, 47, 101, 151, 152, 160, 163, 164, 260, 261, 380, 384–386, 388–390, 442, 531
- Colibri delphinae*, 136
- Colinus virginianus*, 77, 83, 120–121, 415
- Columba fasciata*, 380, 384
 livia, 22, 54, 377, 380–382, 415
 pallidiceps, 371
 palumbus, 490
- Columbina passerina*, 41
- Contopus borealis*, 405
 sordidulus, 380, 384, 386, 388, 405, 442, 561–562
 virens, 339, 561
- Coot*, American, 127, 532, 534
 Slate-colored, 118
- Coracina papuensis*, 372
 tenuirostris, 547
- Cormorant*, Double-crested, 350–356, 493, 496, 497
 Olivaceous, 118
- Corvus annexens*, 403
 brachyrhynchos, 113, 120, 346, 377, 380, 381, 402, 564–567
 caurinus, 304
 corax, 384, 399, 409, 535, 538
 cryptoleucus, 403, 442
 monedula, 120
 neomexicanus, 403
 orru, 373
 shufeldti, 403
- Coturnix coturnix*, 81, 249–252
- Coucal*, Violet, 371
 White-necked, 372
- Cowbird*, Brown-headed, 45, 46, 96, 166–173, 337–342, 351, 377, 380, 381, 407, 442, 493, 537
 Shiny, 96, 241
- Craig, Timothy H., and Leon R. Powers, Raptor mortality due to drowning in a livestock watering tank, 412
- Crawford, John A., and Eric G. Bolen, Fall diet of Lesser Prairie Chickens in West Texas, 142–144
- Creeper*, Brown, 261, 380, 384, 386, 388, 406
- Crossbill*, Red, 380, 384, 388
- Crotophaga ani*, 162
- Crow*, Australian, 373
 Common, 113, 120, 346, 377, 380, 381, 402, 564–567
 Northwestern, 304
- Cruz, Alexander, Food and foraging ecology of the American Kestrels in Jamaica, 409–412
- Cuckoo*, Brush, 371
 Dark-billed, 119
 European, 166, 171, 172
- Cuckoo-shrike*, Papuan, 372
- Cuculus canorus*, 166, 171, 172
- Culicicapa ceylonensis*, 450–453
- Curlew*, Bristle-thighed, 144–145
 Long-billed, 442
- Cyanerpes cyaneus*, 270
- Cyanocitta cristata*, 519, 523, 565
 stelleri, 261, 280, 384–386, 388, 405
- D**
- Daption capense*, 1
- Dawson, William R., Albert F. Bennett, and Jack W. Hudson, Metabolism and thermoregulation in hatchling Ring-billed Gulls, 49–60
- De Jong, Alvin A., The influence of simulated solar radiation on the metabolic rate of White-crowned Sparrows, 174–179
- Dean, Frederick C., Patrick Valkenburg, and Audrey J. Magoun, Inland migration of jaegers in northeastern Alaska, 271–273
- Delichon urbica*, 476–479
- Dendragapus obscurus*, 384, 388
- Dendrocopos albolarvatus*, 319
 arizonae, 319, 321
 borealis, 101, 162, 319
 major, 519
 minor, 519
 nuttallii, 319, 321, 531
 pubescens, 101, 261, 318, 321, 322, 384, 390, 519, 523, 531
 scalaris, 42, 46, 317–323, 442
 stricklandi, 319, 321
 villosus, 101, 151, 261, 319, 321, 384, 386, 388, 390
- Dendrocygna autumnalis*, 124–128
- Dendroica castanea*, 423
 coronata, 261, 270, 380, 384–386, 388, 389, 442
 nigrescens, 380–382, 414
 occidentalis, 414
 petechia, 168, 339, 406, 423, 442
 striata, 406
 townsendi, 380, 414, 442
- Diamond, Jared, see Jones, H. Lee
- Dicaeum eximium*, 372, 373
- Dickcissel*, 121, 132, 339, 442
- Dicrurus hottentottus*, 372
- Diglossa baritula*, 270
 plumbea, 270
- Diomedea epomophora*, 1, 367
 exulans, 367, 368
 immutabilis, 1–9
 irrorata, 1, 367
 nigripes, 346, 367
- Dipper*, 132
- Dives dives*, 270
- Divoky, George J., The pelagic feeding habits of Ivory and Ross' Gulls, 85–90
- Dolichonyx oryzivorus*, 132, 168, 172
- Dollarbird*, 372, 373
- Dove*, Bare-faced Ground, 119
 Cuckoo, 370
 Ground, 41
 Inca, 41, 46, 47
 Knob-billed Fruit, 371
 Mourning, 140, 384, 388, 430, 431, 432, 436, 442, 534
 Rock, 377, 380–382, 537
 Spotted, 537
 White-bibbed Fruit, 370
 White-winged, 41, 46, 47, 184, 405, 430, 442
- Dowitcher*, Long-billed, 442
 Short-billed, 119
- Drongo*, Spangled, 372
- Dryocopus lineatus*, 518
 pileatus, 518, 560
- Duck*, Black, 127
 Black-bellied Tree, 124–128
 Maccoa, 512–517
 Mallard, 57, 58, 107–111, 121, 209, 346, 516
 Ruddy, 512–517
 White-headed, 516
- Ducula finschii*, 371
 pinon, 547
 pistrinaria, 547
 rubicraca, 371
- Duebbert, Harold F., see Lokemoen, John T.

- Dumetella carolinensis, 168
 Dunn, Erica H., Development of endothermy and existence energy expenditure in Herring Gull chicks, 493-498
 Dunn, Erica H., Development of endothermy and existence energy expenditure of nestling Double-crested Cormorants, 350-356

E

- Eagle, Bald, 533, 534, 536, 537, 546
 Crowned, 258-259
 Golden, 258-259, 431, 438, 442
 Imperial, 258-259
 White-bellied Sea, 373
 Eckhardt, Robert C., Polygyny in the Western Wood Pewee, 561-562
 Eclectus roratus, 373
 Egret, Cattle, 273
 Elepaio, 226, 267
 Eley, Thomas J., Jr., Extension of the breeding range of the Black Oystercatcher in Alaska, 115
 Ellis, David H., First breeding records of merlins in Montana, 112-114
 Emberiza citrinella, 249
 hortulana, 249
 Emerald, White-chested, 136
 Empidonax difficilis, 261, 380, 384, 388, 405, 442, 532, 547
 minimus, 339
 oberholseri, 261, 522, 523
 traillii, 168, 380
 virescens, 561
 wrightii, 522, 523
 Endomychura craveri, 304
 hypoleuca, 304, 422
 Eremophila alpestris, 49, 430, 432, 434, 442, 535, 538, 544, 547
 Eudynamys scolopacea, 373
 Eugenes fulgens, 42, 46, 47, 422
 Euphagus cyanocephalus, 36, 476, 477, 535, 547
 Euplectes hordeaceus, 522, 523
 nigriventris, 522, 523
 Eurystomus orientalis, 372, 373

F

- Falco columbarius, 112-114
 mexicanus, 412, 431, 436, 438, 442, 559
 peregrinus, 281-293, 303, 305, 346, 529, 536, 537, 558-560
 sparverius, 113, 287, 334, 409, 412, 420, 442, 528, 532, 542
 Falcon, Peregrine, 281-293, 303, 305, 346, 529, 534, 536, 537, 558-560
 Prairie, 412, 431, 436, 438, 442, 559
 Fantail, Dahl's, 372, 373
 Large-billed, 372, 373
 Rufous, 372
 Farmer, Donald S., see Wingfield, John C.
 Ficedula hypoleuca, 132, 151
 Finch, Cassin's, 419, 505-511
 Cocos, 244-248
 House, 224-229, 262-263, 270, 377, 380, 381, 442, 509, 531, 536, 538
 Purple, 270, 380, 381, 419, 508, 509
 Saffron, 411
 Yellow-thighed, 270
 Zebra, 121, 177
 Fisher, Harvey I., see Van Ryzen, Margaret T.

- Fisk, Lanny H., and David A. Steen, Additional exploiters of nectar, 269-271
 Flamingo, American, 346
 Flicker, Common, 101, 260, 261, 380, 384, 385, 389, 390, 442, 531
 Gilded, 42, 46, 47
 Red-shafted, 160, 163, 164, 386, 388
 Yellow-shafted, 151, 152
 Florisuga mellivora, 136
 Flowerpecker, Bismarck, 372, 373
 Flower-piercer, Cinnamon-bellied, 270
 Slaty, 270
 Flycatcher, Acadian, 561
 Ash-throated, 156, 442, 532, 533
 Ceylon Gray-headed, 450-453
 Dusky, 261, 522, 523
 Dusky-capped, 411
 Gray, 522, 523
 Least, 339
 Little Shining, 372, 373
 Olive-sided, 405
 Pied, 132, 151
 Rufous-tailed, 411
 Scissor-tailed, 173
 Stolid, 411
 Traill's, 168, 380
 Vermilion, 42, 46
 Western, 261, 380, 384, 388, 405, 442, 532, 547
 Wied's Crested, 42, 46, 47
 Forpus passerinus, 411
 Forsmann, Eric D., see Taylor, Avery L., Jr.
 Fowl, Domestic, 110, 208-223, 249, 550-553
 Franzreb, Kathleen E., Comparison of variable strip transect and spot-map methods for censusing avian populations in a mixed coniferous forest, 260-262
 Fregata minor, 264-265
 Friarbird, New Britain, 372, 373
 Frigatebird, Great, 264-265
 Fringilla coelebs, 199
 Fulica americana, 127, 532, 534
 ardesiaca, 118
 Fulmar, 367, 368
 Fulmarus glacialis, 367, 368

G

- Gallirallus insignis, 370
 Gallus gallus, 57, 110, 208-223, 249, 550, 553
 Gasaway, William C., Robert B. White, and Dan F. Holleman, Digestion of dry matter and absorption of water in the intestine and cecum of Rock Ptarmigan, 77-84
 Gaunt, Abbot S., Sandra L. L. Gaunt, and Dwight H. Hector, Mechanics of the syrinx in *Gallus gallus*, I. A comparison of pressure events in chickens to those in Oscines, 208-223
 Gaunt, Sandra L. L., see Gaunt, Abbot S.
 Gavareski, Carol A., Relation of park size and vegetation to urban bird populations in Seattle, Washington, 375-382
 Gavia adamsii, 454-463
 arctica, 462-463
 immer, 462-463
 stellata, 462-463
 Gelochelidon nilotica, 119
 Geococcyx californianus, 41, 45, 142, 177, 442, 531
 Geoffroyus heteroclitus, 371, 373
 Geospiza difficilis, 245
 fortis, 244, 247
 fuliginosa, 244, 247
 scandens, 247

- Geothlypis trichas, 44, 98, 166
Glaucis hirsuta, 136
Gnatcatcher, Black-tailed, 43, 46, 47, 442
 Blue-gray, 339, 447
Godwit, Hudsonian, 119
 Marbled, 119
Goldeneye, Common, 57, 418
Goldfinch, American, 168, 380
 Lesser, 535
Goose, Canada, 346
 Ross', 405
Grackle, Common, 96
Grassquit, Blue-black, 121
Graul, Walter D., and Lois E. Webster, Breeding status of the Mountain Plover, 265-267
Greenlaw, Jon S., Use of bilateral scratching behavior of emberizines and icterids, 94-97
Grosbeak, Black-headed, 270, 339, 380, 384, 442, 532, 533
 Blue, 45, 46, 339, 442, 405
 Evening, 121, 380
 Rose-breasted, 419
Grouse, Blue, 386, 390
 Red, 77, 110, 111
 Ruffed, 77, 110, 333, 346
 Spruce, 110
Guillemot, Pigeon, 57
Guiraca caerulea, 45, 46, 339, 405, 442
Gull, Black-headed, 57-59, 476, 481
 California, 415, 418
 Glaucous, 86
 Glaucous-winged, 57
 Greater Black-backed, 494
 Herring, 49, 55, 57, 126, 182, 264, 415, 417, 481-492, 493-498
 Ivory, 85-90
 Laughing, 49, 56, 57, 485, 494
 Lesser Black-backed, 264, 485, 494
 Mew, 494
 Red-billed, 5
 Ring-billed, 49-60, 415-418
 Ross', 85-90
 Sabine's, 87
 Western, 415, 418
Gymnorhinus cyanocephalus, 406, 442, 508, 562-564
Gymnostinops montezuma, 270
Gyps fulvus, 258-259

H

- Haematopus bachmani*, 115
 palliatius, 118, 532, 534
Hainsworth, F. Reed, see Schlamowitz, Robert
Haliaeetus leucocephalus, 533, 534, 536, 537, 546
Haliastur indus, 547
Halliburton, Richard, and L. Richard Mewaldt, Survival and mobility in a population of Pacific coast Song Sparrows (*Melospiza melodia gouldii*), 499-504
Harpactes fasciatus, 450
Harris, Arthur H., see Magish, Deborah P.
Hawk, Black, 41, 46, 47, 421
 Broad-winged, 118, 241
 Cooper's, 334, 384, 386, 436, 442, 535, 546, 558, 560
 Ferruginous, 138-139, 436, 442, 464-470, 554-557
 Gray, 421
 Harris', 118, 554-557
 Marsh, 269, 334, 431, 436, 438, 442, 464, 466
 Red-shouldered, 531, 542, 554-557

- Red-tailed, 138, 334, 384, 418, 421, 436, 442, 464-467, 530, 531, 534, 537, 554-557
Rough-legged, 269, 554-557
Sharp-shinned, 101-102, 436, 442
Swainson's, 430, 436, 438, 442, 464-468, 557-558
Zone-tailed, 121, 420-421

Hector, Dwight H., see Gaunt, Abbot S.

- Hemiprocne mystacea*, 372

Hemipus picatus, 450-453

Hemicopernis infuscata, 370

Hermit, Green, 136

 Little, 136

 Rufous-breasted, 136

Heron, Louisiana, 118

 Nankeen Night, 373

 Tricolored, 118

Hertz, Paul E., J. V. Remsen, Jr., and Stacey I. Zones, Ecological complementarity of three sympatric parids in a California oak woodland, 307-316

Hesperiphona vespertina, 121, 380

Heteroscelus incanus, 144-145

Himantopus mexicanus, 346

Himatione sanguinea, 267

Hippolais icterina, 522

Hirundo atrocaerulea, 478

 rustica, 377, 380, 381, 442, 471-480, 532, 535,

 546

Holleman, Dan F., see Gasaway, William C.

Honeycreeper, Blue, 270

 Green, 270

Honeyeater, Cinereous, 373

Hornbill, Blyth's, 371, 372

Hoyt, Donald F., The effect of shape on the surface-volume relationships of birds' eggs, 343, 349

Hubbs, Carl L., and Joseph R. Jehl, Jr., Remains of Pleistocene birds from Isla de Guadalupe, Mexico, 421-422

Hudson, Jack W., see Dawson, William R.

Hughes, R. A., Additional records of birds from the Mollendo District, coast of southwest Peru, 118-119

Human, Gerrie, see Power, Dennis M.

Hummingbird, Allen's, 532, 534, 547

 Anna, 10-26, 230-235, 346, 418, 532, 534, 546

 Black-chinned, 13-26, 142, 531

 Blue-throated, 142

 Broad-tailed, 21, 133-135, 260, 261, 384-388, 390, 442

 Calliope, 405, 419

 Copper-rumped, 136

 Costa's, 19, 24, 41, 46, 532, 534

 Fiery-throated, 38

 Rivoli's, 42, 46, 47, 442

 Rufous, 13-26, 380, 384, 419

Hydranassa tricolor, 118

Hylocichla mustelina, 168

I

- Icterus cucullatus*, 44, 46, 270, 533
 galbula, 170, 270, 407, 443-448, 532
 parisorum, 45, 46, 270, 430, 442
 spurius, 270, 339, 443-448

Ictinia mississippiensis, 114, 115, 557

Imber, M. J., The origin of petrel stomach oils, 366-369

Inouye, D. W., Nonrandom orientation of entrance holes to woodpecker nests in aspen trees, 101-102

Iridoprocne bicolor, 423, 471, 476-479

Ixobrychus exilis, 118

J

- Jackdaw, 120
 Jackson, Jerome A., A comparison of some aspects of the breeding ecology of Red-headed and Red-bellied woodpeckers in Kansas, 67-76
 Jaeger, Long-tailed, 271-273
 Parasitic, 272
 Pomarine, 271-273
 Janes, Stewart W., The apparent use of rocks by a Raven in nest defense, 409
 Jarosch, C. H., see Scott, D. M.
 Jay, Blue, 519, 523, 565
 Gray, 565
 Piñon, 406, 442, 508, 562-564
 Scrub, 270, 414, 442
 Steller's, 261, 280, 384-386, 388, 405
 White-tipped Brown, 270
 Jehl, Joseph R., Jr., see Hubbs, Carl L.
 Jenson, William, see Snyder, Ron L.
 Jimenez, M., see Balasch, J.
 Johnson, Oscar W., and Martin L. Morton, Fat content and flight range in shorebirds summering on Enewetak Atoll, 144-145
 Johnson, R. Roy, see Carothers, Steven W.
 Jones, H. Lee, and Jared M. Diamond, Short-time-base studies of turnover in breeding bird populations on the California Channel Islands, 526-549
 Junco, Dark-eyed, 95, 96, 230-235, 309, 380, 384, 419, 568
 Gray-headed, 261, 384-386, 388, 419
 Junco caniceps, 261, 384-386, 388, 419
 hyemalis, 95, 96, 230-235, 309, 380, 384, 419, 568
 phaeonotus, 233

K

- Kestrel, American, 113, 287, 334, 409, 412, 420, 442, 528, 532, 542
 Killdeer, 183, 442, 532, 538
 King, James R., see Maxwell, Catherine S.
 Kingbird, Cassin's, 421
 Eastern, 119, 168-170
 Western, 420, 421, 430, 438, 442
 Kingfisher, Belted, 442
 Kinglet, Golden-crowned, 261, 380, 406
 Ruby-crowned, 261, 380, 384, 386, 388, 442
 Kite, Black, 258-259
 Brahminy, 547
 Mississippi, 114-115, 557
 Kittiwake, Black-legged, 5, 86, 485, 490, 494
 Knapton, Richard W., and John R. Krebs, Dominance hierarchies in winter Song Sparrows, 567-569
 Knipolegus aterrimus, 553
 cyanirostris, 553
 lophotes, 553
 Knot, 118
 Koel, 373
 Krebs, John R., see Knapton, Richard W.
 Kroodsma, Donald E., The effect of large song repertoires on neighbor "recognition" in male Song Sparrows, 97-99
 Kushlan, James A., see Ogden, John C.

L

- Lagopus lagopus, 77, 110, 111, 565
 mutus, 77-84
 Lalage leucomela, 373
 Lampornis clemenciae, 142
 Lanius collaris, 37
 excubitor, 269, 362

- ludovicianus, 269, 357-365, 430, 438, 442, 535, 547
 Lark, Horned, 49, 430, 432, 434, 442, 535, 538, 544, 547
 Larus argentatus, 49, 55, 57, 126, 182, 264, 415, 417, 481-492, 493-498
 atricilla, 49, 56, 485, 494
 californicus, 415, 418
 canus, 494
 delawarensis, 49-60, 415-418
 fuscus, 55, 264, 485, 494
 glaucescens, 57
 hyperboreus, 86
 jamaicensis, 118
 marinus, 55, 494
 novaehollandiae, 5
 occidentalis, 415, 418
 ridibundus, 57-59, 476, 481

- Leptien, Larry W., see Bock, Carl E.
 Ligon, J. David, and Gene L. Brenowitz, First record of the Whiskered Owl in New Mexico, 112
 Limnodromus griseus, 119

- scolopaceus, 442
 Limosa fedoa, 119
 haemastica, 119
 Lindstedt, Stan L., and William A. Calder, Body size and longevity in birds, 91-94
 Lokemoen, John T., and Harold F. Duebbert, Ferruginous Hawk nesting ecology and raptor populations in northern South Dakota, 464-470
 Longclaw, Yellow-throated, 553
 Longspur, Chestnut-collared, 442
 Lapland, 115
 McCown's, 442
 Smith's, 116-117
 Loon, Arctic, 462-463
 Common, 462-463
 Red-throated, 462-463
 Yellow-billed, 454-463

- Lophortyx californica, 57, 346, 377, 381, 536
 gambeli, 41, 46
 Lorikeet, Rainbow, 373
 Loriurus hypoinochrous, 371
 Lory, Purple-bellied, 371
 Loxia curvirostra, 380, 384, 388
 Loxops virens, 226, 267-269

M

- Macronectes giganteus, 1
 Macronyx croceus, 553
 Macropygia mackinlayi, 370
 nigrirostris, 370
 Magish, Deborah P., and Arthur H. Harris, Fossil Ravens from the Pleistocene of Dry Cave, Eddy County, New Mexico, 399-404
 Magoun, Audrey J., see Dean, Frederick C.
 Magpie, Black-billed, 113, 384
 Mango, Black-throated, 136
 Marti, Carl D., A review of prey selection by the Long-eared Owl, 331-336
 Martin, House, 476-479
 Purple, 423, 477-479
 Musquera, S., see Balasch, J.
 Maxwell, Catherine S., and James R. King, The oxygen consumption of the Mountain White-crowned Sparrow (*Zonotrichia leucophrys oriantha*) in relation to air temperature, 569-570
 Meadowlark, Eastern, 100-101, 415, 442, 520, 553
 Western, 100-101, 434, 442, 468, 520, 533, 543, 547

- Megaceryle alcyon, 442
 Megadyptes antipodes, 5
 Megapodius freycinet, 373
 Melanerpes cruentatus, 162
 erythrocephalus, 67–76, 151, 152, 519, 523
 formicivorus, 151–165, 519, 528, 531, 532, 543
 radiolatus, 411
 Melanitta fusca, 57
 Meleagris gallopavo, 346, 550–553
 Melospiza georgiana, 95, 168
 lincolni, 384, 386, 442
 melodia, 45, 46, 95, 97–99, 166, 168–170, 172,
 339–382, 407, 499–504, 533, 538, 567–569
 Mergus merganser, 57
 serrator, 57
 Merlin, 112–114
 Metropelia ceciliae, 119
 Mewaldt, L. Richard, see Halliburton, Richard
 Miller, Michael R., Cecal fermentation in Mallards in
 relation to diet, 107–111
 Milvus migrans, 258–259
 Mimis polyglottos, 270, 357, 430, 442, 531, 534, 535
 Mino dumonti, 372
 Mirsky, Edward N., Song divergence in hummingbird
 and junco populations on Guadeloupe Island,
 230–235
 Mockingbird, Hood Island, 567
 Northern, 270, 357, 430, 442, 531, 534, 535
 Molothrus ater, 45, 46, 96, 166–173, 337–342, 351,
 377, 380, 381, 407, 442, 493, 537
 bonariensis, 96, 241
 Monarch, Black-and-white, 372, 373
 Monarcha verticalis, 372, 373
 Morton, Eugene S., The adaptive significance of dull
 coloration in Yellow Warblers, 423
 Morton, Martin L., see Johnson, Oscar W.
 Morus bassanus, 346
 Mueller, Helmut C., Reactions of quail to flying vul-
 tures, 120–121
 Muller, Robert E., Effects of weather on the nocturnal
 activity of White-throated Sparrows, 186–194
 Murray, Bertram G., Jr., A critique of interspecific
 territoriality and character convergence, 518–
 525
 Murre, Common, 346
 Murrelet, Ancient, 288–291, 294, 306
 Craveri's, 304
 Japanese, 304
 Marbled, 288, 303
 Xantus', 304
 Muscicapa hypoleuca, 132, 151
 Muscisaxicola rufivertex, 119
 Muscivora forficata, 173
 Myadestes genibarbis, 242
 townsendi, 384–386, 388, 406
 Mycteria americana, 324–330
 Myiarchus barbirostris, 411
 cinerascens, 156, 442, 532, 533
 stolidus, 411
 tyrannulus, 42, 46, 47
 validus, 411
 Mynah, Papuan, 372
 Myres, M. T., see Nelson, R. Wayne
 Myrmotherula fulviventris, 247
 Myzomela cineracea, 372, 373
- N
- Nectarinia famosa, 27–39
 killimensis, 27, 36, 105–107
 reichenowi, 35, 105–107
- venusta, 36, 105–107
 verticalis, 105–107
 Nelson, R. Wayne, and M. T. Myres, Decline in popu-
 lations of Peregrine Falcons and their seabird
 prey at Langara Island, British Columbia, 281–
 293
 Nesomimus macdonaldi, 567
 Nighthawk, Common, 442
 Lesser, 41, 46, 442
 Noddy, Brown, 61–66, 128–129, 263–264
 Norman, Richard F., see Robertson, Raleigh J.
 Nucifraga columbiana, 261, 384, 388
 Numenius americanus, 346, 442
 phaeopus, 144–145
 tahitiensis, 144–145
 Nutcracker, Clark's, 261, 384, 388
 Olive-sided, 157
 Nuthatch, Pygmy, 261, 384–386, 388, 390, 391, 406
 Red-breasted, 261, 380, 384, 388, 406, 533, 535,
 536, 546
 Velvet-fronted Blue, 450–453
 White-breasted, 261, 384, 388
 Nuttallornis borealis, 157, 380
 Nycticorax caledonicus, 373
- O
- Oceanodroma furcata, 288, 303
 leucorhoa, 1, 288, 303, 367, 422
 melania, 346
 Ogden, John C., James A. Kushlan, and James T.
 Tilmant, Prey selectivity by the Wood Stork,
 324–330
 Olor columbianus, 346
 Oporornis tolmieii, 384, 386, 388, 442
 Ordal, Julie Meents, Effect of sympatry on meadow-
 lark vocalizations, 100–101
 Orenstein, Ronald I., Birds of the Plesyumi area, Cen-
 tral New Britain, 370–374
 Oreocincla dauma, 450
 Oreoscoptes montanus, 442
 Oriole, Abeille's, 270
 Bullock's, 270, 443, 446
 Hooded, 44, 46, 270, 533
 Northern, 171, 270, 407, 443–448, 532
 Orchard, 270, 339, 443–448
 Scarlet-headed, 270
 Scott's, 45, 46, 270, 430, 442
 Wagler's, 270
 Yellow-backed, 270
 Oropendola, Chestnut-headed, 270
 Montezuma, 270
 Wagler's, 446
 Ortygocichla rubiginosa, 372, 373
 Osprey, 533, 536, 537, 546
 Otus asio, 138, 334, 346, 531
 flammeolus, 261, 418
 trichopsis, 261
 Ovenbird, 98, 99, 166
 Owl, Barn, 112, 138, 139–141, 334, 346, 409, 529, 534
 Barred, 334, 560–561
 Burrowing, 334, 412, 442, 464, 466, 529, 534, 547
 Flammulated, 261, 418
 Great Horned, 120, 140, 261, 334, 346, 347, 380,
 384, 464, 466, 468
 Jamaican, 411
 Long-eared, 140, 331–336, 534
 Saw-whet, 334, 529
 Screech, 138, 334, 346, 531
 Short-eared, 334, 405, 468

- Spotted, 418, 560, 561
 Tawny, 140, 468
 Whiskered, 112
- Oxyura jamaicensis*, 512–517
 leucocephala, 516
 maccoa, 512–517
- Oystercatcher, American, 532, 534
 Black, 115
- P**
- Pachycephala pectoralis, 372, 373
Pachyramphus cinnamomeus, 422
Pagophila eburnea, 85–90
 Palacios, L., see Balasch, J.
 Palomeque, J., see Balasch, J.
Pandion haliaetus, 533, 536, 537, 546
Panterpe insignis, 38
Parabuteo unicinctus, 118, 554–557
 Parfitt, Bruce D., Cattle Egrets in Central Coahuila, 273
 Parker, James W., Growth of the Swainson's Hawk, 557–558
 Parrot, Black-billed, 411
 Eclectus, 373
 St. Vincent, 242
 Singing, 371
 Yellow-billed, 411
 Parrotlet, Guiana, 411
 Partridge, Linda, and Ruth Ashcroft, Mixed species flocks of birds in hill forest in Ceylon, 449–453
Parus atricapillus, 307, 380, 384
 bicolor, 519, 523
 gambelli, 261, 384–386, 388, 390
 inornatus, 270, 307–316, 414, 531
 major, 98, 308, 355, 450–453
 rufescens, 307–316, 380
Passer domesticus, 49, 103–104, 121, 142, 156, 167, 173, 249, 251, 331, 377, 380–382, 507, 533, 535, 537
Passerculus sandwichensis, 95, 96, 132, 166, 442
Passerella iliaca, 95, 568
Passerina amoena, 195–207
 ciris, 195, 339
 cyanea, 98, 195–207
 versicolor, 195, 270
 Payne, Robert B., The clutch size and numbers of eggs of Brown-headed Cowbirds: effects of latitude and breeding season, 337–342
Pelican, Brown, 128, 535
Pelecanus occidentalis, 128, 535
 Penguin, Adelie, 566
 Yellow-eyed, 5
Perisoreus canadensis, 565
 Petrel, Black, 367
 Bulwer's, 61
 Dark-rumped, 298
 Fork-tailed, 288, 303
 Giant, 1
 Great-winged, 367, 368
 Grey-faced, 366, 367
 Leach's, 1, 288, 303, 367
 Westland Black, 367, 368
Petrochelidon fulva, 478
 pyrrhonota, 43, 405, 442, 471, 476–479, 532
 Pewee, Eastern Wood, 339, 561
 Western Wood, 380, 384, 386, 388, 405, 442, 561–562
Phaethornis guy, 136
 longuemareus, 136
Phainopepla, 43, 46, 553
Phainopepla nitens, 43, 46, 553
Phalacrocorax aristotelis, 490
 auritus, 350–356, 493, 496, 497
 olivaceus, 118
 pelagicus, 346
Phalarope, Red, 87
 Wilson's, 442
Phalaropus fulicarius, 87
Phasianus colchicus, 57, 80, 346, 468, 550–553
Pheasant, Ring-necked, 57, 80, 346, 468, 550–553
Pheucticus ludovicianus, 419
 melanocephalus, 270, 339, 380, 442, 532, 533
Philemon cockerelli, 372, 373
Phloeoceastes melanoleucus, 518
Phoebe, Black, 42, 46, 534, 546
 Eastern, 168–170
 Say's, 442
Phoebebris palpebrata, 1
Phoenicopterus ruber, 346
Pica pica, 113, 384
Picoides tridactylus, 261
Picus viridis, 519
Piezorhynchus hebetior, 372, 373
Pigeon, Bronze Imperial, 371
 Cape, 1
 Comon, 22, 54
 Grey, 547
 Nicobar, 547
 Piñon Imperial, 547
 Red-knobbed Imperial, 371
 Wood, 490
Pilotbird, 372
 Pimm, Stuart L., Estimation of the duration of bird molt, 550
 Pimm, Stuart L., Existence metabolism, 121–124
 Pimm, Stuart L., see Raitt, Ralph J.
Pinaroloxias inornata, 244–248
Pintail, 442
Pipilo aberti, 45, 46
 erythrophthalmus, 94–97, 380–382, 384, 407, 442, 520–522, 533, 538, 568
 fuscus, 95, 442, 531
 ocai, 520–522
Pipit, Sprague's, 442
 Water, 442, 507
Pipra mentalis, 245
Piranga ludoviciana, 261, 380, 384, 442
 rubra, 45–47, 407
 Platt, Joseph B., Sharp-shinned Hawk nesting and nest site selection in Utah, 102–103
Plocepasser mahali, 446
Plover, American Golden, 144–145
 Mountain, 265–267
 Snowy, 180–185
Pluvialis dominica, 144–145
Podilymbus podiceps, 346
Polioptila caerulea, 339, 447
 melanura, 43, 46, 47, 442
Pomatorhinus horsfieldii, 450–453
Pooecetes gramineus, 95, 442
 Power, Dennis M., Avifauna richness on the California Channel Islands, 394–398
 Power, Dennis M., and Gerrie Human, A local occurrence of avian pox in the House Finch, 262–263
 Powers, Leon R., see Craig, Timothy H.
Procellaria parkinsoni, 367
 westlandica, 367, 368
Progne subis, 423, 477–479
Protonotaria citrea, 423
Psaltriparus minimus, 307–316, 380, 382, 414, 533, 546
Pseliophorus tibialis, 270
Pseudoscops grammicus, 411

- Psilorhinus mexicanus*, 270
Ptarmigan, Rock, 77–84
 Willow, 110–111, 565
Pterodroma macroptera, 366, 367, 368
 phaeopygia, 298
Ptilinopus insolitus, 371
 rivoli, 370
Ptychoramphus aleuticus, 288, 303, 422
Puffinus carneipes, 367
 griseus, 1, 366–367
 pacificus, 61, 367, 368
 puffinus, 1, 297, 422
 tenuirostris, 1, 5, 298, 367, 368
Purdue, James R., Thermal environment of the nest and related parental behavior in Snowy Plovers, *Charadrius alexandrinus*, 180–185
Pycnonotus penicillatus, 450–453
Pycnoptilus floccosus, 372
Pygoscelis adeliae, 566
Pyrocephalus rubinus, 42, 46
- Q**
- Quail*, California, 346, 377, 380, 381, 536
 Gambel's, 41, 46
 Japanese, 81, 249, 252
 Scaled, 430, 442
Quiscalus quiscula, 96
- R**
- Rail*, Black, 118
 New Britain, 370
Raitt, Ralph J., and Stuart L. Pimm, Dynamics of bird communities in the Chihuahuan Desert, New Mexico, 427–442
Raven, Common, 384, 399, 409, 535, 538
 White-necked, 442
Razorbill, 304
Rea, Amadeo M., see Austin, George T.
Recurvirostra americana, 421
Redhead, 512
Redpoll, Common, 121
 Hoary, 121
Redstart, American, 119, 166, 239
 Painted, 44, 46
Regulus calendula, 261, 380, 384, 386, 388, 442
 satrapa, 261, 380, 406
Remsen, J. V., Jr., see Hertz, Paul E.
Rhipidura dahlii, 372, 373
 leucophrys, 547
 rufifrons, 372
 rufiventris, 372, 373
Rhodostethia rosea, 85–90
Riparia riparia, 471, 476–477
Rissa tridactyla, 5, 86, 485, 490, 494
Roadrunner, 41, 46, 142, 177, 442, 531
Robertson, Raleigh J., and Richard F. Norman, Behavioral defenses to brood parasitism by potential hosts of the Brown-headed Cowbird, 166–173
Robin, American, 166, 168, 377, 380, 381, 384–388, 535
Ryder, John P., The occurrence of unused Ring-billed Gull nests, 415–418
- S**
- Sage, Bryan L., The breeding distribution of Smith's Longspur in Alaska, 116–117
Salpinctes obsoletus, 442, 536
- Samson, Fred B., Pterylosis and molt in Cassin's Finch, 505–511
Sandpiper, Least, 118
 Solitary, 442
 Spotted, 442
 Upland, 442
 Western, 118, 442
Sapsucker, Williamson's, 261, 384, 386, 390
 Yellow-bellied, 101, 253–257, 261, 384, 388
Sarcorhamphus papa, 258–259
Sayornis nigricans, 42, 46, 534, 546
 phoebe, 168–170
 saya, 442
Scardafella inca, 41, 46, 47
Scaup, Greater, 418
 Lesser, 58, 124
Schaeffer, Valentin H., Geographic variation in the placement and structure of orioles' nests, 443–448
Schlamowitz, Robert, F. Reed Hainsworth, and Larry L. Wolf, On the tongues of sunbirds, 104–107
Schnell, Gary D., and D. Scott Wood, More on chicken-turkey-pheasant resemblances, 550–553
Scott, D. M., C. Davison Ankney, and C. H. Jarosch, Sapsucker hybridization in British Columbia in 25 years, 253–257
Scrubfowl, 373
Sealy, Spencer G., Biology of nesting Ancient Murrels, 294–306
Seedeater, Variable, 121
 Yellow-bellied, 121
Seiurus aurocapillus, 98, 99, 166
 noveboracensis, 406
Selasphorus platycercus, 21, 133–135, 260, 261, 384–388, 390, 442
 rufus, 13–26, 380, 384, 419
 sasin, 532, 534, 547
Serinus canaria, 220, 356
Setophaga picta, 44, 46
 ruticilla, 119, 166, 239
Shag, 490
Sheartail, Flesh-footed, 367
 Manx, 1, 297
 Peruvian, 119
 Short-tailed, 1, 5
 Slender-billed, 298, 367, 368
 Sooty, 1, 366–367
 Wedge-tailed, 61, 367, 368
Shor, Williston, Mortality of banded Peregrine Falcons that have been held in captivity, 558–560
Shrike, Ceylon Pied, 450–453
 Fiscal, 37
 Loggerhead, 269, 357–365, 430, 438, 442, 535, 547
 Northern, 269, 362
Sialia currucoides, 442
 mexicana, 156, 384, 386, 388–390
 sialis, 151, 423
Sicalis flaveola, 411
Siegfried, W. R., A. E. Burger, and P. J. Caldwell, Incubation behavior of Ruddy and Maccoa ducks, 512–517
Siskin, Pine, 261, 384, 407
Sitta canadensis, 261, 380, 384, 386, 388, 406, 533, 535, 536, 546
 carolinensis, 261, 384, 388
 frontalis, 450–453
 pygmaea, 261, 384–386, 388, 390, 391, 406
Sjölander, S., and G. Ågren, Reproductive behavior of the Yellow-billed Loon, *Gavia adamsii*, 454–463
Skua, 58

- Smith, Dwight G., and Gary Burkholder, First breeding records of the Barn Owl in Idaho, 112
- Smith, James N. M., and Hugh P. A. Sweatman, Feeding habits and morphological variation in Cocos Finches, 244-245
- Snapp, Barbara Denniston, Colonial breeding in the Barn Swallow (*Hirundo rustica*) and its adaptive significance, 471-480
- Snyder, Ron L., William Jenson, and Carl D. Cheney, Environmental familiarity and activity: aspects of prey selection for a Ferruginous Hawk, 138-139
- Solitaire, Rufous-throated, 242
- Townsend's, 384-386, 388, 406
- Somateria mollissima, 57
- Sparrow, Black-chinned, 407
- Black-throated, 439, 442
- Brewer's, 430, 432, 442
- Cassin's, 442
- Chipping, 168, 230, 442, 533, 538
- Clay-colored, 442
- Field, 98, 99, 168, 339
- Fox, 95, 568
- Green-backed, 121
- Harris', 407
- House, 49, 103-104, 121, 142, 156, 167, 173, 249, 251, 331, 377, 380-382, 507, 533, 535, 537
- Ipswich, 132
- Lark, 339, 442
- Le Conte's, 522
- Lincoln's, 384, 386, 442
- Mountain White-crowned, 569-570
- Rufous-collared, 95
- Rufous-crowned, 45-47, 533, 538, 547
- Sage, 430, 432, 442
- Savannah, 95, 96, 166, 442
- Seaside, 95
- Sharp-tailed, 522
- Song, 45, 46, 95, 97-99, 166, 168-170, 172, 339, 380-382, 407, 499-504, 533, 538, 567-569
- Swamp, 95, 168
- Tree, 121, 249
- Vesper, 95, 96, 442
- White-crowned, 174-179, 200, 380, 442, 508, 535, 547, 570-572
- White-throated, 95, 96, 98, 99, 121, 186-194
- Speotyto cunicularia, 334, 412, 442, 464, 466, 529, 534, 547
- Sphyrapicus thyroideus, 26, 384, 386, 390
- varius, 101, 161, 253-257, 384, 388
- Spinus pinus, 261, 384, 388
- psaltria, 535
- tristis, 168, 380
- Spiza americana, 121, 132, 339, 442
- Spizella arborea, 121, 249
- atrogularis, 407
- breweri, 430, 432, 442
- pallida, 442
- passerina, 168, 230, 442, 533, 538
- pusilla, 98, 99, 168, 339
- Spofford, Sally Hoyt, Roadrunner catches hummingbird in flight, 142
- Sporophila minuta, 121
- nigriceps, 121
- Starling, Common, 71, 151-165, 208, 355, 377, 380-382, 411, 442, 472, 496, 519, 527, 533, 537, 570
- Shining, 372
- Steen, David A., see Fisk, Lanny H.
- Steganopus tricolor, 442
- Stelgidopteryx ruficollis, 42, 405, 471, 478
- Stellula calliope, 405, 419
- Stephanoetus coronatus, 258-259
- Stercorarius longicaudus, 271-273
- parasiticus, 272
- pomarinus, 271-273
- Sterna dougallii, 494
- fuscata, 61-66, 128-129, 182, 417
- hirundo, 119, 494
- Stiles, G. Gary, Taste preferences, color preferences, and flower choice in hummingbirds, 10-26
- Stork, Wood, 324-330
- Streptopelia chinensis, 537
- Strix aluco, 140, 468
- occidentalis, 418, 560, 561
- varia, 334, 560-561
- Struthio camelus, 346
- Sturnella magna, 100-101, 415, 442, 520, 553
- neglecta, 100-101, 434, 442, 468, 520, 533, 543, 547
- Sturnus vulgaris, 71, 151-165, 208, 355, 377, 380-382, 411, 442, 472, 496, 519, 523, 533, 537, 570
- Sula sula, 264-265
- Sunbird, Bronzy, 27, 36, 105-107
- Golden-winged, 35, 105-107
- Malachite, 27-39
- Variable, 36, 105-107
- Swallow, Bank, 471, 476-479
- Barn, 377, 380, 381, 442, 471-480, 532, 535, 546
- Blue, 478
- Cave, 478
- Cliff, 43, 406, 442, 471, 476-479, 532
- Rough-winged, 42, 405, 471, 478
- Tree, 423, 471, 476, 478
- Violet-green, 261, 377, 381, 384-386, 388, 390, 405, 442
- Sweatman, Hugh P. A., see Smith, James N. M.
- Swift, Chimney, 384
- Common, 477
- Mustached Tree, 372
- White-throated, 41, 46, 405, 442
- Synthliboramphus antiquus, 288-291, 294-306
- wumizusumi, 304

T

- Tachycineta thalassina, 261, 377, 380, 381, 384-386, 388, 390, 405, 442
- Taeniopygia castanotis, 121, 177
- Tanager, Sooty-capped Bush, 413
- Summer, 45-47, 407
- Western, 261, 380, 384, 442
- Tattler, Wandering, 144-145
- Taylor, Avery L., Jr., and Eric D. Forsman, Recent range extensions of the Barred Owl in western North America, including the first records for Oregon, 560-561
- Teal, Blue-winged, 442
- Green-winged, 442
- Puna, 118
- Telmatodytes palustris, 31, 132
- Tern, Black, 119
- Common, 119, 494
- Gull-billed, 119
- Roseate, 494
- Royal, 119, 128
- Sandwich, 119, 128-129
- Thalasseus maximus, 119, 128
- sandvicensis, 119, 128-129
- Thalurania furcata, 13-26
- Thaumastura cora, 119
- Tern, Sooty, 61-66, 128-129, 182, 417
- Thompson, D. C., and D. A. Boag, Effect of molting on the energy requirements of Japanese Quail, 249-252

- Thompson, William L., Vocalizations of the Lazuli Bunting, 195-207
- Thrasher, Brown, 97
California, 531
Crissal, 43, 46, 438, 442
Curve-billed, 442
Le Conte's, 43, 46
Sage, 442
- Thrush, Ceylon Scaly, 450
Hermit, 261, 406
Swainson's, 380-382, 406, 442, 535
Wood, 168
- Thryomanes bewickii, 380, 382, 442, 533, 538
- Thryothorus felix, 519, 520
sinaloa, 519, 520
- Tiaris olivacea, 245
- Tilmant, James T., see Ogden, John C.
- Tit, Ceylon Grey, 450-453
Giant, 98, 308, 355
- Titmouse, Plain, 270, 307-316, 414, 531
Tufted, 519, 523
- Toxostoma curvirostre, 442
dorsale, 43, 46, 438, 442
lecontei, 43, 46
redivivum, 531
rufum, 97
- Towhee, Albert's, 45, 46
Brown, 95, 442, 531
Green-tailed, 384, 386, 388, 442
Rufous-sided, 94-97, 380-382, 384, 407, 442, 533, 538, 568
- Trebella, Joseph H., see Wunder, Bruce A.
- Trichoglossus hematodus, 373
- Triller, Varied, 373
- Trimble, Stephen A., Galapagos mockingbird pecks at sea lion mouth, 567
- Tringa solitaria, 442
- Tripsurus chrysachen, 270
- Troetschler, Ruth G., Acorn Woodpecker breeding strategy as affected by Starling nest-hole competition, 151-165
- Troglodytes aedon, 182, 261, 355, 384-386, 388, 391, 415, 442
troglodytes, 380, 382, 415
- Trogon, Ceylon, 450
- Turdoides rufescens, 450-453
- Turdus migratorius, 166, 168, 377, 380, 381, 384-388, 535
simillimus, 450
- Turkey, Domestic, 346, 550-553
- Turnstone, Ruddy, 144-145
- Tympanuchus pallidicinctus, 142
- Tyrannus tyrannus, 119, 168-170
verticalis, 420, 421, 430, 438, 442
vociferans, 421
- Tyrant, Rufous-naped Ground, 119
- Tyto alba, 112, 138, 139-141, 334, 346, 409, 529, 534
- U**
- Uria aalge, 346
- V**
- Valkenburg, Patrick, see Dean, Frederick C.
- Van Riper III, Charles, Aspects of House Finch breeding biology, 224-229
- Van Riper III, Charles, Superimposition of an Amakihi nest on one of an Elepaio, 267-269
- Van Ryzin, Margaret, and Harvey I. Fisher, The age of Laysan Albatrosses, *Diomedea immutabilis*, at first breeding, 1-9
- Verdin, 43, 46, 101, 430, 438, 442
- Vermivora celata, 261, 309, 339, 380, 531, 533, 535, 543, 544, 547
chrysopera, 520
crissalis, 412
luciae, 44, 46, 442
peregrina, 423
pinus, 519
ruficapilla, 412-414
virginiae, 406, 412-414, 442
- Violet-ear, Brown, 136
- Vireo, Bell's, 44, 46, 339, 406
Hutton's, 339, 528, 535
Red-eyed, 119, 166, 168, 339
Solitary, 414
Warbling, 261, 339, 380, 384-386, 388, 532
- Vireo bellii, 44, 46, 339, 406
gilvus, 261, 339, 380, 384-386, 388, 532
huttoni, 339, 528, 535
olivaceus, 119, 166, 168, 339
solitarius, 414
- Volatinia jacarina, 121
- Vulture, Griffon, 258-259
King, 258-259
- Turkey, 120, 261, 384, 420, 431, 442
- W**
- Wagtail, Willie, 547
- Wallick, Lorna G., and Gary W. Barrett, Bioenergetics and prey selection of captive Barn Owls, 139-141
- Warbler, Audubon's, 270, 380, 384, 386
Bay-breasted, 423
Blackpoll, 406
Black-throated, 380-382, 414
Blue-winged, 519
Ceylon, 450
Colima, 412
Golden-winged, 520
Hermit, 414
Icterine, 522
Lucy's, 44, 46, 442
MacGillivray's, 384, 386, 388, 442
Melodious, 522
Nashville, 412-414
Orange-crowned, 261, 309, 339, 380, 384, 531, 533, 535, 543, 544, 547
Prothonotary, 423
Red-faced, 261
Reed, 522, 523
Rusty Thicket, 372
Sedge, 522, 523
Tennessee, 423
Townsend's, 380, 414, 442
Virginia's, 406, 412-414, 442
Whistling, 236-243
Wilson's, 380, 442
Yellow, 168, 339, 406, 423, 442
Yellow-rumped, 261, 385, 389, 442
- Warbler-finches, 246
- Waser, Nickolas M., Food supply and nest timing of Broad-tailed Hummingbirds in the Rocky Mountains, 133-135
- Waterthrush, Northern, 406
- Waxwing, Bohemian, 406
Cedar, 380
- Weaver, White-browed Sparrow-, 446
- Webster, Lois E., see Graul, Walter D.
- West, Steve, First description of the eggs of the Cinnamon Becard, 422-423

- Whimbrel, 144–145
 Whistler, Golden, 373
 White, Robert B., see Gasaway, William C.
 White-eye, Ceylon Hill, 450–453
 Wigeon, American, 442
 Willis, Edwin O., Similarity of a Tyrant-flycatcher and
 and a Silky Flycatcher: not all character con-
 vergence is competitive mimicry, 553
 Wilsonia pusilla, 380, 442
 Wingfield, John C., and Donald S. Farner, Avian en-
 doocrinology—field investigation and methods,
 570–573
 Winteritz, Barbara L., Temporal change and habitat
 preference of some montane breeding birds,
 383–393
 Wolf, Janet S., see Wolf, Larry L.
 Wolf, Larry L., and Janet S. Wolf, Mating system and
 reproductive biology of Malachite Sunbirds,
 27–39
 Wolf, Larry L., see Schlamowitz, Robert
 Wood, D. Scott, see Schnell, Gary D.
 Woodnymph, Fork-tailed, 13–26
 Woodpecker, Acorn, 151–165, 519, 528, 531, 532, 543
 Crimson-backed, 450
 Downy, 101, 261, 318, 321, 384, 390, 519, 523,
 531
 Golden-naped, 270
 Greater Spotted, 519
 Green, 519
 Hairy, 101, 151, 261, 319, 321, 384, 386, 388, 390
 Ladder-backed, 42, 46, 317–323, 442
 Lesser Spotted, 519
 Lewis', 161, 163, 519
 Northern Three-toed, 261
 Nuttall's, 319, 321, 531
 Pileated, 518, 560
 Red-cockaded, 101, 162, 319–321
 Red-headed, 67–76, 151, 152, 519, 523
 White-headed, 319–321
 Woodward, Paul W., Red-footed Booby helper at
 Great Frigatebird nests, 264–265
 Wren, Bewick's, 380, 382, 442, 533, 538
 Cactus, 31, 43, 46, 101, 270, 430, 438, 442
 Cañon, 419, 531
 House, 182, 261, 355, 384–386, 388, 390, 391,
 415, 442
 Long-billed Marsh, 31, 132
 Rock, 442, 536
 Winter, 380, 382, 415
 Wrentit, 531, 542
 Wright, Philip L., Further bird records from western
 Montana, 418–420
 Wunder, Bruce A., and Joseph J. Trebella, Effects of
 nasal tufts and nasal respiration on thermo-
 regulation and evaporative water loss in the
 Common Crow, 564–567
- X**
- Xanthocephalus xanthocephalus, 442, 522
- Y**
- Yellowthroat, Common, 44, 98, 166
- Z**
- Zarhyncus wagleri, 270, 446
 Zenaida asiatica, 41, 46, 47, 184, 405, 430, 442
 macroura, 140, 384, 388, 430, 431, 432, 436, 442,
 534
 Zimmerman, Dale A., Comments on feeding habits and
 vulture-mimicry in the Zone-tailed Hawk, 420–
 421
 Zones, Stacey I., see Hertz, Paul E.
 Zonotrichia albicollis, 95, 96, 98, 99, 121, 186–194
 atricapilla, 380
 capensis, 95
 leucophrys, 174–179, 200, 380, 442, 508, 535,
 547, 569–572
 querula, 407
 Zosterops ceylonensis, 450–453