

## INDEX TO VOLUME 85

### A

- Accipiter brachyurus*, 300  
*cooperii*, 205  
*gentilis*, 92  
*novaeollandiae*, 300  
*superciliosus*, 96  
*Aceros plicatus*, 301  
*Acridotheres tristis*, 295  
*Acrocephalus arundinaceus*, 61–65  
*bistrigiceps*, 61–65  
 Adams, Nigel J., and Christopher R. Brown, Diving depths of the Gentoo Penguin (*Pygoscelis papua*), 503–504  
*Aegolius acadicus*, 92, 501  
*funereus*, 501  
*harrisii*, 95  
*Aethia cristatella*, 274–280  
*pusilla*, 274–280  
*pygmaea*, 274–280  
*Agelaius phoeniceus*, 104–105, 161, 172, 375, 455  
*Aix sponsa*, 43  
*Ajaia ajaja*, 92  
 Albatross, Black-footed, see *Diomedea nigripes*  
 Laysan, see *Diomedea immutabilis*  
 Royal, see *Diomedea epomophora*  
*Alcedo atthis*, 300  
*Alcyon pusilla*, 300  
*Alectoris chukar*, 333–337  
 Alkon, Philip U., see Degen, A. Allan  
*Alle alle*, 275  
*Amamornis olivaceus*, 300  
*Amazilia cyanocephala*, 281, 495  
*edward*, 495  
*saucerottii*, 495–496  
*Ammodramus savannarum*, 181  
*Ammoperdix heyi*, 333–337  
*Amphispiza belli*, 375, 496  
*bilineata*, 375  
*Anas platyrhynchos*, 43, 74–78, 92  
 Anderson, Bertin W., Robert D. Ohmart, and Jake Rice, Avian and vegetation community structure and their seasonal relationships in the lower Colorado River valley, 392–405  
 Anderson Daniel W., and Franklin Gress, Status of a northern population of California Brown Pelicans, 79–88  
*Anous tenuirostris*, 51  
 Antbird, Bicolored, see *Gymnopithys leucaspis*  
 Ocellated, see *Phaenostictus mcleannani*  
 Spotted, see *Hylophylax naevicides*  
*Anthracothorax prevostii*, 281  
*rutila*, 281  
*Anthus spinoletta*, 9  
*Aphriza virgata*, 99  
*Aplonis cantoroides*, 301  
*metallica*, 299, 301  
*Aptenodytes forsteri*, 504  
*patagonicus*, 503  
*Aquila chrysaetos*, 92  
*Arachnothera flavigaster*, 61–65  
*longirostra*, 61–65  
*Archilochus alexandri*, 102–103, 281–285  
*colubris*, 92, 251–252  
*Arenaria interpres*, 22–29, 99  
*melanocephala*, 99  
*Artamus insignis*, 301  
*Asio otus*, 205  
*Asthenes baeri*, 96  
*Athene cunicularia*, 16, 92  
 Auklet, Cassin's, see *Ptychoramphus aleuticus*  
 Crested, see *Aethia cristatella*

- Least, see *Aethia pusilla*  
 Parakeet, see *Cyclorhynchus psittacula*  
 Rhinoceros, see *Cerorhinca monocerata*  
 Whiskered, see *Aethia pygmaea*  
*Auriparus flaviceps*, 404  
*Aviceda subcristata*, 300  
 Azurecrown, Red-billed, see *Amazilia cyanocephala*

### B

- Babbler, Scaly-crowned, see *Malacopteron cinereum*  
 Bailey, E. D., Influence of incubation calls on post-hatching responses of pheasant chicks, 43–49  
 Baker, Irene, see Kevan, Peter G.  
 Baker, Myron Charles, Sharing of vocal signals among Song Sparrows, 482–490  
 Baker, Myron Charles, see Spittler-Nabors, Kimberly J.  
 Baldridge, Frank A., Plumage characteristics of juvenile Black-chinned Hummingbirds, 102–103  
 Bananaquit, see *Coereba flaveola*  
 Barbet, Black-billed, see *Lybius guifsobalito*  
 Black-collared, see *Lybius torquatus*  
 Black-throated, see *Tricholaema melanocephala*  
 Brown-breasted, see *Lybius melanopterus*  
 Crested, see *Trachyphonus vaillantii*  
 Darnaud's, see *Trachyphonus darnaudii*  
 Green, see *Stactolaema olivacea*  
 Red and Yellow, see *Trachyphonus erythrocephalus*  
 Red-faced, see *Lybius rubrifacies*  
 Spotted-flanked, see *Tricholaema lachrymosa*  
 Vieillot's, see *Lybius vieilloti*  
 White-headed, see *Lybius leucocephalus*  
 Yellow-billed, see *Trachyphonus purpuratus*  
 Yellow-breasted, see *Trachyphonus margaritatus*  
 Barnard, David R., see Day, Robert H.  
*Bartramia longicauda*, 239  
*Basileuterus hypoleucus*, 96  
 Beckerton, Patrick R., and Alex L. A. Middleton, Effects of dietary protein levels on body weight, food consumption, and nitrogen balance in Ruffed Grouse, 53–60  
 Blackbird, Melodious, see *Dives dives*  
 Red-winged, see *Agelaius phoeniceus*  
 Scrub, see *Dives warszewiczii*  
 Yellow-headed, see *Xanthocephalus xanthocephalus*  
 Black-Hawk, Common, see *Buteogallus anthracinus*  
 Bluebird, Eastern, see *Sialia sialis*  
 Mountain, see *Sialia currucoides*  
 Bobolink, see *Dolichonyx oryzivorus*  
*Bonasa bonasia*, 186  
*umbellus*, 53–60, 189, 350–354  
 Boobook, New Britain, see *Ninox odiosa*  
 Booby, Red-footed, see *Sula sula*  
 Boubou, Tropical, see *Laniarius ferrugineus*  
*Brachyramphus brevirostris*, 265–273  
*marmoratus*, 265–273  
 Brady, Barry G., see Byrd, G. Vernon  
*Branta canadensis*, 428  
 Brown, Bryan T., Steven W. Carothers, and R. R. Johnson, Breeding range expansion of Bell's Vireo in Grand Canyon, Arizona, 499–500  
 Brown, Charles R., Mate replacement in Purple Martins: little evidence for altruism, 106–107  
 Brown, Christopher R., see Adams, Nigel J.  
 Brush, Alan H., see Troy, Declan M.  
 Brush, Timothy, Cavity use by secondary cavity-nesting birds and response to manipulations, 461–466  
*Bubo virginianus*, 41, 92, 205, 501  
*Buccanodon duchailui*, 326  
*Bucephala islandica*, 92  
 Budgerigar, see *Melopsittacus undulatus*

- Bulbul, Grey-cheeked, see *Criniger bres*  
 Stripe-throated, see *Pycnonotus finlaysoni*  
 Yellow-vented, see *Pycnonotus goiavier*
- Bunch, Kenneth G., Gary Sullivan, and Diana F. Tomback, Seed manipulation by Clark's Nutcracker, 372-373
- Bunting, Indigo, see *Passerina cyanea*
- Burger, Joanna, Determining sex ratios from collected specimens, 503
- Burger, Joanna, see Safina, Carl
- Burger, Joanna, and Michael Gochfeld, Feeding behavior in Laughing Gulls: compensatory site selection by young, 467-473
- Burhinus neglectus*, 300
- Burnham, William A., see Jenny, J. Peter
- Bushhen, Rufous-tailed, see *Amaurornis olivaceus*
- Buteo albonotatus*, 205  
*brachyurus*, 455  
*jamaicensis*, 205  
*lineatus*, 92  
*nitidus*, 205  
*swainsoni*, 92
- Buteogallus anthracinus*, 205
- Buzzard, New Britain, see *Henicopernis infuscata*
- Byrd, G. Vernon, Robert H. Day, and Eric P. Knudtson, Patterns of colony attendance and censusing of auklets at Buldir Island, Alaska, 274-280
- Byrd, G. Vernon, Daniel I. Moriarty, and Barry G. Brady, Breeding biology of Wedge-tailed Shearwaters at Kilauea Point, Hawaii, 292-296
- ### C
- Cacatua ophthalmica*, 300
- Caccamise, Donald F., Linda A. Lyon, and Joseph Fischl, Seasonal patterns in roosting flocks of Starlings and Common Grackles, 474-481
- Cacicus holosericeus*, 459  
*uropygialis*, 459
- Cacique, Scarlet-rumped, see *Cacicus uropygialis*  
 Yellow-billed, see *Cacicus holosericeus*
- Cacomantis castaneiventris*, 302  
*variolosus*, 61-65, 300
- Calcarius lapponicus*, 448
- Calidris acuminata*, 240, 300  
*alba*, 99  
*alpina*, 235  
*bairdii*, 99, 223  
*canutus*, 99, 235  
*ferruginea*, 239  
*fuscicollis*, 223  
*himantopus*, 235  
*maritima*, 239  
*mauri*, 99, 235  
*melanotos*, 99, 240  
*minuta*, 239  
*minutilla*, 99-101, 220-242  
*ptilocnemis*, 99  
*pusilla*, 99-101, 235  
*ruficollis*, 239, 300  
*temminckii*, 235
- Callipepla gambelli*, 404
- Calliphlox amethystina*, 97
- Calypte anna*, 102, 281-285
- Campephilus imperialis*, 76
- Campeothera nubica*, 325
- Campos, Rafael G., see Stiles, F. Gary
- Canachites canadensis*, 186
- Canary, see *Serinus canaria*
- Canastero*, Short-billed, see *Asthenes baeri*
- Capercaillie, see *Tetrao urogallus*
- Caprimulgus macrurus*, 300
- Caracara, Crested, see *Polyborus plancus*
- Cardinal, Northern, see *Cardinalis cardinalis*
- Cardinalis cardinalis*, 158
- Carduelis flammula*, 443-446  
*hornemanni*, 443-446  
*pinus*, 245
- Carothers, Steven W., see Brown, Bryan T.
- Carpodacus mexicanus*, 376  
*purpureus*, 125
- Cassowary, Little, see *Casuarius bennetti*
- Casuarius bennetti*, 300
- Catbird, Gray, see *Dumetella carolinensis*
- Catharacta maccormicki*, 290
- Catharus fuscescens*, 97, 125  
*guttatus*, 125  
*minimus*, 125  
*ustulatus*, 125
- Catoptrophorus semipalmatus*, 164, 239
- Centropus ateralbus*, 300  
*violaceus*, 299, 300
- Cephus carbo*, 374  
*grylle*, 169
- Cerorhinca monocerata*, 373-375, 427
- Certhia americana*, 132
- Ceyx lepidus*, 300
- Chaetura andrei*, 96
- Chalcophaps stephani*, 299, 300
- Chamaepetes goudotii*, 96
- Charadrius dubius*, 299, 300  
*melodius*, 164, 496  
*semipalmatus*, 99  
*vociferus*, 164, 496
- Charmosyna placentis*, 300  
*rubrigularis*, 300
- Chat, Pied, see *Saxicola caprata*  
 Yellow-breasted, see *Icteria virens*
- Chen caerulescens*, 257  
*canagica*, 367-368  
*rossi*, 257-258
- Chickadee, Black-capped, see *Parus atricapillus*  
 Boreal, see *Parus hudsonicus*  
 Mountain, see *Parus gambeli*
- Chicken, Domestic, see *Gallus gallus*
- Chlidonias hybrida*, 302  
*niger*, 51, 376-378
- Chloropsis sonnerati*, 61-65
- Chlorostilbon canivetii*, 281
- Chukar, see *Alectoris chukar*
- Cicada Bird, see *Coracina tenuirostris*
- Ciccaba huhula*, 97
- Cinclus leucocephalus*, 96  
*schantzi*, 96
- Circus cyaneus*, 180
- Cockatoo, Blue-eyed, see *Cacatua ophthalmica*
- Coccyzus americanus*, 403  
*erythrophthalmus*, 97
- Coereba flaveola*, 365-367
- Colaptes auratus*, 69
- Colibri thalassinus*, 281, 495
- Collins, Charles T., see Minsky, Dennis
- Collocalia esculenta*, 300  
*spodiopygia*, 300  
*vanikorensis*, 300
- Collopy, Michael W., and James R. Koplin, Diet, capture success, and mode of hunting by female American Kestrels in winter, 369-371
- Columba livia*, 92
- Conover, Michael R., Female-female pairings in Caspian Terns, 346-349
- Contopus borealis*, 132, 215  
*sordidulus*, 215  
*virens*, 132, 210
- Coot, American, see *Fulica americana*
- Copsychus saularis*, 62-65
- Coracina lineata*, 301

- papuensis*, 301  
*tenuirostris*, 301
- Cormorant, Cape, see *Phalacrocorax capensis*  
 Double-crested, see *Phalacrocorax auritus*  
 Great, see *Phalacrocorax carbo*  
 Olivaceous, see *Phalacrocorax olivaceus*
- Corvus brachyrhynchos*, 156, 210  
*corax*, 180  
*cryptoleucus*, 205  
*orru*, 89, 301
- Coturnix chinensis*, 300  
*coturnix*, 94
- Coucal, Bare-eyed, see *Centropus violaceus*  
 White-necked, see *Centropus ateralbus*
- Cowbird, Bronzed, see *Molothrus aeneus*  
 Brown-headed, see *Molothrus ater*  
 Shiny, see *Molothrus bonariensis*
- Crake, Paint-billed, see *Neocrex erythrops*  
 White-browed, see *Poliolimnas cinereus*
- Cranioleuca curtata*, 97
- Creeper, Brown, see *Certhia americana*
- Crested-Tinamou, Elegant, see *Eudromia elegans*
- Criniger bres*, 61–65
- Crossbill, Red, see *Loxia curvirostra*
- Crow, American, see *Corvus brachyrhynchos*  
 Australian, see *Corvus orru*  
 Common, see *Corvus brachyrhynchos*
- Cuckoo, Black-billed, see *Coccyzus erythrophthalmus*  
 Brush, see *Cacomantis variolosus*  
 Channel-billed, see *Scythrops novaehollandiae*  
 Common, see *Cuculus canorus*  
 Pavonine, see *Dromococcyx pavoninus*  
 Yellow-billed, see *Coccyzus americanus*
- Cuckoo dove, Black-and-White, see *Reinwardtoena browni*  
 Brown, see *Macropygia amboinensis*  
 Rusty, see *Macropygia nigrirostris*
- Cuckooshrike, White-bellied, see *Coracina papuensis*  
 Yellow-eyed, see *Coracina lineata*
- Cuculus canorus*, 162
- Curlew, Little, see *Numenius minutus*
- Cyanocitta cristata*, 132, 217  
*stelleri*, 245, 390
- Cyclorhynchus psittacula*, 274, 290
- Cyphorhinus aradus*, 95
- D**
- Daption capense*, 194, 198, 255
- Day, Robert H., Karen L. Oakley, and David R. Barnard,  
 Nest sites and eggs of Kittlitz's and Marbled mur-  
 relets, 265–273
- Day, Robert H., see Byrd, G. Vernon
- Degen, A. Allan, Berry Pinshow, and Philip U. Alkon,  
 Summer water turnover rates in free-living Chukars  
 and Sand Partridges in the Negev Desert, 333–337
- Dendragapus obscurus*, 185–193
- Dendrocygna bicolor*, 96
- Dendroica caerulescens*, 125, 255  
*castanea*, 125, 141, 254, 308–322  
*coronata*, 125, 141, 308–322, 403  
*discolor*, 110, 141, 255  
*fusca*, 97, 125, 141, 308–322  
*kirtlandii*, 113  
*magnolia*, 125, 141, 308–322  
*nigrescens*, 385  
*palmarum*, 141–150, 255  
*pensylvanica*, 141, 255, 308–322  
*petechia*, 308–322  
*pinus*, 255  
*striata*, 125, 141–150, 254–255  
*tigrina*, 132, 255, 308–322  
*townsendi*, 385–391  
*virens*, 125, 141, 308–322
- Dendropicos fuscescens*, 325
- DeVries, Tjitte, see Jenny, J. Peter
- Diamond, Jared M., *Melampitta gigantea*: possible rela-  
 tion between feather structure and underground  
 roosting habits, 89–91
- Dicaeum eximium*, 301
- Dicrurus hottentottus*, 89, 301
- Diomedea bulleri*, 198  
*epomophora*, 194, 198  
*exulans*, 198  
*immutabilis*, 108, 194–199, 290  
*nigripes*, 108, 197, 198, 290
- Dipper, Rufous-throated, see *Cinclus schultzi*
- Dives dives*, 453–460  
*warszewiczii*, 453–460
- Diving-Petrel, Subantarctic, see *Pelecanooides urinatrix*
- Dolichonyx oryzivorus*, 113, 172–184
- Dollar Bird, see *Eurystomus orientalis*
- Dove, Eared, see *Zenaida auriculata*  
 Mourning, see *Zenaida macroura*  
 Rock, see *Columba livia*  
 White-winged, see *Zenaida asiatica*
- Dovekie, see *Alle alle*
- Dowitcher, Long-billed, see *Limnodromus scolopaceus*  
 Short-billed, see *Limnodromus griseus*
- Dromococcyx pavoninus*, 97
- Drongo, Spangled, see *Dicrurus hottentottus*
- Dryocopus pileatus*, 132
- Duck, Pekin, see *Anas platyrhynchos*  
 Wood, see *Aix sponsa*
- Ducula finschii*, 300  
*melanochroa*, 299, 300  
*pistrinaria*, 299, 300  
*rubricera*, 300, 302  
*spilorrhoea*, 300
- Duffy, David Cameron, and L. J. B. Laurenson, Pellets of  
 Cape Cormorants as indicators of diet, 305–307
- Dufty, Alfred M., Jr., Variation in the egg markings of the  
 Brown-headed Cowbird, 109–111
- Dumetella carolinensis*, 161
- Dunlin, see *Calidris alpina*
- E**
- Eagle, Bald, see *Haliaeetus leucocephalus*  
 Golden, see *Aquila chrysaetos*
- Eclectus roratus*, 300
- Egretta caerulea*, 467  
*sacra*, 300
- Emison, William B., see Jacobsen, Erling E., Jr.
- Empidonax difficilis*, 210  
*flaviventris*, 125, 213  
*hammondii*, 213  
*minimus*, 125, 210  
*oberholseri*, 213  
*traillii*, 210, 211  
*virescens*, 155, 210  
*wrightii*, 213
- Eppley, Zoe A., see Murray, Kelvin G.
- Eremophila alpestris*, 181
- Eriocnemis luciani*, 281
- Erithacus cyane*, 61–65
- Eudocimus albus*, 169  
*ruber*, 92
- Eudromia formosa*, 96
- Eudyptes chrysocome*, 503  
*chrysolophus*, 503
- Eurynorhynchus pygmeus*, 239
- Eurystomus orientalis*, 301
- F**
- Falco deiroleucus*, 96  
*eleonora*, 368  
*mexicanus*, 180  
*naumanni*, 368

- peregrinus*, 19, 96, 502  
*sparverius*, 175, 210, 368–369, 369–371  
*subbuteo*, 368  
*vespertinus*, 368  
 Falcon, Eleonora's, see *Falco eleonora*  
 Orange-breasted, see *Falco deiroleucus*  
 Peregrine, see *Falco peregrinus*  
 Prairie, see *Falco mexicanus*  
 Red-footed, see *Falco vespertinus*  
 Fantail, New Britain Rufous, see *Rhipidura dahl*  
 White-throated, see *Rhipidura rufiventris*  
*Ficedula hypoleuca*, 162, 436, 466  
 Finch, Deborah M., Seasonal variation in nest placement of Abert's Towhees, 111–113  
 Finch, Deborah M., Brood parasitism of the Abert's Towhee: timing, frequency, and effects, 355–359  
 Finch, House, see *Carpodacus mexicanus*  
 Purple, see *Carpodacus purpureus*  
 Rosy, see *Leucosticte griseonucha*  
 Zebra, see *Poephila guttata*  
 Fischl, Joseph, see Caccamise, Donald F.  
 Fleischer, Robert C., Relationships between tidal oscillations and Ruddy Turnstone flocking, foraging, and vigilance behavior, 22–29  
 Flicker, Northern, see *Colaptes auratus*  
 Flowerpecker, Beautiful, see *Dicaeum eximium*  
 Flycatcher, Acadian, see *Empidonax virescens*  
 Ash-throated, see *Myiarchus cinerascens*  
 Brown-crested (Wied's Crested), see *Myiarchus tyrannulus*  
 Dusky, see *Empidonax oberholseri*  
 Gray, see *Empidonax wrightii*  
 Hammond's, see *Empidonax hammondii*  
 Least, see *Empidonax minimus*  
 Olive-sided, see *Contopus borealis*  
 Pied, see *Ficedula hypoleuca*  
 Scissor-tailed, see *Tyrannus forficatus*  
 Suiriri, see *Suiriri suiriri*  
 Traill's, see *Empidonax traillii*  
 Western, see *Empidonax difficilis*  
 Yellow-bellied, see *Empidonax flaviventris*  
 Fowl, Domestic, see *Gallus gallus*  
*Fratercula arctica*, 427–442  
*cirrhatta*, 290, 427–442  
*corniculata*, 274, 290, 427–442  
 Frederick, Robert B., and Rex R. Johnson, Ross' Geese increasing in central North America, 257–258  
*Fregata minor*, 290  
 Frigatebird, Great, see *Fregata minor*  
 Fruitdove, Harnessed, see *Ptilinopus insolitus*  
 White-breasted, see *Ptilinopus rivoli*  
 Fruitpigeon, Bar-tailed, see *Ducula finschii*  
 Blue-black, see *Ducula melanochroa*  
 Red-knobbed, see *Ducula rubricera*  
*Fulica americana*, 50  
 Fulmar, Northern, see *Fulmarus glacialis*  
*Fulmarus glacialis*, 198, 290, 338  
*glacialoides*, 194, 198  
*Furnarius cristatus*, 96
- ## G
- Gallicolumba beccarii*, 300  
*jobiensis*, 300  
*Gallinago gallinago*, 92, 239  
*megala*, 300  
*Gallus gallus*, 43, 194, 350  
 Garton, Edward O., see Hayward, Gregory D.  
*Geoffroyus geoffroyi*, 299  
*heteroclitus*, 299, 300  
*Geothlypis trichas*, 141, 156, 308–322  
 Gilbert, William M., Flight song and song flight in the Orange-crowned Warbler, 113  
*Glaucidium gnoma*, 501  
*Glaucis hirsuta*, 361  
 Glinski, Richard L., and Robert D. Ohmart, Breeding ecology of the Mississippi Kite in Arizona, 200–207  
 Gnatcatcher, Black-tailed, see *Poliophtila melanura*  
 Blue-gray, see *Poliophtila caerulea*  
 Gochfeld, Michael, see Burger, Joanna  
 Goldeneye, Barrow's, see *Bucephala islandica*  
 Golden-Plover, Lesser, see *Pluvialis dominica*  
 Goose, Canada, see *Branta canadensis*  
 Emperor, see *Chen canagica*  
 Ross' see *Chen rossii*  
 Snow, see *Chen caerulescens*  
 Goshawk, Grey, see *Accipiter novaehollandiae*  
 Northern, see *Accipiter gentilis*  
 Gould, Patrick J., Seabirds between Alaska and Hawaii, 286–291  
 Graber, Jean W., and Richard R. Graber, Feeding rates of warblers in spring, 139–150  
 Graber, Richard R., see Graber, Jean W.  
 Grackle, Boat-tailed, see *Quiscalus major*  
 Common, see *Quiscalus quiscula*  
 Granholm, Stephen L., Bias in density estimates due to movement of birds, 243–248  
 Grebe, Pied-billed, see *Podilymbus podiceps*  
 Greenshank, see *Tringa nebularia*  
 Greenwood, Hamilton, Patrick J. Weatherhead, and Rodger D. Titman, A new age- and sex-specific molt scheme for the Red-winged Blackbird, 104–105  
 Gress, Franklin, see Anderson, Daniel W.  
 Grosbeak, Black-headed, see *Pheucticus melanocephalus*  
 Blue, see *Guiraca caerulea*  
 Pine, see *Pinicola enucleator*  
 Rose-breasted, see *Pheucticus ludovicianus*  
 Ground-Dove, Gray-bibbed, see *Gallicolumba beccarii*  
 Stephan's, see *Chalcophaps stephani*  
 White-bibbed, see *Gallicolumba jobiensis*  
 Grouse, Black, see *Tetrao tetrix*  
 Blue, see *Dendragapus obscurus*  
 Hazel, see *Bonasa bonasia*  
 Red, see *Lagopus lagopus*  
 Ruffed, see *Bonasa umbellus*  
 Sharp-tailed, see *Tympanuchus phasianellus*  
 Sharp-tailed, see *Tympanuchus (Pediocetes) phasianellus*  
 Spruce, see *Canachites canadensis*  
 Guan, Rusty-margined, see *Penelope superciliaris*  
 Sickie-winged, see *Chamaepetes goudotii*  
 Guillemot, Black, see *Cephus grylle*  
 Spectacled, see *Cephus carbo*  
*Guiraca caerulea*, 403  
 Gull, Black-tailed, see *Larus crassirostris*  
 Brown-hooded, see *Larus maculipennis*  
 California, see *Larus californicus*  
 Franklin's, see *Larus pipixcan*  
 Glaucous-winged, see *Larus glaucescens*  
 Heermann's, see *Larus heermanni*  
 Herring, see *Larus argentatus*  
 Laughing, see *Larus atricilla*  
 Ring-billed, see *Larus delawarensis*  
 Western, see *Larus occidentalis*  
*Gymnobucco bonapartei*, 326  
*calvus*, 326  
*peli*, 326  
*sladeni*, 326  
*Gymnophaps albertisii*, 299, 300  
*Gymnophaps leucaspis*, 95  
*Gymnorhinus cyanocephalus*, 111
- ## H
- Hails, C. J., The metabolic rate of tropical birds, 61–65  
*Halcyon albonotata*, 300  
*chloris*, 300

*sancta*, 300  
*saurophaga*, 300  
*Haliaeetus leucocephalus*, 92  
*Haliaastur indus*, 299, 300  
*Halocyptena microsoma*, 194  
Hawk, Cooper's, see *Accipiter cooperii*  
Crested, see *Aviceda subcristata*  
Gray, see *Buteo nitidus*  
Harris, see *Parabuteo unicinctus*  
Marsh, see *Circus cyaneus*  
Red-shouldered, see *Buteo lineatus*  
Red-tailed, see *Buteo jamaicensis*  
Short-tailed, see *Buteo brachyurus*  
Swainson's, see *Buteo swainsoni*  
Tiny, see *Accipiter superciliosus*  
Zone-tailed, see *Buteo albonotatus*  
Hayward, Gregory D., and Edward O. Garton, First nesting record for Boreal Owl in Idaho, 501  
*Hemiprocne mystacea*, 300  
*Hemitriccus granadensis*, 97  
*Henicopernis infusata*, 299, 300  
*Henicophaps foersteri*, 300  
Heron, Eastern Reef, see *Egretta sacra*  
Little Blue, see *Egretta caerulea*  
*Heteroscelus incanus*, 99  
Hilgert, Nancy, see Jenny, J. Peter  
*Hirundo pyrrhonota*, 96  
*tahitica*, 302  
Hobby, European, see *Falco subbuteo*  
Holmes, Richard T., see Sabo, Stephen R.  
Honeyeater, Gray, see *Myzomela eques*  
Red, see *Myzomela cruentata*  
Red-headed Black, see *Myzomela erythromelas*  
Hoppe, William G., see Loiselle, Bette A.  
Hornbill, Papuan, see *Aceros plicatus*  
Horne, Jennifer F. M., see Short, Lester L.  
Hornero, Crested, see *Furnarius cristatus*  
Hummingbird, Allen's, see *Selasphorus sasin*  
Anna's, see *Calypte anna*  
Black-chinned, see *Archilochus alexandri*  
Black-fronted, see *Hylocharis xantusii*  
Blue-vented, see *Amazilia saucerrottei*  
Broad-tailed, see *Selasphorus platycercus*  
Cinnamon, see *Anthrocothorax rutila*  
Crimson Topaz, see *Topaza pella*  
Fork-tailed Emerald, see *Chlorostilbon canivetii*  
Green-breasted Mango, see *Anthrocothorax prevostii*  
Green Violet-ear, see *Colibri thalassinus*  
Long-tailed Hermit, see *Phaethornis superciliosus*  
Red-billed Azurecrown, see *Amazilia cyanocephala*  
Ruby-throated, see *Archilochus colubris*  
Rufous, see *Selasphorus rufus*  
Sapphire-vented Puffleg, see *Eriocnemis luciani*  
White-eared, see *Hylocharis leucotis*  
Humphrey, Philip S., see Straneck, Roberto  
Hunt, George L., Jr., see Murray, Kelvin G.  
*Hylocharis leucotis*, 281  
*xantusii*, 495  
*Hylocichla mustelina*, 125  
*Hylophylax naevioides*, 95  
*Hypothymis azurea*, 61–65

## I

Ibis, Scarlet, see *Eudocimus ruber*  
White, see *Eudocimus albus*  
*Icteria virens*, 403  
*Icterus chrysater*, 455  
*galbula*, 161, 210, 404  
*mesomelas*, 459  
*spurius*, 158  
*Ictinia mississippiensis*, 200–207

## J

Jacobsen, Erling E., Jr., Clayton M. White, and William B. Emison, Molting adaptations of Rock Ptarmigan on Amchitka Island, Alaska, 420–426  
Jaeger, Parasitic, see *Stercorarius parasiticus*  
Pomarine, see *Stercorarius pomarinus*  
Jarvis, Robert L., see Talent, Larry G.  
Jay, Blue, see *Cyanocitta cristata*  
Brown, see *Psilorhinus morio*  
Gray, see *Perisoreus canadensis*  
Pinyon, see *Gymnorhinus cyanocephalus*  
Steller's, see *Cyanocitta stelleri*  
Jenny, J. Peter, William A. Burnham, Tjitte DeVries, Nancy Hilgert, and Fernando Ortiz, Analysis of Peregrine Falcon eggs in Ecuador, 502  
Johnson, L. Scott, Effect of mate loss on song performance in the Plain Titmouse, 378–380  
Johnson, Oscar W., and Patricia M. Johnson, Plumage-molt-age relationships in "over-summering" and migratory Lesser Golden-Plovers, 406–419  
Johnson, Patricia M., see Johnson, Oscar W.  
Johnson, R. Roy, see Brown, Bryan T.  
Johnson, Rex R., see Frederick, Robert B.  
Johnson, Richard E., Nesting biology of the Rosy Finch on the Aleutian Islands, Alaska, 447–452  
Junco, Dark-eyed, see *Junco hyemalis*  
*Junco hyemalis*, 125

## K

Kepler, Angela K., see Kepler, Cameron B.  
Kepler, Cameron B., and Angela K. Kepler, A first record of the nest and chicks of the small Kauai Thrush, 497–499  
Kestrel, American, see *Falco sparverius*  
Lesser, see *Falco naumanni*  
Kevan, Peter G., Sherrene D. St. Helens, and Irene Baker, Hummingbirds feeding from exudates on diseased scrub oak, 251–252  
Killdeer, see *Charadrius vociferus*  
Kingbird, Cassin's, see *Tyrannus vociferans*  
Eastern, see *Tyrannus tyrannus*  
Western, see *Tyrannus verticalis*  
Kingfisher, Beach, see *Halcyon saurophaga*  
Collared, see *Halcyon chloris*  
Common, see *Alcedo atthis*  
Dwarf, see *Ceyx lepidus*  
Little, see *Alcyon pusilla*  
Sacred, see *Halcyon sancta*  
White-marked, see *Halcyon albonotata*  
White-tailed Paradise, see *Tanysiptera sylvia*  
Kingle, Golden-crowned, see *Regulus satrapa*  
Ruby-crowned, see *Regulus calendula*  
Kirsten, Edward B., see Kirsten, Suzanne J.  
Kirsten, Suzanne J., and Edward B. Kirsten, Spontaneous blink rates of birds, 92–93  
Kite, Brahminy, see *Haliaeetus indus*  
Mississippi, see *Ictinia mississippiensis*  
Kittiwake, Black-legged, see *Rissa tridactyla*  
Red-legged, see *Rissa brevirostris*  
Knot, Red, see *Calidris canutus*  
Knudtson, Eric P., see Byrd, G. Vernon  
Koplin, James R., see Collopy, Michael W.  
Krapu, Gary L., see Talent, Larry G.

## L

*Lagopus lagopus*, 53, 186, 187, 420, 496  
*leucurus*, 187  
*mutus*, 196, 420–426  
*Lalage leucomela*, 301  
*Laniarius ferrugineus*, 460  
*Lanius cristatus*, 61–65

- Lanning, Dirk V., and James T. Shiflett, Nesting ecology of Thick-billed Parrots, 66–73
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus*, 83, 290, 338, 346, 467
- atricilla*, 43, 92, 338, 467–473
- californicus*, 346
- crassirostris*, 373
- delawarensis*, 43, 168, 346
- glaucescens*, 290, 467
- heermanni*, 83
- maculipennis*, 169
- occidentalis*, 13, 106, 169, 346
- pipixcan*, 168, 503
- Laurenson, L. J. B., see Duffy, David Cameron
- Leafbird, Greater Green, see *Chloropsis sonnerati*
- Leatherhead, see *Philemon novaeguinae*
- Lechowicz, M. J., see Lemon, R. E.
- LeCroy, Mary, and W. S. Peckover, Birds of the Kimbe Bay area, West New Britain, Papua, New Guinea, 297–304
- Lemon, R. E., J. Struger, and M. J. Lechowicz, Song features as species discriminants in American warblers (*Parulidae*), 308–322
- Leucosticte atrata*, 450
- griseonucha*, 447–452
- tephrocotis*, 450–451
- Limnodromus griseus*, 99
- scolopaceus*, 99
- Livezey, Bradley C., see Straneck, Roberto
- Logrunner, Spalding's, see *Orthonyx spaldingii*
- Spine-tailed, see *Orthonyx temminckii*
- Loiselle, Bette A., and William G. Hoppes, Nest predation in insular and mainland lowland rainforest in Panama, 93–95
- Lonchura fuscans*, 64
- maja*, 61–65
- malacca*, 61–65
- melaena*, 301
- Longspur, Lapland, see *Calcarius lapponicus*
- Lophornis adorabilis*, 495
- Lorikeet, Rainbow, see *Trichoglossus haematodus*
- Red-chinned, see *Charmosyna rubrigularis*
- Red-flanked, see *Charmosyna placensis*
- Lorius hypoinochrous*, 299, 300
- Lory, Purple-bellied, see *Lorius hypoinochrous*
- Loxia curvirostra*, 245
- Lybius bidentatus*, 326
- chaplani*, 326
- dubius*, 326
- guifsobalito*, 323–332
- leucocephalus*, 324
- melanopterus*, 324
- minor*, 326
- rolleti*, 326
- rubrifacies*, 323–332
- torquatus*, 323–332
- undatus*, 326
- vieilloti*, 324
- Lyon, Linda A., see Caccamise, Donald F.
- McNicholl, Martin K., Hatching of Forster's Terns, 50–52
- Megapodius freycinet*, 300
- Melampitta gigantea*, 89–91
- lugubris*, 89
- Melampitta, Greater, see *Melampitta gigantea*
- Lesser, see *Melampitta lugubris*
- Melanerpes uropygialis*, 404, 461–466
- Meleagris gallopavo*, 57, 92
- Melospiza undulatus*, 283, 491
- Melospiza georgiana*, 484
- melodia*, 110, 156, 404, 447, 482–490
- Micropsitta pusio*, 300
- Middleton, Alex L. A., see Beckerton, Patrick R.
- Miller, Edward H., Structure of display flights in the Least Sandpiper, 220–242
- Mimus polyglottos*, 161, 173
- Mino dumonti*, 301
- Minsky, Dennis, and Charles T. Collins, The natal pterylosis of *Amphispiza* sparrows, 375–376
- Mniotilta varia*, 132, 141, 308–322
- Mockingbird, Northern, see *Mimus polyglottos*
- Molothrus aeneus*, 105
- ater*, 109–111, 112, 151–163, 249–250, 355, 359
- bonariensis*, 162
- Monarch, Bismarck Pied, see *Monarcha verticalis*
- Black-naped, see *Hypothymis azurea*
- Lesser Shining, see *Myiagra hebetior*
- Shining, see *Myiagra alecto*
- Monarcha verticalis*, 301
- Moriarty, Daniel I., see Byrd, G. Vernon
- Morrison, Michael L., Analysis of geographic variation in the Townsend's Warbler, 385–391
- Morton, Martin L., see Zerba, Eileen
- Moss, Robert, Gut size, body weight, and digestion of winter foods by grouse and ptarmigan, 185–193
- Munia, Chestnut, see *Lonchura malacca*
- White-headed, see *Lonchura maja*
- Murray, Kelvin G., Kathy Winnett-Murray, Zoe A. Eppley, George L. Hunt, Jr., and Douglas B. Schwartz, Breeding biology of the Xantus' Murrelet, 12–21
- Murphy, Michael T., Nest success and nesting habits of Eastern Kingbirds and other flycatchers, 208–219
- Murre, Common, see *Uria aalge*
- Murrelet, Ancient, see *Synthliboramphus antiquus*
- Craveri's, see *Synthliboramphus (Endomychura) craveri*
- Kittlitz's, see *Brachyramphus brevirostris*
- Marbled, see *Brachyramphus marmoratus*
- Xantus', see *Synthliboramphus (Endomychura) hypoleucus*
- Myadestes townsendi*, 498
- Myiagra alecto*, 301
- hebetior*, 301
- Myiarchus cinerascens*, 461–466
- tyrannulus*, 461–466
- Myna, Common, see *Acridotheres tristis*
- Orange-faced, see *Mino dumonti*
- Myzomela cruentata*, 301
- eques*, 301
- erythromelas*, 301

## M

- Macronectes giganteus*, 194, 198
- Malacopteron cinereum*, 61–65
- Macropygia amboinensis*, 300
- nigrirostris*, 300
- Mallard, see *Anas platyrhynchos*
- Mannikin, Buff-bellied Black, see *Lonchura melaena*
- Martin, Purple, see *Progne subis*
- McDade, Lucinda A., Long-tailed Hermit hummingbird visits to inflorescence color morphs of *Heliconia irrasa*, 360–364

## N

- Nectarinia jugularis*, 301
- sericea*, 301
- Neocrex erythrops*, 97
- Newfield, Nancy L., Records of Allen's Hummingbird in Louisiana and possible Rufous × Allen's hummingbird hybrids, 253–254
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*
- Nankeen, see *Nycticorax caledonicus*
- Nightjar, Large-tailed, see *Caprimulgus macrurus*
- Lyre-tailed, see *Uropsalis lyra*

- Ninox odiosa*, 300  
 Nisbet, Ian C. T., Paralytic shellfish poisoning: effects on breeding terns, 338–345  
 Noddy, Black, see *Anous tenuirostris*  
*Nucifraga columbiana*, 372–373  
*Numenius minutus*, 239, 300  
   *phaeopus*, 259–300  
 Nutcracker, Clark's, see *Nucifraga columbiana*  
 Nuthatch, Red-breasted, see *Sitta canadensis*  
   White-breasted, see *Sitta carolinensis*  
*Nyctea scandiaca*, 41, 92  
*Nyctibius grandis*, 97  
   *leucopterus*, 96  
*Nycticorax caledonicus*, 300  
   *nycticorax*, 92, 168
- O**
- Oakley, Karen L., see Day, Robert H.  
*Oceanodroma castro*, 290  
   *furcata*, 290  
   *leucorhoa*, 290  
 Ohmart, Robert D., see Anderson, Bertin W.  
 Ohmart, Robert D., see Glinski, Richard L.  
 Oliphant, L. W., First observations of brown fat in birds, 350–354  
 Omaso, see *Phaerornis obscurus*  
*Oporornis philadelphia*, 308–322  
 Orians, Gordon H., Notes on the behavior of the Melodious Blackbird (*Dives dives*), 453–460  
 Oriole, Baltimore, see *Icterus galbula*  
   Northern, see *Icterus galbula*  
   Orchard, see *Icterus spurius*  
   Yellow-backed, see *Icterus chrysater*  
   Yellow-tailed, see *Icterus mesomelas*  
*Orthonyx spaldingi*, 91  
 Ortiz, Fernando, see Jenny, J. Peter  
*Ortygocichla rubiginosa*, 301  
*Orthonyx temminckii*, 91  
 Osprey, see *Pandion haliaetus*  
*Otus asio*, 92  
   *flammeolus*, 501  
   *scops*, 61–65  
 Ovenbird, see *Seiurus aurocapillus*  
 Owl, Barred, see *Strix varia*  
   Black-banded, see *Ciccaba huhula*  
   Boreal, see *Aegolius funereus*  
   Buff-fronted, see *Aegolius harrisi*  
   Burrowing, see *Athene cucularia*  
   Common Scops, see *Otus scops*  
   Flammulated, see *Otus flammeolus*  
   Golden, see *Tyto aurantia*  
   Great Horned, see *Bubo virginianus*  
   Long-eared, see *Asio otus*  
   Northern Pygmy, see *Glaucidium gnoma*  
   Northern Saw-whet, see *Aegolius acadicus*  
   Saw-whet, see *Aegolius acadicus*  
   Snowy, see *Nyctea scandiaca*
- P**
- Pachycephala melanura*, 302  
   *pectoralis*, 301  
*Pachyptila turtur*, 196, 198  
*Pagodroma nivea*, 194, 198  
*Pandion haliaetus*, 299, 300  
*Parabuteo unicinctus*, 92, 205  
 Parrot, Eclectus, see *Eclectus roratus*  
   Singing, see *Geoffroyus heteroclitis*  
   Thick-billed, see *Rhynchopsitta pachyrhyncha*  
 Partridge, Sand, see *Ammoperdix heyi*  
*Parula americana*, 308–322  
 Parula, Northern, see *Parula americana*  
*Parus atricapillus*, 125, 260, 350–354  
   *gambeli*, 244–248  
   *hudsonicus*, 125  
   *inornatus*, 378–380  
   *major*, 172, 378, 466  
*Passer domesticus*, 106, 110, 156  
   *montanus*, 61–65  
*Passerculus sandwichensis*, 106, 496  
*Passerina cyanea*, 177  
 Paulson, Dennis R., Fledging dates and southward migration of juveniles of some *Calidris* sandpipers, 99–101  
 Peckover, W. S., see LeCroy, Mary  
*Pelagodroma marina*, 198  
*Pelecanoides urinatrix*, 196  
*Pelecanus erythrorhynchos*, 168  
   *occidentalis*, 79–88, 467  
 Pelican, American White, see *Pelecanus erythrorhynchos*  
   Brown, see *Pelecanus occidentalis*  
*Penelope superciliaris*, 96  
 Penguin, Emperor, see *Aptenodytes forsteri*  
   Gentoo, see *Pygoscelis papua*  
   Jackass, see *Spheniscus demersus*  
   King, see *Aptenodytes patagonicus*  
   Macaroni, see *Eudyptes chrysolophus*  
   Rockhopper, see *Eudyptes chrysolophus*  
*Perisoreus canadensis*, 132  
 Peterson, Margaret R., Observations of Emperor Geese feeding at Nelson Lagoon, Alaska, 367–368  
 Petrel, Black-winged, see *Pterodroma nigripennis*  
   Bonin, see *Pterodroma hypoleuca*  
   Cape, see *Daption capense*  
   Cook's, see *Pterodroma cookii*  
   Dark-rumped, see *Pterodroma phaeopygia*  
   Herald, see *Pterodroma arminjoniana*  
   Kermadec, see *Pterodroma neglecta*  
   Mottled, see *Pterodroma inexpectata*  
   Phoenix Island, see *Pterodroma alba*  
   White-necked, see *Pterodroma externa*  
 Pettit, T. N., and G. C. Whittow, Water loss from pipped Wedge-tailed Shearwater eggs, 107–109  
*Phaenostictus mcleannani*, 95  
*Phaerornis obscurus*, 497  
   *palmeri*, 497–499  
*Phaethon lepturus*, 290, 292  
   *rubricauda*, 290, 292  
*Phaethornis longuemareus*, 495  
   *superciliosus*, 360–364  
 Phainopepla, see *Phainopepla nitens*  
*Phainopepla nitens*, 259, 403  
*Phalacrocorax aristotelis*, 338  
   *auritus*, 79, 344  
   *capensis*, 305–307  
   *carbo*, 338  
   *olivaceus*, 467  
 Phalarope, Red, see *Phalaropus fulicaria*  
*Phalaropus fulicaria*, 290  
*Phasianus colchicus*, 43–49  
 Pheasant, Ring-necked, see *Phasianus colchicus*  
*Pheucticus ludovicianus*, 125  
   *melanocephalus*, 250–251  
*Philemon novaeguineae*, 301  
*Philomachus pugnax*, 240  
 Phoebe, Eastern, see *Sayornis phoebe*  
*Phonygammus keraudrenii*, 89  
*Phylloscopus borealis*, 258  
   *trochilus*, 258  
*Picoides arcticus*, 124, 132  
   *pubescens*, 125  
   *scalaris*, 404, 461–466  
   *tridactylus*, 132  
   *villosus*, 125  
 Pigeon, Bare-eyed, see *Gymnophaps albertisii*  
   Foerster's Bronzewing, see *Henicophaps foersteri*

- Gray Imperial, see *Ducula pistrinaria*  
 Torres Strait, see *Ducula spilorrhoa*  
*Pinicola enucleator*, 390  
 Pinshow, Berry, see Degen, A. Allan  
*Pipilo aberti*, 111–113, 355–359, 404  
   *erythrophthalmus*, 158  
 Pipit, Water, see *Anthus spinoletta*  
 Pitelka, Frank A., see Roberson, Don  
*Piranga olivacea*, 125  
   *rubra*, 404  
 Pitohui, Black-headed, see *Pitohui dichrous*  
*Pitohui dichrous*, 89  
 Pitta, Blue-breasted, see *Pitta erythrogaster*  
*Pitta erythrogaster*, 301  
 Plover, Black-bellied, see *Pluvialis squatarola*  
   Little Ringed, see *Charadrius dubius*  
   Piping, see *Charadrius melodus*  
   Semipalmated, see *Charadrius semipalmatus*  
*Pluvialis dominica*, 99, 299, 300, 406–419  
   *squatarola*, 99  
*Podilymbus podiceps*, 96  
*Pogoniulus atroflavus*, 326  
   *bilineatus*, 326  
   *chrysoconus*, 325  
   *coryphaeus*, 326  
   *leucomystax*, 326  
   *makawai*, 326  
   *pusillus*, 325  
   *scolopaceus*, 326  
   *simplex*, 326  
   *subsulphureus*, 326  
*Poephila guttata*, 7  
*Poliolimnas cinereus*, 300  
*Polioptila caerulea*, 154  
   *melanura*, 358  
*Polyborus plancus*, 92  
 Potoo, Great, see *Nyctibius grandis*  
   White-winged, see *Nyctibius leucopterus*  
 Prairie-Chicken, Greater, see *Tympanuchus cupido*  
 Prion, Fairy, see *Pachyptila turtur*  
*Progne subis*, 106–107  
*Psilorhinus morio*, 455  
 Ptarmigan, Rock, see *Lagopus mutus*  
   White-tailed, see *Lagopus leucurus*  
   Willow, see *Lagopus lagopus*  
*Pterodroma alba*, 290  
   *arminjoniana*, 290  
   *cookii*, 290  
   *externa*, 290  
   *hypoleuca*, 108, 198, 290  
   *inexpectata*, 290  
   *neglecta*, 198, 290  
   *nigripennis*, 198, 290  
   *phaeopygia*, 290  
   *solandri*, 198  
*Ptilinopus insolitus*, 300  
   *rivoli*, 300  
*Ptychoramphus aleuticus*, 19  
 Puaiohi, see *Phaeornis palmeri*  
 Puffin, Atlantic, see *Fratercula arctica*  
   Horned, see *Fratercula corniculata*  
   Horn-billed, see *Cerorhinca monocerata*  
   Tufted, see *Fratercula cirrhata*  
*Puffinus bulleri*, 198  
   *carneipes*, 198  
   *gravis*, 198  
   *griseus*, 194–199, 290, 294  
   *lherminieri*, 198, 294  
   *pacificus*, 107–109, 198, 290, 292–296  
   *puffinus*, 294  
   *tenuirostris*, 196, 198, 290  
*Pycnonotus finlaysoni*, 61–65  
   *goavier*, 61–65  
 Pygmyparrot, Buff-faced, see *Micrositta pusio*  
*Pygoscelis papua*, 503–504
- Q**
- Quail, Gambel's, see *Callipepla gambelii*  
 King, see *Coturnix chinensis*  
*Quiscalus major*, 105  
   *quiscalus*, 459, 474–481
- R**
- Rail, Pink-legged, see *Rallus insignis*  
*Rallus insignis*, 300  
 Raven, Chihuahuan (White-necked), see *Corvus cryptoleucus*  
   Common, see *Corvus corax*  
 Redpoll, Common, see *Carduelis flammea*  
   Hoary, see *Carduelis hornemanni*  
 Redshank, see *Tringa totanus*  
 Redstart, American, see *Setophaga ruticilla*  
 Reed-Warbler, Black-browed, see *Acrocephalus bistrigiceps*  
   Great, see *Acrocephalus arundinaceus*  
*Regulus calendula*, 125, 403  
   *satrapa*, 125, 244–248  
*Reinwardtoena browni*, 300  
 Remsen, J. V., Jr., and Melvin A. Traylor, Jr., Additions to the avifauna of Bolivia, Part 2, 95–98  
*Rhipidura dahli*, 301  
   *leucophrys*, 301  
   *rufiventris*, 301  
 Rice, Jake, see Anderson, Bertin W.  
 Rich, Terrell, "Walking-in-line" behavior in Sage Sparrow territorial encounters, 496–497  
*Rissa brevirostris*, 290  
   *tridactyla*, 290  
 Ritchison, Gary, Possible "deceptive" use of song by female Black-headed Grosbeaks, 250–251  
 Roberson, Don, and Frank A. Pitelka, Occurrence of Willow Warbler (*Phylloscopus trochilus*) in North America refuted, 258  
 Robin, American, see *Turdus migratorius*  
   Magpie, see *Copsychus saularis*  
   Siberian Blue, see *Erithacus cyane*  
 Rudolph, Seri G., Aerial insect-catching by American Kestrels, 368–369  
 Ruff, see *Philomachus pugnax*  
*Rynchops niger*, 92, 164–171  
*Rhynchopsitta pachyrhyncha*, 66–73
- S**
- Sabo, Stephen R., and Richard T. Holmes, Foraging niches and the structure of forest bird communities in contrasting montane habitats, 121–138  
 Safina, Carl, and Joanna Burger, Effects of human disturbance on reproductive success in the Black Skimmer, 164–171  
 St. Helens, Sherrere D., see Kevan, Peter G.  
 Sanderling, see *Calidris alba*  
 Sandpiper, Baird's, see *Calidris bairdii*  
   Buff-breasted, see *Tryngites subruficollis*  
   Common, see *Tringa hypoleucos*  
   Curlew, see *Calidris ferruginea*  
   Least, see *Calidris minutilla*  
   Pectoral, see *Calidris melanotos*  
   Purple, see *Calidris maritima*  
   Rock, see *Calidris pilocnemis*  
   Rufous-necked, see *Calidris ruficollis*  
   Semipalmated, see *Calidris pusilla*  
   Sharp-tailed, see *Calidris acuminata*  
   Spoonbill, see *Eurynorhynchus pygmeus*  
   Stilt, see *Calidris himantopus*  
   Upland, see *Bartramia longicauda*



- Western, see *Calidris mauri*  
 White-rumped, see *Calidris fuscicollis*  
 Sapsucker, Yellow-bellied, see *Sphyrapicus varius*  
*Sayornis phoebe*, 153  
*Saxicola caprata*, 301  
 Schwartz, Douglas B., see Murray, Kelvin G.  
*Scolopax minor*, 239  
*rusticola*, 239  
 Screech-Owl, Eastern, see *Otus asio*  
 Scrubfowl, see *Megapodius freycinet*  
*Scythrops novaehollandiae*, 299, 300  
*Seiurus aurocapillus*, 125, 308–322  
*noveboracensis*, 308–322  
*Selasphorus platycercus*, 251–252, 363  
*rufus*, 251, 253–254, 281–285  
*sasin*, 253, 281–285  
*Serinus canaria*, 491  
*Setophaga ruticilla*, 113, 125, 141, 308–322  
 Shag, see *Phalacrocorax aristotelis*  
 Shearwater, Audubon's, see *Puffinus lherminieri*  
 Short-tailed, see *Puffinus tenuirostris*  
 Sooty, see *Puffinus griseus*  
 Wedge-tailed, see *Puffinus pacificus*  
 Shiftlett, James T., see Lanning, Dirk V.  
 Shrike, Brown, see *Lanius cristatus*  
 Short, Lester L., and Jennifer F. M. Horne, A review of duetting, sociality and speciation in some African barbets (*Capitonidae*), 323–332  
*Sialia currucoides*, 106  
*sialis*, 154, 250  
 Siskin, Pine, see *Carduelis pinus*  
*Sitta canadensis*, 125, 244–248  
 Skimmer, Black, see *Rhynchops niger*  
 Skua, South Polar, see *Catharacta maccormicki*  
 Smith, Thomas Bates, Nest of the Red-stained Woodpecker (*Veniliornis affinis*) from southeastern Peru, 499  
 Snipe, Common, see *Gallinago gallinago*  
 Swinhoe's, see *Gallinago megalis*  
 Solitaire, Townsend's, see *Myadestes townsendi*  
 Sparling, Donald W., Quantitative analysis of Prairie Grouse vocalizations, 30–42  
 Sparrow, Black-throated, see *Amphispiza bilineata*  
 Chipping, see *Spizella passerina*  
 Grasshopper, see *Ammodramus savannarum*  
 House, see *Passer domesticus*  
 Mountain White-crowned, see *Zonotrichia leucophrys*  
 Sage, see *Amphispiza belli*  
 Savannah, see *Passerculus sandwichensis*  
 Song, see *Melospiza melodia*  
 Swamp, see *Melospiza georgiana*  
 Tree, see *Passer montanus*  
 White-crowned, see *Zonotrichia leucophrys*  
 White-throated, see *Zonotrichia albicollis*  
 Sparrowhawk, New Britain, see *Accipiter brachyurus*  
*Spheniscus demersus*, 504  
*Sphyrapicus varius*, 125, 251  
 Spiderhunter, Little, see *Arachnothera longirostra*  
 Spectacled, see *Arachnothera flavigaster*  
 Spinetail, Ash-browed, see *Cranioleuca curtata*  
 Spitzer-Nabors, Kimberly J., and Myron Charles Baker, Reproductive behavior by a female songbird: differential stimulation by natal and alien song dialects, 491–494  
*Spizella passerina*, 157  
 Spoonbill, Roseate, see *Ajaia ajaja*  
*Stactolaema anchietae*, 326  
*leucotis*, 326  
*olivacea*, 324  
*whytii*, 326  
 Starling, see *Sturnus vulgaris*  
 Colonial, see *Aplonis metallica*  
 European, see *Sturnus vulgaris*  
 Singing, see *Aplonis cantoroides*  
 Steamer-Duck, White-headed Flightless, see *Tachyeres leucocephalus*  
*Stercorarius parasiticus*, 290, 451  
*pomarinus*, 290  
*Sterna albifrons*, 51  
*antillarum*, 343  
*bergii*, 300  
*caspia*, 168, 346–349  
*dougallii*, 52, 164, 300, 338  
*forsteri*, 50–52  
*hirundo*, 51, 164, 300, 338–345  
*maxima*, 467  
*paradisaea*, 51, 338  
*sandvicensis*, 169, 467  
*sumatrana*, 300  
*vittata*, 51  
 Stiles, F. Gary, and Rafael G. Campos, Identification and occurrence of Blackpoll Warblers in southern Middle America, 254–255  
 Stint, Little, see *Calidris minuta*  
 Rufous-necked, see *Calidris ruficollis*  
 Temminck's, see *Calidris temminckii*  
 Stonecurlew, Beach, see *Burhinus neglectus*  
 Storm-Petrel, Band-rumped, see *Oceanodroma castro*  
 Fork-tailed, see *Oceanodroma furcata*  
 Leach's see *Oceanodroma leucorhoa*  
 Least, see *Halocyptena microsoma*  
 Straneck, Roberto, Bradley C. Livezey, and Philip S. Humphrey, Predation on steamer-ducks by killer whales, 255–256  
*Strix varia*, 92  
 Struger, J., see Lemon, R. E.  
*Sturnus vulgaris*, 8, 106, 461–466, 474–481  
*Suiriri suiriri*, 97  
*Sula sula*, 292  
 Sullivan, Gary, see Bunch, Kenneth G.  
 Sunbird, Black, see *Nectarinia sericea*  
 Yellow-bellied, see *Nectarinia jugularis*  
 Surfbird, see *Aphriza virgata*  
 Swallow, Cliff, see *Hirundo pyrrhonota*  
 Swift, Ashy-tailed, see *Chaetura andrei*  
 Swiftlet, Glossy, see *Collocalia esculenta*  
 Uniform, see *Collocalia vanikorensis*  
 White-rumped, see *Collocalia spodiopygia*  
*Sylvia halseii*, 385  
*Synthliboramphus antiquus*, 12  
 (*Endomychura*) *craveri*, 12  
 (*Endomychura*) *hypoleucus*, 12–21

## T

- Tachyeres leucocephalus*, 256  
*Tachyphonus rufus*, 96  
 Talent, Larry G., Robert L. Jarvis, and Gary L. Krapu, Survival of Mallard broods in south-central North Dakota, 74–78  
 Tanager, Scarlet, see *Piranga olivacea*  
 Summer, see *Piranga rubra*  
 White-lined, see *Tachyphonus rufus*  
*Tanysiptera sylvia*, 301  
 Tattler, Wandering, see *Heteroscelus incanus*  
 Tern, Antarctic, see *Sterna vittata*  
 Arctic, see *Sterna paradisaea*  
 Black, see *Chlidonias niger*  
 Black-naped, see *Sterna sumatrana*  
 Caspian, see *Sterna caspia*  
 Common, see *Sterna hirundo*  
 Forster's, see *Sterna forsteri*  
 Greater Crested, see *Sterna bergii*  
 Least, see *Sterna albifrons*

Roseate, see *Sterna dougallii*  
 Royal, see *Sterna maxima*  
 Sandwich, see *Sterna sandvicensis*  
*Tetrao tetrix*, 187, 496  
*urogallus*, 53, 185–193  
 Thoresen, Asa C., Diurnal activity and social displays of Rhinoceros Auklets on Teuri Island, Japan, 373–375  
*Threnetes ruckeri*, 361  
 Thrush, Gray-cheeked, see *Catharus minimus*  
   Hawaiian, see *Phaeornis obscurus*  
   Hermit, see *Catharus guttatus*  
   Pale-breasted, see *Turdus leucomelas*  
   Small Kauai, see *Phaeornis palmeri*  
   Swainson's, see *Catharus ustulatus*  
   Wood, see *Hylocichla mustelina*  
*Thryothorus ludovicianus*, 154, 238  
 Tinkerbird, Red-fronted, see *Pogoniulus pusillus*  
   Yellow-fronted, see *Pogoniulus chrysoconus*  
 Tit, Great, see *Parus major*  
 Titman, Rodger D., see Greenwood, Hamilton  
 Titmouse, Plain, see *Parus inornatus*  
 Tody-tyrant, Black-throated, see *Hemitriccus granadensis*  
 Tomback, Diana F., see Bunch, Kenneth G.  
*Topaza pella*, 281  
 Towhee, Abert's, see *Pipilo aberti*  
   Rufous-sided, see *Pipilo erythrophthalmus*  
*Trachyphonus darnaudii*, 323–332  
   *erythrocephalus*, 323–332  
   *margaritatus*, 324  
   *purpuratus*, 324  
   *vaillantii*, 324  
 Traylor, Melvin A., Jr., see Remsen, J. V., Jr.  
 Treeswift, Moustached, see *Hemiprocne mystacea*  
*Trichoglossus haematodus*, 300  
*Tricholaema diademata*, 326  
   *frontata*, 326  
   *hirsuta*, 326  
   *lachrymosa*, 325  
   *leucomelaina*, 326  
   *melanocephala*, 325  
 Triller, Varied, see *Lalage leucomela*  
*Tringa brevipes*, 302  
   *flavipes*, 99, 239  
   *hypoleucos*, 299, 300  
   *incana*, 302  
   *nebularia*, 239  
   *totanus*, 239  
*Troglodytes troglodytes*, 125, 447  
 Trombulak, Stephen C., A bathing assembly of Blue-vented Hummingbirds (*Amazilia saucerottii*) in Costa Rica, 495–496  
 Tropicbird, Red-tailed, see *Phaethon rubricauda*  
   White-tailed, see *Phaethon lepturus*  
 Troy, Declan M., and Alan H. Brush, Pigments and feather structure of the redpolls, *Carduelis flammea* and *C. hornemanni*, 443–446  
 Trumpetbird, see *Phonygammmus keraudrenii*  
*Tryngites subruficollis*, 240  
*Turdus leucomelas*, 97  
   *migratorius*, 132, 161  
 Turkey, Wild, see *Meleagris gallopavo*  
 Turnstone, Black, see *Arenaria melanocephala*  
   Ruddy, see *Arenaria interpres*  
*Tympanuchus cupido*, 30–42, 496  
   (*Pedioecetes*) *phasianellus*, 30–42  
   *phasianellus*, 496  
*Tyrannus forficatus*, 210  
   *tyrannus*, 152, 208–219  
   *verticalis*, 210  
   *vociferans*, 210  
*Tyto aurantia*, 299, 300

## U

Udvardy, Miklos D. F., The role of the feet in behavioral thermoregulation of hummingbirds, 281–285  
*Uria aalge*, 43, 338  
*Uropsalis lyra*, 97

## V

Veery, see *Catharus fuscescens*  
*Veniliornis affinis*, 499  
 Verdin, see *Auriparus flaviceps*  
*Vermivora bachmanii*, 113  
   *celata*, 113  
   *chrysoptera*, 135, 141, 161  
   *luciae*, 358, 403, 461–466  
   *peregrina*, 113, 132, 141–150, 255, 308–322  
   *pinus*, 135, 141  
   *ruficapilla*, 113, 125, 141, 308–322  
*Vireo bellii*, 499–500  
   *griseus*, 152  
   *olivaceus*, 125  
   *philadelphicus*, 125  
   *solitarius*, 125  
 Vireo, Bell's, see *Vireo bellii*  
   Philadelphia, see *Vireo philadelphicus*  
   Red-eyed, see *Vireo olivaceus*  
   Solitary, see *Vireo solitarius*  
   White-eyed, see *Vireo griseus*

## W

Wagtail, Willie, see *Rhipidura leucophrys*  
 Warbler, Arctic, see *Phylloscopus borealis*  
   Bachman's, see *Vermivora bachmanii*  
   Bay-breasted, see *Dendroica castanea*  
   Black-and-white, see *Mniotilta varia*  
   Blackburnian, see *Dendroica fusca*  
   Blackpoll, see *Dendroica striata*  
   Black-throated Blue, see *Dendroica caerulescens*  
   Black-throated Gray, see *Dendroica nigrescens*  
   Black-throated Green, see *Dendroica virens*  
   Blue-winged, see *Vermivora pinus*  
   Canada, see *Wilsonia canadensis*  
   Cape May, see *Dendroica tigrina*  
   Chestnut-sided, see *Dendroica pensylvanica*  
   Golden-winged, see *Vermivora chrysoptera*  
   Kirtland's, see *Dendroica kirtlandii*  
   Lucy's, see *Vermivora luciae*  
   Magnolia, see *Dendroica magnolia*  
   Mourning, see *Oporornis philadelphia*  
   Nashville, see *Vermivora ruficapilla*  
   Orange-crowned, see *Vermivora celata*  
   Palm, see *Dendroica palmarum*  
   Pine, see *Dendroica pinus*  
   Prairie, see *Dendroica discolor*  
   Rufous-faced Thicket, see *Ortygocichla rubiginosa*  
   Tennessee, see *Vermivora peregrina*  
   Townsend's, see *Dendroica townsendi*  
   White-bellied, see *Basileuterus hypoleucos*  
   Willow, see *Phylloscopus trochilus*  
   Wilson's, see *Wilsonia pusilla*  
   Yellow, see *Dendroica petechia*  
   Yellow-rumped, see *Dendroica coronata*  
 Warham, John, The composition of petrel eggs, 194–199  
 Waterthrush, Northern, see *Seiurus noveboracensis*  
 Weatherhead, Patrick J., see Greenwood, Hamilton  
 Webber, Thomas A., Allopreening by Brown-headed Cowbirds, 249–250  
 Wehle, D. H. S., The food, feeding and development of young Tufted and Horned puffins in Alaska, 427–442  
 Whimbrel, see *Numenius phaeopus*  
   Little, see *Numenius minutus*

- Whistler, Golden, see *Pachycephala pectoralis*  
 Whistling-Duck, Fulvous, see *Dendrocygna bicolor*  
 White, Clayton M., see Jacobsen, Erling E., Jr.  
 White-eye, Black-headed, see *Zosterops hypoxantha*  
 Whittow, G. C., see Pettit, T. N.  
 Willet, see *Catoptrophorus semipalmatus*  
 Williams, Sartor O., III, Distribution and migration of the  
 Black Tern in Mexico, 376-378  
*Wilsonia canadensis*, 125, 308-322  
*pusilla*, 308-322  
 Winnett-Murray, Kathy, see Murray, Kelvin G.  
 Wittenberger, James F., A contextual analysis of two song  
 variants in the Bobolink, 172-184  
 Woodcock, American, see *Scolopax minor*  
 Eurasian, see *Scolopax rusticola*  
 Woodpecker, Black-backed (Three-toed), see *Picoides arc-*  
*ticus*  
 Cardinal, see *Dendropicos fuscescens*  
 Downy, see *Picoides pubescens*  
 Gila, see *Melanerpes uropygialis*  
 Hairy, see *Picoides villosus*  
 Imperial, see *Campophilus imperialis*  
 Ladder-backed, see *Picoides scalaris*  
 (Northern) Three-toed, see *Picoides tridactylus*  
 Nubian, see *Campethera nubica*  
 Pileated, see *Dryocopus pileatus*  
 Red-stained, see *Veniliornis affinis*  
 Wood-Pewee, Eastern, see *Contopus virens*  
 Western, see *Contopus sordidulus*  
 Woodstar, Amethyst, see *Calliphlox amethystina*  
 Wood-swallow, White-backed, see *Artamus insignis*  
 Woodward, Paul W., Behavioral ecology of fledgling  
 Brown-headed Cowbirds and their hosts, 151-163  
 Wren, Carolina, see *Thryothorus ludovicianus*  
 Musician, see *Cyphorhinus aradus*  
 Winter, see *Troglodytes troglodytes*  
 Wunderle, Joseph M., Jr., A shift in the morph ratio cline  
 in the Bananaquit on Grenada, West Indies, 365-  
 367

## X

*Xanthocephalus xanthocephalus*, 50, 455

## Y

Yellowlegs, Lesser, see *Tringa flavipes*  
 Yellowthroat, Common, see *Geothlypis trichas*

## Z

*Zenaida asiatica*, 92, 403  
*auriculata*, 502  
*macroura*, 404  
 Zerba, Eileen, and Martin L. Morton, Dynamics of in-  
 cubation in Mountain White-crowned Sparrows, 1-  
 11  
*Zonotrichia albicollis*, 125, 238  
*leucophrys*, 1-11, 403, 482, 491-494  
*Zosterops hypoxantha*, 301