

INDEX TO VOLUME 89

A

- Accipiter cooperii*, 393, 516, 936
 gentilis, 210, 387-394
 nissus, 484, 934, 936
 striatus, 932, 936
Activity budget, 24-39, 842-849
Adaptation, 192-194
Adult mortality, 549-565
Adults, 433-434
Aechmophorus occidentalis, 465, 817
Aegithalos caudatus, 835
Aegolius acadicus, 941
 funereus, 431-432
Aerial census, 752-730
 hawking, 721-730
Aerie site characteristics, 187-190
 use, 187-190
Agelaius phoeniceus, 413, 592, 663, 801
 tricolor, 308
Aggression, 768-778
Agonistic interaction, 731-738
Aix sponsa, 672-673
Akapea, see *Loxops coccineus*
Akiapolaau, see *Hemignathus munroi*
Alarm calls, 133-137, 936-940
Alaska, 685-696
Alauda arvensis, 90
Alca torda, 940-943
Alcidae, 940-943
Alectoris chukar, 594-601
Aleutian Islands, 433-434
Allen, George T., Prairie Falcon aerie site characteristics and aerie use in North Dakota, 187-190
Allotinus edulis, 566-580
Alpine, 788-797
Amakihi, Common, see *Hemignathus virens*
Amazilia beryllina, 357-363
 decora, 780
 violiceps, 357-363
Ammodramus maritimus, 705
 savannarum, 369
Amphispiza belli, 274, 702, 749
 bilineata, 920
Anairetes flavirostris, 654
Anas americana, 337
 clypeata, 880
 crecca, 112
 erythrorhyncha, 329
 platyrhynchos, 112, 329-339, 888
 rubripes, 338
Anchovy, 830-834
Andean birds, 654-658
Andelman, Sandy J., see Medvin, Mandy M.
Anderson, Daniel W., see Zink, Robert M.
Anderson, Stanley H., see Gutzwiller, Kevin J.
Ani, Groove-billed, see *Crotophaga sulcirostris*
Annual cycle, 549-565
 rainfall, 636-653
Anous stolidus, 57, 511
 tenuirostris, 57
Anser albifrons, 420

Antarctic Peninsula, 916-919

- Anthus spinolella*, 788-797
Antipredator behavior, 901-902
 models, 739-745
Anvers Island, 916-919
Apapane, see *Himatione sanguinea*
Aphelocoma coerulescens, 107, 124, 422
 ultramarina, 179, 422-424, 835-841
Aphriza virgata, 406-412
Apteryx australis, 55
Aquila chrysaetos, 188, 855
Archilochus colubris, 361, 887
Arctic, 126-132
 Alaska, 665-667
 gulls, 192-194
Ardea herodias, 531
Argentina, 349-356
Arizona, 925-928
Arnold, Todd W., Conspecific egg discrimination in American Coots, 675-676
Artificial nests, 925-928
Ashmole's hypothesis, 499-504
Asio flammeus, 37, 929-931
Asthenes dorbignyi, 654
Athene cunicularia, 670
Atlapetes albinucha, 674
 brunneinucha, 674
 citrinellus, 674
 melanocephalus, 674
 pileatus, 674
 rufinucha, 674
 torquatus, 674
 virenticeps, 674
Attu Island, 433-434
Auklet, Cassin's, see *Ptychoramphus aleuticus*
Auriolles, David, and Linas, Jorge, Western Gulls as a possible predator of California sea lion pups, 923-924
Auriparus flaviceps, 920
Avian cholera, 442-443
 eggshell, 663-665
 vocal learning, 261-275
Aviceda subcristata, 947
Aythya americana, 337, 675

B

- Baja California, 920-923
Baker, Myron C., see Cunningham, Michael A.
Balch, Lawrence G., see Tobisch, Theodore G., Jr.
Balda, Russell P., see Johnson, L. Scott
Ball, Gregory F., see Sims, M. Eleanor
Bancroft, G. Thomas, see Ogden, John C.
Bark-foraging birds, 201-204
Barlow, Jon C., see Lang, Anthony L.
Barn-Owl, Common, see *Tyto alba*
Basham, Michael P., and Mewaldt, L. Richard, Salt water tolerance and the distribution of south San Francisco Bay Song Sparrows, 697-709

- Bazely, Dawn R., Snow Buntings feeding on leaves of salt-marsh grass during spring migration, 190–192
- Bechard, M. J., see Johnson, C. G.
- Beecher, Michael D., see Medvin, Mandy M.
- Behavior, 117–125, 185–187, 602–609, 940–943
- Behavioral association, 731–738
- Bekoff, Marc, Scott, Abby Caul, and Conner, Douglas A., Nonrandom nest-site selection in Evening Grosbeaks, 819–829
- Bellbird, Three-wattled, see *Procnias tricarunculata*
- Benguela, 830–834
- Bernstein, Marvin H., see Webster, Marcus D.
- Best, Louis B., see Westmoreland, David
- Bilateral gynandromorphism, 911–913
- Bildstein, Keith L., see Petit, Daniel R.
- Bill-clicking, 117–125
length, 197–200
morphology, 566–580
- Bioacoustics, 406–412
- Biogeography, 788–797
- Bird community structure, 614–626
- Bird flocks, 739–745
habitat, 241–251
- Bishop's Oo, see *Moho bishopi*
- Blackbird, Brewer's, see *Euphagus cyanocephalus*
- Melodious, see *Dives dives*
- Red-winged, see *Agelaius phoeniceus*
- Rusty, see *Euphagus carolinus*
- Tri-colored, see *Agelaius tricolor*
- Yellow-headed, see *Xanthocephalus xanthocephalus*
- Blankspoor, Gilbert W., An improved procedure for counting pores in avian eggshells, 663–665
- Block, William M., With, Kimberly A., and Morrison, Michael L., On measuring bird habitat: influence of observer variability and sample size, 241–251
- Block, William M., see Brennan, Leonard A.
see Morrison, Michael L.
- Blue goose, 665–667
- Bluebird, Eastern, see *Sialia sialis*
- Boardman, Thomas J., see Cunningham, Michael A.
- Bobolink, see *Dolichonyx oryzivorus*
- Bobwhite, Northern, see *Colinus virginianus*
- Body conditions, 329–339
- Bombycilla cedrorum*, 293–306, 317, 899
- Booby, Blue-footed, see *Sula nebouxii*
Masked, see *Sula dactylatra*
- Booth, David T., and Seymour, Roger S., Effect of eggshell thinning on water vapor conductance of Malleefowl eggs, 453–459
- Bosakowski, Thomas, see Speiser, Robert
- Brachyramphus marmoratus*, 426–430, 942
- Brant, see *Branta bernicla*
- Branta bernicla*, 329, 666
canadensis, 329, 666, 892
leucopsis, 329
- Braune, Birgit M., Body morphometrics and molt of Bonaparte's Gulls in the Quoddy region, New Brunswick, Canada, 150–157
- Breeding-area fidelity, 549–565
behavior, 668–670
biology, 85–102, 819–827, 899–901
populations, 440–442
range, 431–432
- range shift, 752–759
- success, 668–670
- Brennan, Leonard A., Block, William M., and Gutiérrez, R. J., Habitat use by Mountain Quail in northern California, 66–74
- Briskie, James V., and Sealy, Spencer G., Responses of Least Flycatchers to experimental inter- and intraspecific brood parasitism, 899–901
- Brood parasites, 307–318
parasitism, 349–356, 675–676, 899–901
rearing, 420–422
size, 319–328
- Brooding, 486–493
- Brown, Jerram, L., see Strahl, Stuart D.
- Bubo virginianus*, 210, 434–436, 463, 670, 824, 856
- Budeau, David A., see Ely, Craig R.
- Bunting, Painted, see *Passerina ciris*
Snow, see *Plectrophenax nivalis*
- Burger, Joanna, Physical and social determinants of nest-site selection in Piping Plover, 811–818
- Burrowing, 668–670
- Buteo jamaicensis*, 173, 188, 393, 824, 847
lineatus, 393, 515
magnirostris, 133–137
platypterus, 393
polyosoma, 585
regalis, 169–174
swainsoni, 676
- Byrkjedal, Ingvar, Antipredator behavior and breeding success in Greater Golden-Plover and Eurasian Dotterel, 40–47
- C**
- Cactus cela*, 508, 731–738
haemorrhous, 580
solitarius, 135
- Cacique, Solitary Black, see *Cacicus solitarius*
- Cairns, D. K., The ecology and energetics of chick provisioning by Black Guillemots, 627–635
- Calidris alpina*, 411
bairdii, 411
fuscomollis, 252–260
himantopus, 411
maritima, 46
minutilla, 411
ptilocnemis, 411
pusilla, 411
tenuirostris, 406
- Callipepla californica*, 72, 395–405, 521, 705
douglasii, 403
gambelii, 403, 598
- Calls, 500–509
- Calypte anna*, 103–111
costae, 920
- Campephilus principalis*, 217
- Cannibalism, 442–443
- Capelin, 426–430
- Capsiempis flaveola*, 83
- Carbohydrates, 48–65
- Cardellina rubrifrons*, 926
- Carduelis tristis*, 644
- Carl, Robert A., Age-class variation in foraging techniques by Brown Pelicans, 525–533

- Carmi-Winkler, Nurit, Degen, A. Allan, and Pinshow, Berry, Seasonal time-energy budgets of free-living Chukars in the Negev desert, 594–601
- Carpodacus cassini*, 552
mexicanus, 17, 90, 644, 702, 749
- Cartar, Ralph V., and Montgomerie, Robert D., Day-to-day variation in nest attentiveness of White-rumped Sandpipers, 252–260
- Casmerodus albus*, 414
- Cathartes macrourus*, 916
lonnbergi, 916–919
skua, 737
- Cathartes aura*, 483
- Catharus guttatus*, 925
ustulatus, 162
- Cavity, 659–662
 -nesting birds, 534–548, 710–720
- Censuses, 293–306
- Central Chile, 907–911
- Cephus columba*, 340–348, 427, 633
grylle, 346, 627–635
- Certhia americana*, 201, 740
familiaris, 63
- Chaffinch, Common, see *Fringilla coelebs*
- Chalybura urochrysia*, 785
- Charadrius alexandrinus*, 114
hiaticula, 46
melodus, 811–818
morinellus, 40–47
vociferus, 880
- Chasiempis sandwichensis*, 90
- Chat, Yellow-breasted, see *Icteria virens*
- Chen caerulescens*, 190, 329, 665–667, 801
rossii, 665–667
- Cheng, Mei-Fang, see Sims, M. Eleanor.
- Chick diet, 627–635
 energy intake, 627–635
 growth, 627–635
 loss, 40–47
- Chickadee, Black-capped, see *Parus atricapillus*
 Chestnut-backed, see *Parus rufescens*
 Mountain, see *Parus gambeli*
- Chicken, see *Gallus domesticus* or *Gallus gallus*
- Chile, 654–658
- Chiroxiphia caudata*, 578
- Chisos Mountains, 422–424
- Chlorophonia cyanea*, 569
- Chondestes grammacus*, 369–376
- Chukar, see *Alectoris chukar*
- Ciconia ciconia*, 483
- Ciconiiformes, 602–609
- Circus cyaneus*, 929–931
- Cistothorus palustris*, 195, 307–318
- Clendenen, David, A., see Snyder, Noel F. R.
- Clutch size, 85–102, 369–376, 486–493
- Coccothraustes vespertinus*, 819–827
- Coevolution, 117–125
- Colaptes auratus*, 201, 357–363, 537, 624, 644, 659, 712
melanochloros, 134
- Colinus virginianus*, 521, 596, 888
- Collias, Nicholas E., The vocal repertoire of the Red Junglefowl: a spectrographic classification and the code of communication, 510–524
- Colonial nesting, 177–178
- Coloniality, 940–943
- Colonization, 788–797
- Colony attendance, 340–348
 census, 752–759
- Colorado, 668–670, 869–873
 Rocky Mountains, 819–827
- Columba livia*, 490, 866
palumbus, 491
- Columbiformes, 863–868
- Columbina inca*, 185–187
passerina, 186
- Communal breeding, 422–424
- Communication, 731–738
- Community dynamics, 636–653
- Condor, California, see *Gymnogyps californianus*
- Conductance, 453–459
- Cone pigment, 434–436
- Conifer forest, 614–626
- Coniferous forests, 739–745
- Conirostrum cinereum*, 657
ferrugineiventre, 657
rufum, 657
tamarugense, 654–658
- Conner, Douglas A., see Bekoff, Marc
- Conopius inornata*, 83
- Contopus sordidulus*, 177
- Conuropsis carolinensis*, 217
- Cooperative breeding, 835–841
- Coot, American, see *Fulica americana*
 Eurasian, see *Fulica atra*
- Coragyps atratus*, 483
- Cormorant, Bank, see *Phalacrocorax neglectus*
 Brandt's, see *Phalacrocorax penicillatus*
 Cape, see *Phalacrocorax capensis*
 Flightless, see *Nannopterum harrisi*
 Great, see *Phalacrocorax carbo*
 Little Pied, see *Phalacrocorax melanoleucus*
 Long-tailed, see *Phalacrocorax africanus*
 Pelagic, see *Phalacrocorax pelagicus*
 Pied, see *Phalacrocorax varius*
 Red-faced, see *Phalacrocorax urile*
 Stewart Island, see *Phalacrocorax chalconotus*
- Corvidae, 422–424, 494–499, 835–841
- Corvus brachyrhynchos*, 175–177, 463, 808, 816
corax, 40, 688, 824
corone, 494–499
ossifragus, 414
- Coryphosphingus cucullatus*, 579
- Coturnix chinensis*, 190
coturnix, 926
- Coulter, Malcolm C., see Valle, Carlos A.
- Counting pores, 663–665
- Cowbird, Bay-winged, see *Molothrus badius*
 Brown-headed, see *Molothrus ater*
 Screaming, see *Molothrus rufoaxillaris*
 Shiny, see *Molothrus bonariensis*
- Crane, Whooping, see *Grus americana*
- Creagrus furcatus*, 59, 193
- Creeper, Brown, see *Certhia americana* Maui, see *Paroreomyza montana*
- Crogale, Michael, see Jacobs, Gerald H.
- Crop milk, 486–493
- Crotophaga sulcirostris*, 13
- Crow, American, see *Corvus brachyrhynchos*

- Fish, see *Corvus ossifragus*
 Hooded, see *Corvus corone*
 Cuckoo, Cocos, see *Coccyczus ferrugineus*
 Guira, see *Guira guira*
 Cunningham, Michael A., Baker, Myron C., and Boardman, Thomas J., Microgeographic song variation in the Nuttall's White-crowned Sparrow, 261–275
Cyanocitta cristata, 848
stelleri, 124, 422, 644, 925
Cyanocorax yncas, 11
chrysops, 578
Cyanopica cyana, 835–841
Cygnus columbianus, 420–422
 Cystine, 436–439
- D**
- Dacnis cayana*, 569
 Darwin, 510–524
 Dawson, William R., Ligon, J. David, Murphy, Joseph R., Myers, J. P., Simberloff, Daniel, and Verner, Jared, Report of the Scientific Advisory Panel on the Spotted Owl, 205–229
 DDE, 460–467
 Deceptive mimicry, 261–275
 Degen, A. Allan, see Carmi-Winkler, Nurit
 Delayed breeding, 182–185
 de L. Brooke, M., Population estimates and breeding biology of the petrels *Pterodroma externa* and *P. longirostris* on Isla Alejandro Selkirk, Juan Fernandez Archipelago, 581–586
Delichon urbica, 130, 776
Dendragapus obscurus, 182–185
Dendroica caerulescens, 166
coronata, 625
discolor, 313
dominica, 369
kirtlandii, 313
occidentalis, 242
pensylvanica, 848
petechia, 317, 899
pinus, 369
 DeSante, David F., and Geupel, Geoffrey R., Landbird productivity in central coastal California: the relationship to annual rainfall, and a reproductive failure in 1986, 636–653
 Desert phasianid, 594–601
 De Smet, Ken D., Organochlorines, predators, and reproductive success of the Red-necked Grebe in Southern Manitoba, 460–467
 Detectability, 40–47
 Dialects, 1–23
 Diet, 830–834
 Differential age-class foraging, 525–533
Diglossa baritula, 357–363
 Discriminant function, 929–931
 Disjunct floodplain communities, 710–720
 Dispersal, 138–149
 Dispersers, 293–306
 Distraction display, 40–47
 Distribution, 594–601
Dives dives, 671
Dolichonyx oryzivorus, 325
 Domestic fowl, 510–524
- Dominance, 932–935, 936–940
 Dotterel, Eurasian, see *Charadrius morinellus*
 Doubly-labeled water, 126–132
 Dove, Inca, see *Columbina inca*
 Mourning, see *Zenaida macroura*
 Rock, see *Columba livia*
 Turtle, see Turtle-Dove
 Dowitcher, Long-billed, see *Limnodromus scolopaceus*
 Short-billed, see *Limnodromus griseus*
Dryocopus pileatus, 201, 384, 742
 Duck, American Black, see *Anas rubripes*
 Ruddy, see *Oxyura jamaicensis*
 Duetting, 75–84
 Duffy, David Cameron, Wilson, Rory Paul, and Wilson, Marie Pierre, Spatial and temporal patterns of diet in the Cape Cormorant off southern Africa, 830–834
 Dunlin, see *Calidris alpina*
 Dunn, E. H., see Aubin, A. E.
- E**
- Eagle, Bald, see *Haliaeetus leucocephalus*
 Golden, see *Aquila chrysaetos*
 White-tailed, see *Haliaeetus albicilla*
 Earthcreeper, White-throated, see *Upucerthia albicula*
 Ecology, 923–924
 Ecuador, 673–674
 Effective territory, 85–102
 Egg composition, 48–65, 364–368
 data slips, 369–376
 discrimination, 675–676
 laying dates, 369–376
 sequence, 364–368
 size, 364–368, 798–803
 variation, 364–368
 volume, 494–499
 Eggs, 874–898
 Eggshell, 453–459
 Egret, Great, see *Casmerodius albus*
 Eguiarte, Luis E., see Martinez del Rio, Carlos
Elaenia albiceps, 577
 flavogaster, 577
 parvirostris, 577
 spectabilis, 577
Elanus caeruleus, 907–911, 947
Electron carinatum, 478
 platyrhynchum, 478
 Electrophoresis, 395–405
 Elepaio, see *Chasiempis sandwichensis*
 El Niño, 276–281, 440–442
 Ely, Craig R., Budeau, David A., and Swain, Una G., Aggressive encounters between Tundra Swans and Greater White-fronted Geese during brood rearing, 420–422
 Emberizinae, 673–674
 Embryonic growth, 494–499
 Embryos, 874–898
Empidonax alnorum, 75
 minimus, 899–901
 oberholseri, 880
 traillii, 76
Empidonax varius, 578
 Endangered species, 24–39

- Endocrine abnormality, 911–913
 Energy availability, 103–111
 ENSO, 276–281
 Escano, Ronald, see Hayward, Gregory D.
 Eschler, Jami G., see Fajer, Eric D.
Eudocimus albus, 413–419, 602–609
Eudyptes chrysocome, 880
Eugenes fulgens, 357–363
Euphagus carolinus, 369
 –*cyancephalus*, 317, 372
 Euphausiids, 426–430
Euphonia, Thick-billed, see *Euphonia laniirostris*
Euphonia chlorotica, 579
 –*laniirostris*, 136
 –*pectoralis*, 580
 –*violacea*, 569
Eutoxeres aquila, 779–787
 Existence energy, 566–580
 Extra adults, 179–182
 –pair copulation, 112–116
 Eye size, 192–194
- F**
- Facultative manipulation, 798–803
 Fajer, Eric D., Schmidt, Karen J., and Eschler, Jami G., Acorn Woodpecker predation on Cliff Swallow nests, 177–178
Falco aeraea, 913
 –*eleonorae*, 677
 –*mexicanus*, 187–190
 –*punctatus*, 913
 –*sparverius*, 537, 677, 712, 842–849, 911–913
 –*vespertinus*, 677
 Falcon, Eleonora's, see *Falco eleonorae*
 Prairie, see *Falco mexicanus*
 Western Red-footed, see *Falco vespertinus*
 Falconiforms ectoparasites, 671–672
 Falls, J. Bruce, see Jones, Ian L.
 Feathers, 436–439
 Fecal sac removal, 610–613
 Feeding, 835–841
 –behavior, 442–443
 –efficiency, 566–580
 –habitat selection, 627–635
 Female choice, 103–111, 182–185
 competition, 902–906
 pairs, 902–906
 Fenwick, John, see Jacobs, Gerald H.
Ficedula hypoleuca, 592
 Ficken, Millicent S., and Ficken, Robert W., Bill-sweeping behavior of a Mexican Chickadee, 901–902
 Ficken, Millicent S., Weise, Charles M., and Reinartz, James A., A complex vocalization of the Black-capped Chickadee. II. Repertoires, dominance, and dialects, 500–509
 Ficken, Robert W., see Ficken, Millicent S.
 Field metabolic rate, 126–132
 Fieldfare, see *Turdus pilaris*
 Finch, Cassin's, see *Carpodacus cassini*
 Cocos, see *Pinaroloxias inornata*
 House, see *Carpodacus mexicanus*
 Olive, see *Lysurus castaneiceps*
 Sooty-faced, see *Lysurus crassirostris*
- Zebra, see *Poephila guttata*
 Fire, 614–626
 First egg date, 587–593
 First nest, 433–434
 Fish, Brian E., see Mead, Paul S.
 Fitch, Mary A., see Shugart, Gary W.
 Flamingo, Greater, see *Pheonicopterus ruber*
 Fledgling behavior, 138–149
 Fleischer, Robert C., see Rothstein, Stephen I.
 Flicker, Curve-billed, see *Toxostoma curvirostre*
 Green-barred, see *Colaptes melanochloros*
 Northern, see *Colaptes auratus*
 Flight capacity, 329–339
 –whistle, 1–23
 Floaters, 902–906
 Flock size, 602–609
 Flocking, 676–678
 –behavior, 24–39, 739–745
 Flooding, 869–873
 Floodplain woodlands, 534–548
 Florida, 525–533
 Flower-piercer, Cinnamon-bellied, see *Diglossa baritula*
 Flycatcher, Alder, see *Empidonax alnorum*
 Cocos, see *Nesotriccus ridgwayi*
 Dusky, see *Empidonax oberholseri*
 Least, see *Empidonax minimus*
 Pied, see *Ficedula hypoleuca*
 Scissor-tailed, see *Tyrannus forficatus*
 Willow, see *Empidonax traillii*
 Follicular development, 112–116
 Food availability, 340–348
 –consumption, 126–132
 –quality, 329–339
 –shortage, 195–197
 –source, 916–919
 Foraging, 525–533, 602–609, 779–787, 842–849, 936–940
 –behavior, 357–363, 24–39, 158–168, 201–204, 721–730
 –efficiency models, 739–745
 –fragments, 534–548
 –guild, 614–626
 –habitat, 426–430
 –preferences, 293–306
 Forbes, Richard B., see Withers, Philip C.
 Foster, Mercedes S., Feeding methods and efficiencies of selected frugivorous birds, 566–580
 Fox, Glen A., see Shugart, Gary W.
 Fraga, Rosendo M., Vocal mimicry in the Epaulet Oriole, 133–137
Fratercula arctica, 347
 –*corniculata*, 115
 Frederick, Peter, Chronic tidally-induced nest failure in a colony of White Ibises, 413–419
 Freed, Leonard A., Rufous-and-white Wrens kill House Wren nestlings during a food shortage, 195–197
Fregata minor, 307, 487–492
Fringilla coelebs, 555, 747
 Frugivory, 566–580
 Fruit, 293–306
 Fujioka, Masahiro, see Komeda, Shigemoto
Fulica americana, 442–443, 675–676, 804–810
 –*atra*, 337
 Fulmar, Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 115, 347, 685–696

Furnarius rufus, 134

Fyfe, Richard W., see Schmutz, Josef K.

G

- Gabrielsen, Geir Wing, Mehlum, Fridtjof, and Nagy, Kenneth A., Daily energy expenditure and energy utilization of free-ranging Black-legged Kittiwakes, 126–132
- Galapagos, 276–281, 440–442
- Gallinula chloropus*, 442
- Gallus domesticus*, 114, 453
gallus, 510–524
lafayettii, 517
sonneratii, 517
varius, 517
- Gannet, Cape, see *Morus capensis*
 Northern, see *Sula bassanoides*
- Gape width, 293–306
- Garrulax canorus*, 90
- Garton, Edward O., see Hayward, Gregory D.
- Garza de Leon, Aldeguendo, Unusual records from Coahuila, Mexico, 672–673
- Gaston, Anthony J., see Jones, Ian L.
- Gavia immer*, 672–673
- Gene flow, 169–174, 395–405
- Generalist, 566–580
- Genetic adaptation, 261–275
 variation, 395–405
- Geographic variation, 395–405, 422–424, 746–751
- George, T. Luke, Nesting phenology of landbirds in Baja California, 920–923
- Geothlypis trichas*, 313, 872
- Geupel, Geoffrey R., see DeSante, David F.
- Giant-Petrel, Antarctic, see *Macronectes giganteus*
- Gibbs, H. Lisle, Latta, Steven C., and Gibbs, James P., Effects of the 1982–83 El Niño event on Blue-footed and Masked booby populations on Isla Daphne Major, Galápagos, 440–442
- Gibbs, James P., see Gibbs, H. Lisle
- Gill, Frank B., Ecological fitting: use of floral nectar in *Heliconia stilesii* Daniels by three species of hermit hummingbirds, 779–787
- Gill, Frank B., see Schulenberg, Thomas S.
- Gnatcatcher, Blue-gray, see *Polioptila caerulea*
 Black-tailed, see *Polioptila melanura*
- Goad, M. Susanna, and Mannan, R. William, Nest site selection by Elf Owls in Saguaro National Monument, Arizona, 659–662
- Goldcrest, see *Regulus regulus*
- Goldeneye, Barrow's, see *Bucephala islandica*
- Goldfinch, American, see *Carduelis tristis*
 European, see *Carduelis carduelis*
- González, Fernando, see Ifígo E., Eduardo
- Goose, Barnacle, see *Branta leucopsis*
 Canada, see *Branta canadensis*
 Greater White-fronted, see *Anser albifrons*
 Ross', see *Chen rossii*
 Snow, see *Chen caerulescens*
- Goshawk, Northern, see *Accipiter gentilis*
- Grackle, Boat-tailed, see *Quiscalus major*
 Common, see *Quiscalus quiscula*
 Great-tailed, see *Quiscalus mexicanus*
- Grallina cyanoleuca*, 947
- Grass leaves, 190–192
- Grasshoppers, 676

Grassland, 169–174

Grebe, Eared, see *Podiceps nigricollis*Great-crested, see *Podiceps cristatus*Horned, see *Podiceps auritus*Pied-billed, see *Podilymbus podiceps*Red-necked, see *Podiceps grisegena*Western, see *Aechmophorus occidentalis*

Green, Michael T., see Miller, Jon H.

Greenberg, Russell, Seasonal foraging specialization in the Worm-eating Warbler, 158–168

Grosbeak, Blue, see *Guiraca caerulea*Evening, see *Coccothraustes vespertinus*Rose-breasted, see *Pheucticus ludovicianus*

Group defense, 177–178

living, 835–841

size, 422–424

Grouse, Blue, see *Dendragapus obscurus*

Grout, Daniel J., see Knight, Richard L.

Growth rates, 486–493

Grubb, Thomas C., Jr., see Waite, Thomas A.

Grundel, Ralph, Determinants of nestling feeding rates and parental investment in the Mountain Chickadee, 319–328

Guillemot, Black, see *Cephus grylle*Pigeon, see *Cephus columba**Guira guira*, 134*Guiraca caerulea*, 369Gull, Bonaparte's, see *Larus philadelphia*California, see *Larus californicus*Glaucous-winged, see *Larus glaucescens*Gray, see *Larus modestus*Hartlaub's, see *Larus hartlaubi*Heermann's, see *Larus heermanni*Herring, see *Larus argentatus*Ivory, see *Pagophila eburnea*Kelp, see *Larus dominicanus*Laughing, see *Larus atricilla*Lesser Black-backed, see *Larus fuscus*Mew, see *Larus canus*Ring-billed, see *Larus delawarensis*Ross', see *Rhodostethia rosea*Silver, see *Larus novaehollandiae*Swallow-tailed, see *Creagrus furcatus*Western, see *Larus occidentalis*

Gunn, William W. H., see Miller, Edward H.

Gutiérrez, R. J., see Brennan, Leonard A.

Gutzwiller, Kevin J., and Anderson, Stanley H., Multiscale associations between cavity-nesting birds and features of Wyoming streamside woodlands, 534–565

Gutzwiller, Kevin J., and Anderson, Stanley H., Short-term dynamics of cavity-nesting bird communities in disjunct floodplain habitats, 710–720

Gygis alba, 57*Gymnogyps californianus*, 214, 468–485*Gymnorhinus cyanocephalus*, 123, 835*Gyps africanus*, 481*rueppellii*, 481**H**

Habitat analyses, 819–827

availability, 66–74

fragments, 710–720

measurement, 241–251

quality, 842–849
 selection, 24–39, 66–74, 387–394, 534–548, 850–862
 use, 66–74
Haliaeetus albicilla, 433–434
leucocephalus, 176, 433, 935, 941
 Handling time, 117–125, 566–580
Harpia harpyja, 671–672
 Harrier, Northern, see *Circus cyaneus*
 Hatch, Scott A., Adult survival and productivity of Northern Fulmars in Alaska, 685–696
 Hatching, 494–499
 Hatchling size, 494–499
 Hawaii, 85–102
 Hawaiian Islands, 24–39
 Hawk, Cooper's, see *Accipiter cooperii*
 Ferruginous, see *Buteo regalis*
 Galápagos, see *Buteo galapagoensis* Harpy, see *Harpia harpyja*
 Red-shouldered, see *Buteo lineatus*
 Red-tailed, see *Buteo jamaicensis*
 Roadside, see *Buteo magnirostris*
 Sharp-shinned, see *Accipiter striatus*
 Swainson's, see *Buteo swainsoni*
 Hawk-Eagle, Ornate, see *Spizaetus ornatus*
 Hayward, Gregory D., Hayward, Patricia H., Garton, Edward O., and Escano, Ronald, Revised breeding distribution of the Boreal Owl in the northern Rocky Mountains, 431–432
 Hayward, Patricia H., see Hayward, Gregory D.
 Heat stress, 850–862
 Hedrick, Michael S., see Withers, Philip C.
 Helper, 835–841
Hemignathus lucidus, 34
 munroi, 33
 virens, 36, 85–102
Hemithraupis guira, 574
 Hen, Heath, see *Tympanachus cupido*
 Heron, Great Blue, see *Ardea herodias*
 High elevation forest birds, 925–928
 Hill, Brad G., and Lein, M. Ross, Function of frequency-shifted songs of Black-capped Chickadees, 914–915
Himatione sanguinea, 32
Hirundo pyrrhonota, 177–178, 775
 rustica, 145, 178, 179–182, 644
 Historical status, 788–797
 Hole-nesting, 901–902
 Holt, Denver W., Techniques for differentiating pellets of Short-eared Owls and Northern Harriers, 929–931
 Honest convergence, 1–23
 Honeycreeper, Crested, see *Palmeria dolei*
 Hornero, Rufous, see *Furnarius rufus*
 House-Martin, Common, see *Delichon urbica*
 Hovering, 907–911
 Huddling, 185–187
 Hudson Bay, 190–192
 Hummingbird, Anna's, see *Calypte anna*
 Band-tailed Barbetthroat, see *Threnetes ruckeri*
 Berylline, see *Amazilia beryllina*
 Blue-throated, see *Lampornis clemenciae*
 Broad-tailed, see *Selasphorus platycerus*
 Calliope, see *Stellula calliope*
 Costa's, see *Calypte costae*
 Long-tailed Hermit, see *Phaethornis superciliosus*

Magnificent, see *Eugenes fulgens*
 Ruby-throated, see *Archilochus colubris*
 Rufous, see *Selasphorus rufus*
 Violet-crowned, see *Amazilia violiceps*
 White-eared, see *Hylocharis leucotis*
 White-tipped Sicklebill, see *Eutoxeres aquila*
 Hunting behavior, 907–911

Hutto, Richard L., A description of mixed-species insectivorous bird flocks in Western Mexico, 282–292

Hybridization, 377–386
Hylocharis leucotis, 357–363

I

Ibis, Sacred, see *Threskiornis aethiopicus*
 White, see *Eudocimus albus*
Icteria virens, 872
Icterus cayanensis, 133–137
 galbula, 317, 357–363, 869, 899
 parisorum, 357–363
 spurius, 869
 Iiwi, see *Vestiaria coccinea*
 Illinois, 746–751
 Immature, 433–434
 Incubation, 369–376, 874–898
 behavior, 252–260
 Indigobird, Village, see *Vidua chalybeata*
 Infanticide, 195–197
 Information, 731–738
 Ingalls, Victoria A., see Kroodsma, Donald E.
 Igno E., Eduardo, Ramos, Mario, and González, Fernando, Two recent records of neotropical eagles in southern Veracruz, Mexico, 671–672
 Insect abundance, 920–923
 integument, 863–868
 Insectivorous bird, 158–168, 282–292
 Interspecific aggression, 420–422
 competition, 195–197
 Intraspecific parasitism, 899–901
 Island, 75–84
 -biogeographic theory, 710–720
 biogeography, 549–565
 -mainland, 920–923

J

Jacobs, Gerald H., Cognale, Michael, and Fenwick, John, Cone pigment of the Great Horned Owl, 434–436
 Jaeger, Parasitic, see *Stercorarius parasiticus*
 Pomarine, see *Stercorarius pomarinus*
 Jaksic, Fabian M., Rozzi, Ricardo, Labra, Antonieta, and Jiménez, Jaime E., The hunting behavior of Black-shouldered Kites (*Elanus caeruleus leucurus*) in Central Chile, 907–911
 Jamieson, Ian G., see Lewis, Richard A.
 Jay, Blue, see *Cyanocitta cristata*
 Mexican, see *Aphelocoma ultramarina*
 Pinyon, see *Gymnorhinus cyanocephalus*
 Scrub, see *Aphelocoma coerulescens*
 Steller's, see *Cyanocitta stelleri*
 Jehl, Joseph R., Jr., and Mahoney, Sheila A., The roles of thermal environment and predation in habitat choice in the California Gull, 850–862
 Jiménez, Jaime E., see Jaksic, Fabian M.

- Johnson, C. G., Nickerson, L. A., and Bechard, M. J., Grasshopper consumption and summer flocks of nonbreeding Swainson's Hawks, 676-678
- Johnson, Eric V., see Snyder, Noel F. R.
- Johnson, L. Scott, Marzluff, John M., and Balda, Russell P., Handling of pinyon pine seed by the Clark's Nutcracker, 117-125
- Johnson, Stephen R., and Troy, Declan M., Nesting of the Ross' Goose and blue-phase Snow Goose in the Sagavanirktok River delta, Alaska, 665-667
- Jones, Ian L., Falls, J. Bruce, and Gaston, Anthony J., Colony departure of family groups of Ancient Murrelets, 940-943
- Junco, Dark-eyed, see *Junco hyemalis*
- Junco hyemalis*, 199, 242, 740
- Junglefowl, Ceylon, see *Gallus lafayettei*
- Gray, see *Gallus sonneratii*
- Green, see *Gallus varius*
- Red, see *Gallus gallus*
- Juvenal plumage, 760-767
- K**
- Kestrel, American, see *Falco sparverius*
- Mauritius, see *Falco punctatus*
- Seychelles, see *Falco araea*
- Killdeer, see *Charadrius vociferus*
- King, James R., and Murphy, Mary E., Amino acid composition of the calamus, rachis, and barbs of White-crowned Sparrow feathers, 436-439
- King, James R., and Mewaldt, L. Richard, The summer biology of an unstable insular population of White-crowned Sparrows in Oregon, 549-565
- Kingbird, Cassin's, see *Tyrannus vociferans*
- Gray, see *Tyrannus dominicensis*
- Tropical, see *Tyrannus melancholicus*
- Western, see *Tyrannus verticalis*
- Kinglet, Golden-crowned, see *Regulus satrapa*
- Ruby-crowned, see *Regulus calendula*
- Kiskadee, Great, see *Pitangus sulphuratus*
- Kite, Black-shouldered, see *Elanus caeruleus*
- Kittiwake, Black-legged, see *Rissa tridactyla*
- Red-legged, see *Rissa brevirostris*
- Kiwi, see *Apteryx australis*
- Knight, Richard L., Grout, Daniel J., and Temple, Stanley A., Nest-defense behavior of the American Crow in urban and rural areas, 175-177
- Knopf, Fritz L., and Sedgwick, James A., Latent population responses of summer birds to a catastrophic, climatological event, 869-873
- Knot, Red, see *Calidris canutus*
- Great, see *Calidris tenuirostris*
- Komeda, Shigemoto, Yamagishi, Satoshi, and Fujioka, Masahiro, Cooperative breeding in Azure-winged Magpies, *Cyanopica cyana*, living in a region of heavy snowfall, 835-841
- Kroodsma, Donald E., Ingalls, Victoria A., Sherry, Thomas W., and Werner, Tracey K., Songs of the Cocos Flycatcher: vocal behavior of a suboscine on an isolated oceanic island, 75-84
- L**
- Labra, Antonieta, see Jaksic, Fabian M.
- Lagopus leucurus*, 795
- Lampornis clemenciae*, 357-363
- Landbirds, 636-653, 920-923
- Lang, Anthony L., and Barlow, Jon C., Syllable sharing among North American populations of the Eurasian Tree Sparrow, 746-751
- Larus argentatus*, 366, 809, 902-906
- atricilla*, 366, 414, 809
- californicus*, 850-862
- canus*, 40
- delawarensis*, 193, 364-368, 413, 801
- dominicanus*, 860
- fuscus*, 364
- glaucescens*, 688, 942
- hartlaubi*, 830
- heermannii*, 892
- hyperboreus*, 421, 666
- modestus*, 880
- novaehollandiae*, 436
- occidentalis*, 346, 366, 859, 889, 923-924
- philadelphicus*, 150-157, 193
- Latta, Steven C., see Gibbs, H. Lisle
- Laughing-thrush, Melodious, see *Garrulax canorus*
- Lein, M. Ross, see Hill, Brad G.
- Leiothrix, Red-billed, see *Leiothrix lutea*
- Leiothrix lutea*, 90
- Leipoa ocellata*, 63, 453-459
- Leptasthenura andicola*, 658
- striata*, 654
- Lewis, Richard A., and Jamieson, Ian G., Delayed breeding in yearling male grouse: an evaluation of two hypotheses, 182-185
- Ligon, J. David, see Dawson, William R.
- Lipids, 48-65
- Livezey, Bradley G., Personal perspectives and lack of data underlie different interpretations of interspecific aggression, 444-445
- Llinas, Jorge, see Auriolles, David
- Logistic regression, 66-74
- Lombardo, Michael P., Attendants at Tree Swallow nests. II. The exploratory-dispersal hypothesis, 138-149
- Lombardo, Michael P., Attendants at Tree Swallow nests. III. Parental responses to live and stuffed-model attendants, 768-778
- Loon, Common, see *Gavia immer*
- Lophodytes cucullatus*, 672-673
- Lott, Dale F., see Zink, Robert M.
- Loxoides bailleui*, 90
- Loxops coccineus*, 37
- Luscinia megarhynchos*, 274
- Lyrebird, see *Menura superba*
- Lysurus castaneiceps*, 673-674
- crassirostris*, 673-674
- M**
- MacLean, Stephen F., Jr., see Miller, Edward H.
- Macronectes giganteus*, 887
- Magpie, Azure-winged, see *Cyanopica cyana*
- European, see *Pica pica*
- Maher, William J., see Sutherland, James M.
- Mahoney, Sheila A., see Jehl, Joseph R., Jr.
- Malarus campbelli*, 947
- grayi*, 947
- Mallard, see *Anas platyrhynchos*
- Mallee Fowl, see *Leipoa ocellata*

- Malleefowl, see *Leipoa ocellata*
 Mannan, R. William, see Goad, M. Susanna
 Martin, Purple, see *Progne subis*
 Martin, Thomas E., Artificial nest experiments: effects of nest appearance and type of predator, 925–928
 Martinez del Rio, Carlos, and Eguiarte, Luis E., Bird visitation to *Agave salmiana*: comparisons among hummingbirds and perching birds, 357–363
 Marzluff, John M., see Johnson, L. Scott
 Mason, Paul, Pair formation in cowbirds: evidence found for Screaming but not Shiny cowbirds, 349–356
 Mass loss, 453–459
 Mate choice, 1–23, 587–593
 fidelity, 916–919
 guarding, 112–116
 Mating systems, 349–356
 McCrimmon, Donald A., Jr., see Ogden, John C.
 McNair, Douglas B., Egg data slips—are they useful for information on egg-laying dates and clutch size?, 369–376
 McPherson, Jean M., A field study of winter fruit preferences of Cedar Waxwings, 293–306
 Mead, Paul S., Morton, Martin L., and Fish, Brian E., Sexual dimorphism in egg size and implications regarding facultative manipulation of sex in mountain White-crowned Sparrows, 798–803
 Meathrel, Catherine E., and Ryder, John P., Intralutch variation in the size, mass and composition of Ring-billed Gull eggs, 364–368
 Medvin, Mandy M., Beecher, Michael D., and Andelman, Sandy J., Extra adults at the nest in Barn Swallows, 179–182
 Mehlholz, Fridtjof, see Gabrielsen, Geir Wing
Melamprosops phaeosoma, 37
 carolinus, 377–386
Melanerpes aurifrons, 377–386
 carolinus, 377–386
 erythrocephalus, 537, 712
 formicivorus, 177, 835
 hoffmannii, 377
 superciliaris, 377
 uropygialis, 377, 659
Melanitta perspicillata, 672–673
Melanotus caerulescens, 358
Meleagris gallopavo, 114
Melospiza melodia, 98, 313, 697–709, 880
Menura superba, 59
 Merganser, Hooded, see *Lophodytes cucullatus*
 Metabolism, 424–426
 Mewaldt, L. Richard, see Basham, Michael W.
 see King, James R.
 Mexican raptors, 671–672
 Mexico, 282–292
 Migratory birds, 138–149, 150–157, 169–174, 282–292
 Miller, Edward H., Gunn, William W. H., and MacLean, Stephen F., Jr., Breeding vocalizations of the Surfbird, 406–412
 Miller, Jon H., and Green, Michael T., Distribution, status, and origin of Water Pipits breeding in California, 788–797
 Millsap, Brian A., and Millsap, Patricia A., Burrow nesting by Common Barn-Owls in north central Colorado, 668–670
 Millsap, Patricia A., see Millsap, Brian A.
 Milne, Kathleen A., see Morrison, Michael L.
Mimus saturninus, 135, 353
Mionectes rufigularis, 569
 Mist-netting, 636–653
 Mixed coniferous-deciduous forests, 925–928
 Mixed-species flocks, 282–292
Mniotilla varia, 159
 Mockingbird, Blue, see *Melanotis caerulescens*
 Chalk-browed, see *Mimus saturninus*
Moho bishopi, 37
Molothrus ater, 1–23, 218, 307–318, 370, 560, 899–901
 badius, 136, 349
 bonariensis, 308, 349–356
 rufoaxillaris, 349–356
 Molt, 150–157, 549–565
 Molting, 329–339
 Molts, 760–767
 Mono Lake, 850–862
 Montane biology, 197–200
 Montgomerie, Robert D., see Cartar, Ralph V.
 Moorhen, Common, see *Gallinula chloropus*
 Morphometrics, 150–157
 Morrison, Michael L., With, Kimberly A., Timossi, Irene C., Block, William M., and Milne, Kathleen A., Foraging behavior of bark-foraging birds in the Sierra Nevada, 201–204
 Morrison, Michael L., With, Kimberly A., Timossi, Irene C., and Milne, Kathleen A., Composition and temporal variation of flocks in the Sierra Nevada, 739–745
 Morrison, Michael L., see Block, William M.
 see Raphael, Martin G.
 Mortality, 420–422
 Morton, Galen A., see Morton, Martin L.
 Morton, Martin L., and Morton, Galen A., Seasonal changes in bill length in summering mountain White-crowned Sparrows, 197–200
 Morton, Martin L., see Mead, Paul S.
 Mountainspring, Stephen, Ecology, behavior, and conservation of the Maui Parrotbill, 24–39
 Multiscale associations, 534–538
 Murphy, Joseph R., see Dawson, William R.
 Murphy, Mary E., see King, James R.
 Murphy, Michael T., The impact of weather on kingbird foraging behavior, 721–730
 Murre, Common, see *Uria aalge*
 Murrelet, Ancient, see *Synthliboramphus antiquus*
 Marbled, see *Brachyramphus marmoratum*
 Xantus', see *Synthliboramphus hypoleucus*
 Mutual restraint, 768–778
 Mutualism, 779–787
Mycteria americana, 752–759
 Myers, J. P., see Dawson, William R.
Myiodynastes maculatus, 578
Myiozetetes similis, 83
 Mysids, 426–430
- N
- Nagy, Kenneth A., see Gabrielsen, Geir Wing
Nannopterum harrisi, 276–281
 Nectar, 779–787

- Nectarinia coccinigaster*, 274
 Nelson, Douglas A., Factors influencing colony attendance by Pigeon Guillemots on Southeast Farallon Island, California, 340–348
 Neotropical eagles, 671–672
Nesotriccus ridgwayi, 75–84
 Nest, 387–394, 673–674
 abandonment, 413–419
 appearance, 925–928
 attentiveness, 252–260
 building, 587–593
 defense, 175–177
 environment, 668–670
 failure, 413–419
 loss, 40–47
 mortality, 549
 predation, 177–178, 413–419, 925–928
 sanitation, 610–613
 selection, 668–670
 site, 659–662
 -site fidelity, 916–919
 -site selection, 138–149, 387–394, 804–810, 811–818, 819–827
 Nesting, 665–667
 behavior, 768–778
 guild, 614–626
 habitat, 187–190, 387–394
 phenology, 920–923
 success, 460–467, 811–818
 Nestling feeding, 319–328
 Nests, 874–898
 Nickerson, L. A., see Johnson, C. G.
 Nidicolous altricial birds, 369–376
 Nightingale, European, see *Luscinia megarhynchos*
 Noddy, Brown, see *Anous stolidus*
 Nonbreeding, 685–696
 Nonequilibrium flux, 710–720
 Nonspecialized nectarivory, 357–363
 North Dakota, 187–190
 Northern California, 66–74
 Norway, 40–47
Nothoprocta perdicaria, 424–426
Nucifraga columbiana, 117–125
 Nukupuu, 34
 Nutcracker, Clark's, see *Nucifraga columbiana*
 Nuthatch, Brown-headed, see *Sitta pusilla*
 Pygmy, see *Sitta pygmaea*
 Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
 Nutrition, 293–306
- O**
- Observer variability, 241–251
Oceanodroma furcata, 887
 leucorhoa, 115
Ochthornis littoralis, 83
Octhoeca cinnamomeiventris, 83
 leucophrys, 83
 rufipectoralis, 83
 Ocular estimation, 241–251
 Ogden, John C., McCrimmon, Donald A., Jr., Bancroft, G. Thomas, Patty, Barbara W., Breeding populations of the Wood Stork in the southeastern United States, 752–759
 Oology, 369–376
- Oporornis tolmiei*, 925
 Optimal foraging, 117–125
Oreortyx pictus, 66–74
 Organochlorines, 460–467
 Oriole, Epaulet, see *Icterus cayanensis*
 Northern, see *Icterus galbula*
 Orchard, see *Icterus spurius*
 Scott's, see *Icterus parisorum*
 Oropendula, Montezuma, see *Psarocolius montezuma*
 Ostrich, see *Struthio camelus*
Otus asio, 847
 Ovenbird, see *Seiurus aurocapillus*
 Owl, Barn, see Barn-Owl
 Barred, see *Strix varia*
 Boreal, see *Aegolius funereus*
 Burrowing, see *Athene cunicularia*
 Elf, see *Micrathene whitneyi*
 Great Horned, see *Bubo virginianus*
 Saw-whet, see Saw-whet Owl
 Screech, see Screech-Owl
 Short-eared, see *Asio flammeus*
 Spotted, see *Strix occidentalis*
 Tawny, see *Strix aluco*
Oxyura jamaicensis, 63, 675
- P**
- Pachycephala pectoralis*, 947
 Pacific sand lance, 426–430
Pagophila eburnea, 193
 Pair formation, 349–356
 Palila, see *Loxiaoides bailleui*
Palmeria dolei, 30
 Panama, 195–197, 731–738
 Pandalid shrimp, 426–430
 Parakeet, Carolina, see *Conuropsis carolinensis*
 Paraguay, 566–580
 Parental investment, 319–328, 798–803
 Parklands, 804–810
 Parmelee, David F., and Pietz, Pamela J., Philopatry, mate and nest-site fidelity in the Brown Skuas of Anvers Island, Antarctica, 916–919
Paroreomyza montana, 27
 Parrish, Jimmie R., Stoddard, JoAnn, and White, Clayton M., Sexually mosaic plumage in a female American Kestrel, 911–913
 Parrotbill, Maui, see *Pseudonestor xanthophrys*
 Partridge, Sand, see *Ammoperdix heyi*
Parula americana, 166
 Parulinae, 158–168
Parus atricapillus, 327, 500–509, 537, 712, 743, 914–915, 936
 bicolor, 369, 932–935, 936–940
 caeruleus, 327, 934, 936
 carolinensis, 500, 932, 936
 gambeli, 319–328, 624, 740, 914
 hudsonicus, 500
 major, 326, 500, 880
 montanus, 934
 rufescens, 739–745
 slateri, 500, 901–902
Passer domesticus, 326, 492, 746
 maobiticus, 880
 montanus, 746–751
Passerculus sandwichensis, 698, 922
Passerella iliaca, 900

- Passerina ciris*, 369
 Past behavior, 252–260
 Past weather, 252–260
Pasteurella multicoda, 442–443
 Paternity guards, 112–116
 Patty, Barbara W., see Ogden, John C.
 Paullin, David C., Cannibalism in American Coots induced by severe spring weather and avian cholera, 442–443
 PCB, 460–467
 Pehrsson, Olof, Effects of body condition on molting in Mallards, 329–339
Pelecanus erythrorhynchos, 860
onocrotalus, 366
 Pelican, American White, see *Pelecanus erythrorhynchos*
 Great White, see *Pelecanus onocrotalus*
Pelicanoides georgicus, 887
 Pellets, 929–931
 Penguin, Adélie, see *Pygoscelis adeliae*
 African, see *Spheniscus demersus*
 Galápagos, see *Spheniscus mendiculus*
 Jackass, see *Spheniscus demersus*
 Rockhopper, see *Eudyptes chrysocome*
 Persecution, 175–177
 Peru, 654–658
 Petit, Daniel R., and Bildstein, Keith L., Effect of group size and location within the group on the foraging behavior of White Ibises, 602–609
 Petit, Daniel R., and Petit, Lisa J., Fecal sac dispersal by Prothonotary Warblers: Weatherhead's hypothesis re-evaluated, 610–613
 Petit, Lisa J., see Petit, Daniel R.
 Petrel, Diving, see *Pelicanoides georgicus*
 Great-winged, see *Pterodroma macroura*
 Juan Fernandez, see *Pterodroma externa*
 Stejneger's, see *Pterodroma longirostris*
 White-necked, see *Pterodroma externa*
Pezopetes capitalis, 674
tibialis, 674
Phaeomyias murina, 76
Phaethornis superciliosus, 779–787
Phalacrocorax africanus, 760
albiventer, 760
aristotelis, 760
capensis, 830–834
chalconotus, 766
gaimardi, 764
magellanicus, 760–767
melanoleucus, 766
neglectus, 766
pelagicus, 764
punctatus, 760
urile, 760
verrucosus, 766
Phasianus colchicus, 521, 889, 913
 Pheasant, Ring-necked, see *Phasianus colchicus*
Pheucticus ludovicianus, 737
 Philopatry, 916–919
 Phoebe, Eastern, see *Sayornis phoebe*
Phoenicopterus ruber, 276–281
Phrygilus atriceps, 658
 Phylogeny, 424–426
Pica pica, 308, 808
Picoides albolarvatus, 201
borealis, 218
pubescens, 201, 537, 644, 712, 744, 932, 936
villosum, 201, 369, 537, 644, 712
 Pietz, Pamela J., see Parmelee, David F.
 Pigeon, Wood, see *Columba palumbus*
Pinaroloxias inornata, 531
 Pine-oak woodlands, 282–292
 Pine seed, 117–125
 Pinnipeds, 923–924
 Pinshow, Berry, see Carmi-Winkler, Nurit
 Pinyon pine, 117–125
Pipilo chlorurus, 925
erythropthalmus, 869–873
fuscus, 403
 Pipit, Water, see *Anthus spinosetta*
Piranga ludoviciana, 625
rubra, 369
Pitangus sulphuratus, 135, 577
Plcoeus cucullatus, 521, 675
 Plover, Black-bellied, see *Pluvialis squatarola*
 Greater Golden-, see *Pluvialis apricaria*
 Piping, see *Charadrius melanotos*
 Ringed, see *Charadrius hiaticula*
 Plumage differences, 179–182
 mosaic, 911–913
 Plural nester, 835–841
Pluvialis apricaria, 40–47
squatarola, 46
Podiceps auritus, 463
cristatus, 463
griseogenys, 460–467
nigricollis, 463
occipitalis, 817
Polioptila caerulea, 920
melanura, 920
 Pollination, 779–787
 Polygyny, 182–185
 Poo-uli, see *Melamprosops phaeosoma*
 Population density, 66–74
 dynamics, 685–696
 estimate, 581–586
 structure, 261–275, 395–405
 trends, 752–759
 Populations, 665–667
 Powers, Donald R., Effects of variation in food quality on the breeding territoriality of the male Anna's Hummingbird, 103–111
 Predation, 850–862, 923–924, 940–943
 risk, 936–940
 Predator attraction, 610–613
 deterrence, 103–104
 Predators, 460–467
 Prey capture, 721–730
 Primary growth, 3329–3339
 molt, 468–485
Procnias tricarunculata, 303
 Productivity, 85–102, 460–467, 636–653, 685–696
Progne subis, 130, 147, 326
 Proteins, 48–65
Protonotaria citrea, 610–613
Psarocolius montezuma, 308
Pseudonestor xanthophrys, 24–39
 Ptarmigan, White-tailed, see *Lagopus leucurus*

- Pterodroma cookii*, 581
externa, 581–586
leucoptera, 581
longirostris, 581–586
macroptera, 585
Ptychoramphus aleuticus, 346
Puffin, Common, see *Fratercula arctica*
 Horned, see *Fratercula corniculata*
Puffinus creatopus, 584
puffinus, 347, 888
 Puncture ejections, 307–318
Pygoscelis adeliae, 883, 916
Pyroderus scutatus, 578

Q

- Quail, California, see *Callipepla californica*
 Elegant, see *Callipepla douglasii*
 Gambel's, see *Callipepla gambelii*
 Mountain, see *Oreotyx pictus*
Quiscalus major, 308
mexicanus, 308
quiscula, 537, 712, 801

R

- Rahn, H., see Sutherland, P. R.
 Rainfall, 920–923
 Ramos, Mario, see Igno E., Eduardo
 Raphael, Martin G., Morrison, Michael L., and Yoder-
 Williams, Michael P., Breeding bird popula-
 tions during twenty-five years of postfire suc-
 cession in the Sierra Nevada, 614–626
 Raptor, 387–394
 Rasmussen, Pamela C., Molts of the Rock Shag and
 new interpretations of the plumage sequence,
 760–767
 Raven, Common, see *Corvus corax*
 Razorbill, see *Alca torda*
 Recruitment, 549–565
 Rectrix molt, 468–485
 Redhead, see *Aythya americana*
 Redshank, Common, see *Tringa totanus*
 Redstart, American, see *Setophaga ruticilla*
Regulus calendula, 740
 regulus, 743
 satrapa, 739–745
 Reinartz, James A., see Ficken, Millicent S.
 Repertoire, 731–738
 Repertoires, 500–509
 Reproductive behavior, 112–116
 failure, 636–653
 rates, 627–635
 strategies, 179–182
 success, 85–102
 Resource abundance, 293–306
Rhodostethia rosea, 193
Rhynchos niger, 413
Riparia riparia, 775
Rissa brevirostris, 59, 192–194
 tridactyla, 126–132, 192
 Robertson, Paul B., and Schnapf, Ann F., Pyramiding
 behavior in the Inca Dove: adaptive aspects of
 day-night differences, 185–187
 Robertson, Raleigh J., see Stutchbury, Bridget J.
 Robin, American, see *Turdus migratorius*

- Rofstad, Gunnar, and Sandvik, Jostein, Morphology
 of hatchling Hooded Crows and its relation to
 egg volume, 494–499
 Rohwer, Sievert, see Spaw, Carol D.
Rollandia rolland, 817
 Rothstein, Stephen I., and Fleischer, Robert C., Vocal
 dialects and their possible relation to honest sta-
 tus signalling in the Brown-headed Cowbird,
 1–23
 Rozzi, Ricardo, see Jakić, Fabian M.
 Ryder, John P., see Meathrel, Catherine E.

S

- Saguaro cacti, 659–662
 Salt marsh, 602–609
 tolerance, 697–709
 Sample size, 141–151
 Sandpiper, Baird's, see *Calidris bairdii*
 Least, see *Calidris minutella*
 Purple, see *Calidris maritima*
 Semipalmented, see *Calidris pusilla*
 Stilt, see *Calidris himantopus*
 White-rumped, see *Calidris fuscicollis*
 Sandvik, Jostein, see Rofstad, Gunnar
 San Francisco Bay, 697–709
 Sanger, Gerald A., Winter diets of Common Murres
 and Marbled Murrels in Kachemak Bay, Alas-
 ka, 426–430
 Sapsucker, Red-breasted, see *Sphyrapicus ruber*
 Saskatchewan, 804–810
 Saw-whet Owl, Northern, see *Aegolius acadicus*
Sayornis phoebe, 75, 728
 Schmidt, Karen J., see Fajer, Eric D.
 Schmutz, Josef K., and Fyfe, Richard W., Migration
 and mortality of Alberta Ferruginous Hawks,
 169–174
 Schnapf, Ann F., see Robertson, Paul B.
 Schulenberg, Thomas S., Observations on two rare
 birds, *Upucerthia albogula* and *Conirostrum ta-*
 marugense, from the Andes of southwestern
 Peru, 654–658
 Schulenberg, Thomas S., and Gill, Frank B., First de-
 scription of the nest of the Olive Finch, *Lysurus*
 castaneiceps, 673–674
 Sclerotic rings, 192–194
 Scoter, Surf, see *Melanitta perspicillata*
 Scott, Abby Caul, see Bekoff, Marc
 Screech-Owl, Eastern, see *Otus asio*
 Seabird energetics, 126–132
 Seabirds, 923–924
 Sealy, Spencer G., see Briskie, James V.
 Seasonal changes, 197–200
 communities, 710–720
 Secondaries, 902–906
 Secondary molt, 468–485
 Sedgwick, James A., see Knopf, Fritz L.
Seiurus aurocapillus, 313
Selasphorus platycerus, 887
 rufus, 109
Serophaea cinerea, 83
Setophaga ruticilla, 166
 Settlement pattern, 587–593
 Sex, 494–499

- control, 798–803
 differences, 340–348
 ratio, 902–906
 Sexual dimorphism, 798–803
 Seymour, Roger S., see Booth, David T.
 Shag, Blue-eyed, see *Phalacrocorax atriceps*
 European, see *Phalacrocorax aristotelis*
 Kerguelan, see *Phalacrocorax verrucosus*
 King, see *Phalacrocorax albiventer*
 Red-legged, see *Phalacrocorax gaimardi*
 Rock, see *Phalacrocorax magellanicus*
 Spotted, see *Phalacrocorax punctatus*
 Shearwater, Manx, see *Puffinus puffinus*
 Pink-footed, see *Puffinus creatopus*
 Shelduck, South Africa, see *Tadorna cana*
 Shell thickness, 307–318
 Sherry, Thomas W., see Kroodsma, Donald E.
 Shorebirds, 811–818
 Shoveler, Northern, see *Anas clypeata*
 Shugart, Gary W., Fitch, Mary A., and Fox, Glen A.,
 Female floaters and nonbreeding secondary females in Herring Gulls, 902–906
Sialia sialis, 588
Sicalis olivascens, 654
 Sierra Nevada, 1–23, 201–204, 614–626, 739–745, 788–797
 Simberloff, Daniel, see Dawson, William R.
 Sims, M. Eleanor, Ball, Gregory F., and Cheng, Mei-Fang, Sperm competition after sequential mating in the Ringed Turtle-Dove, 112–116
 Site tenacity, 869–873
Sitta canadensis, 201, 624, 739–745, 902
 carolinensis, 901, 932, 936
 pusilla, 369
 pygmaea, 624
 Skua, Brown, see *Catharacta lönnerbergi*
 Great, see *Catharacta skua*
 South Polar, see *Catharacta maccormicki*
 Skylark, Eurasian, see *Alauda arvensis*
 Smallwood, John A., Sexual segregation by habitat in American Kestrels wintering in southcentral Florida: vegetative structure and responses to differential prey availability, 842–849
 Smith, Julia I., Evidence of hybridization between Red-bellied and Golden-fronted Woodpeckers, 377–386
 Snow Goose, Lesser, see *Chen caerulescens*
 Snyder, Noel F. R., Johnson, Eric V., and Clendenen, David A., Primary molt of California Condors, 468–485
 Social adaptation, 1–23
 facilitation, 811–818
 foraging, 932–935
 organization, 222–224
Somateria mollissima, 666
 Song, 731–738
 dialects, 261–275
 function, 914–915
 variation, 914–915
 Songs, 75–84
 Sonogram, 510–524
 Sonoran desert, 659–662
Sophora chrysophylla, 85
 Sotherland, P. R., and Rahn, H., On the composition of bird eggs, 48–65
 Sound spectrogram, 510–524
 Southeastern United States, 752–759
 Southern Oscillation, 276–281
 Spacial scale, 534–548
 Sparrow, Bachman's, see *Aimophila aestivalis*
 Black-throated, see *Amphispiza bilineata*
 Dead Sea, see *Passer moabiticus*
 Eurasian Tree, see *Passer montanus*
 Field, see *Spizella pusilla*
 Fox, see *Passerella iliaca*
 Grasshopper, see *Ammodramus savannarum*
 House, see *Passer domesticus*
 Lark, see *Chondestes grammacus*
 Sage, see *Amphispiza bellii*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 White-crowned, see *Zonotrichia leucophrys*
 Sparrowhawk, Eurasian, see *Accipiter nisus*
 Spaw, Carol D., and Rohwer, Sievert, A comparative study of eggshell thickness in cowbirds and other passerines, 307–318
 Specialist, 566–580
 Specialization, 158–168
 Speiser, Robert, and Bosakowski, Thomas, Nest site selection by Northern Goshawks in northern New Jersey and southeastern New York, 387–394
 Sperm competition, 112–116
Spheniscus demersus, 131, 833
 mendiculus, 276–281
Sphyrapicus ruber, 201
Spizaetus ornatus, 671–672
Spizella pusilla, 317
 Spring diet, 190–192
 Staining technique, 663–665
 Starling, European, see *Sturnus vulgaris*
 Status signalling, 1–23
Stelgidopteryx serripennis, 369
Stellula calliope, 103
Stercorarius parasiticus, 672–673
 pomarinus, 672–673
Sterna albifrons, 63
 anaethetus, 59
 antillarum, 811–818
 bergii, 59
 caspia, 675, 860
 fuscata, 57
 hirundo, 57
 lunata, 57
 maxima, 374, 525, 675
 sandvicensis, 525
Stigmatura budytoides, 83
 napensis, 83
 Stoddard, JoAnn, see Parrish, Jimmie R.
 Storer, Robert W., The possible significance of large eyes in the Red-legged Kittiwake, 192–194
 Stork, White, see *Ciconia ciconia*
 Wood, see *Mycteria americana*
 Storm-Petrel, Fork-tailed, see *Oceanodroma furcata*
 Leach's, see *Oceanodroma leucorhoa*
 Strahl, Stuart D., and Brown, Jerram L., Geographic variation in social structure and behavior of *Aphelocoma ultramarina*, 422–424
Streptopelia decaocto, 866

- risoria*, 112–116, 491, 866–892
senegalensis, 866
Strix aluco, 435
occidentalis, 205–229, 390
varia, 210, 130, 147, 326, 366, 537, 712, 749
Struthio camelus, 675
Sturnus vulgaris, 130, 147, 326, 366, 537, 712, 749
 Stutchbury, Bridget J., and Robertson, Raleigh J., Do nest building and first egg dates reflect settlement patterns of females?, 587–593
 Suboscine, 75–84
 Subspecies distribution, 697–709
Sula bassanii, 366
dactylatra, 440–442
nebouxii, 277, 440–442
 Sunbird, Splendid, see *Nectarinia coccinigaster*
 Surfbird, see *Aphriza virgata*
 Survival, 182–185, 685–696
 Survivorship, 169–174
 Sutherland, James M., and Maher, William J., Nest site selection of the American Coot in the aspen parklands of Saskatchewan, 804–810
 Swain, Una G., see Ely, Craig R.
 Swallow, Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Cliff, see *Hirundo pyrrhonota*
 Rough-winged, see *Stelgidopteryx serripennis*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
 Swan, Tundra, see *Cygnus columbianus*
 Syllable sharing, 746–751
Synthliboramphus antiquus, 940–943
hypoleucus, 942
 Systematics, 406–412
- T**
- Tachycineta bicolor*, 138–149, 179, 326, 537, 587–593, 610–613, 712, 768–778
thalassina, 147
Tachyphonus coronatus, 569
Tadorna cana, 329
 Tanager, Summer, see *Piranga rubra*
 Western, see *Piranga ludoviciana*
Tangara seledon, 580
 Taxonomy, 395–405
 Teal, Green-winged, see *Anas crecca*
 Red-billed, see *Anas erythrорhyncha*
 Temperature, 424–426, 594–601, 920–923
 stress, 668–670
 Temple, Stanley A., see Knight, Richard L.
 Tern, Bridled, see *Sterna anaethetus*
 Caspian, see *Sterna caspia*
 Crested, see *Sterna bergii*
 Least, see *Sterna albifrons* or *Sterna antillarum*
 Royal, see *Sterna maxima*
 Sandwich, see *Sterna sandvicensis*
 Territory defense, 103–111
 quality, 103–111, 182–185
 tenure, 103–111
 Texas, 185–187, 422–424
Thalurania furcata, 780
 Thermal environment, 850–862
 tolerance, 874–898
 Thermoregulation, 185–187, 863–868
- Thrasher, Brown, see *Toxostoma rufum*
 Leconte's, see *Toxostoma lecontei*
Thraupis sayaca, 569
Threnetes ruckeri, 779–787
Threskiornis aethiopicus, 830–834
 Thrush, Hermit, see *Catharus guttatus*
Thryothorus nigricapillus, 83
rufalbus, 195–197
 Time activity budget, 594–601
 energy budget, 594–601
 Timossi, Irene C., see Morrison, Michael L.
 Tinamou, Chilean, see *Nothoprocta perdicaria*
 Tit, Blue, see *Parus caeruleus*
 Great, see *Parus major*
 Long-tailed, see *Aegithalos caudatus*
 Willow, see *Parus montanus*
 Titmouse, Plain, see *Parus inornatus*
 Tufted, see *Parus bicolor*
 Tobisch, Theodore G., Jr., and Balch, Lawrence G., First North American nesting and occurrence of *Haliaeetus albicilla* on Attu Island, Alaska, 433–434
Todirostrum calopterum, 83
maculatum, 83
 Towhee, Brown, see *Pipilo fuscus*
 Green-tailed, see *Pipilo chlorurus*
 Rufous-sided, see *Pipilo erythrophthalmus*
Toxostoma curvirostre, 357–363
lecontei, 403
rufum, 869–873
 Trainer, Jill M., Behavioral associations of song types during aggressive interactions among male Yellow-rumped Caciques, 731–738
Trichothraupis melanops, 569
Tringa totanus, 606
Troglodytes aedon, 195–197, 537, 712, 872, 888
troglodytes, 672–673
 Tropical deciduous forests, 282–292
 Troy, Declan M., see Johnson, Stephen R.
Turdus amaurochalinus, 578
leucomelas, 578
pilaris, 329
rufiventris, 567
migratorius, 136, 190, 390
 Turkey, domestic, see *Meleagris gallopavo*
 Turnover, 710–720
 Turtle-Dove, Collared, see *Streptopelia decaocto*
 Ringed, see *Streptopelia risoria*
Tympanuchus cupido, 217
 Tyrannulet, Mouse-colored, see *Phaeomyias murina*
Tyrannus dominicensis, 726
forficatus, 726
melancholicus, 726
tyrannus, 721–730
verticalis, 726
vociferans, 726
Tyto alba, 668–670, 847
- U**
- Uniparental care, 252–260
Upucerthia albogula, 654–658
dumetaria, 656
jelskii, 655

- ruficauda*, 654
validirostris, 657
Uria aalge, 345, 426–430, 675–676

V

- Valle, Carlos, A., and Coulter, Malcolm C., Present status of the Flightless Cormorant, Galapagos Penguin and Greater Flamingo populations in the Galapagos Islands, Ecuador, after the 1982–83 El Niño, 276–281
 Van Riper, Charles, III, Breeding ecology of the Hawaii Common Amakihi, 85–102
 Variability, 75–84, 830–834
 Vegetation analyses, 819–827
 succession, 614–626
 Venezuela, 26–34
 Verdin, see *Auriparus flaviceps*
Vermivora celata, 926
 chrysopera, 165
 pinus, 165
 ruficapilla, 625
 virginiae, 926
 Verner, Jared, see Dawson, William R.
Vestiaria coccinea, 32
 Vicariance effects, 760–767
Vidua chalybaeta, 19, 736
 Vigilance, 602–609, 932–935
 Vireo, Red-eyed, see *Vireo olivaceus*
 Solitary, see *Vireo solitarius*
Vireo olivaceus, 574
 solitarius, 242
 Vision, 192–194, 434–436
 Vocal coding, 510–524
 mimicry, 133–137
 signals, 510–524
 Vocalization, 75–84, 406–412, 422–424, 500–509
 Vocalizations, 746–751
 Vulture, Black, see *Coragyps atratus*
 Turkey, see *Cathartes aura*

W

- Waite, Thomas A., Dominance-specific vigilance in the Tufted Titmouse: effects of social context, 932–935
 Waite, Thomas A., and Grubb, Thomas C., Jr., Dominance, foraging and predation risk in the Tufted Titmouse, 936–940
 Warbler, Black-and-white, see *Mniotilla varia*
 Black-throated Blue, see *Dendroica caerulescens*
 Blue-winged, see *Vermivora pinus*
 Chestnut-sided, see *Dendroica pensylvanica*
 Golden-winged, see *Vermivora chrysopera*
 Hermit, see *Dendroica occidentalis*
 Kirtland's, see *Dendroica kirtlandii*
 MacGillivray's, see *Oporornis tolmiei*
 Nashville, see *Vermivora ruficapilla*
 Northern Parula, see *Parula americana*
 Orange-crowned, see *Vermivora celata*
 Pine, see *Dendroica pinus*
 Prairie, see *Dendroica discolor*
 Prothonotary, see *Protonaria citrea*

- Red-faced, see *Cardellina rubrifrons*
 Virginia's, see *Vermivora virginiae*
 Worm-eating, see *Helminthorus vermivorus*
 Yellow-throated, see *Dendroica dominica*
 Water content, 48–65
 loss, 424–426
 vapor, 453–459
 Waxwing, Bohemian, see *Bombycilla garrulus*
 Cedar, see *Bombycilla cedrorum*
 Weather, 252–260, 721–730
 Weaver, African Village, see *Ploceus cucullatus*
 Baya, see *Ploceus philippinus*
 Webb, D. R., Thermal tolerance of avian embryos: a review, 874–898
 Webster, Marcus D., and Bernstein, Marvin H., Ventilated capsule measurements of cutaneous evaporation in Mourning Doves, 863–868
 Weise, Charles M., see Ficken, Millicent S.
 Werner, Tracey K., see Kroodsma, Donald E.
 Western North America, 431–432
 Westmoreland, David, and Best, Louis B., What limits Mourning Doves to a clutch of two eggs?, 486–493
 White, Clayton M., see Parrish, Jimmie R.
 White-eye, Oriental, see *Zosterops palpebrosa*
 Wigeon, American, see *Anas americana*
 Wilson, Marie Pierre, see Duffy, David Cameron
 Wilson, Rory Paul, see Duffy, David Cameron
 Wing length, 329–339
 Winter ecology, 169–174
 plumage, 760–767
 segregation, 842–849
 territoriality, 842–849
 With, Kimberly A., see Block, William M.
 see Morrison, Michael L.
 Withers, Philip C., Forbes, Richard B., and Hedrick, Michael S., Metabolic, water and thermal relations of the Chilean Tinemou, 424–426
 Woodland hawk, 387–394
 Woodpecker, Acorn, see *Melanerpes formicivorus*
 Downy, see *Picoides pubescens*
 Gila, see *Melanerpes uropygialis*
 Golden-fronted, see *Melanerpes aurifrons*
 Great Red-bellied, see *Melanerpes superciliaris*
 Hairy, see *Picoides villosus*
 Hoffmann's, see *Melanerpes hoffmannii*
 Ivory-billed, see *Campetherus principalis*
 Pileated, see *Dryocopus pileatus*
 Red-bellied, see *Melanerpes carolinus*
 Red-cockaded, see *Picoides borealis*
 Red-headed, see *Melanerpes erythrocephalus*
 White-headed, see *Picoides albolarvatus*
 Wood-Pewee, Western, see *Contopus sordidulus*
 Wren, Bay, see *Thryothorus nigricapillus*
 House, see *Troglodytes aedon*
 Marsh, see *Cistothorus palustris*
 Rufous-and-white, see *Thryothorus rufulbus*
 Winter, see *Troglodytes troglodytes*
 Wyoming, 534–548, 710–720

X

- Xanthocephalus xanthocephalus*, 801

Y

- Yamagishi, Satoshi, see Komeda, Shigemoto
Yellowthroat, Common, see *Geothlypis trichas*
Yoder-Williams, Michael P., see Raphael, Martin G.
Yolk content, 48–65

Z

- Zenaida asiatica*, 186, 880
macroura, 186, 486–493, 516, 863–868

- Zink, Robert M., Lott, Dale F., and Anderson, Daniel W., Genetic variation, population structure, and evolution of California Quail, 395–405
Zonotrichia capensis, 72, 444
leucophrys, 197–200, 261–275, 436–439, 549–565, 598, 644, 705, 749, 798–803, 879
Zosterops palpebrosa, 746–751