

## RECENT PUBLICATIONS ON WADERS

Compiled by Theunis Piersma

Although some effort is spent trying to make these lists as complete as possible, coverage is obviously somewhat dependent on the range of journals etc. which are available to the compiler. Therefore, details of omissions and, if possible, reprints of papers are always welcome. These should be sent to Theunis Piersma, Hendrikstraat 21, 972yNA Groningen, Netherlands. Thanks to Mike Pienkowski for help. To increase the availability of the papers in this list for potential users, the first authors' addresses have been included whenever possible. Sometimes key-words were added to give extra information on the contents of a paper. Translated titles of papers in languages other than English are bracketed: round brackets if the English translation is by the author; square brackets if by others.

- ALERSTAM, T. & G. HOGSTEDT. 1980. Spring predictability and leap-frog migration. *Ornis Scand.* 11: 196-200 (Dept. Anim. Ecol., Univ. Lund, Ecology Building, S-223 62 Lund, Sweden.) Comments on wintering of *C. alpina schinzii* and *C. alpina* in N.W. Africa.
- ATKINSON, N. K., R. W. SUMMERS, M. NICHOLL & J. J. D. GREENWOOD. 1981. Population, movements and biometrics of the Purple Sandpiper *Calidris maritima* in eastern Scotland. *Ornis Scand.* 12: 18-27. (Montrose Museum, Montrose, Scotland, UK.)
- BAKAEV, S. 1979. [Nesting records of the White-tailed Plover (*Chettusia leucura*) on the lower Zeravshan River.] *Ornitologiya* 14: 185-186. In Russian.
- BAKER, J. M. 1981. Winter feeding rates of Redshank *Tringa totanus* and Turnstone *Arenaria interpres* on a rocky shore. *Ibis* 123: 85-88. (30 Five Mile Drive, Oxford, UK.)
- BALPH, M. H. 1979. Some color-banding techniques for flocking birds. *N. Am. Bird Bander* 4: 158-160. (Dept. Wildl. Sci., UMC52, Utah State Univ., Logan 84822, USA.)
- BARNARD, C. J. & H. STEPHENS. 1981. Prey size selection by Lapwings in Lapwing/Gull associations. *Behaviour* 77: 1-22.
- BECUWE, M. 1981. (The distribution and behaviour of the Curlew, *Numenius arquata*, in the Westhoek, Belgium.) *De Wielewaal* 47: 117-122. In Flemish with Engl. summary.
- BERGER, G. 1980. Durch Kalteeinbruch bedingte Verhaltensreaktionen bei Kiebitzen (*Vanellus vanellus* L.). [Behaviour patterns of a Lapwing during a cold wave.] *Beitr. Vogelkd.* 26: 58-59. In German. (Tiergarten Str. 1, DDR-8020 Dresden, E. Germany.)
- BEIJERSBERGEN, J. 1980. (First record of Greater Sandplover *Charadrius leschenaulti* in the Netherlands.) *Limosa* 53: 34. In Dutch with Engl. summary. (Kapteinsweg 4, 4315PN Dreischor, Netherlands.)
- BENNING, W. E. 1980. The shorebirds of Montezuma Wildlife Refuge (N.Y.). *Kingbird* 30: 68-75.
- BIGG, R. 1981. Oriental Plovers near Newcastle. *Aust. Birds* 15: 54. (12 Will Ave., Castle Hill, New South Wales 2154, Australia.)
- BLANKEN, G. DEN, G. C. BOERE & E. NIEBOER. 1981. Primary moult of the Redshank *Tringa totanus* in the Dutch Waddensee studied by collecting shed feathers; a test. *Ardea* 69: 115-124. (Dept. Anim. Syst. Zoogeogr., V.U. Amsterdam, de Boelelaan 1087, Amsterdam, Netherlands.)
- BOHME, R., D. KRONBACH & W. WIESE. 1981. Beobachtung von Mornellregenpfeifen, *Eudromias morinellus*, bei Burgstadt/SA. [Observation of the common Dotterel at Burgstadt.] *Beitr. Vogelkd.* 27: 126. In German. (B.-Brechtstr. 18, DDR-9112 Burgstadt, E. Germany.)
- BOYD, R. L. 1981. Distribution and abundance of Snowy Plovers in Kansas and northern Oklahoma. *Kansas Ornith. Soc. Bull.* 32: 25-28. (Biol. Dept., Baker Univ., Baldwin City, KS 66006, USA.)
- BRAUNING, C. 1977. Ein Terekwasserläufer (*Xenus cinereus*) in Landkreis Hannover. *Vogelkd. Ber. Niedersachs.* 9: 11. In German.
- BRINKKEMPER, J. 1979. De kemmaan in Nederland. [The Ruff in the Netherlands.] *Wet. Med. K.N.N.V. Nr.* 137, Dec. 1979. In Dutch with Engl. summary. (Kon. Ned. Natuurhist. Ver., Hoogwoud, N-Holland, Netherlands.)
- BROCK, K. J. 1980. Indiana's first record of the Curlew Sandpiper. *Indiana Audubon Quart.* 58: 120-122.
- BROM, T. G. 1981. ("Sabine's Snipe" in the Netherlands.) *Limosa* 54: 66-67. In Dutch with Engl. summary. (Inst. Tax. Zool. (Zool. Museum), P.O. Box 20 125, 1000 HC, Amsterdam, Netherlands.) Museum specimen discovered.
- BYRKJEDAL, I. 1980. Summer food of the golden plover *Pluvialis squatarola* at Hardangervidda, southern Norway. *Hol. Ecol.* 3: 40-49.
- COLLINS, C. T. & J. L. ATWOOD. 1981. Weighing with spring balances: biases and errors. *N. Am. Bird Bander* 6(1): 8-11. (Dept. Biol., Calif. State Univ., Long Beach 90840, CA, USA.)
- CONNORS, P. G., J. P. MYERS, C. S. W. CONNORS & F. A. PITELKA. 1981. Interhabitat movements by Sanderlings in relation to foraging profitability and the tidal cycle. *Auk* 98: 49-64.
- CRAWFORD, D. N. 1980. Comments on wader surveys. *Australian Bird Watcher* 8: 170. (Dept. Zool., Aust. Natl. Univ., P.O. Box 4, Canberra, Act. 2600, Australia.)
- CRAWFORD, D. N. 1980. Saline coastal swamp in Northern Territory as a habitat for waterbirds. *Emu* 80: 36-38.
- DESMET, J. & E. KLIYKEN. 1981. Resultaten van de tweede goudplevierentelling in België, November 1980. [Results of the 2nd Golden Plover count in Belgium, Nov. 1980] *De Wielewaal* 47: 285-287. In Flemish.
- DIREKTIE BEHEER LANDBOUWGRONDEN. 1980. Verstoring van nesten door weidend vee. [Disturbance of nests by cattle; report of a research work in some meadowbird-areas] *Dir. Beheer Landb. gronden* (Min. of Agriculture & Fisheries), Utrecht, 1980. In Dutch.
- DIRKSEN, S. 1980. De weidevogels van de Paesenserpolder (Fr) in 1978. [The breeding meadowbirds of the Paesenserpolder, Friesland, 1978] *Aythya* 19(5): 18-26. (var. Heemskerckstr. 16A, Groningen, Netherlands.)
- DREES, E. 1981. Schade door en bestryding van (Europese) watervogels en steltlopers in West-Afrika? [Damage by and culling of European waterfowl and waders in West Africa?] *Watervogels* 6: 65-72. In Dutch. (Domeinweg 2, 6703 EA Wageningen, Netherlands) No, not yet.
- DRONEN, N. O. Jr. & J. E. BADLEY. 1979. Helminths of shorebirds from the Texas Gulfcoast. 1. Digenetic trematodes from the Long-billed Curlew, *Numenius americanus*. *J. Parasitol.* 65: 645-649.
- DUFFY, D. C., N. ATKINS & D. C. SCHNEIDER. 1981. Do shorebirds compete on their wintering grounds? *Auk* 98: 215-229. (Ch. Darwin St., Isla Santa Cruz, Galapagos Isl., Ecuador.)
- DUGAN, P. J., P. R. EVANS, L. R. GOODYER & N. C. DAVIDSON. 1981. Winter fat reserves in shorebirds: disturbance of regulated levels by severe weather conditions. *Ibis* 123: 359-363. (Dept. Zool., Sci. Labs., South Road, Durham DH1 3LE, UK.)
- DIJK, J. VAN & A. WASSINK. 1980. (The course of the visible spring migration of some waders along the coast of Noord-Holland and Zuid-Holland.) *Limosa* 53: 109-120. In Dutch with Engl. summary. (L. Hellen Berghof 32, 2202 XT Noordwijk a.z., Netherlands.)
- EGGER, M. 1980. First record of a Hudsonian Godwit for Oregon. *Western Birds* 11: 53-55. (16005NE 175th St., Woodinville, WA 98072, USA.)
- FRIELING, F. 1980. Zum Durchzug der Limikolen und der Beutelmeise nach 25-jähriger Kontrolle 1953-1977. [On the migration of shorebirds and the penduline tit during 25 yrs, 1953-1977. 57th Report.] *Beitr. Vogelkd.* 26: 249-252. In German (Nr. 29, DDR-7231 Rudingsdorf, E. Germany.)

- FULLER, R.J. 1981. The breeding habits of waders on North Uist machair. *Scot. Birds* 11: 142-152.
- FURNESS, R.W. & S.R. BAILLIE. 1981. Age ratios, wing length and moult as indicators of the population structure of Redshank wintering on British Estuaries. *Ringing & Migration* 3: 123-132. (Zool. Dept., Glasgow Univ., Glasgow G12 8QQ, UK.) Using WSG Data.
- GERRITSEN, G.J. & N. VAN BREDEPRODE. 1981. De Wulpenslaapplaats aande Ysselmonding. [The roost of Curlews at the mouth of the river Yssel.] *Watervogels* 6: 43-49. In Dutch. (De Genestetstr. 4, 8023 BE Zwolle, Netherlands.)
- GEUENS, A. 1981. Broedgeval vande Goudplevier *Pluvialis apricaria apricaria*, in Limburg. [Case of breeding of the Golde Plover in Limburg, Belgium.] *De Wielewaal* 47: 181-182. In Flemish.
- GIELEN, R. & P. HERROELEN. 1981. Een Poelruiter (*Tringa stagnatilis*) te Machelen. [A Marsh Sandpiper in Belgium.] *De Wielewaal* 47: 152-153. In Flemish.
- GRANT, J. 1981. A bioenergetic model of shorebird predation on infaunal amphipods. *Oikos* 37: 53-62. (B.W. Baruch Inst. for Mar. Biol. and Coast. Res., Univ. South Carolina, Columbia SC 29208, USA.)
- GULDEMOND, A. & M. ROOG. 1980. Doortrekverloop en slaaptrek van enkele steltlopers op de Workumerwaard in de periode april-juli 1975-1979. [Migration and roost flights of waders on the Workumerwaard (Friesland), April-July 1975-1979.] in *Jaarboek 1979/80 V.W.G. Friese Ysselmeerkust e.o.*: 38-51. Uitg.no.12, F.F.F.J Leeuwarden. In Dutch. (Veerweg 1, 4043 JV Opheusden, Netherlands.)
- HARRIS, M.P., S. MURRAY & W. WRIGHT. 1981. Two Whimbrels laying in one nest. *Scot. Birds* 11: 164-166.
- HAVERSCHMIDT, F. 1980. De naam Vanellus. [The name Vanellus.] *Vanellus* 33: 44-45. In Dutch. (Wolfskuilstraat 16, 7731 AT Ommen, Netherlands.)
- HEATHER, B.D. & H.A. ROBERTSON. 1981. A Mongolian Dotterel in breeding plumage. *Notornis* 28: 82-83.
- HENDERSON, P. 1979. A Dotterel on Southeast Farallon Island, California. *Western Birds* 10: 92-94. (Point Reyes Bird Obs., 4990 Shoreline Hwy., Stinson Beach, CA 94970, USA.)
- HERON, S.J. 1980. Census of waders on tidal flats near Bereina, Papua New Guinea. *Australian Bird Watcher* 8: 163-165. (De La Salle Coll., Scarborough, Queensland 4020, Australia.)
- HIGGINS, K.F., L.M. KIRSCH, M.R. RYAN & R.B. RENKEN. 1979. Some ecological aspects of Marbled Godwits and Willets in North Dakota. *Prairie Natur.* 11: 115-118. (USFWS, N. Prairie Wildl. Res. Ctr., Jamestown, ND 58401, USA.)
- HILLE, H. & L. RITZEL. 1981. Wochenlanger Aufenthalt eines Steppen Kiebitzes (*Chettussia gregaria*) bei Bremen. [Sociable Lapwing some weeks near Bremen.] *Vogelk. Ber. Niedersachs.* 13: 16. In German.
- HOCKEY, P.A.R. 1980. Kleptoparasitism by Kelp Gulls *Larus dominicomus* of African Black Oystercatchers *Haematopus moquini*. *Cormorant* 8: 97-98. (FitzPatrick Inst., Univ. Cape Town, Rondebosch 7700, S. Africa.)
- HOWE, M.A. 1980. Monitoring migrant shorebird populations in the eastern United States. in: Lynch, J.F. ed., *Bird Populations - a litmus test of the Environment*. pp 23-24. *Proc. Mid-Atlantic Nat. Hist. Symp.*, 16 Nov 1979. *Atlantic Natur.* 33. \$4.00 (Audubon Natur. Soc., Central Amer. States, 8940 Jones Mill Rd., Washington, DC 20015, USA.)
- HULSCHER, J.B. 1981. Scholeksters eten zoetwatermosselen. [Oystercatchers eat freshwater mussels.] *De Levende Natuur* 83(2): 73-76. In Dutch with Engl. summary. (Zool. Lab, Kerklaan 30, Haren (Gn), Netherlands.)
- INSLEY, H. & L. YOUNG. 1981. Autumn passage of Ringed Plovers through Southampton Water. *Ringing and Migration* 3: 157-164 (1 Minstead Close, Harestock, Winchester, Hampshire SO22 6HT, UK.)
- IMPE, J.VAN. 1981. (The increasing avifaunistic importance of the tidal mudflats of Zandvliet and Lillo.) *Veldornithologisch Tydschrift* 4: 83-93. In Flemish with Engl. summary. (Inst. voor Hygiene & Epidemiologie, Julliette Wytsmastr. 14, B-1050 Brussel, Belgium.) Some counts.
- JANSEN, F.H. & B.J.M. HAASE. 1981. (The pattern of the migration of the Oystercatcher (*Haematopus ostralegus*) off Scheveningen.) *Watervogels* 6: 25-39. In Dutch with Engl. summary. (G. Gezellestr. 1, 2274 XN Voorburg, Netherlands.)
- JONES, C.W. 1981. Bill-base feathering and apparent bill thickness of some waders. *Brit. Birds* 74: 99.
- JOHNSON, O.W., P.M. JOHNSON & P.L. BRUNER. 1981. Wintering behavior and site-faithfulness of Golden Plovers on Oahu. *'Elepaio* 41: 123-130. (Dept. Biol., Moorhead State Univ., Moorhead, MN 56560, USA.)
- JOHNSON, S.R. & W.J. RICHARDSON. 1980. Beaufort Sea barrier island-lagoon ecological process studies: final report, Simpson Lagoon, part 3. *Birds in: Environ. Assess. Alaskan Cont. Shelf, Final Rept. Prin. Invest.*
- KERSTEN, M., C. RAPPOLDT & C. SMIT. 1981. (On the accuracy of shore counts.) *Limosa* 54: 37-46. In Dutch with Engl. summary. (Oliemulderstr. 55, Groningen, Netherlands.)
- KHRUKOV, V.V., E.M. AVEZOV, V.G. BEREZOWSKI & A.V. GRACHEV. 1979. [Expansion of the nesting range of the White-tailed Plover in Kazakhstan.] *Ornitologiya* 14: 200-202. In Russian.
- KING, B. 1981. Semipalmated Sandpiper feeding on ploughed land. *Brit. Birds* 74: 149.
- KOCK, U.-V. 1980. Beobachtungen an einen Schlafplatz des Grossen Brachvogels (*Numenius arquata*). [Observations on a roost of Curlews.] *Beitrage zur Vogelkd.* 26: 172-178. In German.
- KRAGENOV, P. 1980. Ergebnisse der Zentralen Limikolenfangaktion der DDR. *Ringfundmitterlung Nr. 2/80 der Vogelwarte Hiddensee. Potsdamer Forschungen der Padagogische + lochschule "Karl Liebknecht", Potsdam, Naturwissenschaftliche Reihe* 22 (160pp).
- LEYVA, T., A.G. CANARIS, & J.R. BRISTOL. 1980. Helminths and ectoparasites of the Common Snipe (*Capella gallinago* L.) from southwest Texas and Monte Vista National Wildlife Refuge, Colorado. *J. Wildl. Diseases* 16: 549-557 (Dept. Biol. Sci., Univ. Texas, El Paso, TX 79968, USA.)
- KOENE, P. 1978. De Scholekster: aantalseffecten op devoedselopname. (The Oystercatcher: effect of numbers on food intake.) *Verslag 60/1978. Dieroecologie RUG*, pp 1-123. (Zool. Lab., R.U.G., Kerklaan 30, Haren (Gn.), Netherlands.)
- KOKSHAYSKY, N.V. 1980. Ungewöhnlicher Sitzplatz einer Bekassine (*Gallinago gallinago*). [Unusual resting site of a Common Snipe.] *Beitr. Vogelkd.* 26(6): 368. In German. (A.N. Severtzov Inst. Evol. Anim. Morphol. & Ecol., Acad. Sci., USSR, Lenisky Prospekt 33, Moscow, USSR.)
- KONIGSTEDT, D. & H.E.J. MILLER. 1981. Wurde der Grosse Schlammläufer (*Limnodromus scolopaceus*) in Mecklenburg nachgewies [Will the Longbilled Dowitcher become established in Mecklenburg?] *Beitr. Vogelkd.* 27: 1-11. (E.-Weinert-Strasse 9, DDR-2200 Greifswald, E. Germany.)
- KUIPERS, Y.D., TH. PIERSMA & J. MUIZELAAR. 1980. Steltloperslaaptrek bij de Mokkebank in 1979. [Wader roost flight count near the Mokkebank, 1979.] in: *Jaarboek 1979/80 V.W.G. Friese Ysselmeerkust e.o.*: 6-33. Uitg.no.12 F.F.F., Leeuwarden. In Dutch. (Hendrikstr. 21, 9724 NA Groningen, Netherlands.)
- LAMBECK, R.H.D. 1981. [Long term changes in the use of the Roggenplaat (Oosterschelde) by waders.] *Limosa* 54: 68. In Dutch, summary only. (Delta Inst. Hydrobiol. Res., Vierstraat 28, 4401 EA Yerseke, Netherlands.)
- LOCHMILLER, R. & E. ROLLOR. 1979. New record of Shorthilled Dowitcher for Montgomery county. *Raven* 50: 37-38. (Dept. Fish & Wildl., Va. Polytech. Inst. & State Univ., Blackburg 24061.)
- LØFALDI, L. 1981. On the breeding season biometrics of the Common Sandpiper. *Ringing & Migration* 3: 133-136. (Dept. Anim. Ecol., Zool. Museum, Univ. Bergen, N-5014 Bergen, Norway.)
- MAHEO, R. 1981. Inventaire des limicoles hivernant en France, janvier-mars 1980. [Waders wintering in France, Jan-March 1980; for IWRB, French section, Groupe Recherches Limicoles.] *Ministere de l'Environnement et du Cadre de Vie, Mission des Etudes et de la Recherche. Convention no. 80 285 (69pp)*
- Mc KEAN, J.L. 1981. First record of the Stilt Sandpiper from Australia. *Notornis* 28: 48-49. (CSIRO, P.M. Bag 44, Winnellie, Northern Territory, Australia.)
- MEETH, P. 1981. Baird's Sandpiper in Senegal in December 1965. *Dutch Birding* 3: 51.
- MELTOFTE, H. 1981. Studies of waders in high arctic Greenland 1969-76. in: *Proc. Second Nordic Congr. Ornithol.* 1979: 141. Stavanger 1981.
- MELTOFTE, H. 1981. Monthly counts of waders in Denmark 1974-75. in: *Proc. Second Nordic Congr. Ornithol.* 1979: 142 Stavanger 1981.

- MELVILLE, D. 1980. Unexplained shorebird mortality - San Tin, May 1979. Occ. Pap. Mll Hong Kong: Dept. Agric. Fish.
- MES, R., R. SCHUCKARD & H. SMIT. 1980. Flora en fauna van de Engelsmanplaat. Mededeling Nr.5 Werkgroep Waddengebied (pp.1-95) In Dutch. (Welderijstrjitte 25, 9035 CX Dronryp, Netherlands.) Wader counts throughout the year.
- MEY, E. 1980. Bigynie beim Kiebitz (*Vanellus vanellus*). [Bigamy in the Lapwing.] Beitr. Vogelkd. 26:59. In German. Hauptstr. 47, DDR-6826 Sitzendorf/Thur, E. Germany.)
- MILLER, E.H. & A.J. BAKER. 1980. Displays of the Magellanic Oystercatcher (*Haematopus leucopodus*). Wilson Bull. 92: 149-168. (Biol. Dept., York Univ., Downsview, Ontario, Canada M3J 1P3.)
- MOELIKER, C.W. 1980. Afwijkend gekleurde Scholeksters. [Oystercatchers with abnormal colours.] Vogeljaar 28: 37-38. In Dutch.
- MORAN, S.H. & L. FISHELSON. 1971. Predation of a sand-dwelling mysid crustacean *Gastrosaccus sanctus* by plover birds (Charadriidae). Mar. Biol. 9: 63-64. Stomach analysis of shot *Char. alexandrinus* and *Char. hiaticula* of beach in Israel.
- MUNDAHL, J.T., D.L. JOHNSON & M.L. JOHNSON. 1981. Observations at a twenty-egg Killdeer nest. Condor 83: 180-182. (Coll. Veter. Med., 301 Veterin. Sci. Bldg., Univ. Minnesota, St. Paul, Minnesota 55108, USA.)
- MYERS, J.P. 1981. Cross-seasonal interactions in the evolution of sandpiper social systems. Behav. Ecol. Sociobiol. 8: 195-202. (Museum Vert. Zool., 2593 Life Sci. Bldg., Univ. California, Berkeley, CA 94720, USA.)
- NANINKOV, D.N. 1978. [Migration and breeding of some species of the order Charadriiformes on the southern coast of the Gulf of Finland.] Acta Ornithol. 16: 315-323. In Russian with English and Polish summary.
- NOORDHUIS, R. 1980. Rui bij wadvogels op Terschelling van y tot 18-8-1980. [Moult of waders on Terschelling in August 1980.] Aythya 19: 8-18. (V.Heemskerckstr. 16A, 9726 GK Groningen, Netherlands.)
- OLSON, S.L. & A. FEDUCCIA. 1980. Relationships and evolution of flamingoes (Aves: Phoenicopteridae). Smithsonian Contrib. Zool., No.316 (73pp). Flamingoes belong to Charadriiformes, suborder Charadrii, near the Recurvirostridae.
- OREEL, G.J. 1980. On discovering Broad-billed Sandpipers in the Netherlands. Dutch Birding 3:9.
- PANZKE, C. 1980. Der Brutverlauf beim Sabelschnabler (*Recurvirostra avosetta*) 1977 in der Leybucht. [Breeding season 1977 of Avocets in Leybucht.] Vogelk. Ber. Niedersachs 12: 1-10. In German.
- PEARSON, D.J. 1981. The wintering and moult of Ruffs *Philomachus pugnax* in the Kenyan rift valley. Ibis 123: 158-182. (Dept. Biochemistry, Univ. Nairobi, Box 30197, Nairobi, Kenya.)
- PHILIPPONA, J. 1981. Telling van het aantal broedparenvande Wulp in het Staphorsterveld in 1980. [Count of breeding pairs of Curlew in Staphorsterveld, 1980.] Watervogels 6: 50-52. In Dutch. (Noordermeent 29, 8317 AA Kraggenburg, Netherlands.)
- PHILLIPS, R.E. 1980. Behavior and systematics of New Zealand plovers. Emu 80: 177-197. (Dept. Anim. Sci., 495A Anim. Sci., Univ. Minnesota, St. Paul, MN 55108, USA.)
- PUTTICK, G.M. 1981. Sex-related differences in foraging behaviour of Curlew Sandpipers. Ornis Scand. 12: 13-17. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch, S.Africa.)
- RANDS, M.R.W. & J.P. BARKHAM. 1981. Factors controlling within-flock feeding densities in three species of wading birds. Ornis Scand. 12: 28-36. (Edward Grey Inst., Dept. Zool., South Parks Road, Oxford, UK.) Oystercatcher, Curlew & Dunlin flocks.
- REINER, H. 1981. Dachbrut des Austernfischers (*Haematopus ostralegus*) in Bremerhaven. [Roof nesting of Oystercatchers in Bremerhaven.] Vogelkd. Ber. Niedersachs 13:17. In German.
- RHJUN, J.VAN. 1979. Zuinig rijn op Kemphanen. [Take care of Ruffs.] Noorderbreedte 3: 180-183. In Dutch. (Zool. Lab., R.U.G., Kerklaan 30, Haren (Gn.), Netherlands.)
- RIEDEL, B. 1978. Zum Auftreten der Wassertreter (*Phalaropus spec.*) im Kreis 'Nordheim'. [On the occurrence of phalaropes in district Nordheim.] Vogelk. Ber. Niedersachs 10: 77-83. In German.
- ROBERTS, J.L. 1980. The status of Charadriiformes in Bulgaria. Bonner Zool. Beitr. 31: 38-57. (5 Tref y Nant Park, Acrefair, Clwyd, N.Wales, UK.)
- ROBILLER, F. & K. BORRMANN. 1980. Nestreviergrenzen vom Rodschenkel (*Tringa totanus*) am "Budosszek-To" in Sudungarn. [Nesting territory of Redshank in southern Hungary.] Beitr. Vogelkd. 26: 276-282. In German. (Wilhelm-Bode-Strasse 8, DDR-5300 Weimar, E. Germany.)
- ROBILLER, F. & K. BORRMANN. 1980. [Further data on inter-nest distances of Avocets and Snowy Plover at Budosszek-To in Hungary.] Falke 27: 152-157. In German.
- ROBOSKI, J.C. & M.K. CAUSEY. 1981. Incidence, habitat use and chronology of woodcock nesting in Alabama. J. Wildl. Manage 45(3): 793-797. (Dept. Zool.-Entom. & Agric. Exp. Station, Auburn Univ., Auburn, AL 36830, USA.)
- SAFRIEL, U.N. 1981. Social hierarchy among siblings in broods of the Oystercatcher *Haematopus ostralegus*. Beh. Ecol. Sociobiol. 9: 59-63. (Dept. Zool., Hebrew Univ., Jerusalem, Israel.)
- SALTER, R.E., N.A. GALLOP, S.R. JOHNSON, W.R. KOSKI & C.E. TULL. 1980. Distribution and abundance of birds on the arctic Coastal Plain of northern Yukon and adjacent Northwest Territories, 1971-1976. Can. Field-Nat. 94: 219-230. (LGI Ltd., 10110 124th St., Edmonton, Alberta, Canada T5N 1P6.)
- SCHIEHMANN, H. 1980. Zur Unterscheidung von Odinschunchen und Thorshunchen (*Phalaropus lobatus*, *Ph. fulvicarius*) im Winterkleid. [The difference between Red-necked and Grey Phalarope in winter plumage.] Bonner Zool. Beitr. 31: 58-60. In German. (Lampenweg 5, 7767 Sipplingin, W. Germany.)
- SCHIEHMANN, H. 1980. Wilsonwassertreter (*Phalaropus tricolor*) in Europa und Nordafrika. [Wilson's Phalarope in Europe and N.Africa.] Vogelwarte 30: 260-268. In German. (Kirchstr. 15, 7988 Wangen, 4 Allgau, W. Germany.)
- SCHLAFER, W. 1979. Teichralle- *Gallinula chloropus* - totet und verzehrt Kiebitzkuken - *Vanellus vanellus*. [Moorhen kills and eats Lapwing chicken.] Luscinia 44:90. In German. (Lerchenstr. 8, 6056 Heusenstamm, W. Germany.)
- SCHLENKER, R. 1977. Zu: "Schwedischer Alpenstrandläufer (*Calidris alpina*) brutet auf Spiekeroog. [On 'Swedish Dunlin breeding on Spiekeroog.] Vogelk. Ber. Niedersachs 9: 11-12. In German. (Vogelw. Radolfzell, Sloss, D-7760 Radolfzell-Moggigen, W. Germany.)
- SCHLENKER, R. 1980. Nahrungssuche in Zugrichtung bei Limikolen. [Feeding in migration-direction by waders.] Vogelwarte 30: 337-338. In German.
- SCHNEIDER, D.C. 1981. Size-selective predation on Mysides by birds (Plovers). Mar. Ecol. Prog. Ser. 5: 223-224.
- SCHNEIDER, D.C. & B.A. HARRINGTON. 1980. Habitat studies of migratory shorebirds. A comparison of bird usage to the amount and quality of feeding habitat at two coastal locations in Massachusetts. Report pp.61. Manomet Bird Observatory. May 1980.
- SEITZ, J. 1980. Bindenstrandläufer (*Micropalama himantopus*) in Bremen. Vogelk. Ber. Niedersachs 12:55. In German.
- SINCLAIR, J.C. & P.A.R. HOCKLEY. 1980. Wilson's Phalarope in South Africa. Bokmakerie 32: 114-115. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- SMALLEY, M.E. 1979. Dowitcher in the Gambia. Malimbus 1: 68-69. (MRC Lab., Fagara, near Banjul, P.O.Box 273, The Gambia.)
- SMET, K.DE & J.VAN GOMPEL. 1980. Observations sur la cote Senegalaise en Decembre et Janvier. Malimbus 2: 56-70. (Oude Brusselweg 143, B-9219 Gentbrugge, Belgium.)
- SMIES, M. & A.H.L. HUISKES. 1981. Holland's Eastern Scheldt Estuary Barrier Scheme: some ecological considerations. Ambio 10(4): 158-165. (Delta Inst. Hydrobiol. Res., Vierstraat 28, 4401 EA Yerseke, Netherlands.)
- SPONSELEE, G. 1980. Verstoring van slikvogels door pierenspitters en sportvisser. [Disturbance of waders by recreationists.] Vogeljaar 28: 321-324. In Dutch.

- STRIJBOS, J.P. 1980. De Griel: een duinvogel die verdurnen moest. [The Stone Curlew: a bird of the dunes that had to disappear.] Vogeljaar 28: 80-88. In Dutch. Story.
- SWENNEN, C. 1981. Vogels en kokkels in de Waddenzee. [Birds and cockles in the Wadden Sea.] Waddenbulletin 16: 128-132. In Dutch. (N.I.O.Z., P.O. Box 59, Den Burg, Texel, Netherlands.)
- SWENNEN, C. & L.L.M. DE BRUIJN. 1980. The density of breeding territories of the Oystercatcher Haematopus ostralegus on Vlieland. Limosa 53: 85-90. In Dutch with Engl. summary.
- TAYLOR, P.B. 1981. Field characters and habitat preferences of Great Snipe and Snipe. Dutch Birding 3: 52-54.
- TEPPEN, T. 1981. A new sandpiper for Samoa. Notornis 28:34 (725 Union St., River Falls, WI 54022, USA.) Tringa macular
- TEUBERT, W. & P.KNEIS. 1980. Rastphanologie des Flusssuferlaufers, Actitis hypoleucos, nach Beringungsergebnissen aus dem nordsächsischen Tiefland bei Riesa. [Phenology of resting of Common Sandpipers near Riesa, after ringing results.] Actitis 18: 33-44. In German.
- THIKONOV, A.V. & S.YU.FOKIN. 1980. [Acoustic signalization and the behaviour of Woodcock in early ontogenesis. II. The signalization and the behaviour of nestlings.] Biol. Nauki (Mosc) 1980(10): 45-54. In Russian.
- TIMMERMAN, A., AZN. Weidevogels in het weidse Friesland. [Meadow birds in Friesland.] Noorderbreedte 4: 43-48. In Dutch (Wynserdyk 39, Oenkerk (Frl.), Netherlands.)
- TREE, A.J. 1981. Age at which Crowned Plovers may breed. Ostrich 52:64. (101 Lomagundi Rd., Greencroft, P.O.Mabelreign Salisbury, Zimbabwe.)
- VADER, W. 1979. Varobservasjoner au fulbrystsnipe og Alaskasnipe i Troms. [Spring observations of Baird's Sandpiper in Troms, N.Norway.] Var Fuglefauna 2: 19-24. In Norwegian with Engl. summary. (Zool. Audeling, Troms Museum, N-9000 Tromsø, Norway.)
- WALLIS, C.A. & C.R.WERSHLER. 1981. Status and breeding of Mountain Plovers (Charadrius montanus) in Canada. Can. Field Natur. 95: 133-136. (615 Deer Croft Way, S.E.Calgary, Alberta T2J 5Y4, Canada.)
- WEBB, B.E. & J.A.CONRY. 1979. A Sharp-tailed Sandpiper in Colorado, with notes on plumage and behavior. Western Birds 10: 86-91. (Dept. EPO Biol., Univ. Colorado, Boulder, CO 80309, USA.)
- WANDER, W. 1980. Identification of Black-bellied and Golden Plover. N.J.Audubon 7: 19-20.
- WEISSKOPPEL, P. 1981. Der Waldwasserläufer (Tringa ochropus) als Brutvogel bei Hannover. (The breeding of Green Sandpipers near Hannover.) Vogelkd. Ber. Niedersachs 13:13-14. In German.
- WEST, G.C. & D.W.NORTON. 1975. Metabolic adaptations of Tundra birds. in: F.J.Vernberg, ed. 'Physiological Adaptations to the Environment', In text Educational Publ., New York.
- WIEME, G. 1981. (A roost of Curlews at Beernem, - Winter 1980-81.) Veldornithologisch Tijdschrift 4: 103-112. In Flemish with Engl. summary. (Elzenstr. 15, 8030 Beernem, Belgium.)
- WILKIE, A.O.M. 1981. Incubation rhythm and behaviour of a Dotterel Charadrius morinellus nesting in Norway. Ornis Fennica 58: 11-20. (Merton Coll., Oxford OX1 4JD, UK.)
- WILLIAMS, M.D. 1981. Description of the nest and egg of the Peruvian Thick-Knee (Burhinus superciliaris). Condor 83: 183-184.
- WILSON, J.R. 1981. The migration of high arctic shorebirds through Iceland. Bird Study 28: 21-32. (c/o John Burrow & Partners, P.O.Box 380, Gaborone, Botswana.)
- WISHART, R.A., P.J.CALDWELL & S.G.SEALY. 1981. Feeding and social behaviour of some migrant shorebirds in southern Manitoba. Can. Field-Natur. 95: 183-185. (Dept. Zool., Univ. Manitoba, Winnipeg, Manitoba R3T 2N2, Canada.)
- IJZENDOORN, E.J.VAN. 1981. (Baird's Sandpiper on De Maasvlakte in September 1980.) Dutch Birding 3: 48-50. Dutch with Engl. summary.
- ZANDE, A.N.VAN DER, W.J.TER KEURS & W.J. VAN DER WEIJDEN. 1980. The impact of roads on the densities of four bird species in an open field habitat - evidence of long distance effect. Biol. Cons. 18: 299-321.
- ZUBAKIN, V.A. 1979. [Nesting of the Black-winged Stilt (Himantopus himantopus) in the southern part of the Chita district (Caspian Sea).] Ornitologiya 4: 191-192. In Russian.
- ZURK, H.VAN. 1980. La nidification du Chevalier guignette Actitis hypoleucos dans la Basse Vallée du Var. [Nesting of the Common Sandpiper in the Var valley.] Alauda 48: 152. In French. (1 Passage Gastaud, 06000 Nice, France.)
- ZWARTS, L. 1980. Zwarte ruiters eten graag met z'n allen tegelijk. [Spotted Redshanks like social meals.] Lepelaar Nr. 69: 132-135. In Dutch. (Achterwei, Ee (Frl.), Netherlands.)

## RINGING TOTALS FOR THE PERIOD JUNE TO SEPTEMBER 1981

Corrections to last issue. Steltloperinggroep FFF: Dunlin should show 104, not 110; Bar-tailed Godwit 40, not 34; Victoria Wader Study Group: Curlew Sandpiper should show 475, not 1! Sorry, Clive!

Clearly, I am losing my grip. Therefore, in future totals should be sent to Nick Davidson. A form for October to January will be found with this issue: please return it by 20 February.

STOP PRESS: SOME MORE TOTALS:

- U = P.S. Tomkovich, Moscow Museum: Graham Bell Island, Franz Josef Land, USSR.  
V = Beringergemeinschaft Nordfriesisches Wattenmeer: Eiderstedt, W. Germany.  
W = Arbeitskries Natur- und Umweltschutz Harlingerland: Wattenmeer bei Dornumersiel, W. Germany.  
X = Jersey Wader Ringing Group - La Société Jersiaise: several sites on Jersey, Channel Isles.  
Y = Aberdeen University: Ythan Estuary, Scotland. Z = Catchpole, Lawson & Peters: Suffolk, England.  
Al = Farlington Ringing Group: Portsmouth Harbour & Portsea Island, Hampshire, England.  
Bl = Michael Terrence Dorgan: Royal Portbury Dock, Bristol, Avon, England.  
Cl = Barry O'Mahony: Ballycotton, Co. Cork, Ireland.

Victoria WSG & local banders: Botany Bay & Newcastle, New South Wales, 19-22 March 1981: 1 Lesser Golden Plover, 4 Double-banded Plovers, 9 Redcapped Plovers, 1 Black-tailed Godwit, 229 Bar-tailed Godwits, 1 Red Knot, 2 Great Knots, 569 Sharptailed Sandpipers, 15 Red-necked Stints, and 90 Curlew Sandpipers