

# RECENT PUBLICATIONS ON WADERS

## Compiled by Theunis Piersma

Since we try to make these lists as complete as possible help is most welcome. Omissions, new titles, abstracts or reprints should be sent to Theunis Piersma, Korte Nieuwstraat 4, 9724 LC Groningen, The Netherlands. During the compilation of this issue help was received from Ingvar Byrkjedal, Nick Davidson, Mike Pienkowski and Cor Smit. Translated titles of papers in languages other than English are bracketed: round brackets if the translation is by the author(s); square if not.

ADRET,P. 1983. (A study of the parental behaviour in Avocets in the nesting colony. Inter- and intra-family spatial organization.) *Can. J. Zool.* 61: 603-615. In French with English summary. (Labo. Ethologie, Univ. Rennes I, Av. du General Leclerc, 35042 Rennes-Cedex, France.)

AKKERMANS,R. 1984. Trekvogelbescherming uit eigenbelang. [Selfish migratory birds protection.] *Argus* 9(2):4. In Dutch. (c/o Klaverstr. 2, 3572 VB Utrecht, The Netherlands.) Critical commentary on CIC symposium, Noordwykerhout, 8/9 March 1984.

ALAQUI,M.Y. 1984. *Les zones humides du nord-ouest Africain et leur importance pour l'avifaune migratrice du palearctique occidental. (The wetlands of NW Africa and their importance for the west palearctic migratory avifauna (waterfowl).)* Paper presented to CIC (Conseil International de Chasse et Conservation du Gibier) symposium, Noordwykerhout, 8/9 March 1984. In French. (Min. de l'Agriculture, Direction Eaux et Forêts, Division Chasse, Peche et Protection de la Nature, Rabat, Morocco.)

ALENDAL,E., ERIKSTAD,K.E. & KALAS,J.A. 1982. (The bird fauna in the NE part of the Northwest-Spitzbergen National Park.) *Fauna* 35: 106-113. In Norwegian with English summary. (Zoological Museum, N-5000 Bergen, Norway.) Faunistics and breeding densities of 5 wader spp.

ALI,S. & HUSSAIN,S.A. 1983(?). *Studies on the movement and population structure of Indian Avifauna. Annual Report III. August 1981 - July 1982.* Bombay Natural History Society, Bombay. 139 pp. (No price given, BNHS, Hornbill House, Shahid Bhagat Singh Road, Bombay 400 023, India.) A lot of information on waders, e.g. weight patterns of Little Stints, Temminck's Stint, Ruffs, Kentish Plovers, Lesser Sandplovers, Curlew Sandpipers and Redshanks.

ALLEN,P. 1983. Possible Bar-tailed Godwit in Saskatchewan. *Blue Jay* 41: 200-201. (43 Beechwood Ave., Locking, Nr. Weston-Super-Mare, Avon BS24 8DS, U.K.)

BAYLOR,L.M. & BAYLOR,M.E. 1983. Breeding American Avocets in northwestern Butte county. *S.D. Bird Notes* 35: 68-69.

BEAUBRUN,P.C. 1981. *Phenologie des laro-limicoles et des oiseaux aquatiques sur le littoral de Skhirat (Maroc) en 1977. (Phenology of gulls, waders and waterbirds on the coast at Skhirat, Morocco, in 1977.)* *Bull. Inst. Sci., Rabat* 5: 143-166. In French. (Institut Scientifique, Charia Ibn Batouta, B.P.703, Rabat, Morocco.)

BEAUBRUN,P. & THEVENOT,M. 1983. *Recensement hivernal d'oiseaux d'eau au Maroc - janvier 1983. (Midwinter count of waterbirds in Morocco - January 1983.)* Report of Direction Eaux et Forêts & Institut Scientifique, Rabat, Morocco. 22 pp. In French.

BEINTEMA,A.J. 1983. Wader species breeding on agricultural grasslands. In H.Boyd (ed.) *First western hemisphere waterfowl and waterbird symposium*, IWRB, 1983. pp. 105-106. Abstract only. (RIN, W. de Zwygerlaan 15, 3941 GA Doorn, The Netherlands.)

BEINTEMA,A.J. 1983. Wet meadows in temperate Europe, threatened by agriculture. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 26-33.

BEINTEMA,A.J. 1984. Weidevogels als indicatoren. [Meadowbirds as indicators.] In: E.P.H.Best & J.Haeck (eds.), *Ecologische indicatoren voor de kwaliteitsbeoordeling van lucht, water, bodem en ecosystemen*. Pudoc, Wageningen. pp. 218-227. In Dutch.

BEINTEMA,A.J. 1984. Het weer en de weidevogels. [Weather and meadowbirds.] *Vogels* 4: 54-56. In Dutch.

BIOLOGISCHE STATION "RIESELFELDER MUNSTER". 1983. Zum Biotopmanagement im Europareservat "Rieselfelder Munster". [On habitat management in the reserve "Rieselfelder Munster".] *Natur und Landschaft* 58: 123-128. In German.

BLOMERT,A.M., ENGELMOER,M. & LOGENMANN,D. 1983. *Voedselöcologie van de Schollekster op het Friese Wad. (Feeding ecology of the Oystercatcher on the Frisian mudflats.)* Werkdocument R.IJ.P. 1983 - 140 Abw. In Dutch. (Zool. Lab., Univ. Groningen, Kerklaan 30, Haren, The Netherlands.)

BLOMQVIST,S. 1983. *Bibliography of the Genera Calidris and Limicola.* Special report from Ottenby Bird Observatory No.3. 104 pp. (Available for 45 Sw. Cr. (incl. p. & p.; this is approx. £4) prepaid at Postal Giro Account No. 46 03 22-1 (Stockholm) of Ottenby Bird Obs., Pl.1500, S-38065 Degerhamn, Sweden.) Literature survey up to 1980, 1364 listed references: see review in *HSG Bull.* 40.

- BLOMQVIST,S. 1983. *Bibliography of the Genus Phalaropus*. Special report from Ottenby Bird Observatory No.4. 28 pp. (Available for 25 Sw. Cr., see above.) Literature survey up to 1980, 394 listed references - see review in *WSG Bull.* 40.
- BOYD,H. (ed.) 1983. *First western hemisphere waterfowl and waterbird symposium*. Proceedings, IWRB & Supply and Services Canada, 150+ pp. (IWRB, Slimbridge, Glos. GL2 7BX, U.K.) Wader papers listed separately.
- BRAAKHEKKE,W.G. & DRIJVER,C.A. 1984. *Wetlands: belang, bedreiging en bescherming van waterrijke gebieden*. [Wetlands: importance, threats and protection.] Brochure Ned. Ver. Bescherming Vogels et al., 20pp. In Dutch, but now available also in English. (Vogelbescherming, Driebergsweg 16C, 3708 JC Zeist, The Netherlands.)
- BRGLEZ,J. 1983. (*Pelmatostomum episemum* Dietz, 1909 in Whimbrel *Numenius phaeopus* (L), from Ulcinj.) *Zb. Bioteh. Fak. Univ. Ljublj. Vet.* 20: 93-97. In Serbo-Croatian with English summary. (VTOZD Vet. BF, 6100 Ljubljana, Gerbiceva 60, Yugoslavia.)
- BUNDY,G. 1984. Little Stints feeding in flight. *Brit. Birds* 77: 156. (The Crest, Blythe Shute, Chale, Isle of Wight, PO38 2HJ, U.K.)
- BURGER,J. & GOCHFELD,M. 1983. Jamaica Bay Studies 5. Flocking associations and behaviour of shorebirds at an Atlantic coastal estuary. *Biol. of Behav.* 8: 289-318. (Rutgers State Univ., Dept. Biol. Sci., New Brunswick, NJ 08903, U.S.A.)
- BURT,R.R. 1983. *Taeniarchynchaena micropalamae* Gen. et Sp. N. (Cestoda, Dilepididae) from Stilt Sandpiper *Micropalama himantopus* (Boraporte, 1826). *J. Parasitol.* 69: 750-753. (Dept. Biol., Univ. New Brunswick, Bag Service 4511, Fredericton, New Brunswick, Canada E3B 6E1.)
- BUXTON,N.E. 1983. The breeding wader populations of the Western Isles of Scotland and the integrated development programme. In: P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 34-35.
- CATLEY,G.P. 1984. Feeding behaviour and plumage of an adult Sharp-tailed Sandpiper. *Brit. Birds* 77: 156-157. (13 West Aridge, Barton-on-Humber, South Humberside, U.K.)
- CHERNICHKO,I.I. 1984. (Birds' traps and the results of their use in northwest Prichernomorye.) *Proc. Oka. State Reserve, Ryazan* 15: 72-86. In Russian with English summary. Information on walk-in traps and their use in migration studies of waders.
- CHILD,P. 1983. An historical note on migratory species in Central Otago. *Notornis* 30: 186. (10 Royal Terr., Alexandra, New Zealand.) On *Haematopus ostralegus finschii* in New Zealand.
- CHILD,P. 1983. Decline of the Pied Stilt in central Otago. *Notornis* 30: 243-244.
- CLANCEY,P.A. 1981. Miscellaneous taxonomic notes on African birds 59. On geographical variation in the Terek Sandpiper *Xenus cinereus* (Guldenstaldt). *Durban Mus. Novitates* 12: 223-229. (Durban Mus., P.O. Box 4085, Durban 4000, S.Africa.)
- CLANCEY,P.A. 1981. Miscellaneous taxonomic notes on African birds 60. Variation in the Afrotropical species of *Charadrius tricollaris* Vieillot. *Durban Mus. Novitates* 13: 1-12.
- COOPER,J.M. 1983. Recent occurrences of the American Avocet in British Columbia. *Murrelet* 64: 47-48.
- CZECHURA,G.V. 1983. The rails of the Blackall-Conondale Range region with additional comments on Latham's Snipe *Gallinago hardwickii*. *Sunbird* 13: 31-35. (Queensland Mus., Gregory Terr., Fortitude Valley, Queensland 4006, Australia.)
- DAVIDSON,N.C. 1983. Identification of refuelling sites by studies of weight changes and fat deposition. In: P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 68-78.
- DAVIDSON,N.C. 1983. Creation of habitats and management of sites for shorebirds. In: P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings, pp. 98-99.
- DAVIDSON,N.C. 1984. How valid are flight range estimates for waders? *Ring. & Migr.* 5: 49-64. (Dept. Zool., Univ. Durham, South Road, Durham DH1 3LE, U.K.)
- DAVIS,P. & MOSS,D. 1984. Spartina and waders - the Dyfi estuary. In: P.Doody (ed.), *Spartina anglica in Great Britain*. Report NCC, pp. 37-40. (Report available from Interpretative Branch, NCC, Attingham Park, Shrewsbury SY4 4TW, U.K.)
- DELGADO,F.S.,B. 1983. Situacion actual de las zonas pantanosas de Panama. Perspectivas de conservacion de la avifauna acuatica. [Actual situation of wetlands in Panama. Perspectives for water conservation.] In H.Boyd (ed.), *First western hemisphere waterfowl and waterbird symposium*, IWRB. pp. 112-118. In Spanish. (C.Meliton Martin No. 3294, Chitre, Herrera, Panama.)
- DESSEL,B. van. 1983. Onderzoek naar de relaties tussen macrozoobenthos en enkele steltlopersoorten in het intergetijdegebied van het Verdonken Land van het Markiezaat van Bergen op Zoom. [Research into the relation between macrozoobenthos and some wader species on the intertidal area near Bergen op Zoom.] Student report Delta Institute, Yerseke and Deltadienst R.W.S., Middelburg, 89 pp. In Dutch. (Delta Inst., Vierstraat 28, 4401 EA Yerseke, The Netherlands.)
- DUFFY,D.C., SCHNEIDER,D.C. & ATKINS,N. 1984. Paracas rejoined - do shorebirds compete in the tropics? *Auk* 10: 199-201. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)

- DUPUICH,H. 1983. Note sur la nidification du Chevalier guignette *Tringa hypoleucus* dans l'Aisne. [Note on the nesting of Common Sandpipers in Aisne, France.] *L'Avocette* 7: 86-88. In French. (84 rue J.B. Carpeaux, Apd. 47, 60100 Creil, France.)
- ENGELMOER,M. 1983. De broedgebieden van de in Nederland voorkomende Paarse Strandlopers. [The breeding areas of the Purple Sandpipers, occurring in the Netherlands.] *Limosa* 56:268. In Dutch; abstract only. (Almastraat 1, 9716 CM Groningen, The Netherlands.)
- ENGELMOER,M. 1984. Analyses van biometrische gegevens van 12 soorten holarctische steltlopers. [Analyses of biometric data of 12 species of holarctic waders.] Werkdocument Inspectie Natuurbehoud, Staatsbosbeheer, Utrecht. 97 pp. + many appendices. In Dutch with English summary. (SBBB, P.O. Box 20020, 3506 LA Utrecht, The Netherlands.) Translated subtitle: a preliminary study to determine the geographical origin of arctic, subarctic and boreal waders caught on Vlieland and Schiermonnikoog in the period 1966-1979.
- ENS,B. 1983. Dringen op de Mosselbank. [Crowding on the musselbank.] *Limosa* 56: 267-268. In Dutch; abstract only. (RIN, P.O.Box 59, 1790 AB Den Burg, Texel, The Netherlands.) On Oystercatchers.
- ENS,B. & de VRIES,R. 1983. Voedselöcologie van de wulp op het Friese Wad, deel II. [Feeding ecology of the Curlew on the Frisian mudflats, part 2.] Werkdocument R.IJ.P. 1983 - 114 Abw., 205 pp. In Dutch.
- EVANS,P.R. 1983. Is pollution a threat to shorebirds populations? In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 96-97.
- EVANS,P.R., HAFNER,H. & L'HERMITE,P. (EDS.). 1983. *Shorebirds and Large Waterbirds Conservation*. Proceedings of two workshops, held at St. Aidan's College, Durham University, U.K., September 17-18, 1983. EC, Brussels. 181 pp. (As yet, restricted circulation.)
- FERNES,P.N. 1984. Birds of the Bristol Channel and Severn Estuary. *Mar. Poll. Bull.* 15: 76-81. (Zool. Dept., Univ. College, Cathays Park, Cardiff CF1 1XL, Wales, U.K.)
- FIRSOVA,L.V. & MENSHIKOVA,A.G. 1983. [Waders fauna in the south-western part of the Koryak Highland.] *Ornitologia* 18: 183. In Russian.
- FIX,D. 1983. Identification: adult Sanderlings in moult. *Oreg. Birds* 9: 112-113.
- FRITZ,O. 1982. (Record of Jack Snipe, *Lymnocryptes minimus*, on Oland during springs and summers.) *Calidris* 82: 83-84. In Swedish with English summary.
- FUSSELL II,J.O. 1983. Bar-tailed Godwit found at Portsmouth Island. *N.C. Chat* 47: 71-72. (1412 Shepard St., Morehead City, NC 28557, U.S.A.)
- GERRITSEN,A.F.C. 1983. Functionele anatomie van Drieteenstrandloper en andere strandlopers. [Functional anatomy of Sanderling and other sandpipers.] *Limosa* 56:269. In Dutch; Abstract only. (Zool. Lab., Univ. Leiden, P.O.Box 9516, 2300 RA Leiden, The Netherlands.) On bill morphology.
- GERRITSEN,A.F.C., HEEZIK,Y.M.van & SWENNEN,C. 1983. Chemoreception in two further *Calidris* species (*C.maritima* and *C.canutus*). *Meth. J. Zool.* 33: 485-496. Subtitle (!): With a comparison of the relative importance of chemoreception during foraging in *Calidris* species.
- GOSS-CUSTARD,J.D., MCGRORTY,S., READING,C.J., DURRELL,S.E.A. le V.dit 1982. Mussel and oystercatcher population dynamics on the Exe estuary. *Inst. Terr. Ecol. Annu. Rep.* 1982: 87. (Inst. Terr. Ecol., Furzebrook Res. Stat., Wareham, Dorset, U.K.)
- GOSS-CUSTARD,J.D. & SUTHERLAND,W.J. 1984. Feeding specializations in Oystercatchers *Haematopus ostralegus*. *Anim. Behav.* 32: 299-301.
- GREEN,G.H.(ed.) 1984. A survey of waders breeding on the west coast of the Uists and Benbecula (Outer Hebrides). 1983. Report published jointly by the Wader Study Group and the Nature Conservancy Council. 9pp. (WSG, G.H.Green, Windy Ridge, Little Comberton, Pershore, Worcs. WR10 3EW, U.K.) Summary report for general circulation.
- GROTHENHUIS,J. 1982. Voorkomen en verspreiding van de zeldzame weidevogels in 1981. [Occurrence and distribution of rare meadowbirds in Zuid-Oost Achterhoek in 1981.] *Meded. Vogelwerkgroep Zuidoost-Achterhoek* 9: 5-6. In Dutch. Oystercatcher, Black-tailed Godwit and Curlew.
- HAIG,G.M. 1983. Wintering Baird's Sandpiper at Staines reservoir. *Lond. Bird Rep.* No.47: 87-90. (686 Whitton Ave. W., Northolt, Middlesex, U.K.)
- HAM,N.F. van der. 1984. Squacco Heron attempting to swallow Wood Sandpiper. *Brit. Birds* 77:72. (F.Conijnlaan 17, 1815 DS Alkmaar, The Netherlands.)
- HAVE,T.M. van der. 1983. Aantalsschommelingen, broedsucces en sterfte van Bonte Strandlopers in het Waddengebied. [Fluctuations in numbers, breeding success, and mortality of Dunlins in the Dutch Wadden Sea.] *Limosa* 56: 268-269. In Dutch; Abstract only. (Biol. Lab., Free Univ., P.O.Box 7161, 1007 MC Amsterdam, The Netherlands.)
- HERNANDEZ,F. 1983. Censo invernal de aves acuáticas en la Provincia de Zaragoza (Enero-Febrero, 1983). [Midwinter count of waterbirds in Zaragoza province, Jan.-Febr. 1983.] *Boletin Estacion Central Ecología* 12: 69-75. In Spanish.
- HILDEN,O. 1983. Recent population changes of waders in Finland and their causes. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 13-16.

- HILGERS,L. 1982. Regenwulpen in Midden-Brabant. [Whimbrels in Midden-Brabant, The Netherlands.] *Roodborsttapuit* 1: 34-41. In Dutch. (c/o J.Sluyterweg 26, 5645 JD Eindhoven, The Netherlands.)
- HOEKSTRA,J. 1984. Opvallend gedrag van de Scholekster. [Remarkable behaviour of the Oystercatcher.] *Vanellus* 37: 53-54. In Dutch. (Finne 1, 9055 MH Britsum, The Netherlands.) On the removal of unfertilized eggs.
- HOLohan,S. 1983. Curlew Sandpiper in Manitoba. *Blue Jay* 41: 205-207. (267 Talbot Ave., Apt. 17, Winnipeg, Manitoba, Canada R2L 0P7.)
- HOWE,M.A. 1983. Breeding ecology of North American shorebirds: patterns and constraints. In H.Boyd (ed.), *First western hemisphere waterfowl and waterbird symposium*, IWRB. pp. 95-100. (USFWS, Patuxent Wildl. Res. Centre, Laurel, MD 20811, U.S.A.)
- HAAPANEN,A. & RASSI,P. 1983. National inventory of wetlands in Finland. In H.Boyd (ed.), *First western hemisphere waterfowl and waterbird symposium*, IWRB. pp. 38-44. (Min. Agricul. & Forestry, SF-00710 Helsinki 71, Poland.)
- IMPE,J.van. 1982. Het mogelyk voorkomen van *Numenius arquata orientalis* in Belgie en in Nederland. [The possible occurrence of *Numenius arquata orientalis* in Belgium and the Netherlands.] *Gerfaut* 72: 337-340. In Flemish with English and French summaries. (Inst. Hyg. & Epidemiol., Dept. Milieu, rue J. Wytsman 14, B-1050 Brussels, Belgium.)
- INGRAM,R.P. & WOOD,G.W. 1983. Characteristics of Woodcock harvest data in coastal South Carolina. *Wildl. Soc. Bull.* 11: 356-359. (B.W.Baruch For. Sci. Inst., Clemson Univ., Georgetown, SC 29440, U.S.A.)
- ISHIKAWA,T. 1982. (Plumage color changes of the Black-bellied Plover (*Pluvialis squatarola*) at Yatsu tidal flat.) *Strix* 1: 24-29. In Japanese with English summary. (2-49-4 Hama-cho, Nihonbashi, Chuo-ku, Tokyo 103, Japan.)
- IUCN Conservation Monitoring Centre. 1984. *Directory of Wetlands of International Importance*. Sites Designated under the Convention on Wetlands of International Importance Especially as Waterfowl Habitat. Draft report, IUCN, Groningen, May 1984. 271 pp.
- JAENSCH,R. 1983. Australian Pratincoles near Bool Lagoon. *S. Aust Ornithol.* 29:72. (69 Lanark St., Coolbinia, WA 6050, Australia.)
- JOHNSON,O.W. & JOHNSON,P.M. 1983. Plumage-molt-age relationships in "over-summering" and migratory Lesser Golden Plovers. *Condor* 85: 406-419. (Dept. Biol., Moorhead State Univ., Moorhead, MI 56560, U.S.A.)
- JONES,E.L. 1983. A preliminary note on wader counts at Stockyard Point, Westernpoint Bay, Victoria, 1973-1983. *Bull. Victorian Wader Study Group* 7: 21-33. (School Econ., La Trobe Univ., Bundoora 3083, Australia.)
- JONSSON,P.E. 1983. (The Kentish Plover in Sweden - its status and breeding ecology.) *Anser* 22: 209-230. In Swedish with English summary. (Ekologihuset, S-22362 Lund, Sweden.)
- JUKEMA,J. 1983. (Oystercatcher with crossed bill.) *Limosa* 56: 259-260. In Dutch with English summary. (Haerdawei 44, 8854 AC Oosterbierum, The Netherlands.)
- KALAS,J.A. & ROALKVAM,R. 1983. Feeding habits of breeding birds in a western Norwegian estuary. *Fauna norv. Ser. C, Cinclus* 6: 73-77. (DVF/RU, Sverresgt 1, N-7000 Trondheim, Norway.) Data on Oystercatcher, Lapwing and Redshank.
- KAMP,H. 1984. Kieviten in de verdrukking. [Endangered Lapwings.] *Vanellus* 37: 42-44. In Dutch. (Burg. Hogguerstr. 271, 1064 CP Amsterdam, The Netherlands.)
- KANE,R. 1983. Fall shorebird migration in the Hackensack Meadows, 1971-1980. *Occ. Pap.* No. 141, *Records of New Jersey Birds* 9: 24-32. (Box 693, Bernardsville, NJ 07924, U.S.A.)
- KASHENTZева,T.A. 1984. (Some age parameters of the Lapwings according to the banding data.) *Proc. Oka State Reserve, Ryazan* 15: 67-71. In Russian with English summary. On survival and life expectancy.
- KHALIL,L.F. 1983. A study of a dioecious cestode of the genus *Gyrocoelia* from a Spurwing Plover in the Sudan. *Parasitology* 87: 35. (Commonwealth Inst. Parasitol., St. Albans, Herts., U.K.)
- KING,B.F. & GALLAGHER,M.D. 1983. First record of Great Knot *Calidris tenuirostris* in Oman, Eastern Arabia. *Bull. Br. Ornithol. Club* 103: 139-140. (Ornithol. Dept., Am. Mus. Nat. Hist., Central Park West at 79th St., New York, NY10024, U.S.A.)
- KING,W.B. 1983. Ramsar Convention. *Bird Conserv.* 1: 103-106. Report on U.S. activities under the Ramsar Convention on Wetland etc. in the early 1970's.
- KOE,T.de. 1983. De vangbaarheid van de zeeduizendpoot als prooidier van de wulp. [The catchability of Ragworms as prey of Curlews.] *Werkdocument R.IJ.P.* 1983 - 119 Abw., 88 pp. In Dutch. (c/o Achterwei 23, Ee, Friesland, The Netherlands.)
- KORTE,K.de. 1984. Arctische steltlopers (2). Kanoetstrandloper, Drieteenstrandloper, Paarse Strandloper, Bonte Strandloper. [Arctic waders (2). Knot, Sanderling, Purple Sandpiper, Dunlin.] *Vogels* 4: 62-65. In Dutch.
- KUS,B.E., ASHMOLE,P., PAGE,G.W. & STENZEL,L.E. 1983. Age-related mortality in a wintering population of Dunlin. *Auk* 101: 69-73. (Div. Environm. Studies, Univ. Calif., Davis, CA 95615, U.S.A.)
- KUYT,E. 1982. Semipalmated Plover breeding in Alberta. *Alberta Nat.* 12: 6-9. (CWS, Rm. 1000, 9942 - 108 St., Edmonton, AB, T5K 2JK, Canada.)
- LANGSLOW,D.R. 1983. Breeding ecology of the upland Golden Plover. In H.Boyd (ed.), *First western hemisphere waterfowl and waterbird symposium*, IWRB. pp. 101-104. (NCC, George St., Huntingdon, Cambs. PE18 6BU, U.K.)

- LANGSLOW,D.R. 1983. The impacts of afforestation on breeding shorebirds and raptors in the Uplands of Britain. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 17-25.
- LIFJELD,J. 1983. Stomach content analyses of the Dunlin *Calidris alpina*: bias due to differential digestibility of prey items. *Fauna norv. Ser. C., Cinclus* 6: 43-46. (Univ. Oslo, Zool. Inst., P.O.Box 1050, Blindern, N-Oslo 3, Norway.)
- LOK,J. 1984. (Many Sanderlings *Calidris alba* on Arneland.) *Limosa* 57:28. In Dutch with English summary. (Angelierstr. 24, 8012 CR Zwolle, The Netherlands.)
- LOOIJEN,R. 1983. *Tijdsbesteding van wulpel aan de Friese Haddenkust: op zoek naar compensatiemechanismen. [Time budgets of Curlews along the Frisian Hadden Sea coast: searching for compensatory mechanisms.]* Werkdocument R.IJ.P. 1983-138 Abw., 123 pp. In Dutch. (c/o Achterwei 23, Ee, Friesland, The Netherlands.)
- LISETSKI,A.S. & GUDINA,A.N. 1983. [Record of the Black-winged Stilt in Kharkov region.] *Ornitologia* 18: 167-168. In Russian.
- MACHIKUNAS,A. 1983. [Some aspects of behaviour of Common Snipe during a breeding period.] *Ornitologia* 18: 198-199. In Russian.
- MAHONEY,S.A. 1984. Plumage wettability of aquatic birds. *Auk* 101: 181-185. (Dept. Biol. Sci., Florida Atl. Univ., Boca Raton, Florida 33431, U.S.A.) Data on wettability (!) of Red Phalarope.
- MARCHANT,J.H. 1984. Identification of Slender-billed Curlew. *Brit. Birds* 77: 135-140. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- MARISOVA,I.V. & SAMOFALOV,M.F. 1983. [The fauna of waders in Chernigov region.] *Ornitologia* 18: 168-169. In Russian.
- MEIRE,P.M. & KUYKEN,E. 1983. Barrage Schemes - Predicting the effects of changes in tidal amplitude on wader populations. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 79-89.
- MELTOFTE,H. 1983. Populations and breeding schedules of waders in High Arctic Greenland. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 10-12.
- MILLARD,A.V. & EVANS,P.R. 1984. Colonization of mudflats by *Spartina anglica*; some effects on invertebrate and shorebird populations at Lindisfarne. In P.Doody (ed.), *Spartina anglica in Great Britain*. Report NCC. pp. 41-49. (Report available; see Davis,P.)
- MITCHELL,J. 1982. Nesting of Temminck's Stint in Dunbartonshire in 1979. *Loch Lomond Bird Rep.* 11: 12-13.
- MOON,S.J. 1982. Little Whimbrel at Sker, Mid Glamorgan. *Nat. Wales New Ser.* 1: 84. (Rooklands, 36 Hookland Rd., Newton, Porthcawl, Mid Glamorgan, Wales, U.K.)
- MORRISON,R.I.G. 1983. A hemispheric perspective on the distribution and migration of some shorebirds in North and South America. In H.Boyd (ed.), *First western hemisphere waterfowl and waterbird symposium*, IWRB, pp. 84-94. (CWS, 1725 Woodward Dr., Ottawa, Ont. K1A 0E7, Canada.)
- MYERS,J.P. & SALLABERRY,M. 1983. El Playero Blanco. Una extraordinaria ave migratoria de Chile. [The Sanderling. Extraordinary migrant bird of Chile.] *Naturaleza* 1: 14-17. In Spanish. (Acad. Nat. Sci., 19th and the Parkway, Philadelphia, PA 19103, U.S.A.)
- MYERS,J.P. & McCAFFERY,B.J. 1984. Paracas revisited: do shorebirds compete on their wintering ground? Commentary. *Auk* 101: 197-199.
- OCHAGOV,D.M. 1983. [Joint nesting of the Ringed Plover and the Little Ringed Plover along Enisei River.] *Ornitologia* 18:199. In Russian.
- ORDELMAN,G.J. 1984. Hoe drie wulpellegsels toch nog jongen voortbrachten. [How three clutches of Curlew were still successful.] *Vogeljaar* 32:56. In Dutch. (Benninkdijk 5, 7161 LN Neede, The Netherlands.)
- ORTIZ CRESPO,F.I. 1983. Ecuadorean wetlands: past, present and future, with special mention of waterfowl. In H.Boyd (ed.), *First western hemisphere waterfowl and waterbird symposium*, IWRB. pp. 127-132. (Museo Ecuatoriano de Ciencias Naturales, Univ. Catolica del Ecuador, Quito, Ecuador.)
- PANCHENKO,S.G. & SULIK,W.B. 1983. [Recent status of waders fauna in Voroshilovgrad region.] *Ornitologia* 18: 176. In Russian.
- PARRIS,R.W. 1983. Late nesting attempt by an American Woodcock. *Kingbird* 33: 253. (Dept. Environm. & For. Biol., State Univ. N.Y., Syracuse 13210, U.S.A.)
- PEARSON,D.J. 1984. The moult of the Little Stint *Calidris minuta* in the Kenyan Rift Valley. *Ibis* 126: 1-15. (Browses, Sibton, Saxmundham, Suffolk, U.K.)
- PEHRSSON,O. 1983. (Lake Hornborgasjön as waterpower reservoir, fish culture, and arable land - will that be the next developmental stage of the 10,000 year old bird lake?) *Var Fagelvarld* 42: 161-180. In Swedish with English summary. (Dept. Zool., Univ. Goteborg, Box 25019, S-40031 Goteborg, Sweden.)
- PHILIPPONA,J. 1983. *Observations of waterbirds at some wetlands in Turkey, autumn 1983.* Report, 1983, 7 pp. (Kraggenburg, N.O.P., The Netherlands.)
- PIENKOWSKI,M.W. 1983. The impact of tourism on coastal breeding shorebirds in Western and Southern Europe: an introduction to general discussion. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 36-42.
- PIENKOWSKI,M.W. 1983. Identification of relative importance of sites by studies of movement and population turnover. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 52-67.

- PIENKOWSKI,M.W. 1984. Behaviour of young Ringed Plovers *Charadrius hiaticula* and its relationship to growth and survival to reproductive age. *Ibis* 126: 133-135. (Dept. Zool., Univ. Durham, South Road, Durham DH1 3LE, U.K.)
- PIENKOWSKI,M.W. 1984. Breeding biology and population dynamics of Ringed Plovers *Charadrius hiaticula* in Britain and Greenland: nest-predation as a possible factor limiting distribution and timing of breeding. *J. Zool., Lond.* 202: 83-114.
- PIERCE,R.J. 1983. The Charadriiformes of a high-country river valley. *Notornis* 30: 169-185. (Dept. Zool., Univ. Otago, Dunedin, New Zealand.)
- PIERCE,R.J. 1982. A comparative ecological study of Pied and Black Stilts in South Canterbury. Ph.D. dissertation, Univ. Otago (New Zealand). August 1982. 288 pp.
- PIEST,L.A. 1983. First nesting record of Wilson's Phalarope in Arizona. *West. Birds* 14: 111. (Coop. Wildl. Res. Unit, 214 Biol. Sci. East, Univ. Arizona, Tucson 85721, U.S.A.)
- POORTER,E. & ZWARTS,L. 1984. Resultats d'une premiere mission ornitho-ecologique de l'IUCN/IWF en Guinee-Bissau. [Results of a first IUCN/WWF ornitho-ecological research mission to Guinee-Bissau.] Report, Groningen. 32 pp. In French. (c/o Achterwei 23, Ee, Friesland, The Netherlands.)
- PRATER,A.J. 1984. Ringed Plover Survey. *BTO News* 31: 3. (4 Church St., Shoreham-by-Sea, Sussex, U.K.) Announcement.
- PROKOFIEV,S.M. 1983. [Species composition and number of waders in the Steppe and forest-steppe zone in Khakassia.] *Ornitologia* 18:178. In Russian.
- PYR,A. 1984. Another armchair-tick for a lucky few? *Brit. Birds* 77: 164-165. (The Bungalow, Kites Abbey, Fishers Lane, Cold Ash, Berks. RG16 9NF, U.K.) Twitcher's comment on specific status of *Pluvialis dominica* and *P. fulva*.
- RAVKIN,Yu.S. 1983. [Waders in southern taiga near Lower Angara river.] *Ornitologia* 18: 178-179. In Russian.
- REZANOV,A.G. 1983. [Winter waders fauna in Kyzyl-Agach reserve.] *Ornitologia* 18: 179. In Russian.
- RICHARDS,J.M. 1983. Crepuscular fall flight of American Woodcock (*Philohela minor*). *Ontario Birds* 1: 36-37. (R.R.2, Orono, ON L0B 1MO, Canada.)
- RICKLEFS,R.E. 1984. Egg dimensions and neonatal mass of shorebirds. *Condor* 86: 7-11. (Dept. Biol., Univ. Pennsylvania, Philadelphia, PA 19104, U.S.A.)
- RIZVANOV,G.F., BUKUNA,T.G. & BRAUDE,M.I. 1983. [Specific incubation of a clutch by the Redshank on land-reclamation territories.] *Ornitologia* 18: 199-200. In Russian.
- ROCA,P., SAINZ,F., GONZALEZ,M. & ALEMANY,M. 1984. Structure and composition of the eggs from several avian species. *Comp. Biochem. Physiol.* 77A: 307-310. (Dept. Bioquimica, Fac. Ciencias, Univ. Ciutat Mallorca, Mallorca, Balears, Spain.) Data on Snipe eggs.
- ROOTH,J. 1984. Jaarwergadering International Waterfowl Research Bureau. [29th Annual Meeting IWRB: a personal report.] *Limosa* 57: 29-30. In Dutch. (RIN, Kasteel Broekhuizen, Leersum, The Netherlands.)
- ROSELAAR,C.S. 1983. Ondersoorten by de kanoetstrandloper. [Subspecies in the Knot.] *Limosa* 56:268. In Dutch. Abstract only. (Zool. Mus., Univ. Amsterdam, P.O.Box 20125, 1000 HC Amsterdam, The Netherlands.)
- ROUND,P.D. & MOSS,M. 1984. The waterbird populations of three Welsh rivers. *Bird Study* 31: 61-68. (RSPB, The Lodge, Sandy, Beds. SG19 2DL, U.K.) Data on breeding Common Sandpipers.
- RUBINSTEIN,N.A. 1983. [Waders fauna in Pechora-Ilych reserve.] *Ornitologia* 18: 179-180.
- RUITENBEEK,W. 1983. Landschap en vogels van de Schermer. [Landscape and birds of polder de Schermer, Noord Holland.] *Graspieper* 3: 51-100. In Dutch. (Nassauplein 17, 1815 BN Alkmaar, The Netherlands.) Detailed information on passage times of waders (esp. *Tringa spp.*) at this 4750 ha. inland site.
- SCHARRINGA,C.J.G. 1984. Weidevogels in het zuidelijk deel van Noord-Holland. [Meadowbirds in the southern part of Noord-Holland.] *Graspieper* 4: 3-33. In Dutch. (Prov. Waterstaat, Bureau Ecol., P.O.Box 202, 2050 AE Overveen, The Netherlands.)
- SCHONLE,E. 1983. (Observations on a small population of Little Ringed Plovers *Charadrius dubius*). *Ornithol. Beob.* 80: 183-189. In German with English summary. (Rotackerstr. 29, 8304 Wallisellen, Switzerland.)
- SHISSLER,B.P. & SAMUEL,D.E. 1983. Observations of male Woodcock on singing grounds. *Wilson Bull.* 95: 655-656. (Div. Forestry, West Virginia Univ., Morgantown, WV 26506, U.S.A.)
- SKEEL,M.A. 1983. Nesting success, density, philopatry, and nest-site selection of the Whimbrel (*Numenius phaeopus*) in different habitats. *Can. J. Zool.* 61: 218-255. (Dept. Zool., Univ. Toronto, Toronto, ON M5S, Canada.)
- SKINNER,N.J. 1983. The occurrence of waders at Suva Point, Fiji. *Notornis* 30: 227-232. (Univ. Botswana, P.Bag 0022, Gaborone, Botswana.) Data for 16 spp.
- SKRYLKOV,A.I. 1983. [Number and distribution of waders on Chebarkul Lake.] *Ornitologia* 18: 180. In Russian.
- SMIT,C.J. 1983. Identification of important sites for waders by coordinated counts. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 43-51.

- SMITH,K. 1984. Lowland wader surveys. *BTO News* 31: 9. (BTO, Beech Grove, Tring, Herts., U.K.) Announcement.
- STEPHENS,M.L. 1984. Intraspecific distraction displays of the polyandrous Northern Jacana *Jacana spinosa*. *Ibis* 126: 70-72. (Allee Lab. Anim. Behav., Univ. Chicago, 940E. 57th St., Chicago, IL 60637, U.S.A.)
- STORKERSEN,O.R. 1982. [First breeding records of Little Ringed Plover in Sor-Trondelag.] *Trondersk Natur* 9: 4-7. In Norwegian.
- SUEUR,F. 1984. Status de l'Huitrier-pie (*Haematopus ostralegus*) en Baie de Somme. [Status of the Oystercatcher in Baie de Somme.] *Alauda* 54: 51-55. In French with English summary. (rue du Bosquet, 80120 Rue, France.)
- SULLIVAN,K. 1983. Patch exploitation and resource defense in migrating Ruddy Turnstones (*Arenaria interpres*). *Am. Zool.* 23: 898. Abstract only. (Rutgers Univ., Newark, N.J., U.S.A.)
- TALLMAN,E.J. 1983. An analysis of the Trematode fauna of two intercontinental migrants: *Tringa solitaria* and *Calidris melanotos* (Aves: Charadriiformes). Ph.D. dissertation, LA State Univ. & Agric. & Mech. Coll. 135 pp.
- TATARINKOVA,I.P. 1983. [Nesting of waders in Ainovy Islands.] *Ornitologia* 18: 181. In Russian.
- TAUTIN,J., GEISSLER,P.H., MUNRO,R.E. & POSPAHALA,R.S. 1983. Monitoring the population status of American Woodcock. *Trans. N. Am. Wildl. Nat. Resour. Conf.* 48: 376-388. (USFWS, Laurel, MD, U.S.A.)
- TERLUIN,A.B. 1984. Gedektelijk albinisme bij de Kievit. [Partial albinism in the Lapwing.] *Vogels* 4: 104-105. In Dutch. (c/o Vogelbescherming, Driebergseweg 16C, 3708 JC Zeist, The Netherlands.)
- THINGSTAD,P.G. 1983. (Distribution of waders in Nord-Trondelag, central Norway.) *Van Fuglefauna* 6: 244-251. In Norwegian with English summary. (DK NVS Museet, N-700 Trondheim, Norway.)
- THOMPSON,D.B.A. & BARNARD,C.J. 1984. Prey selection by plovers: optimal foraging in mixed-species groups. *Anim. Behav.* 32: 554-563. (Dept. Zool., Univ. Nottingham, University Park, Nottingham NG7 2RD, U.K.)
- TILBA,P.A. 1983. [Waders in the west coastal part of the Caucasus.] *Ornitologia* 18: 181-182. In Russian.
- TOFT,G.O. 1982. (Populations of Turnstone in the County of Rogaland during the summer.) *Fauna* 35: 169-170. In Norwegian with English summary. (Zool. Mus., N-5000 Bergen, Norway.)
- TOFT,G.O. 1982. Sandeel, *Ammodytidae*, a rare prey taken by the Oystercatcher *Haematopus ostralegus*. *Fauna norv. Ser. C, Cinclus* 5: 95-96.
- TOLCHIN,V.A. 1983. [Nesting waders in a lowland near the north-eastern coast of Baikal Lake.] *Ornitologia* 18: 182-183. In Russian.
- TOWNSHEND,D.J. 1983. The effects of predators upon shorebird populations in the non-breeding season. In P.R.Evans, H.Hafner & P.L'Hermite (eds.), *Shorebirds and Large Waterbirds Conservation*, EC Proceedings. pp. 90-95.
- TYSBULIN,S.M. 1983. [Waders in the Kazym river basin (West Siberia).] *Ornitologia* 18: 185. In Russian.
- TWYDLE,M. & TWYDLE,W. 1983. South Island Pied Oystercatchers nesting in Hawkes Bay. *Notornis* 30: 197-198. (124 Nelson Crescent, Napier, New Zealand.)
- TYRBERG,T. 1984. Tandfaglar och urvadare - nagra glimtar från första halften av faglarnas historia. *Var Fagelvarld* 43: 5-19. In Swedish. On evolution of Charadriiformes and other orders.
- UMRIKHINA,G.S. & POPOV,E.A. 1983. [Migration and nesting of the Black-winged Stilt and the Collared Pratincole in the Chu river valley.] *Ornitologia* 18: 183. In Russian.
- VEPRINTSEV,B.N. & ZABLOTSKAYA,M.M. 1982. Acoustic signalization of the Little Curlew *Numenius minimus* Gould. *Library Wildl. Sounds Publ.* 1982., 18 pp. (Inst. Biophys., Puschinoon-Oka, 142292 Moscow Region, U.S.S.R.)
- VINK,J.A.J. & LOK,C.M. 1982. (Definite breeding record of Bar-tailed Godwit *Limosa lapponica* at Varangerhalvoya.) *Fauna* 35: 176-177. In Norwegian with English summary. (Tritonlaan 32, 1562 ZR Krommenie, The Netherlands.)
- WALTER,J.C. 1983. An unexpected sighting of Red-necked Avocet *Recurvirostra novaehollandiae* and chicks. *Sunbird* 13: 40-41. (9 Hill St., Pittsworth, Queensland 4356, Australia.)
- WALTERS,J. 1984. The onset of primary moult in breeding *Charadrius* plovers. *Bird Study* 31: 43-48. (Zool. Mus., P.O. Box 20125, 1000 HC Amsterdam, The Netherlands.)
- WALTERS,J. 1984. Prolonged incubation of addled clutch by Oystercatcher. *Brit. Birds* 77: 155-156.
- WARHEIT,K.I., LINDBERG,D.R. & BOEKELHEIDE,R.J. 1984. Pinniped disturbance lowers reproductive success of Black Oystercatcher *Haematopus bachmani* (Aves). *Mar. Ecol. Progr. Ser.* 17: 101-104. (Centre Coastal Mar. Studies, Univ. Calif., Santa Cruz, CA 95064, U.S.A.)
- WILKENS,H., ANDRES,H.-G., FAUBEL,A., GILLANDT,L., HARTWIG,E., MARTENS,J.M. & SCHULZ,K. 1983. Ökologische Analyse der Leybucht. [Ecological analysis of Leybucht, Wadden Sea.] *Arbeit Forschungsstelle Norderney* 8: 1-144. In German. (Zool. Inst. & Mus., Univ. Hamburg, Hamburg, West Germany.)
- WISCHUSEN,E.W., KENNEDY,R.S. & GAST,S.E. 1984. First record of Red Phalarope from the Philippines. *Auk* 101:185. (The Haribon Soc., Room 435, Makati Stock Exchange Bldg., Ayala Ave., Makati, Metro Manila, Philippines.)
- ZOMERDIJK,P.J. 1984. De Houtsnip. [The Woodcock.] *Argus* 9(2): 14-16. In Dutch. (Kalmanst., Alkmeer, The Netherlands.)