

RECENT PUBLICATIONS ON WADERS 42

compiled by Theunis Piersma

BREEDING

- ANDELL,P., JONSSON,P.E. & NILSSON,L. 1987. Svensk fagelatlas i Skane. Slutrapport. Del 3. [Breeding bird atlas for Scania. Final report. Part 3. Waders.] *Anser* 26: 97-110. In Swedish. (Ekologihuset, S-22362 Lund, Sweden.) Distribution maps and population size estimates for waders breeding in southernmost Sweden.
- ARVIDSSON,B. & SCHAFFERER,T. 1986. (Species turnover, population size and population development since 1980 in the breeding wetland bird fauna of Lake Vanern.) *Var Fagelvarld* 45: 255-266. In Swedish with English summary. (Nylosegt. 11c, 41503 Goteborg, Sweden.)
- BECKER,P.H. & ERDELEN,M.E. 1987. (Coastal bird populations of the German Wadden Sea: trends 1950-1979.) *J. Orn.* 128: 1-32. In German with English summary. (Inst. Vogelforschung, An der Vogelwarte 21, D-2940 Wilhelmshaven 15, W.Germany.) Breeding wader population changes.
- BEINTEMA,A.J. 1985. The decline of meadow-birds in the agricultural land in Holland. *Proc. Int. Orn. Congr.* 18: 1033-1034. Abstract only.
- BOANO,G. & BRICHETTI,P. 1986. (Distribution and breeding biology of the Lapwing *Vanellus vanellus* in Italy.) *Avocetta* 10: 103-114. In Italian with English summary. (Mus. Civ. Stor. Nat., Piazza S. Agostino 17, Carmagnola, Italy.)
- BOERSMA,W. 1987. Scholekster als eierrover. [Oystercatcher as egg predator.] *Vanellus* 40:11. In Dutch. (Sylspaed 5, 8711 EB Workum, The Netherlands.)
- BOMFORD,M. 1986. Breeding displays and calls of the Banded Dotterel (*Charadrius bicinctus*). *Notornis* 33: 219-232.
- BOSTROM,U. & AHLEN,I. 1985. Loss of open peatland and some other open habitats in Sweden and the effect on the bird fauna. *Proc. Int. Orn. Congr.* 18:1032. Abstract only. (Dept. Wildl. Ecol., Swedish Univ. Agr. Sci., S-75007 Uppsala, Sweden.)
- BOUSFIELD,M.A., KIRKHAM,I.R. & MCRAE,R.D. 1986. Breeding of Wilson's Phalarope, *Phalaropus tricolor*, at Churchill, Manitoba. *Can. Field-Nat.* 100: 392-393. (1302-2861 Baycrest Dr., Ottawa, ON, Canada K1V 8X8.)
- BOYD,H. 1987. Do June temperatures affect the breeding success of Dark-bellied Brent Geese *Branta b. bernicla*? *Bird Study* 34: 155-159. (CWS, Ottawa, Ontario, Canada.) Part of an ongoing discussion on the reasons for "non-breeding years" in high arctic breeding geese and waders. See also Dhondt and Summers & Underhill.
- BUICK,A.M. 1987. Impact of vehicle traffic on the breeding biology of the Hooded Plover. *Stilt* 10:3. Abstract only. (Dept. Zool., Univ. of Adelaide, GPO Box 498, Adelaide, SA 5001, Australia.)
- BYRKJEDAL,I. 1987. Antipredator behavior and breeding success in Greater Golden Plover and Eurasian Dotterel. *Condor* 89: 40-47. (Mus. Zool., Univ. of Bergen, N-5000 Bergen, Norway.)
- CARTER,S. 1987. Waterways bird survey... 1985-1986 population changes. *BTO News* 150: 4-5. (BTO, Beech Grove, Tring, Herts., U.K.) Breeding population changes 1981-86 in British Oystercatchers, Lapwings, Redshanks and Common Sandpipers nesting along waterways.
- DE WIJS,W.J.R., VAN SCHARENBURG,C.W.M. & BUKER,J.B. 1986. *Nauwkeurigheid van weidevogelinventarisaties.* [The accuracy of breeding meadowbird surveys.] Report P.W.S. Noord- and Zuid-Holland, Haarlem, 57 pp. In Dutch. (Prov. Waterstaat Noord-Holland, Afd. Biologie, Haarlem, The Netherlands.)
- DHOND'T,A.A. 1987. Cycles of lemmings and Brent Geese *Branta b. bernicla*: a comment on the hypothesis of Roselaar and Summers. *Bird Study* 34: 151-154. (Dept. Biol., Univ. of Antwerp, B-2610 Wilrijk, Belgium.) Part of an ongoing discussion on the reasons for "non-breeding years" in high arctic breeding geese and waders. See also Boyd and Summers & Underhill.
- DORNBURGER,W. 1986. [Colonisation of *Numenius arquata* at Altmuhltal.] *Anz. orn. Ges. Bayern* 24: 181-182. In German. (Inst. Vogelkd., Sandrinaweg 1, D-8825 Weidenbach, W.Germany.)
- FERRAND,Y. & LANDRY,P. 1986. (Spatio-temporal distribution pattern of roding Woodcock (*Scolopax rusticola* L.) in the Rambouillet State forest (Yvelines).) *Gibier Faune Sauvage* 3: 115-141. In French with English summary. (Serv. Techn. ONC., Saint-Benoist, 78610 Le Perray-en-Yvelines, France.)
- FIVIZZANI,A.J. & ORING,L.W. 1986. Hormone changes during the breeding cycle of the sex role reversed Spotted Sandpiper. *Am. Zool.* 26(4):4A. Abstract only.
- FIVIZZANI,A.J. & ORING,L.W. 1986. Plasma steroid hormones in relation to behavioral sex role reversal in the Spotted Sandpiper, *Actitis macularia*. *Biol. Reprod.* 35: 1195-1201. (Dept. Biol., Univ. N.D., Grand Forks 58202, U.S.A.)
- GALBRAITH,H. 1987. Marking and visiting Lapwing *Vanellus vanellus* nests does not affect clutch survival. *Bird Study* 34: 137-138. (Chief Scientist Directorate, NCC, 12 Hope Terrace, Edinburgh, U.K.)
- GREEN,R.E., HAWELL,J. & JOHNSON,T.H. 1987. Identification of predators of waders eggs from egg remains. *Bird Study* 34: 87-91. (RSPB, The Lodge, Sandy, Beds. SG19 2DL, U.K.)
- GROMADZKA,J. 1985. Distribution and breeding sites and the number of southern Dunlin (*Calidris alpina schinzii*) on the southern Baltic coast. *Proc. Int. Orn. Congr.* 18:1108. Abstract only.

- HAKILA,R. & REPONEN,J. (Birds breeding in bogs in Satakunta.) In: Soikkeli,M. (ed.). *Satakunnan linnusto.* Porin Lintutieteellinen Yhdistys, Pori, pp. 119-132. In Finnish with English summary. (c/o M.Soikkeli, Dept. of Zool., Univ. of Turku, Turku, Finland.)
- HENSLER,G.L. 1985. Estimation and comparison of functions of daily nest survival probabilities using the Mayfield method. In: Morgan,B.J.T. & North,P.M. (eds.). *Statistics in ornithology.* Springer-verlag, Berlin. pp. 289-301. (USFWS, Patuxent Wildl. Res. Center, Laurel, MD 20708, U.S.A.)
- HOEKSTRA,J. 1987. Nazorg in 1986 (2). [Meadowbirds in Friesland in 1986. (2).] *Vanellus* 40: 13-15. In Dutch. (Finne 1, 9055 MH Britsum, The Netherlands.)
- HOLZ,R., KNEIS,P. & SIEFKE,A. 1985. Investigations on territorial requirements of the Ringed Plover (*Charadrius hiaticula*) and their population-ecological consequences. Proc. Int. Orn. Congr. 18:1112. Abstract only.
- JACKSON,B.J., SCHARDIEN,B.J. & JACKSON,J.A. 1985. Killdeer nest abandonment possibly caused by ants. *Miss. Kite* 15(1): 5-6. (Dept. Biol. Sci., Miss. State Univ., Mississippi State 39762, U.S.A.)
- JARVINEN,O., KOUKI,J. & HAYRINEN,U. 1987. Reversed latitudinal gradients in total density and species richness of birds breeding on Finnish mires. *Ornis Fenn.* 64: 67-73. (Dept. Zool., Univ. of Helsinki, P.Rautatiekaku 13, SF-00100 Helsinki, Finland.) Waders make up 16 of the total of 49 bird species.
- JONSSON,P.E. 1986. (The Kentish Plover *Charadrius alexandrinus* in Scania 1986 - report from a conservation project.) *Anser* 25: 237-244. In Swedish with English summary. (Ekologihuset, S-22362 Lund, Sweden.)
- JONSSON,P.E. & ANDELL,P. 1986. (The Kentish Plover in Sweden - a presentation of a conservation project.) *Var Fagelvarld* 45: 85-92. In Swedish with English summary.
- KHROKOV,V.V. 1985. Potential fertility of waders in Tengiz-Kurgaldzhino depression. Proc. Int. Orn. Congr. 18: 1121-1122. Abstract only.
- KLABNIK,L. 1984. [Contribution to population dynamics and breeding biology of Lapwings in the Schluckenauer mountain range.] *Zpravy MOS* 42: 107-120. In Czech with German summary.
- KONDRADEV,A.Ya. 1985. Hatching regimes of tundra shorebirds and factors defining them. Proc. Int. Orn. Congr. 18: 1124-1125. Abstract only.
- KONIGSTEDT,D. 1986. (On field characters and courtship display of Swinhoe's Snipe (*Gallinago megalia*).) *Mitt. Zool. Mus. Berl.* 62, Suppl.: Ann. Orn. 10: 127-136. In German with English summary. (DDR-2200 Greifswald, Erich-Weinert-Str. 9, East Germany.)
- KOOIKER,G. 1987. (Clutch size, hatching rate, hatching success, and breeding success of the Lapwing (*Vanellus vanellus*)). *J. Orn.* 128: 101-108. In German with English summary.
- KROL,A. 1985. Population study of Dunlin (*Calidris alpina schinzii*) near Gdansk, Poland - preliminary results. Proc. Int. Orn. Congr. 18:1129. Abstract only.
- LAMBETH,D.O., BERGAN,M.A. & NELLERMOE,R.L. 1986. Nesting records for Piping Plover in the Red River Valley of North Dakota. *Prairie Nat.* 18:142. (1909 20th Ave. South, Grand Forks, ND 58201, U.S.A.)
- LANK,D.B. & SMITH,C.M. 1987. Conditional lekking in Ruff (*Philomachus pugnax*). *Behav. Ecol. Sociobiol.* 20: 137-145. (Dept. Biol., Queen's Univ., Kingston, Ontario, K7L 3N6, Canada.)
- LIPPENS,L. 1985. Oude nota's over de Steltkluut (*Himantopus himantopus*) in Zeeuwsch-Vlaanderen. [Old reports on Black-winged Stilts in Zeeuwsch-Vlaanderen.] *Veldorn. Tijdschr.* 8: 7-10. In Dutch. Before 1931 a regularly breeding species.
- MAINARDI,R. 1984. (Little Ringed Plover (*Charadrius dubius*) breeding in Livorno province during 1983: density, distribution and breeding habitats.) *Quad. Mus. Storia Nat. Livorno* 5: 117-126. In Italian with English summary. (Mus. Prov. Storia Nat., Sezione Ornitol., via Roma 234, 57100 Livorno, Italy.)
- MASON,P.J. 1986. *Testicular morphology, serum testosterone concentration, courtship behavior, and the relationship to photosensitivity in the American Woodcock (Scolopax minor)*. Ph. D dissertation, Auburn Univ., 55 pp.
- MONKMAN,M. 1986. Observations of an American Woodcock nest and egg dates in Manitoba. *Blue Jay* 44(4): 238-240. (Box 48, Richer, MB, Canada R0E 1S0.)
- MULDER,J.L. 1985. Invloed van de vos op Wulp en Fazanten in het Noordhollands Duinreservaat. [Influences of foxes on Curlews and Pheasants in the Noord-Holland dunes.] *Ned. Jager* 90: 563-566, 591-592. In Dutch. (Jan van Polanstr. 6, 1962 XC Heemskerk, The Netherlands.)
- NORTH,M.R. 1986. Piping Plover nest success on Mallard Island in North Dakota and implications for water level management. *Prairie Nat.* 18(2): 117-122. (Zool. Dept., N.D. State Univ., Fargo 58105, U.S.A.)
- OELKE,H. 1985. (Breeding bird census of a large agricultural study plot in Lower Saxony, F.R.Germany, 1861 resp. 1985.) *Vogelwelt* 106: 246-255. In German with English summary. (Zool. Inst., Berliner Str. 28, D-3400 Gottingen, W.Germany.)
- ORING,L.W. & LANK,D.B. 1986. Polyandry in Spotted Sandpipers: the impact of environment and experience. In: Rubenstein,D.I. & Wrangham,R.W. (eds.). *Ecological aspects of social evolution. Birds and mammals*. Princeton University Press, Princeton, pp. 21-42.
- PIENKOWSKI,M.W., FULLER,R.J., JACKSON,D.B. & PERCIVAL,S.M. 1986. Breeding waders of blackland, moorland and agriculturally improved moorland in the Uists and Benbecula. *Scott. Birds* 14: 9-16. (NCC, Northminster House, Peterborough PE1 1UA, U.K.)

- PIERSMA,T. 1987. Greidefugels en oare briedende steltrinners yn Fryslan en de rest fan Europa. [Meadowbirds and other waders in Friesland and the rest of Europe.] *Vanellus* 40: 5-8. In Friesian with Dutch summary. Summary of 'Breeding waders in Europe' with emphasis on Friesian situation.
- REYNOLDS,J.D. 1987. Mating system and nesting biology of the Red-necked Phalarope *Phalaropus lobatus*: what constrains polyandry? *Ibis* 129: 225-242. (Dept. Biol. Sci., Simon Fraser Univ., Burnaby, B.C., Canada V5A 1S6.)
- ROL,W. 1985. Beter nieuws over de Kievit. [Better news about Lapwings.] *Grutter* 9: 63-67. In Dutch. (c/o Leonofstr. 29, 1562 BR Krommenie, The Netherlands.) An increase from 24 pairs in 1969 to 58 pairs in 1984 in one Dutch polder.
- ROOS,M. 1985. Kluteninventarisatie 1985. [Breeding Avocet survey 1985.] *Grutter* 9: 107-109. In Dutch.
- ROOS,M. 1985. In 1984 minstens 52 tot 55 broedende Kluten in de Zaanstreek. [In 1984 52-55 breeding pairs of Avocets in Zaanstreek.] *Grutter* 9: 3-4. In Dutch. (c/o Leonofstr. 29, 1562 BR Krommenie, The Netherlands.)
- RUSHING,E.L. & DOERR,P.D. 1984. Breeding biology of the American Woodcock in Piedmont, North Carolina. *Proc. Annu. Conf. Southeast Assoc. Fish Wildl. Agencies* 38: 142-152. (P.O. Box 914, Deer Park, WA 99006, U.S.A.)
- RYABITSEV,V.K. 1985. [Incubation of clutches by the females of the Red-necked Phalarope (*Phalaropus lobatus*).] *Ornitologia* 20:193. In Russian.
- SALO,J. 1984. (Recent changes in the bird fauna of abandoned coastal pastures.) In: Soikkeli,M. (ed.). *Satakunnan linnusto*. Porin Lintutieteellinen Yhdistys, Pori, pp. 105-110. In Finnish with English summary. (c/o M.Soikkeli, Dept. of Zool., Univ. of Turku, Turku, Finland.)
- SIEFKE,A. 1985. Formation and fidelity of pairs in population of Ringed Plover (*Charadrius hiaticula*). *Proc. Int. Orn. Congr.* 18:1174. Abstract only.
- SMITH,K. 1987. Monitoring breeding waders. *BTO News* 149:3. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.) Progress report and request for more help.
- SOTHERLAND,P.R. & RAHN,H. 1987. On the composition of bird eggs. *Condor* 89: 48-65. (Dept. Physiol., State Univ. New York, Buffalo, NY 14214, U.S.A.) Review; waders featuring.
- SUMMERS,R.W., & UNDERHILL,L.G. 1987. Factors relating to breeding production of Brent Geese *Branta b. bernicla* and waders (*Charadriii*) on the Taymir Peninsula. *Bird Study* 34: 161-171. (MAFF, Tangleay Place, Worplesdon, Guildford, Surrey, U.K.) Part of an ongoing discussion on the reasons for "non-breeding years" in high arctic breeding geese and waders. See also Dhondt, and Boyd.
- SVENSSON,B.W. 1987. Structure and vocalizations of display flights in the Broad-billed Sandpiper *Limicola falcinellus*. *Ornis Scand.* 18: 47-52. (Dept. Zool., Sect. Entomol., Uppsala Univ., P.O. Box 561, S-75122 Uppsala, Sweden.)
- TARBOTON,R.T. & FRY,C.H. 1986. Breeding and other behaviour of the Lesser Jacana. *Ostrich* 57: 233-243. (Transvaal Nat. Cons. Div., P.O. Box 327, Nylstroom 0510, S.Africa.)
- THRAINSSON,G. 1986. (Lapwing *Vanellus vanellus* nests in Eyjafjordur, N.Iceland, 1985.) *Bliki* 5: 47-48. In Icelandic with English summary. (Klapparasi 3, 110 Reykjavik, Iceland.)
- TOMKOVICH,P.S. 1985. Territoriality of some monogamous species of Calidridinae sandpipers. *Proc. Int. Orn. Congr.* 18:1184. Abstract only.
- VAN BELKUM,J. & ESSELINK,P. 1986. (Survey of breeding Avocets *Recurvirostra avosetta* in the Dollard in 1985.) *Limosa* 59: 189-191. In Dutch with English summary. (DGW, RWS, Hereweg 99A, 9721 AA Groningen, The Netherlands.)
- VAN RHijn,J.G. 1985. Ecological determinants of alternative mating strategies in Ruffs (*Philomachus pugnax*). *Proc. Int. Orn. Congr.* 18:1028. Abstract only.
- VERSTRAEL,T.J. 1987. *Weidevogelonderzoek in Nederland*. Een overzicht van het Nederlandse weidevogelonderzoek 1970-1985. [Meadowbird research in The Netherlands. A survey of Dutch meadowbird studies carried out between 1970 and 1985.] Contactcommissie Weidevogelonderzoek NRLO, The Hague, 364 pp. In Dutch. (Available for Dfl. 20 on giro 82181 of R.U.L. Subfaculteit Biologie, Leiden, The Netherlands with reference to projectnr. 6-83656.)
- WALTERS,J. 1987. Kentish Plover clutch hatching after prolonged incubation. *Brit. Birds* 80: 73-74. (ITZ, P.O. Box 20125, 1000 HC Amsterdam, The Netherlands.)
- WESLEY,H.D. 1986. Courtship behavior of Painted Snipe in Tiruchirapalli, Tamilnadu. *J. Bombay Nat. Hist. Soc.* 83: 435-436. (Bishop Heber Coll., Tiruchirapalli 620017, India.)
- WHITING,R.M.,JR., GEORGE,R.R., CAUSEY,M.K. & ROBERTS,T.H. 1985. February hunting of American Woodcock: breeding implications. In: Beasons,S.L. & Roberson,S.F. (eds.). *Game harvest management*. pp. 309-317. (School For., Austin State Univ., Nacogdoches, TX 75962, U.S.A.)
- BEHAVIOUR, ECOLOGY & EVOLUTION
- ALCORN,R. 1987. Regular counts project report, December 1986. *Stilt* 10: 4-5. (17 Lawrence Str., Horsham 3400, Victoria, Australia.)
- ALTENBURG,W. & VAN DER KAMP,J. 1986. *Oiseaux d'eau dans les zones humides de la Mauritanie du sud, du Senegal et de la Guinée-Bissau; Octobre-Décembre 1983*. [Waterbirds in the wetlands of South Mauritania, Senegal and Guinea-Bissau in Oct-Dec 1983.] RIN contributions to research on management of natural resources, 1986-1, 57 pp. In French with English summary. (Available by payment of Dfl. 10 (incl. p & p) on giro nr. 5160648 of RIN, P.O. Box 46, 3956 ZR Leersum, The Netherlands.)

- ALTENBURG,W., BEINTEMA,A.J. & VAN DER KAMP,J. 1986. *Observations ornithologiques dans le delta interieur du Niger au Mali pendant les mois de mars et aout 1985 et janvier 1986. [Ornithological observations in the inner Niger delta of Mali in March and August 1985 and January 1986.]* RIN contributions to research on management of natural resources 1986-2, 61 pp. In French with English summary. (Available by payment of Dfl. 10 on giro nr. 5160648 of RIN, P.o. Box 46, 3956 ZR Leersum, The Netherlands.)
- ANDERSEN,J. 1985. (Dabbling ducks and waders at Oland, Limfjorden, 1918-1974.) *Dan. Vildtundersogelser No. 38*, 44 pp. In Danish with English summary.
- BAKER,A.J. 1985. Museum collections and the study of geographic variation. *British Columbia Prov. Mus. Occ. Pap.* 25: 55-77. (Dept. Ornithol., Royal Ontario Mus., Toronto, ON M5S 2C6, Canada.)
- BAKER,J.M. & WOLFF,W.J. (eds.). 1987. *Biological surveys of estuaries and coasts. Estuarine and brackish-water sciences association handbook.* Cambridge University Press, Cambridge, 445 pp. (ISBN 0521 311918). Papers of relevance to wader studies are listed separately.
- BAKER,J.M., HARTLEY,J.P. & DICKS,B. 1987. Planning biological surveys. In: Baker,J.M. & Wolff,J.M. (eds.). *Biological surveys of estuaries and coasts.* Cambridge University Press, Cambridge, pp. 1-26. (Field Studies Council, Preston Montford, Shrewsbury, U.K.)
- BAKEWELL,D. 1987. Autumn wader migration at Beidahe, Hebei Province, China. *Interwader Newslet.* 8: 16-17. (Cringle Cottage, Snow Str., Roydon, Diss, Norfolk IP22 35B, U.K.)
- BARTER,M. 1987. The use of morphometric and moult data in wader studies. *Stilt* 10:3. Abstract only. (21 Chivalry Ave., Glen Waverley, Vic. 3150, Australia.)
- BARTER,M. & MINTON,C. 1987. Biometrics, moult and migration of Double-banded Plovers *Charadrius bicinctus bicinctus* spending the non-breeding season in Victoria. *Stilt* 10: 9-14.
- BEINTEMA,A.J. & DROST,N. 1986. Migration of the Black-tailed Godwit. *Gerfaut* 76: 37-62. (RIN, P.O. Box 46, 3956 ZR Leersum, The Netherlands.)
- BHUSHAN,B. 1986. Rediscovery of the Jerdon's or Double-banded Courser *Cursorius bitorquatus*. *J. Bombay Nat. Hist. Soc.* 83: 1-14.
- BICAK,T.K. 1986. Habitat use by Long-billed Curlews (*Numenius americanus*) on the Western Snake River plain, Idaho. *J. Idaho Acad. Sci.* 22:18. Abstract only. (Dept. Biol., Coll. Idaho, Caldwell 83605, U.S.A.)
- BIJLSMA,R.G. & DE RODER,F.E. 1986. Notes on Nordmann's Greenshank *Tringa guttifer* in Thailand. *Forktail* 2: 92-94. (Bovenweg 36, 6721 HZ Bennekom, The Netherlands.)
- BOYCE,D.A.,Jr. 1985. Merlins and the behavior of wintering shorebirds. *Raptor Res.* 19: 94-96. (Dept. Zool., 574 WIDB, Brigham Young Univ., Provo, UT 84602, U.S.A.)
- BURGER,J. & GOCHFELD,M. 1986. Age differences in foraging efficiency of American Avocets *Recurvirostra americana*. *Bird Behav.* 6(2): 66-71. Dept. Biol. Sci., Rutgers Univ., Piscataway, NJ 08854, U.S.A.)
- BURROWS,R. 1986. Feeding habits and favourite sites of shorebirds in western and northern Newfoundland and the Labrador Straits. *Osprey* 17(3): 117-122.
- BURROWS,R. 1986. Feeding habitats and favourite sites of shorebirds in central and eastern Newfoundland. *Osprey* 17(3): 123-126.
- CARRERA BUERGO,L. & MUÑOZ HERNANDEZ,M.C. 1986. *Informe-sobre las comunidades de Aves Acuáticas de la Ria del Eo. [Report on the waterbirds community of Eo estuary, Asturias, Spain.]* Report Consejería de Agricultura y Pesca, Principado de Asturias, 126 pp. In Spanish. (c/o 33003 Oviedo, Asturias, Spain.)
- CASTRO,G. 1987. High basal metabolic rate in Sanderlings (*Calidris alba*). *Wilson Bull.* 99: 267-268. (Acad. Nat. Sci., 19th and the Parkway, Philadelphia, Pennsylvannia 19103, U.S.A.)
- CLAIREAUX,P. & YESOU,P. 1986. (Use of a salt marsh by the Avocet (*Recurvirostra avosetta* L.)). *Gibier Faune Sauvage* 3: 97-113. In French with English summary. (ONC, Chanteloup, 85340 Olonne-Sur-Mer, France.)
- CONSIDINE,M.T. 1979. *The feeding behaviour of the Sooty Oystercatcher (*Haematopus fuliginosus*) on the rocky shores in Victoria.* Honours Thesis, Dept. Zoology, Monash University, Victoria, Australia, 105 pp.
- CONSIDINE,M.T. 1982. Notes on the seasonal movements of the Sooty Oystercatcher (*Haematopus fuliginosus*) in southern Victoria. *Victorian Wader Study Group Bull.* 5: 11-15.
- CROCKFORD,N.J. 1987. Food and feeding of Knots in North Norway in spring. *Stilt* 10:3. Abstract only. (Dept. Zool., Univ. of Durham, Durham DH1 1LE, U.K.)
- CUI ZHIXING, QIAN GUOZHEN, ZHU LONGBIAO & WANG PEICHAO. 1987. A preliminary report of a study on the feeding ecology on shorebirds (*Charadriiformes*). *Interwader Newslet.* 8: 17-18. (Dept. Biol., East China Normal Univ., Zhongshan Rd., Shanghai, China.)
- CURRY,P. 1984. Long-toed Stints on the way out? *RAOU Newslet.* 60:11.
- DANILOV,N.N. 1985. Trophic relations and biocenotic role of birds in tundra. *Proc. Int. Orn. Congr.* 18: 1091-1092. Abstract only. (Inst. Plant & Anim. Ecol., Sverdlovsk, U.S.S.R.)
- DANN,P. 1981. The evidence for feeding ground fidelity of waders in southern Victoria. *Victorian Wader Study Group Bull.* 3: 13-14.
- DANN,P. 1983. Feeding behaviour of four species of calidridine sandpiper at Lake Reeve, East Gippsland. *Victorian Wader Study Group Bull.* 7: 1-6.
- DANN,P. 1986. *The ecology of birds feeding in intertidal areas in southern Victoria.* Ph. D. thesis, Dept. of Zoology, University of Melbourne.

- DICK,W.J.A., PIERSMA,T. & PROKOSCH,P. 1987. Spring migration of the Siberian Knots *Calidris canutus canutus*: results of a co-operative Wader Study Group project. *Ornis Scand.* 18: 5-16. (c/o Zool. Lab., University of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- DIEGO GARCIA,J.A. & MUNOZ HERNANDEZ,M.C. 1986. *Informe-sobre las comunidades de Aves Acuáticas de la ria de Villaviciosa. [Report on the waterbirds community of the Villaviciosa estuary, Asturias, Spain.]* Report Consejería de Agricultura y Pesca, Principado de Asturias, 101 pp. In Spanish. (c/o Penalba, 11. 6º izq., 33205 Gijon, Asturias, Spain.)
- DOWDING,J. & ARNOLD,G. 1986. Asiatic Black-tailed Godwits harried by Bar-tailed Godwits. *Notornis* 33:257.
- ENGLAND,M.E. 1986. Harrier kills mobbing Willet. *Raptor Res.* 20:78.
- ERIKSSON,A. 1984. (Migration of *Calidris* and *Limicola* species along the coast of Satakunta in 1970-79.) In: Soikkeli,M. (ed.). *Satakunnan Linnusto. Porin Lintutieteellinen Yhdistys, Pori*, pp. 111-118. In Finnish with English summary. (c/o M.Soikkeli, Dept. Zool., Univ. of Turku, Turku, Finland.)
- EVANICH,J. 1986. Results of a spring pelagic trip off Oregon. *Oregon Birds* 12: 36-38. (2524 NE Halsey f2, Portland, OR 97232, U.S.A.) As well as many seabirds, 30 *Calidris canutus* seen!?
- FURNESS,R.W., GALBRAITH,H., GIBSON,I.P. & METCALFE,N.B. 1987. Recent changes in numbers of waders on the Clyde estuary, and their significance for conservation. *Proc. R. Soc. Edinb. Sect. B (Biol. Sci.)* 90: 171-184. (Dept. Zool., Glasgow Univ., Glasgow G12 8QQ, U.K.)
- GEELHOED,S. 1985. Gruttoslaapplaatsen in Zuid-Kennemerland. (Black-tailed Godwit roosts in Zuid-Kennemerland.) *Fitis* 21: 8-10. In Dutch. (c/o Derde Loosterweg 56, 2182 CW Hillegom, The Netherlands.)
- GERRITSEN,A.F.C. 1986. Tactile perception of prey by sandpipers. *Am. Zool.* 26(4):84A. Abstract only.
- GOSS-CUSTARD,J.D. 1987. Barrages and populations of wading birds, Charadriii, on estuaries. In: *Proceedings Conf. Barrages and Coastal Techn.*, March 1987, Cardiff, pp. 34-46. Nautical Institute/South Glamorgan County Council, Cardiff.
- GOSS-CUSTARD,J.D. & LE V. DIT DURELL,S.E.A. 1987. Age-related effects in oystercatchers, *Haematopus ostralegus*, feeding on mussels, *Mytilus edulis*. I. Foraging efficiency and interference. *J. Anim. Ecol.* 56: 521-536. (NERC, ITE, Furzebrook Res. Sta., Wareham, Dorset, U.K.)
- GOSS-CUSTARD,J.D. & LE V. DIT DURELL,S.E.A. 1987. Age-related effects in oystercatchers, *Haematopus ostralegus*, feeding on mussels, *Mytilus edulis*. II. Aggression. *J. Anim. Ecol.* 56: 537-548.
- GOSS-CUSTARD,J.D. & LE V. DIT DURELL,S.E.A. 1987. Age-related effects in oystercatchers, *Haematopus ostralegus*, feeding on mussels, *Mytilus edulis*. III. The effect of interference on overall intake rate. *J. Anim. Ecol.* 56: 549-558.
- GUDMUNDSSON,G.A. 1985. *Aspects of pre-migratory feeding ecology of Sanderling (Calidris alba Pallas) at Teesmouth, N.E. England.* M.Sc. Thesis, Univ. of Durham. 76 pp. (Inst. of Biology, Grensasvegur 12, 108 Reykjavik, Iceland.)
- HARRINGTON,B.A. 1986. Red Knot. *Audubon Wildl. Rept.* 1986: 871-886.
- HARRINGTON,B.A., DE TARSO ZUQUIM ANTAS,P. & SILVA,F. 1986. Northward shorebird migration on the Atlantic coast of southern Brazil. *Vida Silvestre Neotropical* 1(1): 45-54. (Manomet Bird Obs., Manomet, MA 02345, U.S.A.)
- HARTLEY,J.P., DICKS,B. & WOLFF,W.J. 1986. Processing sediment macrofauna samples. In: Baker,J.M. & Wolff,W.J. (eds.). *Biological surveys of estuaries and coasts.* Cambridge University Press, Cambridge, pp. 131-139. (BP Petroleum, Dyce, Aberdeen, Scotland, U.K.)
- HEG,D. 1985. Het Witgatje *Tringa ochropus* L. in het Rijk van Nijmegen e.o. 1960-1984. [The Green Sandpiper's occurrence near Nijmegen 1960-1984.] *Mourik* 11: 153-201. In Dutch. (c/o Hobbemaweg 118, 6562 CW Groesbeek, The Netherlands.) Seasonal changes, group size, habitat (a total of 2393 individuals seen).
- HOCKEY,P. 1986. Meade-waldo's Black Oystercatcher - a path to extinction. *Afr. Wildl* 40(4): 141-151. (P. Fitzpatrick Inst., Univ. Cape Town, Priv. Bag, 7700 Rondebosch, S.Africa.)
- HOCKEY,P.A.R. 1987. The influence of coastal utilisation by man on the presumed extinction of the Canarian Black Oystercatcher *Haematopus meadewaldoi* Bannerman. *Biol. Cons.* 39: 49-62.
- HOWES,J.R. 1987. *Rapid assessment techniques for coastal wetland evaluation. Results of a workshop held in Selangor, West Malaysia, 1st - 7th March 1987.* Report Interwader, Kuala Lumpur, 150 pp. (Available for US \$9 from Interwader, P.O. Box 10769, 50724 Kuala Lumpur, Malaysia.)
- JEHL,J.R.,Jr. 1986. Biology of Red-necked Phalaropes (*Phalaropus lobatus*) at the western edge of the Great Basin in fall migration. *Great Basin Nat.* 46(2): 185-197. (Hubbs Mar. Res. Inst., 1700 S. Shore Rd., San Diego, CA 92109, U.S.A.)
- JESSOP,A.E. 1987. Foraging strategies of the family Recurvirostridae. *Stilt* 10: 15-19. (14 Myrtle Grove, Altona, Vic. 3018, Australia.)
- JONSSON,P.E. 1986. The migration and wintering of Baltic Dunlins *Calidris alpina schinzii*. *Var Fagelv., Suppl.* 11: 71-78. (Dept. Anim. Ecol., Univ. of Lund, S-22362 Lund, Sweden.)
- JOYCE,C. 1986. Food for flight in Delaware Bay. *New Sci.* 112: 34-36. On wader staging and fattening areas in the Americas; starring Pete Myers.

- KHROKOV,V.V. & GAVRILOV,A.E. 1985. The moult of adult *Calidris minuta* Leisl. in the territory of Kazakhstan. *Proc. Int. Orn. Congr.* 18:1122. Abstract only.
- KUS,B.E. 1985. *Aspects of flocking behavior and predator avoidance in wintering shorebirds.* Ph. D. dissertation, Univ. California (Davis), 99 pp.
- LANE,B. 1987. Radar studies of wader migration at Broome, Western Australia. *Stilt* 10:3. Abstract only. (RAOU, 21 Gladstone Str., Monee Ponds, Vic. 3039, Australia.)
- LANE,B.A. & JESSOP,A.E. 1983. Distribution and habitat of the Red-capped Plover in Victoria. *Victorian Wader Study Group Bull.* 7: 35-40.
- LANE,B.A. & DAVIES,J.N. 1987. *Shorebirds in Australia.* Nelson, Melbourne, 187 pp. (ISBN 0 17 006824 2). (Address first author: RAOU, GPO Box 5236 BB, Melbourne, Vic. 3001, Australia.) Price is Aus \$44.
- LUNDBERG,P. 1987. Partial bird migration and evolutionary stable strategies. *J. theor. Biol.* 125: 351-360. (Dept. Wildl. Ecol., Swedish Univ., Agric. Sci., S-90183 Umea, Sweden.)
- LUNDBERG,S. & ALERSTAM,T. 1986. Bird migration patterns: conditions for stable geographical population segregation. *J. theor. Biol.* 123: 403-414. (Dept. Anim. Ecol., Ecology Building, S-22362 Lund, Sweden.)
- MARSH,C.P. 1986. Impact of avian predators on high intertidal limpet populations. *J. Exp. Mar. Biol. Ecol.* 104: 185-201. (Dept. Zool., Oregon State Univ., Corvallis, OR 97331, U.S.A.) Black turnstones and Black oystercatchers as the predators.
- MARSH,C.P. 1986. Rocky intertidal community organization: the impact of avian predators on mussel recruitment. *Ecology* 67: 771-786.
- MERCURIO,K.S., PALMER,A.R. & LOWELL,R.B. 1985. Predator-mediated microhabitat partitioning by two species of visually cryptic, intertidal limpets. *Ecology* 66: 1417-1425. Black Oystercatchers and turnstones as predators.
- METCALFE,N.B. 1986. Variation in winter flocking associations and dispersion patterns in the Turnstone *Arenaria interpres*. *J. Zool. Lond.* 209: 385-403. (Zool. Dept., Glasgow Univ., Glasgow G12 8QQ, U.K.)
- MICHAUD,G. & FERRON,J. 1986. (Comparative study of feeding behaviour of four species of shorebirds.) *Nat. Can. (Que.)* 113(3): 281-292. In French with English summary. (Dept. Biol. Sci., de la Sante, Univ. Quebec, Rimouski, PQ, Canada G5L 3A1.) On *Pluvialis squatarola*, *Charadrius semipalmatus*, *Tringa flavipes* and *Calidris pusilla*.
- MUNOZ HERNANDEZ,M.C. 1984. *Evolucion estacional y distribucion espacial de la comunidad de limicolas (Charadrii) en la ria de Villaviciosa (Asturias).* [Seasonal variation in numbers and spatial distribution of waders in the Villaviciosa estuary, Asturias, Spain.] Thesis, Facultad de Biologia, Universidad de Oviedo, 107 pp. In Spanish. (c/o 33005 Oviedo, Asturias, Spain.)
- PALMES,P. & BRIGGS,C. 1986. Crab-plovers *Dromas ardeola* in the Gulf of Kutch. *Forktail* 1: 21-28.
- PARNELL,J.E., NEEDHAM,R.N., SOOTS,R.F., Jr., FUSSEL,J.D., III, DUMOND,D.M., McCORMON,D.A., Jr., BJORK,R.D. & SHIELDS,M.A. 1986. Use of dredged-material deposition by birds in coastal North Carolina, U.S.A. *Colonial Waterbirds* 9: 210-217. (Dept. Biol. Sci., Univ. N.C., Wilmington 28403, U.S.A.)
- PIAO,REN-ZHU & NOWAK,E. 1986. (Bird migration and bird migration research in China.) *Vogelwarte* 33: 295-308. In German with English summary. Waders featuring.
- PIERCE,R.J. 1985. Feeding methods of Stilts (*Himantopus* spp.). *N.Z. J. Zool.* 12: 467-472.
- PIERCE,R.J. 1986. Foraging responses of stilts (*Himantopus* spp.: Aves) to changes in behaviour and abundance of their riverbed prey. *N.Z. J. Mar. Freshwater Res.* 20: 17-28. (P.O. Box 69, Lake Tekapo, South Island, New Zealand.)
- PIERSMA,T. 1987. Production by intertidal benthic animals and limits to their predation by shorebirds: a heuristic model. *Mar. Ecol. Prog. Ser.* 38: 187-196. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.) Partly a belated response to David Schneider's ideas on food supplies and the timing of wader migration in *WSG Bull.* 33: 43-45.
- REICHERZER,S. 1986. (Passage of Golden Plovers *Pluvialis apricaria* through the Reis/Bavaria.) *Anz. orn. Ges. Bayern* 24: 135-149. In German with English summary. (Laub 17, 8861 Munningen, W.Germany.)
- RICHARDSON,H. & VERBEEK,N.A.M. 1987. Diet selection by yearling Northwestern Crows (*Corvus caurinus*) on Littleneck Clams (*Venerupis japonica*). *Auk* 104: 263-269. (Dept. Biol. Sci., Simon Fraser Univ., Burnaby, BC V5A 1S6, Canada.) Behaviourally a "honorary shorebird".
- ROBERTS,T.H., HILL,E.P. & GLUESING,E.A. 1984. Woodcock utilization of bottomland hardwoods in the Mississippi delta. *Proc. Annu. Conf. Southeast. Assoc. Fish Wildl. Agencies* 38: 137-141. (Waterways Exp. Stn., P.O. Box 631, Vicksburg, MS 39180, U.S.A.)
- RUIZ,G.M., CONNORS,P.G. & PITELKA,F.A. 1986. Extreme variability in the magnitude of larval crab settlement: effects on benthic invertebrate and shorebird populations. *Int. Congr. Ecol.* 4:292. Abstract only.
- SCHULTZ,M. Ocean slicks and the Red-necked Phalarope *Phalaropus lobatus*. *Stilt* 10:36. (167 South Beach Rd., Bittern, Vic. 3918, Australia.)
- SCHULTZ,M. & LUMSDEN,L. 1983. Fluctuations in Hooded Plover numbers at Venus Bay in 1981 and 1982. *Victorian Wader Study Group Bull.* 7: 11-12.
- SEDGWICK,E.H. 1987. Feeding behaviour of Eastern Curlews, Whimbrels and two species of Oystercatcher. *Stilt* 10:37. (20 Herbert Rd., Harvey 6220, WA, Australia.)

- SILVIUS,M.J. 1987. Northward wader migration along the East coast of Sumatra: joint PHPA/Interwader survey. *Stilt* 10: 31-35. (c/o P.O. Box 10769, Kuala Lumpur, Malaysia.)
- STARKS,J. & LANE,B. 1987. The northward migration of waders from Australia, February to April, 1985. *Stilt* 10: 20-28. (RAOU, 21 Gladstone Str., Monee Ponds, Vic. 3039, Australia.)
- STIKVOORT,E. 1987. Steltloperonderzoek in Zuid-Thailand. [Wader research in south Thailand.] *Vogeljaar* 35: 16-22. In Dutch. (Parelplein 17, 4337 MT Middelburg, The Netherlands.)
- SYMONDS,F.L. & LANGSLOW,D.R. 1986. The distribution and local movements of shorebirds within the Moray Firth. *Proc. R. Soc. Edinb. Sect. B (Biol. Sci.)* 91: 143-167. (NCC, Northminster House, Peterborough PE1 1UA, U.K.)
- THOMAS,D. 1987. How far can waders fly? *Stilt* 10: 28-30. (7 Dominican Court, Blackmans Bay, Tas. 7152, Australia.)
- TOMKOVICH,P.S. 1986. (Geographical variation of the Dunlin in the Far East.) *Biol. Mosk. o-va ispit. prir. otd. biol.* 91(6): 3-15. In Russian with English summary. (Zool. Mus., Herzen ul. 6, Moscow 13009, U.S.S.R.) Description of new subspecies: *C.a.kistchinski* from Kamchatka Peninsula.
- TSCHERNITSKO,I.I. 1985. Die Besonderheiten der Frühlingsmigration des Alpen-Strandläufers im nordwestlichen Schwarzmeergebiet. [Particulars on the spring migration of Dunlins in NW Black Sea area.] *Proc. Int. Orn. Congr.* 18: 1185-1186. In German, abstract only.
- VAN DER LEE,H.F. 1986. (Herring Gull *Larus argentatus* takes Avocet *Recurvirostra avosetta* in the air.) *Limosa* 59:191. In Dutch with English summary. (Raadhuisstr. 9, 3281 AN Numansdorp, The Netherlands.)
- VEIGA,J. 1986. (Estimation of the food requirements of the Common Snipe (*Gallinago gallinago*) determined through energy partitioning.) *Gibier Faune Sauvage* 3: 423-429. In French with English summary. (ONC, Chanteloup, Olonne-Sur-Mer, France.)
- VISSEER,G. 1986. Verstoring en reacties van overtijende vogels op de Noordwaarder (*Terschelling*) in samenhang met de omgeving. [Disturbance and reactions of birds on the Noordwaarder-high-tide-roosts (*Terschelling*) in relation to the environment.] RIN-rapport 86/17, Texel. 221 pp. In Dutch. (RIN, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- WALTERS,J. 1987. (Primary moult in the Curlew *Numenius arquata* on an inland roost.) *Limosa* 60: 9-12. In Dutch with English summary. (Inst. Tax. Zool., P.O. Box 20125, 1000 HC Amsterdam, The Netherlands.)
- WOLFF,W.J. 1986. Flora and macrofauna of intertidal sediments. In: Baker,J.M. & Wolff,W.J. (eds.). *Biological surveys of estuaries and coasts*. Cambridge University Press, Cambridge, pp. 81-105. (RIN, P.O. Box 57, 1790 AB Den Burg, Texel, The Netherlands.)
- DISTRIBUTION & FAUNISTICS
- ALCORN,R. 1985. 50 000 Banded Stilts. *RAOU Newslet.* 66:4.
- BECK,R.E.,Jr. 1985. First record of the Marsh Sandpiper (*Tringa stagnatilis*) on Guam. *'Elepaio* 46(3):20. (Dept. Agric., Box 2950, Agana, Guam 96910.)
- BENNETT,C.A., BIJLSMA,R.G. & STOUTHAMER,R. 1986. *Survey of waterbirds on Egyptian wetlands, Autumn 1981.* WIWO report 16, Zeist. (Available for Dfl. 7.50 on giro 2 666 009 of Stichting WIWO, Ewijk, The Netherlands.)
- BESER,M. 1986. (Buff-breasted Sandpiper on Texel in September 1985.) *Dutch Birding* 8: 101-102. In Dutch with English summary. (Berliner Str. 18, 4005 Meerbusch, W.Germany.)
- BESSON,P. 1986. [Another observation of Dotterel *Eudromias morinellus* in Provence.] *Alauda* 54:233. In French.
- BLUNK,D.W. 1986. A Long-billed Curlew in Lake County, Tennessee. *Migrant* 57(2):47. (Rt. 2, Box 788, Dover, TN 37085, U.S.A.)
- BOHLEN,H.D. 1986. Snowy Plover in Illinois. *Ill. Birds Birding* 2(2):39. (Ill. State Mus., Springfield 62706, U.S.A.)
- BOUWMAN,R.G. 1987. Crab Plovers in Turkey in July 1986. *Dutch Birding* 9: 65-67. (Meerkoetlaan 53, 6641 ZB Beuningen, The Netherlands.) 5 adults in Goksu delta, Silifke, Mediterranean coast; two nice photo's too.
- BOWLER,J., HOWES,J. & LONG,A. 1985. *Wader observations on the northern coast of Java in 1984.* Report to Interwader, 10 pp. (Available for US \$2 from Interwader, P.O. Box 10769, 50724 Kuala Lumpur, Malaysia.)
- BRICCHETTI,P. 1984. [Notes on the Buff-breasted Sandpiper (*Tryngites subruficollis*) and a new sighting in Lombardy, Italy.] *Gli Uccelli d'Italia* 9: 51-56. In Italian. (v.V. Veneto 30, I-25029 Verolavecchia, Italy.)
- BURTON,K.M. 1987. Three new shorebirds for Lombok. *Interwader Newslet.* 8:4. Grey Plover, Grey-tailed Tattler & Mongolian Plover.
- CHRISTEN,W. Sommerbeobachtung einer Doppelschnepfe *Gallinago media* in der Aareebene bei Leuzigen BE. *Orn. Beob.* 84:65. In German. (Langendorfstr. 42, 4500 Solothurn, W.Germany.)
- COLIN,D., BUYS,P. & DRIESSENS,G. 1986. (Black-winged Pratincole (*Glareola nordmanni*), new for Belgium. Occurrence of Glareolinae in this country.) *Oriolus* 52: 64-67. English summary.
- COOK,W.E. 1986. Marbled Godwit inland in upstate New York. *Kingbird* 36(3):138. (Columbia Green Comm. Coll., Box 1000, Hudson, NY 12534, U.S.A.)
- CORNELIUS,J. 1987. Waders along a section of the Great Barrier reef. *Stilt* 10:36. (88 Hayward Str., Cairns, Queensland 4870, Australia.)

- DAVIS,W.M. First North Mississippi record of the Red Phalarope. *Miss. Kite* 15(1): 2-4. (School Pharmacy, Univ. Miss., University 38677, U.S.A.)
- DIJKSEN,L.J. & KONING,F.J. 1986. Mid-winter waterfowl census Turkey, January 1986, with a review of previous counts. WIWO report 13, Zeist, 85 pp. (Available by payment of Dfl.10 on giro 2 666 009 of Stichting WIWO, Ewijk, The Netherlands.)
- DI LABIO,B.M. 1986. Update on overwintering Common Snipe. *Trail Landscape* 20(5):224.
- DINSMORE,S. 1987. Red Knot at Saylorville reservoir. *Iowa Bird Life* 57(1):24. (4024 Arkansan Dr., Ames, IA 50010, U.S.A.)
- ECKERT,K. 1986. Minnesota's fifth Snowy Plover record. *Loon* 58(3): 142-143. (9735 N.Shore Dr., Duluth, MN 55804, U.S.A.)
- EDWARDS,P., PARISH,D. & NWPO. 1985. Evaluation of Sarawak wetlands and their importance to waterbirds. Report 1: West coast of Sarawak - preliminary report. Report Interwader, Kuala Lumpur, 20 pp. (Available for US \$2.50 from Interwader, P.O. Box 10769, 50724 Kuala Lumpur, Malaysia.)
- ELVERS,H. 1986. Winterdaten des Waldwasseraufwenders (*Tringa ochropus*) in Raum von Berlin (West). *Orn. Mitt.* 38: 170-172. In German.
- ESCOTT,C.J. 1986. Western Sandpiper in Saskatchewan: first confirmed record. *Blue Jay* 44(2): 103-105. (271 Sylvain Way, Saskatchewan, SN, Canada S7H 5G1.)
- FOSTER,D.J.G. & GREAVES,C.M. 1986. First record of Long-billed Dowitcher in the Sultanate of Oman. *Sandgrouse* 8: 113-114. (DM Lansab, P.O. Box 1720, Seeb, Sultanate of Oman.)
- GERRITSEN,G.J., DE KOEGEL,T.J., DIJKSTRA,A.J. & BREMER,P. 1987. Flora en fauna van de IJsselwaterwaarden. [Flora and fauna of the floodlands along the river IJssel.] Report Prov. Planol. Dienst Overijssel, Zwolle, 170 pp. In Dutch. With information in seasonal occurrence of waders.
- GLASSEL,R. 1986. Ruff in Martin county. *Loon* 58(3):139. (8219 Wentworth Ave., Bloomington, MN 55420, U.S.A.)
- GUDMUNDSSON,G.A. & GARDARSSON,A. 1986. *Fuglaathuganir i Dyrafirdi og Onundarfirdi 1985*. Liffraedistofnun Haskolans, Fjolrit Nr. 23, Reykjavik. 50 pp. Report in Icelandic. On distribution and numerical abundance of eiders, waders and other waterbirds in Dyra- and Onundar-fjords at West coast of Iceland.
- HAAF,C.TEN, WONDERGEM,M., VAN DER KAMP,J. & BLOMERT,A.-M. 1986. Verslag bewaking Rottumerplaat/Rottumeroog 1984. [Report wardens Rottumerplaat/Rottumeroog 1984, Dutch Wadden Sea.] Report Consultantschap Natuurland, Staatsbosbeheer Groningen, 93 pp. In Dutch. Include wader counts, April-August 1984.
- HEDLEY,R., TIBBETT,S. & MIDGLEY,R. 1986. Wilson's Phalarope in Oman: the first record for Arabia. *Sandgrouse* 8: 115-116. (Airwork Ltd., P.O. Box 18929, Salalah, Sultanate of Oman.)
- HELBIG,A., BELTING,H. & LUDWIG,J. 1986. (Occurrence and migration of rare and scarce waders and larids (Charadriiformes) at Lake Dummer, NW-Germany, during 1956-1985.) *Anz. orn. Ges. Bayern* 25: 29-56. In German with English summary. (Zool. Inst., Siesmayerstr. 70, 6000 Frankfurt/M. 11, W.Germany.)
- HEREDIA,B. & MANEZ,M. 1985. [First sighting of *Vanellus vanellus* in Marismas del Guadalquivir.] *Donana Acta Vert.* 12(1): 182-183. In Spanish. (Mus. Nac. Cienc. Nat., Jose Gutierrez Abascal 2, 28006 Madrid, Spain.)
- HILDEN,O. & SHARROCK,J.T.R. 1985. A summary of recent avian range changes in Europe. *Proc. Int. Orn. Congr.* 18: 716-736. (Dept. Zool., Univ. Helsinki, Finland.)
- HOWES,J.R., HAWKINS,A.F.A. & PARISH,D. 1986. Preliminary survey of wetlands and shorebirds along the East coast of Peninsular Malaysia. Report Interwader, Kuala Lumpur, 60 pp. (Available for US \$6 from Interwader, P.O. Box 10769, 50724 Kuala Lumpur, Malaysia.)
- IGOU,T.D. 1986. Marbled Godwit: first observation in West Virginia. *Redstart* 53(4):138. (420 California Str., Huntingdon, WV, U.S.A.)
- JANSSEN,R.B. 1986. Minnesota's first Mountain Plover record. *Loon* 58: 154-158. (10521 S. Cedar Lake Rd.-212, Minnetonka, MN 55343, U.S.A.)
- JENKINS,J.A.F., LOVEGROVE,T.G. & SIBSON,R.B. 1986. Red-necked Phalarope at Mangere, Manukau Harbour. *Notornis* 33: 191-192.
- KALCHREUTER,H. 1985. European Woodcock populations, abundance, migration and utilization. *Proc. Int. Orn. Congr.* 18:1015. Abstract only.
- KAUTESK,B.M. 1985. Field identification of godwits. *Discovery (Vancouver Nat. Hist. Soc.)* 14(4): 126-129. (6-1661 E. 10th Ave., Vancouver, BC, Canada V5N 1X6.)
- KWAK,R.G.M., DAEMEN,B.A.P.J. & BAL,A.P. 1987. *Punt-transsect-tellingen van wintervogels 1983/84*. (Point transect counts of wintering birds in The Netherlands in 1983/84.) Report CBS, Afd. Natuurlijk Milieu and SOVON, Staatsuitgeverij, Den Haag, 154 pp. In Dutch with English summary. (Available for Dfl. 45.75 at the Staatsuitgeverij, Den Haag or from bookshops; ISBN 9 035704762.) Distribution maps and rel. abundance of Golden Plover, Lapwing, Snipe, Curlew, Oystercatchers, Dunlin and Green Sandpipers.
- LIEDEL,K. 1986. War es ein Dunn schnabelbrachvogel? [Was it a Slender-billed Curlew?] *Orn. Mitt.* 38:140. In German.
- MARCHANT,J.H. 1987. Separation of Great Knot and Knot. *Dutch Birding* 9: 71-72. (BTO, Beech Grove, Tring, Herts., U.K.)
- McKEAN,J.L., SHURCLIFF,K.S. & THOMPSON,H.A.F. 1986. Notes on the status of Little Curlew *Numenius minutus* in the Darwin area, Northern Territory, 1974-1985. *Aust. Bird Watcher* 11(8): 258-260. (24 Milkwood Circuit, Karama, NT. 5793, Australia.)

- McRAE,R.D. & BROOKS,R.J. 1986. Additional Curlew Sandpiper records from Manitoba. *Blue Jay* 44:109. (Box 98, Brighton, ON, Canada K0K 1H0.)
- MERCIER,F., McNEIL,R. & RODRIGUEZ,S.,Jr. 1987. First occurrence of Bar-tailed Godwit in South America and status of the Marbled Godwit in northeastern Venezuela. *J. Field Ornithol.* 58: 78-80. (Dept. Sci. Biol., Univ. de Montreal, CP 6128, Succ. "A", Montreal, Quebec H3C 3J7, Canada.)
- MORRIS,A. 1986. The 1985 fall shorebird season at Jamaica Bay Wildlife Refuge. *Kingbird* 36(2): 55-72. (35 Mimosa Lane, Staten Island, NY 10312, U.S.A.)
- MOSER,M.E. & SUMMERS,R.W. 1987. Wader populations on the non-estuarine coasts of Britain and Northern Ireland: results of the 1984-85 Winter Shorebird Count. *Bird Study* 34: 71-81. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- MUROBISHI,Y. 1986. (Observations of Latham's Snipes at the Sengokubara Moor, Central Honshu.) *Jpn. J. Ornithol.* 35: 38-39. In Japanese with English summary. (Miyakami 97, Yuyawara-machi, Ashiyarashimogun, Kanagawa 269-03, Japan.)
- NADLER,T. & KONIGSTEDT,D. 1986. (On the separation of Lesser Sand Plover (*Charadrius mongolus*) and Greater Sand Plover (*Charadrius leschenaultii*) and their occurrence in Mongolia.) *Zool. Abh. Mus. Tierk. Dresden* 42: 79-106. In German with English summary. (Langobardenstrasse 98, DDR-8047 Dresden, East Germany.)
- PALFERY,J. 1986. Dotterel wintering in Saudi Arabia. *Sandgrouse* 8:112. (Tolpeth, Burton Row, Brent Knoll, Somerset, U.K.)
- PAULSON,D.R. 1987. Identification of juvenile tattlers, and a Gray-tailed Tattler record from Washington. *Western Birds* 17(1): 33-36.
- PENRY,E.H. 1987. Recent records of Wattled Plover (*Vanellus senegallus*) in the Orange Free State and western Transvaal. *Mirafra* 4(1): 3-4. (P.O. Box 138, Orkney 2620, S.Africa.)
- POLLOCK,C. 1986. American Woodcock seen in east-central Saskatchewan. *Blue Jay* 44(3): 180-182. (Box 40, Hyas, SN, Canada SOA 0L0.)
- POST,W. 1986. Hudsonian Godwit added to South Carolina State list. *Chat* 50(4):120. (Charleston Mus., Charleston, SC 29403, U.S.A.)
- SALMON,D.G., MOSER,M.E. & KIRBY,J.S. 1987. *Wildfowl wader counts, 1985-86. The results of the National Wildfowl counts and Birds of Estuaries Enquiry in the United Kingdom.* Report Wildfowl Trust, Slimbridge, 65 pp. (Available from J.S.K., BTO, Beech Grove, Tring, Herts., U.K.)
- SCHEKKERMAN,H. 1986. Great Knot in Israel in October 1985. *Dutch Birding* 8: 99-101. (Mr. Ludwigstr. 1, 1901 PS Castricum, The Netherlands.)
- SCHOOLS,R. 1985. De Morinelpievier in Limberg: een voorspelbare dwaalgast. [The Dotterel in Limburg: a predictable straggler.] *Natuurh. Maandbl.* 74: 241-242. In Dutch. (Pijperstr. 46, 6164 XT Geleen, The Netherlands.)
- SCHONERT,H. 1986. [Waders in the Prenzlau district, G.D.R.] *Beitr. Vogelkd.* 32: 65-107. In German. (Grabastr. 59, DDR-2130 Prenzlau, E.Germany.)
- SERMET,E. 1986. [Observation of Chetussia gregaria near Mathod.] *Mos Oiseaux* 38: 242-243. In French. (Rue des Cygnes 27, CH-1400 Yverdon-les-Bains, Switzerland.)
- SILVIUS,M.J. & VERHEUGT,W.J.M. 1985. The birds of Berbak game reserve, Jambi province, Sumatra. *Kukila* 2: 76-84. (WWF, P.O. Box 10769, Kuala Lumpur, Malaysia.)
- SKINNER,J., REHFISH,M., WOOD,J.B., FAY,M., SMART,M. & GAUTHIER,T. no date. *The birds of the Ichkeul National Park, Tunisia. Conservation Report No. 13*, University College London, 20 pp.
- SLACK,H.E.,III. 1986. Additional records of water birds and shorebirds of the lower Ohio river valley in West Virginia. *Redstart* 53(3): 110-112. (921 De Buys Rd., Gulfport, MS 39507, U.S.A.)
- SMITH,G.A. 1986. A large Whimbrel flock at Derby Hill, New York. *Kingbird* 36(4):208. (Derby Hill Bird Obs., RR1, Box 498, Mexico, NY 13114, U.S.A.)
- STILWELL,G.T. & LOPEZ DE SALDANHA,R. 1984. (Observation of a Dotterel *Eudromias morinellus* at Campo Maior, Portugal.) *Cyanopica* 3(2): 229-232. In Portuguese with English summary.
- SUPP,S. 1986. (Bird migration in Saudi Arabia in particular near Riyadh.) *Vogelwarte* 33: 317-330. In German with English summary. (Friedhofstr. 28, D-6257 Hunfelden-Heringen, W.Germany.) Mainly on passerines, but a little on waders.
- TINARELLI,R. 1986. Wintering of Avocets (*Recurvirostra avosetta*) in some coastal wetlands of Emilia-Romagna (Northeast Italy). *Ric. Biol. Selvaggina Suppl.* 10:384. Abstract only. (Via Vasari, 40128 Bologna, Italy.)
- UTTLEY,J. 1986. Survey of coastal waterbirds in Sulawesi Selatan, March/April 1986. PHPA/Interwader Report No. 2, 27 pp. (Available for US \$5 from Interwader, P.O. Box 19769, 50724 Kuala Lumpur, Malaysia.)
- VOKLER,F. 1986. [The avifauna of the sewage farm at Perleberg, German Democratic Republic.] *Beitr. Vogelkd.* 32: 33-47. In German. (Am Kamp 1, DDR-2560 Bad Doberan, E.Germany.)
- WON,P.-O. 1986. Birds of the Nakdong Estuary. *Bull. Inst. Orn. Kyung Hee Univ.* 1: 1-37. (Inst. Orn., Kyung Hee Univ., Seoul 131, South Korea.)
- ZALETAL,H. 1987. Mountain Plover in Story County. *Iowa Bird Life* 57(1):25. (715 West Str., Colo, IA 50056, U.S.A.)
- MISCELLANEOUS**
- ANONYMOUS. 1986. *Le Parc National du Banc d'Arguin. Milieu vivant.* Booklet-Services techniques du Parc National du Banc d'Arguin, Nouadhibou, 31 pp. In French. (Available from PNBA, B.P. 124, Nouadhibou, Republique Islamique de Mauritanie.) Nice booklet with many colour pictures; general description.

- ANONYMOUS. 1986. *Canada's Wetlands. Maps of wetland regions and distribution in Canada.* Department of Energy, Mines & Resources, Canada, Ottawa, 8 pp. & two maps. (Available from Canada Committee on Ecological Land Classification, Lands Directorate, Environment Canada, Ottawa, ON, Canada K1A 0E7.)
- BRAAKHEKKE,W.G. & MARCHAND,M. 1987. *Wetlands. The Community's wealth.* Booklet published by European Environmental Bureau for 3rd Ramsar Convention Conference, Zeist, 24 pp. (Available in English and French, c/o 29 rue Vautier, B-1040 Brussel, Belgium; gratis.)
- BRAUNE,B.M. 1987. Comparison of total mercury levels in relation to diet and molt for nine species of marine birds. *Arch. Environ. Contam. Toxicol.* 16: 217-224. (Dept. Zool., Univ. of Guelph, Guelph, ON N1G 2W1 Canada.) Phalaropes are included in the analysis.
- COWARDIN,L.M., CARTER,V., GOLET,F.C. & LA ROE,E.T. 1979. *Classification of wetlands and deepwater habitats of the United States.* Report FWS/OBS-79/31, Fish & Wildl. Serv., U.S. Department of Interior, Washington, D.C. 20240, 131 pp. (Available from publisher.)
- CRUMBIE,M. 1983. Observations of the Graceful Warbler, Kentish Plover and Sander's Little Tern in Abu Dhabi. *Emirates Nat. Hist. Group Bull.* 20: 2-9.
- DAU,C.P. 1985. Bird resources of the Yukon-Kuskowim Delta, Alaska. *Proc. Int. Orn. Congr.* 18: 1092-1093. Abstract only. (Izembek Natl. Wildl. Ref., Pouch 2, Cold Bay, AK 99571, U.S.A.)
- FEILER,K. 1986. (Trematodes in *Chionis alba* and *Larus dominicanus* from South Shetland Islands (Antarctica).) *Angew. Parasitol.* 27: 23-33. In German.
- FERNANDES,J. 1987. *Wetlands. Status and management in India. An overview.* Report Environmental Services Group, World Wildlife Fund-India, New Delhi, 81 pp. (Available from publisher.)
- FRIER-MURZA,J.A. 1986. Western hemisphere reserve network for shorebird conservation. *AAZPZ (Am. Assoc. Zool. Parks Aquariums) Annu. Conf. Proc.* p. 233-239. (Off. Endangered & Nongame species, Div. Fish, Game & Wildl., Dept. Environ. Prot., Trenton, N.J., U.S.A.)
- GARCIA,C.A. & CANARIS,A. 1987. Metazoan parasites of *Recurvirostra americana* Gmelin (Aves), from southwestern Texas and Monte Vista National Wildlife Refuge, Colorado, with a checklist of helminth parasites hosted by this species in North America. *Southwest. Nat.* 32: 85-91. (Dept. Biol. Sci., Univ. Tex., El Paso 79968, U.S.A.)
- HARRIS,W., WAPPLE,G., DESMET,K. & LAMONT,S. 1985. Saskatchewan Piping Plovers - 1984. *Sask. Parks Renewable Resour. Wildl. Branch*, 107 pp. (Prairie Environ. Serv Inc., Box 414, Raymore, SN, Canada S0A 3J0.)
- HOBERG,E.P. 1986. Aspects of ecology and biogeography of Acanthocephala in Antarctic seabirds. *Ann. Parasitol. Hum. Comp.* 60: 199-214. (Dept. Pathobiol., SC-38, Univ. of Washington, Seattle, WA 98195, U.S.A.) E.g. *Chionis alba*.
- JOHANSON,O., EKSTAM,U. & FORSHED,N. 1986. *Havsstrandangar. [Coastal shore meadows.]* LTs Forlag, Stockholm, 95 pp. In Swedish. (Ekologihuset, S-22362 Lund Sweden.) Pictorial description of habitat and management practices of shore meadows in Sweden.
- JOHNSON,D.F. 1986. Rehabilitation notes: Black-necked Stilt: (*Himantopus mexicanus*). *Wildl. J.* 9(1): 7-10. (Youth Sci. Inst., San Jose, CA, U.S.A.)
- KALINAINEN,P. 1984. (Wetlands and waterfowl in Satakunta.) In: Soikkeli,M. (ed.). *Satakunnan linnusto.* Porin Lintutieteellinen Yhdistys, Pori, pp. 79-103. In Finnish with English summary. (c/o M.Soikkeli, Dept. of Zool., University of Turku, Turku, Finland.)
- MARTEIJN,A.C.L. & SWENNEN,K. 1987. Bedreigde kustbiotopen in Zuidoost-Azie. (Endangered coastal habitats in southeast Asia.) *Vogeljaar* 35: 2-15. In Dutch. (Oranjestr. 11, 4515 CA IJzendijke, The Netherlands.)
- MILLER,E.H. & REID,M.L. 1987. Longevity record for the Scolopacidae: 17 year-old male Least Sandpiper breeds. *J. Field Ornithol.* 58: 49-51. (B.C. Prov. Mus., Victoria, Brit. Columbia, Canada V8V 1X4.)
- MYERS,J.P., MORRISON,R.I.G., ANTAS,P.Z., HARRINGTON,B.A., LOVEJOY,T.E., SALLABERRY,M., SENNER,S.E. & TARAK,A. 1987. Conservation strategy for migratory species. *Amer. Sci.* 1987: 19-26. On the New World shorebird-flyways and conservation. (National Audubon Society, 950 Third Ave., New York, NY 10022, U.S.A.)
- NABHITABHATA,J. & SOMRANG,V. 1986. Threats to migratory birds along the Inner Gulf coast of Thailand. *Tigerpaper* 13(4): 22-23. (Inst. Sci. & Techn. Res., 196 Paholyothin Rd., Bangkok 10900, Thailand.)
- PARISH,D., PRENTICE,C. & TAYLOR,C. 1986. *Interwader - East Asia/Pacific shorebird study programme - Annual Report 1985.* Interwader Publ. No. 16, Kuala Lumpur, 36 pp. (Available for US \$3 from Interwader, P.O. Box 10769, 50724 Kuala Lumpur, Malaysia.)
- PARISH,D., PRENTICE,C. & TAYLOR,C. 1987. *Interwader - East Asia/Pacific shorebird study programme - Annual Report 1986.* Interwader Publ. No. 19, Kuala Lumpur, 32 pp. (Available for US \$5 from Interwader.)
- PRATER,A.J. & LLOYD,C.S. 1987. Birds. In: Baker,J.M. & Wolff,W.J. (eds.). *Biological surveys of estuaries and coasts.* Cambridge University Press, Cambridge, pp. 374-403. On numbers and distribution of non-breeding coastal birds (methods, sampling errors and accuracy, special wader counts, related wetland surveys, units of national and international assessment.)
- PRENTICE,C. (ed.). 1987. *Interwader Newsletter* 8 Dec. 1986/April 1987, 19 pp. (P.O. Box 10769, Kuala Lumpur, Malaysia.) Last in the series; will be replaced by Asian Wetland News, subscription rate US \$5 per annum.
- PRYS-JONES,R. 1987. Shore lines. *BTO News* 150: 14-15. (BTO, Beech Grove, Tring, Herts., U.K.) General info on recent wader studies in Britain and Europe.

RUTTANADAKUL, N. & ARDSEUNGURN, S. 1986. *Evaluation of coastal wetlands in South Thailand: evaluation of shorebird hunting in Pattani Province, South Thailand.* Interwader/PSU Report No. 2, Kuala Lumpur, 65 pp. (Available for US \$4 from Interwader, P.O. Box 10769, 50724 Kuala Lumpur, Malaysia.)

SAFRIEL, U.N. & HARRIS, M.P. 1985. Spatial and seasonal distribution of 'dermatitis', a disease of Oystercatchers on Stockholm Island and its ecological effects. *Proc. Int. Orn. Congr.* 18:1168. Abstract only.

SCHARDIEN, B.J. & JACKSON, J.A. 1984. Iced Killdeer. *Miss. Kite* 14(1):6.

TINER, R.W., Jr. 1984. *Wetlands of the United States: current status and recent trends.* Report National Wetlands Inventory, Fish & Wildl. Serv., U.S. Department of Interior, Washington, D.C. 20240, 59 pp. (Available from publisher.)

TULJAPURKAR, V.B. 1986. The Yellow-wattled Lapwing. *Sanctuary (India)* 6(2): 236-243.

YUNICK, R.P. 1986. Carpal compression as a variable in taking wing chord measurements. *N. Am. Bird Bander* 11(3) 78-83. (1527 Myron Str., Schenectady, NY 12309, U.S.A.)

LIST OF MEMBERS-CHANGES SINCE BULLETIN 49

NEW MEMBERS

Alerstam, T, Sofiaparken 6E, S-222 41 Lund, Sweden.
 Biber, Dr J-P, Blauensteinerstrasse 33, Ch-4053 Basel, Switzerland.
 Boyd, H, 1032 Pinewood Crescent, Ottawa, Ontario K2B 5Y5, Canada.
 Brager, S, Scharstorfer Weg 12, D-2308 Schellhorn, FR Germany.
 Buchanan, J, 1409 West Seventh Street, Olympia, Washington 98501, USA.
 Edwards, Dr PJ, The Old School, Carlton, Newmarket, Suffolk CB8 9JY, UK.
 Fradkin, SC, 18506 Parkside, Detroit, Michigan 48221, USA.
 Holgrem, N, Storkstigen 2, S-39359 Kalmar, Sweden.
 Klassen, M, Veenweg 35, 9728 Groningen, The Netherlands.
 Lea, Dr MJ, Manor Farm Lodge, Upper Wield, Alresford, Hampshire, SO24 9RU.
 Madin, DF, 32 Kinross Road, Chesterton, Cambridge, CB4 1QY, UK.
 Manzi, R, Via Angelo Emo 19, 30173 Venezia Mestre VE, Italy.
 Nikolaus, G, Bosenbuttel 4, 2859 Spieka, FR Germany.
 Osiek, ER, Boomgaardweg 44, 3984 KK Odijk, The Netherlands.
 Parr, R, Institute of Terrestrial Ecology, Hill of Brathens, Banchory AB3 4BY, UK.
 Pedersen, MB, Centervej 11, DK-7190 Billund, Denmark.
 Pierce, E, 234/29, 9170 Longyearbyen, Svalbard, Norway.
 Robert, M, CREM, Univ de Montreal, CP 6128, succursale A, Montreal, Quebec H3C 3J7, Canada.
 Roberts, JG, Department of Zoology, Science Laboratories, South Road, Durham DH1 3LE, UK.
 Saez-Royuela, R, Andres Mellado 39, 28015 Madrid, Spain.
 Sagar, PM, 38A Yarley Street, Christchurch 4, New Zealand.

Van Scharenburg, CWM, Marjoleinstraat 57, 9731 DC Groningen, The Netherlands.
 Vincent, C, 11h Chaussee Marcade, 80100 Abbeville, France.
 Warnock, N, c/o Point Reyes Bird Obs, 4990 Shoreline Highway, Stinson Beach, California 94970, USA.

CHANGES

Banks, JDN, Kathmuir, Rue de la Blanche Pierre, St Lawrence, Jersey, Channel Isles, UK.
 Chandler, D, c/o 3 Juniper Close, Pinwood Meadow, Beacon Heath, Exeter, Devon, UK.
 Clayton, D, 10 Royston Grove, Fens Estate, Hartlepool, Cleveland, UK.
 Crebbin, JC, 111 Station Rd 92, Huddersfield, HD8 0DE, UK.
 Danielsen, F, Sindshvilevej 5, 2TH, DK-2000 Copenhagen F, Denmark.
 Ebel, GRA, c/o Warbler Books, PO Box 4943, South Edmonton Postal Stn, Edmonton, Alberta T6E 5G8, Canada.
 Fracasso, G, Casella Postale 01, 36057, Torri di Arougnano (VI), Italy.
 McNeil, R, Dept. des Sciences Biol., Universite de Montreal, Case Postale 6128 Succ A, Monteal PQ H3C 3J7, Canada.
 Mes, R, Bureau Ecoland, Fregatstraat 97, 3534 RC Utrecht, The Netherlands.
 Myers, Dr JP, National Audubon Society, 950 Third Avenue, New York, NY 10022, USA.
 Quammen, ML, Campus Box 339, CC50, 6300 Ocean Drive, Corpus Christi, Texas 512-888-3370, USA.
 Rufino, R, 12 Possidono da Silva, 66 4 Esq, 1300 Lisboa, Portugal.
 Sallaberry, M, Las Palmeras 3425, Casilla 653, Santiago, Chile.
 Spence, IM, 11 Tan y Bryn, Pwllglas, Ruthin, Clwyd LL15 2PJ, UK.
 Van der Have, Dr TM, University of Utrecht, Dept of Pop & Evol Biology, Padualaan 8, PO box 80.055, 3508 TB Utrecht, The Netherlands.

