

RECENT PUBLICATIONS ON WADERS 46

Compiled by G.A. Gudmundsson

This is the 46th list of recent publications on waders in the *WSG Bulletin*. Theunis Piersma who has been the compiler for the previous 21 issues (7 years!!) and provided us with 3866 titles, has now resigned and given this post to me. Trying to keep up with the high standards he has set, in making the lists as COMPLETE AND UP TO DATE AS POSSIBLE, any help is most welcome. Please send omissions, corrections, new titles, abstracts or reprints to Gudmundur A. Gudmundsson, Department of Ecology, University of Lund, Ecology Building, S-223 62 LUND, Sweden. For help with this issue I am very grateful to me predecessor Theunis Piersma and also to Paul Eric Jonsson and Klaus Liedel.

Translated titles from languages other than English are bracketed; round brackets if the translation is by the author(s), square brackets if not.

BREEDING

- ALIND, P. 1988. (Oystercatchers, *Haemotopus ostralegus*, nesting on gravel roof.) *Var Fagelvarld* 47: 149. In Swedish with English summary. (Drottning Kristinas vag 3A, S-392 38 Kalmar, Sweden.)
- BAINES, D. 1988. The effects of improvements of Upland, marginal grasslands on the distribution and density of breeding wading birds (Charadriiformes) in northern England. *Biol. Conserv.* 45: 221-236. (Zool. Dept., Univ. of Durham, South Road, Durham DH1 3LE, U.K.)
- BANCROFT, G.T., OGDEN, J.C. & PATTY, B.W. 1988. Wading birds colony formation and turnover relative to rainfall in the Corkscrew Swamp area of Florida during 1982 through 1985. *Wilson Bull.* 100: 50-59. (Ornithol. Res. Unit, Natl. Audubon Soc., 115 Mound Trail, Tavernier, FL 33070, U.S.A.)
- BOND, G.M., BOARD, R.G. & SCOTT, V.D. 1988. An account of the hatching strategies of birds. *Biol. rev.* 63: 395-415. (Materials Science, Bath University, Bath BA2 7AY, Avon, U.K.) - A review paper taking many wader examples.
- CRESSWELL, B.H. & SUMMERS, R.W. 1988. A study of breeding Purple Sandpipers *Calidris maritima* on the Hardangervidda using radio-telemetry. *Fauna norv. Ser. C., Cinclus* 11: 1-6. (Biotrack, Stoborough Croft, Grange Rd., Wareham, Dorset BH20 5AJ, U.K.)
- CZACKES-RADO, H. & YOM-TOV, Y. 1987. On the incubation biology of Spur-winged Plover *Hoplopterus spinosus* (Aves: Charadriidae) in Israel. *Isr. J. Zool.* 34: 155-157. (Dept. Zool., Tel Aviv Univ., 69978 Tel Aviv, Israel.)
- DIJK, K. VAN, KOFFIJBERG, H. & KOFFIJBERG, K. 1988. Broedvogelinventarisatie van Kluut, plevieren, meeuwen en sterns in Groningen in 1987. [Breeding survey of Avocets, plovers, gulls and terns in the province of Groningen in 1987.] *Grauwe Gors* 16(2): 7-15. In Dutch. (Veimeerstr. 48, 9718 SN Groningen, The Netherlands.)
- ENS, B. 1988. Over hokkers, wippers en reperaiissies van ouderlijke zorg. [On Oystercatchers: "hokkers, "wippers" and the repercussions of parental care.] *Limosa* 61: 51-52. In Dutch. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- GALBRAITH, H. 1988. Effects of agriculture on the breeding ecology of Lapwings *Vanellus vanellus*. *J. appl. Ecol.* 25: 487-503. (NCC, 12 Hope Terrace, Edinburgh EH9 2AS, U.K.)
- GRATZ, H.-P. 1988. Zur Stabilisierung der Waldwasserläufer-population im Südosten des Bezirkes Frankfurt (Oder). *Der Falke* 35: 178-184. In German. (Bergstr. 15, Eisenhüttenstadt, DDR-1220, East Germany.) - *Tringa ochropus*, a rare breeding bird in East Germany.
- HIRONS, G. 1988. Habitat use by Woodcock (*Scolopax rusticola*) during the breeding season. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 42-47. (Edward Grey Institute, Dept. of Zool., South Parks Rd., Oxford OX1 3PS, U.K.)
- ILYASHENKO, V.Y. 1988. On the description of the downy plumages of Woodcock and Snipe nestlings. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 86. Abstract only. (Central Research Lab. of Wildlife Management and Nature Reserves, Moscow, U.S.S.R.)
- KALAS, J.A. 1988. Sexual dimorphism in size and plumage of the polyandrous Dotterel (*Charadrius morinellus*): sex roles and constraints on sexual selection. *Can. J. Zool.* 66: 1334-1341. (Dir. Nat. Manage., Res. Div., Tungasletta 2, N-7004 Trondheim, Norway.)
- MARCSTROM, V. 1988. A study on display activities of Woodcock in Sweden. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock Workshop*, IWRB, Slimbridge, pp. 83-85. (Dept. of Zoophysiology, Uppsala University, Box 560, S-751 22, Uppsala, Sweden.)
- MOKSNES, A. 1988. Grit in the stomachs of Ringed Plovers *Charadrius hiaticula* and Temminck's Stints *Calidris temminckii* during breeding. *Fauna norv. Ser. C., Cinclus* 11: 7-10. (Dept. Zool., Univ. of Trondheim, N-7055 Dragvoll, Norway.)
- MULLER, H.E.J. 1988. Nestverlegung durch eine Doppelschnepfe (*Gallinago media*) nach störung. *Beitr. Vogelkd.* 34: 147-153. (Naturschutzstation, Kamp, DDR-2141, East Germany.)
- NIESEN, H. 1988. Kievitseieren rapen en het effect van de nazorg. [Collecting Lapwing eggs and the effect of nest-predation.] *Argus* 13(88/2): 11-12. In Dutch. (c/o Bestevaerstr. 11, 1056 MD Amsterdam, The Netherlands.)
- ROBILLER, F. & BORRMANN, K. 1988. Beobachtungen am Nest des Seeregenpfeifers (*Charadrius alexandrinus* L.) in sudungarn. *Beitr. Vogelkd.* 34: 85-92. In German. (Wilhelm-Bode-Str. 8, Weimar, DDR-5300, East Germany.)

- SCHULTZ, M. 1988. The breeding of Pied Oystercatchers and Hooded Plover on wide ocean beaches - a nesting association? *Stilt* 12: 58-59. (167 South Beach Rd., Bittern, Vic. 3918, Australia.)
- STROUD, D.A., CONDIE, M., HOLLOWAY, S.I., ROTHWELL, A.J., SHEPHERD, K.B., SIMONS, J.R. & TURNER, J. 1988. A survey of moorland birds on the Isle of Lewis in 1987. Report 776, Moorland Bird Study, NCC, Peterborough, 90 pp.
- TOMLINSON, I. 1988. How females choose a mate. *Nature* 335 (issue 6185): 13-14. (Dept. of Genetics, Univ. of Cambridge, Downing Street, Cambridge CB2 3EH, U.K.) - Takes many bird examples e.g. Ruff (*Philomachus pugnax*).
- BEHAVIOUR, ECOLOGY & EVOLUTION
- ALAOUI, Y. 1988. (Management of migratory populations of Woodcock and Snipe in Morocco.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, p. 115. Abstract only. (Div. Chasse, Pêche et Protection de la Nature, DG Eaux et Forêts, Ministère de l'Agriculture, Rabat, Morocco.)
- ALEXANDERSSON, H. 1988. [Farmland as staging area: waders.] In: Andersson, S. (ed.). *Faglar i jordbrukslandskapet*, Var Fagelvarld Suppl. 12, pp. 100-102. In Swedish with English summary. (Stallgatan 7, S-462 40 Vanersborg, Sweden.)
- ALEXANDERSSON, H. & ERIKSSON, M.O.G. 1988. (Moved and grazed wet meadows as bird habitats.) In: Andersson, S. (ed.). *Faglar i jordbrukslandskapet*, Var Fagelvarld Suppl. 12, pp. 21-34. In Swedish with English summary.
- ANDERSSON, S. (ed.). 1988. *Faglar i jordbrukslandskapet*. [Birds in the farmland.] Var Fagelvarld, Supplement No. 12, Sveriges Ornitologiska Forening, Stockholm, 382 pp.
- ANDERSSON, S. 1988. (Birds in a small-farm-area during 130 years.) In: Andersson, S. (ed.). *Faglar i jordbrukslandskapet*, Var Fagelvarld Suppl. 12, pp. 117-136. In Swedish with English summary. (S:ta Gertruds vag 25, S-593 00 Vastervik, Sweden.) - Population decline and change in breeding habitats for Curlew and Lapwing.
- BARTER, L. & BARTER, M. 1988. Biometrics, moult and migration of Large Sand Plover (*Charadrius leschenaultii*) spending the non-breeding season in North-western Australia. *Stilt* 12: 33-40. (21 Chivalry Ave., Glen Waverley, Vic. 3150, Australia.)
- CHOJNACKI, I. & STAWARCZYK, T. 1988. Wood Sandpipers using tail-pattern as visual signal in aggressive encounters. *Brit. Birds* 81: 466-468. (Przybyszewskiego 50 m.6, 60-357 Poznan, Poland.)
- DEKKER, D. 1988. Peregrine falcon and merlin predation on small shorebirds and passerines in Alberta. *Can. J. Zool.* 66: 925-928. (3819 112A Street, Edmonton, Alta., Canada T6J 1K4.)
- DEVORT, M. 1988. (Comparative study of the Snipe and Woodcock displays.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 27-28. In French with English summary. (Docteur Veterinaire, 95 rue du Jardin Public, 33000 Bordeaux, France.)
- DICK, G. & SACKL, P. 1985. Ungewöhnlicher Herbstdurchzug von Sanderlingen (*Calidris alba*) in Ostösterreich. [Unusual autumn passage of Sanderlings through east-Austria.] *Egretta* 28: 65-67. In German. (Inst. für angewandte Öko-Ethologie, Altenburg 47, A-3573 Rosenberg-Mold, Austria.)
- FADAT, C. 1988. (Use of Woodcock (*Scolopax rusticola*) bag statistics for the management of hunted populations.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 96-107. In French with English summary. (CERA, Avifaune Migratrice Terrestre, Quai Hercule Cot, 34800 CLERMONT-L'HERAULT, France.)
- FERRAND, Y. 1988. (Individual sound recognition of the roding Woodcock.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 29-33. In French with English summary. (CERA Avifaune migratrice terrestre, St-Benoist, 78610 Le Perray-en-Yvelines, France.)
- FERRAND, Y. & GOSSMANN, F. 1988. (Spatial distribution of Woodcock in their nocturnal habitats in Brittany.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 48-52. In French with English summary.
- GOSSMAN, F., FERRAND, Y., LOIDON, Y. & SARDET, G. 1988. (Methods and ringing results of Woodcock (*Scolopax rusticola*) in Brittany.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 34-41. In French with English summary. (CNERA Avifaune Migratrice, rue du Pedit Barail, BP 231, 33028 Bordeaux Cedex, France.)
- GRANVAL, P. 1988. (Influence of the availability and accessibility of earthworm on the choice of habitats used by Woodcock (*Scolopax rusticola*)). In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 60-66. In French with English summary. (Laboratoire de Zoocologie du sol (INRA), CEPE, BP 5051, route de Mende, 34033 Montpellier, France.)
- GRANVAL, P. 1988. (Changes in the diet of the wintering Woodcock (*Scolopax rusticola* L.)). In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 67-77. In French with English summary.
- GRISSER, P. 1988. (Habitat use by the Snipe (*Gallinago gallinago*) in the inter-breeding season.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 20-22. In French with English summary. (CERA Oiseaux d'eau, Chanteloup, Ile d'Olonne, 85340 Olonne-sur-Mer, France.)

- GUDMUNDSSON, G.A. 1988. Intraspecific variation in bird migration patterns. Introductory paper no. 49, Department of Ecology, University of Lund, 22 pp. - A review paper using mainly wader examples.
- HARRADINE, J. 1988. The Woodcock production survey in the United Kingdom and Ireland. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 87-91. (British Association for Shooting and Conservation, Marford Mill, Rossett, Clwyd, LL12 0HL, U.K.)
- HAVET, P. & HIRONS, G. (eds.). 1988. *Third European Woodcock and Snipe Workshop*. (Paris 14-16 October 1986.) IWRB, Slimbridge, 1988, 115 pp. - The 23 papers are listed individually.
- HIRONS, G. 1988. Some factors affecting age ratios among Woodcock wings collected from hunters in Britain. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 92-95.
- IMBERT, G. 1988. (Use of bag statistics for the evaluation of the diurnal habitat of wintering Woodcock (*Scolopax rusticola*)). In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 53-59. In French with English summary. (Le Clot Cedex, 408 St-Nazaire-les-Eymes, 38330 SAINT-IMIER, France.)
- JOHNSON, C.M. & BALDASARRE, G.A. 1988. Aspects of the wintering ecology of Piping Plovers in coastal Alabama. *Wilson Bull.* 100: 214-223. (Vanasse Hangen Brustlin Inc., 405 Broadway, Providence, Rhode Island 02909, U.S.A.)
- KISS, J.B., REKASI, J. & STERBETZ, I. 1988. (Data on the diet of Woodcock (*Scolopax rusticola*) in northern Dobruja.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 78-82. In French with English summary. (I.E.C.R.N.D.D. - Sulina, Romania.)
- KRAGENOW, P. 1980. Ergebnisse der zentralen Limikolenfang-aktion der DDR. [Results of wader ringing in East Germany.] *Potsdamer Forschungen*, Reihe B, Heft 22, pp. 157. Can be ordered from: Pädagogische Hochschule "Karl Liebknecht" Potsdam, Wissenschaftlich-Technisches Zentrum, 1500 Potsdam, East Germany.
- KUBE, J. 1988. Zum Limikolendurchzug im Unteren Odertal (1976-1986). *Beitr. Vogelkd.* 34: 177-193. In German. (Heinersdorfer Str. 31, Schwedt, DDR-1330, East Germany.)
- MARTIN, A.P. & BAIRD, D. 1988. Lemming cycles - which Palearctic migrants are affected? *Bird Study* 35: 143-145. (30 Himeville Dr., Bluewater Bay, 6210 S-Africa.)
- MASSOLI-NOVELLI, R. 1988. Migration, ringing recoveries and some bag statistics of Common, Great and Jack Snipe in Italy. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 16-19. (Università di Cagliari via della Mendola 85, 00135 Rome, Italy.)
- MASSOLI-NOVELLI, R. 1988. Status and habitat of Great Snipe in Ethiopia and its movements in Africa. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 12-15.
- McKELVIE, C.L. 1986. *The Book of the Woodcock*. Debrett's Peerage Ltd., London 208 pp. (ISBN 0-905649-83-4). £14.95.
- MELTOFTE, H. 1988. (Diurnal patterns of the migration of waders Charadrii at Blavandshuk at the Danish west coast and Revtingen in southwest Norway.) *Dansk Orn. Foren. Tidsskr.* 82: 13-18. In Danish with English summary. (Zool. Mus., Universitetsparken 15, 2100 Copenhagen 0.)
- MOSER, M.E. 1988. Limits to the numbers of Grey Plovers *Pluvialis squatarola* wintering on British estuaries: an analysis of long-term population trends. *J. appl. Ecol.* 25: 473-485. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- NYENHUIS, H. 1988. Correlation between Woodcock bags and weather. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, p.114. Abstract only. (Fachbereich, Biologie-Universität Osnabrück, Barbarastr. 11, D-4500 Osnabrück, W.Germany.)
- PETERSSON, A. 1988. (Lapwing *Vanellus vanellus* L.) In: Andersson, S. (ed.). *Faglar i jordbrukslandskapet*, Var Fagelvarld Suppl. 12, pp. 189-194. (Pl. 36 Hildingsta, S-705 90 Orebro, Sweden.) - The population status and breeding of Lapwing in Sweden.
- PETERSSON, A. 1988. (Curlew *Numenius arquata* L.) In: Andersson, S. (ed.). *Faglar i jordbrukslandskapet*, Var Fagelvarld Suppl. 12, pp. 195-200. - Population status and breeding of Curlew in Sweden.
- PICKETT, P.E., MAXSON, S.J. & ORING, L.W. 1988. Interspecific interactions of Spotted Sandpipers. *Wilson Bull.* 100: 297-302. (Dept. Biol., Univ. North Dakota, Grand Forks, ND 58202, U.S.A.)
- PIERSMA, T. 1988. Waders in West Africa. *BTO News* 158: 4-5. (Gasthuisstraat 32, 1791 GL Den Burg, Texel, The Netherlands.) - A letter to BTO, written in Mauritania last spring whilst participating in a Dutch expedition, describing the wader situation there.
- PROKOSCH, P. 1988. Das Schleswig-Holsteinische Wattenmeer als Frühjahrs - aufhaltsgebiet arktischer Watvogel - Populationen am Beispiel von Kiebitzregenpfeifer (*Pluvialis squatarola* L. 1758), Knutt (*Calidris canutus*, L. 1758) und Pfuhlschnepfe (*Limosa lapponica*, L. 1758). [The Wadden Sea of Schleswig-Holstein as a spring stopover site for arctic wader populations as illustrated by Grey Plovers, Knots and Bar-tailed Godwit.] *Corax* 12: 273-442. In German. (Magnus Voss Str. 6, 2251 Ostenfeld, FRG.)
- REAY, P. 1988. *The Tamar Avocets*. 59pp. (Dept. of Biol. Sciences, Plymouth Polytechnic, Drake Circus, Plymouth PL4 8AA.) Copies of the report available from author for £2 (inc. postage) - cheques payable to Plymouth Polytechnic.

- ROSE, H.E. 1982. Autumn wader migration at Chew Valley Lake. I. *Fieldwork Reviews of the Ornithological Section of Bristol Naturalists' Society* 16. (12 Birbeck Rd., Bristol, Avon, U.K.)
- ROSE, H.E. 1985. Autumn wader migration at Chew Valley Lake. II. *Fieldwork Reviews of the Ornithological Section of Bristol Naturalists' Society* 17.
- SCHONERT, B. 1988. Zum Limikolendurchzug an den Hobrechtsfelder Rieselfeldern (Kreis Bernau). *Beitr. Vogelkd.* 34: 133-146. In German. (Hans-Loch-Str. 263, Berlin, DDR-1136, East Germany.)
- SHRUBB, M. 1988. The influence of crop rotations and field size on a wintering Lapwing *V. vanellus* population in an area of mixed farmland in West Sussex. *Bird Study* 35: 123-131. (Hillcrest, Llanwtyd Wells, Powys, U.K.)
- SJOBERG, K. 1988. (Spring migration through agricultural areas in Norrland.) In: Andersson, S. (ed.). *Faglar i jordbrukslandskapet*, Var Fagelvarld Suppl. 12, pp. 113-116. In Swedish with English summary. (SLU, Skogsvetenskapliga fakulteten, S-901 83, Umea, Sweden.)
- SPANO, S. 1988. (New data on the Woodcock in Italy.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 108-113. In French with English summary. (Istituto di Zoologia-Universita-Via Balbi 5, I-16126 Genova, Italy.)
- SUURMOND, J. & P. DE JONG. 1988. Boomvalk betst op kievit. [Hobby hits Lapwing in flight.] *Graspieper* 8:77. In Dutch. (c/o La Reinellaan 50, 1611 ZE Bovenkarspel, The Netherlands.) - Lapwing was killed, hobby survived but did not eat its prey.
- SWENNEN, C., RUTTANADAKUL, N., ARDSEUNGURN, S. & HOWES, J.R. 1987. Foraging behaviour of the Crab Plover *Dromas ardeola* at Ko Libong, southern Thailand. *Nat. Hist. Bull. Siam. Soc.* 35: 27-33. (N102, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- TAYLOR, P.B. 1988. The distribution, status, movements and habitat of Jack Snipe, Common Snipe and Pintail Snipe in Africa. In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 7-11. (c/o Boniface Gardens, Harrow, Middlesex HA3 6PH, U.K.)
- TRIPLET, P., ELKAIM, B. & PICHARD, S. 1988. (Enclosures using for interspecific relations research in littoral marine: a critically review and applications.) *Bull. Ecol.* 19: 55-61. In French with English summary. (ONC, Rue du Petit Barail, 33028 Bordeaux Cedex, France.)
- UNDERHILL, L.G. & ZUCCHINI, W. 1988. A model for avian primary moult. *Ibis* 130: 358-372. (Dept. Math. Stat., Univ. of Cape Town, Rondebosch 7700, S.Africa.) - Sanderling data as example.
- VEIGA, J. 1988. (Some aspects of the diet of Snipes.) In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, p.23. French and English abstracts only. (Federation Departementale des Chasseurs de la Gironde, rue du Pedit Barail, BP 231, 33028 Bordeaux Cedex, France.)
- VYAWAHARE, P.M. 1986. Study of migratory waders of Dhule, Maharashtra. *Pavo* 24: 1-8. (Dept. Zool., S.S.V.P.S's Sci. Coll., Dhule-424 005, Maharashtra State, India.)
- WREN, J. 1988. Unusual behaviour of four Sharp-tailed Sandpipers *Calidris acuminata*. *Stilt* 12:60. (P.O. Box 868, Bowen, Qld. 4805, Australia.)
- DISTRIBUTION & FAUNISTICS
- ALCORN, R. 1988. AWSG Regular wader counts project. Interim report to June 1987: migratory waders. *Stilt* 12: 7-23. (17 Lawrence Str., Horsham, 3400 Vic., Australia.)
- ANDERSON, D.A. & BELLIN, B. 1988. Inland records of Ruddy and Black Turnstones in Oregon. *Oreg. Birds* 14: 47-50. (6203 S.E. 92nd, Portland, OR 97266, U.S.A.)
- ANDERSSON, B. 1988. Nyligen upptackt: Cox's Sandpiper. [Newly discovered: Cox's Sandpiper.] *Var Fagelvarld* 47: 159-160. In Swedish. (Bjornkarrsgatan 6: C23, S-582 51, Linkoping, Sweden.)
- ASHBY, R. 1987. Waders of far North-Western Tasmania - a preview. *Tasmanian Bird Rep.* 16: 34-40. (NW Gen. Hospital, Burnie, Tasm. 7320, Australia.)
- BAKER, G.F. 1988. Wader frequency counts at Peel Inlet, Western Australia, between 1983 and 1985. *Stilt* 12: 23-29. (36 Riverside Dr., Furnissdale, W.A. 6120, Australia.)
- BARTER, M., JESSOP, A. & MINTON, C. 1988. Red Knot (*Calidris canutus rogersi*) in Australia. Part 1: Sub-species confirmation, distribution and migration. *Stilt* 12: 29-32. (21 Chivalry Ave., Glen Waverley, Vic. 3150, Australia.)
- BRUIN, B.DE & EBELS, E. 1988. Grote grijze snip in de Lauwersmeer in juli 1987. [Long-billed Dowitcher in Lauwersmeer, July 1987.] *Grauwe Gors* 16(2): 20-22. In Dutch. (H.W. Mesdagplein, 2718 HS Groningen, The Netherlands.)
- BULMAN, C.M. & PATTERSON, R.M. 1987. Annual wader counts in the Derwent Region 1986. *Tasmanian Bird Rep.* 16: 42-47. (100 Nelson Rd., Mt. Nelson, Tasm. 7007, Australia.)
- CLARIDGE, G. & JOHNSON, R. 1988. Possible unusual movement of Red-necked Avocets into northern Australia. *Stilt* 12:53. (9 Armstrong Str., Hermit Park, Qld. 4812, Australia.)
- CORNELIUS, J. 1988. Waders in the far northern Great Barrier Reef. *Stilt* 12: 54-55. (88 Hayward Str., Cairns, Qld. 4870, Australia.)
- ENDO, K., TAKAHASHI, H. & FUJITA, S. 1987. (Breeding record of the Indian Pratincole *Glareola maldivarum* in Tochigi prefecture, central Honshu.) *Jpn. J. Ornithol.* 35: 166-168. In Japanese with English summary. (868-7 Hiramatsuhoncho, Utsunomiya-shi, Tochigi 321, Japan.)
- GARNETT, S.T. 1987. Aerial survey of waders (Aves: Charadriiformes) along the coast of North-eastern Australia. *Aust. Wildl. Res.* 14: 521-528. (Garden of St Erth, Blackwood, Vic. 3458, Australia.)

- GERELL, R. 1988. (The avifauna of the farmland, a historical survey.) In: Andersson, S. (ed.). *Faglar i jordbrukslandskapet*, Var Fagelvarld, Suppl. 12, pp. 1-20. In Swedish with English summary. (Ecology Building, S-223 62 Lund, Sweden.)
- HERMAN, S.G., BULGER, J.B. & BUCHANAN, J.B. 1988. The Snowy Plover in southeastern Oregon and western Nevada. *J. Field Ornithol.* 59: 13-21. (Malheur Bird Observ., Olympia, WA 98505, U.S.A.)
- HEWISH, M. 1988. The winter 1987 population monitoring count: Lesser Golden Plovers over-wintering in Australia. *Stilt* 12: 41-46. (74 Wellington Str., Bacchus Marsh, Vic. 3340, Australia.)
- HJORT, C., HAKANSSON, E. & MOLGAARD, P. 1988. Bird observations on Kilen, northeasternmost Greenland, 1985. *Dansk Orn. Foren. Tidsskr.* 82: 19-24. (Hessle, Munkarp, S-243 91 Hoor, Sweden.) - Late summer expedition; some wader comments.
- HOEBEL, W.-D. 1987. Grasläufer am Helme-Stausee Berga-Kelbra. *Apus* 6(5): 230-231. In German. (Kopernikusstr. 11, Halle, DDR-4050, East Germany.) - 4th record of *Tryngites subruficollis* in East Germany.
- JAENSCH, R. 1988. Pectoral Sandpipers and Long-toed Stints in south-western Australia: notes on abundance and distribution. *Stilt* 12: 54-57. (30/15 Ogilvie Rd., Canning Bridge, W.A. 6153, Australia.)
- KALBE, L. 1988. Seltener Strandläufer bei Potsdam. *Beitr. Vogelkd.* 34: 154-156. In German. (Bruno-Baum-Str. 11, Potsdam-Babelsberg, DDR-1595, East Germany.)
- KANT, H. & LIEDEL, K. 1987. Meerstrandläufer bei Halle. *Apus* 6(5): 227-230. In German. (Block 219/1, Halle-Neustadt, DDR-4090, East Germany.) - An observation of *Calidris maritima*.
- MEININGER, P.L. 1988. *Birds in coastal Senegal, winter 1987/88*. Report, Middelburg, 41 pp. (Available for £5 - on postal giro 874 895 of P.L. Meininger, Belfort 7, 4336 JK Middelburg, The Netherlands.) - Includes revision of wader numbers estimated to winter in Senegal.
- MULLER, H. 1987. Graubruststrandläufer 1982 bei Tangermünde. *Apus* 6(5): 236-237. In German. (Hirtenstr. 3, Schonhausen, DDR-3520, East Germany.) - An observation of *Calidris melanotos*.
- NEHLS, H.W. & SCHMECKEBIER, D. 1988. Grosser Knutt (*Calidris tenuirostris*) im August 1987 an der Ostseeküste der DDR. *Beitr. Vogelkd.* 34: 194-196. In German. (Zoologischer Garten Rostock, Rennbahnallee 21, Rostock 1, DDR-2500, East Germany.)
- NEWBEY, B. 1988. Waders at Wattle Camp - Israelite Bay, Western Australia. *Stilt* 12:58. (Box 42, Ongerup, W.A. 6336, Australia.)
- OOSTERVELD, E. 1988. Kraaien en weidevogels in het zuidelijk westerkevertier. [Crows and meadow birds in SW-Groningen.] *Argus* 13(88/2): 6-8. In Dutch. (c/o Bestevaerstr. 11, 1056 HD, Amsterdam, The Netherlands.)
- PALMER-BALL, B.Jr. 1988. Second record of Ruff in Kentucky. *Ky. Warbler* 64:23. (8207 Old Westport Rd., Louisville, KY 40222, U.S.A.)
- PATTERSON, R.M. 1986. Annual wader counts in the Derwent Region 1985. *Tasmanian Bird Rep.* 15: 32-34. (89 Summerleas Rd., Fern Tree, Tasm. 7101, Australia.)
- RASHID, S.M.A. & SCOTT, D.A. 1988. Some waders of the Sunderbans mangrove forest, Bangladesh. *Stilt* 12: 51-52. (Dept. Zool., Univ. of Dhaka, Dhaka-1000, Bangladesh.)
- RAMON, R.F. 1987. Censo nacional de aves acuáticas, limícolas y laridas, enero 1987. *Mustela* 3: 2-22. In Spanish. (Sec. Ornitología, G.N. Habitat, Apdo. 805, 1508A Coruna, Spain.)
- REBERGEN, B. 1988. Weidevogels in de Terschellingerpolder. [Meadowbirds in the polders of Terschelling.] *Waddenbulletin* 23: 129-133. In Dutch. (Cons. spec. prog., Dept. Cons., P.O. Box 10420, Wellington, New Zealand.)
- ROSE, H.E. 1987. Waders in Avon and North Somerset 1981-85. *Bristol Ornithology* 19: 146-153. (12 Birbeck Rd., Bristol, Avon, U.K.)
- SAGAR, P. 1988. Preliminary report on the 1987 New Zealand winter wader count. *Stilt* 12:52. (38A Yardley Str., Christchurch, New Zealand.)
- SCHLOGEL, N. 1988. Seltenheit am Malchiner See (Meckl.). *Der Falke* 35:161. In German. (7251 Thammenhain, East Germany.) - Observ. of *Actitis hypoleucos*.
- SEIFERT, G. 1986. Erneuter Brutversuch eines Austernfischers an der Mittelelbe bei Wittenberg. *Apus* 6(3): 142-143. In German. (Wittenberg Str. 29, Muhlanger, DDR-4605, East Germany.) - A breeding record of *Haematopus ostralegus*.
- SUSANTH, C., SURESH, C. & RAJEEVAN, S. 1986. Breeding of the Painted Snipe (*Rostratula benghalensis*) in Trivandrum, Kerala. *J. Bombay Nat. Hist. Soc.* 83: 663-664. ("Padmalayam", Indira Nagar, Peroorkada, Trivandrum 696 005, India.)
- TEICHMANN, A. 1986. Brutansiedlung des Flussuferläufers im Mündungsgebiet der Weissen Elster. *Apus* 6(3): 131-133. In German. - A breeding record of *Actitis hypoleucos*.
- TEICHMANN, A. 1987. Seeregenpfeifer im Binnenland. *Apus* 6(5): 222-225. In German. (Rudolf-Haym-Str. 20, Halle, DDR-4020, East Germany.) - An observation of *Charadrius alexandrinus*.
- TEICHMANN, A. & UFER, W. 1987. Rotschenkelbrut in der Saaleniederung südlich Halle. *Apus* 6(5): 225-226. In German. - A breeding record of *Tringa totanus*.
- UHLICH, H. 1987. Ein Grasläufer (*Tryngites subruficollis* VIEILL.) in Sachsen. *Actitis* 25: 70-71. In German. (Königsbrucker Str. 114, Weixdorf, 8104 East Germany.)
- VAN DIJK, K. & BEEMSTER, N. 1988. (Second breeding record of Dunlin *Calidris alpina* in the Lauwersmeer.) *Limosa* 61:42. In Dutch with English summary. (Rijksdienst voor de IJsselmeerpolders, P.O. Box 600, 8200 AP Lelystad, The Netherlands.)

- WAUGH, J. 1988. An Oriental Pratincole in Tasmania. *Stilt* 12: 58-60. (44 Tourmaline Ave., Pearl Beach, N.S.W. 2256, Australia.)
- ZWARTS, L. 1988. Numbers and distribution of coastal waders in Guinea-Bissau. *Ardea* 76: 42-55.
- MISCELLANEOUS
- BEARDALL, C.H., DRYDEN, R.C. & HOLZER, T.J. 1988. *The Suffolk Estuaries. A report by the Suffolk Wildlife Trust on the Wildlife and conservation of the Suffolk estuaries.* The Suffolk Wildlife Trust, Park Cottage, Saxmundham, Suffolk IP17 1DQ, 77 pp.
- BEYERBACH, M., BUTHE, A., HEIDMANN, W.A., KNUWER, H. & RUSSEL-SINN, H.A. 1988. Belastung des Kiebitzes (*Vanellus vanellus*) mit Dieldrin und anderen Chlorierten Kohlenwasserstoffen. *J. Orn.* 129: 353-362. In German with English summary. (Tierartzl. Hochschule, Bischofscholer Damm 15, D-3000 Hannover, W.Germany.)
- BORGSTEEDE, F.H.M., VAN DEN BROEK, E. & SWENNEN, C. 1988. Helminth parasites of the digestive tract of the Oystercatcher, *Haematopus ostralegus*, in the Wadden Sea, The Netherlands. *Netherlands Journal of Sea Research* 22: 171-174. (Central Veterinary Institute, P.O. Box 65, 8200 AB Lelystad, The Netherlands.)
- BRENNAN, S. 1988. [Mudflats in danger.] *Bliki* 6: 24-28. In Icelandic. - A translation of a paper published in *Birds*, winter 1986: 39-44 (R.S.P.B.)
- CLARIDGE, G., JOHNSON, R. & DALLISTON, C. 1988. An undescribed Gulf plains wetland in Queensland. *Stilt* 12: 53-54.
- CLARK, J. & CLARK, N. 1988. Waders, wind and water. The North-west Australia wader expedition 1988. *BTO News* 157: 4-5. (BTO, Beech Grove, Tring, Herts., U.K.)
- EYLES, D.R. 1985. Wing and bill lengths of Dunlin in Poole Harbour. *Stour R.G. Report* 1985: 33-38.
- GOATER, C.P. & BUSH, A.O. 1988. Intestinal helminth communities in Long-billed Curlews: the importance of congeneric host-specialists. *Holarct. Ecol.* 11: 140-145. (Dept. Zool., Brandon Univ., Brandon, Manitoba, R7A 6A9, Canada.)
- GREENWOOD, J. 1988. BTO in the footsteps of Napoleon? Researching the Wirebird. *BTO News* 157:3. (BTO, Beech Grove, Tring, Herts., U.K.) On *Charadrius sauctaehelena*.
- GUDMUNDSSON, G.A. 1988. (Wader migration studies with aid of colour-markings.) *Bliki* 6: 68-72. In Icelandic with English summary. A note to Icelandic birdwatchers informing about ongoing studies along the East Atlantic flyway.
- HOLZ, R. 1987. (Age characteristics of the Ringed Plover *Charadrius hiaticula* of the southwestern Baltic coast.) *Beitr. Vogelkd.* 33: 233-243. In German with English summary. (Inst. Landschaftsforschung Naturschutz, St. Georgsfeld 12, Griefswald, DDR-2200, DDR.)
- HOTTOLA, P. 1988. Vaalea Foyhtohyyppa *Vanellus "vanilla"*. *Lintumies* 3:128. In Finnish with English summary. (Puronsuunkatu 4A1, SF-80160 Joensuu, Finland.) - An observation of pale Lapwing in April 1982.
- HULSCHER, J.B. 1988. (Mussel *Mytilus edulis* kills Oystercatcher *Haematopus ostralegus*.) *Limosa* 67: 42-45. In Dutch with English summary. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- JAENSCH, R. 1988. Lake Macloed: newly discovered wetland of international importance for waders. *Stilt* 12: 57-58.
- PETERSEN, A. 1988. (The conservation of wetlands.) *Bliki* 6: 28-31. In Icelandic with English summary. (Icelandic Mus. of Nat. Hist., P.O. Box 5320, IS-125 Reykjavik, Iceland.) - A short discussion of the current status of wetland conservation in Iceland.
- PRYS-JONES, R. 1988. Sun, sand and stinking seaweed. *BTO News* 157:5. (BTO, Beech Grove, Tring, Herts., U.K.) - On a wader expedition to the Outer Hebrides in May 1988.
- SCHAMEL, D. & TRACY, D.M. 1988. Are yearlings distinguishable from older Red-necked Phalaropes? *J. Field Ornithol.* 59: 235-238. (Dept. of Biology, Univ. of Alaska Fairbanks, Fairbanks, Alaska 99775, U.S.A.)
- STRANDGAARD, K. 1988. Ageing and sexing of the Common Snipe (*Gallinago gallinago*). In: Havet, P. & Hiron, G. (eds.). *Third European Woodcock and Snipe Workshop*, IWRB, Slimbridge, pp. 24-26. (Game Biology Station, Kalo, DK-8410, Ronde, Denmark.)
- USPENSKIY, S.M. & TOMKOVICH, P.S. 1987. The birds of Franz-Josef Land and their protection. *Polar Geography and Geology* 11: 221-234.
- WARTHOLD, R. 1987. Die Feuchtgebietskonvention - ein internationales Projekt zum Schutz von Wasser- und Watvögeln. *Naturschutzarbeit* 24: 13-24.
- ZUCCHI, H. 1988. *Wiese. Pladoyer für einen bedrohten Lebensraum. [Meadows. Arguments to safeguard an endangered habitat type.]* Otto Meier Verlag, Ravenburg, 127 pp. In German. (ISBN 3-473-46096-6). Price DM 19.80.

