

# RECENT PUBLICATIONS ON WADERS 61

*compiled by  
Henk Koffijberg*

In trying to make these lists as complete as possible, and the next one even more complete and up to date, your help is most welcome. Please send new titles, abstracts, reprints, copies, reports, and (important too!) omissions or corrections to: **Henk Koffijberg, Glenn Millerweg 102, 1311 RW Almere, The Netherlands.**

Remember to include, if possible, the address of the first author, and translations of titles if they are in other languages than English.

For help with issue I'm very grateful to D.A. Stroud, I. Bainbridge, T. Piersma, R. Maheo, D.W. Yalden, B. Calvo, B.-O. Flore, R. Valle, and T. Székely

Translated titles from languages other than English are bracketed; with round brackets if the translation is by the author(s), square brackets if not.

N.B. a copy of your paper or abstract would be very helpful to enable me to add some keywords or give added annotation to the titles.

So far, about 3,000 titles have been stored in an automated database.

## BREEDING

Andras, L. 1992. [Breeding biology of Lapwing (*Vanellus vanellus*) in alkaline grassland]. *Ornis Hung.* 2(2): 61-66. In Hungarian with English summary. (Dept. Zool. & Human Biol., Kossuth Univ., Debrecen, Egyetem ter 1, H-4010, Hungary).

Beintema, A.J. 1994. Condition indices for wader chicks derived from body-weight and bill-length. *Bird Study* 41(1): 68-75. (IBNDLO, P.O. Box 23, 6700 AA Wageningen,

Netherlands).

Calvo, B. 1994. Effects of agricultural land-use on the breeding of Collared pratincoles *Glareola pratincola* in south-western Spain. *Biol. Conserv.* 70: 77-83. (Zool. Dept., Glasgow Univ., Glasgow G12 8QQ, UK).

Calvo, B. 1993. Influences of agricultural land-use and habitat modification on the breeding biology and conservation of Collared Pratincoles (*Glareola pratincola*) in SW Spain. Ph.D. Thesis, Univ. Glasgow.

Delehanty, D.J. & Oring, L.W. 1993. Effect of clutch size on incubation persistence in male Wilson's Phalaropes (*Phalaropus tricolor*). *Auk* 110(3): 521-528. (Ecol., Evol. & Conserv. Biol. Program, ERS, 1000 Valley Rd., Univ. Nevada, Reno 89512, USA).

Holland, P.K. & Yalden, D.W. 1994. An estimate of lifetime reproductive success for the Common Sandpiper *Actitis hypoleucos*. *Bird Study* 41(2): 110-119. (D.W. Yalden: Sch. Biol. Sci., 3.239, Stopford Bldg., Univ. Manchester, Oxford Rd., Manchester M13 9PT, UK).

Koffijberg, K. 1994. Koloniebroedvogels in Groningen. Inventarisatie van Kluit, plevieren, meeuvens en sterns in 1993. [Breeding bird survey of Avocet, plovers, gulls and terns in the province of Groningen in 1993]. *Grauwe Gors* 22(2): 36-40. In Dutch. (Botter 29-26, 8232 KH Lelystad, Netherlands). Waders: *Recurvirostra avosetta*, *Charadrius hiaticula*, *Charadrius dubius*, *Charadrius alexandrinus*.

Marchant, J. & Balmer, D. 1994. Common Birds Census: 1992-93 index report. *BTO News* 193: 11-14. Major decline in breeding *Vanellus vanellus* in the UK.

Paton, P.W.C. & Dalton, J. 1994. Breeding ecology of Long-billed Curlews at Great Salt Lake, Utah. *Great Basin Naturalist* 54(1): 79-85. (Dept. Fish & Wildl., Coop. Fish & Wildl. Res. Unit, Utah State Univ., Logan 84322, USA). *Numenius americanus*.

Pineau, O. 1992. The decline of a breeding population of Kentish Plover in a French Mediterranean resort. In: Finlayson, M., Hollis, T. & Davis, T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*, pp. 122-124. (Stn. Biol. de la Tour du Valat, Le sambuc, 13200 Arles, France). Breeding biology of *Charadrius alexandrinus* studied at artificial habitats resulting from infilling of lagoons.

Pineau, O. 1994. [Biology and reproduction of the Kentish Plover *Charadrius alexandrinus*, in the Herault (southern

France)]. *Alauda* 62(1): 36-37. In French.

Siokhin, V. & Chernichko, J. 1992. Changes in the number of colonial waterbirds in the Sivash area, Sea of Azov, Ukraine. In: Finlayson, M., Hollis, T. & Davis, T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*, pp. 202-205. (Azov-Black Sea Ornithological Station, Melitopol, Ukraine). Breeding communities of all Charadriiformes and population dynamics are described.

Spaans, B. 1994. De broedvogels van het Volkerak-Zoommeer in de eerste vijf jaar na de afsluiting. (The breeding birds of the Volkerak-Zoommeer during the first five years after embankment). *Limosa* 67(1): 15-26. In Dutch with English summary. (Rijkswaterstaat, Directie Flevoland, P.O. Box 600, 8200 AP Lelystad, Netherlands). Breeding birds on former tidal flats and salt marshes, 1988-1992, SW-Netherlands. Waders: *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. hiaticula*, *C. alexandrinus*, *Vanellus vanellus*, *Tringa totanus*, *Haematopus ostralegus* and *Limosa limosa*.

Székely, T., Kozma, J. & Piti, A. 1994. The volume of Snowy Plover eggs. *J. Field Ornithol.* 65(1): 60-64. In English with Spanish summary. (Behav. Ecol. Res. Group, Dept. Zool., Kossuth Univ., Debrecen, H-4010, Hungary). *Charadrius alexandrinus*. A simple device for measuring egg-volume was developed and tested.

Székely, T., Karsia, T. & Williams, T.D. 1994. Determination of clutch-size in the Kentish Plover *Charadrius alexandrinus*. *Ibis* 136(1): 341-348.

Thomson, D.L. 1994. Growth and development in Dotterel chicks *Charadrius morinellus*. *Bird Study* 41(1): 61-67.

Tomkovich, P.S. 1994. A preliminary report on research on the Great Knot *Calidris tenuirostris* on the breeding grounds. *Stilt* 24: 29-30. (Zool. Mus., Moscow Univ., Herzen St. 6, Moscow 103009, Russia). Study conducted on breeding grounds in north-eastern Siberia on the spur of the Shchuchy Mountain Range near the Anadyr River.

Valle, R. & D'Este, A. 1994. La biologia riproduttiva della Pettegola, *Tringa totanus*, nella Laguna di Venezia. (The breeding biology of the Redshank, *Tringa totanus*, in the Lagoon of Venice). *Riv. Ital. Ornitol.* 63(2): 174-180. In Italian with English summary. (Castello 618/E, 30122 Venezia, Italy). A colony of 15 pairs nesting on an intertidal muddy-clay saltmarsh with halophilous vegetation has been studied.

Valle, R., Scarton, F., Borella, S. & Tiloca, G.

1994. Nidificazione di Avocetta (*Recurvirostra avosetta*) nella Laguna di Venezia (Aves). (Breeding of the Avocet (*Recurvirostra avosetta*) in the lagoon of Venice (Italy)) (Aves). *Lavori* 19: 99-102.

## BEHAVIOUR, ECOLOGY & EVOLUTION

Andres, B.A. 1994. Coastal zone use by postbreeding shorebirds in northern Alaska. *J. Wildl. Manage.* 58(2): 206-213. (US Fish & Wildl. Serv., Off. Migratory Bird Manage., 1011 E. Tudor Rd., Anchorage, AK 99503, USA).

Andrew, D.G. 1994. Site fidelity of Jack Snipe on migration?. *Scot. Birds* 17(3): 163. (Muirfield Gate, Gullane, East Lothian EH31 2EG, Scotland). *Lymnocryptes minimus*.

Baker, D.S. & Brenner, F.J. 1994. Woodcock (*Scolopax minor*) habitat suitability at one natural site and three reclaimed strip mines in Mercer Co., Pennsylvania. *J. Pa. Acad. Sci. (Suppl.)* 67: 169-170.

Barman, R. & Bhattacharjee, P.C. 1994. An evaluation of the habitat suitability index model as applied to the Bronze-winged Jacana *Metopidius indicus* in Assam, India. *Stilt* 24: 31-34. (Anim. Ecol. & Wildl. Biol. Lab., Dept. Zool., Gauhati Univ., Guwahati 781014, Assam, India).

Berg, Å. 1994. Maintenance of populations and causes of population changes of Curlews *Numenius arquata* breeding on farmland. *Biol. Conserv.* 67(3): 233-238. (Dept. Wildl. Ecol., Swedish Univ. Agric. Sci., Box 7002, S-750 07 Uppsala, Sweden).

Bowman, N. 1994. Turnstone joining Turtle Dove flock. *Brit. Birds* 87(9): 432. (113 Norwich Rd., Wroxham, Norfolk NR12 8RY, UK). *Arenaria interpres*.

Brock, K.J. 1994. Sanderlings feeding on Zebra mussels. *Indiana Audubon Q.* 72(1): 27. (Indiana Univ. Northwest, Gary 46408, USA). *Calidris alpina* and *C. alba*.

Campbell, J. 1994. A preliminary report on longevity records for waders in Australia. *Stilt* 24: 26. (3/19 Sydney St., Murrumbeena, VIC. 3163, Australia).

Cresswell, W. 1994. Flocking is an effective anti-predation strategy in Redshanks, *Tringa totanus*. *Anim. Behav.* 47(2): 433-442. (Inst. Cell., Anim. & Popul. Biol., Univ. Edinburgh, Ashworth Bldg., W. Mains. Rd., Edinburgh EH9 3JT, Scotland).

Cresswell, W. 1994. The function of alarm

calls in Redshanks, *Tringa totanus*. *Anim. Behav.* 47(3): 736-738.

Eenshuistra, O.J.P. 1994. Goudplevier *Pluvialis apricaria* en Kleine Goudplevier *Pluvialis fulva* in West-Siberie en mogelijkheid tot vorming van hybriden. (A viewing on the zone of overlap of the breeding areas of Golden Plover *Pluvialis apricaria* and Pacific Golden Plover *Pluvialis fulva* in Western Siberia and the possibility of creating hybrids in this area). *Vogeljaar* 42(2): 66-73. In Dutch. (Prins Clausplein 95, 8935 DD Leeuwarden, Netherlands).

Ens, B.J. 1994. De carriere-beslissingen van de Scholekster *Haematopus ostralegus*. (The career decisions of the Oystercatcher *Haematopus ostralegus*). *Limosa* 67(2): 53-67. In Dutch with English summary. (Zool. Lab., Afd. Dieröecologie, Univ. Groningen, Kerklaan 30, 9751 NN Haren, Netherlands). Summarizing major findings of a seven year study of the social behaviour of *Haematopus ostralegus*.

Ferns, P.N. & Siman, H.Y. 1994. Utility of the curved bill of the Curlew *Numenius arquata* as a foraging tool. *Bird Study* 41(2): 102-109. (School of Pure and Applied Biol., Univ. Wales, Coll. Cardiff, P.O. Box 915, Cardiff CF1 3TL, UK).

Goss-Custard, J.D., Clarke, R.T., Caldow, R.W.G. & Durell, S.E.A. 1993. Modelling the effect of winter habitat loss on shorebird populations. *Inst. Terrestrial Ecol. Rep.*, pp. 72-74. (Inst. Terrestrial Ecol., Furzebrook Res. Stn., Wareham, Dorset BH20 5AS, UK).

Gratto-Trevor, C.L. & Dickson, H.L. 1994. Confirmation of elliptical migration in a population of Semipalmated Sandpipers. *Wilson Bull.* 106(1): 78-90. (Prairie & North. Wildl. Res. Ctr., Canadian Wildl. Serv., 115 Perimeter Rd., Saskatoon, SK, Canada S7N 0X4). *Calidris pusilla*, Canada.

Harrington, B.A. 1993. Coastal globe-trotting: shorebird migration in the new world. *Underwater Nat.* 21(3/4): 3-9. (Manomet Bird Observ., P.O. Box 936, Manomet, MA 02345, USA).

Heg, D., Ens, B.J., Burke, T., Jenkins, L. & Kruyt, J.P. 1993. Why does the typically monogamous Oystercatcher (*Haematopus ostralegus*) engage in extra-pair copulations? *Behaviour* 126(3-4): 247-289. (Zool. Lab., Univ. Groningen, Kerklaan 30, 9751 NN Haren, Netherlands).

Hoodless, A.N. & Coulson, J.C. 1994. Survival rates and movements of British and Continental Woodcock *Scolopax rusticola* in the British Isles. *Bird Study* 41(1): 61-67. (Dept. Biol. Sci., Sci. Lab., Univ Durham,

South Rd., Durham DH1 3LE, UK).

Hudson, R., Tucker, G.M. & Fuller, R.J. 1994. Lapwing *Vanellus vanellus* populations in relation to agricultural changes: a review. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings *Vanellus vanellus**. Peterborough, Joint Nature Conservation Committee. pp. 1-33. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK). Review of literature presenting current knowledge of Lapwing ecology, limited to the discussions of those factors which may influence population levels. In particular, those factors resulting from human activities have been examined in detail.

Kalsi, R.S. & Khera, S. 1992. Some observations on maintenance behaviour of the Redwattled Lapwing *Vanellus indicus* (Bobdaert). *J. Bombay Nat. Hist. Soc.* 89(3): 368-372.

Kok, O.B. 1993. Diet of Spotted Dikkop *Burhinus capensis*. *Ostrich* 64: 182-184. (Dept. Zool. & Entomol., Univ. Orange Free State, P.O. Box 339, Bloemfontein 9300, South Africa). Stomach contents of *Burhinus capensis* collected in the central parts of South Africa over a period of eight years are discussed.

Krementz, D.G., Seginak, J.T., Smith, D.R. & Pendleton, G.W. 1994. Survival rates of American Woodcock wintering along the Atlantic coast. *J. Wildl. Manage.* 58(1): 147-155. (US Fish & Wildl. Serv., Patuxent Wildl. Res. Ctr., Southeast Res. Group, Warnell School For. Resour., Univ. Georgia, Athens 30602-2152, USA). *Scolopax minor* in Georgia, Virginia and South Carolina, USA

Larmour, G. 1993. Morphometrics and population dynamics of the Red-necked Stint *Calidris ruficollis* in coastal Victoria. Honours Dissertation, Charles Sturt Univ. (4 Station Lane, Yackandandah, Vic. 3749, Australia).

Marks, J.S. 1993. Molt of Bristle-thighed Curlews in northwestern Hawaiian Islands. *Auk* 110(3): 573-587. (Div. Biol. Sci., Univ. Montana, Missoula 59812, USA). *Numenius tahitiensis*.

Miller, B.J. & Knopf, F.L. 1993. Growth and survival of Mountain Plovers. *J. Field Ornithol.* 64(4): 500-506. (Ctr. Ecol., Univ. Autonoma, Apdo. Postal 70-275, Mexico D.F., 04510 Mexico). *Charadrius montanus*, Colorado, USA.

Minton, C. 1993. Migratory departure dates for Eastern Curlew. *Victorian Wader Study Group Bull.* 17: 21-23. (165 Dalgety Rd., Beaumarais, Vic. 3193, Australia). *Numenius madagascariensis*, Australia.

- Moreira, F. 1994. Diet, prey-size selection and intake rates of Black-tailed Godwits *Limosa limosa* feeding on mudflats. *Ibis* 136(3): 349-355. (Dept. Zool. Antropol., Fac. Ciencias, Bloco C2, Campo Grande, P-1700 Lisboa, Portugal).
- O'Reilly, K.M. 1993. Spring and fall migration strategies of Western Sandpipers. *Am. Zool.* 33(5): 99A. *Calidris mauri*, Alaska.
- Peach, W.J., Thompson, P.S. & Coulson, J.C. 1994. Annual and long-term variation in the survival rates of British Lapwings *Vanellus vanellus*. *J. Anim. Ecol.* 63(1): 60-70. (J.C. Coulson: Dept. Biol. Sci., Univ. Durham, Sci. Lab., South Rd., Durham DH1 3LE, UK).
- Piersma, T., Kooijhaas, A. & Dekkinga, A. 1993. Interactions between stomach structure and diet choice in shorebirds. *Auk* 110(3): 552-564. (NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands). *Calidris canutus* and *Limosa lapponica*.
- Piersma, T. 1994. *Close to the edge: energetic bottlenecks and the evolution of migratory pathways in Knots*. Thesis Univ. Groningen. Den Burg: Het Open Boek, 366 pp. In English with Dutch summary. Everything you always wanted to know about Knots (i.e. *Calidris canutus*).
- Platteeuw, M., Van der Ham, N.F. & Den Ouden, J.E. (eds.) 1994. *Zeetrekellingen in Nederland in de jaren tachtig. (Seawatching in The Netherlands in the eighties)*. *Sula* 8(1/2): 1-203. In Dutch with English summary. (Y. Hermes, De Houtmanstraat 46, NL-1792 BC, Oudeschild, Netherlands). Special issue of *Sula*, journal of the Dutch seabird group, describing the seasonal patterns and year-to-year variations in numbers of seabirds (including waders) migrating or staging along the Dutch North Sea coast during the period 1980-1989.
- Quinn, J.L. & Kirby, J.S. 1993. Oystercatchers feeding on grasslands and sandflats in Dublin Bay. *Irish Birds* 5(1): 35-44. (Wildfowl & Wetlands Trust, Slimbridge, Gloucester GL2 7BT, UK). Factors affecting distribution of *Haematopus ostralegus* on sandflat and grassland habitat in Dublin Bay have been studied.
- Reed, J.M. & Oring, L.W. 1993. Philopatry, site fidelity, dispersal, and survival of Spotted Sandpipers. *Auk* 110(3): 541-551. (Evol., Ecol. & Conserv. Biol. Program, ERS, 1000 Valley Rd., Univ. Nevada, Reno 89512, USA). *Tringa acularia*.
- Rodrigues, R. 1994. Microhabitat variables influencing nest-site selection by tundra birds. *Ecol. Appl.* 4(1): 110-116. (LGL Alaska Res. Assoc., 4175 Tudor Ctr. Dr., Suite 101, Anchorage 99508, USA). *Calidris pusilla*, *C. melanotos* and *Phalaropus lobatus*, Alaska.
- Root, S.M. 1994. European Golden Plover pattering feet in water while in flight. *Brit. Birds* 87(9): 431. (21 Aspin Park Dr., Knaresborough, North Yorkshire, UK). *Pluvialis apricaria*.
- Rubega, M.A. 1993. The functional morphology and ecology of feeding in *Phalaropus lobatus*, the Red-necked Phalarope. Ph.D. dissertation, Univ. California (Irvine), 132 pp.
- Skagen, S.K. & Knopf, F.L. 1994. Migrating shorebirds and habitat dynamics at a prairie wetland complex. *Wilson Bull.* 106(1): 91-105. (Nat'l. Ecol. Res. Ctr., US Fish & Wildl. Serv., 4512 McMurry Ave., Fort Collins, CO 80525, USA).
- Trolliet, B. & Girard, O. 1994. Avocets feeding in compact spinning groups. *Brit. Birds* 87(9): 431. (Off. Natl. de la Chasse, Chanteloup, F-85340 Ile d'Olonne, France). *Recurvirostra avosetta*.
- Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.) 1994. *The ecology and conservation of Lapwings *Vanellus vanellus**. Peterborough, Joint Nature Conservation Committee. (Available from: Publications Branch, Joint Nature Conservation Committee, Monkstone House, City Road, Peterborough PE1 1JY, UK). UK Nature Conservation No. 9. ISBN: 0963-8083.
- Wenink, P.W., Baker, A.J. & Tilanus, M.G.J. 1994. Mitochondrial control-region sequences in two shorebird species: the Turnstone and the Dunlin, and their utility in population genetic studies. *Mol. Biol. Evol.* 11(1): 22-31. (Dept. Exp. Anim. Morphol. & Cell Biol., Agric. Univ. Wageningen, P.O. Box 338, 6700 AH Wageningen, Netherlands). *Arenaria interpres* and *Calidris alpina*.
- Wiltraut, R. 1993. Red-necked Phalarope attracted to chum, Lancaster County. *Pa. Birds* 7(3): 93. (205 Washington St., Nazareth, PA 18064, USA). *Phalaropus lobatus*.
- ## DISTRIBUTION & FAUNISTICS
- Achtermann, S. 1992. [Identification of Lesser *Tringa flavipes* and Greater Yellowlegs *T. melanoleuca*]. *Limicola* 6(2): 53-79. In German with English summary. (Kopernikusstr. 1, D-3200 Hildesheim, Germany).
- Anderson, E. 1993. The Killdeer. *Bird Watcher's Digest* 15(6): 32-37. *Charadrius vociferus*, USA.
- Bardon, K. 1993. Red Phalarope in Hennepin County. *Loon* 65(4): 208-209. (1430 - 100th Ave. N.W., #212, Coon Rapids, MN 55433, USA). *Phalaropus fulicaria*, Minnesota, USA.
- Barthel, P.H. 1992. [Remarks on the occurrence of the Yellowlegs *Tringa flavipes* and *T. melanoleuca* in Central Europe]. *Limicola* 6(2): 85-90. In German with English summary. (Thieplatz 6A, D-3410 Northeim 12, Germany).
- Blanco, P., Goossen, J.P., Alonso, H.G. & Sirois, J. 1993. Occurrences of the Piping Plover in Cuba. *J. Field Ornithol.* 64(4): 520-526. (J.P. Goossen: Canadian Wildl. Serv., Rm. 210, 4999-98 Ave, Edmonton, AB, Canada T6B 2X3). *Charadrius melanotos*.
- Busche, G. 1994. Zum Niedergang von "Wiesenvögeln" in Schleswig-Holstein 1950 bis 1992. (The decline of wet-meadow birds in Schleswig-Holstein/Germany from 1950 to 1992). *J. Orn.* 135(2): 167-177. In German with English summary. (Hochfelder Weg 49, D-25746 Heide, Germany). Breeding numbers of *Haematopus ostralegus*, *Vanellus vanellus*, *Gallinago gallinago*, *Tringa totanus*, *Numenius arquata*, *Limosa limosa* and *Philomachus pugnax*.
- Calvo, B. 1993. Poblacion nidificante de Canasteras *Glareola pratincola* en la provincia de Sevilla. (Collared Pratincole breeding population in the province of Seville). *Ecología* 7: 455-456. (Zool. Dept., Glasgow Univ., Glasgow G12 8QQ, UK).
- Campbell, J. 1993. A helicopter survey of Westerport Bay. *Victorian Wader Study Group Bull.* 17: 43-44. (3/19 Sydney St., Murrumbeena, Vic. 3163, Australia). *Haematopus longirostris*, Australia.
- Carey, G. 1994. Leg coloration of Red-necked Stint. *Brit. Birds* 87(6): 273. (1st Floor, 32A Chek Nai Ping, Sha Tin, Hong Kong). *Calidris ruficollis*.
- Carter, M. & Sudbury, A. 1993. Spotted Redshank *Tringa erythropus* in Australia. *Aust. Bird Watcher* 15: 149-159. (30 Canadian Bay Rd., Mount Eliza, Vic. 3930, Australia).
- Crozier, J. & Argelich, J. 1993. [The occurrence of Dotterel *Charadrius morinellus* in Andorra (Pyrenees) during the breeding season]. *Alauda* 61(4): 214. In French.
- Diamond, J.M. & Bishop, K.D. 1994. New records and observations from the Aru Islands, New Guinea Region. *Emu* 94(1): 41-45. (Dept. Physiol., Univ. Calif., Med. Sch., Los Angeles, CA 90024-1751, USA). Records of *Numenius madagascariensis*,

*Tringa stagnatilis* and *T. terek*.

Dierschke, V. 1994. Phänologie und Fluktuation des rastvorkommens der Strandläufer *Calidris*-Arten auf Helgoland. (Timing of occurrence and fluctuations in abundance of *Calidris* sandpipers staging on the island of Helgoland, SE North Sea). *Vogelwelt* 115(2): 59-68. In German with English summary. (Vogelwarte Helgoland, P.O. Box 1220, D-27494 Helgoland, Germany). *Calidris canutus*, *C. alba*, *C. minuta*, *C. temmincki*, *C. melanotos*, *C. maritima*, *C. ferruginea* and *C. alpina*.

Dijken, L.J. & Blomert, A.-M. 1993. *Midwinter waterfowl census Turkey Januari 1990*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 37, 19 p. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). With information on the occurrence of 18 wader species.

Endersby, I. 1994. Vagrancy, or another migration path, of the Double-banded Plover *Charadrius bicinctus*? *Stilt* 24: 20-23. (56 Looker Rd., Montmorency, V1C 3094, Australia).

Esquivias, J.A.T., Gonzalez, R.A., Moreno, J.M.A. & Luque, F.O. 1987. Censo de aves acuáticas en las zonas humedas del sur de Córdoba: datos correspondientes a 1986-87. [Counts of water birds in the wetlands south of Córdoba, 1986-87]. *Oxyura* 4(1): 182-197. In Spanish with French summary. Waders: *Charadrius dubius*, *Tringa totanus*, *Himantopus himantopus*, *Limosa limosa*.

Evans, T.J. & Harris, S.W. 1994. Status and habitat use by American Avocets wintering at Humboldt Bay, California. *Condor* 96(1): 178-189. (US Fish & Wildl. Serv., Mar. Mammals Manage., 4230 University Dr., Anchorage, AK 99508, USA). *Recurvirostra americana*.

Flore, B.-O., Fröhlich, J. & Südbeck, P. 1994. Wegzugbestände des Goldregenpfeifers (*Pluvialis apricaria*) in Niedersachsen - Ergebnisse einer landesweiten Synchronzählung am 30/31 Oktober 1993. (Autumn-numbers of Golden Plover (*Pluvialis apricaria*) in Niedersachsen - results of a country-wide survey on 30/31 October 1993). *Vogelkd. Ber. Nieder-Sachs.* 26: 17-26. In German with English summary. (Bohmter Str. 13, 49074 Osnabrück, Germany). 100,041 Golden Plovers counted. Most birds were seen on grassland (87.9%). The results of this survey are discussed according to phenology, winter numbers and land utilisation in northwest Europe.

Geering, A. 1994. Banding in 1993. *Stilt* 24: 5. Report on waders ringed at Moreton Bay,

Australia.

Gratto-Trevor, C.L. 1992. Semipalmated Sandpiper. In: Poole, A. Stettenheim, P. & Gill, F. (eds.). *The Birds of North America*, No. 6, 20 pp. (Prairie & North. Wildl. Ctr., Canadian Wildl. Serv., 115 Perimeter Rd., Saskatoon, SK, Canada S7N 0X4). *Calidris pusilla* in South America and Alaska.

Hagemeijer, W.J.M. (ed.) 1994. *Wintering waterbirds in the coastal wetlands of Albania, 1993*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 49, 113 pp. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). With information on 22 wader species.

Haig, S.M. 1992. Piping Plover. In: Poole, A. Stettenheim, P. & Gill, F. (eds.). *The Birds of North America*, No. 2, 18 pp. (G08 Lehotsky Hall, Clemson Univ., SC 29634-0362, USA). *Charadrius melanotos*.

Harris, K. 1994. Population monitoring counts. *Stilt* 24: 11. (59 Strickland Drive, Wheelers Hill, Vic. 3150, Australia). Results of wader counts wintering in Australia are presented for the period 1987-1993. Figures for 1993 were extremely low.

Have, T.M. van der, Sant, S. van de, Verkuil, Y. & Winden, J. van der (eds.) 1993. *Waterbirds in the Sivash, Ukraine, spring 1992*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 36, 102 pp. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). With information on 37 wader species.

Heiser, F. 1992. [Lesser Yellowlegs *Tringa flavipes* in winter Bavaria]. *Limicola* 6(2): 81-84. In German with English summary. (Baumenheimer Str. 14, D-8850 Donauwörth, Germany).

Hoffmann, J. & Piper, W. 1994. Naturkundliche Beobachtungen auf der Halbinsel Paracas und den Guanoinseln Islas Ballestas (Peru) unter besondere Berücksichtigung der Avifauna. [Ornithological observations from the peninsula Paracas and its offshore guano islands Islas Ballestas (Peru)]. *Seevögel* 15(2): 38-43. (Museo de Historia Natural, Univ. Nac. May., San Marcos, Av. Arenales 1256, Lima - 14 Peru). Information on the occurrence of 24 wader species.

Holloway, J. 1994. Semipalmated Sandpiper on Stronsay: a second Scottish record. *Scott. Birds* 17(3): 173-174. *Calidris pusilla*.

Howell, S.N.G. 1993. Status of the Piping Plover in Mexico. *Euphonia* 2(3): 51-54. In English with Spanish summary. (Point Reyes Bird Observ., 4990 Shoreline Hwy., Stinson Beach, CA 94970-9701, USA). *Charadrius melanotos*.

Hustings, F. & Dijk, K. van 1994. *Bird census in the Kizilirmak delta, Turkey, in spring 1992*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 45, 168 pp. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). With information on 40 wader species.

Jaensch, R. 1994. Internationally significant numbers of Oriental Plover and Oriental Pratincole at ephemeral inland wetlands of the Northern Territory, Australia. *Stilt* 24: 12-13. (Conservation Commission of the Northern Territory, P.O. Box 496, Palmerston, NT 0831, Australia). *Charadrius veredus* and *Glareola maldivarum*.

Kasperek, M. 1992. Status of Sociable Plover *Chettusia gregaria* and White-tailed Plover *C. leucura* in Turkey and the Middle East. *Sandgrouse* 14(1): 2-15. (Bleichstr. 1, D-6900 Heidelberg, Germany).

Kazmierczak, K.J., Balachandran, S. & Rosalind, L. 1992. Caspian Plover *Charadrius asiaticus* Pallas at PT. Calimere, Tamil Nadu. *J. Bombay Nat. Hist. Soc.* 89(3): 373.

Kovacs, G. 1993. Impact of drought and canicular days of 1992 on the avifauna of the Hortobagy between 1985 and 1991. *Aquila* 100: 287-290. (Nagyivan, Bem apo. u. 1, H-5363, Hungary). Including migrating Charadrii.

Kuyt, E. & Johns, B.W. 1992. Recent American Avocet, *Recurvirostra americana*, breeding records in the Northwest Territories, with notes on avocet parasitism of Mew Gull, *Larus canus*, nests. *Can. Field-Nat.* 106(4): 507-519. Canadian Wildl. Serv., Rm. 210, 4999-98 Ave., Edmonton, AB, Canada T6B 2X3.

Laan, J. van der 1992. [Semipalmated Sandpiper in Oostvaardersplassen in June 1989]. *Dutch Birding* 14(6): 225-226. In Dutch with English summary. *Calidris pusilla*, Netherlands.

Maheo, R. 1993. Limicoles sejournant en France: janvier 1993. [Waders staging in France: January 1993]. [S.I.]: Office National de la Chasse, 35 pp. In French. (Lab. d'Evolution des Systèmes Naturels & Modifies, Stn. Biol. de Bailleron, F-56860 Sene, France). Winter wader counts along the French coast. With numbers and

- distribution maps of 24 wader species.
- Mawhinney, K., Hicklin, P.W. & Boates, J.S. 1993. A re-evaluation of the numbers of migrant Semipalmated Sandpipers, *Calidris pusilla*, in the bay of Fundy during fall migration. *Can Field-Nat.* 107(1): 19-23. (P.O. Box 50, Queensville, ON, Canada L0G 1R0).
- McFarland, D. 1993. Notes on the Pied Oystercatcher *Haematopus longirostris* in the Cooloola-Fraser Island area. *Sunbird* 23(4): 109-113. (15 Currag St., Kenmore, Qld. 4069, Australia).
- Meininger, P.L., Wolf, P.A., Hadoud, D.A. & Essghaier, M.F.A. 1994. *Ornithological importance of the coast of Libya, July 1993 [with notes on some wetlands in Tunisia]*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 46, 70 pp. With Arabic summary. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). With brief notes on 24 wader species.
- Merritt, J. 1993. Bird of the month: American Woodcock. *Phalarope* 38(12): 5-6. *Scopula minor* in Texas, USA.
- Moore, E. 1994. Hooded Plover *Thinornis rubricollis* on Cape Barren Island, Tasmania. *Stilt* 24: 24-25. (P.O. Box 7238, St. Kilda Rd., Melbourne, Vic. 3004, Australia).
- Morris, A. 1993. Shorebirds in the New York City region. *Underwater Nat.* 21(3/4): 49-52.
- Mortimer, J. 1994. Avocets. *Promerops* 212: 9. *Recurvirostra avosetta*, South Africa.
- Ogilvie, M. and the Rare Breeding Birds Panel. 1994. Rare breeding birds in the United Kingdom in 1991. *Brit. Birds* 87(8): 366-393. (Glencairn, Bruichladdich, Isle of Islay PA49 7UN, UK). Breeding waders: *Recurvirostra avosetta*, *Burhinus oedicnemus*, *Charadrius morinellus*, *Calidris temminckii*, *Calidris maritima*, *Philomachus pugnax*, *Limosa limosa*, *Numenius phaeopus*, *Tringa glareola*, *Actitis macularia* and *Phalaropus lobatus*.
- Palsson, K. 1992. [Black-tailed Godwit *Limosa limosa* colonization in Hunavatnssyslur Counties, N. Iceland]. *Blik 12*: 59-60. In Icelandic with English summary. (Hunabrait 10, 540 Bloduoos, Iceland).
- Parmelee, D.F. 1992. White-rumped Sandpiper. In: Poole, A. Stettenheim, P. & Gill, F. (eds.). *The Birds of North America*, No. 29, 16 p. (Barrick Mus. Nat. Hist., Univ. Nevada, Las Vegas 89154-4012, USA).
- Calidris fuscicollis* in Canada and South America.
- Paulson, D. 1993. *Shorebirds of the Pacific Northwest*. [S.I.]: Univ. Washington Press, 406 p. (Price: US\$40.-, Univ. Wash. Press, P.O. Box 50096, Seattle 98145-5096, USA).
- Petersen, A. 1992. [Turnstone *Arenaria interpres* holding territory in Iceland]. *Blik 12*: 57-58. In Icelandic with English summary. (Naturufoerdistofnun Islands, Postholf 5320, 125 Reykjavik, Iceland).
- Petursson, G. 1992. [The first Semipalmated Sandpiper *Calidris pusilla* found in Iceland]. *Blik 12*: 1-8. In Icelandic with English summary. (Gautlandi 21, 108 Reykjavik, Iceland).
- Rademaker, K. & Ludden, C. 1993. A record of Bar-tailed Godwit for Mexico. *Euphonia* 2(3): 58-65. In English with Spanish summary. (P.O. Box 8045, Santa Maria, CA 93456, USA). *Limosa lapponica baueri*.
- Rahmani, A.R., Shobrak, M.Y. & Newton, S.F. 1994. Birds of the Tihamah coastal plains of Saudi Arabia. *OSME Bull.* 32: 1-19. (Natl. Commission Wildl. Conserv. & Develop., c/o Natl. Wildl. Res. Ctr., P.O. Box 1086, Taif, Saudi Arabia). Information on distribution and occurrence of 34 wader species.
- Ramsay, G. 1992. White-tailed Plovers breed in the eastern province of Saudi Arabia in 1992. *Phoenix* 9: 3-4. (ADVOM, British Aerospace, P.O. Box 98, Dhahran 31932, Saudi Arabia). *Vanellus leucurus*.
- Rogacheva, H. 1992. The birds of Central Siberia. Husum: Husum Druck- und Verlagsgesellschaft, 737 pp. ISBN: 3-88042-631-7.
- Ryan, M.R., Root, B.G. & Mayer, P.M. 1993. Status of Piping Plovers in the Great Plains of North America: a demographic simulation model. *Conserv. Biol.* 7(3): 581-585. (School Nat. Resour., Univ. Missouri, Columbia 65211, USA). *Charadrius melanotos*.
- Scarton, F., Valle, R., Borella, S., Vettorel, M. & Utmar, P. 1993. Breeding population and distribution of the Oystercatcher (*Haematopus ostralegus*) in Italy. *Avocetta* 17: 15-17. (Castello 618/E, 30122 Venezia, Italy). 36 pairs in 1991 and 42 in 1992.
- Scharringa, J. & Wassink, A. 1992. [Semipalmated Sandpiper in Oostvaardersplassen in June 1989]. *Dutch Birding* 14(6): 226-227. In Dutch with English summary. *Calidris pusilla*, Netherlands.
- Schepers, F.J. & Marteijn, E.C.L. (eds.) 1993. *Coastal waterbirds in Gabon, winter 1992*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 41, 293 pp. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). With detailed information on 28 wader species. Reviewed in *Bulletin 72*.
- Schwarhoff, H. 1992. [Lesser Yellowlegs *Tringa flavipes*, new to Germany]. *Limicola* 6(2): 79-81. In German with English summary. (Heinrich Rottgen-Str. 13, D-5170 Julich, Germany).
- Shirihai, H. 1994. Field characters of Senegal Thick-knee. *Brit. Birds* 87(4): 183-186. (P.O. Box 4168, Eilat 88102, Israel). *Burhinus senegalensis*.
- Sidle, J.G. & Kirsch, E.M. 1993. Least Tern and Piping Plover nesting at sand pits in Nebraska. *Colon. Waterbirds* 16(2): 139-148. *Charadrius melanotos*, USA.
- Smiddy, P. & O'Sullivan, O. 1993. Fortieth Irish Bird Report, 1992. *Irish Birds* 5: 79-102. (Irish Wildbird Conservancy, Ruttledge House, 8 Longford Place, Monkstown, Co. Dublin, Ireland). New for the Irish List: *Calidris mauri*.
- Spiekman, H.W., Keijl, G.O. & Ruiters, P.S. (eds.) 1993. *Waterbirds in the Kneiss area and other wetlands, Tunisia. East Mediterranean Wader Project, spring 1990*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 38, 241 pp. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). With detailed information on waders.
- Swanson, D. 1993. Red Knots in Faulk County. *S.D. Bird Notes* 45(4): 69. (Dept. Biol., Univ. South Dakota, Vermillion 57069, USA). *Calidris canutus*.
- Thompson, J.J. 1993. Patterns of shorebird abundance in eastern Moreton Bay, Queensland. *Wildl. Res.* 20(2): 193-201. (Dept. Environ. & Heritage, Southwest. Reg., G.P.O. 2771, Brisbane, Qld. 4001, Australia).
- Thompson, J.J. 1993. Modelling the local abundance of shorebirds staging on migration. *Theor. Popul. Biol.* 44(3): 299-315.
- Vazquez, F.M., Alvarez, A.G. & De Los Santos, M.R. 1987. El nuevo cauce del río Guadaira como espacio de interés para las aves acuáticas. [A new stretch of the river Guadaira (Spain) and important sites for

- waterbirds]. *Oxyura* 4(1): 45-60. In Spanish with French summary. Waders: *Charadrius dubius*, *Vanellus vanellus*, *Gallinago gallinago*, *Tringa nebularia*, *T. totanus*, *Himantopus himantopus* and *Recurvirostra avosetta*.
- Veen, J. 1994. De broedvogelbevolking van Griend. (Breeding birds on the island of Griend in the Wadden Sea). *Levende Natuur* 95(4): 112-118. In Dutch with English summary. (DLO-Inst. Bos- en Natuuronderzoek, P.O. Box 23, 6700 AA Wageningen, Netherlands). Breeding waders: *Tringa totanus*, *Charadrius hiaticula*, *Recurvirostra avosetta* and *Haematopus ostralegus*.
- Votier, S.C. 1992. Semipalmated Sandpiper on Fair Isle: a first record for Scotland. *Scot. Birds* 16(4): 277-279. (c/o Fair Isle Bird Observ., Shetland ZE2 9JU, Scotland). *Calidris pusilla*.
- Wilkinson, P.M. & Spinks, M. 1994. Winter distribution and habitat utilization of Piping Plovers in South Carolina. *Chat* 58(2): 33-37. (Wildl. & Mar. Resour. Dept., Samworth WMA, Star RT. 1, Box 226, Georgetown, SC 29440, USA). *Charadrius melanotos*.
- ## MISCELLANEOUS
- Anderson, R.C., Wong, P.L. & Bartlett, C.M. 1994. *Skrjabinoecula aculeata* (Acuarioidea: acuariidae) in Dunlins (*Calidris alpina*) from both Iceland and Louisiana, USA. *J. Helminthol. Soc. Wash.* 61(1): 129-132. (Dept. Zool., Univ. Guelph, Guelph, ON, Canada N1G 2W1).
- Anderson, R.C. & Wong, P.L. 1994. New species of *Skrjabinoecula* (Nematoda: acuarioidea) from the Semipalmated Sandpiper (*Calidris pusilla*) (Aves: Scolopacidae). *J. Helminthol. Soc. Wash.* 61(1): 64-66.
- Atta, G.M. & Sorensen, U.G. 1992. Waterbird populations and the loss and degradation of wetlands in Egypt. In: Finlayson, M., Hollis, T. & Davis, T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*, pp. 125-129. (Egyptian Wildlife Service EWS, Giza Zoological Garden, Giza, Cairo, Egypt). Importance of, and threats to, Egyptian wetlands described.
- Boere, G.C. & Roomen, M.W.J. van 1992. The role of the proposed Western Palearctic Waterfowl Agreement in arresting and reversing wetland loss and degradation in the Mediterranean. In: Finlayson, M., Hollis, T. & Davis, T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an*
- IWRB International Symposium, Grado, Italy, February 1991*, pp. 273-277. (West. Palearctic Waterfowl Project, c/o Min. Agric., Nature Management & Fisheries, Directorate Nat. Conserv., Environment Protection & Wildlife Management, P.O. Box 1300, 3970 BH Driebergen, Netherlands).
- Buchanan, J.B. 1993. Shorebird ecology and conservation in western Washington. *Underwater Nat.* 21(3/4): 24-25.
- Castro, G. 1993. Conserving migratory waterbirds: a challenge for international co-operation. In: Moser, M., Prentice, R.C. & van Vensem, J. (eds.). *Waterfowl and wetland conservation in the 1990s: a global perspective*. Proc. IWRB Symp., St. Petersburg Beach, Florida, USA, pp. 120-123. (Wetlands for the Americas, P.O. Box 1770, Manomet, MA 02345, USA). Analysis of the experiences of the WHSRN, the Western Hemisphere Shorebird Reserve Network.
- Clark, J. 1993. The national Wildlife Refuge System's role in conservation of neotropical migratory birds. In: McCabe, R.E. & Glidden, K.A. (eds.). *Transactions of the fifty-eighth North American Wildlife and Natural Resources Conference, March 19-24, 1993, Washington, D.C.* Washington D.C.: Wildlife Management Institute, 1993, pp. 408-416. (U.S. Fish & Wildlife Service, Albuquerque, New Mexico, USA).
- Dickson, H.L. & McKeating, G. 1993. Wetland management for shorebirds and other species: experiences on the Canadian prairies. In: McCabe, R.E. & Glidden, K.A. (eds.). *Transactions of the fifty-eighth North American Wildlife and Natural Resources Conference, March 19-24, 1993, Washington, D.C.* Washington D.C.: Wildlife Management Institute, 1993, pp. 370-378. (Canadian Wildlife Service, Edmonton, Alberta, Canada).
- Dyer, R.W. 1993. The Piping Plover: conservation needs in the eastern United States. *Underwater Nat.* 21(3/4): 19-23. (US Fish & Wildl. Serv., N. Atl. Reg., Newton Corner, MA, USA). *Charadrius melanotos*.
- Ferns, P.N. 1994. The Severn estuary's changing wader populations during the last two decades. *Biol. J. Linn. Soc.* 51(1-2): 219-227. (School Pure & Appl. Biol., Univ. Wales, Coll. Cardiff, P.O. Box 915, Cardiff CF1 3TL, UK).
- Finlayson, M., Hollis, T. & Davis, T. (eds.) 1992. *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*. IWRB Spec. Publ. No. 20. Slimbridge: IWRB.
- Goeij, P.J. de, Have, T.M. van der, Keijl, G.O., Roomen, M.W.J. van & Ruiters, P.S. 1992. The network of wetlands for waterbird migration in the eastern Mediterranean. In: Finlayson, M., Hollis, T. & Davis, T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*, pp. 70-72. (NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands). Censuses of waterbirds, including waders, undertaken between 1987 and 1990 are presented for 19 internationally important wetlands in the eastern Mediterranean. Strong relationships were demonstrated between wetland size and number of migratory species and the total number of birds.
- Granval, P., Aliaga, R. & Soto, P. 1993. [The impact of agricultural management on earthworms (Lumbricidae, Common Snipe (*Gallinago gallinago*) and the environmental value of grasslands in the Dives marshes (Calvados)]. *Gibier Faune Sauvage* 10: 59-73. In French with English and German summaries. (Avifaune Migratrice ONC, Lab. ZooEcol. Sol., (INRA), CEFE, BP 5051, F-34033 Montpellier Cedex, France).
- Gratto-Trevor, C.L. 1994. Banding and foot loss: an addendum. *J. Field Ornithol.* 65(1): 133-134. (Prairie & North. Wildl. Ctr., Canadian Wildl. Serv., 115 Perimeter Rd., Saskatoon, SK, Canada S7N 0X4).
- Green, A. & Salathé, T. 1992. Threatened waterfowl in the Mediterranean. In: Finlayson, M., Hollis, T. & Davis, T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*, pp. 236-239. (Wildfowl & Wetlands Trust, Slimbridge, Gloucester GL2 7BT, UK). Waders: information about breeding and wintering numbers of *Numenius tenuirostris*.
- Held, M.M. 1993. Twinning sites and the WHSRN: a view from Suriname. In: Moser, M., Prentice, R.C. & van Vensem, J. (eds.). *Waterfowl and wetland conservation in the 1990s: a global perspective*. Proc. IWRB Symp., St. Petersburg Beach, Florida, USA, pp. 134-135. (Coord. Nat. Conserv. Res., Suriname Forest Serv., P.O. Box 436, Paramaribo, Suriname). Description of the estuarine zone of Suriname and its international importance for waterfowl.
- Helmers, D.L. 1993. Enhancing the management of wetlands for migrant shorebirds. In: McCabe, R.E. & Glidden, K.A. (eds.). *Transactions of the fifty-eighth North American Wildlife and Natural Resources Conference, March 19-24, 1993, Washington, D.C. - Washington D.C.* Wildlife Management Institute, 1993, pp. 335-344. (Wetlands for the Americas, Western Hemisphere Shorebird Reserve Network, P.O. Box 1770, Manomet, MA 02345, USA). Information on species requirements and wetland management

techniques.

Hoath, R. 1994. Interaction between Wood Sandpipers and Diced Water Snake. *OSME Bull.* 32: 24-25. (American Univ. Cairo, 113 Kasr el Aini, Cairo, Egypt). *Tringa glareola*.

Kovacs, G. 1992. [Methods of establishing sodic ponds and sodic deserts in the Hortobagy National Park and the experience]. *Aquila* 99: 155-161. In Hungarian with English summary. (Nagyvan, Bem apo. u. 1, H-5363, Hungary). *Charadrius alexandrinus* and *Glareola pratincola*.

Laubhan, M.K. & Frederickson, L.H. 1993. Integrated wetland management: concepts and opportunities. In: McCabe, R.E. & Glidden, K.A. (eds.): *Transactions of the fifty-eighth North American Wildlife and Natural Resources Conference, March 19-24, 1993, Washington, D.C.* Washington D.C.: Wildlife Management Institute, 1993, pp. 323-334. (Gaylord Memorial Lab., Sch. Nat. Resources, Univ. Missouri, Puxico, USA). Integrated wetland management for shorebirds.

Lu, J. 1993. The utilisation of migratory waterfowl in China. In: Moser, M., Prentice, R.C. & van Vessem, J. (eds.). 1993. *Waterfowl and wetland conservation in the 1990s: a global perspective. Proc. IWRB Symp., St. Petersburg Beach, Florida, USA*, pp. 90-92. (Dept. Biol., East China Normal Univ., Shanghai, 200062, The People's Republic of China). Hunting pressure in Chinese wetlands of the lower and middle basin of the Yangtze River.

Mironov, S.V. 1994. Three new species of the feather mite genus Bychovskiatia (Analgoidea: Avenzoariidae) from exotic plovers (Charadriiformes). *Int. J. Acarol.* 20(1): 45-51. (Zool. Inst., Russ. Acad. Sci., Saint Petersburg, 199034, Russia). *Charadrius novaeseelandiae*.

Moser, M., Prentice, R.C. & van Vessem, J. (eds) 1993. *Waterfowl and wetland conservation in the 1990s: a global perspective. Proceedings IWRB Symp., St. Petersburg Beach, Florida, USA*. Slimbridge: International Waterfowl and Wetlands Research Bureau IWRB, 263 pp. (IWRB, Slimbridge, Gloucester GL2 7BX, UK). IWRB Spec. Publ. No. 26. Price UK£14.

Osing, H. 1993. [Between humans and nature - Golden Plover - bird of the year]. *Falke* 40(12): 423-429. In German. (Hoffnung 11, 42929 Wermelskirchen, Germany). *Pluvialis apricaria*.

Perco, F. & Perco, F. 1992. Waterfowl hunting pressure and regulations in Italy with special reference to the lagoons of the Upper Adriatic. In: Finlayson, M., Hollis, T. & Davis,

T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*, pp. 23-27. (Osservatorio Faunistico, Via Diaz n.60, 33100, Udine, Italy). Waterfowl hunting pressure in Italy is considered, giving an estimate of its level and outlining recommendations for its improved regulation.

Reid, F.A. 1993. Managing wetlands for waterbirds. In: McCabe, R.E. & Glidden, K.A. (eds.): *Transactions of the fifty-eighth North American Wildlife and Natural Resources Conference, March 19-24, 1993, Washington, D.C.* Washington D.C.: Wildlife Management Institute, 1993, pp. 345-350. (Ducks Unlimited, Inc., Sacramento, California, USA).

Roberts, G. & Evans, P.R. 1993. Responses of foraging Sanderlings to human approaches. *Behaviour* 126(1-2): 29-43. (Computing Serv., Univ. Durham, Durham DH1 3LE, UK). *Calidris alba*.

Rufino, R. & Neves, R. 1992. The effects on wader populations of the conversion of salinas into fish farms. In: Finlayson, M., Hollis, T. & Davis, T. (eds.). *Managing Mediterranean wetlands and their birds: proceedings of an IWRB International Symposium, Grado, Italy, February 1991*, pp. 177-182. (CEMPA/SNPRCN, R. Filipe Folque 46, 5 1000 Lisboa, Portugal). Data on *Himantopus himantopus* breeding in 1990 are used to estimate the effects of the conversion of salinas to fish farms in Portugal.

Secord, M.L. & Canaris, A.G. 1993. The Metazoan parasite community of migrating Greater Yellowlegs, *Tringa melanoleuca*, from the Rio Grande valley, Texas and New Mexico. *J. Parasitol.* 79(5): 690-694. (Lab. Environ. Biol., Univ. Texas, El Paso 79968, USA).

Skagen, S.K. & Knopf, F.L. 1993. Towards conservation of midcontinental shorebird migrations. *Conserv. Biol.* 7(3): 533-541. (Natl. Ecol. Res. Ctr., US Fish & Wildl. Serv., 4512 McMurry Ave., Fort Collins, CO 80525, USA).

Smiddy, P. 1993. Avian fleas in Ireland: a review of their distribution and hosts. *Irish Birds* 5: 55-60. (Ballykennealy, Ballymacoda, Co. Cork, Ireland). Sixteen avian flea species have been recorded. *Ceratophyllus garei* Rothschild on *Gallinago gallinago*.

Streeter, R.G., Tome, M.W. & Weaver, D.K. 1993. North American Waterfowl Management Plan: shorebird benefits? In: McCabe, R.E. & Glidden, K.A. (eds.): *Transactions of the fifty-eighth North American Wildlife and Natural Resources Conference, March 19-24, 1993, Washington, D.C.* Washington D.C.: Wildlife Management Institute, 1993, pp. 363-369. (U.S. Fish & Wildl. Service, Washington, D.C., USA).

Underhill, L.G., Earle, R.A., Piersma, T., Tulp, I. & Verster, A. 1994. Knots (*Calidris canutus*) from Germany and South Africa parasitised by trematode *Cyclocoelum mutabile*. *J. Orn.* 135(2): 236-239. (Avian Demography Unit, Dept. Stat. Sci., Univ. Cape Town, Rondebosch, 7700 South Africa).

Wolff, W.J., Duiven, A.G., Duiven, P., Esselink, P., Gueye, A., Meijboom, A., Moerland, G. & Zegers, J. 1993. Biomass of macrobenthic tidal fauna of the Banc d'Arguin, Mauritania. *Hydrobiol.* 258: 151-163. (IBN-DLO, P.O. Box, 46, 3956 ZR Leersum, Netherlands).

Xiaozhuang, B., Hanjun, C., Qingwei, L., Tiezhong, S., Zhixing, C., Chaoling, W., Enfu, D. & Zhiwei, X. 1993. [Studies on the karyotypes of birds XIV: 14 species of Charadriiform birds (Aves)]. *Zool. Res.* 14(1): 86-90. In Chinese with English summary. (Dept. Biol., Liaoning Normal Univ., Dalian, Liaoning 116022, China).

Yates, M.G., Jones, A.R., Goss-Custard, J.D. & McGrorty, S. 1993. Satellite imagery to monitor ecological change in estuarine systems: example of the Wash, England. In: Moser, M., Prentice, R.C. & van Vessem, J. (eds). 1993. *Waterfowl and wetland conservation in the 1990s: a global perspective. Proc. IWRB Symp., St. Petersburg Beach, Florida, USA*, pp. 56-60. (Inst. Terrestrial Ecol., Monks Wood, Abbots Ripton, Huntingdon, Cambs., PE17 2LS, UK).

