

RECENT PUBLICATIONS ON WADERS 63

compiled by
Henk Koffijberg

In trying to make these lists as complete as possible, and the next one even more complete and up to date, your help is most welcome. Please send new titles, abstracts, reprints, copies, reports, and (important too!) omissions or corrections to: **Henk Koffijberg, Glenn Millerweg 102, 1311 RW Almere, The Netherlands.**

Remember to include, if possible, the address of the first author, and translations of titles if they are in other languages than English.

For help with this issue I'm very grateful to D.A. Stroud, I. Bainbridge, T. Pierson, P. Triplet, M. Biondi, R. McNeil and V. Goutner.

Translated titles from languages other than English are bracketed; with round brackets if the translation is by the author(s), square brackets if not.

N.B. a copy of your paper or abstract would be very helpful to enable me to add some keywords or give added annotation to the titles.

So far, about 3,700 titles have been stored in the WSG RPW database. Keep sending more!!

BREEDING

Berg, A., Lindberg, T. & Källebrink, G. 1994. Åkerhäckande tofsvisor *Vanellus vanellus* - kan bonden rädda häckningarna? (Lapwings *Vanellus vanellus* nesting on farmland - can the farmer save the nests?). *Ornis Svecica* 4(4): 183-185. In Swedish with English summary. (Inst. Vittekologi, SLU, P.O. Box 7002, S-750 07, Uppsala, Sweden). Hatching success of nests that were destroyed during spring farming compared to nests that were not destroyed by farming operations, on farmland in central Sweden in 1988-1990.

Brichetti, P. 1992. [Egg biometry and clutch size in some species of Charadriiformes and Passeriformes breeding in Italy]. *Riv. Ital. Ornitol.* 62(3-4): 136-144. In Italian with English summary. (G.R.A., Mus. Civico Sci. Nat., via Ozanam 4, I-25128 Brescia, Italy).

Cooper, R. 1993. Hooded Plover - a measure of breeding success in north east Tasmania. *Tasm. Bird Rep.* 22: 12-13. (9 Beach Rd., Legana, Tasmania 7277, Australia). *Charadrius rubricollis*, Australia.

Day, K.S. 1994. Observations on Mountain Plover (*Charadrius montanus*) breeding in Utah. *Southwest Nat.* 39(3): 298-300. (Div. Wildl. Resour., 152 E. 100 N., Vernal, UT 84078, USA).

Dierschke, V. 1995. Die Brutheimat der auf Helgoland überwinternden Meerstrandläufer (*Calidris maritima*). (Breeding origin of Purple Sandpipers (*Calidris maritima*) wintering on Helgoland (German Bight)). *Vogelwarte* 38(1): 46-51. In German with English summary. (Vogelwarte Hiddensee, D-18565 Kloster/Hiddensee, Germany). Both bill length and wing length of *Calidris maritima* trapped on Helgoland show a trimodal distribution within a large range. This indicates the occurrence of at least two breeding populations with overlapping biometrics.

Fabritius, H.E. 1995. Weidevogels in de Polder Mijzen en de Eilandspolder - relaties met het beheer, 1986-1993. [Meadowbirds in Polder Mijzen and the Eilandspolder (Netherlands) - influences of agricultural management, 1986-1993]. *Graspieper* 15(1): 25-32. In Dutch. (Oostmijzen 6, 1633 WB Avenhorn, Netherlands). Trends in breeding numbers of *Haematopus ostralegus*, *Vanellus vanellus*, *Limosa limosa* and *Tringa totanus* in relation to different types of agricultural management.

Glinka, A. & Wolf, C. 1994. [Breeding biology of the Oystercatcher (*Haematopus ostralegus*) at the Lower Rhine]. *Charadrius* 30(3): 141-151. In German with English summary. (Bastweg 2, D-38889 Blankenburg, Germany).

Goldin, M.R. 1993. *Effects of human disturbance and off-road vehicles on Piping Plover reproductive success and behavior at Breezy Point, Gateway National Recreation Area, New York*. M.S. thesis, Univ. Massachusetts, 128 pp. *Charadrius melanotos*.

Herbert, I.J., Heery, S. & Meredith, C.R.M. 1994. Population trends in breeding waders at Shannon Harbour, Co. Offaly, 1987 to 1994. *Irish Birds* 5(2): 207. (National Trust, Stableyard, Crom, Newtownbutler, Co. Fermanagh, Ireland). *Vanellus vanellus*, *Tringa totanus*, *Gallinago gallinago* and *Numenius arquata*.

Hoopes, E.M. 1993. *Relationships between human recreation and Piping Plover foraging ecology and chick survival*. M.S. thesis, Univ. Massachusetts, 106 pp. *Charadrius melanotos*.

Jackson, D.B. 1994. Breeding dispersal and site-fidelity in three monogamous wader

species in the Western Isles, U.K. *Ibis* 136(4): 463-473. (Dept. Biol. Sci., Univ. Durham, South Rd., Durham DH1 3LE, UK). *Tringa totanus*, *Calidris alpina* and *Charadrius hiaticula* in Scotland.

Madge, S. & Koren, M. 1995. Spur-winged Lapwings nesting on rooftops. *Brit. Birds* 88(5): 224-225. (2 Church Row, Sheviock, Torpoint, Cornwall PL11 3EH, UK). *Hoplopterus spinosus*, Israel.

Murphy, D.W. & Thompson III, F.R. 1993. Breeding chronology and habitat of the American Woodcock in Missouri. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium*. U.S. Fish Wildl. Serv. Biol. Rep. No. 16, p. 12-18. (Columbia Public Schools, Sci. Off., 1206 E. Walnut, Columbia, MO 65201, USA). *Scolopax minor*, USA.

Park, P. 1993. Observations on the breeding of Hooded Plover. *Tasm. Bird Rep.* 22: 14. (98 Nowra Rd., Roches Beach, Tasmania 7021, Australia). *Charadrius rubricollis*, Australia.

Pierce, E. 1993. *The breeding biology and behaviour of the Purple Sandpiper (Calidris maritima) in Svalbard*. Dissertation Univ. Bergen.

Robson, G., Percival, S.M. & Brown, A.F. 1994. The breeding ecology of Curlew: a pilot study. *English Nature Research Report* No. 127. (Ornithol. Unit., Uplands and Freshwater Team, English Nature, Northminster House, Peterborough PE1 1UA, UK). An investigation of nest site selection by *Numenius arquata*, and the feasibility of using radiotelemetry to measure habitat selection by Curlew broods from hatching to fledging.

Sæther, S.A., Kålås, J.A. & Fiske, P. 1994. Age determination of breeding shorebirds: quantification of feather wear in the lekking Great Snipe. *Condor* 96(4): 959-972. (Dept. Zool., Univ. Trondheim, N-7055 Dragvoll, Norway). *Gallinago media*, Norway.

Scharringa, C.J.G. 1995. Provinciaal weidevogelmeetnet Noord-Holland 1987-1994. [Monitoring meadowbirds in the province of Noord-Holland (Netherlands) 1987-1994]. *Graspieper* 15(1): 15-23. In Dutch. (Provincie Noord-Holland, Dienst Ruimte en Groen, Afd. Onderzoek en Informatie, P.O. Box 6090, 2001 HB Haarlem, Netherlands). Trends in breeding numbers of *Haematopus ostralegus*, *Vanellus vanellus*, *Limosa limosa*, *Tringa totanus*, *Philomachus pugnax* and *Gallinago gallinago*.

Székely, T. & Williams, T.D. 1994. Factors affecting timing of brood desertion by female Kentish Plovers *Charadrius alexandrinus*. *Behaviour* 130(1-2): 17-28. (Behav. Ecol. Res. Group, Dept. Zool., Kossuth Univ.,

Debrecen H-4010 Hungary).

Thompson, P.S., Baines, D., Coulson, J.C. & Longrigg, G. 1994. Age at first breeding, philopatry and breeding site-fidelity in the Lapwing *Vanellus vanellus*. *Ibis* 136(4): 474-484. (Dept. Biol. Sci., Univ. Durham, South Rd., Durham DH1 3LE, UK).

Yogev, A. & Yom-Tov, Y. 1994. The Spur-winged Plover (*Vanellus spinosus*) is a determinate egg layer. *Condor* 96(4): 1109-1110. (Dept. Zool., Tel Aviv Univ., Tel Aviv 69978, Israel).

BEHAVIOUR, ECOLOGY & EVOLUTION

Barbosa, A. 1993. Morphometric variation of the hindlimb of waders and its evolutionary implications. *Ardeola* 40(1): 65-75. (Dept. Ecol. Evol., Mus. Nac. Cienc. Nat. (CSIC), José Gutiérrez Abascal 2, 28006 Madrid, Spain).

Boettcher, R., Haig, S.M. & Bridges, W.C. Jr. 1994. Behavioral patterns and nearest neighbor distances among nonbreeding American Avocets. *Condor* 96(4): 973-986. (Co-op. Fish & Wildl. Res. Unit, GO8 Lehotsky Hall, Clemson Univ., Clemson, SC 29634, USA). *Recurvirostra americana*.

Broyer, J. 1994. A contribution to the knowledge of the ecology of breeding birds in French flood meadows. In: Bignal, E.M., McCracken, D.I. & Curtis, D.J. (eds.). *Nature Conservation and Pastoralism in Europe*. Peterborough: Joint Nature Conservation Committee JNCC, p. 48-54. (ONC, Centre National d'Etude et de Recherche Appliquée sur l'Avifaune Migratrice, Stn. Rhine-Rhône, 19 rue Vilette, F-69003 Lyon, France). Effects of flooding regime and type and intensity of agricultural management on *Numenius arquata* in the Saône Valley, France, are described. Information on recent trends in the breeding population is also provided, together with details of nest-site preferences.

Chafer, C.J. 1994. Prey-specific foraging techniques of the Sooty Oystercatcher *Haematopus fuliginosus*. *Stilt* 25: 23-32. (Dept. Biol. Sci., Univ. Wollongong, Wollongong, NSW 2522, Australia). Study examined methods used by *Haematopus fuliginosus* to forage on intertidal rocky shores from southeastern Australia.

Chu, P.C. 1994. Historical examination of delayed plumage maturation in the shorebirds (Aves: Charadriiformes). *Evolution* 48(2): 327-350. (Mus. Zool. & Dept. Biol., Univ. Mich., Ann Arbor 48109, USA).

Cullen, S.A. 1994. Black-necked Stilt foraging site selection and behavior in Puerto Rico. *Wilson Bull.* 106(3): 508-513. (131 Briarcliffe Cres, Waterloo, ON, Canada N2L

5T6). *Himantopus himantopus mexicanus*.

Ellingwood, M.R., Shissler, B.P., Samuel, D.E. & Cromer, J.I. 1993. Evidence of leks in the mating strategy of the American Woodcock. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 109-115. (391 Rt. 32, North Franklin, CT 06254, USA). *Scolopax minor*.

Ens, B.J., Piersma, T. & Drent, R.H. 1994. The dependence of waders and waterfowl migrating along the east Atlantic Flyway on their coastal food supplies: what is the most profitable research programme?. *Ophelia* (Suppl.) 6: 127-151. (IBN-DLO, P.O. Box 167, NL-1790 AD Den Burg, Netherlands). Description of a research programme allowing predictions on the effects of various human activities on the populations of waders and waterfowl using the Wadden Sea. So far, the programme has yielded many insights on the harvestable food supply and the feeding and migratory behaviour of waders, as well as mechanisms by which the birds compete for food.

Fadat, C. 1993. Survival of Eurasian Woodcocks estimated from the age ratio of specimens in hunting bags at wintering sites. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, p. 134. (O.N.C., Avifaune Migratrice, Quai H. Cot, F-34800 Clermont l'Hérault, France). *Scolopax rusticola*, France.

Fivizzani, A.J. 1993. Hormonal and neural basis of behavior in sex role reversed shorebirds. *Proc. N.D. Acad. Sci.* 47: 26. (Biol. Dept., Univ. North Dakota, Grand Forks, ND 58202, USA).

Frost, R.A. 1995. Woodcock perching in tree. *Brit. Birds* 88(5): 225. (66 St Lawrence Rd., North Wingfield, Chesterfield, Derbyshire S42 5LL, UK). *Scolopax rusticola*.

Granval, P. & Bouche, M.B. 1993. Importance of meadows for wintering Eurasian Woodcocks in the west of France. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, p. 135. (O.N.C., Rt. Mende, 34033 Montpellier, France). *Scolopax rusticola*.

Helmers, D.L. 1991. *Habitat use by migrant shorebirds and invertebrate availability in a managed wetland complex*. M.S. thesis, Univ. Mo. (Columbia), 135 pp.

Hutchinson, C.D. & O'Halloran, J. 1994. The ecology of Black-tailed Godwits at an Irish south coast estuary. *Irish Birds* 5(2): 165-172. (11 Knockrea Park, Douglas Rd., Cork, Ireland). *Limosa limosa* wintering in

Ireland.

Kaleita, B., Underhill, L.G. & Summers, R.W. 1994. Leaving no stone unturned - the secrets of Turnstone migration. *Birding South Afr.* 46(1): 23-27. (Percy Fitzpatrick Inst. African Ornithol., Univ. Cape Town, Rondebosch 7700, South Africa). *Arenaria interpres*.

Kiss, J.B., Rekasi, J. & Sterbetz, I. 1993. Habitats and foods of the Eurasian Woodcock during migration through North Dobrogea, Romania, 1970-1989. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, p. 132. (Danube Delta Ecol. Corps, 8800 Tulcea, Str. Pacii 20, Romania). *Scolopax rusticola*.

Kjellén, N. 1994. Moult in relation to migration in birds - a review. *Ornis Svecica* 4(1): 1-24. (Dept. Ecol., Anim. Ecol., Univ. Lund, Ecol. Bidg., S-223 62 Lund, Sweden). The relationship between moult and migration and ways of combining the two during the yearly cycle has been examined within various genera, species and populations. Holarctic waders are discussed.

Krementz, D.G. & Seginak, J.T. 1993. Habitat use and survival rates of wintering American Woodcocks in coastal South Carolina and Georgia. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, p. 133. *Scolopax minor*.

Krementz, D.G., Seginak, J.T. & Pendleton, G.W. 1994. Winter movements and spring migration of American Woodcock along the Atlantic coast. *Wilson Bull.* 106(3): 482-493. (US Fish & Wildl. Serv., Patuxent Wildl. Res Ctr., Southeast Res. Group, School For. Resour., Univ. GA, Athens 30602, USA). *Scolopax minor*.

Lanctot, R.B. 1994. Blood sampling in juvenile Buff-breasted Sandpipers: movement, mass change and survival. *J. Field Ornithol.* 65(4): 534-542. (Dept. Biol., Carleton Univ., 1125 Colonel By Dr., Ottawa, ON, Canada K1S 5B6). *Tryngites subruficollis*.

Lane, S.G. 1994. Feeding association between Comb-crested Jacana *irediparra gallinacea* and Australasian Grebe *Tachybaptus novaehollandiae*. *Aust. Bird Watcher* 15(7): 324. (Lot 6, Fairview Rd., Moonee, via Coffs Harbour, NSW 2450, Australia).

Le Mao, P. 1994. [Original feeding behaviour of the Oystercatcher *Haematopus ostralegus* and the Common Tern *Sterna hirundo*.] *Alauda* 62(3): 133-134. In French. (84, rue des Antilles, F-35400 Saint-Malo, France).

- Martin, G.R. & Katzir, G. 1994. Visual fields in the Stone Curlew *Burhinus oedicnemus*. *Ibis* 136(4): 448-453. (Dept. Biol. Sci., Univ. Durham, South Rd., Durham DH1 3LE, UK).
- McAuley, D.G., Longcore, J.R. & Sepik, G.F. 1993. Behavior of radio-marked breeding American Woodcocks. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 116-125. (US Fish & Wildl. Serv., Patuxent Wildl. Res. Ctr., Northeast Res. Group, 5768 South Annex A, Orono, ME 04469-5768, USA). *Scolopax minor*, USA.
- Meire, P. 1993. *Wader populations and macrozoobenthos in a changing estuary: the Oosterschelde (The Netherlands)*. PhD thesis, Univ. Gent (Belgium). 311 pp.
- Melter, J. 1995. Tages- und jahreszeitliche Muster des Verhaltens rastender Kampfläufer *Philomachus pugnax* in den Rieselfeldern Münster. (Daily and annual activity budgets of migrating Ruff *Philomachus pugnax* at the sewage farms of Münster). *Vogelwelt* 116(1): 19-33. In German with English summary. (Biol. Stn. Münster, Coermühle 181, D-48157 Münster, Germany).
- Mercier, F. & McNeil, R. 1994. Seasonal variations in intertidal density of invertebrate prey in a tropical lagoon and effects of shorebird predation. *Can. J. Zool.* 72: 1755-1763. (Dept. Sci. Biol., Univ. Montréal, C.P. 6128, Succursale "Centre-Ville", Montréal, PQ, H3C 3J7 Canada). The relationship between the abundance of shorebirds and that of their intertidal invertebrate prey has been analyzed, and it has been attempted to determine if shorebird predation significantly affects prey density.
- Moreira, F. 1995. The winter feeding ecology of Avocets *Recurvirostra avosetta* on intertidal areas. I. Feeding strategies. *Ibis* 137(1): 92-98. (Dept. Zool. & Antropol., Fac. Cienc., Bloco C2, Campo Grande, P-1700 Lisboa, Portugal).
- Moreira, F. 1995. The winter feeding ecology of Avocets *Recurvirostra avosetta* on intertidal areas. II. Diet and feeding mechanisms. *Ibis* 137(1): 99-108.
- Oring, L.W., Reed, J.M. & Alberico, J.A.R. 1994. Mate acquisition tactics in polyandrous Spotted Sandpipers (*Actitis macularia*): the role of age and experience. *Behav. Ecol. Evol.* 5(1): 9-16. (Program Ecol. Evol. & Conserv. Biol., RWF, 1000 Valley Rd., Univ. Nev., Reno 89512, USA).
- Pace, R.M. III & Wood, G.W. 1993. Use of daytime microhabitat by wintering Woodcocks in coastal South Carolina. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 66-74. (US Fish & Wildl. Serv., Coop. Fish & Wildl. Res. Unit, For., Wildl. & Fish Bldg., La. State Univ., Baton Rouge 70803, USA). *Scolopax minor*, USA.
- Park, P. 1994. Hooded Plovers and Marram grass. *Stilt* 25: 22. (98 Nowra Rd., Roches Beach, Tasmania, 7021, Australia). *Charadrius rubricollis*.
- Paton, P.W.C. 1994. Survival estimates for Snowy Plovers breeding at Great Salt Lake, Utah. *Condor* 96(4): 1106-1109. (Co-op. Fish & Wildl. Res. Unit, Dept. Fish & Wildl. Biol., Utah State Univ., Logan 84322, USA). *Charadrius alexandrinus*.
- Petelis, K. 1993. Spring migration of Woodcock (*Scolopax rusticola*) in the Sunskai forest (Marijampole distr., Lithuania) in 1981-1993. Conference on the study and conservation of birds in the Baltic region, Palanga, Lithuania, 20-25 September 1993. *Baltic Birds* 7: 51. (Gustabudis, LT-4523 Sunskai, Marijampole distr., Lithuania). Abstract only.
- Piersma, T., Verkuil, Y. & Tulp, I. 1994. Resources for long-distance migration of knots *Calidris canutus islandica* and *C. c. canutus*: how broad is the temporal exploitation window of benthic prey in the western and eastern Wadden Sea?. *Oikos* 71(3): 393-407. (NIOZ, P.O. Box 59, NL-1790 AB Den Burg, Texel, Netherlands).
- Piersma, T. 1994. Wader flyways: realm of the long journeys. *Birds Magazine* 15(2): 53-57. Migration strategy and energy budgets of migrating waders, e.g. *Limosa lapponica* from West Africa to Siberia.
- Roberts, T.H. 1993. The ecology and management of wintering Woodcocks. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 87-97. (Tenn. Technol. Univ., Dept. Biol., P.O. Box 5063, Cookeville 38505, USA). *Scolopax minor*, USA.
- Sepik, G.F. & Derleth, E.L. 1993. Habitat use, home range size, and patterns of moves of the American Woodcock in Maine. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 41-49. (US Fish & Wildl. Serv., Moosehorn Natl. Wildl. Refuge, Box 1077, Calais, ME 04619, USA). *Scolopax minor*, USA.
- Sepik, G.F. & Derleth, E.L. 1993. Premigratory dispersal and fall migration of American Woodcocks in Maine. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 36-40. *Scolopax minor*, USA.
- Sepik, G.F., McAuley, D.G. & Longcore, J.R. 1993. Critical review of the current knowledge of the biology of the American Woodcock and its management on the breeding grounds. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 98-104. *Scolopax minor*, USA.
- Shaffer, F. & Laporte, P. 1994. Diet of Piping Plovers on the Magdalen Islands, Quebec. *Wilson Bull.* 106(3): 531-536. (Canadian Wildl. Serv., P.O. Box 10 100, 1141 rt. l'Eglise, Ste. Foy, PQ, Canada G1V 4H5). *Charadrius melanotos*.
- Skagen, S.K. & Knopf, F.L. 1994. Residency patterns of migrating sandpipers at a midcontinental stopover. *Condor* 96(4): 949-958. (Natl. Biol. Surv., 4512 McMurry Ave., Fort Collins, CO 80525-3400, USA). *Calidris pusilla* and *C. fuscicollis*, Kansas, USA.
- Slator, C. & Worwood, S. 1995. Post-breeding display by Green Sandpipers on autumn passage. *Brit. Birds* 88(5): 225-226. (3 St John's Walk, Kirby Hill, Boroughbridge, North Yorkshire YO5 9DJ, UK). *Tringa ochropus*.
- Sordahl, T.A. 1994. Eggshell removal behavior of American Avocets and Black-necked Stilts. *J. Field Ornithol.* 65(4): 461-465. (Dept. Biol., Luther Coll., Decorah, IA 52101-1045, USA). *Recurvirostra americana* and *Himantopus mexicanus*.
- Speakman, J.R. & Bryant, D.M. 1993. The searching speed of foraging shorebirds: Redshank (*Tringa totanus*) and Oystercatcher (*Haematopus ostralegus*). *Am. Nat.* 142(2): 296-319. (Dept. Zool., Univ. Aberdeen, Aberdeen AB9 2TN, UK).
- Stone, K.L. 1994. *Shorebird habitat use and response to burned marshes during spring migration in south-central Kansas*. M.S. thesis Oklahoma State Univ., 92 pp.
- Taylor, D.M., Trost, C.H. & Jamison, B. 1993. Migrant shorebird habitat use and the influence of water level at American Falls Reservoir, Idaho. *Northwest Nat.* 74(2): 33-40. (Dept. Biol. Sci., Idaho State Univ., Pocatello 83201, USA).
- Thibault, M. & McNeil, R. 1995. Predator-prey relationship between Wilson's Plovers and fiddler crabs in northeastern Venezuela. *Wilson Bull.* 107(1): 73-80. (Dept. Sci. Biol., Univ. Montréal, C.P. 6128, Succ. centre-ville, Montréal, PQ, Canada H3C 3J7). Objectives of this study were to document the availability of fiddler crabs and to determine if night foraging by *Charadrius wilsonia cinnamominus* in tropical areas is tied to abundance or activity of fiddler crabs.
- Triplet, P. 1994. Stratégie alimentaire de l'huîtrier-pie (*Haematopus ostralegus*) en

Baie de Somme. (Feeding strategy of the Oystercatcher (*Haematopus ostralegus*) in the Baie de la Somme). *Gibier Faune Sauvage* 11(3): 235-248. In French with English and German summaries. (ONC, Direction de la recherche et du développement, 40 rue Carnot, F-80 550 Le Crotoy, France). Information on e.g. cockle size and availability preferred by Oystercatchers.

Tulp, I., McChesney, S. & Goeij, P. de 1994. Migratory departures of waders from north-western Australia: behaviour, timing and possible migration routes. *Ardea* 82(2): 201-221. (SOVON, Rijksstraatweg 178, NL-6573 DG Beek-Ubbergen, Netherlands).

Vander Haegen, W.M., Krohn, W.B. & Owen Jr., R.B. 1993. Effects of weather on earthworm abundance and foods of the American Woodcock in spring. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium*. U.S. Fish Wildl. Serv. Biol. Rep. No. 16, pp. 26-31. (U.S. For. Serv., Northeast For. Exp. Stn., 5 Godfrey Dr., Orono, ME 04473, USA). *Scolopax minor*, USA.

Vander Haegen, W.M., Krohn, W.B. & Owen Jr., R.B. 1993. Care, behavior, and growth of captive-reared American Woodcocks. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium*. U.S. Fish Wildl. Serv. Biol. Rep. No. 16, pp. 57-65. *Scolopax minor*, USA.

Visser, G.H. & Ricklefs, R.E. 1993. Temperature regulation in neonates of shorebirds. *Auk* 110(3): 445-457. (Zool. Lab., Univ. Groningen, P.O. Box 14, NL-9750 AA Haren, Netherlands).

Visser, G.H. & Ricklefs, R.E. 1993. Development of temperature regulation in shorebirds. *Physiol. Zool.* 66(5): 771-792.

Ward, D. 1993. African Black Oystercatcher (*Haematopus moquini*) feeding on Wedge clams (*Donax serra*): the effects of non-random prey availability in the intertidal on the predictions of an optimal diet model. *Ethol. Ecol. & Evol.* 5(4): 457-466. (Dept. Zool., Univ. British Columbia, 6270 University Blvd., Vancouver, BC, Canada V6T 1Z4).

Wiersma, P. & Piersma, T. 1995. Scoring abdominal profiles to characterize migratory cohorts of shorebirds: an example with Red Knots. *J. Field Ornithol.* 66(1): 88-98. (Zool. Lab., Univ. Groningen, P.O. Box 14, 9750 AA Haren, Netherlands). An investigation of whether the visual scoring of abdominal profiles can be used to evaluate variation in energy stores of shorebirds, using *Calidris canutus* as an example.



DISTRIBUTION & FAUNISTICS

Baccetti, N. 1991. [Occurrence and conservation of the Slender-billed Curlew in Italy]. *Suppl. Ric. Biol. Selvaggina* 17(1): 497-500. In Italian with English summary. (Ist. Naz. Biol. Selvaggina "A. Ghigi", via Ca Fornacetta 9, 40064 Ozzano Emilia BO, Italy). *Numenius tenuirostris*.

Bayer, R.D. 1994. Identifying Long-billed Curlews along the Oregon coast: a caution. *Oreg. Birds* 20(4): 121-122. (P.O. Box 1467, Newport, OR 97365, USA). *Numenius americanus*.

Biondi, M., Corbi, F., Guerrieri, G., Gustin, M., Meschini, A. & Pietrelli, L. 1993. I Limicoli svernanti nella fascia costiera del Lazio. (Waders wintering along the Latium coast (Central Italy)). *Riv. Ital. Ornitol.* 63(1): 86-91. In Italian with English summary. (G.A.R.O.L. Gruppo Attività Richerche Ornitologiche del Litorale, Via delle Saline 119, 00119 Ostia Antica Rome, Italy). *Recurvirostra avosetta*, *Charadrius dubius*, *C. alexandrinus*, *Pluvialis apricaria*, *P. squatarola*, *Vanellus vanellus*, *Calidris minutus*, *C. alpina*, *Philomachus pugnax*, *Limosa limosa*, *L. lapponica*, *Numenius arquata*, *Tringa erythropus*, *T. totanus*, *T. nebularia*, *T. ochropus*, *T. glareola* and *Actitis hypoleucos*. Most important wader area is the National Circeo Park totalling 82.4% of the investigated wader population.

Biondi, M., Pietrelli, L., Guerrieri, G., De Vita, S. & D'Amelia, D. 1993. Segnalazioni invernali di Corriere piccolo *Charadrius dubius* e Corriere grosso *Charadrius hiaticula* nel Lazio. [Winter records of Ringed Plover and Little Ringed Plover along the Latium coast]. *Picus* 19: 135-136. In Italian with English summary. Distribution of Ringed Plover and Little Ringed Plover in January-February along the Latium coast.

Blitzblau, S. & Suaretz, S. 1993. The Sanderling (*Calidris alba*) in Israel. *Israel Wader Research Group Newsletter* 2-3: 8-9. (Israel Wader Research Group, Carmel Coast Field Study Ctr., Ma'agan Micha'el, Doar Na Menashe, 37805, Israel). Summary of current knowledge about *Calidris alba* in Israel, including all data collected in Israel since 1960, and in Northern Sinai from 1965 to 1977.

Blitzblau, S. 1993. Changes in the status of Sanderling in Israel in the years 1960 - 1993. *Israel Wader Research Group Newsletter* 2-3: 10-11. *Calidris alba*.

Brady, A. 1994. Sharp-tailed Sandpiper at Brigantine (John W. Forsythe) NWR, New Jersey. *Cassinia* 65: 19. (P.O. Box 103, Wycombe, PA 18980, USA). *Calidris acuminata*.

Brasser, D. 1994. Purple Sandpiper (*Calidris maritima*): 12 November 1993, North

Point along Sheboygan shore of Lake Michigan. *Passenger Pigeon* 56(2): 180. (813 Logan Ave., Sheboygan, WI 53083, USA).

Butler, R.W. 1994. Distribution and abundance of Western Sandpipers, Dunlins, and Black-bellied Plovers in the Fraser River estuary. *Can. Wildl. Serv. Occas. Paper* No. 83: pp. 18-23. (Pac. Wildl. Res. Ctr., Can. Wildl. Serv., P.O. Box 340, Delta, BC, Canada V4K 3Y3). *Calidris mauri*, *C. alpina* and *Pluvialis squatarola* in Canada.

Butler, A. 1994. *Videoguides for birdwatchers: an identification guide to the world's Calidris sandpipers*. Seacroft: Nature Vision. 56 min. Showing most plumages and jizz.

Buzzard, G. 1995. Canary Island Oystercatcher. *Brit. Birds* 88(2): 116. (18 Glenmore Parade, Ealing Rd., Alperton, Middlesex, UK). *Haematopus meadewaldoi*.

Chandler, R. & Shirihai, H. 1995. Kentish Plovers with complete breast-bands. *Brit. Birds* 88(3): 136-140. (2 Rusland Ave., Orpington, Kent BR6 8AU, UK). On the occurrence of *Charadrius alexandrinus* with complete breast-bands, formed by an extension to the breast-side patches, which could provide identification problems. It probably occurs most frequently with females in breeding plumage. Containing several colour plates.

Colahan, B.D. & du Plessis, N.L. 1994. The Turnstone in the Orange Free State: corrections and an additional sighting. *Mirafra* 11(2): 35. (OFS Directorate Nat. & Environ. Conserv., P.O. Box 517, Bloemfontein 9300, South Africa). *Arenaria interpres*, South Africa.

Colwell, M.A. 1994. Shorebirds of Humboldt Bay, California: abundance estimates and conservation implications. *West. Birds* 25(3): 137-145. (Dept. Wildl., Humboldt State Univ., Arcata, CA 95521, USA).

Colwell, M.A. & Jehl, J.R. Jr. 1994. Wilson's Phalarope *Phalaropus tricolor*. In: A. Poole, P. Stettenheim & F. Gill (eds.). *The Birds of North America*, No. 83, 20 pp. (Available from American Birding Association, P.O. Box 6599, Colorado Spring, CO 80934-6599, USA).

Cooper, J.M. 1994. Least Sandpiper. In: A. Poole, P. Stettenheim & F. Gill (eds.). *The Birds of North America*, No. 115, 28 pp. (Available from American Birding Association, P.O. Box 6599, Colorado Spring, CO 80934-6599, USA). *Calidris minutilla* in North and South America and the Caribbean.

Cresswell, W. & Whitfield, D.P. 1994. The effects of raptor predation on wintering wader populations at the Tynningham Estuary, southeast Scotland. *Ibis* 136(2): 223-232.

- (Inst. Cell., Anim. & Popul. Biol., Univ. Edinburgh, Ashworth Bldg., W. Mains Rd., Edinburgh EH9 3JT, UK).
- Dann, P., Loyn, R.H. & Bingham, P. 1994. Ten years of waterbird counts in Western Port, Victoria, 1973-83. II. Waders, gulls and terns. *Aust. Bird Watcher* 15(8): 351-365. (Penguin Reserve Comm. Manage., P.O. Box 97, Cowes, Philip Island, Vic. 3922, Australia).
- Diehl, S. 1994. Red Phalarope (*Phalaropus fulicaria*): 16 November 1993, Lake Michigan off North Point, Milwaukee. *Passenger Pigeon* 56(2): 182-183. (S. 68 W. 12977 Camilia Dr., Muskego, WI 53150, USA).
- Doody, J.P., Johnston, C. & Smith, B. (eds.) 1993. *Directory of the North Sea coastal margin*. Peterborough: Joint Nature Conservation Committee, 262 pp. (JNCC Publications Branch, Monkstone House, City Rd., Peterborough PE1 1JY, UK). Containing information on distribution of breeding and non-breeding coastal waders such as *Vanellus vanellus*, *Tringa totanus*, *Haematopus ostralegus*, *Charadrius hiaticula*, *Recurvirostra avosetta*, *Calidris alpina*, *Numenius arquata*, *Gallinago gallinago*, *Calidris canutus*, *C. maritima*, *Limosa limosa* and *Arenaria interpres* in the United Kingdom. ISBN: 1-873701-54-3.
- Dowding, J.E. 1994. Morphometrics and ecology of the New Zealand Dotterel (*Charadrius obscurus*), with a description of a new subspecies. *Notornis* 41(4): 221-233. (P.O. Box 36-559, Northcote, Auckland 1330, New Zealand).
- van den Driessche, R., McConnell, S.D. & Hooper, T.D. 1994. First confirmed breeding record for the Upland Sandpiper, *Bartramia longicauda*, in British Columbia. *Can. Field Nat.* 108(1): 89-91. (2361 Queenswood Dr., Victoria, BC, Canada V8N 1X4).
- Ferrand, Y. 1993. A census method for roding Eurasian Woodcocks in France. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium*. U.S. Fish Wildl. Serv. Biol. Rep. No. 16, p. 19-25. (O.N.C., 5 rue Thibault, St. Benoit F-78610 Auffargis, France). *Scolopax rusticola*.
- Ferrand, Y. 1993. Recognition of individual roding Eurasian Woodcocks and its application to census analysis. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium*. U.S. Fish Wildl. Serv. Biol. Rep. No. 16, p. 139. *Scolopax rusticola*.
- Fiala, V. 1991. [Migration of waders (Limicolae) through the pond area near Namest N. Osl. (western Moravia) and its changes 1957-1990]. *Folia Zool.* 40(4): 351-366. In German with English summary).
- Frank, J. 1994. Red Phalarope (*Phalaropus fulicaria*): 26 November 1993, south of Bradford Beach, Milwaukee. *Passenger Pigeon* 56(2): 182. (4339 W. Laverna Ave., Mequon, WI 53092, USA).
- Goossen, J.P., Wershler, C.R. & Smith, W.W. 1994. Status of the Snowy Plover in Alberta. *Northwest Nat.* 75(1): 20-23. (Can. Wildl. Serv., Rm 200, 4999-98th Ave., Edmonton, AB, Canada T6B 2X3). *Charadrius alexandrinus*.
- Goutner, V. & Kazantzidis, S. 1992. Shorebird populations in the Evros Delta, Greece. *Bios* 1(2): 69-98. (Dept. Biol., Aristotelian Univ. Thessaloniki, GR-54006 Thessaloniki, Macedonia, Greece). Distribution and population trends of 32 species of shorebirds are described, from October 1987 to June 1988, for breeding birds as well as for migrating waders.
- Harris, K. 1994. Population monitoring counts. *Stilt* 25: 12-19. (59 Strickland Drive, Wheelers Hill, Vic 3150, Australia). February 1994 wader counts in Australia.
- Have, T. van der & Beek, V. van den 1994. De Mediterrane trekroute: een netwerk van wetlands voor watervogels. (The Mediterranean migration route: network of wetlands for waterbirds). *Limosa* 67(4): 159-162. In Dutch with English summary. (Furkabaan 674, 3524 ZL Utrecht, Netherlands). Information about wader (loop-) migration and wetlands along the Mediterranean Flyway.
- Henderson, I., Peach, W. & Baillie, S. 1995. The hunting of Snipe and Woodcock in Europe: an analysis of European ringing recoveries. *BTO News* 196: 12-13. *Scolopax rusticola*, *Gallinago gallinago*.
- Hirschfeld, E. 1992. First records of Pintail Snipe *Gallinago stenura* in Bahrain. *Sandgrouse* 14(2): 116-119. (IAL, Abu Dhabi Airport, P.O. Box 2411, Abu Dhabi, United Arab Emirates).
- Hirschfeld, E. & Stawarczyk, T. 1994. Leg colour of Kentish Plovers *Charadrius alexandrinus* in Bahrain. *OSME Bull.* 33: 10-11.
- Holloway, J.F. 1995. Semipalmated Sandpiper in Orkney. *Brit. Birds* 88(4): 196-200. (Castle, Stronsay, Orkney KW17 2AS, UK). *Calidris pusilla*.
- Holt, P.I., Catley, G.P. & Tipling, D. 1995. Beidaihe, China: East Asian hotspot. *Brit. Birds* 88(2): 94-103. (New Laund Farm, Greenhead Lane, Fence, Burnley, Lancashire BB12 9DU, UK). Common migrating waders: *Pluvialis fulva*, *Charadrius mongolus*, *Calidris tenuirostris*, *C. ruficollis*, *C. acuminata*, *Gallinago stenura*, *Xenus cinereus*, *Numenius madagascariensis*, *Heteroscelus brevipes* and *Numenius minutus* in the Hebei Province, Northeast China.
- Hoodless, A. 1993. Understanding Woodcock populations: results from ring recoveries. *Game Conservancy Annual Rev.*, No. 24, p. 89-91. *Scolopax rusticola*, UK.
- Jaensch, R. 1994. Lake Finniss: an internationally significant site for Little Curlew. *Stilt* 25: 21. (Conserv. Commission Northern Territory, P.O. Box 496, Palmerston, NT 0831, Australia). *Numenius minutus*, Northern Territory, Australia.
- Johnstone, R.E. 1994. Observations of seabirds and shorebirds in Nusa Tenggara (Lesser Sundas) and Moluccas, Indonesia. *W. Aust. Nat.* 19(4): 339-350.
- Jukema, J. 1995. Niet alle kleine goudplevieren zijn Kleine Goudplevieren. (Not all small golden plovers are Lesser Golden Plovers). *Limosa* 68(1): 35-36. In Dutch with English summary. (Haerdawei 44, NL-8854 AC Oosterbierum, Netherlands). Description of five 'dwarf' *Pluvialis apricaria* caught in the Netherlands. Presence of white axillaries in each of the five birds excluded the possibility of them being either *P. fulva* or *P. dominica*.
- Kaleita, B. & Hockey, P.A.R. 1994. Distribution of shorebirds at the Berg River estuary, South Africa, in relation to foraging mode, food supply and environmental features. *Ibis* 136(2): 233-239. (Percy Fitzpatrick Inst. African Ornithol., Univ. Cape Town, Rondebosch 7700, South Africa). *Calidris ferruginea*, *Pluvialis squatarola*.
- Kent, T.H. 1994. Black-necked Stilt at Amana Lake. *Iowa Bird Life* 64(2): 53. (211 Richards St., Iowa City, IA 52246, USA). *Himantopus mexicanus*, Iowa, USA.
- Keppie, D.M. & Whiting, R.M. Jr. 1994. American Woodcock, *Scolopax minor*. In: A. Poole, P. Stettenheim & F. Gill (eds.). *The Birds of North America*, No. 100, 28 pp. (Available from American Birding Association, P.O. Box 6599, Colorado Spring, CO 80934-6599, USA).
- King, D. 1994. Waders on Cat Island, Bass Strait. *Stilt* 25: 20. (8 Traum Str., Portarlington, Vic 3223, Australia). *Haematopus longirostris*, *H. fuliginosus*, *Charadrius ruficollis* and *C. rubricollis*.
- Knolle, P. & Balten, B. 1993. [Buff-breasted Sandpiper at Lauwersmeer in June 1993]. *Dutch Birding* 15(5): 218-220. In Dutch with English summary. (Venderinklanden 13, NL-7542 MK Enschede, Netherlands). *Tryngites subruficollis*, Netherlands.
- Kopij, G. & Kok, O.B. 1994. Distribution, numbers and habitat preference of Crowned *Vanellus coronatus* and Blacksmith Plovers *V. armatus* in inner Bloemfontein. *Mirafra* 11(3): 48-50. (Dept. Zool. & Entomol.,

- UOFS, P.O. Box 339, Bloemfontein 9300, South Africa).
- Lanctot, R.B. & Laredo, C.D. 1994. Buff-breasted Sandpiper, *Tryngites subruficollis*. In: A. Poole, P. Stettenheim & F. Gill (eds.). *The Birds of North America*, No. 91, 20 pp. (Available from American Birding Association, P.O. Box 6599, Colorado Spring, CO 80934-6599, USA).
- Li Wenfa, Peng Kemei & Piao Renzhu (eds.) 1994. Resources and research on wildlife in Xingkai (Khanka) Lake Nature Reserve. [S.I.]: Northeast Forestry University Press, 171 pp. In Chinese and English. ISBN: 7-81008-483-6. With information on several migrating wader species, Xingkai Lake, northeast China.
- Litkey, B. 1994. Minnesota's first Curlew Sandpiper. *Loon* 66(3): 113-114. (589 Granite Ave. N., Oakdale, MN 55128, USA). *Calidris ferruginea*.
- De Luca, D. 1992. Upland Sandpiper numbers continue to climb on New Hampshire seacoast. *N.H. Audubon* 28(6): 6. *Bartramia longicauda*.
- McLean, J.A. 1994. The Charadriiformes of the Lower Endeavour and Annan Rivers. *Sunbird* 24(3): 49-60. (Box 203, Cooktown, QLD 4871, Australia).
- Mecionis, R. 1994. Avocets (*Recurvirostra avosetta*) - a new breeding bird species in Lithuania. *Acta Ornithol. (Lituana)* 9-10: 143.
- Michelutti, P.L. 1991. [An Eskimo Curlew (*Numenius borealis*) in Cordoba?]. *Nuestras Aves* 25: 25. In Spanish.
- Minton, C. & Jessop, R. 1994. The 1994 northwest Australia wader expedition. *Stilt* 25: 8-11. (165 Dalgety Rd., Beaumaris, VIC 3193, Australia). Results of wader counts in March-April 1994.
- Miranda Achata, W. 1993. [Temporal distribution of *Phalaropus tricolor* in the interior bay of the city of Puno]. *Volante Migratorio* 20: 27-29. In Spanish.
- Morris, P. 1993. The first record of Pied Avocet (*Recurvirostra avosetta*) for Thailand. *Nat. Hist. Bull. Siam Soc.* 41(1): 69. (134 Station Rd., Crayford, Kent DA1 3QQ, UK).
- Morrison, R.I.G., Ross, R.K., Guzman & Estrada, A. 1993. Aerial surveys of neartic shorebirds wintering in Mexico: preliminary results of surveys on the Gulf of Mexico and Caribbean coasts. *Can. Wildl. Serv. Prog. Notes* No. 206, 14pp. With Spanish summary, also available in French. (Canadian Wildl. Serv., Natl. Wildl. Res. Ctr., 100 Gamelin Blvd., Hull, PQ, Canada K1A 0H3).
- Morrison, R.I.G., Downes, C. & Collins, B. 1994. Population trends of shorebirds on fall migration in eastern Canada. *Wilson Bull.* 106(3): 431-447.
- Mullarney, K. 1994. Western Sandpiper in County Wexford - a species new to Ireland. *Irish Birds* 5(2): 199-201. (Redshire House, Redshire Rd., Murrintown, Co. Wexford, Ireland). *Calidris mauri*.
- Mullarney, K. 1994. Review of previously accepted Irish records of Western Sandpiper. *Irish Birds* 5(2): 201-202. *Calidris mauri*.
- Nechaev, V.A. 1994. Latham's Snipe in the Russian Far East. *Stilt* 25: 37-39. (Inst. Biol. & Pedol., Far East Branch, Russ. Acad. Sci., 690022, Vladivostok, Russia). *Gallinago hardwickii*; distribution, habitats, numbers, migration, and breeding.
- Nol, E. & Humphrey, R.C. 1994. American Oystercatcher, *Haematopus palliatus*. In: A. Poole, P. Stettenheim & F. Gill (eds.). *The Birds of North America*, No. 82, 24 pp. (Available from American Birding Association, P.O. Box 6599, Colorado Spring, CO 80934-6599, USA).
- Noorden, B. van & Schols, R. 1994. De Grutto in Limburg. (The Black-tailed Godwit in the Dutch province of Limburg). *Natuurhist. Maandblad* 83(12): 218-228. In Dutch with English summary. (Prov. Limburg, P.O. Box 5700, NL-6202 MA Maastricht, Netherlands). *Limosa limosa* as a breeding bird in the southeasternmost part of the Netherlands. By 1990 the species had declined by 35-70% relative to the 1970s. Since 1990, the population has again decreased by ca. 60% and by now 150-200 pairs remain.
- Nowak, E. 1995. Nachweis eines Dünnschnabel-Brachvogels (*Numenius tenuirostris*) aus Algerien. (Record of the Slender-billed Curlew (*Numenius tenuirostris*) from Algeria. *J. Orn.* 136(1): 76. In German with English summary. (Bundesamt für Naturschutz, Konstantinstr. 110, D-53117 Bonn, Germany) Record of a bird shot in 1983 in Algeria.
- Nussbaum, D. 1994. Red Phalarope (*Phalaropus fulicaria*): 31 October 1993, Little Lake Butte Des Morts, Menasha. *Passenger Pigeon* 56(2): 181. (1544 Ames St., Neenah, WI 54956, USA).
- Ogilvie, M.A. and the Rare Breeding Birds Panel. 1995. Rare breeding birds in the United Kingdom in 1992. *Brit. Birds* 88(2): 67-93. (Glencairn, Bruichladdich, Isle of Islay PA49 7UN, UK). Breeding waders: *Recurvirostra avosetta*, *Burhinus oedicnemus*, *Charadrius morinellus*, *Calidris temminckii*, *Calidris maritima*, *Philomachus pugnax*, *Limosa limosa*, *Numenius phaeopus*, *Tringa glareola*, *Arenaria interpres*, *Actitis macularia* and *Phalaropus lobatus*.
- Palacios, E., Alfaro, L. & Page, G.W. 1994. Distribution and abundance of breeding Snowy Plovers on the Pacific coast of Baja California. *J. Field Ornithol.* 65(4): 490-497. (CICESE, P.O. Box 434844, San Diego, CA 92143, USA). *Charadrius alexandrinus*.
- Palmer-Ball, B. 1993. First reported nesting of Black-necked Stilt in Kentucky. *Ky Warbler* 69(4): 65-68. (8207 Old Westport Rd., Louisville, KY 40222, USA). *Himantopus mexicanus*.
- Prys-Jones, R.P., Underhill, L.G. & Waters, R.J. 1994. Index numbers for waterbird populations. II. Coastal wintering waders in the United Kingdom, 1970/71-1990/91. *J. Appl. Ecol.* 31(3): 481-492. (Bird Group, Nat. Hist. Mus., Akeman St., Tring, Herts HP23 6AP, UK).
- Rappole, J.H., Morton, E.S., Lovejoy, T.E. & Ruos, J.L. 1993. *Aves Migratorias Neárticas en los Neotrópicos*. [Migrating nearctic birds in the neotropics]. Front Royal: Conserv. Res. Ctr., Natl. Zool. Park, Smithsonian Inst. In Spanish. Waders amongst others: *Actitis macularia*, *Bartramia longicauda*, *Numenius borealis*, *N. phaeopus*, *N. americanus*, *Limosa haemastica*, *L. fedoa*, *Arenaria interpres*. With distribution maps.
- Recorbet, B. 1994. [A case of the Black-winged Stilt *Himantopus himantopus* breeding in Corsica]. *Alauda* 62(3): 139-140. In French. (Villa 32, Domaine de Suartello, F-20090 Ajaccio, France).
- Riegen, A. 1994. National Wrybill census - 29 May 1994. OSNZ News No. 72: pp. 2-3. *Anarhynchus frontalis*, New Zealand.
- Schultz, T. 1994. Red Phalarope (*Phalaropus fulicaria*): 29 November 1993, Milwaukee Gun Club, Milwaukee County. *Passenger Pigeon* 56(2): 181-182. (N6104 Honeysuckle Ln., Green Lake, WI 54941, USA).
- Scofield, P. 1994. Bristle-thighed Curlew in the Solomon Islands. *Stilt* 25: 35-36. (35 McIlwrick St., Windsor, Vic. 3181, Australia). *Numenius tahitiensis*.
- Silvius, M.J. 1994. Beach Thick-knee at Lake Tempe, South Sulawesi. *Kukila* 7(1): 74. *Esacus magnirostris*, Indonesia.
- Smiddy, P. & O'Sullivan, O. 1994. Forty-first Irish Bird Report, 1993. *Irish Birds* 5(2): 209-230. (Irish Wildbird Conserv., Ruttledge House, 8 Longford Place, Monkstown, Co. Dublin, Ireland). Waders: *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. hiaticula*, *Pluvialis dominica*, *P. fulva*, *Vanellus vanellus*, *Calidris minuta*, *C. temminckii*, *C. fuscicollis*, *C. melanotos*, *C. ferruginea*, *C. alpina*, *Micropalama himantopus*, *Philomachus pugnax*, *Tryngites subruficollis*, *Gallinago*

- gallinago*, *Limnodromus scolopaceus*, *Limosa limosa*, *L. lapponica*, *Numenius phaeopus*, *N. arquata*, *Tringa totanus*, *T. flavipes*, *T. ochropus*, *T. glareola*, *Actitis hypoleucos*, *Arenaria interpres*, *Phalaropus fulicarius*, *P. lobatus*.
- Smith, A. 1994. American Avocet nesting in Morgan County, Utah. *Utah Birds* 10(3): 43-46. (796 N. 700 E., Morgan, UT 84050, USA). *Recurvirostra americana*.
- Stasaitis, J. 1993. Abundance of the Golden Plover (*Pluvialis apricaria*) in Lithuania. Conference on the study and conservation of birds in the Baltic region, Palanga, Lithuania, 20-25 September 1993. *Baltic Birds* 7: 56. (Dept. Zool., Vilnius Univ., Ciurlionio, 2009 Vilnius, Lithuania). Abstract only.
- Stover, B. 1994. Red Phalarope (*Phalaropus fulicaria*): 7 November 1993, Gills Rock, Door County. *Passenger Pigeon* 56(2): 180-181. (867 W. Jonathan Ln., Milwaukee, WI 53217, USA).
- Svetlik, J. 1993. [Oystercatcher (*Haematopus ostralegus* L.)]. *Tichodroma* 6: 201-202. In Slovak with English summary. (Katedra Zool. Prif UK, Mlynska dolina B-1, 845 15 Bratislava, Slovak Republic).
- Symens, P. & Werner, M. 1994. First record of Senegal Thick-knee *Burhinus senegalensis* in Arabia. *OSME Bull.* 33: 12-14.
- Tallman, D. & Williams, J.D. 1994. Black-necked Stilt nests near Aberdeen. *S.D. Bird Notes* 46(4): 72-73. (North. State Univ., Aberdeen, SD 57401, USA). *Himantopus mexicanus*, South Dakota, USA.
- Taylor, D.M. & Trost, C.H. 1992. Use of lakes and reservoirs by migrating shorebirds in Idaho. *Great Basin Naturalist* 52: 179-184. (Dept. Biol. Sci., Idaho State Univ., Pocatello, ID 83209, USA).
- Trontelj, P. 1992. [Breeding of Little Ringed Plover *Charadrius dubius* at anthropogenic habitats in Ljubljana]. *Acrocephalus* 51: 38-43. (Cesta na Laze 27, 61000 Ljubljana, Slovenia).
- Truax, T.J. 1994. Red Phalarope (*Phalaropus fulicaria*): 31 October 1993, James Island in Menasha between Little Lake Butte Des Morts and the Fox River. *Passenger Pigeon* 56(2): 181. (848 Vine Ave., Oshkosh, WI, USA).
- Uhlig, R. & Baumgart, W. 1995. Verbreitung und Bestand des Triels *Burhinus oedicnemus* in Bulgarien. (Distribution and population size of Stone Curlew *Burhinus oedicnemus* in Bulgaria). *Vogelwelt* 116(1): 11-17. In German with English summary. (Revaler Str. 10, D-10245 Berlin, Germany). Present population estimated to consist of only 150-200 breeding pairs.
- Weber, L.M. & Haig, S.M. 1994. Community structure associated with shorebirds in South Carolina coastal soft-sediments. *Bull. Ecol. Soc. Am.* 75(2) Suppl.: 244.
- Wilson, W.H. 1994. Western Sandpiper, *Calidris mauri*. In: A. Poole, P. Stettenheim & F. Gill (eds.). *The Birds of North America*, No. 90, 20 pp. (Available from American Birding Association, P.O. Box 6599, Colorado Spring, CO 80934-6599, USA).
- Wiltraut, R. 1994. A Ruddy Turnback and a Ruddy Rototiller. *Pa. Birds* 8(3): 144. (223 Lincoln Ave., Nazareth, PA 18064, USA). *Arenaria interpres*.
- Wozniak, I. 1992. (Dotterel (*Charadrius morinellus*) breeding in Tatra mountains). *Notatki Ornitol.* 33(1-2): 168-169. In Polish with English summary.
- MISCELLANEOUS**
- Astorga, S.J., Leon, L., Cubero, M.J., Arenas, A., Maldonado, A., Tarradas, M.C. & Perea, A. 1994. Avian influenza in wild waterfowl and shorebirds in the Donaña National Park: serological survey using the enzyme-linked immunosorbent assay. *Avian Pathol.* 23(2): 339-344. (Dept. Sanidad Anim., Fac. Vet., Univ. Cordoba, Avenida Med. Azahara 9, 14005-Cordoba, Spain).
- Barry, P. 1995. Water Rail stabbing Common Snipe. *Brit. Birds* 88(5): 224. (St Columbas, 1 Walker Crescent, Culloden, Inverness IV1 2LZ, UK). *Gallinago gallinago* killed in a reedbed.
- Bignal, E.M., McCracken, D.I. & Curtis, D.J. (eds.) 1994. *Nature conservation and pastoralism in Europe: Proceedings of the Third European Forum on Nature Conservation and Pastoralism 21-24 July 1992, University of Pau, France*. Peterborough: Joint Nature Conservation Committee JNCC, 154 pp. (Available from: Publications Branch, JNCC, Monkstone House, City Rd., Peterborough PE1 1JY, UK). ISBN 1-873701-60-8.
- Carter, S.(ed.) 1995. *Britain's birds in 1991-92: the conservation and monitoring review*. Thetford: BTO/JNCC, (Available from: Sales Dept., British Trust for Ornithology, The Nunnery, Nunnery Place, Thetford, Norfolk IP24 2PU, UK).
- Couture, R., Babin, M. & Perras, S. 1993. Survey of Woodcock habitat with Landsat: possibilities and limitations of remote sensing. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 50-56. (Univ. Quebec Trois-Rivieres, Dept. Chimie-Biol., 3351, blvd Forges, Trois-Rivieres, PQ, Canada G9A 5H7). *Scolopax minor*,
- Canada.
- Creiston, J. 1993. A method for rearing shorebird chicks. *Anim. Keepers' Forum* 20(2): 49-52.
- Dessecker, D.R. 1993. The Ruffed Grouse Society - efforts for Woodcocks - past, present, and future. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 84-86. (Ruffed Grouse Soc., P.O. Box 2, Rice Lake, WI 54868, USA). *Scolopax minor*.
- Docherty, D.E., Converse, K.A. & Quist, C.F. 1993. Isolation of a reovirus from American Woodcocks. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, p. 138. *Scolopax minor*.
- Docherty, D.E., Converse, K.A., Hansen, W.R. & Norman, G.W. 1994. American Woodcock (*Scolopax minor*) mortality associated with a reovirus. *Avian Dis.* 38(4): 899-904. (Natl. Wildl. Hlth. Ctr., Natl. Biol. Surv., 6006 Schroeder Rd., Madison, WI 53711, USA).
- Ens, B.J., Piersma, T. & Tinbergen, J.M. 1994. Towards predictive models of bird migration schedules: theoretical and empirical bottlenecks. *NIOZ Report 1994-5*. Den Burg: Netherlands Inst. Sea Res. (NIOZ). (NIOZ, P.O. Box 59, NL-1790 AB Den Burg, Texel, Netherlands).
- Esher, R.J., Baker, R.L., Ursic, S.J. & Miller, L.C. 1993. Responses of invertebrates to experimental acidification of the forest floor under Southern Pines. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 75-83. (Miss. State Univ. Res. Ctr., DeLisle Environ. Lab., P.O. Box 180, Waveland, 39576, USA). *Scolopax minor*.
- Ferns, P.N. & Anderson, J.I. 1994. Cadmium in the diet and body tissues of Dunlins *Calidris alpina*, from the Bristol Channel, UK. *Environ. Pollut.* 86(2): 225-231. (School Pure & Appl. Biol., Univ. Wales, Coll. Cardiff, P.O. Box 915, Cardiff CF1 3TL, UK).
- Goede, A.A. & Wolterbeek, H.Th. 1994. Have high selenium concentrations in wading birds their origin in mercury?. *Sci. Total Environ.* 144: 247-253. (Interfac. Reactor Inst., Delft Univ. Technol., Mekelweg 15, 2629 JB Delft, Netherlands).
- Goede, A.A. & Wolterbeek, H.Th. 1994. The possible role of selenium in antioxidation in marine waders. *Sci. Total Environ.* 144: 241-246. *Haematopus ostralegus*.
- Hunter, J.E. & Colwell, M.A. 1994. *Phthiraptera infestation of five shorebird*

- species. *Wilson. Bull.* 106(2): 400-403. (Dept. Wildl., Humboldt State Univ., Arcata, CA 95521, USA). *Arenaria melanocephala*, *Calidris mauri*, *C. minutilla*, *C. alpina*, *Limnodromus scolopaceus*.
- Jacobsen, O.W. & Ugelvik, M. 1994. Effects of presence of waders on grazing and vigilance behaviour in breeding Wigeon, *Anas penelope*. *Anim. Behav.* 47(2): 488-490. (Mus. Zool., Dept. Anim. Ecol., Univ. Bergen, N-5007 Bergen, Norway). *Numenius arquata*, *Haematopus ostralegus*.
- Kälås, J.A., Bretten, S., Byrkjedal, I. & Njastad, O. 1994. Radiocesium (137 Cs) from the Chernobyl reactor in Eurasian Woodcock and earthworms in Norway. *J. Wildl. Manage.* 58(1): 141-147. (Norwegian Inst. Nat. Res., Tungasletta 2, N-7005 Trondheim, Norway). *Scolopax rusticola*.
- Keller, V. 1995. Auswirkungen menschlicher Störungen auf Vögel - eine Literaturübersicht. (Effects of human disturbance on birds - a literature review). *Orn. Beob.* 92(1): 3-38. In German with English summary. (Schweizerische Vogelwarte, CH-6204 Sempach, Switzerland).
- Liscinsky, S. 1993. Why bother worrying about the Woodcock - a philosophical essay. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, p. 1-4. *Scolopax minor*, USA.
- McAuley, D.G., Longcore, J.R. & Sepik, G.F. 1993. Techniques for research into Woodcocks: experiences and recommendations. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 5-11. (US Fish & Wildl. Serv., Patuxent Wildl. Res. Ctr., Northeast Res. Group, 5768 South Annex A, Orono, ME 04469-5768, USA). *Scolopax minor*, USA.
- Miller, R. 1994. American Woodcock carrying young: Lebanon County. *Pa. Birds* 8(2): 96. (607 Woodland dr., Manheim, PA 17545, USA). *Scolopax minor*.
- Minton, C. 1995. Leg coloration of Red-necked Stint. *Brit. Birds* 88(2): 112. (165 Dalgety Rd., Beaumaris, VIC 3193, Australia). *Calidris ruficollis*.
- Rehfisch, M.M. 1994. Man-made lagoons and how their attractiveness to waders might be increased by manipulating the biomass of an insect benthos. *J. Appl. Ecol.* 31(2): 383-401. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK).
- Robinson, W.L., Heitman, N.L., Bruggink, J.G., Goldsmith, M.F., Scharff, K.G., von Wahide, J.R., Sparrow, M.J. & Schlueter, L.A. 1993. Assessment of 1-2-year-old Aspen stands as American Woodcock habitat in Michigan. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, p. 131. (North Mich. Univ., Dept. Biol., Marquette 49855, USA). *Scolopax minor*, USA.
- Rose, A.B. 1994. Predation of Little Terns by Whimbrels. *Aust. Birds* 28(1): 1-4. (Aust. Mus., 61 Boundary St., Forster, NSW 2428, Australia). *Numenius phaeopus*.
- Sepik, G.F. & Blumenstock, B. 1993. Management and research on the American Woodcock at the Moosehorn National Wildlife Refuge. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 136-137. (US Fish & Wildl. Serv., Moosehorn Nati. Wildl. Refuge, Box 1077, Calais, ME 04619, USA). *Scolopax minor*, USA.
- Sundlof, S.F., Spalding, M.G., Wentworth, J.D. & Steible, C.K. 1994. Mercury in livers of wading birds (Ciconiiformes) in southern Florida. *Arch. Environ. Contam. Toxicol.* 27(3): 299-305. (FDA Cent. Vet. Med., HFV-1, 7500 Standish Pl., Rockville, MD 20855, USA).
- Tappe, P.A. & Whiting Jr., R.M. 1993. Discrimination between constant-zero and non-zero survey routes on singing grounds of the American Woodcock in eastern Texas. In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 32-35. (Dept. For. Resour., Univ. Arkansas, Monticello 71655, USA). *Scolopax minor*, USA.
- Taylor, N. 1994. A technique for the treatment of capture myopathy. *Stift* 25: 33-34. (64 Almeida St., Indooroopilly, Qld. 4068, Australia).
- Thompson, D.B.A., MacDonald, A.J., Marsden, J.H. & Galbraith, C.A. 1995. Upland heather moorland in Great Britain: a review of international importance, vegetation change and some objectives for nature conservation. *Biol. Conserv.* 71: 163-178. (Uplands and Peatlands Branch, Research & Advisory Serv. Directorate, Scottish Natural Heritage, 2 Anderson Place, Edinburgh EH6 5NP, UK). Waders: *Numenius arquata*, *Pluvialis apricaria*, *Vanellus vanellus*, *Tringa totanus*, *T. nebularia*, *Numenius phaeopus* and *Gallinago gallinago*.
- Tubbs, C.R. 1994. The ecology of pastoralism in the New Forest, Hampshire, England: a review. In: Bignal, E.M., McCracken, D.I. & Curtis, D.J. (eds.). *Nature Conservation and Pastoralism in Europe*. Peterborough: Joint Nature Conservation Committee JNCC, pp. 83-89. (24 Queens Rd., Lyndhurst, Hampshire, SO43 7BR, UK). Breeding waders: *Vanellus vanellus*, *Tringa totanus*, *Numenius arquata* and *Gallinago gallinago*.
- Tucker, G. 1994. A preliminary list of bird species associated with pastoral farmland. In: Bignal, E.M., McCracken, D.I. & Curtis, D.J. (eds.). *Nature Conservation and Pastoralism in Europe*. Peterborough: Joint Nature Conservation Committee JNCC, pp. 81-82. (ICBP, 32 Cambridge Rd., Girton, Cambridge CB3 0PJ, UK). Preliminary list of pastoral farmland bird species with an unfavourable conservation status in Europe. Waders: *Burhinus oedicnemus*, *Glareola pratincola*, *G. nordmanni*, *Hoplopterus spinosus*, *Chettusia gregaria*, *Gallinago gallinago*, *G. media*, *Limosa limosa*, *Numenius arquata* and *Tringa totanus*.
- Ward, D. 1994. Management of lowland grassland for breeding waders. *Brit. Wildl.* 6(2): 89-98.
- Williamson, L.L. 1993. The American Woodcock management plan: can it work? In: Longcore, J.R. & Sepik, G.F. (eds.). *Proceedings of the Eight American Woodcock Symposium. U.S. Fish Wildl. Serv. Biol. Rep.* No. 16, pp. 105-108. (Wildl. Manage. Inst., Suite 725, 1101 24th St., N.W., Washington, DC 20015, USA). *Scolopax minor*, USA.
- Wooton, J.T. 1992. Indirect effects, prey susceptibility, and habitat selection: impacts of birds on limpets and algae. *Ecology* 73: 981-991. (Dept. Integrat. Biol., Univ. California, Berkeley, CA 94720, USA). *Haematopus bachmani*, USA.
- Yanes, M. 1994. The importance of land management in the conservation of birds associated with the Spanish steppes. In: Bignal, E.M., McCracken, D.I. & Curtis, D.J. (eds.). *Nature Conservation and Pastoralism in Europe*. Peterborough: Joint Nature Conservation Committee JNCC, pp. 34-40. (Dept. Interuniv. Ecología, Fac. Ciencias, Univ. Autónoma, 28049 Madrid, Spain). Waders: *Burhinus oedicnemus* and *Glareola pratincola*.

