

Recent 76 Publications on waders

compiled by
Henk Koffijberg

In trying to make these lists really as complete as possible, and the next one even more complete and up to date, your help is necessary!! Please send new titles, abstracts, reprints, copies, reports, and (important too!) omissions or corrections to: Henk Koffijberg, Glenn Millerweg 102, 1311 RW Almere, The Netherlands, e-mail: koffijberg@wanadoo.nl

Remember to include, if possible, the address of the first author, and translations of titles if they are in languages other than English.

For help with this issue I'm very grateful to V.V. Morozov, W. Meissner, P.M. Sagar, R. Lancot, F.-U Schmidt, T. Piersma, K.-M. Exo, B. Trolliet, P. Triplet, and H.P. Sitters.

Translated titles from languages other than English are bracketed; with round brackets if the translation is by the author(s), square brackets if not.

N.B. a copy of your paper or abstract would be very helpful to enable me to add some keywords or give added annotation to the titles.

Breeding

Al-Safadi, M.M. 1997. On the breeding biology of the Spur-winged Plover, *Hoplopterus spinosus*, in the Gaza Strip. *Zool. Middle East* 14: 47-52. (Biol. Dept., Fac. Sci., Al-Azhar Univ., Gaza Strip).

Antonov, A.I. & Ueta, M. 1999. (Habitat selection, nesting behaviour and time of breeding of the Eastern Curlew *Numenius madagascariensis* in the Middle Amur). *Russian J. Ornithol.* Express-issue 61: 18-21. In Russian.

Ardamatskaya, T.B. 1999. (Use of the Great Cormorant *Phalacrocorax carbo* nests by breeding Oystercatchers *Haematopus ostralegus*).

In: *Information materials of the Working Group on Waders* 12: 52. In Russian with English summary.

Busche, G. 2000. Der Wandel der Brutvogelgemeinschaft eines kultivierten Moores im Westen Schleswig-Holsteins 1950 bis 1997. (Changes in the breeding-bird community of a cultivated mire in western Schleswig-Holstein, 1950 to 1997). *Vogelwelt* 121(1): 27-37. In German with English summary. (Hochfelder Weg 49, D-25746 Heide, Germany). Breeding waders: *Vanellus vanellus*, *Gallinago gallinago*.

Dijk, A.J. van 1997. [Singing Curlews *Numenius arquata* in Drente (Netherlands) forever, or not?]. *Drentse Vogels* 10: 50-61. In Dutch with English summary. (Anserweg 8, NL-7975 PB Uffelte, Netherlands). Breeding success and long-term trends.

Dijkstra, R. 1997. [Reproduction of Lapwing *Vanellus vanellus* and Oystercatcher *Haematopus ostralegus* in high-intensity farmland near Ravenswoud (Netherlands) in 1997]. *Drentse Vogels* 10: 13-18. In Dutch with English summary. (Burg. Jollestraat 11, NL-9401 LD Assen, Netherlands).

Fetisov, S.A. & Golovan, V.I. 1999. (Data on the Woodcock *Scolopax rusticola* ecology in the Pskov Region: distribution, numbers, arrival, breeding). *Russian J. Ornithol.* Express-issue 66: 15-25. In Russian.

Hötker, H. 2000. Intraspecific variation in size and density of Avocet colonies: effects of nest-distances on hatching and breeding success. *J. Avian Biol.* 31(3): 387-389. (Forschungs- und Technologiezentrum Westküste der Christian-Albrechts Univ. zu Kiel, Hafentörn, D-25761 Büsum, Germany, e-mail: hhoetker@ftz-west.uni-kiel.de). *Recurvirostra avosetta* had low hatching success in very dense colonies, but individuals breeding in dense colonies have significantly better chances of raising chicks than birds breeding in less dense colonies.

Hötker, H. 2000. Conspecific nest parasitism in Avocets. *Ibis* 142: 280-288. *Recurvirostra avosetta*.

Powell, A.N. & Collier, C.L. 2000. Habitat use and reproductive success of western Snowy Plovers at new nesting areas created for California Least Terns. *J. Wildl. Manage.* 64: 24-33. *Charadrius alexandrinus*

Ryabitsev, V.K. 2000. On the population ecology of the Grey Plover in the northern Yamal Peninsula. *Russian J. Ecol.* 31(2): 108-112. *Pluvialis squatarola*. Translated from *Ecologiya*, 2000, No. 2: 125-129.

Sagar, P.M., Geddes, D., Banks, J. & Howden, P. 2000. Breeding of South Island pied oystercatchers (*Haematopus ostralegus finschi*) on farmland in mid-Canterbury, New Zealand. *Notornis* 47(2): 71-81. (Natl. Inst. Water & Atmosph. Res., P.O. Box 8602, Christchurch, New Zealand, e-mail: p.sagar@niwa.cri.nz). Hatching success was greater in cultivated sites than pasture sites. Fledging success was similar at both sites. Trampling by stock, farming activities, and unknown causes were the main causes of egg loss.

Summers, R.W., Underhill, L.G. & Syroechkovski, E.E. Jr. 1998. The breeding productivity of Dark-bellied Brent Geese and Curlew Sandpipers in relation to changes in the numbers of Arctic Foxes and lemmings on the Taimyr Peninsula, Siberia. *Ecography* 21: 573-580. *Calidris ferruginea*.

Sviridova, T.V. 2000. (Territorial structure of the Pacific Golden Plover *Pluvialis fulva* populations on the breeding sites in Taimyr Peninsula). *Russian J. Ornithol.* Express-issue 95: 12-26. In Russian.

Wübbendorst, J., Bairlein, F., Henning, F., Schottler, B. & Wolters, V. 2000. Bruterfolg des Kiebitzes *Vanellus vanellus* in einem trocken-kalten Frühjahr. (Breeding success of Lapwing *Vanellus vanellus* in a cold and dry spring). *Vogelwelt* 121(1): 15-25. In German with English summary. (Alfred-Töpfer Akad. Naturschutz, D-29640 Schneverdingen, Germany). Extremely low reproductive success.

Behaviour, ecology & evolution

Atkinson, P.W., Clark, N.A., Clark, J.A., Bell, M.C., Dare, P.J. & Ireland, P.L. 2000. *The effects of changes in shellfish stocks and winter weather*



on shorebird populations: results of a 30-year study on the Wash, England. BTO Research Report No. 239. Thetford : British Trust for Ornithology. (BTO, The Natl. Ctre. for Ornithology, The Nunnery, Thetford, Norfolk IP24 2PU, UK). *Haematopus ostralegus, Calidris canutus.*

Atkinson, P.W. 2000. Cockles and mussels, alive, alive ... no. *BTO News* 229: 8-9. *Haematopus ostralegus, Calidris canutus:* food, survival and fisheries.

Berezovikov, N.N. & Kovshar, A.F. 1997. (About breeding behaviour of *Himantopus himantopus* nesting nearby artesian wells). *Selevinia:* 242-243. In Russian.

Fasola, M. & Biddau, L. 1997. An assemblage of wintering waders in coastal Kenya: activity budget and habitat use. *Afr. J. Ecol.* 35: 339. (Dept. Biol. Anim., Pz. Botta 9, I-27100 Italy)

Johnstone, I. & Norris, K. 2000. Not all Oystercatchers *Haematopus ostralegus* select the most profitable Common Cockles *Cerastoderma edule*: a difference between feeding methods. *Ardea* 88(2): 137-153. (RSPB North Wales Office, Maes y Ffynnon, Penrhosgarnedd, Bangor, LL57 2DW, Wales, e-mail: ian.johnstone@rspb.org.uk).

King, S. 2000. Eurasian Curlew capturing and killing Pied Wagtail. *Brit. Birds* 93(8): 399. (Glencairn, Bruchladdich, Isle of Islay PA49 7UN, UK). *Numenius arquata.*

Kis, J., Liker, A. & Székely, T. 2000. Nest defence by Lapwings: observations on natural behaviour and an experiment. *Ardea* 88(2): 155-163. (Dept. Ethol., Eötvös Univ., Javorka u. 14, H-2131 Göd, Hungary, e-mail: jkis@univet.hu). *Vanellus vanellus*, response of parents to natural predators and a dummy Hooded Crow, during the incubation period.

Kraaijeveld, K. & Nieboer, E.N. 2000. Late Quaternary paleogeography and evolution of arctic breeding waders. *Ardea* 88(2): 193-205. (Dept. Zool., Univ. Melbourne, Parkville, Vic. 3010, Australia, e-mail: k.kraaijeveld@pgrad.unimelb.edu.au)

Lanctot, R., Sandercock, B.K. & Kempenaers, B. 2000. Do male breeding displays function to attract

mates or defend territories? The explanatory role of mate and site fidelity. *Waterbirds* 23(2): 155-164. (Alaska Biol. Sci. Ctr., US Geol. Surv., 1011 East Tudor Rd., Anchorage, Alaska 99503, USA, e-mail: richard.lanctot@usgs.gov). *Calidris mauri.*

Landys, M.M., Piersma, T., Visser, G.H., Jukema, J. & Wijker, A. 2000. Water balance during real and simulated long-distance migratory flight in the Bar-tailed Godwit. *Condor* 102(3): 645-652. (Dept. Zool., Univ. Washington, Box 351800 Seattle, WA 98195, e-mail: meta@u.washington.edu). *Limosa lapponica*

Masero, J.A., Pérez-Hurtado, A., Castro, M. & Arroyo, G.M. 2000. Complementary use of intertidal mudflats and adjacent salinas by foraging waders. *Ardea* 88(2): 177-191. (Dept. Biol. Anim., Veg. Ecol., Fac. Ciencias del Mar, Univ. Cadiz, E-11510 Puerto Real, Spain, e-mail: joseantonio.masero@uca.es)

Mattig, F.R., Rösner, H.-U., Giessing, K. & Becker, P.H. 2000. Umweltchemikalien in Eiern des Alpenstrandläufers (*Calidris alpina*) aus Nordnorwegen im Vergleich zu Eiern von Brutvogelarten des Wattenmeeres. (Environmental chemicals in eggs of Dunlins (*Calidris alpina*) from Northern Norway compared to eggs of coastal bird species breeding in the Wadden Sea). *J. Ornithol.* 141(3): 361-369. In German with English summary. (Inst. Vogelforschung "Vogelwarte Helgoland", An der Vogelwarte 21, D-26386 Wilhelmshaven, Germany).

Mitrus, C., Kuczborski, R. & Slupek, J. 1998. The autumn passage of the Wood Sandpiper (*Tringa glareola*) in the Bug valley - dynamics and biometry. *Ring* 20(1-2): 107-116. (Zool. Dept., Agric. & Pedagogic Univ., Inst. Biol., ul. Prusa 12, PL-08-110 Siedlce, Poland, e-mail: ficedula@wsrp.siedlce.pl).

Rezanov, A.G. 1998. (On the feeding behaviour of the Lapwing *Vanellus vanellus* in Ukraine). *Russian J. Ornithol.* Express-issue 33: 18-20. In Russian.

Sagar, P.M. & Geddes, D. 1999. Dispersal of South Island Pied Oystercatchers (*Haematopus ostralegus finschi*) from an inland breeding area of New Zealand.

Notornis 46: 89-99. (Nat. Inst. Water & Atmosph. Res., P.O. Box 8602, Christchurch, New Zealand, e-mail: p.sagar@niwa.cri.nz). High fidelity to coastal wintering sites within and between years.

Sitters, H.P. 2000. *The role of night-feeding in shorebirds in an estuarine environment with specific reference to mussel-feeding oyster-catchers.* Ph.D. thesis, Wolfson Coll. & Edward Grey Inst., Dept. Zool., Univ. Oxford. 301 p. *Haematopus ostralegus, Calidris canutus.*

Sueur, F. 1999. Mue tardive chez le Bécasseau variable *Calidris alpina*: phénomène régulier. [Late moult in the Dunlin *Calidris alpina*: a regular occurrence]. *Avifaune Picarde* 9: 32. In French. (9 rue du Champ neuf, Le Bout des Crocs, F-80120 Saint-Quentin-en-Tourmont, France)

Summers, R.W. & Kalejta-Summers, B. 1996. Seasonal use of sandflats and saltmarshes by waders at low and high tide at Langebaan Lagoon, South Africa. *Ostrich* 67: 72-79. (Percy FitzPatrick Inst. Afr. Ornithol., Univ. Cape Town, 7700, Rondebosch, South Africa)

Szydlowski, I. & Lysaczuk, T. 1998. Preliminary data on autumn migration of Wood Sandpiper (*Tringa glareola*) in the Western Ukraine. *Ring* 20(1-2): 117-121. (Zool. Mus. Lviv State Univ., Hrushevsky str. 4, Lviv 290005, Ukraine, e-mail: biolog@frank.lviv.ua).

Todd, M.K. 2000. Feeding ecology of Latham's Snipe *Gallinago hardwickii* in the Lower Hunter Valley. *Emu* 100(2): 133-138. (Tropical Savannas CRC, QPWS, P.O. Box 255, Cairns, Qld 4870, Australia)

Tréca, B. 1994. The diet of Ruffs and Black-tailed Godwits in Senegal. *Ostrich* 65: 256-263. *Philomachus pugnax, Limosa limosa.*

Trolliet, B. 2000. *Plan de gestion de l'Union Européenne pour le Vanneau huppé Vanellus vanellus. (European Union management plan for the Lapwing Vanellus vanellus).* Chanteloup : Office National de la Chasse et de la Faune Sauvage, 112 p. In French and English. (Office National de la Chasse et de la Faune Sauvage, Chanteloup, F-85340 l'Île d'Olonne, France, e-mail: chanteloup@onc.gouv.fr). Evalu-



tion of its current status in the world and especially the countries of the European Union. Information on distribution and population, habitat and ecology, hunting, threats, conservation measures, and the management objectives for the coming years.

Venema, P. 1997. [Habitat choice of Whimbrels *Numenius phaeopus* in Drente (Netherlands)]. *Drentse Vogels* 10: 19-26. In Dutch with English summary. (Poelakkers 1, NL-9321 EW Peize, Netherlands).

Wübbenhurst, J. 2000. Verteidigungsverhalten von Wiesenlimikolen gegen Prädatoren aus der Luft. (Defence behaviour of meadow birds against avian predators). *Vogelwelt* 121(1): 39-44. In German with English summary. (Alfred-Töpfer Akad. Naturschutz, D-29640 Schneverdingen, Germany). *Vanellus vanellus*, *Limosa limosa*, *Tringa totanus*, *Haematopus ostralegus*.

Distribution & faunistics

Austin, G.E., Peachell, I. & Rehfisch, M.M. 2000. Regional trends in coastal wintering waders in Britain. *Bird Study* 47(3): 352-371. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK). *Haematopus ostralegus*, *Recurvirostra avosetta*, *Charadrius hiaticula*, *Pluvialis squatarola*, *Calidris canutus*, *C. alpina*, *C. alba*, *Limosa limosa*, *L. lapponica*, *Numenius arquata*, *Arenaria interpres*, trends 1969/70 - 1988/89.

Barabashin, T.O. & Korol'kov, M.A. 1999. (Number estimates of waders breeding in Ulyanovsk Region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 62-67. In Russian with English summary.

Bargiel, R., Włodarczyk, R. & Kalinski, A. 1998. Catching waders at the Jeziorsko reservoir (western Poland). *Ring* 20(1-2): 77-80. (Dept. Vertebrat. Ecol. Zool., Univ. Lodz, ul. Banacha 12/16, PL-90-237, Poland, e-mail: wradek@hotmail.com).

Belik, V.P. 1998. (Recent population state of some rare and protected wader species in southern Russia). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in*

Eastern Europe - 2000. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 75-83. In Russian with English summary.

Belik, V.P. 1999. (Common Sandpiper in the steppe south of European Russia: distribution, numbers, ecology). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 73-76. In Russian with English summary. *Actitis hypoleucus*.

Belik, V.P., Babich, M.V. & Korenev, P.I. 2000. (Catastrophic decline in North Caucasus population of the Nordmann's Pratincole *Glareola nordmanni*). In: *Information materials of the Working Group on Waders* 13: 36-38. In Russian with English summary.

Berezovikov, N.N., Samusev, I.F. & Starikov, S.V. 1999. (Sociable Plover *Chettusia gregaria* in Zaisan Depression and upper Irtysh River area, NE Kazakhstan). In: *Information materials of the Working Group on Waders* 12: 44-48. In Russian with English summary.

Blokhan, A. Yu. & Kokorin, A.I. 2000. (New information about Nordmann's Greenshank, *Tringa guttifer*, on NE Sakhalin Island). In: *Information materials of the Working Group on Waders* 13: 40-42. In Russian with English summary.

Boileau, N. & Delaporte, P. 1998. [Wintering status of Temminck's Stint in France]. *Ornithos* 5: 18-21. In French with English summary. (LPO, Corderie Royale, BP 263, F-17305 Rochefort Cedex, France). *Calidris temminckii*.

Butiev, V.T. & Shitikov, D.A. 1998. (Numbers of Lapwing, Curlew and Black-tailed Godwit in Arkhangelsk region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 12-17. In Russian with English summary. *Vanellus vanellus*, *Numenius arquata*, *Limosa limosa*.

Butiev, V.T., Shitikov, D.A. & Lebedeva, E.A. 1998. (On the numbers of breeding waders in Vologda region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*.

Vol. 1. - Moscow : Russian Bird Conservation Union, p. 18-23. In Russian with English summary.

Buzun, V.A. & Momzikov, D. 1998. (The record of vagrant Pied Avocets *Recurvirostra avosetta* in Leningrad Region). *Russian J. Ornithol.* Express-issue 44: 6-7. In Russian.

Cenian, Z. & Sikora, A. 1997. (Autumn migration of the Jack Snipe *Lymnocryptes minimus* in the north-western Warmia and Gdansk coastland in 1996). *Notatki Ornitol.* 38(3): 215-222. In Polish with English summary. (Wapnik, PL-11-007 Lubomino, Poland)

Chernichko, I.I. 1998. (Distribution and numbers of breeding waders in Zaporozhye region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 111-114. In Russian with English summary.

Colwell, M.A. & Sundeen, K.D. 2000. Shorebird distributions on ocean beaches of northern California. *J. Field Ornithol.* 71(1): 1-15. (Dept. Wildl. Humboldt State Univ. Arcata, CA 95521, USA)

Corso, A. 1998. Pintail Snipe in Sicily - a new European bird. *Birding World* 11: 435-437. *Gallinago stenura*.

Demetriaides, K.K. & Robul, K.P. 1999. (Rare waders of the Timan-Pechora region). *Russian J. Ornithol.* Express-issue 76: 8-10. In Russian.

Diadicheva, E.A. & Kinda, V.V. 1998. (Counts of rare and uncommon wader species on the Azov-Black Sea coasts in 1996). *Avifauna of Ukraine*. Suppl. to *Berkut*, issue 1: 33-36. In Russian with English summary.

Diadicheva, E. & Matsievskaya, N. 2000. Migration routes of waders using stopover sites in the Azov-Black Sea region, Ukraine. *Vogelwarte* 40(3): 161-178. (Azov-Black Sea Ornithol. Stn., Lenin Str. 20, Melitopol 72312 Ukraine). Analysis of ringing recoveries of 21 wader species. *Calidris alpina*, *C. ferruginea*, *C. minuta*, *Limicola falcinellus*, *Philomachus pugnax*, *Tringa glareola*, *T. totanus*, *Vanellus vanellus* are discussed in detail.



- Van Dijk, A.J. van, Kleefstra, R., Zoetebier, D. & Meijer, R. 2000. Kolonievogels en zeldzame broedvogels in Nederland in 1997. (Rare and colonial breeding birds in The Netherlands in 1997). *Limosa* 73(2): 53-66. In Dutch with English summary. (Rijksstraatweg 178, NL-6573 DG Beek-Ubbergen, Netherlands). Breeding waders: *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. hiaticula*, *C. alexandrinus*, *Calidris alpina*, *Philomachus pugnax*, *Actitis hypoleucus*.
- Dombrowski, A., Chmielewski, S., Bukacinski, D., Rzepala, M. & Brzokowski, A. 1998. (Ornithological importance of the largest rivers of the middle Vistula). *Notatki Ornitol.* 39(2): 61-75. In Polish with English summary. (Swierkowa 18, PL-08-110, Siedlce, Poland). Breeding waders: *Haematopus ostralegus*, *Charadrius hiaticula*, *C. dubius*, *Burhinus oedicnemus*, *Actitis hypoleucus*.
- Elts, J. 1998. Migration of Wood Sandpiper (*Tringa glareola*) in Estonia. *Ring* 20(1-2): 127-130. (Estonian Ornithol. Soc., P.O. Box 227, Tartu 50002, Estonia, e-mail: jaanus@linnu.tartu.ee).
- Ens, B.J., Goss-Custard, J.D. & Weber, T.P. 1996. *Effects of climate change on bird strategies along the East Atlantic Flyway*. IBN Research Report 96/1. Wageningen : IBN. *Haematopus ostralegus*, *Calidris canutus*.
- Fetisov, S.A. 1999. (The first record of the Oystercatcher *Haematopus ostralegus* nesting in Pskov Region). *Russian J. Ornithol.* Express-issue 76: 3-8. In Russian.
- Fraser, P.A., Lansdown, P.G. & Rogers, M.J. 2000. Report on scarce migrant birds in Britain in 1998. *Brit. Birds* 93(12): 588-641. (c/o 2 Churchtown Cottages, Towndack, St. Ives, Cornwall TR26 3AZ, UK). Waders: *Charadrius alexandrinus*, *Calidris temminckii*, *C. melanotos*, *Tringa subruficollis*, *Phalaropus lobatus*, *P. fulicarius*.
- Frolov, V.V. & Korkina, S.A. 1998. (Breeding waders of Penza region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 42-51. In Russian with English summary.
- Garmash, B.A. 1998. (Distribution and numbers Collared and Nordmann's Pratincoles in southern Ukraine). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 121-123. In Russian with English summary. *Glareola pratincola*, *G. nordmanni*
- Gerasimov, Yu.N. 1999. (Observation of the spring migration of waders in the Korf Bay). In: Poayrkov, N.D. (ed.). *The Biology and Conservation of the Birds of Kamchatka*, No. 1. - Moscow : Dialog MSU Publ. House, p. 73-76. In Russian with English summary.
- Gerasimov, N.N. & Gerasimov, Yu.N. 1999. (The estuary of the Moroshechnaya River as the place of wader concentration). In: Poayrkov, N.D. (ed.). *The Biology and Conservation of the Birds of Kamchatka*, No. 1. - Moscow : Dialog MSU Publ. House, p. 47-52. In Russian with English summary.
- Gils, J. van, Piersma, T., Dekkinga, A. & Spaans, B. 2000. Voortdurend in de lucht: zenderonderzoek aan Kanoeten Calidris canutus in de westelijke Waddenzee. (Distributional ecology of individually radio-marked Knots *Calidris canutus* in the western Dutch Wadden Sea in August-October 1999). *Limosa* 73(1): 29-34. In Dutch with English summary. (NIOZ, P.O. Box 59, NL-1790 AB Den Burg, Texel, Netherlands).
- Gistsov, A.P. 1997. (Autumn migration of waders in the south of Kazakhstan). *Selevinia*: 87-91. In Russian with English summary.
- Glushenko, O.V., Koscheev, I.A., Yakovlev, A.A. & Yakovlev, V.A. 1999. (Breeding waders of Chuvash Republic). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 42-44. In Russian with English summary.
- Goeij, P. de, Menkveld, E. & Wassink, A. 2000. Gezenderde Rosse Grutto's op Texel (en over Zweden). [Radio-tagged Bar-tailed Godwits on Texel (and over Sweden)]. *Graspieper* 20(3): 57-60. In Dutch. Radio-tagged *Limosa lapponica* in the Dutch Wadden Sea recorded on spring migration over Sweden.
- Gorban', I.M. & Shidlovski, I.V. 1999. (Numbers of breeding waders in the west Ukraine). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 93-105. In Russian with English summary.
- Gorski, A. & Nowakowski, J.J. 1998. Spring assemblies of waders in flood plains of the lower Biebrza and the middle Narew river valleys. *Ring* 20(1-2): 35-49. (Dept. Ecol. Environm. Protect., Pedagogical Univ., PL-10-561 Olsztyn, Zolnierska 14, Poland, e-mail: jacekn@matman.wsp.olsztyn.pl). 15 wader species common in flood plains of both rivers.
- Granit, B., Lindroos, R. & Perlman, Y. 1999. Pintail Snipe in Israel in November 1998. *Dutch Birding* 21(6): 329-333. (Burla 16, Tel Aviv 69364, Israel). *Gallinago stenura*.
- Grishanov, G.V. 1998. (Breeding waders of Kaliningrad region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 7-11. In Russian with English summary.
- Grishchenko, V.N. 1999. (Record of Black-winged Stilt in Kaniv district). *Berkut* 8(1): 117. In Ukrainian with English summary. *Himantopus himantopus*.
- Gromadzka, J. 1998. Wader ringing at the Vistula mouth (Baltic coast, Poland) - a summary of the long-term studies. *Ring* 20(1-2): 5-20. (Gdansk Ornithol. Stn., Inst. Ecol., Polish Acad. Sci., ul. Nadwiślańska 108, PL-80-680 Gdańsk 40, Poland, e-mail: jagagrom@stornit.gda.pl). Most numerous waders (of the 32 species ringed): *Calidris alpina*, *C. minuta*, *Actitis hypoleucus*, *Calidris ferruginea*, *Charadrius hiaticula*, *Calidris canutus*, *Tringa totanus*.
- Guérin, S. 1998. [Lesser Sand Plover *Charadrius mongolus*, a new species for France]. *Ornithos* 5: 42-45. In French with English summary. (3, impasse du petit Robinson, F-53810 Changé, France).
- Hirokawa, J., Shinjo, H. & Higuchi, T.



1999. [The first record of the Little Stint from Hokkaido [Japan]. *Jap. J. Ornithol.* 47: 55-56. In Japanese with English summary. (9-2-11 Shinoro, Kita-ku, Sapporo 002-8029, Japan). *Calidris minuta*.]
- Holmgren, N. & Pettersson, J. 1998. Recoveries of Swedish-ringed Wood Sandpipers (*Tringa glareola*). *Ring* 20(1-2): 91-93. (Ottenby Bird Observ., Pl 1500 380 65 Degerhamn, Sweden)
- Hunt, J. 2000. Lesser Sand Plover in West Sussex: new to Britain and Ireland. *Brit. Birds* 93(9): 435-441. (73 Harbour View Rd., Pagham, Bognor Regis, West Sussex PO21 4RH, UK). *Charadrius leschenaultii*.
- Indykiewicz, P. 1998. Spring and autumn migration of waders in the Noteć river valley. *Ring* 20(1-2): 51-57. (Zool. Dept., Univ. Technol. Agric., ul. Kordeckiego 20, PL-85-225, Bydgoszcz, Poland, e-mail: passer@atr.bydgoszcz.pl). 24 wader species observed at four complexes of fishponds.
- Ishida, K. & Takashi, M. 1998. (Estimation of relative population density and home range of the Amani Woodcock). *Strix* 16: 73-88. In Japanese with English summary. (Univ. For., Univ. Tokyo, Yagoi, Bunkyo-ku, Tokyo 160, Japan). *Scolopax mira*.
- Ivanchev, V.P. & Kotyukov, Yu.V. 1999. (Numbers and distribution of breeding waders in Ryazan' Region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 35-41. In Russian with English summary.
- Khokhlova, T.Y. & Artemiev, A.V. 2000. (The breeding of the Oystercatcher *Haematopus ostralegus* on lakes and rivers of Karelia). *Russian J. Ornithol.* Express-issue 91: 20-23. In Russian.
- Kinda, V.V. 1998. (Recent state of breeding *Charadriidae* in the Crimea and the Sivash area). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 115-120. In Russian with English summary.
- Kirwan, G.M. 1996. The status of Red Knot *Calidris canutus*, in the Middle East. *Zool. Middle East* 13:17-23.
- Kiss, J.B. & Szabo, L. 2000. First breeding record of White-tailed Lapwing in Romania (and Europe outside Russia). *Brit. Birds* 93(8): 400-401. (Avestours, Pta. Libertatti 25, 4150-Ondorbeiu, Romania, e-mail: avestours@udv.nextra.ro). *Vanellus leucurus*.
- Komisja Faunistyczna 1997. (Rare birds recorded in Poland in 1996). *Notatki Ornitol.* 38(4): 291-311. In Polish with English summary. (Komisja Faunistyczna SO PTŻool, ul. Sienkiewicza 21, PL-50-335 Wrocław, Poland). Waders: *Haematopus ostralegus*, *Himantopus himantopus*, *Recurvirostra avosetta*, *Burhinus oedicnemus*, *Calidris melanotos*, *C. maritima*, *Xenus cinereus*, *Phalaropus fulicarius*.
- Komisja Faunistyczna 1998. (Rare birds reported in Poland in 1997). *Notatki Ornitol.* 39(3): 151-174. In Polish with English summary. Waders: *Haematopus ostralegus*, *Burhinus oedicnemus*, *Glareola nordmanni*, *Charadrius alexandrinus*, *C. morinellus*, *Chettusia gregaria*, *C. leucura*, *Calidris melanotos*, *C. maritima*, *Tringa stagnatilis*, *Xenus cinereus*.
- Kondratyev, A.V. 1998. (New record of the Bar-tailed Godwit *Limosa lapponica* from Leningrad Region). *Russian J. Ornithol.* Express-issue 53: 25. In Russian.
- Korshikov, L.V. 1999. [News on waders of the eastern part of Orenburg Region]. In: *Materials to the distribution of bird species in the Urals, adjacent territories and Western Siberia*. Ekaterinburg, p. 142-143. In Russian. Records of *Charadrius alexandrinus*, *Recurvirostra avosetta*, *Calidris alba*, *Vanellus gregarius*, *Calidris ruficollis*, *Limicola falcinellus*.
- Kuzyakin, V.A. 1999. (Censuses and resources of breeding Woodcock in European Russia). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 77-82. In Russian with English summary. *Scolopax rusticola*.
- Lebed', E.A. & Knysh, N.P. 1999. (Distribution and numbers of breeding waders in Sumy Region, north-eastern Ukraine). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 83-92. In Russian with English summary.
- Lugovoy, A.E. & Potish, L.A. 1998. (Fauna and numbers of breeding waders in Zakarpatskaya region of the Ukraine). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 103-106. In Russian with English summary.
- Mädlow, W. & Model, N. 2000. Vorkommen und Bestand seltener Brutvogelarten in Deutschland 1995/96. (Occurrence and population sizes of rare and scarce breeding bird in Germany 1995/96). *Vogelwelt* 121(4): 189-205. In German with English summary. (Konrad Wolff-Allee 53, D-14480 Potsdam, Germany). Breeding waders: *Charadrius alexandrinus*, *Pluvialis apricaria*, *Calidris alpina*, *Philomachus pugnax*, *Limosa limosa*, *Numenius arquata*, *Tringa totanus*, *T. ochropus*, *Arenaria interpres*.
- Maumary, L., Baudraz, M. & Guillaume, T. 1997. [Gull and wader spring migration at the mouth of the Venoge river (lake of Geneva) [Switzerland]. Synthesis of 13 years censuses. Recommendations for improving the site]. *Nos Oiseaux* 44: 125-155. In French with English summary. Daily counts between 1984 and 1996.
- Maumary, L., Baudraz, M. & Gysel, S. 2000. Seltene Vogelarten und ungewöhnliche Vogelbeobachtungen in der Schweiz im Jahre 1999. (Rare and unusual bird observations in Switzerland in 1999). *Ornithol. Beob.* 97(4): 307-333. In German with English summary. (Praz-Séchaud 40, CH-1010 Lausanne, Switzerland). Waders: *Calidris melanotos*, *Limicola falcinellus*, *Tryngites subruficollis*, *Tringa stagnatilis*, *Phalaropus lobatus*.
- McCrie, N. & Jaensch, R. 1999. Sighting of a Caspian Plover *Charadrius asiaticus* at Lake Finniss, Northern Territory. *Aust. Bird Watcher* 18: 81-86. (P.O. Box 41382, Casuarina, NT 0811, Australia)
- McGeehan, A. 2000. American



Golden Plover in Tunisia in December 1998, with comments on its identification. *Dutch Birding* 22(1): 25-27. (75 Lyndhurst Ave., Bangor, Down BT19 1AY, Northern Ireland). *Pluvialis dominicus*.

Meissner, W. & Włodarczak, A. 1999. Autumn migration of the Sanderling (*Calidris alba*) in the Puck Bay region (southern Baltic coast). *Ring* 21(2): 57-67. (Dept. Vertebrat. Ecol. & Zool., Univ. Gdańsk, Al. Legionow 9, PL-80-441 Gdańsk, Poland, e-mail: biowm@univ.gda.pl). Autumn passage similar to that in other parts of Europe.

Meissner, W. 2000. Autumn migration of the Redshank (*Tringa totanus*) in the region of the Gulf of Gdańsk (Poland). *Vogelwarte* 40(3): 179-188

Meissner, W. & Remisiewicz, M. 1998. Wader studies of the Waterbird Research Group "Kuling" in 1983-1998. *Ring* 20(1-2): 21-33. Ringing results are described.

Mel'nikov, Yu.I. 1998. (The discovery of the Great Snipe *Gallinago media* in Eastern Siberia). *Russian J. Ornithol.* Express-issue 43: 6-8. In Russian.

Mel'nikov, Yu.I. 1999. (Recent state of the Woodcock *Scolopax rusticola* populations in Eastern Siberia). *Russian J. Ornithol.* Express-issue 62: 9-14. In Russian.

Mel'nikov, Yu.I. 1999. (The Oystercatcher *Haematopus ostralegus* – a new species for the ornithofauna of Baikal region). *Russian J. Ornithol.* Express-issue 71: 16-18. In Russian.

Mikhailova, E.V. 1998. (Breeding waders of the northern part of the Ladoga Lake, Karelia). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 24-27. In Russian with English summary.

Mischenko, A.L. & Sukhanova, O.V. 1998. (Breeding waders of the Novgorod region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 28-33. In Russian with English summary.

Mitrus, C., Kuczborski, R. & Slupek, J. 1998. (Autumn passage of the Common Sandpiper *Actitis hypoleucus* in the Bug River valley - dynamics and biometry). *Notatki Ornitol.* 39(1): 13-25. In Polish with English summary. (Zaklad Zool., Inst. Biol., Wydzsa Szkoła Rolniczo-Pedagogiczna, Prusa 12, PL-08-110, Poland).

Mitrus, C., Kuczborski, R. & Slupek, J. 1998. Report on ringing and observations of waders at the Bug river (central-eastern Poland). *Ring* 20(1-2): 73-76. (Zool. Dept., Agric. & Pedagogic Univ., Inst. Biol., ul. Prusa 12, PL-08-110 Siedlce, Poland, e-mail: ficedula@wsrp.siedlce.pl). *Actitis hypoleucus* and *Tringa glareola* accounted for 60% of all birds caught.

Momose, A. 1998. [Wintering records of Long-billed Ringed Plover in Tokachi District, eastern Hokka (Japan)]. *Jap. J. Ornithol.* 47: 24. In Japanese with English summary. (ARC Corp., Higashi 6, Minami 7-20, Obihiro 080, Japan). *Charadrius placidus*.

Mongin, E.A., Nikiforov, M.E. & Pinchuk, P.V. 1998. (Distribution and numbers of waders of the shores of Belarus water bodies). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 97-102. In Russian with English summary.

Morozov, V.V. 1998. (Recent status of southern subspecies of Whimbrel *Numenius phaeopus alboaxillaris* Lowe, 1921 in Russia and Kazakhstan). *Russian J. Ornithol.* Express-issue 34: 3-15. In Russian.

Morozov, V.V. 1999. (Breeding waders on Vaigach Island). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 7-13. In Russian with English summary.

Nankinov, D.N. 1998. The population of the Slender-billed Curlew *Numenius tenuirostris* becomes steady. Monitoring researches are necessary. *Russian J. Ornithol.* Express-issue 56: 12-15.

Nebel, S., Piersma, T., Gils, J. van, Dekkinga, A. & Spaans, B. 2000.

Length of stopover, fuel storage and a sex-bias in the occurrence of two subspecies of Red Knots *Calidris c. canutus* and *C.c. islandica* in the Dutch Wadden Sea during southward migration. *Ardea* 88(2): 165-176. (T. Piersma: NIOZ, P.O. Box 59, NL-1790 AB Den Burg, Texel, Netherlands, e-mail: theunis@nioz.nl)

Nikiforov, M.E. & Mongin, M.A. 1998. (Breeding waders of Belarus: numbers estimates and recent population trends). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 93-96. In Russian with English summary.

Ogilvie, M. and the Rare Breeding Birds Panel 2000. Rare breeding birds in the United Kingdom in 1998. *Brit. Birds* 93(8): 358-393. (Glencairn, Bruichladdich, Isle of Islay PA49 7UN, UK). Breeding waders: *Recurvirostra avosetta*, *Burhinus oedicnemus*, *Charadrius dubius*, *Calidris morinellus*, *Calidris temminckii*, *Calidris maritima*, *Limosa limosa*, *Numenius phaeopus*, *Tringa nebularia*, *Tringa ochropus*, *Tringa glareola*, *Phalaropus lobatus*.

Okolelov, A.Yu. 1999. (Breeding waders of Tambov Region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 45-53. In Russian with English summary.

Olsen, K.M. 1998. [More on the American Golden Plover]. *Roadrunner* 6: 18-20. In Swedish. (Gartnerivej 3, 1, DK-2100 Copenhagen O, Denmark). *Pluvialis dominica* and its identification.

Persson, C. 1998. Weight studies in Wood Sandpipers (*Tringa glareola*), migrating over South-Western Scania in late summer and spring, with notes on related species. *Ring* 20(1-2): 95-105. (Ljungsatersvagen 43, S-236 41 Höllviken, Sweden, e-mail: cp.hollviken@swipnet.se).

Piskunov, V.V. 1996. (Rare shorebirds (Charadriiformes)). In: Shliakhtin, G.V. (ed.). *Fauna of the Saratov Region*. Vol.1, No. 1. - [S.l.] : Publ. House of the State Sc. Educ. Centre "College", p. 47-62. In Russian with English summary.



- Piskunov, V.V. & Belyachenko, A.V. 1998. (Peculiarities of population dynamics in some wader species of Saratov region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 63-74. In Russian with English summary.
- Piskunov, V.V. & Belyachenko, A.V. 1999. (Distribution and numbers of Stone Curlew, Lapwing, Sociable Plover and Green Sandpiper in Saratov Region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 68-72. In Russian with English summary. *Burhinus oedicnemus*, *Vanellus vanellus*, *Chettusia gregaria*, *Tringa ochropus*.
- Polakowski, M. & Juniewicz, M. 1998. Autumn migration of waders at the Sewage Treatment Plant in Fasty near Bialystok (eastern Poland). *Ring* 20(1-2): 59-67. (ul. Sokolska 23 m. 4, PL-15-865 Bialystok, Poland). Most numerous: *Vanellus vanellus*, *Tringa glareola*, *Philomachus pugnax*, *Gallinago gallinago*, *Calidris minuta*.
- Primak, I.V. 1999. [Breeding of the Black-winged Stilt in the south of Tyumen Region, western Siberia]. In: *Materials to the distribution of bird species in the Urals, adjacent territories and Western Siberia*. Ekaterinburg, p. 176. In Russian. *Himantopus himantopus*.
- Rakhimov, I.I. 1999. (Waders in anthropogenous landscapes of Tartarstan). *Russian J. Ornithol.* Express-issue 76: 20-23. In Russian.
- Ravkin, E.S., Preobrazhenskaya, E.S. & Buyvolov, Yu.A. 1999. (Resources of some wader species in Yaroslavl' Region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 30-34. In Russian with English summary.
- Remisiewicz, M. 1998. Development of the project "Tringa glareola 2000". *Ring* 20(1-2): 83-89. (Dept. Vertebrat. Ecol. & Zool., Univ. Gdansk, Al. Legionow 9, PL-80-441 Gdansk, Poland, e-mail: biomr@univ.gda.pl). On migration of *Tringa glareola* through Europe.
- Retiveau, P. 1997. [Breeding of Ruff (*Philomachus pugnax*) in Vendée, west France]. *Ornithos* 4: 188. In French with English summary. (LPO Vendée, Cité des Forges, Esc. E., n 129, F-85000 La-Roche-sur-Yon, France)
- Rogers, M.J. & Rarities Committee 2000. Report on rare birds in Great Britain in 1999. *Brit. Birds* 93(11): 512-567. Information on 21 wader species.
- Rudenko, A.G. & Rybachuk, K.I. 1998. (Breeding waders of the Black Sea Biosphere Reserve). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 107-110. In Russian with English summary.
- Sagar, P.M., Shankar, U. & Brown, S. 1999. Distribution and numbers of waders in New Zealand, 1983-1994. *Notornis* 46(1): 1-43. (Natl. Inst. Water & Atmosph. Res., P.O. Box 8602, Christchurch, New Zealand, e-mail: p.sagar@niwa.cri.nz). In winter (June/July) 163 000 New Zealand breeding and 21 000 arctic migrant waders were recorded. In summer (November/December) 37, 000 New Zealand breeding and 166, 000 arctic migrant waders were recorded.
- Salnik, A.L. 1998. (To distribution of the Black-winged Stilt in the western part of Dnipropetrovsk region). *Avisfauna of Ukraine*. Suppl. to *Berkut*, issue 1: 106. In Russian with English summary. *Himantopus himantopus*.
- Sandor, A.D. & Virginas, A. 1998. Remarks on the status of Wood sandpiper (*Tringa glareola*) in Romania. *Ring* 20(1-2): 123-125. (Milvus Ornithol. Grp., RO-4300, Tg-Mures, Cp 39.Op. 3, Romania, e-mail: milvus@netsoft.ro).
- Sarychev, V.S. & Klimov, S.M. 1999. (Current distribution and numbers of breeding waders in Lipetsk Region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 54-61. In Russian with English summary.
- Schmidt, F.-U. 1998. Die Vogelwelt de Polder der Stärkefabrik bei Wietzendorf - eine kommentierte Artenliste. [The birds of settling ponds of a amylyum-factory near Wietzendorf - an annotated species list]. *Nat.kdl. Beitr. Soltau-Fallingbostel* 5: 25-52. In German. (Carl-Peters-Str. 42, D-29614 Soltau, Germany). Information on the occurrence of 23 wader species.
- Shitikov, D.A. 1998. (Nest record of the Oystercatcher *Haematopus ostralegus* from the Vinogradovskaya river plain, Moscow Region). *Russian J. Ornithol.* Express-issue 47: 17. In Russian.
- Shubin, A.O., Ivanov, A.P. & Kasatkina, Yu.N. 2000. (Sociable Plover: big flock recorded in Kalmykia). In: *Information materials of the Working Group on Waders* 13: 39. In Russian with English summary. *Chettusia gregaria*.
- Stawarczyk, T. 1998. Ringing of waders on the barrier-reservoirs of Silesia (south-western Poland) in years 1978-1990. *Ring* 20(1-2): 69-72. (Mus. Nat. Hist., ul. Sienkiewicza 21, PL-50-335, Poland, e-mail: stawar@uni.wroc.pl). Most numerous trapped waders: *Tringa glareola*, *Gallinago gallinago*, *Actitis hypoleucos*.
- Sueur, F. & Triplet, P. 1999. *Les oiseaux de la Baie de Somme*. Inventaire commenté des oiseaux de la Baie de Somme et de la Plaine Maritime Picarde. [The birds of the Baie de Somme. A description of the birds of the Baie de Somme and the Plaine Maritime Picarde]. [S.I.]: Syndicat mixte pour l'Aménagement de la côte Picarde [etc.], 510 p. In French. (SMACOPI, 1, Place de l'Amiral Courbet, F-80 100 Abbeville, France, e-mail: blanquetaque@dyadel.net). Detailed species accounts of migrating and breeding waders, 1970's to 1999.
- Sviridova, T.V., Zubakin, V.A., Volkov, S.V. & Kontorschikov, V.V. 1998. (Breeding waders of Moscow Region: current number estimate). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 34-41. In Russian with English summary.
- Tertitsky, G.M., Pokrovskaya, I.V., Zhukov, V.S. & Vartapetov, L.G. 1999. (Distribution and numbers of breeding waders in Yamalo-Nenetsky



- Autonomous Region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 2. - Moscow : Russian Bird Conservation Union, p. 14-29. In Russian with English summary.
- Utmar, P., Kravos, K. & Perco, F. 1997. [Observation of Pectoral Sandpiper (*Calidris melanotos*) on the Isonzo estuary (Italy)]. *Fauna* 4: 89-90. In Italian with English summary. (Serv. regionale della Caccia e della Pesca, via di Troppo, 40, I-33100 Udine, Italy)
- Vangeluwe, D., Handrinos, G. & Bulteau, V. 1998. [Slender-billed Curlew: its history, current status and identification]. *Ornithos* 5: 22-35. In French with English summary. (I.R.S.N. Belgique, 29 rue Vautier, B-1000 Brussels, Belgium). *Numenius tenuirostris*.
- Venema, P. 1997. [Staging Whimbrels *Numenius phaeopus* in Drente (Netherlands) in 1980-95]. *Drentse Vogels* 10: 27-36. In Dutch with English summary. (Poelakkers 1, NL-9321 EW Peize, Netherlands).
- Venema, P. 1997. [Migration of Whimbrels *Numenius phaeopus* in Drente (Netherlands) in 1980-95]. *Drentse Vogels* 10: 37-49. In Dutch with English summary.
- Vilkov, E.V. 1998. (Breeding waders of Daghestan). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 84-90. In Russian with English summary.
- Vink, A., Janse, M. & Wiegant, W.M. 1999. Steltstrandloper in Blauwe Kamer in juli 1998. (Stilt Sandpiper at Blauwe Kamer in July 1998). *Dutch Birding* 21(6): 333-336. In Dutch with English summary. (Robijnbosweg 59, NL-3903 DT Veenendaal, Netherlands). *Micropalama himantopus*.
- Vogrin, M. 1998. [Breeding of the Northern Lapwing *Vanellus vanellus* at Dravsko polje (Slovenia)]. *Acrocephalus* 19: 14-20. In Slovene with English summary. (Hotinjska c. 108, SI-2312 Orehova vas, Slovenia).
- Vogrin, M. 1998. [Passage and occurrence of the Ruff *Philomachus pugnax* at Dravsko polje (Slovenia)]. *Acrocephalus* 19: 155-158. In Slovene with English summary.
- Volkov, A.E. & de Korte, J. 1998. (Breeding waders of the Severnaya Zemlya Archipelago). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 91-92. In Russian with English summary.
- Watson, J.J. & Kerley, G.I.H. 1995. A survey of the dune-breeding birds in the Eastern cape, South Africa. *Ostrich* 66: 15-20. *Haematopus moquini* breeding numbers.
- Wilson, A.M. & Browne, S.J. 1999. Breeding population estimates for Lapwing, Oystercatcher and Curlew in Scotland: results of the 1998 BTO Lapwing Survey. *Scott. Birds* 20: 73-80. *Vanellus vanellus*, *Haematopus ostralegus*, *Numenius arquata*.
- Zav'yalov, E.V., Tabachishin, V.G., Shlyakhtin, G.V. & Kapranova, T.A. 1998. (Recent population state of some breeding waders in Saratov region). In: Tomkovich, P.S. & Lebedeva, E.A. (eds.). *Breeding waders in Eastern Europe - 2000*. Vol. 1. - Moscow : Russian Bird Conservation Union, p. 52-62. In Russian with English summary.
- Arts, F.A., Graveland, J. & Meiningen, P.L. 2000. Kustbroedvogels, vegetatiesuccesie en natuurontwikkeling: implicaties voor toekomstig beheer van kustgebieden. (Coastal breeding birds, vegetation succession and man-made habitats: implications for future management of coastal areas). *Limosa* 73(1): 17-28. In Dutch with English summary. (Delta Project Management, P.O. Box 315, NL-4100 AH Culemborg, Netherlands). Waders: *Recurvirostra avosetta*, *Charadrius hiaticula*, *C. alexandrinus*
- Gregory-Smith, R. 1998. Attempted predation on young Malaysian Plovers *Charadrius peronii* by sand crabs. *Forktail* 14: 79. (Inst. Biodiversity Env. Conserv., Univ. Malaysia Sarawak, 94300 Kota Samarahan, Sarawak, Malaysia)
- Korzyukov, A. & Formanyuk, O. 1999. (Long-living waders of southern Ukraine). In: *Information materials of the Working Group on Waders* 12: 51. In Russian with English summary.
- Nijland, F. 2000. Lammetjes in de lucht: territoriumkartering van watersnippen *Gallinago gallinago* nader bekeken. (A closer look at territory-mapping Common Snipes *Gallinago gallinago*). *Limosa* 73(1): 1-6. In Dutch with English summary. (Canterlandseweg 18, NL-9061 CC Giekerk, Netherlands).
- Zhmud, M.E. 1999. (How is it possible to check the role of hunting in catastrophic decline of the Slender-billed Curlew population?). In: *Information materials of the Working Group on Waders* 12: 48-51. In Russian with English summary. *Numenius tenuirostris*.

Miscellaneous

- Vink, A., Janse, M. & Wiegant, W.M. 1999. Steltstrandloper in Blauwe Kamer in juli 1998. (Stilt Sandpiper at Blauwe Kamer in July 1998). *Dutch Birding* 21(6): 333-336. In Dutch with English summary. (Robijnbosweg 59, NL-3903 DT Veenendaal, Netherlands). *Micropalama himantopus*.
- Vogrin, M. 1998. [Breeding of the Northern Lapwing *Vanellus vanellus* at Dravsko polje (Slovenia)]. *Acrocephalus* 19: 14-20. In Slovene with English summary. (Hotinjska c. 108, SI-2312 Orehova vas, Slovenia).
- Vogrin, M. 1998. [Passage and occurrence of the Ruff *Philomachus pugnax* at Dravsko polje (Slovenia)]. *Acrocephalus* 19: 155-158. In English summary.
- Gregory-Smith, R. 1998. Attempted predation on young Malaysian Plovers *Charadrius peronii* by sand crabs. *Forktail* 14: 79. (Inst. Biodiversity Env. Conserv., Univ. Malaysia Sarawak, 94300 Kota Samarahan, Sarawak, Malaysia)
- Korzyukov, A. & Formanyuk, O. 1999. (Long-living waders of

