ΞΞ.

vania on January 15, 1932.

The only bait used in any of the traps during the period that this species is present at the station is small grains such as fine chick feed, millet or canary seed, they repeat more often than any other and the total number of repeats taken from the 604 banded is 3.355.

Those individuals that have once returned to the station give a much higher rate of return in subsequent years than newly banded birds; here are the figures: seventy-seven returned one year, of these thirty-eight came back a second or 50%; of the thirty-eight that returned for the second, fifteen came back the next year or 40%; of the fifteen that returned the third year, nine came back the fourth year or 60%; of the nine that returned the fourth year, five came back the fifth year or 55.5%; of the five that returned the fifth year, two came back the sixth year or 40%.

)f	the	origin	al	604	ba	anded	:		
	77	lived	to	be	at	least	2	years	old
	38	"	"	"	"	"	3	"	"
	15	"	"	"	"	"	4	"	"
	9	"	"	11	"	"	5	"	"
	5	"	"	"	"	"	6	tt .	"
	กั	"	ii	"	"	4.6	ž	"	"

Norristown, Pennsylvania

RETURNS FROM BANDED BIRDS: SOME MISCELLANEOUS RECOVERIES OF INTEREST

By May Thacher Cooke

When checking return record cards preparatory to filing them, it has become a habit to put aside records that seemed to hold more than ordinary interest. That these records are interesting is not necessarily because the birds have done unusual things. In fact many records have been chosen because they demonstrated that individual birds had really made the migrations that were expected of them. Others have been selected because the species have not been frequently reported; some because they indicate a rather long span of life; some because of the distance traveled or the speed or direction of migration.

It was thought that it would be well to publish some of these

records while they were comparatively new. The majority of them have been received within the last year.

As in previous papers in this series an asterisk preceding the number indicates that the bird was known to be a bird of the year when banded.

BLACK-FOOTED ALBATROSS (Diomedea nigripes)

= *40-721213, banded on Sand Island, Midway Station, Pacific Ocean, on December 25, 1940, by G. C. Munro, was caught on a fish line near Cape Omaney, Alaska, July 22, 1942.

*40-721392, banded on Sand Island, Midway Station, Pacific Ocean, on December 29, 1940, by G. C. Munro, was found dead near Yachato, Oregon, May 27, 1942.

BROWN PELICAN (Pelecanus occidentalis)

*36-801463, banded near Titusville, Fla., on October 1, 1940, by M. J. Westfall, was found wounded at Habana, Cuba, November 24, 1941.

*39-820503, banded near Titusville, Fla., on July 21, 1939, by C. R. Mason, was captured and released at Santiago de Cuba, Cuba, May 4, 1941.

WHITE-BELLIED BOOBY (Sula leucogaster)

*38-709679, banded at Moku Manu, West, Hawaii, on October 27, 1938, by G. C. Munro, was recovered on the island of Nauru, 177° W. long., just south of the equator, halfway between Hawaiian Islands and Australia, March 21, 1942.

DOUBLE-CRESTED CORMORANT (Phalacrocorax auritus)

A714547, banded near Dafoe, Sask., on July 6, 1932, by J. A. M. Patrick, was found near Willow Lake, S. Dak., May 5, 1942.
34-705500, banded near Dafoe, Sask., on July 21, 1935, by F. G. Bard, was found

dead at Farmerville, La., October 1, 1941.

41-807924, banded in Muscongus Bay, Me., on August 4, 1941, by J. M. Cadbury, was shot at Laplace, La., April 25, 1942.

REDDISH EGRET (Dichromanassa rufescens)

*B611848, banded on Farwell Island, 10 mi. W. Port O'Connor, Texas, on June 12, 1931, by Alston Clapp, Sr., was found wounded in Jackson County, Texas, September 10, 1942.

LITTLE BLUE HERON (Florida caerulea)

*38-645592, banded at Cape May, N. J., on June 8, 1941, by E. J. Reimann, was found dead at Tobago, B. W. I., November 6, 1941.

MALLARD (Anas platyrhynchos)

41-710920, banded at the Lower Souris National Wildlife Refuge, Upham, N. Dak., on November 11, 1941, by C. J. Henry, was killed in Chambers Co., Texas, November 28, 1941.

41-710935, banded at the Lower Souris National Wildlife Refuge, Upham, N. Dak., on November 11, 1941, by C. J. Henry, was shot at Moberly, Mo., November 20, 1941.

A689684, banded at Abbeville, La., on January 24, 1931, by R. D. Gordon, was

shot at St. Joseph, Mo., December 17, 1941. 36-733888, banded at the Lower Souris National Wildlife Refuge, Upham, N. Dak., on September 27, 1938, by C. J. Henry, was shot near Boulder, Colo., November 9, 1941.

40-608767, banded at the Chautauqua National Wildlife Refuge, Havana, Ill. on November 26, 1939, by H. L. Bradley, was shot at Moscow, Idaho, October 27, 1941.

40-729716, banded at Barrington, Ill., on December 9, 1941, by C. A. Beckhart,

was shot in East Carroll Parish, La., December 21, 1941.

40-749342, banded at the Chautauqua National Wildlife Refuge, Havana. Ill.. on November 28, 1940, by J. M. Anderson, was shot at Bountiful, Utah. November 12, 1941.

41-702046, banded at the Lower Souris National Wildlife Refuge, Upham, N. Dak., on November 11, 1941, by C. J. Henry, was shot at Stuttgart, Ark., November 27, 1941.

BLACK DUCK (Anas rubripes)

BEACK BUCK (Ands ruoripes)

B676335, banded at Wantagh, N. Y., on October 4, 1932 by Wm. Vogt, was shot at Southold, N. Y., November 29, 1941.

B67644[-], banded at Wantagh, N. Y., on October 22, 1932 by Wm. Vogt, was shot near Jones Beach, N. Y., December 7, 1941.

34-504739, banded at East Lyme, Conn., on March 16, 1934, by P. C. Barney, was shot at Saybrook, Conn., December 10, 1941.

*34-636167, Hand reared; banded at Riverhead, N. Y., on October 12, 1934 by Joseph Powers, was shot in Hampton Bay, N. Y., November 30, 1941.

BALDPATE (Mareca americana)

A558253, banded at the Malheur National Wildlife Refuge, Burns, Oregon, April 4, 1933, by Geo. M. Benson, was shot at Shishmaref, Alaska, in October 1941.

PINTAIL (Dafila acuta)

C615880, banded at Irvington, Calif., January 20, 1934, by N. R. Tucker, was shot at Suisun Marsh, Solano Co., Calif., October 29, 1941. C638484, banded at Ladner, B. C., October 29, 1933, by G. C. Reifel, was shot

near Ladner, B. C., November 7, 1942.

34-546555, banded at Ceres, Calif., on September 22, 1934, by E. R. Jones, was shot at Bucklin, Kans., October 21, 1940.

34-615355, banded at Irvington, Calif., on February 16, 1934, by N. R. Tucker, was shot in Sacramento Co., Calif., November 26, 1941.

35-500180, banded at the Tule Lake National Wildlife Refuge, Calif., on February 2, 1935, by H. M. Worcester, was shot in Gallatin Co., Mont., October 23, 1941.

35-518566, banded at the Lower Souris National Wildlife Refuge, Upham, N. Dak., on October 25, 1941, by C. J. Henry, was shot at Algona, Texas, November 15, 1941.

37-614515, banded at Lakin, Kans., on March 13, 1937, by P. F. Osborn, was shot 45 miles east of the Perry River, Queen Maud Gulf, Arctic Ocean, July 1, 1939.

39-630837, banded at the Mattamuskeet National Wildlife Refuge, New Holland, N. C., on February 25, 1939, by M. S. Johnson, was shot near Dajabon, Dominican Republic, about December 11, 1941.

*39-681582, banded at the Des Lacs National Wildlife Refuge, Kenmare, N. Dak., on August 25, 1939, by S. H. Low, was found dead at Obregon, Sonora, Mexico, in October, 1941.

40-659197, banded at Tulsa, Okla., on February 10, 1940, by H. S. Davis, was shot at Salton Sea, Calif., October 25, 1941.

40-692406, banded at the Bear River Migratory Bird Refuge, Brigham, Utah, on September 23, 1940, by V. T. Wilson, was shot at La Barca, Jalisco, Mexico, during March, 1941.

- 140-603793, banded at Tulare Lake, Calif., on September 29, 1940, by Gordon H. True, Jr., was shot on the Perry River, Queen Maud Gulf, Arctic Ocean, during August, 1941.
- 41-632437, banded at Tulsa, Okla., on February 25, 1941, by H. S. Davis, was shot at Los Banos, Calif., October 26, 1941.

GREEN-WINGED TEAL (Nettion carolinense)

- 34-540117, banded at the Bear River Migratory Bird Refuge, Brigham, Utah, on September 3, 1935, by V. T. Wilson, was shot at Lake Winnebago, Wis., November 2, 1941.
- 38-514617, banded at the Malheur National Wildlife Refuge, Burns, Oreg., on October 7, 1940, by Geo. M. Benson, was shot on the Laduc River, near the Stewart River, Yukon, about September 24, 1942.
- 39-537767, banded at the Bear River Migratory Bird Refuge, Brigham, Utah, on August 27, 1940, by V. T. Wilson, was shot at Osceola, Mo., November 10, 1941.
 - BLUE-WINGED TEAL (Querquedula discors)
- 38-624914, banded at the Sand Lake National Wildlife Refuge, Columbia, S. Dak., on July 26, 1938, by P. A. DuMont, was shot at Bogotá, Colombia, November 13, 1938.
- 39-633802, banded at the Waubay National Wildlife Refuge, Waubay, S. Dak., on August 10, 1940, by D. R. Ambrossen, was shot near Cap Haitien, Haiti, in March. 1941.
- 40-514081, banded at the Mud Lake National Wildlife Refuge, Holt, Minn., on August 21, 1941, by K. G. Kobes, was shot at Salima, Esmeraldas, Ecuador, October 19, 1941.
- 40-521003, banded at Orland Park, Ill., on August 22, 1941, by L. H. Hutchens, was shot at Vere, Jamaica, during the early part of October, 1941.
- 41-522519, banded at Orland Park, Ill., on October 6, 1941, by L. H. Hutchens, was shot at Machiques, Perije, Zulia, Venezuela, October 25, 1941.
- 41-600828, banded at Orland Park, Ill., on September 11, 1941, by L. H. Hutchens, was found injured near Duvergé, Barahona, Dominican Republic, about October 18, 1941.

SHOVELER (Spatula clypeata)

38-516749, banded at the Malheur National Wildlife Refuge, Burns, Oreg., on September 12, 1941, by George M. Benson, was trapped and released in Kings Co., Calif., October 1, 1941, by cooperator Gordon H. True, Jr.

WOOD DUCK (Aix sponsa)

- 39-642631, banded at Lincoln, Me., on September 18, 1940, by J. S. Stickney, was found dead near Burgan, N. C., November 24, 1941.
- 39-642700, banded at Lincoln, Me., on September 18, 1940, by J. S. Stickney, was shot near Mobile, Ala., November 22, 1941.
- 140-612358, banded at Lincoln, Me., on October 23, 1940, by J. S. Stickney, was shot at Newark, Ark., November 18, 1941.
- 40-516791, banded at Carolina Sandhills National Wildlife Refuge, McBee, S. C. on November 26, 1941, by Wm. F. Hopkins, was shot at East Templeton, Que., September 15, 1942.

REDHEAD (Nyroca americana)

- 37-642012, banded at the Des Lacs National Wildlife Refuge, Kenmare, N. Dak., on April 28, 1938, by S. H. Low, was recovered at Medical Lake, Washington, in October, 1941.
- 38-636542, banded at Pymatuning Lake, Pa., on March 31, 1938, by L. E. Hicks,

≣ €

1 %

= .5

AND THE PROPERTY OF THE PROPER

≣ 6

was shot near Clinton, Iowa, November 7, 1940.

39-704271 banded at the Malheur National Wildlife Refuge, Burns, Oregon, on April 12, 1939, by Geo. M. Benson, was shot at Aransas Pass, Texas, November 4, 1941.

140-611496, banded at Libau, Man., on September 26, 1941, by R. D. Harris,

was shot at Rondeau, Kent Co., Ont., October 27, 1941.

41-680301, banded at Thief Lake, Marshall Co., Minn., by Lansing Parker, was

shot at North East, Maryland, November 2, 1942.

41-712650, banded at the Malheur National Wildlife Refuge, Burns, Oreg., on October 8, 1941, by Geo. M. Benson, was shot near Lone Pine, Calif., October

CANVASBACK (Nyroca valisineria)

40-603753, banded at the Wichita Mountains Wildlife Refuge, Cache, Okla., on November 3, 1941, by F. B. McMurry, was shot at Waco, Texas, November 5, 1941.

LESSER SCAUP (Nyroca affinis)

38-549017, banded at Ministik Lake, Alta., on August 13, 1940, for Ducks Unlimited (Canada) was shot near Darien, Ga., December 17, 1941.
40-676837, banded at Ministik Lake, Alta., on September 13, 1941, by T. E. Randall, was shot in San Diego Co., Calif., November 8, 1941.
140-610494, banded at Ministik Lake, Alta., on September 26, 1940, for Ducks Unlimited (Canada), was shot at Obregon, Sonora, Mexico, in February, 1941.

140-610660, banded at Ministik Lake, Alta., on September 29, 1941, by T. E. Randall, was shot at Galveston, Texas, November 18, 1941.

140-610709, banded at Ministik Lake, Alta., on September 27, 1940, for Ducks Unlimited (Canada), was shot in Solano Co., Calif., December 13, 1941.

RING-NECKED DUCK (Nyroca collaris)

A586763, banded at Avery Island, La., on January 31, 1941, by E. A. McIlhenny, was shot at Leland, Ill., November 10, 1941.

34-549199, banded at Avery Island, La., on December 6, 1934, by E. A. McIlhenny was shot at Whiteshell, Manitoba, October 17, 1942.

BUFFLEHEAD (Charitonetta albeola)

*41-513004, banded at Ministik Lake, Alta., on September 20, 1941, by T. E. Randall, was shot at Marysville, Wash., December 3, 1941.

BLACK VULTURE (Coragues atrata)

41-803639, banded at Avery Island, La., on February 8, 1941, by E. A. McIlhenny, was recovered near Robertsdale, Ala., May 10, 1942.

SWAINSON'S HAWK (Buteo swainsoni)

*38-685641, banded at Macrorie, Sask., on July 21, 1940, by F. J. H. Fredeen, was shot at Estancia "Los Alfelfores," Province of Córdoba, Argentina, December 23, 1941. This is the first recovery record from Argentina.

BALD EAGLE (Haliaeetus leucocephalus)

*40-810006, banded at Indian Rocks, Fla., on January 22, 1942, by C. L. Broley, was shot at Lac à la Croix, St. Jean, Quebec, May 11, 1942.

*41-807416, banded at Tampa, Fla., on February 25, 1942, by C. L. Broley, was killed at Leger Brook, N. B., May 23, 1942.

MARSH HAWK (Circus hudsonius)

*B661931, banded at Williamston, Mich., on June 27, 1932, by P. F. English,

was shot at Cass City, Mich., November 7, 1941.

PRAIRIE FALCON (Falco mexicanus)

*38-727043, banded at Casper, Wyo., on June 11, 1941, by C. R. Berry, was shot at Wing, N. Dak., in November, 1941.

*39-644607, banded in Laramie, Wyo., on June 6, 1941, by R. Yentzer, was shot at Ismay, Mont., August 9, 1941.

DUCK HAWK (Falco peregrinus anatum)

*34-632356, banded at Tunugliarfik Fjord, 50 miles from Juliannehaab, Greenland, by Capt. R. L. Meredith, on August 4, 1941, was found dead at Cienfuegos.

Cuba, December 2, 1941.

*34-639430, banded at Cedar Grove, Wis., September 28, 1941, by O. J. Gromme, was captured and released in the Caribbean Sea, 70 mi.W. of the Colombia-Venezuela border, November 16, 1941.

39-701724, banded at Cedar Grove, Wis., on October 1, 1941, by Murl Deusing, was shot at Buschental, Dept. of San José, Uruguay, December 8, 1941. This is the southernmost recovery for a banded bird of this species to date.

COOT (Fulica americana)

38-657230, banded at the Sand Lake National Wildlife Refuge, Columbia, S. Dak. on August 10, 1938, by P. A. DuMont, was shot at Orange Lake, Florida, November 4, 1941.

HERRING GULL (Larus argentatus)

*565821, banded at Round Island, Mich., on July 9, 1927, by Wm. I. Lyon, was

found dead near Escanaba, Mich., November 9, 1941.
*657289, banded at St. Marys Island Sanctuary, Quebec, on July 20, 1928, by E. H. Fletcher, was recovered at McIvers, Bay of Islands, Nfld., April 26, 1942,

*35-516425, banded at Kent's Island, N. B., on August 8, 1934, by F. B. Whitman, Jr., was shot near Lake City, S. Dak., October 22, 1941.

COMMON TERN (Sterna hirundo)

*382364, banded at Tern Island, Chatham, Mass., on July 2, 1925, by Dr. O. L. Austin, was captured and released at the same locality, June 19, 1942, and rebanded 39-335512.

MOURNING DOVE (Zenaidura macroura)

651000, banded at North Eastham, Cape Cod, Mass., on Angust 21, 1932, by Dr. O. L. Austin, was trapped and released at the same locality, March

A444698, banded at Pasadena, Calif., on February 19, 1935, by Harold Michener, was found dead at Pasadena, Calif., December 4, 1941.

37-413367, banded at North Eastham, Cape Cod, Mass, on September 12, 1941. by Dr. O. L. Austin, was shot in Thomas Co., Ga., December 4, 1941.

39-322436, banded at Lewis, Iowa, on June 23, 1939, by Thos. G. Scott, was killed at Guadalajara, Jalisco, Mexico, October 3, 1941.

*41-301548, banded at Lincoln, Nebr., on June 11, 1941, by LeRoy Gulotta, was shot at Amatitan, Jalisco, Mexico, October 16, 1941.

SCREECH OWL (Otus asio)

*35-602266, banded at Muncie, Ind., on June 28, 1938, by O. B. Christie, was captured alive near Fredericktown, Ohio, April 12, 1942. This is a distance of about 140 miles.

GREAT HORNED OWL (Bubo virginianus)

A720263, banded at Newark, Mo., on April 30, 1934, by H. L. Angus, was recovered near La Belle, Mo., December 3, 1941.

The second secon

Ī

CHIMNEY SWIFT (Chaetura pelagica)

34-40643, banded at Kingston, Ont., May 12, 1935, by R. O. Merriman, was trapped and released at Knoxville, Tenn., September 2, 1941.

36-158518, banded at Opelika, Ala., August 25, 1936, by H. S. Peters, was found

dead on Nipisguit River, Northumberland Co., N. B., June 6, 1942. 140-81155, banded at Macon, Ga., on September 22, 1940, by R. J. Fleetwood, was shot at Prattville, Ala., September 28, 1940.

RED-HEADED WOODPECKER (Melanerpes erythrocephalus)

38-218958, banded at Highland Park, Ill., on May 20, 1940, by P. E. Downing, was captured alive at Estelline, S. Dak., June 10, 1940.

ARKANSAS KINGBIRD (Tyrannus verticalis)

35-139818, banded at Northville, S. Dak., on May 26, 1935, by J. F. Brenckle, was shot at Northville, S. Dak., May 30, 1941.

TREE SWALLOW (Iridoprocne bicolor)

34-72143, banded at Princeton, Mass., on June 8, 1935, by L. B. Chapman, was trapped and released at the same locality, May 24, 1942. This was the seventh return.

BLUE JAY (Cyanocitta cristata)

A253399, banded at Madison, Wis., on May 8, 1932, by Prof. Geo. Wagner, was trapped and released at the same locality, May 5, 1942.

B338811, banded at Manilla, Ont., on November 4, 1932, by R. E. DeLury, was trapped and released at the same locality, October 23, 1941.

B376006, banded at Austin, Texas, on August 15, 1932, by Mrs. C. D. Peake, was found dead at Austin, Texas, May 4, 1942.

37-351305, banded at Beloit, Wis., on May 18, 1941, by Carl Welty, was killed at Evening Shade, Ark., December 6, 1941.

41-343929, banded at Beltsville, Md., on January 15, 1942, by W. M. Davidson was found dead at St. Davids, Pa., June 17, 1942.

CATBIRD (Dumetella carolinensis)

A340570, banded at Harrisburg, Pa., on June 20, 1936, by Dr. Harold B. Wood, was trapped and released at the same locality on August 12, 1941. This bird had also returned on June 20, 1936, May 7, 1937, and May 1, 1938.

ROBIN (Turdus migratorius)

34-314071, banded at Philadephia, Pa., on September 30, 1934, by Dr. William Pepper, was found injured at same locality on May 26, 1942.

RED-WINGED BLACKBIRD (Agelaius phoeniceus)

34-258144, banded at North Eastham, Cape Cod, Mass., on July 26, 1935, by Dr. O. L. Austin, was trapped and released at same locality on March 25,1942

BRONZED GRACKLE (Quiscalus quiscula)

A396060, banded at Fort Smith, Ark., on April 21, 1931, by S. H. Weakley, was killed at Eudora, Ark., March 12, 1942.

40-374705, banded at Randolph, Mass., on April 15, 1941, by Mrs. Ruth J. Wright, was killed at Breau Village, N. B., May 12, 1941.

CARDINAL (Richmondena cardinalis)

34-206915, banded at Bloomfield Hills, Mich., on April 17, 1934, by V. H. Cahalane, was trapped and released at the same locality, December 26, 1941.

BLACK-HEADED GROSBEAK (Hedymeles melanocephala)

39-253492, banded at Pomona, Calif., on July 27, 1940, by Mrs. N. E. Ayer, was

found sick at La Bahia de Los Angeles, Baja, California, August 4, 1940.

PURPLE FINCH (Carpodacus purpureus)

C160589, banded at Sharon, Mass., on August 8, 1934, by Wm. A. Taylor, was trapped and released at the same locality, July 1, 1942.

41-50961, banded at Amherst, Mass., on March 16, 1941, by Mrs. F. M. Cutler was shot at Makati, N. Dak., May 3, 1942.

JUNCO (Junco hyemalis)

37-52282, banded at Tower City, N. Dak., on April 10, 1939, by Edgar S. Preston, was killed by a car at Bee Branch, Ark., December 20, 1941.

41-168106, banded at Jackson, Mich., on April 1, 1942, by W. Preston, was found dead at Cannington, Ont., April 20, 1942.

TREE SPARROW (Spizella arborea)

L54118, banded at Zion, Ill., on April 3, 1934, by C. E. Holcombe, was found dead at Norway House, Man., October 20, 1941.

WHITE-CROWNED SPARROW (Zonotrichia leucophrys)

39-113325, banded at Memphis, Tenn., on November 12, 1940, by B. B. Coffey Jr., was shot near Marble Falls, Texas, December 27, 1940.

WHITE-THROATED SPARROW (Zonotricha albicollis)

C169138, banded at Wyncote, Pa., on November 20, 1933, by Wm. Pepper, Jr., was trapped and released at the same locality, November 5, 1941.

38-184691, banded at Milledgeville, Ga., on February 8, 1942, by Mrs. Mabel T. Rogers, was trapped and released at West Chester, Pa., April 18, 1942, by cooperator A. L. Baily, III.

40-117413, banded at Clemson, S. C., by R. E. Ware, on January 8, 1940, was trapped and released at Oakes, N. Dak., May 11, 1941, by cooperator Mrs. J. F. Nichols.

140-2026, banded at Platteville, Wis., on October 15, 1940, by Carmen Beining, was trapped and released twice at Blacksburg, Va., November 7, 1940 by, cooperator C. O. Handley.

41-136952, banded at Chicago, Ill., on September 29, 1941, by Seymour Levy, was captured at Ponce de Leon, Fla., April 30, 1942.

41-162014, banded at the Sand Lake National Wildlife Refuge, Columbia, S. Dak. on May 7, 1942, by Watson E. Beed, was found at Dundurn, Sask., May 13, 1942.

SONG SPARROW (Melospiza melodia)

36-64900, banded at Randolph, Mass., on July 23, 1937, by Mrs. Ruth J. Wright, was found at Hants Harbor, Trinity Bay, Nfld., August 18, 1941. There are very few definite records for the Song Sparrow in Newfoundland.

.U. S. Fish and Wildlife Service, Washington, D. C.

GENERAL NOTES

A Winter Flicker.—January 22, 1943 was the coldest day of the winter at Hartford, Conn., in fact, it was the coldest January 22 in the records of the local weather bureau. About noon, a male Northern Flicker (Colaptes auratus luteus) was observed eating meat scraps on a patch of ground from which snow had been cleared in our back yard. Two days later a flat trap was set on the spot and the bird was captured. He proved to be in excellent condition. He now wears band No. 41-305363.—G. Hapgood Parks, 99 Warrenton Ave., Hartford, Connecticut.