Ł

DEXTER, R. W. 1942a. Repeats on banded English sparrows. Bird-Banding, 13(3): 121.

1942b. Return of a banded cripple. Bird-Banding, 13(4): 182.

1943. An improvement on the government sparrow trap. Inland Bird Banding News, 15(6): 41.

1944a. More repeats on banded English sparrows. Bird-Banding, 15(2):73-74. Conversion of the government sparrow trap into a water trap. 1944b. Inland Bird Banding News, $1\overline{6}(5)$: 35.

1945. Life history, behavior, and experimental studies through bird banding. Inland Bird Banding News, 17(4): 22 and 24.

KALMBACH, E. R. 1940. Economic status of the English sparrow in the United States. U. S. Dept. Agri. Tech. Bull. no. 711. 66 pp.

NICHOLS, J. T. 1930. Trap-shy House sparrows. Bird-Banding, 1(2): 80.

1934a. Distribution and seasonal movements of the House sparrow. Bird-Banding, 5(1): 20-23.

1934b. Sex ratio in the House sparrow. Bird Banding, 5(4): 188-189.

QUIRING, D. P. and P. H. BADE. Organ and gland weights of the English Sparrow. Growth, 7(3): 300-308.

VENABLES, L. S. V. 1936. Apparent intelligence of the sparrow (Passer domesticus) and starling (Sturnus vulgaris) at the trap. Bird-Banding, 7(1): 45-46.

WEAVER, R. L. 1939a. Winter observations and a study of the nesting of

English sparrows. *Bird-Banding*, 10(2): 73-79. 1939b. The northern distribution and status of the English Sparrow in Canada. *Canadian Field-Naturalist*. 53(7): 95-99.

1942. Growth and development of English sparrows. The Wilson Bulletin, 54(3): 183-191.

1943. Reproduction in English Sparrows. Auk, 60(1): 62-74.

KENT STATE UNIVERSITY, KENT, OHIO

GENERAL NOTES

Arctic Tern banded in Greenland, recovered in Ontario.—On July 4, 1948 I collected an immature female Arctic Tern (Sterna paradisaea Pontoppidan) 1948 I concetted an immuture female Arctic Terri (*Sterna paradissaea* 10 intophilain) on the west coast of James Bay, about 25 miles south of Cape Henrietta Maria, Ontario. It carried a band inscribed "762245, Zoolog. Museum, Denmark". Dr. Finn Salomonsen Curator of Birds at the Zoological Museum of the Univer-sity of Copenhagen has supplied the following data: The bird was banded as a nestling on July 22, 1947 at Grønne Ojland, Disko Bay, West Greenland at about 69° north latitude. The bird was not in breeding condition when collected but for the diving attraction and in the diving attraction of the diving attr was frequenting a small nesting colony and joined in the diving attacks on me by the breeding birds.-T. M. Shortt, Royal Ontario Museum of Zoology, Toronto, Ontario.

Junco Family's Interrelations Reveal Further Complications.—Close by our isolated cabin in Millbridge, Maine, during the summer of 1946, male Junco hyemalis hyemalis (Linn.) 44-53134 and his mate, female 44-53135, raised an adequate family which included juveniles 44-53154 and 44-53156. The subsequent mating of father and daughter (44-53134 and 44-53154) during the summer of 1947 was reported as a General Note on page 22 of *Bird-Banding* for January, 1948, Vol. XIX. No. 1. We were at our cabin again during the summer of 1948 and female 44-53154 was there also. This time, however, her father-husband was the transfer and the bar barther mather 14 52156 not with her. She was accompanied, instead, by her brother, male 44-53156. Although no nest was discovered the behavior of these two juncos was consistently that of a mated pair and by mid-July they were frequently observed feeding a single youngster.—G. Hapgood Parks, 99 Warrenton Avenue, Hartford, Conn.