

BIRD-BANDING

A Journal of Ornithological Investigation

INDEX TO VOLUMES XXXII-XLI

1961-1970

COMPILED BY

BRENDA McGURN

EDITED BY

DAVID W. JOHNSTON

PUBLISHED BY

THE NORTHEASTERN BIRD-BANDING ASSOCIATION, INC.

CONCORD, MA

1979

BIRD-BANDING

A Journal of Ornithological Investigation

INDEX TO VOLUMES XXXII-XLI
1961-1970

COMPILED BY
BRENDA MCGURN

EDITED BY
DAVID W. JOHNSTON

PUBLISHED BY
THE NORTHEASTERN BIRD-BANDING ASSOCIATION, INC.
CONCORD, MA
1979

Other indices and back numbers of
Bird-Banding are available from the
Treasurer whose name and address
appear in a current issue of the journal.

Litho Printed by
Storter Printing Company, Inc.
Gainesville, Florida

INTRODUCTION

Compiling a 10-year index is a difficult and time-consuming task. My admiration and gratitude go to Lawrence M. Bartlett whose 10-year index to Volumes XXII - XXXI was used as a guide for the present one, with some changes as noted below. Preparation of the present index has required almost three years, assistance provided initially by Linda Becker, Frances Berger, and Nancy Salen. Most of the compilation, organization, and typing was ably performed by Brenda McGurn.

The increase in size and scope of Bird-Banding through the years necessitated methods to contain the size of the index. To this end, some headings (as used previously) were dropped and some niceties in presentation and punctuation were sacrificed but hopefully without affecting clarity or utility.

Species names, both scientific and common, appear as used in the published article; some of these do not conform to the recent supplements (Auk, 90, 1973; 93, 1976) of the "A.O.U. Check-list of North American Birds." For extralimital species, Clements' "Birds of the World: A Check List" was often used as a reference.

Abbreviations are abundant. Lists of these appear on the next page. Special attention is directed to "r" used herein to denote a subject or item either in a review or reviewed.

Banding Reports will not be found in a separate section but occur under the individual species accounts that also may include information not appearing elsewhere.

In an endeavor of this magnitude, despite repeated and careful cross-checks, it is almost inevitable that errors and omissions might have crept in. Should you encounter any errors, please feel free to contact the Editor.

ABBREVIATIONS

Afr. - Africa
Amer. - America
anal. - analysis
anat. - anatomy
ann. - annual
Ant. - Antarctic
Arct. - Arctic
Argen. - Argentina
Atl. - Atlantic
Aust. - Australia
band. - banding
behav. - behavior
biol. - biology
Br. Is. - British Isles
Carib. - Caribbean
cons. - conservation
Czech. - Czechoslovakia
Den. - Denmark
descr. - description
detn. - determination
dev. - development
distr. - distribution
e. - east(ern)
ecol. - ecology
embry. - embryology
Engl. - England
Eur. - Europe
evol. - evolution
Finl. - Finland
Fr. - France
Galap. - Galapagos
geog. - geography
geol. - geology
Ger. - Germany
Grnl. - Greenland
hab. - habitat
hist. - history
histol. - histology
illus. - illustration
incub. - incubation
Ind. - India
indiv. - individual
Is. - Island(s)
meas. - measurement(s)
Medit. - Mediterranean
meth. - method
Mex. - Mexico
mgt. - management
migr. - migration
monogr. - monograph
morph. - morphology
mort. - mortality
n. - north(ern)
nat. - nature
navig. - navigation
n.e. - northeast(ern)
Neth. - Netherlands
Nfld. - Newfoundland
nomen. - nomenclature
Nor. - Norway
N.Z. - New Zealand
O. - Ocean
orient. - orientation
ornith. - ornithology
Pac. - Pacific
Pan. - Panama
paras. - parasite
path. - pathology
Phi. - Philippines
phot. - photograph
phys. physiology
Pol. - Poland
pop. - population
r - in a review or reviewed
recog.-recognition
reprod. - reproduction
s. - south(ern)
S. Amer. - South America
Scan. - Scandinavia
Scot. - Scotland
s.e. - southeast(ern)
skel. - skeleton
soc. - social
sp. - species
subsp. - subspecies
surv. - survival
s.w. - southwest(ern)
Switz. - Switzerland
syn. - synonym
syst. - systematics
tax. - taxonomy
tech.-technique
temp.- temperature
terr. - territory
trop. - tropical
U.S. - United States
USF&W - U.S. Fish & Wildlife
USSR - Union of Soviet
Socialist Republics
var. - variation
V.I. - Virgin Islands
vocab. - vocabulary
w. - west
W. Ind. - West Indies
yr. - year
zoog. - zoogeography

STATES et al.

AK - Alaska
AL - Alabama
AR - Arkansas
AZ - Arizona
CA - California
CO - Colorado
CT - Connecticut
CZ - Canal Zone
DC - District of Columbia
DE - Delaware
FL - Florida
GA - Georgia
GU - Guam
HI - Hawaii
IA - Iowa
ID - Idaho
IL - Illinois
IN - Indiana
KS - Kansas
KY - Kentucky
LA - Louisiana
MA - Massachusetts
MD - Maryland
ME - Maine
MI - Michigan
MN - Minnesota
MO - Missouri
MS - Mississippi
MT - Montana
NE - Nebraska
NC - North Carolina
ND - North Dakota
NH - New Hampshire
NJ - New Jersey
NM - New Mexico
NV - Nevada
NY - New York
OH - Ohio
OK - Oklahoma
OR - Oregon
PA - Pennsylvania
PR - Puerto Rico
RI - Rhode Island
SC - South Carolina
SD - South Dakota
TN - Tennessee
TX - Texas
UT - Utah
VA - Virginia
VT - Vermont
WA - Washington
WI - Wisconsin
WY - Wyoming

SUBJECT INDEX

Pg.		Pg.	
	Accidents (see Injuries & -)		Feeding (see Food & -, Behavior)
	Adaptations	48	Flight
2	Age	48	Food & Feeding
	-aging		Fossils (see Paleontology)
	-longevity		Habitat (see Ecology)
4	Anatomy		Herbicides (see Pesticides)
	Anting (see Behavior)	61	Hybrids
	Attracting birds (see Techniques)	63	Identification
9	Banding & Banding Reports	63	Injuries, Accidents & Illness
	Band(s) (see Techniques)	63	Incubation
10	Behavior		Insecticides (see Pesticides)
	-aggressive		Invasions (see Migration & Population)
	-agonistic	73	Life Histories
	-anting	74	Locomotion
	-breeding		Longevity (see Age)
	-captivity, in	76	Management
11	-comparative		Marking (see Techniques)
	-courtship		Measurements (see Weights & -)
	-display	80	Migration
	-feeding		Molt (see Plumage)
	-general, of	84	Mortality
12	-imprinting		Movements (see Population)
	-innate		Navigation (see Orientation)
	-learning	87	Nest(s)
	-nesting		Nesting
	-pair bond		Nets (see Techniques)
	-parental		Oil Pollution (see Environmental Quality)
13	-sibling	93	Orientation
	-social		-homing
	-territorial		-navigation
16	Books & Monographs		-of species
20	Breeding	95	Paleontology
	-biology of	95	Parasites & Diseases
21	-captivity, in	96	Parasitism by birds
	Capture (see Techniques)	99	Pesticides & Herbicides
	Censuses (see Population)	101	Photography
30	Conservation		Photoperiod (see Physiology)
	Courtship (see Behavior)	101	Physiology
36	Development		-energetics
	Diseases (see Parasites)		-of species
	Displays (see Behavior)		Pigmentation (see Plumage)
37	Distribution	104	Plumages
40	Ecology		-molt
41	Eggs		-of species
	Energetics (see Physiology)		Pollution (see Environmental Quality)
43	Environmental Quality	105	Population
43	Ethology		-censuses
44	Europe		-distribution
45	Evolution	106	-dynamics
46	Falconry		-ecology

Pg.	
107	Population (cont.)
	-extinct & vanishing
	-fluctuations
	-movements
	-ratios
108	Predation
	Radar Studies (see Migration)
111	Range
112	Recoveries, Repeats & Returns
	-foreign banded birds in -
	-maps
113	-migratory patterns
	-of birds abroad
114	-of birds within country of banding
	-within country of banding
118	Roosting
	Sexing (see Techniques)
125	Sounds
	Status (see Population)
130	Systematics
132	Techniques
	-aging
	-band(s)
	-capture
133	-handrearing
	-marking
	-net(s)
	-sexing
	-trap(s)
134	-trapping
	Territory (see Behavior)
	Vision (see indiv. spp. accounts)
144	Weights & Measurements
149	Zoogeography

BIRD-BANDING

TEN YEAR INDEX

1961-1970

- Abbott, C.C., Jr. The day it rained birds on a U.S. Navy supply ship 33:159r
- Able, K.P. A Radar Study of the Altitude of Nocturnal Passerine Migration 41:282-290
- Abramyan, R.A. Histochemical studies of the avian sacculus, at rest and under certain stimulation 40:65r
- Acanthis spp.
arctic adaptation 41:60r
autumn movement, molt, meas. 38:239
band. 32:59r, 32:100r
- records analysed, MA 35:13-22
behav. 32:27
call similarities 32:10
identification problem 34:94
Labrador, in 35:281r
migr., flock composition changes 39:51-55
plumage, meas., syst. 37:65r
- ACCIDENTS (see INJURIES & -)
- Accipiter cooperii (Hawk, Cooper's)
band. report 33:3
-gentilis (Goshawk)
falconry, Japan 37:70r
food consumption, zoo 33:116r
predators on birds 33:116r
-gularis (Sparrowhawk, Jap.)
falconry 37:70r
-nisus (Sparrowhawk, Eur.)
band. 32:100r
population 32:61r
- decline, chemicals 35:50r
recog. by small birds 32:182r
-striatus (Hawk, Sharp-shinned)
band. 32:100r
- report 33:3
migration 37:56r, 40:54r
- Accipitridae
migration 32:101r
- Acridotheres tristis (Myna, Common)
life history 40:334r
lipase activity, heart 33:110r
- Acrocephalus arundinaceus (Warbler, Great Reed)
lipid level changes 36:120r
- Acrocephalus arundinaceus (cont.)
return, Zambia 37:211r
-palustris (Warbler, Marsh)
extension northward 36:125r
-schoenobaenus (Warbler, Sedge)
return, Zambia 37:211r
-scirpaceus (Warbler, Reed)
longevity 35:205r
pairing from same brood 35:374r
- Actitis hypoleucos (Sandpiper, Common)
breeding biol. 38:331r
- macularia (Sandpiper, Spotted)
artificial incub. 32:146r
- Actophilornis africanus (Jacana, Afr.)
chick-carrying 40:58r
- Adames, A.J., see Galindo, P. & -
Adams, B. Popsquash - the crowded island 35:212r
-- Some experiences with larger-mesh nets 40:52r
-- First Harris's Sparrow banded in NJ 41:133r
- Adamyán, M.S. The ecol. of the Lesser Rock Nuthatch in Armenia 37:295r
- ADAPTATIONS (see also ANATOMY, BEHAVIOR, ECOLOGY, EVOLUTION, PHYSIOLOGY)
arctic environment, Acanthis spp. 41:60r
comparative, Anhinga & Double-crested Cormorant 41:165r
-, Fulvous & Black-bellied Tree ducks 41:254r
deformed bills, survival 33:165r
desert, 37:73r, 40:350r
duck eyes 39:141r
ecological, Brown Booby 39:138r
environmental conditions, response 35:273r
hunting tech., Micrastor Falcons 41:53r
intricate interplay 40:171r
migr., comparisons, Rustic vs Black-faced, Buntings 37:218r
structural, Black Skimmer 34:104r
-, Royal Tern 34:104r
- Adkisson, C.S. The nesting behav. of Mockingbird in n. lower MI 38:157r

- Adler, H.E. Sensory factors in migr. 35:270r
- Aegithalos caudatus* (Tit, Long-tailed)
 migration 32:60r
 -spp. comparative behavior 36:56r
- Aegolius acadicus* (Owl, Saw-whet)
 abnormal plumage 37:287
 migr., netting, meas. 38:120-125
 mist netting 34:224r
 netted, MI 36:116
 -funereus (Owl, Boreal)
 directional hearing 40:263r
 ecol. & ethology 36:123r
 invasion, Sweden 39:134r
 pop. dynamics, Sweden 36:52r
 prey selection, s.w. Lapland 38:87r
 --, Sweden 36:60r
- Aegypius monachus* (Vulture, Black)
 life history 38:243r
- Afribyx senagallus* (Plover, Wattled)
 behav., nesting 40:154r
- AFRICA (see also RECOVERIES etc.)
 Kenya, eagles, breeding 38:156r
 Morocco, migr., spring 40:328r
 Nigeria, band. report 40:53r
 S.Africa, band. 36:119r, 36:233
 --, - reports 32:231r, 36:45r, 39:320r
- Afropavo congenis* (Peacock, Congo)
 nesting, zoo 33:114r
- AGE
 aging (see TECHNIQUES)
 longevity of:
 Blackbird, Red-winged 38:193-142
 Cardinal 35:41, 36:45r
 Chickadee, Black-capped 34:41r,
 35:267r 35:124
 Cormorant, Double-crested 39:326r
 Crane, Siberian 40:326r
 Curlew 37:208r
 Dunlin 35:128r
 Frigatebird, Great 40:47
 Flycatcher, Spotted 37:208r
 Gull, Black-headed 36:45r
 -, Dominican 41:133r
 -, Glaucous 36:45r
 -, Herring 39:326r, 36:45r
 -, Ring-billed 38:52-60
 Hawk, Red-shouldered 34:160
 Heron, Black-crowned Night 35:46r
 -, Gray 35:46r
 Kestrel, Eur. 36:120r
 Oystercatcher, Eur. 33:155r, 33:205r
 Plover, Piping 34:101r
 Seabirds of Central Pac. 37:193-197
 Sparrow, White-throated 40:148r
 --, -- previous rep. erroneous 41:42r
- longevity of: (cont.)
 Starling 36:45r
 Tanager, Plain-colored 35:264
 Warbler, Reed 35:205r
 senescence, Albatross 35:46r
 -, Gannet 35:46r
 -, Gull, Herring 40:222-233
 Switz., many spp. 37:128r
- Agelaius phoeniceus* (Blackbird, Red-winged)
 aspiration of seeds 41:243
 band. reports 33:15-16
 blood parasites 39:139-199
 color marking 35:205r
 competition, Yellow-headed Blackbird
 40:159r
 distribution 32:94
 ecology, behavior 33:161r
 -, feeding 41:327r
 -, nest building 39:14-22
 food habits 36:206r
 foot missing 41:41
 host-parasite assoc. 41:302
 leg tags, colored 39:6-13
 migration 32:178r
 -, FL, TV tower 33:155r
 -, off Nfld. 33:158r
 molts & plumage 41:22-27
 pop., late summer 35:32-38
 -, increase, IL 35:134r
 reserve energy 38:195-211
 scaly leg 33:195
 survival rates 38:139-142
 trapping methods 36:46r
 weights & meas. 32:156
- tricolor
 band. report 33:16
 ecology, breeding behav. 33:161r
- Ahlen, I. Notes on four rare bird
 species on Spitsbergen 38:333r
- Aho, J. The autumn food of *Asio f.*
flammeus Pontopp. in the vicinity
 of the City of Tampere, South
 Finland 36:206r
- Ahlquist, J.E., see Sibley, C.G. &
Aimophila aestivalis (Sparrow, Bachman's)
 non-squealer 36:86
- Aix sponsa (Duck, Wood)
 behavior, nest box 34:226r
 hatching 39:130
 life history 38:83r
 management 37:62r
 nesting & incub. period 33:85
 roosting flight 41:52r
 second nesting 38:234

- Aix sponsa (cont.)
 weights & meas. 32:144
- Alauda arvensis (Skylark)
 behavior 35:131r
 -, maintenance 40:336-339
 migration 32:178r
 status, Finland 37:212r
- Alaudidae (Larks)
 habitat & ecology 32:29
 plumage & distribution 39:239
- Albatross, Laysan (Diomedea immutabilis)
 -, Royal (D. epomophora)
 -, Wandering (D. exulans)
- Albatrosses (Diomedea spp.)
- Albrektsson, T. & R. Berndtsson
 Laughing Gull observed in Gotenburg harbor 37:219r
- Alca torda (Razorbill)
 breeding biology 37:134r
 -, Sweden 32:184r
- Alcedo atthis (Kingfisher, Common)
 nesting site 33:167r
- Alcidae (Auks)
 capturing nocturnal - 41:124-127
 pecten 40:263r
 wing & leg muscles 41:153r
- Alder, J. Behavior of Dippers at the nest during a flood 34:227r
- Alectura lathamii (Turkey, Brush)
 growth data 36:278r
- Alesterus scapularis (Parrot, King)
 life cycles 35:48r
- Ali, S. The Bombay Nat. Hist. Soc.'s spring migration study in Kutch, 1960 33:48r
- Bombay Nat. Hist. Soc. Bird migr. studies, autumn, 1960 33:49r
- Recent studies of bird migr. & bird ticks in India 36:48r
- Allen, A.A. & P.P. Kellogg. Bird songs in your garden 33:55r
- Alm, B. & H. Myhrberg, E. Nyholm & S. Svensson. Densities of birds in alpine heaths 38:155r
- Alnas, I. The activities at Ottenby Bird Stn. 1963 & 1964 Report No. 48 41:42r
- Amadon, D. Birds around the World 37:304r
- Amandava amandava (Finch, Strawberry)
 behavior 32:106r
 -, subflava (Waxbill, Golden-breasted)
 behavior 32:106r
- Amblyornis macgregoriae (Bowerbird, Crested)
 bower building 41:74r
- Amerson, A.B., Jr., see Watson, G.E. & Ammodramus savannarum (Sparrow, Grass-hopper)
 hybrid 41:71r
 migration 32:102r
 weights & meas. 32:50
- Amospiza caudacuta (Sparrow, Sharp-tailed)
 hybrid 41:71r
 juv. plumage 33:202
 -maritima (Sparrow, Seaside)
 distribution 32:58
- Anas acuta (Pintail)
 band. in Neth., return from Greece & Turkey 36:45r
 ecology, Gulf of Bothnia 36:199r
 orientation 33:61, 35:128r
 pop. in USSR 40:347r
 post-breeding behavior 36:199r
 recovery in Siberia 36:112r
 -, USSR 33:153
 -americana (Baldpate)
 brood behavior 37:60r
 migration 32:238r
 post-breeding behavior 36:199r
 -carolinensis (Teal, Green-winged)
 band. 32:230r
 migration 32:238r
 -clypeata (Shoveler)
 ecology, Gulf of Bothnia 36:199r
 nest protection 41:47r
 post-breeding behavior 36:199r
 -crecca (see A. carolinensis)
 -cyanoptera (Teal, Cinnamon)
 post-breeding behavior 36:199r
 -discors (Teal, Blue-winged)
 management 37:297r
 nest success 37:138r
 orientation 35:128r
 post-breeding behavior 36:199r
 -georgica (Pintail, Brown)
 recovery, S. America 39:32
 -gibberifrons (Teal, Grey)
 band. 32:230r
 breeding biol. & ecol. 33:51
 trapped, Aust. 33:123
 -leucophrys (Teal, Ringed)
 recovery, S. America 39:32
 -platyrhynchos (Mallard)
 band. 32:230r
 = report 33:152
 biology 40:262r

Anas platyrhynchos (cont.)

- ecology, Gulf of Bothnia 36:199r
 - , post-breeding 36:199r
 - , Sweden 35:46r
 - Herbst & Gandry bodies 41:151r
 - imprinting 39:64r
 - management 37:297r
 - navigation 32:232r
 - orientation 35:128r
 - , nonsense 36:48r, 39:322r
 - pecking response 40:270r
 - pop., Sweden 32:61r
 - , winter density, Sweden 34:41r
 - recovery, USSR 33:152
 - salt gland 35:280r
 - , inactive 41:255r
 - , ontogeny 35:280r
 - sexual selection 41:259r
 - subspeciation 40:169r
 - testosterone, castration 35:276r
 - querquedula (Garganey)
 - distr., migration 37:130r
 - strepera (Gadwall)
 - post-breeding behav. & ecol. 36:199r
 - superciliosa (Duck, Grey)
 - courtship behav. 41:53r
 - distribution, N.Z. 36:58r
 - undulata (Duck, Yellow-billed)
 - band. 32:231r
- Anatidae (Waterfowl)
- behavior 37:146r
 - , brood 37:60r
 - , ecol. & , post-breeding 36:199r
 - , nest building, males 40:157r
 - biol. & nat. hist 40:71r
 - census, Sweden 38:239r, 40:258r
 - , Switz. 36:203r
 - , USSR 40:61r
 - characteristics 32:111r
 - comfort movements 37:60
 - ecology, Finland 37:139r
 - evolutionary trends 34:101r
 - eyes, adaptive features 39:141r
 - lead poisoning 37:137r
 - management, N. Amer. 36:211r
 - migration 37:211r, 40:150r
 - , & broodmates 41:42r
 - , effects of wind 33:111r
 - mortality 37:63r
 - parental care 40:58r
 - polypnoea, thermoregulation 38:246r
 - pop., Sweden 40:61r
 - , Morocco 37:130r
 - post-cranial osteology 33:54r
 - raft trap 41:128-129

Anatidae (cont.)

- relationships, ancestral 39:143r
 - resting & wintering 37:132r
 - sexual imprinting 36:277r
 - spacing & chasing 37:217r
 - water fluctuations & nesting 39:136r
 - winter distr., cons., Br. Is. 35:287r
- ANATOMY
- auditory analyser 41:323r
 - system, adaptation & evol. 39:237r
 - bills, abnormal 33:165r, 40:145
 - blood groups of birds 36:287r
 - body weight & fat deposition 37:218r
 - brain weights & age 37:217r
 - buccal cavity, Corvidae 38:332r
 - dissection guide 36:282r
 - duck eyes, adaptive features 39:141r
 - egg tooth, Charadriiformes 41:68r
 - epidermis & follicles, King Penguin 41:324r
 - inner ear, function & morph. 38:160r
 - iris, color 41:255r
 - keratinization of epidermis 41:256r
 - liver structure, domestic fowl 41:256r
 - locomotor mechanisms 33:55r, 33:116r
 - , & feeding, adaptations, Anhinga & Double-crested Cormorant 41:165r
 - lung, ultrastructure of smooth muscle 41:324r
 - migr. adaptations, Buntings 37:218r
 - muscles 38:334r
 - organ of Corti 37:140r
 - osteology, head, Pied-billed Grebe 41:165r
 - patella 41:324r
 - pecten & orientation 39:235r
 - , shape and position, Alcids 40:263r
 - pineal gland 41:323r
 - retinal structure, Gulls & Terns 41:68r
 - , Pied Flycatcher 40:264r
 - , dev., adaptive features, Passerines 40:265r
 - sacculus 40:65r
 - salt glands, Lesser Scaup 40:198-207
 - sensory corpuscles, beak skin 41:323r
 - skull, biochemistry 33:211r
 - speciation, anatomic basis 38:160r
 - sublingual pouches, Fringillidae 39:235r
 - tongues, Zosteropidae 41:256r
 - weight fluctuations, Bullfinch 37:298r
 - visual acuity, Old World Vultures 41:315r
- Anderson, A., see Dunnet, G.M. & -

- Anderson, A.H. & A. Anderson. Life history of the Cactus Wren. Part VI: Competition & survival 35:130r
- Anderson, B.W. & D.W. Warner. A morph. analysis of a large sample of Lesser Scaup & Ring-necked Ducks 40:85
- Evidence from Salt Gland Analysis for Convergence of Migr. routes & possible geog. var. in Lesser Scaup 40:198-207
- Anderson, B.W. & R.L. Timken. A Hybrid Lesser Scaup x Ring-necked Duck 41:71r
- Anderson, D.W., J.J. Hickey, R.W. Risebrough, D.F. Hughes & R.E. Christensen. Signif. of chlorinated hydrocarbon residues to breeding pelicans and cormorants 41:252r
- Anderson, G., R. Gerell, H.Kallander & T. Larsson. Notes on habitat preferences in the Little Bunting 40:61r
- Anderson, J., see Ehrenroth, G. & -
- Anderson K.S., see Main, A.J. & -
- Anderson, K.S. & H.K. Maxfield. White-throated Sparrow breeding in Bristol County, MA 37:191
- R.J. Tonn, E.J. Randall & A. Main. The Swamp Sparrow, *Melospiza georgiana* as a host for long-term arbovirus studies 38:80
- E.J. Randall, A.J. Main & R.J. Tonn. Recoveries of Birds Banded by Encephalitis Field Stn., 1957-1965 38:135
- & H.K. Maxfield. Warbler Returns from s.e. MA 38:218
- Anderson, S. The Avifauna of n.w.Varend, central Smaland, Sweden 35:51r
- An investigation of Herring Gulls (*Larus argentatus*) from the Vastervik Archipelago on Sweden's Baltic Coast 36:203r
- Andrews, E. Cedar Waxwing response to mirror 37:205
- Slate-colored Junco response to mirror 37:206
- Andrievskii, I. V. & V.K. Yakubanis. The thermoregulation features of *Polypnoea* in some Anatids under high environmental temperature 38:246r
- Biochemical indicators of ancestral relationships of Anseriformes 39:143r
- Anhimidae (Screamers)
- systematics, lens protein 41:156r
- Anhinga (*Anhinga rufa*)
- Anhinga rufa* (*Anhinga*)
- adaptation, locomotion & feeding 41:165r
- water repellency & feather structure 40:65-67
- Ani, Smooth-billed (*Crotophaga ani*)
- Annan, O. Observations on breeding of Veeries in MI 33:114r
- Sequence migr., by sex, age & spp., of Thrushes of the Genus *Hylocichla*, through Chicago 33:130
- Anonymous. Bird hazards to aircraft-- operation birdtrack 66/1 38:327r
- The noisy Scrub-Bird saved 38:85r
- Anous minutus* (Noddy, Black)
- pop. & biol., Dry Tortugas 36:61r
- stolidus* (Noddy, Brown)
- band., Dry Tortugas 35:206r
- Anser albifrons* (Goose, White-fronted)
- banded in Neth., return from Italy 36:45r
- migration 40:329r
- pair bond tenacity 36:184-191
- Strontium 90 contamination 36:278r
- anser* (Goose, Grey-lag)
- migration 32:180r
- triumph ceremony 36:278r
- brachyrhynchos* (Goose, Pink-footed)
- families 36:185
- recovery, Britain 33:154r
- wintering, Belgium 36:59r
- fabilis* (Goose, Bean)
- wintering grounds 40:61r
- leucopsis* (Goose, Barnacle)
- wintering, Belgium 36:59r
- rossii* (Goose, Ross's)
- breeding biol. 36:55r
- ruficollis* (Goose, Red-breasted)
- wintering, Belgium 36:59r
- Anseranas semipalmata* (Goose, Magpie)
- pecking orient., young 33:52r
- plumage, breeding behav. 33:50r
- Antbirds, Bicolored (*Gymnopithys bicolor*)
- , Dusky (*Cercomacra tyrannina*)
- Anthus novaeseelandiae* (Pipit, Richard's)
- banded, Australia 33:123
- pratensis* (Pipit, Meadow)
- anting 32:64r
- drowning behav. 36:195r
- migration 32:237r
- , night 33:46r
- , radar studies, Iceland 35:271r

- Anthus spp. (Pipits)(cont.)
 -spinoletta (Pipit, Water)
 breeding biol. 32:1
 parasites 39:33-36
 -trivialis (Pipit, Tree)
 anting 32:64r
 night migration 33:46r
 ANTING (see BEHAVIOR, -)
 Antshrike, Fasciated (Cymbilaimes
 lineatus)
 -, Spotted (Hylophylas naevioides)
 -; Slaty (Thamnophilas punctatus)
 Ant-Tanager, Dusky-tailed (Habia
 fuscicauda)
 Anvin, B. Some observations on the biol.
 of the March Tit 33:50r
 Aphelocoma coerulescens (Jay, Scrub)
 molt 32:98
 pop. after Zonotrichia removal 35:184
 -ultramarina (Jay, Mexican)
 behav. & phylogeny 33:210r
 Appelman, F.J. The Congo Peacock, Afro-
 pavo congenis (Chapin) 33:114r
 Aptenodytes forsteri (Penguin, Emperor)
 annual cycle, temp. regulation 36:57r
 behavior, biology 38:242r
 -patagonica (Penguin, King)
 epidermis, feathers 41:324r
 Apteryx australis (Kiwī, North Is.)
 nesting, N.Z. 33:212r
 Apus apus (Swift, Eur.)
 clutch size 32:34
 courtship, nesting 33:166r
 flight energy 41:320r
 migration, Medit. 33:104, 33:106r
 weights & meas. 32:77
 -, study 36:124r
 -caffer (Swift, White-rumped)
 new species, Palearctic 40:346r
 -melba (Swift, Alpine)
 nest behav., longevity 32:64r
 Aquila chrysaetos (Eagle, Golden)
 nesting behav. & biol. 35:123, 39:232r
 41:252r
 -success, desert 39:62r
 --, scant 35:123, 41:252r
 residues, insecticides 36:123r
 returns 38:78-79
 -clanga (Eagle, Spotted)
 diseases 32:184r
 -pemarina (Eagle, Lesser Spotted)
 breeding biol. 38:232r
 Arbib, R.S., O.S., Pettingill Jr. & S.H.
 Spofford. Enjoying birds around New
 York City 38:251r
- Archilochus colubris (Hummingbird, Ruby-
 throated)
 banded, PA 35:267r
 fat reserves 33:108r, 35:285r
 feeding at sapsucker holes 36:192
 weights & meas. 32:148, 35:267r
 ARCTIC
 Arctic O., Spitsbergen, rare spp.
 33:333r
 Ardea cinerea (Heron, Gray)
 breeding 32:104r
 migration 33:106r, 32:238r
 population 32:102r
 survival records 35:46
 -cocoi (Heron, White-necked)
 recovery, s. America 39:32
 -egretta (Egret, Little)
 banded, USSR, recovered, s.e.Asia
 36:118r
 -herodias (Heron, Great White)
 World of the - 39:239r
 -purpurea (Heron, Purple)
 many, Belgium 36:52r
 recovery, Malaya 35:206r
 -, winter, s.e.Asia from USSR 36: 118r
 Ardeidae (Herons & Bitterns)
 dispersal 36:271
 ecol. of four spp. 41:143r
 taxonomy 40:266r
 Ardeola ibis (Egret, Cattle)
 band. program 36:271
 behavior 41:142r
 breeding biol. 38:329r
 ecology 38:85r
 temp. variation 40:64r
 -ralloides (Heron, Squacco)
 changes, Palearctic range 41:312r
 pop. dynamics 41:312r
 Arenaria interpres (Turnstone, Ruddy)
 band wear 41:241
 band. report 33:155r
 breeding 32:100r
 capturing, canon nets 38:214-218
 FL, seen in 33:36
 gonad dev. 33:35
 migration 32:257r, 33:35
 -, over n.e. Atlantic 33:159r
 pop. dynamics 33:35
 recovery, Ottenby 33:155r, 38:236
 trapped, Aust. 33:125
 ARGENTINA (see SOUTH AMERICA)
 Arheimer, O. & E. Nyholm. Little Stint
 found breeding in Sweden for the first
 time 38:83r
 Armstrong, E.A. A study of bird song 35:220r

- Armstrong, E.A. Bird display & behavior 36:288r
- Armstrong, J.T. Breeding home range in the Nighthawk & other birds: its evolutionary & ecological significance 37:131r
- Arn-Willi, H. Nest behavior of the Alpine Swift 32:64r
- Arnheim, R. Third annual report on bird-banding in Belgium, 1962 36:45r
-- Second annual report from the Bird-banding Station Brasschaat 36:46r
- Arnaud, P. & R. Guillard, J. Provost & J. Sapine-Jaloustre. Ecological research on the birds of Pointe Geologie Archipelago 36:57r
- Artamanova, Z.V. Some features of post-embryonal dev. in birds of the south-eastern Karakums 41:140r
- Artamus spp. (Wood-swallows)
life history, breeding behav. 37:293r
- Arthur, G.C. see Vaught, R.W. & Ash, J.S. Bird of prey numbers in a Hampshire Game Preserve during 1952-1959 32:61r
- Residues of seed-dreddings in pheasants' eggs 34:103r
- Observations in Hampshire & Dorset during the 1963 cold spell 35:279r
- Spring weights of trans-Saharan migrants in Morocco 40:344r
- see Fry, C.H. & Ashby, K.R. Israel tackles conservation 37:296r
- Ashmole, N.P. & M.J. Ashmole. Comparative feeding ecology of sea birds of a tropical ocean island 40:75r
- Body size, prey size & ecological segregation in five sympatric tropical terns (Aves: Laridae) 41:249r
- Ashmole, M.J. see Ashmole, N.P. & -- The migr. of European Thrushes: a comparative study based on ringing recoveries 35:208r
- Asio flammeus (Owl, Short-eared)
banded, Neth., return from Finland & Spain 36:45r
food, Finland 36:206r
prey of other owl 39:319
- otus (Owl, Long-eared)
Blue Jay band in pellet 36:116
food 40:69r
- Askemo, C. Spruce seeds as food for the Wood Pigeon & the Hawfinch 41:73r
- Atkin, A. see Tauber, E.S. & Asyndesmus lewis (Woodpecker, Lewis')
food preference, 35:225-253
- Athene noctua (Owlet, Desert)
biology 40:259r
diet 37:220r, 41:73r
- ATLANTIC
Atlantic Islands, birds of the, 37:303r
- Atrichornis clamosus (Scrub-bird, Noisy)
conservation 38:85r
- ATTRACTING BIRDS see TECHNIQUES
- Audubon 32:250r, 36:127r, 39:71r
- Audubon, J.J. The Birds of America 39:71r
- Auks (Alcidae)
- Aulie, A & P.S. Enger. The flight muscle in a bird with high wing-stroke frequency, the Zebra Finch 41:254r
- Austin, E.S. (ed.) Frank M. Chapman in FL His journals & letters 38:251r
- Penguins: The Birds with Flippers 41:332r
- Birds that Stopped Flying 41:332r
- Austin, O.L., Jr. Birds of the World. 33:118r
- Song Birds of the World 39:331r
- Water & Marsh Birds of the World 39:331r
- Austing, R. I went to the woods 36:63r
- AUSTRALIA (see also RECOVERIES, etc.)
band., albatrosses 35:205r
- reports 36:195r, 38:237r
-, Starlings 37:197r
ducks 33:51r
habitat diversity 40:340r
migration 33:111r
mist netting 37:54r
- Avadavir (Amandava amandava)
- Avilova, K.V. On the optic retinal structure of gulls & terns 41:68r
- Axell, H.E. Eruptions of Bearded Tits during 1959-1965 38:240r
- Aynar, B. (ed.) The Personality of the Bird 37:77r
- Aythya affinis (Scaup, Lesser)
food consumption 37:66r
geographic var., salt gland 40:198-207
hybrid 41:71r
measurements 40:85-94
- americana (Redhead)
development, primaries 36:199r
distribution, migration 36:202r
post-breeding behav. 36:199r
- collaris (Duck, Ring-necked)
brood behav. 37:60r
hybrid 41:71r
measurements 40:85r

Aythya spp. (cont.)

- ferina)Pochard, Common)
 - breeding success 38:330r
- fuligula (Duck, Tufted)
 - breeding success 38:330r
 - ecol., Gulf of Bothnia 36:199r
 - feeding ecol. 41:159r
 - hybrid 40:266r
 - nesting 40:335r
 - winter pop., Sweden, density 34:41r
- marila (Scaup, Greater)
 - ecol., Gulf of Bothnia 36:199r
 - feeding ecol. 41:159r
 - hybrid 40:266r
 - weights & meas. 32:47
- valisneria (Canvasback)
 - food 37:66r
 - post-breeding behav. 36:199r

- Babaev, K. Dancing Wheatear abundance & the pop. density of *Rhombomys opimus* in Turkmeniya 39:142r
- Baerends, G.P. & N.A. Van der Cingel. On the phylogenetic origin of the snap display in the Common Heron (*Ardea cinera*) 34:168r
- Bagg, A.M. Factors affecting the occurrence of the Eurasian Lapwing in e. North America 39:322r
- Bailey, A.M. & J.H. Sorensen. Sub-antarctic Campbell Island 34:173r
- & R.J. Niedrach. Birds of CO 38:88r
- & -- Pictorial checklist of Colorado birds 39:240r
- Baird, J. Arrested molt in Tennessee Warblers 38:236
- , see Faddoul, G.P. &
- , see Nisbet, I.C.T. &
- , see Wingate, D.B. &
- Balaeniceps rex (Stork, Whale-headed) hyperthermia, reaction 38:333r, 40:169r
- Balat, F. Evening and morning movements of ducks on the Falsterbo Peninsula 39:68r
- Baldpate (*Anas americana*)
- Baldwin, D.H. Bird banding in Ontario: an analysis of five years' records, 1960-1964 40:148r
- Baldwin, P.H. & D.E. Oehlerts. The status of ornithological literature, 1964 36:136r
- Balharay, R., see Lockie, J.D. &
- Ballance, D.K. & S.L.B. Lee. Notes on autumn migration at the Bosphorus & in the Aegean 33:105r
- Ballman, P. The birds from the Burdigalian fissure-fillings of Wintershof (West) nr. Eichstaff in Bavaria 41:257r
- The Miocene birds of La Grive-Saint-Alban (Isere) 41:257r
- Bambridge, B. Early experience & sexual behav. in the domestic chicken 33:211r
- Bananaquit (*Coereba flaveola*)
- BANDING & BANDING REPORTS (see geog. areas, spp. accounts, RECOVERIES, etc. & TECHNIQUES)
- BAND(S) (see TECHNIQUES)
- Bang, B.G. & S.Cobb. The size of the olfactory bulb in 108 species of birds 40:265r
- Bang, B.G. Olfaction in the Rallidae (Gruiformes), a morphological study of thirteen species 51:151r
- Banko, W.E. The Trumpeter Swan. Its History, Habits & Population in the United States 32:110r
- Banks, R.C. Geog. var. in the White-crowned Sparrow, *Zonotrichia leucophrys* 36:137r
- Weight change in frozen specimens 37:140r
- & R.C. Laybourne. The Red-whiskered Bulbul in Florida 40:266r
- Bannerman, D.A. Birds of the Atlantic Islands 35:289r
- & W.M. Bannerman. Birds of the Atlantic Islands 37:303r
- Baraboi, V.A. & Z.Z. Yanchuk. Mechanism of the stimulating effect of ultra violet radiation on the incubation of chicken eggs 41:253r
- Barbet (*Trachyphonus d'arnaudii*)
- Barfield, R. J., see Hammer, W.M. &
- Barker, J.D. Wild fowl decoys 36:135r
- Barlow, J.C. Natural history of the Bell Vireo (*Vireo bellii* Audubon) 33:208r
- Barlow, J.S. Inertial navigation as a basis for animal navigation 35:269r
- Inertial navigation in relation to animal navigation 38:239r
- Barret, J. H. & M.P. Harris. A count of the Gannets on Grassholm in 1964 37:56r
- Barry, M. Observations from a light-vessel on passerine immigration into the Wash in autumn 32:178r
- Barsova, L.I., see Ilichev, V.D. &
- Bartholomew, G.A., see Howell, T.R. &
- Bartle, J.A. Observations on the breeding habits of Pycroft's Petrel 40:152r
- Bashenina, N.V. Geographical variability of raptors & their food 40:268r
- Basiev, Z.K. The migr. of certain pop. of the Caucasian Ular (*Tetraogallus caucasicus* Pall.) & interpretation of their origin 39:231r
- Baskett, T.S., see Frankel, A.L. &
- , see Goforth, W.R. &
- , see Jackson, G.L. &
- Bateson, P.P.G. & I.C.T. Nisbet. Autumn migr. in Greece 33:105r
- & E.P. Reese. Reinforcing properties of conspicuous objects before imprinting has occurred 40:155r

- Batts, H.L., Jr. Nesting success of birds on a farm in s. MI 33:112r
- Bauer, K.M. & U.G. von Blotzheim. Handbook of central Eur. birds 39:145r
- Baysinger, E.B. 'The sparrow that lived for 19 years (Chap. 2)' etc. 41:42r
- A hoop-net trap for passerine birds
- additional comments 41:311r
- Beard, E.B. Duck brood behav. at the Seney Nat. Wildlife Refuge 37:60r
- Beardslee, C.S. & H.S. Mitchell. Birds of the Niagara Frontier Region 37:149r
- Beckett, T.A., III. Cattle Egrets color banded 36:271
- Bednarek, R. & C.S. Davidson (M.D.) Influence of spraying with carbaryl on nesting success in a sample of bird-boxes on Cape Cod in 1965 38:66
- Bee-eaters (Meropidae)
-, Common (Merops apiaster)
-, White-throated (M. albicollis)
- Beebe, C.W. The bird: its form and function 37:148r
- Beecher, W.J. The bio-mechanics of the bird skull 33:211r
- Beer, J.V. The attempted rehabilitation of oiled sea birds 40:161r
- BEHAVIOR (see also FLIGHT, FOOD & FEEDING, LIFE HISTORIES, NESTING, ORIENTATION, PARASITISM, SOUNDS, TERRITORY, & indiv. sp. accounts)
- aggressive of:
 Buzzard 36:122r
 Coot 33:210r
 Finch, Bengalese 33:113r
 Flycatcher, Pied 33:51r
 Nighthawk 37:131r
 Redshank 34:102r
 Redstart 34:41r
 Sparrow, Song 34:41r
 Starling 37:249r
- agonistic, of:
 Jay, Steller's 35:276r
 Quelea, Red-billed 41:63r
 Tetraonidae 39:139r
 Woodpecker, Hairy 41:53r
- , testosterone & LH, to promote 41:63r
- allopreening 40:60r
- anting, captivity, in 41:315r
- , ectoparasites, to combat 38:84r
- , Motacillidae 32:64r
- , passerines 33:114r
- attracting birds, book 38:339r
- blind, partially, White-thr. Sparrow 33:204r
- bower painting, Lauterback's Bower Bird 40:58r
- brain stimulation 40:155r
- breeding of:
 Crane, Whooping 38:242r
 Duck, Tufted 38:330r
 Ducks 37:217r
 Eagle, Gldn. 35:123, 39:232r, 41:252r
 -, Pacific Ocean 37:293r
 Eagles of Kenya 38:156r
 Egret, Cattle 38:157r
 Finch, Strawberry 32:106r
 Godwit, Hudsonian 38:156r
 Goose, Magpie 33:50r
 Heron, Gray 32:104r
 Jay, Mexican 33:210r
 Mockingbird 38:157r
 Murrelets, Kittlitz's & Marbled 35:274r, 40:260r
 Passerines 41:141r
 Penguin, Emperor 38:242r
 Pochard, Common 38:330r
 Razorbill 32:184r
 Swift, Alpine 32:64r
 Turnstone, Ruddy 32:110r
 Waxbill, Gldn.-breasted 32:106r
 Wood-swallows 37:293r
 Wren, House 41:118-121
- captivity, in, of:
 Bluebird 33:209r
 Bulbul 36:227
 Dove, Mourning 38:159r
 Finch, Bengalese 33:113r
 -, Woodpecker 39:139r
 Finches, Galapagos 39:139r
 Goshawk 33:116r
 Peacock, Congo 33:114r
 Quelea, Red-billed 41:63r
 Sandpiper, Shrp.-tailed 33:126
 Sandplover, Kittlitz's 40:57r
 Shorebirds 33:126
 Vultures 38:75
 Warbler, Kirtland's 40:60r
 -, Myrtle 37:273-279
 Waxbill, Blue-headed 34:102r
- castrated Mallards 35:276r
- coition, Gray Duck 41:53r
- colony selection, Ring-billed Gull 38:52-60
- comfort movements, Anatidae 37:60r
- communicative behav. 40:72-75r

BEHAVIOR (cont.)

comparative, of:

- Creeper, Wall 36:56r
- Finch, Zebra 34:227r
- Firefinch 36:56r
- Flycatchers 33:51r
- Grouse, Asiatic Spruce 41:71r
- Nuthatch 36:56r
- Tit, European 36:56r
- Warbler, Wood 33:209r

courtship, of:

- Bowerbird 41:74r
- Cardinal 40:255r
- Catbird, Gray 34:38
- Dove, Mourning 34:41r, 34:226r
- Duck, New Zealand Grey 41:53r
- Goose, Canada 37:135r
- , White-fronted 36:184-191
- Grosbeak, Evening 34:22-30
- Grouse, Asiatic Spruce 41:71r
- , Black 40:260r
- Hawfinch 38:245r
- Hermit, Little 40:69r
- Jay, Blue 35:8-13
- Kittiwake, Black-legged 38:82r
- Manakin 39:138r
- Nuthatch 36:56r
- Owl, Great Gray 41:314r
- Robin, Am. 35:47r
- Scoter, Common 38:158r
- Shrike, Red-backed 36:195r
- Stonechat 33:52r
- Swallow, Tree 41:242

danger, young, Woodcock 35:57

defensive, Killdeer 36:192

deprivation experiments 33:51r

depth avoidance, precocial chicks
40:157r

dev., critical periods of, 34:102r

-, of:

- Grouse, Spruce 33:52r
- Gulls, Franklin's & Black-headed
33:210r
- Junglefowl, Burmese Red 36:210r
- Mockingbird 40:335r
- Precocial birds 34:46-47r
- Sandgrouse, Pin-tailed 41:315r

display, anti-predator 40:155r

-, ethology &, 36:288r

-, of:

- Capercaillie 33:53r
- Catbird, Gray 34:38
- Dotterel 33:112r
- Goldfinch 35:285r
- Goose, Grey-lag 36:278r

- Grouse, Asiatic Spruce 41:71r
- , Black 33:53r, 38:243r, 40:260r
- , Spruce 33:52r
- Meadowlark, East. 37:61r
- Plover, Wilson's 35:137r
- Tanager, Dusky-tailed Ant 36:113
- Waxwing 37:61r
- , weather, influence on 38:243r
- dominance, Junco 40:1-25
- drowning, Barn Swallow 36:195r
- , Meadow Pipit 36:195r
- egg shell removal, Black-headed
Gulls 33:210r, 34:102r
- turning 40:105-113
- , Great Tits 41:40
- embryonic & hatching 40:156r
- environmental conditions, response
to 35:273r
- evolution of, 41:249r
- expulsion of young from nest,
parental 40:57r
- eye-ring color, Gulls 41:52r
- feces, anti-predator effect 41:47r
- feeding, of:
 - Chicks, Domestic 41:64r
 - Coot 37:132r
 - Creeper, Honey 41:73r
 - Dove, Ring 41:63r
 - , drinking 33:112r
 - Goose, Magpie 33:52r
 - Gulls, foot-paddling 33:21, 40:157r
 - , Herring 40:59r
 - , Laughing 34:104r
 - Jay, European 41:159r
 - Larus chicks 40:348r
 - Mallard 40:270-272r
 - Paridae 39:327r
 - Pigeons 41:64r
 - Raven 37:217r
 - Sandpiper, Shrp.-tailed 33:128-133
 - Shrike, Loggerhead 4k:141r
 - Skimmer, Black 34:104r
 - Tern, Gull-billed 34:104r
 - , Royal 34:104r
 - Raven 37:217r
- foot paddling, Gulls 33:210r, 38:244r
40:157r
- general, for 'young ornithologists'
33:57
- general, of:
 - Antbird, Bicolored 33:338r
 - Bee-eaters 41:47r
 - Blackbirds, Agelaius 33:161r
 - Budgerigar 35:48r

BEHAVIOR (cont.)

general, of: (cont.)

Cormorant, Flightless 37:292r
 Courser, Double-banded 30:163r
 Creeper, Tree 35:135r, 36:56r
 -, Wall 39:64r
 Dove, Ring 41:163r
 Egret, Cattle 41:142r
 Firefinches 36:56r
 Flycatcher, Pied 33:51r
 Gannet 37:136r
 Goosander 38:84r
 Grassfinches, Australian 34:225r
 Grouse, Red 35:227
 Jay, Blue 33:210r
 -, Mexican 33:210r
 -, New World 33:210r
 Merganser, Red-breasted 37:136r
 Mockingbird 40:335r
 Ostrich 38:156r
 Owl, Boreal 36:123r
 Parrot, King 35:48r
 Penguin, Emperor 38:242r
 Redpoll, Hoary 32:27
 Rosella, East. 35:48r
 Shag 34:226r
 Skylark 35:131r
 Snipe, Great 37:215r
 Sparrow, Tree 34:226r
 Stork, Maribou 38:84r, 40:157r
 Tit, Marsh 33:50r
 Waterfowl 37:146r
 Waxbill 35:275r
 Wood-swallow 37:293r
 geographical variation in, 33:51r
 head scratching, parrots 33:209r
 homosexual, Bengalese Finch 33:113r
 hormones & -, Phalarope 41:62r
 ---, Ring Dove 41:62r
 impaling, Loggerhead Shrike 41:141r
 imprinting:
 altricial birds 36:123r
 auditory stimulus 41:61r
 - experience & song dev. 40:268r
 behavioral theory 40:155r
 Blackbird, imitations 38:64r
 Bobwhite, to human 39:240r
 chicken, sexual behav. 33:211r
 chicks, domestic 34:102r, 40:336r
 -, & ducklings 36:122r
 Cuckoo, mimicry 40:60r
 Dove, Ring 36:123r
 Ducks, sexual 36:277r
 ecology of 41:61r
 following 41:61r

Lark, Crested, song imitation
 37:221r
 Mallard 39:64r
 -, fixed action patterns 40:158r
 Pocharad, Red-breasted, by force
 39:64r
 Turkey, releasing mechanism 33:162r
 Weaverbirds, Parasitic 35:275r
 innate:
 anting, Passerines 38:84r
 headscratching, parrots 33:209r
 Lorenz on, 33:51r
 racial differences 40:155r
 juvenile:
 Choughs 34:42r
 Gannet 38:241r
 learning:
 anting 38:48
 brain size, in relation to, 34:102r
 food preference, Larus chicks
 40:348r
 song dev., Indigo Bunting 40:349r
 Tern, Crested, of young 34:42r
 vocal behav. patterns, sparrows
 36:122r
 leks, singing assemblies, Little
 Hermit 40:69r
 -, Black Grouse, Scotland 41:144r
 magnetic field, effect on activity
 37:294r
 messages of vert. communication 41:51r
 migratory habit, evolution of, 39:231r
 mirror, response to, 37:206
 nesting:
 Dipper, during flood 34:277r
 Duck, Wood, attentiveness 33:85
 Harrier, Hen, polygamy 41:47r
 Pewee, E. Wood, fledglings help
 with nest 40:58r
 Swift, Eur., photographs 33:166r
 net shyness, Wood Thrush 35:196-202
 pair-bond; pairing:
 Goose, White-fronted 36:184-191
 Jay, Blue 35:8-13
 Kittiwake, Black-legged 38:82r
 Swan, Mute 40:151r
 parental, by:
 Chickadee, Black-capped 40:260r
 Dove, Ring 35:275r, 41:62r
 Finch, Bengalese 33:51r
 Goldfinch, with Flycatcher chicks
 38:325
 Gull, Black-headed 33:210r
 Jacana, chick carrying 40:58r
 Lapwing, Red-wattled 34:101r

BEHAVIOR (cont.)

parental, by: (cont.)
 Nighthawk, Common 35:48r
 Oystercatcher 41:49-51r
 Plover, Wattled 40:154r
 precocial birds 34:46-47
 Robin, Am. 35:47r
 polygamy, Hen Harrier 41:47r
 post-breeding 36:199r
 prediction of, Skylark 40:270-272r
 psychophysics, pecking Pigeons
 40:344r
 'purposive' use of sounds, Raven &
 Shama 34:227r
 Screech Owl calls, reaction to,
 35:285r
 sibling:
 Robin, Eur. 36:195r
 Shelduck 36:55r
 social facilitation in feeding,
 Domestic chicks 41:52r
 Sparrow, English 33:14
 Warbler, Reed 35:274r
 sleeping Ostrich 34:227r
 snow cover, Bobwhite, response to,
 36:198r
 social, of:
 Blackbirds, *Agelaius* 33:161r
 Ducks 37:217r
 Golden-eye 37:216r
 Grosbeak, Evening 34:22-30
 Grouse, Black 40:260r
 Gull, Laughing 37:206
 Paridae 39:327r
 Pelecaniformes 37:67r
 Raven 36:122r
 Sandpiper, Sharp-tailed 33:127
 Sparrow, Golden 33:162r
 Wood-swallow 37:293r
 sounds, Raven & Shama 34:227r
 spread-wing posture, function 41:53r
 sun bathing, function 40:58r
 testosterone & LH, *Quelea* 41:63r
 taxonomic value 33:113r
 territorial,
 Chaffinch 41:315r
 Dipper 39:63r
 Finch, Bengalese 33:113r
 Grosbeak, Evening 34:217-218
 Grouse, Red 41:151r
 Oystercatcher 37:132r
 Owl, Tawny 40:159r
 Rail, Water 38:329r
 Woodpecker, Red-bellied 37:134r
 shapes 40:335r

relationships 36:288r, 37:68r,
 37:222r, 37:301r, 39:73r, 41:53r
 tool use, Brown-headed Nuthatch
 40:58r
 --, Mangrove Finch 35:276r
 --, Woodpecker Finch 33:114r
 trapped vultures 38:75-76
 Watcher at the Nest, book 38:339r
 vocal, Domestic Fowl 35:130r
 wintering, Goosander 38:84r
 -, & roosting, Jackdaw 34:42r
 BELGIUM see EUROPE
 Bell, D.G. Studies of less familiar
 birds 36:276r
 Bell, H.L. Bower 'painting' by Lauter-
 bach's Bowerbird 40:58r
 Bell, R.K. Barn Swallow banding - some
 results & conclusions 34:40r
 --, Purple Martins 34:223r
 Bellrose, F. Orientation behavior of
 four species of Waterfowl 35:128r
 -- Radar studies of Waterfowl migr.
 37:211r
 -- Radar orientation research 40:54r
 -- Waterfowl migr. corridors e. of the
 Rocky Mts. in the U.S. 40:150r
 -- & R.R. Graber. A radar study of the
 flight directions of nocturnal
 migrants 35:270r
 -- & K.L. Johnson & T.U. Myers.
 Relative value of natural cavities &
 nesting houses for Wood Ducks 37:62r
 -- see Massler, S.S. &
 Baskaya, G.S. The ecol. of the Dancing
 Wheatear in Turkmeniya 37:135r
 -- On the ecol. of the Roller, *Coracias*
garrulus semenove, in Turkmen
 37:216r
 -- see Shluger, E.G. &
 -- see Zagniborodova, E.N. &
 Beme, R.L. Avian reproduction in
 mountains and on plains 40:152r
 -- see Flint, V.E. &
 -- see Uspenskii, S.M. &
 Bengtson, S.-A. The occurrence and
 breeding biol. of the Spotted Crane
 in n.e. Scania 34:167r
 -- The influence of snow on the
 breeding success of birds in Iceland,
 1961 35:129r
 -- Observations on the sexual behav. of
 the Common Scoter on the breeding
 grounds, with special reference to
 courting partners 38:158r

Bengtson, S.-A. (cont.)

- Bearded Tit in Scania 1965-66, new species for Sweden 39:142r
- The breeding behav. of the Grey Phalarope in w. Spitsbergen 39:327r
- Territoriality in the Water Rail in early spring 38:329r
- Benson, A.B. (ed.) Peter Kalm's travels in North America: the English version of 1770 38:90r
- Bent, A.C. Life histories of North American shore birds 34:231r
- Life histories of North American marsh birds 35:287r
- Life histories of North American diving birds 35:286r
- Life histories of North American Jays, Crows and Titmice 36:136r
- Life histories of North American Cuckoos, Goatsuckers, Hummingbirds & their allies 36:136r
- Berge, J.V. see Hudson, G.E. & Bergengren, G. Report No. 1 from Takern Bird Station, 1965 38:327r
- Berger, A.J. Behavior of hand-raised Kirtland's Warbler 40:60r
- Appendicular myology of passerine birds 41:68r
- & B.E. Radabough. Returns of Kirtland's Warbler to the breeding grounds 39:161
- & J. van Tyne. A pioneer bird bander 39:214
- see George, J.C. &
- see van Tyne, J. &
- Berger, D.D. see Hamerstrom, F. &
- see Mueller, H.C. &
- Berglund, B.E. & K. Curry-Lindahl, H. Luther, V. Olsson, W. Rodhe & G.Sellerberg. Ecological studies on the Mute Swan, *Cygnus olor*, in south eastern Sweden 35:131r
- Bergman, G. The food of birds of prey and owls in Fenno-Scandia 33:116r
- Bergman, S. The smallest Parrots of the World 33:114r
- Bergmann, H.-H. & M. Ganso. On biology of the Pygmy Owl 37:134r
- Bergstrom, E.A. Further thoughts on pull-string traps 33:93
- A local pop. of Blue Jays in Connecticut 35:41
- Band loss by Blue Jays 35:42
- Some Starlings resident in Connecticut 32:57
- Berman, D.I. & G.V. Kolonin. On the nesting of the Himalayan *Leucosticte* in Tuva 36:276r
- Berndt, R. & H. Sternberg. Breeding place of one-year-old female Pied Flycatchers in relation to birthplace 39:233r
- & -- Age & sex differences in the dispersion of Pied Flycatchers 40:329-330
- & M.Henss. The Great Tit as an invasion bird 39:321r
- & W.Winkel. Clutch size of the Pied Flycatcher in relation to region, breeding, time, habitat & age 39:231r
- Berndtsson, R. see Albrektsson, T & Bernhoft-Osa, A. Blackcap & Goldcrests in the Norwegian Sea 33:160r
- Pine Grosbeaks breeding in outdoor cage 32:103r
- Bernis, F. About wintering & migration of the Common Crane, *Grus grus* 33:111r
- Trans-Saharan passerine migrants in Iberia 36:48r
- Migration in birds 37:305r
- The Black Vulture, *Aegypius monachus*, in Iberia 38:243r
- & M. Lalanda & F. Leon. Recoveries Report No. 5/6: Ringing scheme of the Spanish Ornithological Soc. 37:208r
- Berthelot, Y. see Yeatman, Y. &
- Berthold, P. On the adherent colors of birds: rusty coloration by iron oxide in the Bearded Vulture & other species 39:66r
- The enormous increase in the number of Eur. Starlings from a physiological view-point 39:234r
- & R.Rau. An electronmicroscopic investigation of the penetration of iron oxide into Anatid feathers 39:236r
- & A.Berthold. On the autumnal migr. of the Chiffchaff in the Schwabische Alb (s.w. Germany) 41:137r
- Beven, G. Population changes in a Surrey oakwood during fifteen years 35:129r
- Bianki, V.V. & V.N. Karpovich, V.V. Makarov & I.P. Tatarinkova. Ecology of the Common Eider in the non-nesting period 39:65r
- Bigger, W.K. Phoebe banding at Trout Run, PA 34:100r
- Billeb, S.L. see Bowman, R.L. &
- Bird, R.D. & L.B. Smith. The food habits of the Red-winged Blackbird,

- Agelaius phoeniceus*, in Manitoba
 36:206r
- Birkenmajer, K. Observations on the
 Ivory Gull in s.w. Spitsbergen 41:248r
- Bischoff, M.B. Photoreceptor &
 secretory structures in the avian
 pineal organ 41:323r
- Bittern, Little (*Ixobrychus minutus*)
 -, American (*Botaurus lentiginosus*)
- Bjarvall, A. The effects of biocides on
 two bird populations at Jarvafaltet,
 n. of Stockholm, 1964 37:57r
- The occurrence in the Stockholm
 region of the thrush Nightingale
 37:214r
- The hatching and nest-exodus
 behavior of Mallards 40:158r
- Blachly, L. & R. Jenks. Naming the
 birds at a glance 35:221r
- Blackbird, Eur. (*Turdus merula*)
 -, Brewer's (*Euphagus cyanocephalus*)
 -, Red-winged (*Agelaius phoeniceus*)
 -, Rusty (*Euphagus carolinus*)
 -, Tri-colored (*Agelaius tricolor*)
 -, Yellow-headed (*Xanthocephalus*
xanthocephalus)
- Blackcap (*Sylvia atricapilla*)
- Blackcock = Black Grouse
- Blackmore, D.K. & I.F. Keymer.
 Cutaneous diseases of wild birds in
 Britain 41:147r
- see Keymer, I.F. &-
- Blagosklonov, K.N. Nesting trees of
 woodpeckers in different forest types
 40:335r
- Blais, J.R. & G.H. Parks. Interaction
 of Evening Grosbeaks (*Hesperiphona*
vespertina) & Spruce Budworm (*Chor-*
istonneura fumiferana (Clem.)) in a
 localized budworm outbreak treated
 with DDT in Quebec 36:124r
- Blake, C.H. Wing length of Yellow-
 breasted Chat 33:43
- Wing length of Slate-colored Junco
 33:97
- Wing length of the Carolina
 Chickadee 33:154
- Further notes on the Purple Finches
 33:173
- A partially blind White-throated
 Sparrow 33:204
- Winter quarters of the Purple Finch
 35:124
- Color & wing length in the Slate-
 colored Junco 35:125
- Observations on bird ticks 35:127
- Replaced primaries in first nuptial
 plumage of *Passerina cyanea* 36:270
- Purple Finches at Hillsborough, NC,
 1961-1965 38:1
- More on the wing length of the Slate
 -colored Junco 38:234
- Comments on Blackpoll Warbler migr.
 39:323r
- Notes on the Indigo Bunting 40:133-9
- & J.M. Cadbury. An old Warbler
 40:255
- Blaker, D. Behavior of the Cattle Egret,
Ardeola ibis 41:142-3r
- Blase, B. Vocal expressions of the Red-
 backed Shrike; field observations &
 Kasper-Hauser experiments 32:63r
- Bleakney, J.S. see Smith, P.C. &-
- Bligh, J. & T.C. Hartley. The deep body
 temp. of an unrestrained Ostrich,
Struthio camelus, recorded continuously
 by a radio - telemetric technique
 36:203r
- Blinkova, T.P. The effect of a super-
 high frequency electromagnetic field
 on the cardiac activity of chicken
 embryos 39:141r
- Bloen, E.G. Ecological & anatomical
 adaptations of n. American Tree Ducks
 41:254r
- see Rylander, M.K. &-
- Blondel, J. & C. Blondel. Shorebirds
 and waterfowl in Morocco in January,
 1964 37:130r
- Blough, D.S. Stimulus generalization as
 signal detection in pigeons 40:344-5r
- Bloze, G. Distribution & structure of
 Herbst bodies in shorebird kills in
 relation to food searching 41:151r
- Bluebird, Eastern (*Sialia sialis*)
 -, Mountain (*S. curruoides*)
- Bluethroat, Red-spotted (*Luscinia*
svecica)
- Blumenthal, T.I. see Dolnik, V.R. &-
- Boag, D.A. Indicators of sex, age and
 breeding phenology in Blue Grouse
 37:141r
- Bobolink (*Dolichonyx oryzivorus*)
- Bobwhite (*Colinus virginianus*)
- Bochenski, Z. The diet of the Eagle-owl
Bubo bubo, (L.) in the Pieniny Mts.
 37:220r
- Bock, C.E. Intra- vs interspecific
 aggression in Pygmy Nuthatch flocks
 41:250r

- Bock, W.J. & A. McEvey. Osteology of *Pedionomus torquatus* (Aves: Pedionomidae) and its allies 41:152r
- Bombycillidae (Waxwings)
wing-weight relationships 32:77
- Bombycilla cedrorum* (Waxwing, Cedar)
aging & sexing 41:291-299
band. report 33:7
behav., with mirror 37:205
distribution 32:58
eggs, incubation 32:154
host-parasite assoc. 41:302
-garrulus (Waxwing, Bohemian)
courtship display 37:61r
invasion 32:184r, 39:323r
migration 32:184r
red-tipped secondaries, dev. 36:125r
recovery, first, Ottenby 35:128r
winter, Rumania 36:125r
- Bonasa umbellus* (Grouse, Ruffed)
management 36:212r
weights & meas. 32:145
- Bond, G.M. Geographic var. in the thrush *Hylocichla ustulata* 34:230r
-- see Meanley, B. &--
- Bond, J. Twelfth supplement to the check-list of birds of the West Indies 39:73r
- Bongiorno, S. see Loftin, H. &--
Bonner, F.L. see Causey, M.K. &--
- Booby, Blue-faced (*Sula dactylatra*)
-, Brown (*S. leucogaster*)
-, Red-footed (*S. sula*)
- BOOKS and MONOGRAPHS:
- Acadian Flycatcher, Breeding Biol. of 36:133r
- Adaptations for Locomotion & Feeding in Anhinga & Double-crested Cormorant 41:156r
- Africa & its Islands, Bird Fauna of, 39:61r
- Alabama Birds 34:50r
- Alexander Wilson: Naturalist & Pioneer 34:105r
- Alps and Savannas 40:175r
- Am., Familiar Garden Birds of, 37:148r
- Animal Communication: Techniques of Study & Results of Research 40:72r
- Animal Pop., Growth & Regulation 34:52r
- Animal Sounds & Communications 32:249r
- Animals, Extinct & Vanishing 39:73r
- Arctic and Tropic 35:248r
- Argen the Gull 36:214r
- Argentine Birds, List & Distr. 35:288r
- Asian Bird-banders' Manual 35:287r
- Attracting Birds: from the Prairies to the Atlantic 38:339r
- Audubon and his Journals 32:250r
- Audubon Book of True Nature Stories 41:77r
- Audubon, John James, the 1826 Journal of, 39:71r
- Avian Anatomy 36:282r
- Avian Blood Groups, Preliminary Study of, with Special Reference to the Passeriformes 36:287r
- Avian Myology 38:334r
- Avian Physiology 37:222r, 40:175r
- Bayou Backwaters 41:333r
- Before Nature Dies 37:70r
- Behav., Animal & Human, Dev. of Theories on, Vol.I, 37:68r
Vol.II, 37:222r
- Behav., Animal, in Laboratory & Field 40:173r
- Behav., Animal, Mechanisms of, 38:165r
- Behav. of Bi-colored Antbirds 38:338r
- Bibliography, Extensive, on Falconry, Eagles, Hawks, Falcons & other Birds of Prey 41:336r
- Binoculars & Scopes. How to Choose, Use & Photograph through Them 32:251r
- Biological Conservation 41:355r
- Biology of Avian Embryo Dev. 41:36r
- Biology of Birds 35:282r
- Biology of Birds with Particular Reference to N.Z. Birds 38:336r
- Biology of Forest Birds & Mammals 39:144r
- Bionic Problems 41:75r
- Bionika (Bionics) 39:145r
- Biosystematics of Am. Crows 34:51r
- Biosystematics of Sibling Species of Flycatchers in the Empidonax Hammondii-Oberholseri-Wrightii Complex 35:136r
- Bird 34:53r
- Bird Casualties at a TV Tower, Leon County, FL, 11 yr. Study 39:72r
- Bird Song: Acoustics & Physiology 41:159r
- Bird Songs: Adventures & Techniques in Recording of Am. Birds 36:215r
- Bird Watchers' America 36:282r
- Bird Watchers' Quiz Book 37:223r
- Birds Around the World 37:304r
- Birds do the Strangest Things 41:332r
- Birds, How to Attract, House & Feed 41:334r
- Birds in Our Lives 38:167r

BOOKS and MONOGRAPHS (cont.)

Birds of:

AEC Savannah River Plant Area 35:285r
 America (Audubon) 39:71r
 Anaktuvuk Pass, Kobuk & Old Crow
 32:109r
 Atlantic Islands
 Vol.I, 35:289r Vol.II, 37:303r
 Atlantic Ocean 40:177r
 Arizona 36:286r
 Arizona, Checklist 35:285r
 Black Hills 36:283r
 British Honduras, a Distr. Study
 36:132r
 Byelorussia 39:241r
 Colombia & Adjacent Areas of South
 & Central America 35:290r
 Colorado 38:88r
 Costa Rica, Distr. & Ecology 36:64r
 Guyana, Checklist of 720 Spp. 38:89r
 India & Pakistan... Nepal, Sikkim,
 Bhutan, & Ceylon, Synopsis 33:169r
 Kauai, Hawaii, A Survey of, 34:144r
 Kentucky 37:149r
 Kolyma Highlands 40:350r
 Labrador Peninsula & Adjacent Areas
 35:281r
 Luxembourg City Park 36:208r
 Mayas. The 37:144r
 New York Area 36:207r
 Niagara Frontier Region 37:149r
 North Carolina 32:100r
 Palearctic Fauna, Non-Passerines
 37:145r
 Pamir-Alaya 41:163r
 Pamirs, The (USSR) 38:36r
 Panama, Republic of, Part I.
 Tinamidae (Tinamous) to Rynchopidae
 (Skimmers) 37:302r
 Prey of the World 36:209r
 Tikal 41:334r
 Trinidad & Tobago 33:117r
 USSR 39:331r
 USSR, A Key to, 36:284r
 USSR, A Short Key to, 36:130r
 West Central Ellesmere Islands &
 Adjacent Area 32:100r
 West Indies, 12th Supplement to
 Checklist 39:73r
 Wisconsin 35:53r
 World, The 33:118r
 World, The, Checklist 34:49r,
 35:290r
 Yakutra (Ptitsy Yakutii) 36:63r

Birds over America 36:209r
 Birds that Stopped Flying 41:332r
 Birger's Birds 40:274r
 Black Brant, sea Goose of the Pacific
 Coast 37:74r
 British Birds 40:35r
 Capture & Banding of Birds 39:241r
 Carolina, Low Country Impressions
 35:136r
 Charadriiformes, The Phylogeny &
 Classification of, 37:79r
 China's Economic Fauna:Birds 37:66r
 Cisbaltic Bird Migration 39:237r
 Colorado Birds, Pictorial Checklist
 39:240r
 Cry of a Bird 34:53r
 Dalsland in South Western Sweden, the
 Terrestrial Vertebrates of, 36:131r
 Der Flug der Teire 33:117r
 Desert Biology 40:350r
 Dictionary, New, of Birds 36:384r
 Domestic Birds 36:283r
 Double Helix, The 40:350r
 Ducks (Anas platyrhynchos), Newly
 Hatched, Color Preferences in Pecking
 Response 40:270r
 Ducks, Geese & Swans 32:111r
 Ducks, Paddling of, 41:333r
 Ecological relationships between
 Birds & Trees 32:249r
 Ecology & Field Biology 37:302r
 Ecology of Man, Essays Toward. The
 Subversive Science 40:272r
 Ecology of the Peregrine & Gyrfalcon
 Populations in Alaska 32:66r
 Emu, The Life of the, 41:261r
 Environment of the Cape Thompson
 Region, Alaska 38:166r
 Europe. A Natural History.
 (The Continents we live on) 36:281r
 European Birds, Atlas of, 32:109r
 Evolutionary Ecology of Animals 41:335r
 Evolutionary Trends in the Avian Genus
 Clamator 36:131r
 Extinct & Vanishing Birds of the World
 40:177r
 Falconry, Japanese, History & Dev. of,
 The Hawking of Japan 36:70r
 Fauna of the Aleutian Islands & Alaska
 Peninsula 32:109r
 Fauna of the French Antilles, The Bird
 35:288r
 Feathers & Plumage of Birds 38:171r
 Feeding Ecology, Comparative, of a
 Tropical Oceanic Island 40:75r

BOOKS and MONOGRAPHS (cont.)

- Feeding in Young Ring-dove,
Transition from Dependent to
Independent 41:163r
- Flight Mechanisms & Orientation
of Birds 38:169r
- Florida, Birds in, 37:75r
- Flying Birds 41:337r
- Fossil Birds, Catalog: Part 3
(Ralliformes, Ichthyornithiformes,
Charadriiformes) 39:72r
- Gardening Without Poisons 35:220r
- Geese, Wild, Studies on in Southern-
most Sweden 35:219r
- Godwit, Black-tailed 35:285r
- Grouse Management Symposium 36:212r
- Game Surveying, Fundamentals of,
38:335r
- Guide(s):
Field, Birds of n. Amer. 37:305r
-, for Ringers, Bird in Hand 34:173r
-, Preliminary, to the Birds of the
Indian Ocean 34:174r
-, to Birds in Japan 32:169r
-, to Birds of Britain & Europe
37:304r
-, to Eastern Land & Water Birds
39:332r
-, to South American Birds 39:74r
National Wildlife Refuges. The Sign
of the Flying Goose 36:210r
Ringers, Identification for, Genus
Sylvia 36:60r
Thailand, Birds of, 40:273r
- Gull, Black-headed, (*Larus ridi-
bundus*), Predator & Anti-predator
Behavior of, 36:134r
- Gulls, Dusky & Swallow-tailed, of
the Galapagos Islands 32:251r
- Handbook of Birds of e.n. Amer. 38:91r
-- Central European Birds 39:145r
- Heron, Great White, The World of
39:239r
- Identification for Ringers. 2.
Genus *Phylloscopus* 32:53r
- Illinois, Comparative Study of Bird
Population 35:133r
- In the Arms of the Mountain (Great
Smokies) 32:251r
- Introduction to Bird-life for Bird
Watchers 36:133r
- I Went to the Woods 36:63r
- Joshua Tree Nat. Monument, Lives
of Desert Animals in, 37:73r
- Kansas, Breeding Birds of, 36:208r
- Life at High Altitudes as Exemplified
by Birds 41:161r
- Life Histories, Central Amer. Birds
32:64r
-- , n. American Shorebirds 34:231r
Life of Birds 34:103r
- Little Barrier Is. (Hauturu) 33:212r
- London Bird Report NO.32 for 1967
40:272r
- Living Bird, The 36:61r
- Locomotor Mechanisms of Birds 33:116r
- Migrating Birds, Tropical Winter Home
33:168r
- Migration, Bird 35:53r
- in Birds 37:305r
- Migrations of Birds 34:173r
--- & Mammals 37:68r
- Molt of Birds 38:335r
- Moving the Earth... for a Song 40:69r
- Murres, Distr., Pop. & Biol. 33:56r
- Naming the Birds at a Glance 35:221r
- Natural History, Field Studies in,
41:336r
- Navigation, Bird 40:176r
- North America, Ecology of, 36:64r
-- , Song & Garden Birds of, 36:132r
-- , Birds' Eggs 37:69r
-- Birds, Handbook of, 34:47r
-- Cuckoos, Goatsuckers, Hummingbirds
& Their Allies, Life Histories of,
36:136r
-- Diving Birds, Life Histories of,
35:286r
-- Jays, Crows & Titmice, Life
Histories of, 36:136r
-- Marsh Birds, Life Hist. of, 35:287r
- Northland, Our Birds of the, 35:135r
-,--- (Sweden) 33:212r
- Oklahoma Birds, Ecol. & Distr. 38:337r
- Old Cape May, Bird Studies at, 37:223r
- Oologia Belgica 39:73r
- Ornithological Congress, XIII Inter-
national, Proceedings of, 35:283r
- Literature, Status of, 1964 36:136r
- News 38:88r
- Ornithology, Fundamentals of, 38:165r
-, Introductory 36:284r
- Our Natural World 37:147r
- Owl, Elf, *Micrathene whitneyi*,
Biology of, 39:240r
- Pelecaniformes, Comparative Study of
some Social Communication Patterns
37:67r
- Penguin Summer 32:250r
- Penguins: the Birds with Flippers 41:333r

BOOKS and MONOGRAPHS (cont.)

- Peregrine Falcon Populations: Their
 Biology & Decline 41:333r
 Personality of the Bird 37:77r
 Pesticides: Interagency Coordination
 in Environmental Hazards 35:221r
 Peter Kalm's Travels in North Amer.:
 The English Version of 1770 38:90r
 Pictorial Encyclopedia of Birds
 41:160r
 Pied-billed Grebes, Osteology &
 Myology of Head & Neck 41:165r
 Precocial Birds, Development &
 Behavior in, 34:46r
 Psychology of Birds, The 39:73r
 Rail, King, Natural Hist. of, 41:164r
 Rare & Exotic Birds 36:214r
 Report on Bird-Ringing for 1962
 35:219r
 Sand County Almanac 40:77r
 Scandinavia, Animal World of, Mammals,
 Birds, Reptiles, etc. 35:284r
 Sea-birds 34:231r
 Shakespeare, The Birds of, 37:76r
 Sharks, The Lady and the, 41:336r
 Siberia, Central, Birds & Mammals of
 the Southern Taiga 38:165r
 Skimmer, Black, Structural Adaptation
 of the Head & Neck 34:104r
 Song Birds of the World 39:331r
 Shearwater, Sooty, Puffinus griseus,
 Biology of, 35:134r
 Sparrow, Song, Studies in the Life
 History of, 36:133r
 -, White-crowned (*Zonotrichia leu-*
cophrys), Geographic Var. 36:137r
 Species & Speciation 41:77r
 Swallow, Rough-winged, *Stelgidopteryx*
ruficollis 34:105r
 Swan, Trumpeter, in the U.S. 32:110r
 Switz., Bird Life in, II. Nesting
 Birds & Their Habitats 36:280r
 -, Breeding Birds of, 34:230r
 Systematic Biology: Survey of Federal
 Programs & Needs 41:336r
 Tanager, Scarlet, *Piranga olivacea*,
 Studies in Life History 37:222r
 Terns of the Dry Tortugas 36:61r
 That Quail, Robert 39:240r
 The Birds 34:231r
 The Bird: Its Form & Function 37:148r
 'The Conservative Fraud' 41:260r
 The Watcher at the Nest 38:339r
 The Wild Falcon is my Companion
 41:336r
 Thorburn's Birds 41:161r
 Thoreau on Birds 36:127r
 Titian Ramsay Peale 38:164r
 Water & Marsh Birds of the World
 39:331r
 - Colors, First, of N. American Birds
 John White & Edward Topsell 37:76r
 -, Prey & Game Birds of N. America
 37:146r
 Waterfowl Behav., Handbook of, 37:146r
 -: Their Biology & Nat. Hist. 40:71r
 -, Sunset Junior Book 32:111r
 - Tomorrow 36:211r
 Weaverbirds, Parasitic 32:185r
 - (Ploceinae), Evol. & Social Organ-
 ization & Visual Communication
 36:129r
 Where to Watch Birds 39:332r
 Whooping Crane, the Bird that Defies
 Extinction 38:169r
 Wild Birds & Their Music, Field Book
 40:77
 Wild Fowl Decoys 36:135r
 Wildfowl 19 40:178r
 - Trust, 11th Annual Report 32:67r
 Woodcock, Am., The Book of, 39:144r
 Woodpeckers, Comparative Life Hist.
 Study of Four Species 39:238r
 World of Birds 36:135r
 Wren, Long-billed Marsh, *Telmatodytes*
palustris griseus (Brewster) in GA.
 Salt Marshes 37:78r
 Wrens of the Genus *Campylorhynchus*,
 Speciation in, 37:72r
 Young Ornithologists, Instructions to
 33:57r
 Zoological Record, The: Aves (Vol.102
 for 1965 40:175r
 Bordner, D.L. Evening Grosbeaks in
 State College, PA 32:59r
 -- Phoebe band. in PA 34:99r
 -- Island Beach Operation Recovery
 35:268r
 --, M. Wood & D.E. Davis. Geog. Distr.
 of Starlings banded at State Coll. PA
 39:117
 Borland, H. Our Natural World 37:147r
 Boroduline, T.L. & A.N. Formazov. On
 signal patches of avian plumage & the
 structural features of Woodcock tail
 feathers 39:66r
 -- The structure of the contour plumage
 of birds in relation to their flight
 38:247r

- Borovitskaya, G.K. & I.V. Izmailov. The Long-toed Stint in Transbaikal 40:153r
- Borror, D.J. Song Variation in Maine Song Sparrows 36:280r
- Common bird songs 40:70r
- Boswall, J. New Palearctic bird sound recordings 40:349r
- New Palearctic bird sound recordings during 1968 41:260r
- Botaurus lentiginosus (Bittern, Am.) band. report 33:3
- weights & meas. 32:144
- Bottomley, J.B. Bird-photography by stalking 40:349r
- Bouillenne, R. Man, the destroying biotype 33:162r
- Bourne, W.R.P. Migrations through Cyprus 33:106r
- Letter to the Editor. (Radar & moon-watching in the Mediterranean) 34:162
- The sequence of bird lists 40:266-7
- & I.J. Patterson. The spring departure of Common Gulls (*Larus canus*) from Scotland 35:210r
- Bowen, V.T. & G.T. Nicholls. An egret observed on St. Paul's Rocks, equatorial Atlantic Ocean 40:266r
- Bowerbird, Crested (*Amblyornis macgregoriae*)
- , Lauterbach's (*Chlamydera lauterbachii*)
- Bowes, A.L. Birds of the Mayas 37:144r
- Bowles, J. see Richardson, F. &
- Bowman, R.L. & S.L. Billeb. Blood-eating in a Galapagos Finch 37:66r
- see Millikan, G.C. &
- Boyajian, N.R. see Collins, H.H., Jr., &
- Boyd, E. A half-century's changes in the bird-life around Springfield, MA 33:137r
- & S.A. Nunneley. Banding records substantiating the changed status of ten sp. of birds since 1900 in the Connecticut Valley 35:1
- Boyd, H. The Eleventh Annual Report of the Wildfowl Trust, 1958-59 32:67r
- Brackbill, H. Song Sparrow possibly nests 75 miles from birthplace 34:36
- Cardinal being eaten alive by Gray Squirrel 38:236
- White-breasted Nuthatch bill abnormality corrected by wear 40:145
- A Cardinal 'divorce' 40:255
- Reverse mounting by the Red-headed Woodpecker 40:255-6
- Red-bellied Woodpecker taking birds' eggs 40:323-4
- A polygynous House Wren 41:118-21
- Slate-colored Junco wintering dates at Baltimore 41:131
- Brachyramphus brevirostre* (Murrelet, Kittlitz's)
- biology 40:260r
- range, Wrangel Island 36:279r
- marmoratus (Murrelet, Marbled) biology 35:274r, 40:260r
- Bradley, D.M. White-throated Sparrow banded at Vancouver, BC 34:39
- Bragin, A.B. see Semenov-Tyan-Shanski, O.I. &
- Brambling (*Fringilla montifringilla*)
- Brant, Black (*Branta bernicla*)
- , Red-breasted (*Rufibrenta ruficollis*)
- Branta bernicla* (Brant, Black)
- age detn. 37:299r
- census 41:46r
- natural hist. 37:74r
- recovery, USSR 33:153
- canadensis (Goose, Canada)
- behavior & dev. 37:135r
- foot abnormalities 33:196
- migration 32:237r
- routes, mort. rate 37:131r
- orientation 35:128r
- surviving in N.Z. 36:58r
- wintering, Antwerp 36:59r
- nigricans = *Branta bernicla*
- Braude, M.I. Specific morphological features of the avian eye (as exemplified by families Laridae & Sternidae) 41:151-2r
- BREEDING (see also BEHAVIOR, - & LIFE HISTORIES)
- adaptive reprod. rates 39:136r
- biology of:
- Blackbird, Tri-colored 33:161r
- Budgerigar 35:48r
- Bustard, Great 37:215r
- Catbird 37:59r
- Courser, Double-banded 39:136r
- Crane, Sandhill 37:134r
- Crow, Hooded 36:197r
- Cuckoo, Diederik 40:58r
- , Great Spotted 39:63r
- Dioch, Black-faced 37:58r
- Dipper 39:63r
- Dove, Rock 40:334r
- , Turtle 40:256r
- Duck, Black-headed 40:152r

BREEDING (cont.)

biology of: (cont.)

Duck, Pink-eared 33:51r
 -, Tufted 40:335r
 -, Wild 33:51r
 Dunlin 38:331r, 39:63r
 Eagle, Golden 39:232r
 -, Lesser, Spotted 39:232r
 -, White-tailed 36:200r
 Eagles of Kenya 38:156r
 Egret, Cattle 38:157r, 38:329r
 Eider, N. 38:241r
 Finch, Arctic Rosy 36:276r
 -, House 36:1-13
 Flamingo 37:294r
 Flycatcher, Acadian 36:133r,
 37:227-257
 -, Least 38:241r
 -, Pied 39:231r
 Godwit, Hudsonian 38:156r
 Goldfinch, Am. 40:26-44
 Goose, Magpie 33:50r
 -, Ross's 36:55r
 Grebe, Black-necked 40:334r
 Grouse, Blue 37:135r
 Guillemot, Pigeon 37:214r
 Gull, Black-backed 36:55r
 Harrier, Marsh 38:241r
 Kittiwake, Black-legged 38:82r
 Mockingbird 38:157r
 Murre 33:56r
 Murrelet, Kittlitz's 40:260r
 -, Marbled 35:274r
 Nuthatch, Rock 37:295r
 Owl, Pygmy 36:121r
 -, Snowy 39:232r
 Oystercatcher 38:330r
 Parrot, King 35:48r
 Petrel, Diving 37:292r
 -, Pycroft's 40:152r
 -, White-faced Storm 37:292r
 Pheasant, Ring-necked 39:133
 Pipit, Water 32:1
 Plover, Ringed 37:214r
 Prion, Broad-billed 37:293r
 -, Narrow-billed 37:293r
 Quail, California in N.Z. 41:314r
 Razorbill 32:184r, 37:134r
 Redwing 41:48r
 Rosella, Eastern 35:48r
 Sandpiper, Common 38:331r
 Shearwater, Manx 37:215r
 Skua, Brown 40:334r
 Sparrow, Field 39:293-306
 Spoonbill, 39:232r

Starling 39:234r
 -, in Czech. 33:207r
 Stint, Long-toed 40:153r
 -, Temminck's 37:59r
 Stork, Marabou 38:82r
 Swallow, Rough-winged 34:105r
 -, Tree 39:187-189
 Teal, Grey 33:51r
 Tern, Caspian 36:217-233
 Tit (*Parus rufonuchalis*) 39:137r
 Tits, Great, Marsh & Coal 38:83r
 Turnstone, Ruddy 33:35
 Warbler, Kirtland's 39:161-189
 Wheatear, Black-necked 40:57r
 White-eye, Cape 40:333r
 Woodpecker, Red-bellied 37:134r
 Wren, Long-billed Marsh 37:78r
 Yellowthroat 33:208r

captivity, in:
 Bluebird 33:209r
 Jay, Blue 33:210r
 -, Mexican 33:210r
 Peacock, Congo 33:114r
 Pintail 33:61
 Raptors 40:153r
 Raven 36:275r

collecting permit, A.C. Bent 35:121
 mountains vs plains, USSR study
 40:152r
 range extension, Long-toed Stint
 40:153r
 second broods, Wood Duck
 --, Starling 39:234r
 study, Heron, four sp., FL 41:143r
 Tanager, Dusky-tailed, im. 36:113
 weather & nesting behav. 39:136r
 winter range, in 33:24-40
 Wood Stork, & food abundance 36:206r

Bremond, J.C. & P.Gramet, T. Brough &
 E.N. Wright. A comparison of some
 broadcasting equipments & recorded
 distress calls for scaring birds
 41:55r

Brendt, R. & H. Sternberg. Terms,
 studies & experiments on the problems
 of bird dispersion 41:134r

Brenner, J.J. Seasonal correlations of
 reserve energy of the Red-winged
 Blackbird 38:195

Brereton, J. Le Gay, & K. Immelmann.
 Head-scratching in the Psittaciformes
 33:209r

-- The life cycles of three Australian
 Parrots: some comparative & pop.
 aspects 35:48r

- & K. Immelmann. Head-scratching in the Psittaciformes 34:227r
- Bridge, D. see Humphrey, P.S. & Brimley, C.S. & H.H. Brimley see T.G. Pearson &
- Brindley, L.D. & S. Prior. Effects of age on taste discrimination in the Bobwhite Quail 41:68r
- BRITISH ISLES
- recoveries, Swallows 37:197r
- Britain:
- band. 35:205r
- band. reports 33:154r, 34:165r, 35:219r, 36:233, 36:272r, 37:291r, 39:134r, 40:149r, 40:224r, 40:257r
- faunistics, London 33:165r, 40:272r
- field guide, birds of, 37:304r
- Goose, Pink-footed, recovery 33:154r
- Oystercatcher, recovery 33:154r
- rare birds of, 39:322r
- Fair Isle:
- Robin recaptures 35:209r
- Ireland:
- breeding birds, status 39:330r
- recoveries 37:291r
- Scotland:
- bird watching in, 39:332r
- migration 37:211r
- Broberg, L. see Edelstam, C. &
- Brodkorb, P. Catalogue of fossil birds 36:126r
- Catalogue of fossil birds: Part III (Ralliformes, Ichthyornithiformes, Charadriiformes) 39:72r
- Broekhuysen, C.J. The breeding biol. of the Orange-breasted Sunbird, *Anthobaphes violacea* (Linnaeus) 35:213r
- see Rowan, M.K. &
- see Tinbergen, N. &
- Broekhuysen, G. Bird migr. in the most s. part of the Afr. continent 39:321r
- Broekhuysen, H.J. & J.M. Winterbottom. Breeding activity of the Cape White-eye, *Zosterops virens capensis* Sunderall, in the Southwest Cape 40:333-4
- & P.G.H. Frost. Nesting behav. of the Black-necked Grebe, *Podiceps nigricollis*, in southern Africa. I: The reaction of disturbed incubating birds II. Laying, clutch size, egg size, incub. & nesting success 40:334
- Brook, A. & C.C. Doncaster, E.C. Palmer, & H.N. Southern. Some photographic studies of the Swift 33:166r
- Brooks, W.S. Comparative adaptations of the Alaskan Redpolls to the arctic environment 41:60r
- Brosset, A. The influence of the environment on the evol. of bird calls: commentary on the paper of C. Chappuis 41:74r
- Ecological localization of avian migrants in the Gabon equatorial forests 41:317-318r
- Bird communities in an equatorial forest of Gabon 41:318r
- Brough, T. The dispersal of Starlings from woodland roosts & the use of bio-acoustics 41:251r
- see Bremond, J.C. &
- Brower, L.P. & W.N. Ryerson, L.L. Coppinger & S.C. Glazier. Ecological chemistry & the palatability spectrum 41:72r
- Brown, A.R. see Hallett, A.F. &
- Brown, F.A. A hypothesis for extrinsic timing of circadian rhythms 41:253r
- Brown, G.W., Jr. (ed.) Desert Biology 40:350r
- Brown, I.L. see Mewaldt, L.R. &
- Brown, J.L. The integration of agonistic behav. in the Steller's Jay, *Cyanocitta stelleri* (Gmelin) 35:276r
- The buffer effect & productivity in Tit populations 41:137-8r
- Brown, K.T. The electroretinogram: its components & their origin 40:161r
- Brown, L.H. Observations on some Kenya eagles 38:156r
- Brown, W.L. Mass insect control programs: four case histories 33:163r
- Bruderer, B. Influence of weather on autumn migration in the Jura 39:323r
- Bruun, B. A Tufted Duck (*Aythya fuligula*) x Scaup (*A. marila*) hybrid from Reykjavik, Iceland 40:266r
- Migr. of Little Gull (*Larus minutus*) in the N. Atlantic region 41:45r
- see Robbins, C.S. &
- Brush-turkey (*Alectura lathamii*)
- Bryan, K.B. see Moldenhauer, R.R. &
- Bub, H. Planned ringing of the Ringed Plover 34:42r
- The capture & band. of birds 39:241r
- The change of rings is endangering the 'individuality' of a ringed bird 41:244r
- Bubo bubo (Owl, Eagle)
- diet 37:220r, 41:73r
- distr, Sweden 35:51r

- nesting interruptions 35:278r
 poison content 35:278r
 -virginianus (Owl, Great Horned)
 bursa regression, gonad cycle, molt,
 meas. 36:102-112
 harness, radio transmitters 39:209-214
 preying on Short-eared Owl 39:319
 weights & meas. 32:148
 Bubulcus ibis (Egret, Cattle)
 band. 32:231r
 behavior 38:157r
 breeding 38:157r
 - biology 38:329r
 ecology 38:85r
 feeding 41:143r
 observed, equatorial Atl. O. 40:266r
 weights & meas. 32:99
 Bucephala clangula (Goldeneye)
 feeding 41:159r
 ecology, Sweden 35:46r
 preening behavior 37:216r
 Buckley, P.A. Foot-paddling in four
 Amer. gulls, with comments on its
 possible function & stimulation
 38:244r, 40:157r
 -- & J.T. Hancock, Jr. Equations for
 estimating & a simple computer prog.
 for generating unique color- &
 aluminum band sequences 39:123
 Budgerigar (Melopsittacus undulatus)
 Bugeranus carunculatus (Crane, Wattled)
 life history 37:136r
 Bulbul, Red-vented (Pycnonotus cafer)
 -, Red-whiskered (P. jocosus)
 -, White-cheeked (P. leucogenys)
 -, Striped-cheeked (Andropadus
 milanjensis)
 BULGARIA see EUROPE
 Bull, J. Birds of the New York Area
 36:207r
 -- see Lanyon, W.E. &-
 Bullfinch (Pyrrhula pyrrhula)
 -, Greater Antillean (Loxigilla
 violacea)
 Bunting, Black-faced (Emberiza
 spodocephala)
 -, Corn (E. calandra)
 -, Indigo (Passerina cyanea)
 -, Little (E. pusilla)
 -, Ortolan (E. hortulana)
 -, Painted (Passerina ciris)
 -, Pine (E. leucocephalus)
 -, Reed (E. schoeniclus)
 -, Rustic (E. rustica)
 -, Yellow = Yellowhammer
 -, Snow (Plectrophenax nivalis)
 Buntings (Emberizidae)
 Burgess, H.H. & H.H. Prince & D.L.
 Trauger. Blue-winged Teal nesting
 success as related to land use
 37:138r
 Burov, V.N. Pop. density as a factor in
 pop. dynamics 40:151r
 Burton, R.W. Breeding biol. of the
 Brown Skua, Catharacta skua lonnbergi
 (Matthews) at Signy Is., S. Orkney
 Islands 40:334-5r
 Burt, H.E. The Psychology of Birds
 39:73r
 -- & M. Giltz. Recoveries of Starlings
 banded at Columbus, OH 37:267r
 Bushtit, Black-eared (Psaltriparus
 melanotis)
 Busse, P. Results of ringing European
 Corvidae 41:311r
 -- & M. Gromadski. Operation Baltic,
 1962 34:223r
 -- & -- Operation Baltic, 1967 41:244r
 Bustard, Great (Otis tarda)
 Buteo buteo (Buzzard)
 band. & recovery 33:155r
 biol. & pop. dynamics 36:54r
 food, zoo 33:116r
 migr., e. central Sweden 36:51r
 population 32:61r
 threat behavior 36:122r
 -jamaicensis (Hawk, Red-tailed)
 ecology, Alberta 41:328r
 'homing' 39:61r
 -lagopus (Hawk, Rough-legged)
 aging & sexing 40:326r
 band. & recovery 33:155r
 food, zoo 33:116r
 migr., Great Lakes 33:161r
 zugunruhe 37:210r
 -lineatus (Hawk, Red-shouldered)
 weights & meas. 32:144
 -platypterus (Hawk, Broad-winged)
 migration, Panama 37:121-123
 non-squealer 36:86
 weights & meas. 32:144
 -swainsoni (Hawk, Swainson's)
 migration, Panama 37:121-123
 Butorides virescens (Heron, Green)
 migration 32:181r
 weights & meas. 32:144
 Butterfield, P.A. & J.H. Crook. The
 annual cycle of nest building & agon-
 istic behav. in captive Quelea quelea
 with ref. to endocrine factors 41:63r

Butterfield, P.A. see Crook, J.H. &
Buzzard (*Buteo buteo*)
-, Honey (*Pernis apivorus*)
-, Mountain (*B. oreophilus*)
-, Rough-legged (*B. lagopus*)
Bvrock, G. The inactive salt gland of
ducks 41:255r

- Cacicus cela* (Cacique, Yellow-rumped)
 parasitized by Giant Cowbird 40:170r
Cacique, Yellow-rumped (*Cacicus cela*)
 -, Yellow-billed (*Amblycercus*
holoseriseus)
Cactospiza heliobates (Finch, Mangrove)
 feeding, tool-using 35:276r
 -*pallida* (Finch, Woodpecker)
 tool-using, captivity 39:139r
Carpodacus purpureus (Finch, Purple)
 weights & meas. 32:158
 Cadbury, J.M. 23 year-old Cormorant
 39:326r
 -- see Blake, C.H. &
 Cade, T.J. Ecology of the Peregrine &
 Gyrfalcon populations in AK 32:66r
 -- Survival of the Scaly-feathered Finch
Sporopipes squamifrons, without
 drinking water 37:219r
 -- Ecological & behavioral aspects of
 predation by the No. Shrike 39:138r
 -- The Gyrfalcon & Falconry 40:62r
 -- Experiments on the effects of water
 deprivation 40:165r
 -- & C.M. White & J.R. Haugh. Peregrines
 and pesticides in AK 40:341r
 -- & G.L. Maclean. Transport of water by
 adult Sandgrouse to their young 39:67r
 -- see Haugh, J.R. &
Calandrella cinerea (Lark, Short-toed)
 distr., Sweden 38:86r
Calcarius lapponicus (Longspur, Lapland)
 alarm notes 32:25
 behavior 32:36
 migration 33:48r, 36:273r
 -, over N.E. Atlantic O. 33:159r
 wintering 36:273r
 -*ornatus* (Longspur, Chestnut-collared)
 territory 32:12
 -*pictus* (Longspur, Smith's)
 incubation 38:156r
 Calder, W.A. Respiration during song in
 the canary 41:260r
 Caldwell, L.D. Dove production & nest
 site selection in s. MI 37:59r
 -- & E.P. Odum & S.G. Marshall. Com-
 parison of fat levels in migrating
 birds killed at a cent. MI & a FL
 Gulf coast TV tower 36:120r
 -- & G.J. Wallace. Collections of migr-
 ating birds at MI TV towers 38:154r
Calidris acuminata (Sandpiper,
 Sharp-tailed)
 maintenance in captivity, social
 behavior 33:126r
 nesting, Yakutia, USSR 36:63r
 -*alba* (Sanderling)
 migration 33:38
 plumage, age, gonad condition 33:39
 spring migration 34:65
 -*alpina* (Dunlin)
 band. report 33:155r
 breeding cycle 39:63r
 feeding ecology 37:221r
 Finland, distr. 36:52r
 -, status 37:212r
 flight ranges 37:1-34
 lipid deposition 37:1-34
 migration 32:238r, 33:37
 -, over n.e. Atlantic O. 33:159r
 -, autumnal, Sweden 37:1-34
 pop. dynamics 39:63r
 -, in Morocco 37:130r
 pox virus 40:342r
 recovery 33:154r
 -, first at Ottenby 35:129r
 weight var., migrants, Sweden 37:1-34
 -*bairdii* (Sandpiper, Baird's)
 nesting, Bylot Island 32:10
 -*canutus* (Knot, Red)
 migration 33:36
 -, spring 34:65
 plumage, age, gonad dev. 33:36
 -*ferruginea* (Sandpiper, Curlew)
 in captivity 33:126
 trapping, Australia 33:123
 -*fuscicollis* (Sandpiper, White-rumped)
 migration 33:37, 33:238r
 -*maritima* (Sandpiper, Purple)
 migration 32:238r
 -, over n.e. Atlantic O. 33:159r
 oil pollution 40:342r
 -*mauri* (Sandpiper, Western)
 migration 33:38
 plumage, age, gonad dev. 33:38
 postbreeding lipid deposition 37:63r
 -*melanotos* (Sandpiper, Pectoral)
 migration 32:238r
 trapping, Australia 33:123
 recovery, Siberia 36:112
 -*minuta* (Stint, Little)
 breeding, Sweden 38:83r
 -*minutilla* (Sandpiper, Least)
 band. 40:146
 migration 33:37
 -, autumn, weight changes 41:244r
 -*pusillus* (Sandpiper, Semipalmated)
 migration 33:37
 -, autumn, weight changes 41:244r
 -, spring 34:65

- Calidris pusillus* (cont.)
 plumage, age, gonad dev. 33:38
 -*ruficollis* (Sandpiper, Rufous-necked)
 in captivity 32:126-8
 trapping, Australia 33:123
 -*subminuta* (Stint, Long-toed)
 breeding biol. 40:153r
 -*temminckii* (Stint, Temminck's)
 breeding biol. 37:59r
 -*tenuirostris* (Knot, Great)
 breeding 32:110r
 trapping, Australia 33:123
Callichelidon cyaneoviridis (Swallow,
 Bahamian)
 distr. 32:50
Calliphlox evelynae (Woodstar, Bahamian)
 weights & meas. 32:47
Camarhynchus pallidus (Finch, Woodpecker)
 tool-using 33:114r
 Cameron, R.A.D. Predation by Song
 Thrushes, *Turdus ericetorum* (Turton),
 & the snails, *Cepaea hortensis* (Mull)
 & *Arianta arbustorum* (L.) near
 Rickmansworth 41:157-8r
 -- & L. Cornwallis, M.J.L. Percival &
 A.R.E. Sinclair. The migr. of raptors
 & storks through the Near East in
 autumn 39:321r
 Campbell, B. What is a British bird?
 33:159r
 Campbell, J. see Fyfe, R. W. &
 Campbell Island, Subantarctica 34:173r
 Campbell, R.W. & T. Pearse. Notes on a
 twenty-year-old Glaucous-winged Gull
 39:226
Campylorhynchus brunneicapillus
 (Wren, Cactus)
 competition & survival 35:130r
 speciation 37:72-3r
CANADA
 birds of 38:252r
 Brit. Columbia, Mandarte Island,
 breeding birds of 36:205r
 Labrador, Redpoll in 35:281r
 Ontario, band. 34:148r, 37:231r,
 40:148r
 -, migration 38:238r
 Quebec, Evening Grosbeak 'slaughter'
 36:45r
 recoveries abroad 33:152
 Saskatchewan, band. & recov. 40:325r
 Ungava Peninsula, ecol. of, 36:59r
Canachites canadensis (Grouse, Spruce)
 courtship display 33:52
 hybrid, *Lagopus x Canachites* 40:348r
 mgt., status, ecology 36:212r
CANAL ZONE see **CENTRAL AMERICA**
 Canary (*Serinus canaria*)
 Cant, G. & H.P. Geis. The House Finch:
 a new east coast migrant 34:44r
 Cantwell, R. Alexander Wilson:
 Naturalist & Pioneer 34:105r
 Canvasback (*Aythya valisneria*)
 Capella gallinago (Snipe, Common)
 band., Panama 34:220r
 TV tower kill 33:155r
 Capercaillie (*Tetrao urogallus*)
 Caprimulgus vociferus (Whip-poor-will)
 netted & banded in MI; weights &
 meas. 36:118r
CAPTURE see **TECHNIQUES**
 Cardinal (*Cardinalis cardinalis*)
Cardinalis cardinalis (Cardinal)
 bird tick infestation 35:127
 mist netting 32:172
 pop. increase from 1906, IL 35:134r
 trapping 32:161
 weights & meas. 32:157
Carduelis cannabina (Linnet)
 band. 32:100r, 32:179r
 -*carduelis* (Goldfinch, Eur.)
 band. 32:100r, 32:179r
 feeding behavior 40:60r
 recovery, Ottenby 35:128r
 -*flavirostra* (Twite)
 breeding, Sweden 35:48r
Carduelis spp. (Goldfinches)
 irruptive migr. 35:273r
 Carib, Purple-thtd. (*Eulampis jugularis*)
 Carlsson, C.-I. Fall migration at
 Torhamn 33:205r
 Carney, W.P. see Verbeek N.A.M. &
Carpodacus cassinii (Finch, Cassin's)
 plumage 36:12
 -*erythrinus* (Grosbeak, Scarlet)
 trapping at salt lick 40:148r
 yearly breeder, Sweden 35:135r
 -*mexicanus* (Finch, House)
 band. report 33:69
 behavior 36:1-13
 habitat selection 34:44r
 identification 34:44r, 36:207r
 migr. to e. coast, new 34:44r
 nesting success, ID 33:206r
 parasitism by larvae 33:71
 plumage 36:1-13
 population 36:1-13
 -, after *Zonotrichia* removal 35:184
 -*purpureus* (Finch, Purple)
 attack posture 34:217

- Carpodacus purpureus* (cont.)
 banding 33:173
 - records, status, CT 35:1-7
 - report 33:90
 coloration, pink & yellow 33:90
 feeding terr. at feeder 34:217
 gape color 36:19
 habitat selection 34:44r
 identification 34:44r, 36:207r
 migr. patterns 33:173
 mortality 38:1-17
 plumage 36:12, 38:1-17
 population 38:1-17
 - dynamics 33:173
 recovery, Quebec 34:83
 tick infestation 35:127
 winter quarters 35:124
- Carrick, R. see Dacies, S.J.J. F. & Carson, R. Silent Spring 33:211r
- Carter, W.C. see Sussman, O. & Cascara ferruginea = *Tadorna ferruginea* (Shelduck, Ruddy)
- Casement, M.B. Migration across the Medit. observed by radar 38:155r
- Cassidix mexicanus* (Grackle, Boat-tailed) nest on Little Egg Is., GA 36:23
- Catbird, Gray (*Dumetella carolinensis*)
- Catharacta macormicki* (Skua, S.-polar) behav., life hist. 32:187-221
 distr. 32:187
 color marking 32:196
 band. 32:191, 32:196, 32:230r
 clutch size 32:190
 trapping 32:195
 -skua (Skua, Brown)
 breeding biol. 40:334r
- Cathartes aura* (Vulture, Turkey) distr. 32:50
 olfaction in food location 36:61r
 trapping & behav. 38:75-6
- Catoptrophorus semipalmatus* (Willet) bill deformity 38:324
 nest on Little Egg Is., GA 36:23
- Causey, M.K. & F.L. Bonner & J.B. Graves. Dieldrin residues in the Gallinules, *Porphyrala martinica* L. & *Gallinula chloropus* L., & its effect on clutch size & hatchability 41:57r
- CENSUSES see POPULATION
- CENTRAL AMERICA
 breeding census success 37:213r
- PANAMA CANAL ZONE
 band. program 37:35-44, 38:151
- PANAMA, REPUBLIC of,
 band. 34:220, 37:35, 37:286
 birds of, 37:302r
 movements through 38:151
 repeats & returns 34:219
- Centrocerus urophasianus* (Grouse, Sage) management 36:212r
- Centurus aurifrons* (Woodpecker, Golden-fronted)
 food 35:225-253
 utility pole damage; territory 35:225
 -carolinus (Woodpecker, Red-bellied) distress calls 36:83-88
 taking birds eggs 40:323
 terr. & breeding 37:134r
- Cephus columba* (Guillemot, Pigeon) breeding biol. & behav. 37:214r
 census, Mandarte Is., BC 36:205r
 returns 37:288
- Certhia* spp. (Creepers)
 autumn movements 35:203
 behavior 35:135
 -, comparative 36:56r
 distr. 32:58
 recovery 35:203
 songs, evol. & geog, var. 33:56r
- Chaetura pelagica* (Swift, Chimney) band., returns, OH 35:38, 38:56
 - program, status 37:120
 life hist. 32:168
 nesting behav., injured bird 38:147
 pox virus 33:192
- Chaffinch (*Fringilla coelebs*)
- Chapman, F.M. Handbook of birds of eastern North America 38:91r
- Chapman, S.E. Turtle Dove crossing the Atl. westward on a ship 35:209r
- Chappuis, C. A vocal cline in Palearctic birds: pitch differences of the vocalizations of diff. latitudes 41:74r
- Charadriidae (Plovers)
 foot movements 32:183r
 trapping, Australia 33:123
- Charadriiformes (Shorebirds)
 band., CA 34:99r
 egg tooth 41:68r
 fat content & flight 41:48r
 feeding behav., foot movements 32:183r
 33:116r
 Herbst bodies, foods 41:151r
 life hist. 32:66r
 migr. 37:127r, 37:230r, 40:55r
 mistnetting 34:99r
 phylogeny & systematics 37:79r

- Charadriiformes (cont.)
 pop., Morocco 37:130r
 radar studies 40:55r
 lead poisoning 34:45r
 trapping, cannon nets 38:214-218
 TV tower kills 33:155r
 wintering, Sweden 35:128r
- Charadrius apricaria (Plover, Golden)
 post-breeding lipid deposition 37:63r
- cinctus (Dotterel, Red-kneed)
 trapping, Australia 33:123
- dubius (Plover, Little Ringed)
 diseases 32:184r
 pop. increase, Britain 35:275
- hiaticula (Plover, Ringed)
 band. 34:42r
 breeding biol. 37:214r
 egg shell removal 34:102r
- melodus (Plover, Piping)
 band., NY, longevity 34:101r
- pecuarius (Sandplover, Kittlitz's)
 behav. in captivity 40:57r
- semipalmatus (Plover, Semipalmated)
 pop. dynamics; plumage & age; gonadal dev.; migration 33:32
- tricoloris (Sandplover, Three-banded)
 nest transfer 37:133r
- vociferus (Killdeer)
 behavior, hiding 37:192
 migration 32:238r
 weights & meas. 32:146
- wilsonia (Plover, Wilson's)
 distraction display 35:137r
 distribution 32:50
 egg weights 37:58r
 nesting, GA 36:23
- Chat, Yellow-breasted (Icteria virens)
 -, Crimson (Ephthianura tricolor)
- Cheltsov-Bebutov, A.M. On modes of
 Waterfowl utilization (for sport or
 the market?) 39:140r
- & A.K. Koshina. Are territorial
 attachments of river ducks
 persistent? 40:169r
- Chen caerulescens (Goose, Snow)
 banded USA, recovered USSR 33:152
 band. report 32:174
 migr. 32:238r, 33:152, 37:68r
 pop., Wrangel Island 36:279r, 37:68r
- Cherepanov, A.I. 5th international
 symposium of migratory birds in the
 spread of arboviruses 41:250-1r
- Chernikin, E.M. On the biology of the
 Pacific Ocean Eagle 37:293r
- Migration of Nutcrackers in
 Cisbaikal 40:328r
- Chernov, Y.I. The trophic relationships
 of birds to insects in the Tundra
 zone 39:143r
- Chernyavskii, F.B. On the interrelation-
 ships of the Arctic Fox & some sp.
 of Tundra birds 39:65r
- Chernyshev, V.B. Disturbances of the
 earth's magnetic field & biological
 rhythms (of the beetle, Trogoderma)
 40:327r
- Chichibu, S. see Hagiwara, S. &
 Chickadee, Black-capped (Parus
 atricapillus)
 -, Boreal (P. hudsonicus)
 -, Carolina (P. carolinensis)
 -, Chestnut-backed (P. rufescens)
 -, Mountain (P. gambeli)
- Chicken, Domestic (Gallus domesticus)
 Chicken, Prairie (Tymanuchus spp.)
 -, Greater Prairie (T. cupido)
- Chiffchaff (Phylloscopus collybita)
- Child, G.I. see Hicks, D.L. &
 CHINA
 birds of, ecol., economics etc.
 37:66r
- Chlamydera lauterbachii (Bowerbird,
 Lauterbach's)
 bower decorating 40:58r
- Chlidonias hybrida (Tern, Whiskered)
 behavior 32:183r
 -nigra (Tern, Black)
 behavior 32:183r
 fall migr., Baltic 36:120r
 migration 32:181r
- Chloephaga hybrida (Goose, Kelp)
 nesting behavior 37:59r
- Chloris chloris (Greenfinches)
 food preference 34:46r
- Chondestes grammacus (Sparrow, Lark)
 band. report 33:72
 pop. decrease, IL 35:134r
- Chordeiles minor (Nighthawk)
 behavior, comparison 35:48r
 home range 37:131r
 nesting 32:79
 netted & banded, MI 36:117
 weights & meas. 32:77, 32:147
- Christensen, N.H. & J.R. Jacobson
 'Headwind migration' 41:44r
- see Hansen, E. &
 Christensen, R.E. se Anderson, D.W. &
 Christiansson, S. & S. Gerell. White-thtd.
 Sparrow new for Sweden 38:86r

- Chrysococcyx caprius* (Cuckoo, Diederick) -- & C.D. Hackman. Longevity record for a breeding Great Frigatebird 40:47
 breeding biol. 40:58r
-lucidus (Cuckoo, Shining)
 migr., malarial parasites 32:179r
 Chun-fan, C. see Tso-hsin, C. &
 Chung-ming, V. Prelim. studies on the breed -- An indoor Blue Jay nest 39:55
 -ing behav. of the Marsh Tit 37:215r -- Spread-wing postures in Pelecani-
 Chunikhin, S.P. Peculiarities of nest forms, Ciconiiformes & Falconiformes
 parasitism in the Glukha Cuckoo, 41:53r
Cuculus saturatus 37:137r
 Clark, W.S. Modifications of the Bal-
 Chatri trap for shrikes 39:321r
 Chun-yu, L. see Tso-hsin, C. &
 Clarke, G.M. see Herman, C.M. &
 Chupp, N.R. & P.D. Dalke. Waterfowl Clarke, S.P. see Murton, G.K. &
 mort. in the Coeur d'Alene River Clench, M.H. Additional observations on
 Valley 37:63r the fall migr. of adult & immature
Ciconia ciconia (Stork, White) Least Flycatchers 40:238-42
 migr., Bosporus 33:105 -- see Leberman, R.C. &
 -, distr. &, Greece 38:85r -- see Lloyd, A.C. &
 -, north-western divide 36:48r
 status, repopulation program 36:280r
-nigra (Stork, Black)
 distribution 40:56r
Ciconiiformes (Storks)
 spread-wing posture 41:53r
Cinclus cinclus (Dipper)
 behav., nest 34:227r
 nesting site 33:167r
 pop. dynamics 40:56r
 terr. & nesting 39:63r
Circaetus gallicus (Eagle, Short-toed)
 migration 37:210r
Circus aeruginosus (Harrier, Marsh)
 pop., biol., breeding 38:241r
-approximans (Harrier, Swamp)
 passing food, airborne 40:59r
-cyaneus (Hawk, Marsh)
 aging & sexing 39:329r
 passing food 41:41, 41:241
 polygamy 41:47r
 population 32:61r
-pygargus (Harrier, Montagu)
 transporting young 38:224r
Clamator spp. (Cuckoos)
 breeding biol. & dev. 39:63r
 evol. trends; range 36:131r
 distr., Sweden, *C. glandarius* 41:155r
 Clancey, P.A. The ventral coloring of
 the Lammergeyer 40:345r
Clangula hyemalis (Duck, Long-tailed)
 pop. dynamics 37:68r
 range, Sweden 36:205r
 Clapham, C. Notes on the nocturnal
 migration of Motacillids 33:46r
 Clapp, R.B. & F.C. Sibley. Longevity
 records of some Cent. Pacific
 seabirds 37:193

- Colaptes auratus* (cont.)
 migr. at sea, Nfld. 33:158r
 netting, Monhegan Is., ME 35:207r
 parasites 32:93
 pop. increase since 1906, IL 35:134r
 - dynamics, Nantucket Is. 40:290-308
 utility pole damage; hole location,
 food preference 35:225-253
 weights & meas. 32:148
- Colinus virginianus* (Bobwhite)
 age, & taste discrimination 41:68r
 - detn. of embryo 37:58r
 antiphonal calling 40:268r
 cricket hunting, not by sound 41:67r
 defecating when flushed 37:287, 39:319
 migration 32:85, 32:90
 mortality 37:133r
 nesting 39:133r
 raised in captivity 39:240r
 snow cover, response to 36:198r
 status, Christmas count 40:333r
 supplemental feeding response 35:266
 weights & meas. 32:77, 32:145, 32:108r
- Colius* spp. (Colies)
 ectoparasites 40:347r
 life history 40:347r
- Collias, N. & E.C. Collias. Evolution of
 nest building in the Weaverbirds
 (Ploceidae) 35:274r
- & -- Size of breeding colony related
 to attraction of mates in a tropical
 passerine bird 41:141r
- Colias, E.C. see Colias, N. &
 Collier, R.S. see Tanner, J.T. &
 Collins, C.T. The natal pterylosis of
 tanagers 34:36
- Collins, H.H., Jr. & N.R. Boyajian.
 Familiar garden birds of Amer. 37:148r
 -- The bird watchers' quiz book 37:223r
- Collister, C. Rough-winged & Bank
 swallows in same colony 35:204
- Collocalia spp. (Swiftlets)
 echo location 38:244r
- Columba livia* (Dove, Rock)
 breeding biol. 40:334r
 color preference shift 41:63r
 navig., races in Moscow 40:151r
 - without semicircular canals 37:211r
 orient. 36:49r, 40:54r, 40:327r,
 41:43r, 41:246r
 ovulation, chem. inhibition 36:203r
 37:60r
 pox virus 33:192
 reprod. behav., observations 36:56r
 stimulus generalization 40:344r
 visual field dependency 41:67r
 weights & meas. 32:147
- palumbus (Pigeon, Wood)
 breeding cycle 38:83r
 feeding behav. 32:64, 39:236r, 41:73r
 - ecology 35:133r
 magnetism & orient. 37:210r
 on ship 500 miles from land 33:159r
 photoresponses 39:65r
 pop., Neth., effects of shooting
 36:54r
 predation by Goshawks 33:116r
 -, egg, & productivity 36:55r
- Columbidae (Pigeons)
 capturing using drugs 37:291r
 navigation 32:232r
 orientation 32:234r
 systematic position 41:325r
- Columbina passerina* (Dove, Ground)
 weights & meas. 32:47
- Comerford, S. see Lott, D.F. &
 Comfort, A. Survival curves of some
 birds in the London Zoo 35:46r
- Condor, Andean (*Vultur gryphus*)
 -, California (*Gymnogyps californianus*)
 Condy, J.B. A technique for capturing
 Abdim's Storks, *Sphenorhynchus*
abdimii, (Lichtenstein) 37:209r
- Coot (*Fulica atra*)
 -, American (*F. americana*)
 -, Red-gartered (*F. armillata*)
- Connell, C.E. & E.P. Odum & H. Kale.
 Fat free weights of birds 33:109r
 -- see Odum, E.P. &
- CONSERVATION see also ECOLOGY,
 ENVIRONMENTAL QUALITY, NESTS, EGGS,
 POPULATION & TECHNIQUES
 Biological -, book 41:335r
 Conservation Fraud, book 41:260r
 Danube Delta, several spp. 35:133r
 Falcon, Peregrine, of 40:342r
 hunters, for 34:22-30
 Scrub-bird Noisy 38:85r
 status of some raptors 41:58r
 storks, of 38:85r
- Contopus sp. (Wood Pewee)
 distress callers? 36:86
 fledgling behav. 40:58r
 identification key 37:153-171
 -caribaeus (Pewee, Greater Antillean)
 distribution 32:50
- Conway, W.G. & J. Bell. Observations on
 the behav. of Kittlitz's Sandplovers
 at the NY Zoological Park 40:57r
- Cook, R.D. & A.S. King. Observations on

- the ultrastructure of the smooth muscle & its innervation in the avian lung 41:324r
- Cookingham, R.A. & T.H. Ripley. Some observations on the response of an insular Quail population to supplemental feeding 35:266
- Coppinger, L.L. see Brower, L.P. & Coppinger, R.P. & B.C. Wentworth. Identification of experimental birds with the aid of feather autografts 37:203
- Copsychus malabaricus (Shama) purposive use of learned sounds 34:227r
- Coracias garrulus (Roller, Eur.) life history 37:216r
- Coragyps atrata (Vulture, Black) artificial incubation 34:144
behavior 32:105r
olfaction 36:61r
trapping, & behav. 38:75-76
- Corbin, K.W. see Sibley, C.G. & Cordon-bleu (Uraeginthus angolensis)
- Cormack, R.M. see Dunnet, G.M. & Cormorants (Phalacrocorax spp.)
-, Common (P. carbo)
-, Double-crested (P. auritus)
-, Flightless (Nannopterum harrisi)
-, Olivaceous (P. olivaceus)
-, Pelagic (P. pelagicus)
-, Pygmy (P. pygmaeus)
-, White-breasted (P. fuscescens)
-, Neotropic (P. brasiliensis)
- Corncrake (Crex crex)
- Cornaz, N. see Sutter, E. & Cornelius, L.W. see Macdonald, J.W. & Cornwallis, L. see Cameron, R.A. D. & Cornwallis, R.C. & A.D. Townsend. Waxwings in Britain & Europe during 1965-66 39:323r
- Cornwallis, R.K. Four invasions of Waxwings during 1956-60 32:184r
-- & A.E. Smith. The bird in hand: A field guide for ringers & bird observatory workers 34:173r
- Cortopassi, A.J. & L.R. Mewaldt. The circumannual distribution of White-crowned Sparrows 36:141
- Corvidae (Crows & Jays)
band. program, European - 41:311r
biosystematics 34:51r
capturing 40:148r
migration 32:90
morph., buccal cavity 38:332r
- Corvus brachyrhynchos (Crow, Common)
pop. decrease from 1906, IL 35:134r
weights & meas. 32:151
-corax (Raven)
behavior, social 36:122r, 37:294r
breeding density 35:47r
Labrador, in 35:281r
nesting, captivity 36:275r
predator on duck nests 36:199r
purposive use, learned sounds 34:227r
storing activity 37:217r
-cornix (Crow, Hooded)
breeding biol., food habits, Finland 36:197r
hybridization 33:206r
predator on duck nests 36:199r
-corone (Crow, Carrion)
hybridizing 33:206r
once rare, Falsterbo 33:206r
predation, egg, Scotland 32:102
preying on Larus ridibundus 36:134r
-monedula (Jackdaw)
albinism & melanism 35:132r
effect of biocide 37:57r
wintering & roosting habits 34:42r
-frugilegus (Rook)
albinism & melanism 35:132r
band. report 33:155r
malformed bill, feeding method 40:60r
pop., Britain, over 35 years 36:120r
- dynamics 41:247r
recovery, Ottenby 33:155r
-ruficollis (Raven, Desert)
biol., life history, nesting 39:137r
nesting success, desert 39:62r
- COSTA RICA
Cocos Islands, birds of 38:247r
- Cotinga, Plum-throated (Cotinga maynana)
-, Guianan Red (Phoenicircus carnitex)
-, Pompadour (Xipholena punicea)
- Coturnix coturnix (Quail, European)
distribution 40:56r
migration 32:85-90
movement, USSR 37:68r
Palearctic Quail, speciation question 40:347r
weights & meas. 32:145
yolk weight after hatching 33:207r
- Coulson, J.C. A study of the mort. of the Starling based on ringing recoveries 33:49r
-- Movements & seasonal var. in mort. of Shags & Cormorants ringed on the Farne Is., Northumberland 33:50r

- The influence of the pair-bond & age on the breeding biol. of the Kittiwake Gull *Rissa tridactyla* 37:82r
- The movements of the Kittiwake 38:240r
- & G.R. Potts, I.R. Deans & S.M. Fraser. Exceptional mort. of Shags & other seabirds caused by paralytic shellfish poison 40:62r
- & White, E. The post-fledgling mort. of the Kittiwake 32:104r
- Courtney, J. The juvenile food-begging call of some fledgling cuckoos: vocal mimicry or vocal duplication by natural selection? 40:60r
- COURTSHIP see BEHAVIOR, -
- Chough (*Pyrrhocorax pyrrhocorax*)
- Courseur, Double-banded (*Rhinoptilus africanus*)
- Coutlee, E.L. see Thompson, W.L. & Cowbird, Bronzed (*Tangarius aeneus*)
- , Brown-headed (*Molothrus ater*)
- , Giant (*Scaphidura oryzivora*)
- , Shiny (*Molothrus bonariensis*)
- Cowdy, S. Post-fledgling behav. of Choughs on Bardsey Island 34:42r
- Cox, G.W. The role of competition in the evolution of migration 40:53r
- Cracraft, J. & J.J. Morony, Jr. A new Pliocene woodpecker, with comments on the fossil Picidae 41:258r
- Craig, C.W. Goldfinch's method of obtaining dandelion seeds 40:60r
- Craighead, J.J. & D.S. Stockstead. Breeding age of Canada Goose 36:204r
- Crake, Corn (*Crex crex*)
- Cramp, S. Toxic chemicals & birds of prey 35:50r
- Movements of Tits in Europe in 1959 and after 36:53r
- & L.J. Ferguson-Lees. The birds of the Danube Delta & their conservation 35:133r
- (ed.) British Birds 40:351r
- Crane, Common (*Grus grus*)
- , Sandhill, (*G. canadensis*)
- , Siberian (*G. leucogeranus*)
- , Wattled (*Buggeranus carunculatus*)
- , Whooping (*G. americanus*)
- Craufurd, R.Q. Notes on the ecol. of the Cattle Egret, *Ardeola ibis*, at Rokupr, Sierra Leone 38:85r
- Crebbs, T.C., Jr. Longevity in the Plain-colored Tanager, *Tangara inornata* 35:264
- Creepers, Tree (*Certhia familiaris*)
- , Garden Tree (*C. brachydactyla*)
- , Wall (*Tichodroma* spp.)
- , Brown (*Finchis novaeseelandiae*) Creepers (*Certhis* spp.)
- Creutz, H. Data on wintering Bramblings 33:166r
- Crex crex (Crake, Corn)
- distribution 40:56r
- pop. decrease, Sweden 35:51r, 35:115r
- post-natal dev. 39:326r
- Crisp, D.T. Chaffinches crossing the Atlantic westward on a ship 35:209r
- Crook, J.H. The evol. of social organization & visual communication in the Weaverbirds (*Ploceinae*) 36:128r
- & Butterfield, P.A. Effects of testosterone propionate & luteinizing hormone on agonistic & nest building behav. of *Quelea quelea* 41:63r
- see Butterfield, P.A. &
- Cross, D.J. see Southwood, T.R.E. &
- Crossbills (*Loxia* spp.)
- , Parrot (*L. pytyopsittacus*)
- , Red (*L. curvirostra*)
- , White-winged (*L. leucoptera*)
- Crotophaga ani (Ani, Smooth-billed)
- Crows (*Corvus* spp.)
- , Carrion (*C. corone*)
- , Common (*C. brachyrhynchus*)
- , Hooded (*C. cornix*)
- Cruickshank, H. Thoreau on birds 36:127r
- Cuckoo, Common (*Cuculus canorus*)
- , Black-bellied (*Coccyzus erythrophthalmus*)
- , Diederik (*Chrysococcyx caprius*)
- , European (*Cuculus* spp.)
- , Glukha (*Cuculus saturatus*)
- , Old World (*Clamator* spp.)
- , Shining (*Chrysococcyx lucidus*)
- , Squirrel (*Piaya cayana*)
- , Yellow-billed (*Coccyzus americanus*)
- Cuculus* spp. (Cuckoos, Eur.)
- host-nest locating 41:248r
- mimicry, food-begging call by fledglings 40:60r
- basalis (Cuckoo, Horzfield Bronze) depositing egg with bill? 41:140r
- canorus (Cuckoo, Common) feeding; egg moving; chick behav. 33:212r
- number of eggs laid 36:200r
- parasitism 39:137r
- saturatus (Cuckoo, Glukha) parasitism 39:137r
- on Chiffchaff 37:137r

- Cudworth, J. see Pashby, B.S. & Cumming, J.J.T. Notes on the migr. of swallows in s.w. Spain 33:104r
- Cummingham, J.M. Black Shags flying with bills agape 40:65r
- Curio, E. Contributions to the pop. ecol. of the Pied Flycatcher 32:61r
- Ontogeny & phylogeny of some instinctive behav. patterns of flycatchers 32:63r
- On the geog. var. of behav. 33:51r
- & P. Kramer. The Mangrove Finch 35:276r
- & -- On plumage var. in male Darwin's Finches 36:27
- Curlew (*Numenius arquata*)
- , Slender-billed (*N. tenuirostris*)
- Curry-Lindahl, K. Alps & Savannahs 40:175r
- Our birds of the Northland 32:66r
- Conservation & predation problems of birds of prey in Sweden 33:116r
- Forest & animals 33:163r
- Sarak 33:166r
- Lemming year in the Lapland highlands 33:166r
- The tropical winter home of the migrating birds 33:168r
- Our birds of the Northland 33:212r
- Little Bunting found breeding in the Sarak, Swedish Lapland 34:171r
- Twite found breeding at Virihaure, Swedish Lapland 35:48r
- Our birds of the Northland 35:135r
- The animal world of Scandinavia. Mammals, birds, reptiles, amphibians, fishes 35:284r
- Arctic & tropic 35:284r
- Molt, bodyweights, gonadal dev. & migration in *Motacilla flava* 36:119r
- Europe. A Natural History (The continents we live on) 36:281r
- (ed.) Nature in Lapland 39:68r
- Alps & Savannahs 40:175r
- The taxonomy of the herons in the light of ethological studies 40:266r
- see Berglund, B.E. & Curtis, S.G. Spring migration & weather at Madison, WI 41:245r
- Cymborowskii, B. & B. Szulc-Olechowska. A comparison of the postembryonal dev. of the Common Tern, *Sterna hirundo* L., in natural & artificial situations 39:233r
- Cyanocitta cristata* (Jay, Blue)
- aging 32:56
- band loss 35:42
- band. 32:57, MA 35:8-13
- results, analysis, CT 35:41
- behavior 33:210r
- , breeding 33:210r
- captivity, feeding 40:47-48
- , rearing 38:77-78
- , study 39:23-30
- distress calls 36:83-88
- host-parasite assoc. 41:302
- migration 33:161r, 35:8-13
- missing foot 41:41
- nesting, three spp. in same tree 35:39-40
- , in a building 39:55-56
- pair assoc. 35:8-13
- phylogeny 32:210r
- pop. increase since 1906, IL 35:134r
- dynamics, CT 35:41-42
- pox virus 33:192
- swimming 34:221r
- status, MA 35:8-13
- weights & meas. 32:151
- wing tagging 34:216
- stelleri (Jay, Steller's)
- agonistic behav. 35:276r
- Cygnus astratus* (Swan, distribution, N.Z. 36:58r
- bewickii (Swan, Bewick's) migration, Sweden 39:330r
- cygnus (Swan, Whooper) general ecology 35:46r
- nesting grounds 33:167r
- torpor 37:132r
- olor (Swan, Mute) conservation 32:107r
- ecol. studies 35:131r
- migr., winter quarters, Sweden 35:272r
- nesting, Falsterbo 37:128r
- pairing & breeding 40:151r
- range, Sweden 36:205r
- return, France, banded, Neth. 36:45r
- Cygnus* spp. (Swans) characteristics 32:111r

- Dalke, P.D. see Chupp, N.R. &-
- Daniel, M.J. Corrosive action of thermal waters on the webbing of waterbirds in lakes around Rotorua 35:277r
- Danielsson, B. Stilt Sandpiper found in Sweden 36:125r
- Danilov, D.N. (ed.) Fundamentals of game surveying 38:335r
- Daption capensis (Pigeon, Cape) life history 36:57r
nesting with Skua 32:200
- Das, A.R.K. On the honey sucking habit of the Purple Sunbird, *Nectarinia asiatica* (Latham) 35:130r
- Dathe, H. Body care of animals in the wild & in captivity 41:315r
- Davidora, A.S. see Podarueva, V.I. &-
- Davidson, C.S. (M.D.) see Bednarek, R. &-
- Davidson, V.E. Attracting birds: From the prairies to the Atlantic 38:339r
- Davies, P.W. & D.W. Snow. Territory & food of the Song Thrush 36:275r
- Davis, D.E. see Bordner, D.L. &-
- Davis, L.I. Songs of North American Myiarchus 33:168r
- Davis, M. Siberian Crane longevity 40:326r
- Davis, P. Robin recaptures on Fair Isle 34:41r, 35:209r
-- Aspects of spring migr. at the bird observatories, 1963 36:46r
-- Recoveries of swallows ringed in Britain & Ireland 37:208r
-- The movements of Pied Wagtails as shown by ringing 38:239r
-- The great migr. of early Sept., 1965 38:240r
-- Migratory seasons of the *Sylvia* Warblers at British bird observatories 39:135r
- Davis, S.J.J.F. The orient. of pecking in very young Magpie Geese 33:52r
-- & R. Carrick. On the ability of Crested Terns, *Sterna bergii*, to recognize their own chicks 34:42r
- Davis, T. see Hussell, D.J.T. &-
- Davis, T.A.W. Kestrel pellets at the winter roost 32:64r
- Davis, T.H. Winter recoveries of Snowy Egrets banded on Long Island 39:317r
- Dawkins, R. The ontogeny of a pecking preference in domestic chicks 41:64r
- Deans, I.R. see Coulson, J.C. &-
- Deckert, G. Ethology of the Tree Sparrow 34:226r
- decoys, history of, 36:135r
-, & net, capturing nesting Robins 39:189-192
- De Grazio, J.W. see Spencer, A.W. &-
- De Haven, R.W. & J.L. Guarino. A nest-box trap for Starlings 40:48
- Deignan, H.G. & R.A. Paynter & S.D. Ripley Check-list of Birds of the World 35:209r
- Dekker, D. A plea for Federal protection of the Peregrine Falcon 40:341r
- Delacour, J. Guide to the birds of New Caledonia & its dependencies 38:248r
-- The living air 38:249r
- Delichon urbica (Martin, House) behav., anti-predator 32:182r
flight energy 41:320r
homing experiments 34:179r
migr., Mediterranean 33:104r
sociability during nesting 35:275r
weights & meas. 32:77
- Delius, J.D. Behavior of the Skylark 35:131r
-- Displacement activities & arousal 40:155r
-- A stochastic analysis of the maintenance behavior of Skylarks 40:336r
-- Color preference shift in hungry & thirsty pigeons 41:63r
- del Junco, O. & B. Gonzalez. A new sp. from the Palearctic region: *Apus caffer* 40:346r
- DeLong, R.L. see Thompson, M.C. &-
- Delvingt, W. The daily rhythm of the Starlings' roosting activities 36:54r
- Dementiev, G.P. see Gladov, N.A. &-
-- (ed.) The migrations of birds & mammals 37:68r
- Dendragapus obscurus (Grouse, Blue) management 36:212r
renesting 37:135r
sex, age & dev. via plumage 37:141r
- Dendrocincla fuliginosa (Woodcreeper, Plain-brown) foraging behavior 38:159r
- Dendrocopos leucotos (Woodpecker, White-backed) conservation 32:107r,
in Sweden 38:329r
-medius (Woodpecker, Middle Spotted) conservation 32:107r
-pubescens (Woodpecker, Downy) egg. artificial incub. 32:148
-, weights & meas. 32:148
foraging ecology 41:328r

- Dendrocopos pubescens* (cont.)
 foraging ecol. 41:328r
 host-parasite assoc. 41:302
 life history, comparisons 39:238r
 mist netting 32:172
 non-squealer 36:86
 -*scalaris* (Woodpecker, Ladder-backed)
 food preferences, hole location, terr.
 & resonance 35:225-253
 -*villosus* (Woodpecker, Hairy)
 feeding at sapsucker holes 36:192
 life history, comparisons 39:238r
 melanic individual 40:145
 reprod. behavior 41:53r
 squealing 36:86
- Dendrocycna autumnalis* (Duck, Black-bellied Tree)
 adaptations 41:254r
 -*bicolor* (Duck, Fulvous Tree)
 adaptations 41:254r
 -*guttata* (Duck, Spotted Tree)
 breeding 32:67r
- Dendroica caerulescens* (Warbler, Black-throated Blue)
 bill deformity 38:324
 migrating, of Nfld. 33:158r
 -*castanea* (Warbler, Bay-breasted)
 criteria, aging & sexing, Fall 39:132
 mist netting 32:171
 TV tower kill, WI 35:211r
 -*coronata* (Warbler, Yellow-rumped)
 banded off ME, recovered MS 35:207r
 behav. in captivity 37:273-79
 distribution 32:58
 migration 32:178r, 35:206r
 -, off Nfld. 33:158
 non-squealer 36:86
 weights & meas. 32:48
 -*discolor* (Warbler, Prairie)
 artificial incub., wt. & meas. 32:155
 feeding behavior 35:47r
 weights & meas. 32:49
 -*dominica* (Warbler, Yellow-throated)
 evol. relationship with pine-dwelling
 spp. 40:68r
 weights & meas. 32:48
 -*fusca* (Warbler, Blackburnian)
 age, sex & wing-length of TV tower
 casualties 34:191-199
 breeding 32:227
 lipid deposition & flight range 36:115
 mist netting 32:171
 -*kirtlandii* (Warbler, Kirtland's)
 band. program 39:161-186
 behav. of hand-raised 40:60r
- cowbirds, parasitized by 35:50r
 -, reaction to 34:41
 life history 32:185r
 mist netting 32:46
 nesting & breeding, behav. 39:161-186
 -*magnolia* (Warbler, Magnolia)
 age, sex & wing-length, TV tower
 casualties 34:191-199
 banded, Panama 34:220
 distribution 32:58
 mist netting 32:171
 non-squealer 36:86
 TV tower kill, WI 35:211r
 -*palmarum* (Warbler, Palm)
 age, sex & wing-length, TV tower
 casualties 34:191-199
 weights & meas. 32:49
 -*pennsylvanica* (Warbler, Chestnut-sided)
 banded, Panama 34:220, 38:151
 mist netting 32:171
 non-squealer 36:86
 weights & meas. 32:155
 -*petechia* (Warbler, Yellow)
 annual cycle, Galapagos 37:44-49
 banded, Panama 34:220r
 eggs, artificial incub; wt. & meas.
 32:155
 parasitized by cowbirds 35:48r
 -*pinus* (Warbler, Pine)
 evol. relationship with pine-dwelling
 spp. 40:68r
 distribution 32:51
 -*striata* (Warbler, Blackpoll)
 abdominal injury 37:207
 banded Bermuda, recovered NC 36:182
 band. data 41:207-240
 migr. 32:102r, 38:240r, 39:323r,
 41:207-240
 -, autumn 37:55r, 37:131r
 molt, arrested 37:123
 recoveries 41:279-281
 transient, PR 33:161r
 -*tigrina* (Warbler, Cape May)
 migr., off Nfld. 33:158r
 weights & meas. 32:48
 -*virens* (Warbler, Black-throated Green)
 feeding at sapsucker holes 36:192
- DENMARK see EUROPE
- Dennis, J.V. Woodpecker damage to
 utility poles: with special ref. to
 the role of terr. & resonance 35:225
 -- Reaction of the Starlings, *Sturnus
 vulgaris*, to hard, fatty foods 37:51

Dennis, J.V. (cont.)

- Warbler in Fall on Nantucket 37:131r
 -- Fall departure of the Yellow-breasted Chat, *Icteria virens*, in Eastern North America 38:130
 -- The Yellow-shafted Flicker, *Colaptes auratus*, on Nantucket Is., MA 40:290
 de Ridder, J. & G. Huyskens, & P. Maes & H. Van Der Vloet & H. Vloet.
 Observations on geese in the polders of Antwerp during the winter 1962-63 36:59r
 -- The Birds of Iceland 41:154r
 Derim-Oglu, E.N. Observations & experiments on the Black-capped Chickadee in the nesting season 40:260r
 de Schauensee, R. Meyer. The birds of Columbia & adjacent areas of South & Central America 35:290r
 DEVELOPMENT (see also MIGRATION, RANGE, and ZOOGEOGRAPHY)
 aging, embryo, Bobwhite 37:58r
 behav. & Canada Goose 37:135r
 biol. of avian embryo dev., book 41:76r
 brain weight & age 37:217r
 coordinations, gulls 33:210r
 egg weights, Wilson's Plover 37:58r
 feather, Mockingbirds 37:257-267
 feeding preferences, gull chicks 40:348r
 -, domestic chicks 41:64r
 gonad(s) of:
 Goose, Canada 36:204r
 Plover, Black-bellied 33:33
 -, Semipalmated 36:32
 Wagtail, Blue-headed 36:119r
 Warbler, Grasshopper 33:158r
 growth, nestling Tree Sparrow 37:58r
 models for growth rate 41:322r
 ontogeny, Brown-collared Brush Turkey 35:275r
 -, Mallard, salt gland 35:280r
 -, Megapodes 35:275r, 36:278r
 patterns of growth 40:166r
 post-embryonic of:
 Blackbird, Red-winged 40:345r
 Crane, Corn 39:326r
 Cuckoo, Great Spotted 39:63r
 Finch, Bengalese 35:51r
 Goldfinch 41:11-17
 Gull, Ring-billed 38:52-60
 -, Herring 40:222-233
 Mockingbird 40:335r
 Moorhen 39:326r
 Passerines, USSR 41:141r
 Starling 33:161r
 Tern, Common 39:233r

- postnatal, Starling 33:161r
 prehatching motility 40:156r
 retina, Pied Flycatcher 40:265r
 weight recession, nestling Barn Swallows 40:264r
 yolk weight 33:207r
 deWit, P.D. see Fedde, M.R. & Dexter, R.W. Further studies on nesting of the common Nighthawk 32:79
 -- Life history of a 10yr old Chimney Swift 32:168
 -- Analysis of Chimney Swift returns at Kent, OH, 1960-1961 33:153
 -- Chimney Swift returns at Kent, OH, 1962-1963, with notes on nesting success 35:38
 -- Nesting of three spp. in one tree 35:39
 -- A.C. Bent's application for a collecting permit (1887), with outline of his plans for ornithological research 35:121
 -- Evening Grosbeaks in n.e. OH during winter cold of 1960-1961 & 1961-1962 35:212r
 -- Some early applications for Bird collecting in MA 36:270
 -- Analysis of Chimney Swift returns at Kent, OH, in 1964 & 1965, with notes on a declining nesting pop. 37:120
 -- nesting behav. of a crippled Chimney Swift 38:147
 -- Analysis of the 1966 & 1967 returns of Chimney Swifts at Kent, OH 38:56
 -- Incursions of the Evening Grosbeaks in n.e. OH, 1860-1967 39:306
 Diamond, J.M. & J.W. Terborgh. Dual singing by New Guinea birds 40:268r
 Dickerman, R.W. Identification of the juvenal plumage of the Sharp-tailed Sparrow, *Ammodramus caudacuta nelsoni* 33:202
 -- The Song Sparrows of the Mexican Plateau 35:52r
 -- A hybrid Grasshopper Sparrow x Savannah Sparrow 41:71r
 Diczbalis, S. Observations on the Crested Bowerbird, *Amblyornis macgregoriae* 41:74r
 Dilger, W.C. The comparative ethology of the African Parrot, Genus *Agapornis* 32:181r
 Drioch, Black-faced = *Quelea*, Red-billed (*Quelea quelea*)

- Diomedea epomophora* (Albatross, Royal)
 distr., ecol. factors & nesting
 35:277r
 migr., correlations 40:54r
 -*exulans* (Albatross, Wandering)
 banded Aust., recovered Kerguelin Is.
 36:195r
 band, program 39:61
 - report, off-season movement 35:205r
 color dyeing 39:36-40
 -*immutabilis* (Albatross, Laysan)
 longevity 37:193
 -spp. (Albatrosses)
 band. 32:230r
 senescence, mort., distr. 34:46r
 Dipper (*Cinclus cinclus*)
 DISEASES see PARASITES &
 Disney, H.J. de S. Bird in the hand
 40:325r
 DISPLAYS see BEHAVIOR, -
 DISTRIBUTION (see also MIGRATION, POP-
 LATION, RANGE & ZOOGEOGRAPHY)
 Albatross, Royal 35:277r
 Ani, Smooth-billed 32:50
 Blackbird, Red-winged 32:94
 -, Rusty 32:58
 Brant, Red-breasted 39:142r
 Chat, Yellow-breasted 32:58
 Crane, Corn 40:56r
 Creeper, Brown 32:58
 Cowbird, Brown-headed 39:117-122
 Dove, Mourning 32:50, 32:58
 Dunlin 36:52r
 Flycatcher, Pied 40:329r
 Garganey 37:130r
 Grosbeak, Evening 39:306-309
 Gull, Herring 32:59r, 40:258r
 -, Glaucous-winged 36:205r
 Ibis, White-faced 38:257-277
 Junco, Dark-eyed 32:58
 Kinglet, Ruby-crowned 32:58
 Lark, Crested 36:280r
 many spp., Malaya 35:141
 Oriole, Baltimore 32:58
 Osprey 32:58
 Owl, Pygmy 38:87r
 -, Snowy 35:281r
 Pewee, Gr. Antillean 32:50
 Pelican, Brown 32:50
 Plover, Wilson's 32:50
 Quail, Eur. 40:56r
 Redstart, Am. 32:51
 Redhead 36:202r
 Shearwater spp. 38:278-302
 Skua, Antarctic 32:187
 Sparrow, Field 39:293-306
 -, Lincoln 32:58
 -, Seaside 32:58
 -, Song 32:58r
 -, White-crowned 36:141-169
 -, White-throated 32:58
 Spoonbill, 39:232r
 Stork, Black 40:56r
 -, White 38:85r
 Swallow, Bahamian 32:50
 Thrasher, Brown 32:58
 Thrush, Western Red-legged 32:50
 Vireo, Black-capped 33:207r
 Vulture, Turkey 32:50
 Warbler, Grasshopper 33:158r
 -, Magnolia 32:58
 -, Parula 32:50
 Wren, Winter 32:58
 Diver, Great Northern (*Gavia immer*)
 Dixit, D.B. see Nair, R.M. &
 Dixon, K.L. & J.D. Gilbert. Altitudinal
 migration in the Mountain Chickadee
 35:207r
 Dobbs, A. Rook numbers in Nottingham-
 shire over 35 years 36:120r
 Dobinson, H.M. The inland observation
 points, February-May, 1963 36:46r
 -- & A.J. Richards. The effects of the
 severe winter of 1962-63 on birds in
 Britain 36:120r
 Dobrinskii, L.N. On morphophysiological
 criteria of evolutionary transfor-
 mations in bird populations 39:329r
 Dobson, E.B. see Konrad, T.G. &
 Dolbik, M.S. see Fedyushin, A.V. &
 Dolichonyx oryzivorus (Bobolink)
 lipid deposition 33:108r
 migratory pathways 35:268r
 song 32:12
 trapping 32:122
 Dolnik, V.R. & T.I. Blumenthal. Bio-
 energetics of bird migr. 36:272r
 -- Changes in ratio of fat & carbo-
 hydrate metabolism as an endogenous
 stimulus to migr. in birds 38:81r
 -- Bioenergetics of the flying bird
 40:60r
 -- Energy metabolism & animal evolution
 40:161r
 -- The role of fat deposition in the
 regulation of avian metabolism &
 behav. during migr. 40:65r
 Donaldson, G. & H. Hays. Roseate Tern in
 unusual plumage 40:255
 Doncaster, C.C. see Brook, A. &

- Donham, R.S. & F.E. Wilson. Photo-refactoriness in pinealectomized Harris' Sparrows 41:323r
- Dorst, J. The Migrations of Birds 34:172r
- Before Nature Dies 37:70r
- Dotterel (*Eudromias morinellus*)
- , Red-kneed (*Charadrius cinctus*)
- Doude Van Troostwijk, W.J. Some aspects of the Woodpigeon pop. in the Neth. 36:54r
- Dove, Blond Ring = Ring
- , Collared Turtle (*Streptopelia decaocto*)
- , Ground (*Columba passerina*)
- , Inca (*Scardafella inca*)
- , Mourning (*Zenaida macroura*)
- , Ring (*Streptopelia risoria*)
- , Rock (*Columba livia*)
- , Ruddy Ground (*Columba talpacoti*)
- , Turtle (*S. turtur*)
- , White-tipped (*Leptotila verreauxi*)
- , White-winged (*Zenaida asiatica*)
- Dow, D.D. Dew bathing & related behav. of the Cardinal 39:227
- Dowitcher, Eastern (*Limnodromus griseus*)
- , Inland L.g. *hendersoni*)
- , Long-billed (*L.g. scolopaceus*)
- , Short-billed (*L. griseus*)
- Downer, A. Indigo Buntings at Montego Bay 37:54r
- Homing experiments with Yellow-faced Grassquits 37:56r
- 'Recovery' by telescope 38:153r
- see Johnston, D.W. &-
- Downs, J.R. Can Blue Jays swim? 34:221r
- Old Chickadee 35:124
- Drenckhahn, D. The molt of the Ruff in Schleswig-Holstein 41:68r
- Drent, R. & G.F. van Tets, F. Tompa & K. Vermeer. The breeding birds of Mandarte Is., Brit. Columbia 36:205r
- Breeding biology of the Pigeon Guillemot, *Cephus columba* 37:214r
- Functional aspects of incubation in the Herring Gull, *Larus argentatus* Pont. 39:136r
- Driver, P.M. Field study on the behav. of sea-ducklings 32:183r
- 'Clicking' in the egg-young of nidifugous birds 37:215r
- Toward an ethology of human conflict: a review 39:139r
- see Humphries, D.A. &-
- Dromiceius novaehollandiae* (Emu) life of, 41:261r
- Drury, W.H., Jr. Studies of the breeding biol. of Horned Lark, Water Pipit, Lapland Longspur & Snow Bunting on Bylot Is., n.w. Terr., Canada 32:1
- Pesticide applications & the public welfare 33:53r
- & I.C.T. Nisbet & R.E. Richardson. The migration of 'angels' 33:160r
- & J.A. Keith. Radar studies of Song-bird migr. in coastal New England 35:45r
- & I.C.T. Nisbet. Radar Studies of the Orient. of Song-bird Migrants in Southeastern New England 35:69
- & W.J. Smith. Defense of feeding areas by adult Herring Gulls and intrusion by young 40:59r
- see Kadlec, J.A. &-
- see Nisbet, I.C.T. &-
- Dryobates = *Dendrocopos*
- Dryocopus pileatus* (Woodpecker, Pileated)
- capture & care in captivity 39:313-16
- distress calls 36:83-88
- food preferences; terr. & resonance; utility pole damage, etc. 35:225-252
- Dubovik, A.D. Anatid migration along the Ob River 40: 150r
- Duck, Black-bellied Tree (*Dendrocygna autumnalis*)
- , Black-headed (*Heteronetta atricapilla*)
- , Flightless Steamer (*Tachyeres brachypterus*)
- , Fulvous Tree (*Dendrocygna bicolor*)
- , Grey (*Anas s. superciliosa*)
- , Long-tailed (*Clangula hyemalis*)
- , Pink-eared (*Malacorhynchus membranaceus*)
- , Ring-necked (*Aythya collaris*)
- , Spotted Tree (*Dendrocygna guttata*)
- , Tufted (*Aythya fuligula*)
- , Whistling = Spotted Tree
- , Wood (*Aix sponsa*)
- , Yellowbill (*Anas undulata*)
- Dumetella carolinensis* (Catbird, Gray) band., Pan. 34:202, 34:220r, 36:233-39
- display, mutual, pairing 34:38
- distress calls 36:83-88
- host-parasite assoc. 41:302
- life history 37:59r
- migration off Nfld. 33:158r

- Dumetella carolinensis* (cont.)
molt, unusual 38:326r
weights & meas. 32:48, 32:77, 32:152
- Duncan, P.M. see Talent, J.A. &-
Dunlin (*Calidris alpina*)
- Dunnet, G.M. & A. Anderson & R.M.
Cormack. A study of survival of adult
Fulmars with observations on the pre-
laying exodus 34:167r
- & R.A. Fordham & I.J. Patterson.
Ecological studies of the rook, *Corvus*
frugilegus L., in n.e. Scotland. Prop-
ortion & distr. of young in pop.
41:247r
- Durand, A.L. White-throated Sparrow &
Amer. Robin crossing Atlantic on board
ship 33:159r
- A remarkable fall of Amer. land-birds on
the 'Mauretania', New York to South-
ampton, October 1962 36:46r
- Dykstra, J.N. A decoy & net for capturing
nesting Robins 39:189
- Dyck, J. Determination of plumage,
colours, feather pigments & structures
by means of reflection spectrophoto-
metry 38:163r
- Dzubin, A. Saskatchewan banded Mallard
recovered in Eastern Siberia 33:152
- see Miller, H. &-

- Eagle, Bald (*Haliaeetus leucocephalus*)
 -, Crowned (*Stephanoaetus coronatus*)
 -, Golden (*Aquila chrysaetos*)
 -, Greater Spotted (*A. clanga*)
 -, Lesser Spotted (*A. pomarina*)
 -, Pacific O. (*Haliaeetus pelagicus*)
 -, Short-toed (*Circaetus gallicus*)
 -, Steppe (*A. nipalensis*)
 -, White-tailed (*Haliaeetus albicilla*)
 Eastman, M. The Life of the Emu 41:261r
 Eastwood, E. see Lack, D. &
 -- & G.C. Rider. Some radar meas. of the
 altitude of bird flight 37:129r
 -- & -- Grouping of nocturnal migrants
 38:327r
 Ebbutt, D. see Smith, V.W. &
 Eckelberry, D.R. Techniques in bird
 illustration 37:79r
 Eckert, A.W. Bayou Backwaters 41:332-3r
 ECOLOGY
 aquatic organisms, intestinal dis-
 persal 37:143r
 arboviruses & avian pop., NJ 37:183-90
 arctic avifauna 41:161-163r
 biocenoses & animal pop. 40:261r
 border zones, significance 37:295r
 desert adaptations 37:73r, 40:350r
 evolutionary, of animals, book 41:335r
 feeding overlaps, blackbirds 41:328r
 -, territory 40:158r
 field biology &, book 37:302r
 fish-eating birds 37:300r
 food storage 41:249r
 foraging, Downy Woodpecker 41:328r
 forest biogeocenology 37:295r
 -, succession, bird pop. 37:213r
 general of:
 Anatidae, post-breeding 36:199r
 Blackbirds, *Agelaius* spp. 33:161r
 -, Brewer's 40:261r
 -, Eur. 33:209r
 -, Red-winged & Yellow-headed
 40:159r
 -, Tri-colored 33:161r
 Booby, Red-footed 40:331r
 Budgerigar 35:48r
 Bunting, Indigo 37:131r
 -, Little 40:61r
 Buzzard 36:54r
 Cormorants 33:50r
 -, Flightless 37:292r
 Duck, Pink-eared 33:207r
 ducks, diving 41:159r
 Egrets, Cattle 38:85r
 Eider 36:199r, 39:65r
 Godwit, Black-tailed 35:285r
 Goldeneye 35:46r
 Goosander 35:46r, 36:199r
 Hawk, Red-tailed 41:328r
 Junco 40:1-25
 Kite, wintering in Sweden 41:144r
 Mallard 35:46r
 man 36:202r, 40:272r
 Meliphagidae 40:339r
 Merganser, Red-breasted 36:199r
 Noddy, White-capped 36:61r
 Nuthatch, Pygmy & Rock 37:295r
 Ostrich 38:156r
 Owl, Boreal 36:123r
 -, Tawny 40:159r
 Parrot, King 35:48r
 Partridge 41:158r
 Parus spp. 40:340r
 Redshank 41:329r
 Rosella, Eastern 35:48r
 Scoter, Velvet 36:199r
 shags 33:50r
 shorebirds 37:296r, 41:54r
 Sparrow, Field 39:293-306
 Starling, Czech. 33:207r
 Swan, Mute 35:131r
 -, Whooper 35:46r
 Teal, Grey 33:51r
 Terns 31:61r
 Tit, Marsh 33:50r, 41:54r
 -, Willow 41:54r
 Vireo, Black-capped 33:207r
 Warbler, Melodious 37:132r
 waterfowl, Finland 37:139r
 Wheatear, Dancing 37:135r
 Woodcreeper, Plain-brown 38:159r
 Wren, Cactus 35:103r
 -, Long-billed Marsh 37:78r
 geographic variation 40:268r
 grassland communities 41:54r
 habitat(s):
 distr., Field Sparrow 39:293-306
 -, Junco 40:1-25
 diversity & spp. diversity 40:340r
 preference, Little Bunting 40:61r
 secondary, colonization of, 41:316r
 selection, after forest fire 41:316r
 isolating mechanism, meadowlarks
 38:330r
 limpet polymorphism & bird predation
 41:329r
 mallophaga, Orange-crowned Warbler
 41:58r
 mechanisms of pop. homeostasy 39:233r
 migrants of Gabon Forests 41:317r

ECOLOGY (cont.)

- migrators, ecotypic var. 41:149r
 nest building, Red-winged Blackbird 39:14-22
 Neth., wildfowl area 36:57r
 niches, evolution of, 40:267r
 -, size, morph. var. 41:145r
 North Amer., from 1500-1600 36:64r
 nutcracker, seed sowing 38:331r
 plant pests 33:208r
 pop. changes, small island, Wales 40:332r
 runt of the nest 40:333r
 species diversity 40:340r, 41:249r, 41:315r
 suburbanization, & avian pop. 38:17-37
 sympatry, terns 41:249r
 tropical forest 41:325r
 Tundra: birds & insects 39:143r
 vultures, East Africa 40:261r
- Edberg, R. Predation upon Goldcrest by a Great Tit 33:211r
 -- Desert Warbler at Ottenby, 1961 34:172r
 -- The breeding of the Common Tern at Hjalmlaren, central Sweden 36:55r
 -- The migration through Kalmar Sound, 1961 37:131r
- Edelstam, C. & L. Broberg, B. Engstrom, W. Jennings & S. Lundberg. The Swedish bird station on Capri & its activities 1956-1961 35:205r
- Edgar, R.L. Catching colonial seabirds for banding 39:41
- EGGS (see also BREEDING BIOLOGY, NESTS, NESTING, PESTICIDES & spp. accounts)
 albinistic 39:3-5
 artificial incub., many spp. 32:141-59
 clutch size, model 41:313r
 --of:
 Coot, Am. 41:48r
 Cowbird, Brown-headed 36:200r
 Flycatcher, Pied 39:231r
 Goldfinch, Am. 41:11-17
 Gull, Great Black-headed 41:46r
 Lark, Horned 40:154r
 Owl, Great Gray 41:314r
 Owlet, Desert 40:259r
 Passerines, study 32:62r
 Quail, California, in N.Z. 41:314r
 Red-wing 41:48r
 Sandgrouse 40:153r
 Swift, Eur. 32:34
 Takahe 41:247r
 Whitethroat 40:57r
- color as variable, parasitic nesting 40:335r
 covering, Seedsnipe 41:258r
 deposition, study 41:314r
 desertion, Pycroft's Petrel 40:153r
 embryo study, Bobwhite 37:58r
 feeding to, Canada Warbler 37:59r
 foreign, intr. into nest 41:241
 hatching, Goldfinch 41:11-17
 -, Mallard 40:158r
 -, Meropidae captivity 41:47r
 -, synchronization 41:49r
 -, Wood Duck 39:130
 incub., White-tailed Eagle 36:200r
 -, Herring Gull 39:136r
 North American Bird Eggs, book 37:69r
 ovulation, chem. inhibitors 37:60r
 predation, Wood Pigeon 36:55r
 protection from sun, Double-banded Courser 39:136r
 Quail, in Pheasant nests 39:133
 removal for artificial incub., Whooping Crane 38:242r
 rolling in by tits 38:83r
 shape & nesting success, Guillemot 41:49r
 shell, canals, Falconiformes 41:255r
 -, changes during incub. 41:322r
 -, raptors & fish-eaters 40:62r
 -, removal, Black-headed Gull 33:210r
 -, Ringed Plover 34:102r
 -, strength of 41:256r
 -, weakness, Bermuda Petrel 41:57r
 -, Sparrow Hawk, Am. 41:57r
 spotted, Starling, Eur. 41:308-310
 substitution experiment, Black-capped Chickadee 40:260r
 taking, Red-bellied Woodpecker 40:323
 temperature changes induced, Ringed Turtle Dove 38:329r
 turning, response to color marking 40:105, 41:40
- Egret, Cattle (*Bubulcus ibis*)
 -, Great (*Egretta alba*)
 -, Little (*E. garzetta*)
 -, Snowy, (*Leucophoyx thula*)
 -, Plumed (*E. intermedia*)
Egretta alba (Great Egret)
 nesting, Danube Delta, cons. 35:133r
 -*garzetta* (Egret, Little)
 dark-phased, Europe 38:162r
 migration 33:106r
 recovery 33:49r
 -*intermedia* (Egret, Plumed)
 recovery abroad 37:290r

- Ehrenroth, B. Bird observations in Norra Finnskoga 33:166r
 -- Bird migr. at Skagen's Lighthouse in N. Vanern, Sweden, 1962-63 37:56r
 -- & B. Jansson. Greenshank & Rustic Bunting found breeding in N. Varmland, Central Sweden 38:86r
- Ehrenroth, G. & J. Anderson. Two occurrences of Short-billed Dowitcher in Sweden 39:236r
- Eibl-Eibesfeldt, I. On the use of tools by the Woodpecker Finch 33:114r
- Eider, Common (*Somateria mollissima*)
 -, Steller's (*Polysticta stelleri*)
- Eigelis, Y.V. & B.V. Nekrasov. Morphological peculiarities of Corvidae as related to food transportation 38:332r
- Einarsen, A.S. Black Brant/ Sea Goose of the Pacific coast 37:74r
- Eisenmann, E. Comments on repeats & recoveries of migrants in Pan. 37:286
 -- Wing formula as a means of distinguishing Summer Tanager, *Piranga rubra*, from Hepatic Tanager, *P. flava* 40:144r
- Eisner, E. The relations of hormones to the reprod. behav. of birds, referring particularly to parental behav., a review 32:182r
 -- The behav. of the Bengalese Finch in the nest 33:51r
- Eklund, C.R. Distribution & life history studies of the South-Polar Skua 32:187
 -- The Antarctic Skua 35:214r
- Elaenia, Small-billed (*Elaenia parvirostris*)
 -, Mountain (*E. frantzii*)
 -, Yellow-billed (*E. flavogaster*)
- Elaenia parvirostris* (*Elaenia*, Small-billed)
 fat deposition 39:322r
- Elder, W.H. Chemical inhibitors of ovulation in the Pigeon 36:203r, 37:60r
 -- & J. Hensen. Bird mort. at KOMU-TV tower, Columbia, MO: fall 1965 & 1966 39:323r
- Eldarov, A.L. & Y.A. Kholodov. The effect of a constant magnetic field on the motor activity of birds 37:294r
- Elgmork, K. Behaviour of Pied Flycatchers during an eclipse of the sun 34:102r
- Ellingthorpe-White, S.L. Winter pop. & movements of wildfowl at the Falsterbo Peninsula: January to March, 1964 38:86r
- Ely, C.A. Migration of Least & Traill's Flycatchers in W. Cent. KS 41:198-204
- Emberiza calandra* (Bunting, Corn)
 diurnal rhythm 38:330r
 status, Sweden 41:147r
 -*citrinella* (Yellowhammer)
 behavior 32:36
 fat deposition, winter 41:59r
 -*hortulana* (Bunting, Ortolan)
 atmospheric pressure, effects 33:49r
 migration 33:49r
 -*leucocephalus* (Bunting, Pine)
 Belgium. second record 36:52r
 -*pusilla* (Bunting, Little)
 habitat preferences 40:61r
 -*rustica* (Bunting, Rustic)
 breeding range 38:86r
 migratory adaptations 37:218r
 -*schoeniclus* (Bunting, Reed)
 nest building 32:18
 -*spodocephala* (Bunting, Black-faced)
 migratory adaptations 37:218r
- Emberizidae (Buntings)
 Am. -, in Eur. in Spring 36:47r
 behavior 32:36
 metabolism, tentative field estimates 35:132r
- Emlen, J.T. & R.L. Penney. The navig. of Penguins 38:155r
 -- & -- Distance navig. in the Adelie Penguin 39:195r
 -- see Penny, R.L. &
 -- Habitat selection by birds following a forest fire 41:316r
- Emlen, S.T. Bird migration: influence of physiological state upon celestial orientation 41:44r
- Empidonax* spp. (Flycatchers)
 biosystematics, *E. hammondii*, *E. oberholseri* & *E. wrightii* 35:136r
 identification keys 37:153-171, 41:190-197
 -*hammondii* (Flycatcher, Hammond)
 fall migr., winter distr. 41:169-190
 -*minus* (Flycatcher, Least)
 migration 41:198-204
 -, adult vs immature 38:61-65
 -, fall 40:238-243
 nesting 38:241r
 weights & meas. 32:149
 -*traillii* (Flycatcher, Alder)
 band. of two songforms 41:204-206
 calls 32:229
 isolating mechanisms 34:228-230r
 migration 41:198-204

- Empidonax (cont.)
 -traillii (cont.)
 transient in FL 41:40
 -virescens (Flycatcher, Acadian)
 breeding biology 36:133r
 distress calls 36:83-88
 habitat, song, nesting, band. etc.
 37:227-257
- Emu (*Dromiceius novaehollandiae*)
- Enderson, J.H. & D.G. Roseneau & L.G. Swartz. Nesting performance & pesticide residues in Alaskan & Yukon Peregrines in 1967 41:58r
- endocrinology, prolactin stimulation, Ring Dove 41:62r
- Enemar, A. A comparison between the bird census results of different ornithologists 34:44r
- An attempt to measure the ability of four ornithologists to spot & to record the migration of birds at Falsterbo 35:272r
- & B.S. Sjostrand. The strip survey as a complement to study area investigations in bird census work 39:62r
- Enger, P.S. see Aulie, A. & England, M.D. Great Bustards in Portugal 37:215r
- Engstrom, B. see Edelstam, C. & ENVIRONMENTAL QUALITY (see also CONSERVATION & PESTICIDES)
 biocontrol, using ants 40:342r
 chlorinated hydrocarbons & eggshell changes 40:62r
 conservation, global 40:175r
 diurnal birds of prey 35:49r
 extinct & vanishing species 39:73r
 forest destruction & Malayan birds 37:242-270
- in:
 Antarctic 33:162r, 35:47r, 37:296r
 Hawaii, Hauai 37:144r
 Israel 37:296r
 New Zealand 33:163r
 Sweden 33:115r, 33:164r, 41:146r
 lead poisoning, shorebirds 34:45r
 --, waterfowl 37:137r
 man's effect on 33:162r, 37:70-71r, 40:262r
 nesting, Adelie Penguins 35:46r
 oil damage, Sweden 35:129r
 - pollution, Purple Sandpiper 40:342r
 oiled seabirds, rehab. 40:161r
 over population 35:131r, 38:159r
 Strontium 90, contamination 36:278r
 wildfowl, Neth. 36:57r
- Eremophila alpestris (Lark, Horned)
 breeding biol. 32:1
 ecology; life hist. 40:153r
 pop. increase since 1906, IL 35:134r
 weights & meas. 32:149
- Erickson, J.E. Band. studies of wintering Baltimore Orioles in NC, 1963-1966 40:181-198
- Erithacus rubecula (Robin, European)
 banded, Poland 34:220r
 behavior 32:183r
 migration 37:56r
 navigation 35:207r
 orientation 37:209r
 pairing, same brood 36:195r
 pop. dynamics, England 35:129r
 recapture, Fair Isle 35:209r
 repeats, Shetland 34:41r
- Ernholdt, Y. The occurrence & distr. of the Oriole in Sweden, 1944-1964 38:163r
- Erolia acuminata (Sandpiper, Sharp-tailed)
 behavior, captivity 33:127
 -fuscicollis = *Calidris fuscicollis*
 -melanotos = *Calidris melanotos*
 -minutilla = *Calidris minutilla*
 -ruficollis = *Calidris ruficollis*
 -testacea = *Calidris ferruginea*
- Ereunetes mauri = *Calidris mauri*
 -pusillus = *Calidris pusillus*
- Errand, C. On diversionary behavior of the Snowy Plover in relationship to man 35:215r
- Errington, P.L. A year in Sweden 33:164r
- Erythrogonys = *Charadrius*
- Estrildidae (Grassfinches)
 comparative biol., Aust. 34:225r
 ecology, behav., syst., Australian & African 40:158r
- Estrilids (Waxbills)
 parasitism by Viduines, ethological significance 35:275r
- ETHOLOGY
 aims & methods 35:130r
 animal behavior 40:173r
 bird display & behavior, book 36:288r
 human conflict, of 39:139r
 Lorenzian - 35:130r
- Etienne, A. & H. Fischer. Studies on the behav. of castrated Mallards & the influence on them of testosterone 35:276r
- Etter, A.G. see Wallace, G.J. &

- Eudocimus albus (Ibis, White)
weights & meas. 32:99
- Eudromias morinellus (Dotterel)
distraction display 33:112r
- Eudyptula minor (Penguin, Blue)
nest, Hauturu Is. 33:213r
underwater speed 37:64r
- Euphagus carolinus (Blackbird, Rusty)
distribution 32:58
500 miles from land, on ship 33:159r
migration 32:103r
- cyanocephalus (Blackbird, Brewer's)
band. report 33:19
colonial nesting, adaptive significance 40:261r
feeding ecology 41:329r
pop. after Zonotrichia removal 35:184-195
- Euphonia, Golden-sided (Euphonia cayannensis)
- EUROPE (see also BANDING REPORTS, DISTRIBUTION, RECOVERIES & RETURNS & ZOOGEOGRAPHY)
banding techniques 37:231
- Belgium:
band. reports 36:45r, 37:231
birds of, 39:73r
geese, status 36:59r
migration, fall 36:52r
- Bulgaria:
raptors, spring migr. 33:106r
- Denmark:
migration 36:273r
- Finland:
band. program, 1913-1962 35:128r
- reports 37:231
bird fauna, forest succession 37:213r
Western -, bird fauna 37:212r
- France:
Band. 32:230r
- General, of:
birds of Central Eur. 39:145r
--, field guide 37:304r
- Germany:
bramblings, faunistics 33:166r
- Greece:
autumn migr. 33:105r
- Lapland:
lemmings 33:167r
Nature in -, book 39:68r
- Netherlands:
band. 32:230r, 36:45r, 37:197r, 38:80r, 39:62r
- Norway:
band. report 37:231r
- Poland:
band., passerines 34:223r
Operation Baltic, 1967 41:244r
- Spain:
band, report 37:197r
birds of, 33:102r
Common Crane, in 33:111r
migration 33:103r
-, swallows 33:104r
- Sweden:
band. 37:127r, 38:80r
-, Falsterbo 37:128r, 39:134r
- reports 35:128r, 37:128r, 37:131r, 37:197r, 38:237r, 39:134r, 39:320r, 40
birds of, 33:115r, 33:166r, 35:128r
conservation 33:164-166r
forest & animals 33:163r
Haparanda Sandskar, birds of, 39:62r
migration 40:256r
range changes, e. coast 36:205r
Scania, breeding birds, Is. Dynan 38:158r
terrestrial vertebrates 36:131r
- Switzerland:
band., many spp. 37:128r
breeding birds 34:230r
Jura Mts., weather & migr. 39:323r
migr. & radar study 40:327r
nesting birds 36:280r
- Turkey:
bird species 38:164r
- Yugoslavia:
band. reports 37:231r, 37:291r
- Evans, P.R. Sex counts of blackbirds on passage 33:157r
- An approach to the analysis of visible migr. & a comparison with radar observations 38:238r
- Autumn movements, moult & meas. of the Lesser Redpoll, Carduelis flammea cabaret 38:239r
- Autumn movements & orient. of waders in n.e. England & s. Scotland, studied by radar 40:55r
- Reorientation of passerine night migrants after displacement by the wind 40:55r
- Winter fat deposition & overnight survival of Yellow Buntings, Emberiza citrinella L. 41:59r
- see Nisbet, I.C.T. &-

EVOLUTION (see also ANATOMY, PALEONTOLOGY & SYSTEMATICS)

Evolutionary Ecology of Animals,
book 41:335r

of:

ancestral relationships, Saker &
Gyrffalcon 41:257r

auditory system 39:237r

ecological niches 40:267r

mating systems 41:139r

migratory habit 39:231r

polygamy in Eur. passerines 41:139r

systematics of Bee-eaters 41:155r

Excalfactoria chinensis (Quail, Painted)

breeding, captivity 37:58r

Eygenraam, J.A, see Hoek, J. van D. &

- Fabricius, E. & Jansson, A.M. Laboratory observations on the reprod. behav. of the Pigeon, *Columba livia*, during the pre-incubation phase of the breeding cycle 36:56r
- Fabian, G. & I. Sterbetz. Black Little Egrets, *Egretta g. garzetta* L., in Europe 38:162r
- Faddoul, G.P. & G.W. Fellows & J. Baird. A survey on the incidence of salmonella in wild birds 41:59r
- Falci pennis falci pennis (Grouse, Asiatic Spruce) courtship display 41:71r
- Falcon, Barbary (*Falco pelegrinoides*)
 -, Eleonora's (*F. eleonora*)
 -, Micrastur (*Micrastur* spp.)
 -, Peregrine (*F. peregrinus*)
 -, Prairie (*F. mexicanus*)
 -, Saker (*F. cherrug*)
- Falco cherrug (Falco, Saker)
 ancestral relationships with Gyrfalcon 41:257r
 prey sp. & range extension 40:348r
- columbarius (Merlin)
 life history 39:137r
 migration, Ireland 40:328r
 pop., Hampshire preserve 32:61r
- eleonora (Falco, Eleonora's)
 food 39:330r
 predation on migrants 40:332r
- mexicanus (Falco, Prairie)
 pop. decline, insecticides 41:251r
- pelegrinoides (Falco, Shakhin or Barbary)
 life history; behav. 41:249r
- peregrinus (Falco, Peregrine)
 at sea, on ship 33:159r
 breeding density 35:47r
 cons., Federal protection 40:341r
 distribution 32:58
 ecology 33:66r
 nesting, feeding 38:73-74
 pesticides 41:58r, 41:252r
 population 32:61r
 - biology 41:330r
 - decline 35:50r
 -, Hampshire, England 32:61r
 predation on *Larus ridibundus* 36:134r
 -- racing pigeons 35:48r
 reaction to, by Longspurs 32:25r
 returns 38:78-79
- rusticolus (Gyrfalcon)
 ancestral relationships 41:257r
 band., Greenland 41:31-37
- rusticolus (cont.)
 ecology 32:67r
 falconry, status 40:62r
 weights & meas. 41:31-37
- sparverius (Kestrel, Am.)
 band., recoveries 34:40r
 - report 33:3,4
 breeding, captivity 40:153r
 ecology 32:67r
 insecticides, effects 41:57r
 migration 32:102r
 pop. decrease since 1906, IL 35:134r
 - in Hampshire preserve, Eng. 32:61r
 rectrices, growth 33:204, 34:95
 tail malformed 33:204r
 weights & meas. 32:145
- subbuteo (Hobby)
 population 32:61r
 recognition by small birds 32:182r
- tinnunculus (Kestrel, Eurasian)
 longevity, mortality 36:120r
 pellets at winter roost, Eng. 32:64r
 population 32:61r
 - decline 35:50r
- Falconidae (Falcons)
 ecology 32:67r
- Falconiformes (Raptors)
 bibliography 41:336r
 eggshell weight, changes 40:62r
 -, 'canals' 41:255r
 geog. variability & food 39:321r
 migr. thru Near East 39:321r
 spread-wing posture 41:53r
 study, with owls, Sweden 40:60r
 visual acuity & behav. 41:315r
- FALCONRY
 Goshawk 37:70r
 Japanese Sparrow Hawk 37:70r
- Falsterbo, Sweden see EUROPE
- Fankhauser, D.P. Renesting & second nesting of individually marked Red-winged Blackbirds 35:119
 -- Movements of Starlings in relation to a roost near Hanover, PA 37:200
 -- Survival rates in Red-winged Blackbirds 38:139
- Farner, D.S. see King, J.R. &
 -- see Serenty, D.L. &
 -- see King, J.R. &
 -- The photoperiodic control of reprod. cycles in birds 35 279r
- Fast, A.H. The Evening Grosbeaks in n. VA 33:181
 -- Returns on aged Cardinal 36:45

- Fatora, J.R. Additional observations of defecation by Bobwhite Quail upon flushing 39:319r
- Fedde, M.R. & P.D. deWit & R.L. Kitchell Motor unit recruitment pattern & tonic activity in respiratory muscles of *Gallus domesticus* 41:254r
- see Peterson, D.F. &
- Fedorenko, A.P. Fifth All-union Ornithological Conference 41:251r
- Fedyushin, A.V. & M.S. Dolbik. The birds of Byelorussia 39:241r
- FEEDING (see FOOD & -, BEHAVIOR)
- Feekes, F. see Tinbergen, N. &
- Feeny, P.P. On the birds of the s. of Spain with special ref. to migr. 33:102r
- see Nisbet, I.C.T. &
- Fellows, G.W. see Faddoul, G.P. &
- Fennell, C.M. Stomach analysis of Korean birds 37:301r
- Ferguson-Lees, I.J. Studies of aggressive Capercaillie 34:169r
- Changes in the status of birds of prey in Europe 35:49r
- Studies of less familiar birds: Collared Dove 35:273r
- British bird-photographers, 11: M.D. England 40:349r
- Studies of less familiar birds. 151. Red-spotted Blue-throat 40:173r
- see Cramp, S. &
- see Fry, C.H. &
- Ferrigno, F. see Rieffenberger, J.C. &
- Ferry, C. Study of a population of Melodious Warblers in Dijon 37:132r
- ffrench, R.P. The Dickcissel on its wintering grounds in Trinidad 39:138r
- Ficedula hypoleuca* (Flycatcher, Pied) band. 32:61r
- behav. 32:63r, 32:105r, 33:51r
- , comparative 33:51r
- breeding density 39:232r
- clutch size 39:231r
- dispersal, young 39:233r
- dispersion; age & sex 40:329r
- feeding young 34:102r
- & food strategy 37:142r
- migr. 32:174r, 40:329r
- retina dev. 40:264r
- albicollis (Flycatcher, Collared) behav., comparative 33:51r
- Ficken, M.S. & R.W. Ficken. The comparative ethology of Wood Warblers: a review 33:209r
- & -- Redstarts & Cowbirds 34:41r
- & -- Behavior of Myrtle Warblers in captivity 37:273-279
- & -- & D.H. Morse. Competition & character displacement in two sympatric pine-dwelling Warblers, *Dendroica: Parulidae* 40:68r
- & -- Reproductive isolating mechanisms in the Blue-winged Warbler - Golden-winged Warbler complex 40:68r
- & -- Territorial relationships of Blue-winged Warblers, Golden-winged Warblers & their hybrids 41:53r
- Fieldfare (*Turdus pilaris*)
- Filipascu, A. Waxwings at Cluj (Kolozsvar) & its vicinity 36:125r
- Filonov, K.P. On the dynamics of Paridae flocks in the Barguzinsk Reserve 39:327r
- Finch family (Fringillidae)
- Finch, Arctic Rosy (*Leucosticte arctoa*)
- , Bengalese (*Lonchura striata*)
- , Cassin's (*Carpodacus cassinii*)
- , Chestnut-capped Brush (*Atlapetes brunnei-nucha*)
- , Galapagos (*Geospiza* spp.)
- , Hodgson's Mountain (*Leucosticte nemoricola*)
- , House (*Carpodacus mexicanus*)
- , Mangrove (*Cactospiza heliobates*)
- , Melba (*Pytilia melba*)
- , Purple (*Carpodacus purpureus*)
- , Scaly-feathered (*Sporopipes squamifrons*)
- , Sharp-beaked Ground (*Geospiza difficilis*)
- , Strawberry (*Amandava amandava*)
- , Woodpecker (*Camarhynchus pallidus*)
- , Yellow-thighed (*Pselliophorus tibialis*)
- , Yellow-throated Brush (*Atlapetes gutturalis*)
- , Zebra (*Poephila guttatus*)
- FINLAND see EUROPE
- Finley, R.B., Jr. Adverse effects on birds of Phosphamiden applied to a Montana forest 37:298r
- Finucane, T.W. The Migrant 33:47r
- Firecrest (*Regulus ignicapillus*)
- Firefinches (*Lagonosticta* spp.)
- , African (*L. rubricata*)
- , Jameson's (*L. rhodopareia*)
- , Senegal (*L. senegala*)
- Fischer, A.B. Laboratory research & field observation on visual acuity & behav. of Old World vultures 41:315r

- Fischer, G.J. & S.C. Gilman. Following during imprinting as a function of auditory stimulus intensity 41:61-2r
- Fischer, H. see Etienne, A &-
- The triumph ceremony of the Grey-lag Goose 36:278r
- Fisher, J. (ed.) Thorburn's Birds 41:161r
- & Peterson, R.T. The World of Birds 36:135r
- Fisher, E. see Jones, V.E. &-
- Fisk, E.J. Hybrid Warbler collected in south FL 41:131-2
- see Ogden, J.C. &-
- Fitch, H.S. Observations on the Mississippi Kite in s.w. KS 35:212r
- Flamingo (*Phoenicopterus ruber*)
- Flatbill, Olivaceous (*Rhynchocyclos olivaceus*)
- Flicker, Yellow-shafted (*Colaptes auratus*)
- FLIGHT (see also ANATOMY)
- contour plumage 38:247r
- energetics 33:109r, 33:156r
- Flying Birds, book 41:337r
- mechanism of, 38:169-171r
- natural, Intern. Aeronautical Organ. Exhibition 33:117r
- noise of, owls 35:52
- speeds 33:108r
- theories of, 38:306
- Flint, V.E. & R.L. Beme & Y.V. Kostin & A.A. Kuznetsov. Birds of the USSR 39:331r
- Flycatchers (*Tyrannidae*; *Muscicapidae*)
- , Acadian (*Empidonax virescens*)
- , Ash-throated (*Myiarchus cinerascens*)
- , Boat-billed (*Megarhynchus pitangua*)
- , Collared (*Ficedula albicollis*)
- , Ducky (*Empidonax oberholseri*)
- , Fork-tailed (*Muscivora tyrannus*)
- , Gray (*E. wrightii*)
- , Gray-capped (*Myiozetes granadensis*)
- , Great Crested (*Myiarchus crinitus*)
- , Hammond (*E. hammondi*)
- , Least (*E. minimus*)
- , Loggerhead (*Tolmarchus caudifasciatus*)
- , Northern Royal (*Onychorhynchus mexicanus*)
- , Ochre-bellied (*Pipromorpha oleaginea*)
- , Olivaceous (*Myiarchus tuberculifer*)
- , Olive-sided (*Nuttallornis borealis*)
- , Pied (*Ficedula hypoleuca*)
- , Piratic (*Legatus leucophaeus*)
- , Red-breasted (*Muscicapa parva*)
- , Ruddy-tailed (*Terenotriccus erythrurus*)
- , Scissor-tailed (*Muscivora forficata*)
- , Solomon's Broadbill (*Myiagra ferrocyanea*)
- , Spotted (*Muscicapa striata*)
- , Torrent (*Serpophaga cinerea*)
- , Traill's or Alder (*E. traillii*)
- , Vermilion (*Pyrocephalus rubinus*)
- , Wied's (*Myiarchus tyrannulus*)
- Folemsbee, F.H. & M.L. Folemsbee. Recovery of an Ontario-banded Song Sparrow in WI 37:285
- Folk, C. see Havlin, L.J. &-
- Folk, R.C. Spherical urine in birds: petrography 41:147-8r
- FOOD & FEEDING (see also BEHAVIOR & LIFE HISTORIES)
- anticipatory, Prairie Warbler 35:47r
- archeocortex removal, Nutcracker 39:67r
- Calcium & Pheasant distr. 37:65r
- caloric value of seeds 37:66r
- chemistry of palatability 41:72r
- competition, vulture 40:261r
- congregation, Panama 39:318
- deficiency, captive shorebirds 33:128
- desert situation, nestlings 40:260r
- experiments, captive Bald Eagle 41:103-110
- foot movements, shorebirds 33:116r, 33:162r
- foraging differences, woodpeckers 41:85-92
- geog. variability, raptors 40:268r
- Herbst bodies, shorebirds 41:151r
- location & olfaction 36:61r
- malformed bill, Rook 40:60r
- measuring apparatus, caged birds 37:221r
- of:
- birds of prey 33:116r
- Blackbird, Red-winged 36:206r
- Bobwhite 41:67r
- Buzzard 33:116r
- , Rough-legged 33:116r
- Canvasback 37:66r
- Caprecaille, winter 38:248r
- Coot, Bald 40:60r
- Corvidae 40:59r
- Crane, Sandhill 38:245r
- crossbills 35:273r
- curlew 39:143r
- Dioch Black-faced 36:279r
- ducks, Falsterbo 39:68r

FOOD & FEEDING (cont.)

of: (cont.)

- Dunlin 37:221r
 Egret, Cattle 41:143r
 -, Snowy 41:73r, 41:143r
 Falcon, Siberian Saker 40:348r
 Flamingo 37:294r
 Flycatcher, Pied 37:142r
 Galliformes 40:172r
 Godwit, Black-tailed 39:143r
 goldfinch 40:60r
 Goshawk 33:116r
 Greenfinch 34:46r
 Gull, Ivory 41:248r
 Harrier, Swamp 40:59r
 Heron, Little Blue 41:143r
 -, Louisiana 41:143r
 insectivorous birds 37:142r
 Jay, Blue 39:23-30, 40:47
 -, European 38:248r
 Korean birds 37:301r
 Nutcracker 36:276r, 38:248r, 41:259r
 -, Eurasian 40:59r
 nuthatch 40:69
 Owls 37:220r
 -, Boreal 38:87r
 -, Eagle 37:220r
 -, Great Gray 41:314r
 -, Snowy 37:64r
 Oystercatcher 39:68r
 Passer spp., Asiatic 40:172r
 Rook 40:60r
 sapsucker 36:192
 Scaup, Lesser 37:66r
 sea birds 40:171r
 Starling 37:51-52, 37:143r
 Stork, Wood 36:206r
 swallow 38:164r
 Tern, Caspian 36:61r
 Vulture, Black 35:33
 Waxbill, Blue-headed 34:102r
 Woodpecker 41:85-92
 pecking orientation 33:52r
 pop. movements 38:248r
 preferences, Greenfinches 34:46r
 -, Larus chicks 40:348
 -, woodpeckers 35:225-253
 prising, honey creepers 41:73r
 range expansion, Siberian
 Saker Falcon 40:348r
 requirements, sandpipers 33:128
 sapsucker holes, other bird &
 insect usage 36:192
 seed storage 38:248r
 snails, Song Thrush 4k:157r
 stimuli, response 41:61r
 storage by:
 Jay, Eur. 38:248r
 Nutcracker 38:248r
 -, Eurasian 40:59r
 nuthatch 40:69r
 seabirds 40:171r
 supplemental feeding, Quail 35:266
 tent caterpillars 37:301r
 territory size 40:158r
 tongue-flicking, Snowy Egret 41:73r
 transportation & storage 40:59r
 Vitamin A & productivity, Gambel's
 Quail 36:199r
 Ford, A. The 1826 Journal of John
 James Audubon 39:71r
 Fordham, R.A. Breeding biol. of the
 s. Black-backed Gull, I: pre-egg
 & egg stage 36:55r
 -- Durability of bands on Dominican
 Gulls 39:62r
 -- Dispersion & dispersal of the Domin-
 ican Gull in Wellington, N.Z. 41:135r
 -- see Dunnet, G.M. &-
 Formozov, A.N. see Borodulina, T.L. &-
 -- The forest is replete with storage
 41:249r
 FOSSILS see PALEONTOLOGY
 Foster, M.S. Synchronized life cycles in
 the Orange-crowned Warbler & its
 mallophagan parasites 41:58r
 Fowl, Mallee (*Leipoa ocellata*)
 -, Red Jungle (*Gallus gallus*)
 Francis, W.J. Swallows roosting indoors
 in Japan 39:131
 Frankhauser, D. Plastic adhesive tape
 for color-marking birds 37:54r
 Franks, E.C. Mortality of bled birds
 as indicated by recapture rate 38:125
 -- The response of incubating Ringed
 Turtle Doves (*Streptopelia risoria*)
 to manipulated egg temps. 38:329r
 Frankel, A.L. & Baskett, T.S. The effect
 of pairing on cooing of penned
 Mourning Doves 34:41r
 -- & -- Color marking disrupts pair
 bonds of captive Mourning Doves 34:226r
 Fraser, S.M. see Couson, J.C. &-
Fratercula arctica (Puffin, Common)
 trapping fledglings 40:139-144
 Fredga, K. & K. Fredga. How to calculate
 the way the crow flies 34:166r
 -- An investigation into the prey prefer-
 ences of the Boreal (Tengmalm's) Owl in
 central Sweden 36:60r

- Fredga, K. & K. Fredga & I. Fryckland.
Band. activities at Ledskar Bird
Station, 1957-1963 37:128r
- Fredrickson, L.H. A nylon belt for
holding birds 41:242-243
- An experimental study of the clutch
size of the American Coot 41:48r
- Fredrikson, K.A. Observations on
parasitic nesting in the Tufted Duck
(*Aythya fuligula*) 40:335r
- Fredrikson, S. The migration at Alanda
Lake, 1962-1967 40:257r
- Fregata minor (Frigatebird, Great)
longevity 40:47
- Fretwell, S. Habitat distr. & survival in
the Field Sparrow (*Spizella pusilla*)
39:293-306
- Dominance behav. & winter hab. distr.
in Juncos (*Junco hyemalis*) 40:1-25
- Ecotypic var. in migratory pops.: a
study of tarsal length in some
Fringillidae 41:149-150r
- Friedman, M. & D.S. Lehrman. Physio-
logical conditions for the stimulation
of prolactin by external stimuli in the
male Ring Dove 41:62r
- Friedmann, H. The Parasitic Weaverbirds
32:185r
- Host relations of the parasitic
cowbirds 35:50r
- Evolutionary trends in the avian
genus *Clamator* 36:131r
- The history of our knowledge of avian
brood parasitism 37:137r
- Frigatebird (*Fregata minor*)
- Fringilla coelebs (Chaffinch)
Atlantic crossing on ship 35:209r
auditory feedback & song dev. 40:268r
behavior, territorial 41:315r
ecology 32:107r
migr., weather &, 32:178r, 37:55r
-, wind orient. &, 33:44r
pop. dynamics, decline, England 35:129r
- montifringilla (Brambling)
banded Neth., returns Czech. 36:45r
castration, effect on Zugunruhe 33:110r
faunistics; wintering, Germany 33:166r
Zugunruhe, fat deposition 35:51r
- Fringillidae (Finches)
ecol. of nesting sites, alpine 41:314r
migration 32:178r, 33:155r
squealing 36:83-88
sublingual pouches 49:141r
tarsal length, ecotypic var. 41:149r
TV tower kills, Leon Cty., FL 33:155r
- Fringillidae (cont.)
vocal imitation & recog. 41:330r
- Frith, H.J. Ecol. of wild ducks in inland
Australia 33:51r
- Fritz, B. & R. Nilsson. Bird-banding
activities at Falsterbo Bird Station.
1957-1958 Report No. 17 32:100r
1959-1964 Report No. 33 38:80r
- Fritz, E.C. Let's make bird names
helpful 40:68r
- Frohling, R.C. A social flight of the
Laughing Gull 37:206
- A partial albino Laughing Gull 38:235
- Fromme, H.G. see Merkel, F.W. &
- Frost, P.G.H. see Broekhuysen, G.J. &
Fry, C.H. Movements at sea between s.w.
Iberia & n.w. Africa 33:102r
- Lipid levels in an intra-tropical
migrant 39:135r
- The recog. & treatment of venomous &
non-venomous insects by small
bee-eaters 41:72-73r
- Structural & functional adaptation to
display in the Standard-winged Nightjar
41:150r
- The ecol. & systematics of bee-eaters
(*Meropidae*) 41:155r
- Fryckland, I. see Nagell, B. &
- see Fredga, K. &
- Fulica americana* (Coot, American)
aggressive behav. 33:210r
experimental study, clutch size 41:48r
sexual imprinting 36:277r
- armillata* (Coot, Red-gartered)
aggressive behav. 33:210r
- atra* (Coot, Common)
feeding & group behav. 37:132r
preying on *Larus ridibundus* 36:134r
- Fulmar (*Fulmarus glacialis*)
- Fulmarus glacialis* (Fulmar)
geog. origin of races, Sweden 35:280r
mass 'wreck', 849 birds 41:138r
territorialism 32:200
- glacialoides* (Fulmar, Antarctic)
life history 36:57r
- Fyfe, R.W. & J. Campbell, B. Hayson, &
K. Hodson. Regional pop. declines &
organochlorine insecticides in
Canadian Prairie Falcons 41:251r

- Gadwall (*Anas strepera*)
- Gaillard, M.W. Moving the earth for a song 40:269r
- Galerida cristata (Lark, Crested)
 song imitation 37:221r
 status, distr. 36:280r
- Galindo, P. & E. Mendez & A.J. Adames
 Banding of migrant thrushes in
 Almirante, Panama 34:202
 -- & -- Banding of thrushes & catbirds
 at Almirante, Panama. Second year of
 observations 36:233
- Galliformes
 ecology 39:328r
 food, comparative 40:172r
 history 32:66
 ontogeny & evol., Megapodes 35:275r
 osteology; taxonomy 36:126r
- Gallinago media (Great, Snipe)
 behavior 37:215r
- Gallinula chloropus (Moorhen)
 dieldrin residues 41:57r
 post-natal development 39:326r
- Gallus gallus (Chicken; Jungle Fowl)
 adaptation to optical displacement
 41:65r
 CO₂ receptors, lungs 41:61r
 imprinting 41:61r
 ontogeny, pecking preference 41:64r
 -, social behavior 36:201r
 weights & meas. 32:146
- Gannet (*Sula bassana*)
- Ganso, M. see Bergmann, H-H. &
 Garden, E.A. The national census of
 heronries in Scotland 32:102r
- Garganey (*Anas querquedula*)
- Garrulinae (Jays, New World)
 behavior & phylogeny 33:210r
- Garrulus glandarius (Jay, Eur.)
 burying food 41:159r
 feeding young 32:35
 preyed on by Goshawk 33:116r
 seed storing 38:248r
- Gaston, S. & M. Menaker. Pineal function:
 the biological clock in the sparrow?
 41:61r
- Gates, J.M. Duck nesting & production on
 Wisconsin farmland 37:297r
- Gauthreaux, S. A., Jr. A portable ceil-
 ometer technique for studying low-
 level nocturnal migration 40:309-320
 -- Weather radar quantification of bird
 migration 41:245r
- Gavia immer (Diver, Great Northern)
 courtship & mating call 35:136r
- Gavrilov, E.I. On the use of salt licks
 for trapping birds 40:148r
 -- On the ornithofauna of the Volga-
 Ural interfluve 40:169r
 -- & A.F. Kovshar. On the biology of
 the Lapidary Rosefinch (*Pyrrhospiza*
punicea Hodge) 40:152r
- Geese (*Anser* spp.)
- Gehring, W. Radar & field observations
 of diurnal migration in Switz. 36:51r
- Geis, H.P. see Cant, G. &
Gelochelidon nilotica (Tern, Gull-
 billed)
 breeding, GA, Little Egg Is. 36:22
 feeding behav. & structural
 adaptations 34:104r
- Genelly, R.E. see Raitt, R.J. &
 Gensdorf, E. Observations on the behav.
 of bird flocks 37:294r
- George, J.C. & A.J. Berger. Avian
 Myology 38:334r
 -- & P.T. Iype. Lipase activity in the
 heart muscle of a migratory & a non-
 migratory bird 33:110r
- George, P.V. see Nair, R.M. &
Geospiza difficilis (Ground Finch,
 Sharp-beaked)
 blood-eating 37:66r
- Geospiza* spp. (Finch, Galapagos)
 plumage var., cranial pneumatization,
 aging 36:27-44
 subspecies & sympatry 41:72r
- Geothlypis trichas* (Yellowthroat)
 banded, Panama 34:220
 distress calls 36:83-88
 eggs, artificial incub. 32:155
 -, weights & meas. 32:155
 host-parasite assoc. 41:302
 life history, breeding biol. 33:208r
 swimming, imm. 37:53
 weights & meas. 32:49, 32:76
- Gerell, S. see Christiansson, S. &
 Gerell, R. see Anderson, G. &
 GERMANY see EUROPE
- Gersham, M. & J.F. Witter, H.E. Spencer,
 Jr., & A. Kalvaitis. Case report: Epi-
 zootic of fowl cholera in the Common
 Eider Duck 37:61r
- Ghelfon, I.A. see Kartashev, N.N. &
 Gibb, J.A. Tits & their food supply in
 English pine woods 35:280r
 -- The turning down of marked eggs by
 Great Tits 41:40
- Gibson, J.D. Third report of the New S.
 Wales Albatross Study Grp. 1962 35:205r

- The Wandering Albatross (*Diomedea exulans*): Results of banding & observations in New South Wales coastal waters & the Tasman Sea 39:61r
- Gilbert, J.D. see Dixon, K.L. & Gilbert, W.M. see Hamilton, W.J., III & Gill, D.E., W.J.L. Sladen & C.E. Huntington. A technique for capturing petrels & shearwaters at sea 41:111-13
- & W.E. Lanyon. Establishment, growth & behavior of an extralimital pop. of House Finches at Huntington, NY 36:1
- Gillespie, M. Long distance flyers - the Ospreys 32:59r
- Travels of Common Terns 35:211r
- Black Skimmer recoveries 39:325r
- Gillham, M.E. Sea-birds 34:231r
- Gilman, S.C. see Fischer, G.J. & Giltz, M. see Burtt, H.E. & Gladkov, N.A., G.P. Dementiev, E.S. Ptushenko & A.M. Sudilovskaya. A key to birds of the USSR 36:284r
- (ed.) Fish-eating birds & their significance in fisheries 37:300r
- - Nature conservancy 39:235r
- & G.P. Dementiev. Fifty years of Soviet ornithology 40:168r
- George Petrovich Dementiev 41:331r
- Gladwin, T.W. & B.S. May. A study of swift weights 36:124r
- Glareola nordmanni (Pratinole, Black-winged) in Sweden, briefly 37:141r
- Glaucidium passerinum (Owl, Pygmy) behavior 32:66r
biology 37:134r
breeding biology 36:121r
pop. irruption, s. Scandinavia 38:87r
- Glazier, S.C. see Brower, L.P. & Gnatcatcher, Blue-gray (*Polioptila caerulea*)
- Gnatwren, Long-billed (*Ramphocoenus rufiventris*)
- Gobeil, R.E. The comparative feeding behav. of wintering Evening Grosbeaks & Purple Finches 34:217r
- Vocalizations of the Savannah Sparrow 41:18-21
- Godfrey, W.E. The Birds of Canada 38:252r
- Godwit, Bar-tailed (*Limosa lapponica*)
-, Black-tailed (*L. limosa*)
-, Hudsonian (*L. haemastica*)
-, Marbled (*L. fedoa*)
- Goethe, F. & P. Kramer. Oystercatcher 34 years old - the oldest ringed bird to date of the Vogelwarte Helgoland 33:205r
- Goforth, W.R. & T.S. Baskett. Effect of experimental color marking on pairing of captive Mourning Doves 39:159r
- Gogniashvili, O.S. A histochemical study of the organ of Corti in birds under sound stimulation 39:141r
- Goldeneye (*Bucephala clangula*)
- Goldfield, M. see Sussman. O. & Goldfinch (*Spinus tristis*)
-, Eur. (*Carduelis carduelis*)
-, Lawrence's (*Spinus lawrencei*)
-, Lesser (*S. psaltria*)
- Goldsmith, R. & W.J.L. Sladen. Temp. regulation of some Antarctic Penguins 34:45r
- Gompertz, T. The vocabulary of the Great Tit 33:168r
- Gonzalez, B. see del Junco, O. & Gooders, J. Where to watch birds 39:332r
- Goodpasture, K.A. Age, sex & wing-length of tower casualties, 1962 34:191
- Goodwin, D. Observation on Avadavats & Golden-breasted Waxbills 32:106r
- Instructions to young ornithologists II: Bird behavior 33:57r
- Some notes on my Blue-headed Waxbills (*Uraeginthus cyanocephalus*) 34:102r
- Observations on the Dark Firefinch, with some comparisons with Jameson's Firefinch 36:56r
- Domestic birds 36:283r
- Some possible functions of sun-bathing in birds 40:58r
- Australian pigeons: their affinities & status 40:67r
- Goose, Bar-headed (*Anser indica*)
-, Barnacle (*A. leucopsis*)
-, Bean (*A. fabilis*)
-, Canada (*Branta canadensis*)
-, Grey-lag (*A. anser*)
-, Kelp (*Chloephaga hybrida*)
-, Magpie (*Anseranas semipalmata*)
- Goosander (*Mergus merganser*)
- Goverdovsky, V.I. see Vinnikov, & Gorski, L.J. Banding the two song forms of Traill's Flycatcher 41:204-206
- Goshawk (*Accipiter gentilis*)
-, African (*A. tachiro*)
- Goss-Gustard, J.D. The response of Redshank (*Tringa totanus* L.) to spatial var. in the density of their prey 41:329r

- Gothe, J. Threat & appeasement behav. in the Buzzard 36:122r
- Gottlieb, G. A naturalistic study of imprinting in Wood Ducklings (*Aix sponsa*) 34:226r
- Graber, J.W. Distribution, habitat requirements & life history of the Black capped Vireo (*Vireo atricapilla*) 33:207r
- Graber, R.R. see Hassler, S.S. & -- & J.W. Graber. Weight characteristics of birds killed in nocturnal migr. 33:156r
- & -- A comparative study of bird pops. in IL, 1906-1909, 1956-1958 35:133r
- & S.S. Hasler. The effectiveness of aircraft-type (APS) radar in detecting birds 35:270r
- Night flight with a thrush 37:129r
- & Graber, J.W. Var. in avian brain weights with special reference to age 37:217r
- Nocturnal migr. in IL-- different points of view 40:55r
- see Bellrose F.C. & -- see Cochran, W.W. &
- Grackle, Boat-tailed (*Cassidix mexicanus*)
- , Common (*Quiscalus quisqualis*)
- Gramet. P. see Bremond, J.C. &
- Grant, G.S. & T.L. Quay. Sex & age criteria in the Slate-colored Junco 41:274-278
- Grant, P.R. The fat condition of some island birds 37:63r
- A systematic study of the terrestrial birds of the Tres Marias Islands, Mexico 37:220r
- Polyhedral territories of animals 40:335r
- Grassfinch, Australian (*Estrildidae*)
- Grassquit, Yellow-faced (*Tiaris olivacea*)
- Graves, J.B. see Causey, M.K. &
- Gray, L. Banding Sharpshins at Point Pelee, Ontario 32:232r
- Grazhdankin, A.V. & V.D. Ilichev. Induced potentials in the acoustic centers of the medulla of the pigeon 40:263r
- GREAT BRITAIN see BRITISH ISLES
- Greaves, J.W. Notes on the autumn passage of the Merlin, *Falco columbarius*, in the north of Ireland 40:328r
- Grebe, Black-necked (*Podiceps nigricollis*)
- , Great Crested (*P. cristatus*)
- , Pied-billed (*Podilymbus podiceps*)
- , Little (*Podiceps ruficollis*)
- , Red-necked (*P. griseigena*)
- GREECE see EUROPE
- Greely, F. see Hirth, D.A. & Green, G.H. Suspected pox virus infection of a Dunlin 40:342r
- Green Indigo Bird (*Hypochera chalybeata*)
- Green, R.H. Mass banding of the Common Starling, *Sturnus vulgaris* 37:209r
- Greenfinches (*Chloris chloris*)
- Greene, E.R. A life-time with the birds 38:253r
- Greenewalt, C.H. Bird Song Acoustics & Physiology 41:159r
- Greenhalgh, M. Migrating swallow & Meadow Pipits drowning in sea 36:195r
- Greenshank (*Tringa nebularia*)
- Greenslade, P.J.M. Island patterns in the Solomon Is. bird fauna 40:265r
- Greenway, J.C. Extinct & Vanishing Birds of the World 40:177r
- Greenwood, J.J.D. Bluethroat nesting in Scotland 40:169r
- Grice, D. & J.P. Rogers. The Wood Duck in MA 38:83r
- Grier, J. A method of dropping the Bal-Chatrri 39:321r
- Grier, J.W. Immature Bald Eagle with an abnormal beak 39:58
- Griffin, D.R. see Thorpe, W.H. & -- The physiology & geophysics of bird navigation 41:134r
- Grom, J.A. Banding thrushes at Maxada Woodlands 34:100r
- Gromadzki, M. see Busse, P. & Gromakova, S.P. see Kartashev, N.N. & Gromme, O.J. Birds of Wisconsin 35:53r
- Groote, K.R. Movement of Chickadee 36:193r
- Grosbeak, Black-headed (*Pheucticus melanocephalus*)
- , Blue (*Guiraca caerulea*)
- , Blue-black (*Cyanocopsa cyanoides*)
- , Evening (*Hesperiphona vespertina*)
- , Pine (*Pinicola enucleator*)
- , Rose-breasted (*Pinicola ludoviciana*)
- , Scarlet (*Carpodacus erythrinus*)
- Gross, A.O. Birding on the Ocean 32:102r
- The incidence of albinism in North American birds 36:67

- Gross, A.O. (cont.) Melanism in
North American Birds 36:240
- Albinistic eggs of some North
American birds 39:1
- Gross, H.M. & C.M. Perrins. Blackbirds
rearing five broods in one season 33:207r
- Grosskopf, G. Mort. & average age of
some sea birds 36:199r
- Grossman, M.L. & J. Hamlet. Birds of
Prey of the World 36:209r
- Grouse (Tetraonidae)
- , Asiatic Spruce (*Falci pennis*
falci pennis)
 - , Black (*Lyrurus tetrix*)
 - , Blue (*Dendragapus obscurus*)
 - , Hazel (*Tetrastes bonasia*)
 - , Norwegian (*Lagopus lagopus*)
 - , Red (*L. l. scoticus*)
 - , Ruffed (*Bonasa umbellus*)
 - , Sage (*Centrocercus urophasianus*)
 - , Shp.-tailed (*Pedioetes phasianellus*)
 - , Spruce (*Canachites canadensis*)
- Grube, C. Introductory Ornithology 36:284r
- Gruiformes
- egg-white proteins 41:71r
 - history 32:66
- Gruis americana (Crane, Whooping)
- pop. dynamics 38:242r
 - status 38:169r
 - canadensis (Crane, Sandhill)
 - breeding biol. 37:134r
 - feeding 38:245r
 - migration 33:111r, 32:180r
 - pop. status 37:134r
 - grus (Crane, Common)
 - migration 37:211r
 - & wintering 33:111r
 - leucogeranus (Crane, Siberian)
 - longevity 40:326r
- Gruys-Casimir, E.M. On the influence of
environmental factors on the autumn
migr. of Chaffinch & Starling. A field
study 37:55r
- Guarino, J.L. Blackbird & Starling move-
ments traced by banding & color
marking 35:205r
- Evaluation of a colored leg tag for
Starlings & Blackbirds 39:6
- Dakota banded Yellow-head recovered
in Florida 39:325r
- see DeHaven, R.W. &
- GUATEMALA see SOUTH AMERICA
- Guenzi, W.S. see Mosier, A.R. &-
- Guillard, R. see Arnoud, P. &-
- Guillemot, Pigeon (*Cephus columba*)
- Guiraca caerulea (Grosbeak, Blue)
comparison with Indigo Bunting 40:137
non-squealer 36:86
- Guineafowl (*Numida meleagris*)
- , Crested (*Guttera edouardi*)
- Gull, (Laridae)
- , Black-billed (*Larus bulleri*)
 - , Black-headed (*L. ridibundus*)
 - , Bonaparte's (*L. philadelphia*)
 - , California (*L. californicus*)
 - , Common (*L. canus*)
 - , Dominican = Kelp
 - , Franklin's (*L. pipixcan*)
 - , Glaucous (*L. hyperboreus*)
 - , Glaucous-winged (*L. glaucescens*)
 - , Gray (*L. modestus*)
 - , Great Black-backed (*L. marinus*)
 - , Great Black-headed (*L. ichthyæetus*)
 - , Herring (*L. argentatus*)
 - , Iceland (*L. glaucoides*)
 - , Ivory (*Pagophila eburnea*)
 - , Kelp (*L. dominicanus*)
 - , Laughing (*L. atricilla*)
 - , Lesser Black-backed (*L. fuscus*)
 - , Little (*L. minutus*)
 - , Mediterranean (*L. melanocephalus*)
 - , Red-billed = Silver Gull
 - , Ring-billed (*L. delawarensis*)
 - , Ross's (*Rhodostethia rosea*)
 - , Sabine's (*Xema sabini*)
 - , Silver (*L. novaehollandiae*)
 - , Thayer's (*L. thayeri*)
- Gurin, S.S. see Ilyichev, V.D. &-
- GUYANA see SOUTH AMERICA
- Guyomarch'h, J.-C. Vocalizations of the
domestic chick; their occurrence in
normal behavior 38:87r
- Gwinner, E. & J. Kneutgen. The bio-
logical meaning of the 'purposive'
use of learned sounds by birds
34:227r
- Studies on the expressive & social
behavior of the Raven 36:122r
- Observations on nest building &
brood care of Ravens (*Corvus corax*)
in captivity 36:275r
- On the influence of hunger & other
factors on the storing activity of
Ravens 37:217r
- Some play movements of the Raven
37:294r
- Species-specific patterns of migratory
restlessness in European warblers & their
possible significance for the ending of
migr. in the winter quarters 40:149r

- Gwyn, A.M. The migration of the Arctic Tern 40:328r
- Gy, G. An explanation of the orientation capacity of birds 39:235r
- Gyllin, R. Some aspects on the relationship between resting & migrating shore birds in inland Sweden 37:130r
- & D. Lundegard. Black-winged Pratincole observed in Sweden for the first time 37:141r
- & K. Larsson. the occurrence of White-backed & Three-toed Woodpeckers in the province of Narke, central Sweden 38:329r
- The diurnal rhythm of the Corn Bunting 38:330r
- & H. Johannesson & K. Larsson. Diurnal raptors and owls in central Sweden during the winters 1954/55 through 1966/67 40:60r
- Gymnogyps californianus (Condor, California)
olfaction 36:61r
status 37:62r
- Gymnophthys bicolor (Antbird, Bicolored)
behavior 38:338r
- Gymnorhinus cyanocephalus (Jay, Pinyon)
banding, SD 34:219
- Gypaetus barbatus (Vulture, Bearded)
plumage 40:345r
rusty coloration 39:66r
- Gyrfalcon (Falco rusticolus)
- Gysels, H. An electrophoretic component from the lens proteins of the Passeriformes as an important taxonomic characteristic 36:279r
- On the systematic position of the Screamers (Anseriformes, Anhimidae): evidence from immunological analysis of crystalline lens protein composition 41:156r

- Haapanen, A. Bird fauna of the Finnish forests in relation to forest succession 37:213r, 38:155r
- Haavie, J.H. see Sibley. C.G. & Haaze-Rapoport, M.G. (ed.) Bionic Problems 41:75r
- Habia fuscicauda (Ant-tanager, Dusky-tailed)
distraction display 36:113
-rubica (Ant-tanager, Red-crowned) male breeds prior to definitive plumage 36:113
- HABITAT see ECOLOGY
- Hackman, C.D. see Clapp, R.B. & Hadley, N.F. Microenvironmental factors influencing the nesting sites of some alpine fringillid birds in CO 41:314r
- Haematopus ostralegus (Oystercatcher, European)
behavior, feeding 39:68r
egg shell removal 34:102r
feather wax, chem. composition 41:256r
longevity, 33:154r, 33:205r
migration 32:180r
- over n.e. Atlantic 33:159r
parental feeding 41:256r
pop. dynamics 40:333r
preying on *Larus ridibundus* 36:134r
territorial defence 37:132r
-palliatu (Oystercatcher, American) nest in GA, Little Egg Is. 36:22
- Haffer, J. Speciation in Amazonian forest birds 41:69r
- Haftorn, S. A method of studying the family life in hole-nesting birds 38:83r
-- Egg laying & incub. in tits based on temp. recordings & direct observations 38:83r
- Hagar, J.A. Nesting of the Hudsonian Godwit at Churchill, Manitoba 38:156r
- Hagiwara, S. & S. Chichibu & N. Simpson. Neuromuscular mechanisms of wingbeat in hummingbirds 40:343r
- Haight, M.E. see Richardson, W.J. & Hailman, J.P. Age of Laughing Gull chicks indicated by tarsal length 32:223
-- An enigmatic northward migratory flight off NC in Sept. 33:48r
-- Notes on quantitative treatments of subcutaneous lipid data 34:14
-- A male MacGillivray's-like *Oporornis* Warbler banded at Brigantine, NJ; in June 39:316
- The continuing problem of fat classes & 'rule-of-thumb' for identifying interval & ratio data 40:321
- Hainsworth, F.R. & L.L. Wolf. Regulation of oxygen consumption & body temp. during torpor in a hummingbird, *Eulampis juglaris* 41:254r
- Halafoff, K.C. A survey of birds' music 40:173r
- Haliaeetus albicilla (Eagle, White-tailed)
mercury residues 38:245r
numbers, Sweden 38:245r
reprod. & nesting behav. 36:200r
- leucocephalus (Eagle, Bald)
beak, abnormal 39:58
feeding behav., weight changes, in captivity 41:103-110
habitat destruction, e.central FL 41:58r
status 41:58r
-pelagicus (Eagle, Pacific Ocean) life history 37:923r
- Hallett, A.F. & A.R. Brown. A method of trapping Eur. Swallows 36:272r
- Halvorson, D.B. & M. Jacobson. Var. in dev. of muscles in chickens 41:318r
- Hamburger, V. & R. Oppenheim. Pre-hatching motility & hatching behav. in the chick 40:156r
- Hamerstrom, F. Comparability of some social displays of Grouse 32:61r
-- & D.D. Berger & F.N. Hamerstrom, Jr. The effect of mammals on Prairie Chickens on booming grounds 37:297r
-- Aging & sexing Harriers 39:329r
-- & J.D. Weaver. Aging & sexing Rough-legged Hawks in WI & IL 40:326r
-- Aerial transfer of *Circus cyaneus* 41:241
- Hamerstrom, F.N., Jr. see Hamerstrom, F. & Hamilton, W.J., III & M.C. Hammond. Oriented spring migr. of pinioned Canada Geese 32:237r
-- Initial orient. & homing of inexperienced Pintails 33:61
-- Little Barrier Is. (Hauturu) 33:212r
-- Bobolink migratory pathways & their experimental analysis under night skies 35:268r
-- Does the Bobolink navigate? 35:269r
-- & F. Heppner. Radiant solar energy & the function of black homeotherm pigmentation: an hypothesis 40:63r

- & W.M. Gilbert. Starling dispersal from a winter roost 41:320r
- see Marler, P.R. &-
- Hamilton-Smith, E. Birds in Australian caves 37:292r
- Hamlet, J. see Grossman, M.L. &-
- Hammond, M.C. see Hamilton, W.J. III &-
- Hamner, W.M. Ineffectiveness of the pineal lesions on the testis cycle of a finch 41:323r
- Hancock, J.T., Jr. see Buckley, P.A. &-
- Handby, P.L. see Talent, J.A. &-
- HANDREARING see TECHNIQUES
- Hansen, E. & N.H. Christensen. Observations on the Imperial Eagles in Scania, southern Sweden, during the summer & fall, 1961 34:171r
- Hansen, H.A. see Yocum, C.F. &-
- Hansen, H.C. & C.W. Kossack. The Mourning Dove in IL 34:170r
- Hansen, J.L. see Rogers, J.P. &-
- Hansson, L. Studies of duck & gull pop. at Angelholm during the winter 1958-59 32:61r
- Hanzak, J. The Pictorial Encyclopedia of Birds 41:160r
- Hardy, J.W. Studies in behav. & phylogeny of certain New World Jays (Garrulinae) 33:210r
- Harper, F. Plant & animal assoc. in the interior of the Ungava Peninsula 36:59r
- Harper, J.A. & R.F. Labisky. The influence of calcium on the distr. of pheasants in IL 37:65r
- Harriers (Circus spp.)
- Harrier, Hen = Marsh Hawk
- , Marsh (C. aeruginosus)
- , Montagu (C. pygargus)
- , Swamp (C. approximans)
- Harris, B.J. see Sharland, R.F. &-
- Harris, M.P. Weights from 500 birds found dead on Skomer Is. in January, 1962 35:217r
- Ring loss & wear of rings on marked Manx Shearwaters 35:268r
- & F.I. Norman & R.H.S. McColl. A mixed pop. of Redpolls in n. Norway 37:65r
- Breeding biology of the Manx Shearwater (*Puffinus puffinus*) 37:215r
- The biol. of Oystercatchers (*Haematopus ostralegus*) on Skokholm Island, South Wales 38:330r
- Effect of laying data on chick production in Oystercatchers & Herring Gulls 40:333r
- see Barret, J.H. &-
- Harris, S.W. Migrational homing in Mourning Doves 32:175r
- & P.E.K. Shepherd. Age detn. & notes on the breeding age of Black Brant 37:299r
- Harrison, C.J.O. see Meaden, F.M. &-
- Alleged xanthochroism in bird plumage 37:121
- Helpers at the nest in Australian passerine birds 41:140r
- A reconsideration of Horsfield Bronze Cuckoo depositing its eggs by using the bill 41:140r
- Harrisson, T.P. (ed.) John White & Edward Topsell/ The first water colors of North American birds 37:76r
- Harisson, T. Onset of echo-location clicking in Collocalia Swiftlets 38:244r
- Hart, J.S. see Ray, O.Z. &-
- Harting, J.E. The birds of Shakespeare 37:76r
- Hartley, T.C. see Bligh, J. &-
- Hartman, F.A. Locomotor mechanisms of birds 33:55r, 33:116r
- & M.A. Lessler. Erythrocyte meas. in birds 35:131r
- Hartman, F.E. White-headed Cardinal 39:57
- Hartshorne, J.M. Behav. of the Eastern Bluebird at the nest 33:209r
- Hassler, S.S. & R.R. Graber & F.C. Bellrose. Fall migration & weather, a radar study 35:128r
- see Graber, R.R. &-
- Hasuo, Y. see Yoshii, M. &-
- Hatch, R.M. An immature Yellowthroat seen swimming 37:53
- Haugh, J.R. see Cade, T.J. &-
- The spring hawk migration around the s.w. shore of Lake Ontario 38:82r
- Haughen, A.O. see Hein, D. &-
- Haverschmidt, F. The Black-tailed Godwit 35:285r
- Havlin, J. The ecology of the Red-backed Shrike 33 207r
- & C. Folk. The breeding season & number of young of the Starling (*Sturnus vulgaris* L.) in Czech. 33:207r
- Environmental requirements in the Blackbird (*Turdus merula* L.) 33:209r

- Variability of somatic characters in the Eur. Blackbird (*Turdus merula merula* Linne) 1758 33:211r
- Consumption & digestion of seeds in the Blackbird (*Turdus merula*) 33:212r
- Economic importance of the Blackbird 37:133r
- & C. Folk. Food & economic importance of the Starling (*Sturnus vulgaris*) 37:143r
- Breeding success of the Pochard & the Tufted Duck in Czech. 38:330r
- Hawfinch (*Coccothraustes coccothraustes*)
- Hawk, Broad-winged (*Buteo platypterus*)
- , Japanese Sparrow (*Accipiter gularis*)
- , Marsh (*Circus cyaneus*)
- , Pigeon = Merlin
- , Red-shouldered (*Buteo lineatus*)
- , Red-tailed (*B. jamaicensis*)
- , Rough-legged (*B. lagopus*)
- , Sharp-shinned (*Accipiter striatus*)
- , Sparrow (*A. nisus*)
- , Sparrow, Amer. = Kestrel
- , Swainson's (*B. swainsoni*)
- Hawk-eagle (*Spizaetus nipalensis*)
- Hawkins, A.S. see Martinson, R.K. & Hayes, H. see Donaldson, G. & Hayne, D.W. see Stickel, W.H. & Hayson, B. see Fyfe, R.W. & Heather, B.D. A biology of birds with a particular reference to N.Z. birds 38:336r
- Heath, R.G. see Wight, H.M. & Heimerdinger, M.A. More Connecticut Starlings 32:173
- & R.C. Leberman. The comparative efficiency of 30 & 36mm mesh in mist nets 37:280
- Hein, D. & A.O. Haugen. Illumination & Wood Duck roosting flights 41:52r
- Heintzelman, D.S. An unusual Sparrow Hawk tail 33:204r
- An interesting Black-crowned Night Heron recovery 34:221
- Heizer, R.F. Migratory animals as dispersal agents of cultural materials 41:75r
- Heldt, R. On the breeding biology of the Dunlin 38:331r
- Helminen, M. Composition of the Finnish pops. of Capercaillie, Tetrao urogallus, & Black Grouse, *Lyrurus tetrix*, in the autumns of 1952-1961, as revealed by a study of wings 36:198r
- see Henriksson, K. & Hemipode, Collared (*Pedionomus torquatus*)
- Helmitheros *vermivorus* (Warbler, Worm-eating)
- distress squealers? 36:86r
- weights & meas. 32:48
- Helms, C.W. A mutual display of the Catbird 34:38
- Tentative field estimates of metabolism in Buntings 35:132r
- The annual cycle & Zugunruhe in birds 36:119r
- Henderson, S.D. & J.B. Holt, Jr. Banding Screech Owls & Kestrels at nest boxes 34:40r
- Hendrick, D.J. The visitometer, a simplified mechanical counter 35:213r
- Hendrickson, H.T. A comparative study of the egg white proteins of some spp. of the avian order Gruiformes 41:71r
- Henny, C.J. & H.M. Wight. An endangered Osprey pop.: estimates of mortality & production 41:58r
- Henriksson, K. & E. Karppanen & M. Helminen. High residue of mercury in Finnish White-tailed Eagles 38:245r
- Henry, C.J. Geographical var. in mort. rates & production requirements of the Barn Owl (*Tyto alba* spp.) 40:277-290
- Hensen, J. see Elder, W.H. & Henss, M. see Berndt, R. & Henty, C.J. Further observations on migr. in s.w. Iberia 33:102r
- Hentz, K. On the breeding biol. of the Lesser Spotted Eagle 39:232r
- Heppner, F. see Hamilton, W.J. III & HERBICIDES see PESTICIDES, etc.
- Herklots, G.A.C. The birds of Trinidad & Tobago 33:117r
- Herman, C.M. & L.N. Locke & G.M. Clark. Foot abnormalities of wild birds 33:191
- Hermanson, W. The Barn Owl in Scania, Sweden, 1951-1961 35:133r
- Hermit, Little (*Phaethornis longuemareus*)
- , Long-tailed (*P. superciliaris*)
- Heron, Black-crowned Night (*Nycticorax nycticorax*)
- , Gray (*Ardea cinerea*)
- , Great, White & Blue (*A. herodias*)
- , Green (*Butorides virescens*)

- Heron, Purple (*A. purpurea*)
 -, Reef (*Egretta sacca*)
 -, Squacco (*Ardeola ralloides*)
 -, Striated (*Butorides striatus*)
 -, White-necked (*Ardea cocoi*)
- Herroelen, P. On the possibilities of encountering the Icelandic Black-tailed Godwit in Belgium 36:60r
 -- see Rappe, A. &-
- Hesperiphona vespertina (Grosbeak, Evening)
 band. 32:59r, 33:181, 34:22, 34:73
 behav., pair-bonding, feeding 34:22-30
 Christmas counts, 1953-1960 33:175
 feeding terr. on bird feeder 34:217
 flock cohesion 34:22, 34:73
 flying at 12,500ft 35:265
 mass shootings, Quebec, notes 36:46r
 plumage & sexing, juv. 36:59r
 pop., Canada 39:328r
 -, decrease, DDT, Quebec 36:113
 -, -, Spruce Budworm 36:124r
 -, incursions, n.e. OH 39:306
 -, -, winter 34:1-22
 range extension to n. VA 33:181
 recovery, unusual, e.TX 41:39
 sex ratio imbalance 35:13
 'slaughter', Quebec 34:73-86
 State Coll., PA 32:59
- Hess, E.H. see Klinghammer, E. &-
 -- Imprinting on birds 36:122r
- Hester, A.E. A plastic wing tag for indiv. identification of passerine birds 34:213
 -- see Hirth, D.H. &-
- Heteronetta atricapilla (Duck, Black-headed)
 breeding biology 40:152r
 recovery in S. America 39:32
- Hewitt, J.M. 'Cattle Egret' proves to be a Little Egret 33:49r
- Hewson, R. Territory, behav. & breeding of the Dipper in Banffshire 39:63r
- Hickey, J.J. & L.B. Hunt. Initial song-bird mort. following Dutch Elm disease control program 32:107r
 -- Some effects of insecticides on terrestrial bird life in the middle west 33:163r
 -- & D.W. Anderson. Chlorinated hydrocarbons & egg shell changes in raptorial & fish-eating birds 40:62r
 -- see Anderson, D.W. &-
- Hickey, M.B. Migrants at airport ceilometers 32:181r
- Hicks, D.L. & E. McCullers. An observation of storm-killed migrants in Costa Rica 37:54r
 -- & D.T. Rogers & G.I. Child. Autumnal Hawk migration through Panama 37:121
 -- see Loftin, H. &-
 -- see Odum, E.P. &-
- Hicks, J.J. see Konrad, T.G. &-
 Hilden, O. Ecology of duck pops. in the island group of Valassaaret, Gulf of Bothnia 36:199r, 37:139r
 -- Breeding biology of Temminck's Stint 37:59r
 -- & P. Kalinainen. On the occurrence & biology of the Marsh Harrier in Finland 38:241r
- Hillstar, Andean (*Oreotrochilus chimborozoa*)
- Hilty, S. see Leck, C.F. &-
- Hippolais icterina (Warbler, Icterine)
 banded on Capri 35:205r
 -polyglotta (Warbler, Melodious)
 breeding, ecology 37:132r
- Hindwood, K.A. Birds caught by octopuses 36:123r
 -- see Hitchcock, W.B. &-
- Hirth, D.H. & A.E. Hester & F. Greeley. Dispersal & flocking of marked young Robins (*Turdus m. migratorius*) after fledging 40:208-215
- Hirundo rustica (Swallow, Barn)
 artificial incub. 32:150
 band. program & movements 41:97-103
 --, Thailand 40:95-104
 - report, Britain 33:154r
 - results & conclusions, PA 34:40r
 drowning behavior 36:195r
 migration 32:178r, 40:329r
 -, Medit. 33:103r, 33:107r
 -, wintering, Africa 33:168r, 40:67r
 pop., Hampshire, England 32:182r
 -, increase since 1906, IL 35:134r
 roosting indoors 39:131
 seven degrees above Arctic Circle 33:160r
 weight recession in nestlings 40:264r
 weights & meas. 32:150
- Hitchcock, W.B. & K.A. Hindwood. Occurrence of the Common Tern in Australia & the Southwest Pacific 35:204
 -- Ninth Annual Report of the Aust. Bird-banding Scheme, July, 1962 to June, 1963 36:195r
 -- Tenth Annual Report of the Aust. Bird-banding Scheme, July, 1963 to June, 1964 38:327r

- Hjalte, K. First sight record for Sweden of the Isabelline Shrike 40:265r
- The Corn Bunting in Scania, Sweden 1965-1968 41:147r
- Hjort, C. Short-toed Lark found at Ottenby. New for Sweden. Report from Ottenby Bird Station. No.47 38:86r
- Hjort, I. Reproduction behavior in Tetraonidae 39:139r
- The influence of the weather on the display activities of the Black Grouse (*Lyrurus tetrix*) 38:243r
- Hobby (*Falco subbuteo*)
- Hodson, K. see Pyfe, R.W. &
- Hoff, K.M. see Hudson, G.E. &
- Hofslund, P.B. A life history study of the Yellowthroat (*Geothlypis trichas*) 33:208r
- Hawk migration over the western tip of Lake Superior 38:82r
- Hoffman, K. Experimental manipulation of the oriental clock in birds 32:236r
- Hoffman, L. Report for 1958 of the Carmargue Banding Station 32:230r
- Hogan, H.A. see Kruijt, J.P. &
- Hogan-Warburg, A.J. Social behav. of the Ruff, *Philomachus pugnax* (L.) 38:244r
- Hoger, R.B. Soluble lead poisoning in shorebirds 34:45r
- Hoglund, N.H. & E. Lansgren. The Great Grey Owl & its prey in Sweden 41:314r
- Hogstrom, S. & W. Lars-Erik. The occurrence of Bewick's Swan in Sweden & its migr. in the Baltic Region 39:330r
- Hohn, E.O. Ringing & recoveries of Phalaropes: A summary of presently available information 37:197
- The Phalarope 41:62r
- Holcomb, L.C. Observations on Traill's Flycatcher & Goldfinch 38:325
- & G. Twiest. Ecological factors affecting nest building in Red-winged Blackbirds 39:14
- Further observations on Ring-necked Pheasant nesting 39:133
- Growth of nesting Goldfinches compared to adult size & differential dev. rate of structures in relation to their function 39:233r
- Breeding biology of the Am. Goldfinch in OH 40:26
- Egg turning behav. of birds in response to color marked eggs 40:105
- & G. Twiest. Red-winged Blackbird nestling growth compared to adult size & differential development of structures 40:345r
- Growth of nestling Am. Goldfinches depending on the number in the nest & hatching sequence 41:11-17
- Holden, B.L. & W.J.L. Sladen. Heart worm (*Sarconema eurycerca*) infection in Whistling Swans (*Cygnus columbianus*) in Chesapeake Bay 40:342r
- Holgusen, H. Bird banding in Norway, 1959. Report No. 10 32:231r
- Hollow, P.A.D. The Great Crested Grebe Sample Census. 1946-1955 32:103r
- see Peterson, R.T. &
- Holman, J.A. Osteology of Gallinaceous birds 36:126r
- Holmes, R.T. Feeding ecology of the Red-backed Sandpiper (*Calidris alpina*) in arctic Alaska 37:221r
- Holt, E.G. Anting by Meadow Pipits 32:64r
- Holt, J.B., Jr. see Henderson, S.D. &
- Holtmeier, F.K. The ecological function of Nutcrackers in the Zuben larchwoods & at timberline on the Oberengadins 38:331r
- Homann, P.H. Reaction of Wood Warbler to young 34:95
- Honer, M.R. Observations on the Barn Owl (*Tyto alba guttata*) in the Neth., in relation to its ecology & population fluctuations 35:214r
- Honeyeaters, Aust. (*Meliphagidae*)
- , White-fronted (*Phylidonyris albifrons*)
- , White-striped (*Meliphaga albilineata*)
- Hoogstraal, M. & M.N. Kaiser. Ticks from European-Asiatic birds migrating through Egypt into Africa 32:179r
- Hopcraft, J.B.D. Some notes on the chick-carrying behavior of the African Jacana 40:58r
- Hoopoe, Thailand (*Upupa epops*)
- Hori, J. Parental care in the Shelduck 36:55r
- Horn, H.S. The adaptive significance of colonial nesting in the Brewer's Blackbird (*Euphagus cyanocephalus*) 40:261r
- see Orians, G.H. &
- Hornblow, L. & A. Hornblow. Birds do the strangest things 41:332r
- Horwich, R.H. Feather dev. as a means of aging young Mockingbirds (*Mimus polyglottos*) 37:257

- Horwich, R.H. (cont.) Behavioral ontogeny of the Mockingbird 40:335r
- Houston, C.S. Redpoll identification... a problem 34:94
- Common Tern recovery from Cook Islands 34:160
- Siberian recovery of Pectoral Sandpiper 36:112
- & E.F. Martinez. One week flight of a Least Sandpiper 40:146
- & L. Tryphonas. Avian tuberculosis in a Swainson's Thrush 40:146-7
- Recoveries of Red-tailed Hawks banded in Saskatchewan 40:325r
- Recoveries of Black-crowned Night Hawks banded in Saskatchewan 40:325r
- Recoveries of Marsh Hawks banded in Saskatchewan 40:325r
- Recoveries of Swainson's Hawks banded in Saskatchewan 40:325r
- Recoveries of Bronzed Grackles banded in Saskatchewan 40:325r
- Recoveries of Robins banded in Saskatchewan 40:325r
- Saskatchewan bird banders: Judge J.A. M. Patrick (1873-1943) 40:326r
- Houghton, J.C.W. see Tinbergen, N. & Howard, D.V. Twig in abdomen of a Blackpoll Warbler 37:207
- & D.D. Henry, Jr. Arrested molt in a Blackpoll Warbler 37:123
- Criteria for aging & sexing Bay-breasted Warblers in the fall 39:132r
- see Nisbet, I.C.T. &
- Howe, M.A. see Phillips, A.R. &
- Howell, J.C. The 1966 status of 24 nest sites of the Bald Eagle (*Haliaeetus leucocephalus*) in east-central FL 41:58r
- Howell, T.R. & G.A. Bartholomew. Temp. regulation in the Sooty Tern (*Sterna fuscata*) 34:51r
- Hsiang-kan, C. & B. Tien-hsiang, C. Tia-yung & C. Tso-hsin. Preliminary studies on the breeding behavior of the Tree Sparrow (*Passer montanus saturatus*) 35:212r
- see Wuping, H. &
- Hudec, K. Postnatal dev. in the Starling (*Sturnus vulgaris* L.) under natural conditions 33:161r
- Hudson, G.E. & K.M. Hoff, J.V. Berge & E.C. Trivette. A numerical study of the wing & leg muscles of Lari & Alcae 41:153r
- Hudson, R. Recoveries in Great Britain & Ireland of birds ringed abroad 37:291, 40:324r
- Hughes, D.F. see Anderson, D.W. &
- Hughes, J.T. see Moreau, R.E. &
- Hughes, M.R. Cloacal & salt-gland ion excretion in the seagull, (*Larus glaucescens*) acclimated to increasing concentration of sea water 41:253r
- Hummingbirds (Trochilidae)
- , Allen's (*Selasphorus sasin*)
- , Ruby-throated (*Archilochus colubris*)
- Humphrey, P.S. & K.C. Parkes. Comments on the study of plumage succession 35:132r
- & D. Bridge & T.E. Lovejoy. A technique for mist-netting in a forest canopy 39:43
- Humphries, D.A. & P.M. Driver. Erratic display as a device against predators 40:155r
- Hungerford, C.R. Vitamin A & productivity in Gambel's Quail 36:199r
- Hunt, L.B. see Hickey, J.J. &
- Hunt, R.A. see Trainer, D.O. &
- Hunter, B.T. Gardening without poisons 33:54r, 35:220r
- Huntington, C.E. see Gill, D.E. &
- Hussell, D.T. see Jehl, J.R., Jr. &
- Hussell, D.J.T. & J. Woodford. The usage of a Heligoland trap & mist-nets at Long Point, Ontario 32:115
- & R.W. Stamp. Movements of Black-capped Chickadees at Long Point, Ontario, during the Spring of 1962 36:71
- & T. Davis & R.D. Montgomerie. Differential fall migr. of adult & imm. Least Flycatchers 38:61
- Weight loss of birds during nocturnal migration 40:343r
- Hutchison, R.E. & J.G. Stevenson & W.H. Thorpe. The basis for individual recognition by voice in the Sandwich Tern (*Sterna sandvicensis*) 40:349r
- Huxford, M.B. The sparrow that lived for 19 years 40:148r
- Huxley, J. Higher & lower organization in evolution 34:43r
- Lorenzian Ethology 35:130r
- Huyskens, G. see Ridder, J. de &
- HYBRIDS
- Bluebird, Eastern x Mountain 41:71r
- Crow, Hooded x Carrion 33:206r
- Duck, Tufted x Scaup 40:266r

HYBRIDS (cont.)

- Goosander x Shelduck 35:132r
 Grouse, Lagopus x Canachites 40:348r
 Pochard x Tufted Duck 38:330r
 Scaup, Lesser x Ring-necked Duck
 41:71r
 Sparrow, Grasshopper x Savannah 41:71r
 Warbler, Golden-winged x Blue-winged
 41:53r, 41:131r
- Hydroprogne caspia (Tern, Caspian)
 band. 32:231r
 biol. & structure of pop. movements
 & hist. etc., Great Lakes 36:217-233
 - of migration period 41:312r
 otoliths in pellets 36:61r
- Hylocichla (Thrushes)
 migration 35:210r
 radio transmitter use 39:135r
 -fuscescens (Veery)
 band., Pan. 34:202-209, 34:220,
 36:233-239
 - PA 34:100r
 distress calls 36:83-88
 fat deposits & flight range 36:115
 host-parasite assoc. 41:302
 migration, Chicago 33:130
 nesting behavior 33:114r
- guttata (Thrush, Hermit)
 band., PA 34:100r
 - report correction 33:130
 host-parasite assoc. 41:302
 migration, Chicago 33:130
 non-squealer 36:86
 Thoreau on, 36:127r
 tick infestation 35:127
- minima (Thrush, Gray-cheeked)
 aging 33:131, 33:157
 band., Pan. 34:202-209, 34:220,
 36:233-239
 host-parasite assoc. 41:302
 migration, Chicago 33:130
 non-squealer 36:86
 radio transmitter use 37:129r
- mustelina (Thrush, Wood)
 band., Pan. 34:202-209, 34:220,
 36:233-239
 - PA 34:100r
 distress calls 36:83-88
 host-parasite assoc. 41:302
 migration, Chicago 33:130
 net shyness 35:196-202
 Thoreau on, 36:127r
 weights & meas. 32:153
- ustulata (Thrush, Swainson's)
 aging 33:131, 33:157r
- band., Pan. 34:202-209, 36:233-239
 - PA 34:100r
 distress calls 36:86
 fat deposits & flight range 36:115
 --, var. & utilization 37:83-112
 geog. var. 34:230r
 host-parasite assoc. 41:302
 migration 37:83-112
 -, Chicago 33:130
 pop. dynamics 37:83-112
 weight var. 37:83-112
- Hypochera chalybeata (Indigo Bird,
 Green)
 parasitizes Senegal Firefinch 36:275r

Ibis, Glossy (*Plegadis falcinellus*)
 -, Sacred (*Threskiornis aethiopicus*)
 -, White-faced (*Plegadis chihi*)

ICELAND

birds of, 41:154r
 snow & breeding success, 1961 35:129r
Icteria virens (Chat, Yellow-breasted)
 band., Pan. 34:220, 38:152
 -, PA 35:267r
 distribution 32:58
 migration 32:102r, 34:99r, 38:130-135
 weights & meas. 32:76
 winglength 33:43
Icteridae (Blackbirds)
 food & feeding 41:327r
Icterus bullocki (Oriole, Bullock)
 band. reports 33:16-19
 -dominicensis (Oriole, Greater
 Antillean)
 weights & meas. 32:49
 -galbula (Oriole, Baltimore)
 band. study; pop.; sex ratios;
 wintering habits; migr. 40:181-198
 distribution 32:58
 feeding at sapsucker holes 36:192
 host-parasite assoc. 41:302
 migration 32:238r
 -, off Nfld. 33:158r
 weights & meas. 32:156

IDENTIFICATION

Bunting, Indigo 38:211-214
 Finch, House 34:44r
 Warblers, MacGillivray's, Mourning
 & Connecticut 38:187-194
**INJURIES, ACCIDENTS & ILLNESS (see also
 ENVIRONMENTAL QUALITY)**
 bill deformities:
 Bittern, Am. 38:324
 Blackbird, Red-winged 33:19
 Eagle, Bald 38:58
 Robin 38:324
 Warbler, Black-throated Gr. 38:324
 Willet 38:324
 Blackbird, Red-winged study 33:15
 diagnosis, treatment 34:53r
 disease, skin 35:278r
 foot missing, Blue Jay, Red-winged
 Blackbird 41:41
 lead poisoning, shorebirds 34:45r
 Nuthatch, White-breasted 37:126
 Owl, Screech, recovery 37:207
 shellfish poisoning, Shags 40:62r
 Towhee, Rufous-sided 33:71
 Warbler, Blackpoll 37:207
 weight loss, cold 35:279r

Ilichev, V.D. Functional peculiarities
 & evolution factors of the sound-
 transmission system in birds 38:160r
 -- Adaptations in the auditory system
 of birds & their role in evol. 39:237r
 -- Physical & functional characteristics
 of bird sounds 40:269r
 -- Owls & how they hear 41:148r
 -- & L.I. Barsova & G.R. Taksa. Central
 elements of the acoustic system of
 birds: 1. Auditory nuclei of the
 medulla oblongata 41:152r
 -- & S.S. Gurin & A.N. Tempchin. Electro-
 -physiological features of the avian
 auditory analyzer 41:322-3r
 -- see Grazhdankin, A.V. &
 Imhof, T.A. Alabama Birds 34:50r
 Immelmann, K. Contribution to a compara-
 tive study of Australian Grassfinches
 34:225r
 -- Comparative observations on the
 behav. of domesticated Zebra Finches
 in Europe, & the wild parent form in
 Australia 34:227r
 -- Observations on sleeping rhythm &
 sleeping behav. in three African
 Ostriches 34:227r
 -- Observations on Wood-swallows 37:293r
 -- The biological meaning of song in the
 Estrilidae 39:331r
 -- Ecology & behavior of African &
 Australian Grassfinches 40:158r
 Impekoven, M. Development of the Reed
 Warbler. A behavior study 34:170r
 -- Distr. & migr. of the Garganey; An
 analysis of European band. results
 37:130r
INCUBATION
 artificial, egg, 83 spp. 32:141-159
 function, aspects of, Herring Gull
 39:136r
 male, White-tailed Eagle 36:200r
 study, Herring Gull 39:136r
INDIA
 birds of, 33:169r
 Indigo Bird, Green (*Hypochera*
chalybeata)
 Ingold, P. see Tschanz, B. &
 Inozemtsev, A.A. The selectivity of
 avian feeding & some reasons for its
 variation 37:142r
 -- see Ptushenko, E.S. &
INSECTICIDES see **PESTICIDES**, etc.
 Interagency Coordination in Environ-
 mental Hazards (Pesticides) 35:221r

- International Ornithological Information Service, see Ryszewski, Dr. W.
- INVASIONS see MIGRATION & POPULATION
- IRELAND see BRITISH ISLES
- Iridoprocne bicolor* (Swallow, Tree)
 courtship behav. 41:242
 nesting data 39:187-189
 parasites 32:93
 weights & meas. 32:149
- Irving, L. Birds of Anaktuvuk Pass, Kobuk, & Old Crow 32:109r
- The migration of Lapland Longspurs to Alaska 33:48r
- Isaacson, A.J. see Murton, R.K.
- Isakov, Yu.A. Problems encountered in the study of the seasonal migration of birds 34:98r
- Investigation of Gastroliths as a method of studying seasonal migration 34:100r
- Waterfowl resources in the USSR & their management 37:297r
- The results of a midwinter waterfowl census in USSR (January, 1967) 40:61r
- Ishizawa, J. On the distribution & migr. of *Locustella o. ochotensis* 33:158r
- ISRAEL
 conservation 37:296r
- Ivanov, A.I. & Shtegman, B.K. Short key to the birds of the USSR 36:130r
- The Birds of Pamir-Alaya 41:163r
- Ivanova, N.S. On the biol. of the Common Sandpiper in the Leningrad region 38:331r
- Notes on the postnatal dev. of the Corn Crane & Moorhen of the family Rallidae 39:326r
- Ivanter, E.V. The biol. of the Mallard in Karelia 40:262r
- Ivor, H.R. I live with birds 40:78r
- Ixobrychus minutus* (Bittern, Little)
 recovery map, Neth. 36:45r
- Ixoreus naevius* (Thrush, Varied)
 extralimital records 39:245-276
- Iype, P.T. see George, J.C. &-
- Izmailov, I.V. see Borovitskaya, G.K. &-

- Jacamars (Galbulidae)
- Jacana, African (*Actophilornis africanus*)
Jackdaw (*Corvus monedula*)
- Jackson, G.L. & T.S. Baskett. Perching & aspects of breeding behavior of Mourning Doves 36:200r
- Jackson, J.A. Spotted eggs in a local pop. of Starlings 41:308-10
- A quantitative study of the foraging ecol. of Downy Woodpeckers 41:328r
- see Niles, D.M. &-
- Jackson, J.R. What do Keas die of? 41:46r
- Jacobs, K.F. see Wetherbee, D.K. &-
- Jacobson, J.R. Migration & wintering of Lapland Longspurs in n.w.Eur. 36:273r
- see Christensen, N.H. &-
- Jacobson, M. see Halvorson, D.B. &-
- Jacobsson, S. & K. Wallin. The Great Spotted Cuckoo found in Sweden for the first time 41:155r
- The Marsh Warbler in the region of Gotenburg and Northern Halland, West Central Sweden 36:125r
- Jaeger, Long-tailed (*Stercorarius longicaudus*)
- , Parasitic (*S. parasiticus*)
- JAMAICA see OCEANIC ISLANDS
- Jameson, E.W., Jr. The hawking of Japan/ The history & development of Japanese falconry 37:70r
- Jansson, E. Notes concerning a breeding pair of Pygmy Owls 36:121r
- Jansson, K. The avifauna of Lina bog in 1947-1960 33:115r
- Jansson Karl E. Figures & observations from a seven-year study of passerines breeding in nest boxes 32:62r
- JAPAN
- band. reports 37:290r
- falconry, hist. & dev. 37:70r
- field guide 33:169r
- Jay, Blue (*Cyanocitta cristata*)
- , Brown (*Psilorhinus mexicanus*)
- , European (*Garrulus glandarius*)
- , Gray (*Perisoreus canadensis*)
- , Mexican (*Aphelocoma ultramarina*)
- , Pander's Ground (*Podoces panderi*)
- , Pinyon (*Gymnorhinus cyanocephalus*)
- , Scrub (*Aphelocoma coerulescens*)
- , Steller's (*Cyanocitta stelleri*)
- Jehl, J.R., Jr. An investigation of fall-migrating Dowitchers in NJ 36:47r
- & D.T. Hussell. Incubation periods of some subarctic birds 38:156r
- Band wear in Stilt Sandpipers... a warning 40:47r
- The egg tooth of some charadriiform birds 41:68r
- Jenkins, D. see Watson, A. &-
- Jenkins, J. Does the Greater Shearwater reach the southwest Pacific? 40:150r
- Jenkinson, M.A. & R.M. Mengel. A device for handling mist nets in the dark 41:38-9
- Jenni, D.A. A study of the ecology of four sp. of herons during the breeding season at Lake Alice, Alachua County, FL 41:143r
- Jenning, W. see Edwistham, C. &-
- Long-billed Dowitcher in Sweden 34:172r
- Jennings, W.L. see Kale, H.W. II &-
- Jensen, B. & G. Markgren & S. Mathiason. A Danish-Swedish goose census in the autumn, 1960 34:166r
- Johannesson, H. Winglength & errors in measurement 39:142r
- Johansson, H. The wintering of kites in Scania, Sweden 41:145r
- Johns, J.E. A new method of capture, utilizing the mist net 34:209
- Johnsgard, P.A. Breeding biology of the Magpie Goose 33:50r
- Evolutionary trends in the behavior & morph. of the Anatidae 34:101r
- Handbook of waterfowl behavior. 37:146r
- & J. Kear. A review of parental carrying of young by waterfowl 40:58r
- Waterfowl: their biology & natural history 40:71r
- Johnson, E.D.H. The pair relationship & polygamy in the Stonechat 33:52r
- Johnson, J.W. A massive robin banding program at Huron, SD 35:206r
- & A.B. Pack & G. Jonkel. A spring migration of waterfowl in briefly favorable weather 33:111r
- Johnson, K.L. see Bellrose, F.C. &-
- Johnson, N.K. Biosystematics of sibling sp. of flycatchers in the Empidonax hammondii-oberholseri-wrightii complex 35:136r
- Fall migr. & winter distr. of the Hammond Flycatcher 41:169-190
- Johnston, D.W. The biosystematics of American Crows 34:51r
- An effective method for trapping territorial male Indigo Bunting 36:80
- Ecological aspects of lipid

- deposition in some post breeding Arctic birds 37:63r
- Ecology of the Indigo Bunting in FL 37:131r
- A review of the vernal fat deposition picture in overland migrant birds 37:172r
- The identification of autumnal Indigo Buntings 38:211
- & A.C. Downer. Migratory features of the Indigo Bunting in Jamaica & FL 39:277
- Age & sex distribution in Indigo Buntings 41:113-118
- Johnston, R. The breeding birds of KS 36:208r
- Jones, F.H. (ed.) The London Bird Report No. 32 for 1967 40:272r
- Jones, P.H. Observations concerning migr. at Beauduc Camargue, in the spring of 1959 & 1960 33:104r
- Jones, V.E. & E. Fichter. Nesting of the House Finch at Pocatello, ID 33:206r
- Jonkel, G. see Johnson, J.W. & Jorgen, R. Bird migration at Knudshoved 36:273r
- Jozefik, M. Caspian Tern (*Hydroprogne caspia* Pall.) in Poland - the biology of migration period 41:312r
- Studies on the Squacco Heron (*Ardeola ralloides* Scop.) Part I. History of research. Part II. Secular changes in numbers & distribution in the Palearctic range 41:312r
- Junco, Dark-eyed (*Junco hyemalis*)
- , Oregon (*J. oregonus*)
- , Slate-colored = Dark-eyed
- Junco hyemalis* (*Junco*, Dark-eyed)
- band. records & status change, CT 35:1-7
- behav., dominance 40:1-25
- , at reflection in mirror 37:206
- coloring 33:97, 35:125
- distribution 32:58
- fatdeposition & Zugunruhe 35:51r
- host-parasite assoc. 41:302
- migration 32:100, 102r
- , off Nfld. 33:158r
- pox virus 33:192
- repeats, spacing 35:15
- tick infestation 35:127
- sex & age criteria 41:274-278
- trapping 32:160
- winglength 33:97, 35:125, 38:234
- winter habitat distr. 41:131
- oreganus (*Junco*, Oregon) band. reports 33:73
- pop., after *Zonotrichia* removal 35:184-195
- Jungle-fowl (*Gallus gallus*)

- Kadlec, J.A. & W.H. Drury, Jr. Loss of bands from adult Herring Gulls 40:216
 -- & -- & D.K. Onion. Growth & mort. of Herring Gull chicks 40:222-232
 -- & -- Structure of the New England Herring Gull population 40:258r
 -- see Weaver, D.K. &-
 Kadochinkov, N.P. A method of in vivo study of the feeding habits of adult birds 38:334r
 Kahl, M.P. Food ecology of the Wood Stork (*Mycteria americana*) in FL 36:206r
 -- A contribution to the ecol. & reprod. biology of the Maribou Stork (*Leptoptilos crumeniferus*) in e. Africa 38:82r
 -- Comparative ethology of the Ciconiidae 38:84r
 -- Behavioral reactions to hyperthermia in *Scopus umbretta* & *Balaeniceps rex* 38:333, 40:169r
 -- Comparative ethology of the Ciconiidae: Part I. The Maribou Stork 40:157r
 Kaiser, M.N. see Hoogstraal, H. &-
 Kale, H.W.II & G.W. Sciple & I.R. Tomkins. The Royal Tern colony of Little Egg Is., GA 35:21
 -- Food of the Long-billed Marsh Wren (*Telmatodytes palustris griseus*) in the salt marshes of Sapelo Is., GA 36:206r
 -- Ecology & bioenergetics of the Long-billed Marsh Wren in GA salt marshes 37:78r
 -- & W.L. Jennings. Movements of imm. Mockingbirds between swamp & residential areas of Pinellas Co., FL 37:113
 -- The relationship of Purple Martins to mosquito control 41:73r
 -- see Connell, C.E. &-
 Kalinainen, P. see Hilsen, O. &-
 Kallander, H. The influx of the Boreal (Tengmalm's) Owl into central Sweden, 1958, & some aspects of its distr. in Sweden 36:52r
 -- see Anderson, G. &-
 -- see Ryden, G. &-
 Kalvaitis, A. see Gershman, M. &-
 Kapitonov, V.I. see Lobachev, Y.S. &-
 Karlsson, H. & G. Odham. Studies on feather waxes of birds. VIII. The chemical comp. of the wax in the free flowing secretion from the preen gland of the Oystercatcher (*Haematopus ostralegus* L.) 41:256r
 Karpovich, V.N. see Bianki, V.V. &-
 Karppanen, E. see Henriksson, K. &-
 Kartashev, N.N. & I.A. Ghelfon & S.P. Gromakova. A study of the protein fractions of the blood serum of some bird spp. by means of paper electrophoresis (for taxonomic purposes) 38:247r
 Kea (*Nestor notabilis*)
 Kear, J. Pecking in young Magpie Geese 33:52r
 -- reactions of Greenfinches to colored seeds 34:46r
 -- see Johnsgard, P.A. &-
 -- see Rochard, J.B.A. &-
 Keast, A. Competitive interactions & the evol. of ecological niches as illustrated by the Aust. honeyeaters genus *Melithreptus* (*Meliphagidae*) 40:267r
 -- Seasonal movements in the Aust. honeyeaters & their ecological significance 40:339r
 -- Moulting in birds of the Aust. dry country, relative to rainfall & breeding 41:324r
 Kebbe, C.E. Report from Russia on banded Snow Geese 32:174r
 Keeton, W.T. Orientation by pigeons: is the sun necessary? 41:43r
 Keith, A.R. A thirty-year summary of the nesting of the Barn Owl on Martha's Vineyard, MA 35:22
 -- A summary of the extralimital records of the Varied Thrush, 1848-1966 39:245
 Keith, L.B. see Luttich, S. &-
 Kekilova, A.F. Foods of the House, Spanish & Tree Sparrows in the foothills of Kopet-Dag 40:172r
 Kellogg, P.P. see Allen, A.A. &-
 Kelso, L. see Turcek, F.J. &-
 Kemper, C.A. A tower for TV: 30,000 dead birds 35:211r
 -- More TV tower destruction 32:101r
 Kenaga, E.E. Some insect parasites associated with the Eastern Bluebird in MI 32:91
 Kendeigh, S.C. Regulations of nesting time & distr. in the House Wren 35:217r
 -- & G.C. West. Caloric values of plant seeds eaten by birds 37:66r
 -- Tolerance of cold & Bergmann's rule 41:60r

- Kennard, J.H. Dyes for color marking 32:228
- Further notes on the occurrence of pink coloration in Purple Finches 33:90
- Pull traps & color marking 33:92
- Chickadees on Bell Hill: A ten-year study of a local pop. in Bedford, NH 33:198
- Reply in rebuttal to Mr. Bergstrom's 'Further thoughts on pull-string traps', comments 33:202
- Old Chickadees 35:124
- Kennedy, R.J. The role of sunbathing in birds 40:63r
- Sunbathing behaviour of birds 41:254r
- KENYA see AFRICA
- Kerlin, R.E. see Sussman, O. & Kestrel, Eurasian (*Falco tinnunculus*)
- , Lesser (*F. naumanni*)
- , American (*F. sparverius*)
- Keve, A. Records of birds ringed abroad (1960-1963) XXIV. Report on bird banding 38:153r
- Notes on the different populations of the House Sparrow 38:162r
- Keymer, I.F. & D.K. Blackmore. Diseases of the skin & soft parts of wild birds 35:278r
- see Blackmore, D.K. & Kholodov, Yu A. see Eldarov, A.L. & Kibler, L.F. The establishment & maintenance of a bluebird nestbox project. A rev. & commentary 40:144
- A radio controlled trap for Bluebirds & other hole-nesting birds 39:320r
- Kiepenheuer, J. & K.E. Linsenmair. Bird migr. off the n. African coast 37:210r
- see Wallraff, H.G. & Kieran, J., MD. Histoplasmosis & Starlings 34:43r
- Kilham, L. Reproductive behav. of Hairy Woodpeckers, III. Agonistic behav. in relation to courtship & terr. 41:53r
- Kilham, P. & P.H. Klopfer. The construct of race & the innate differential 40:154r
- Killdeer (*Charadrius vociferus*)
- Kim, Yoon T. see Schmidt-Neilson, K. & King, A.S. see Cook, R.D. & King, B. Swallow banding in Bangkok, Thailand 40:95
- & J.C. Rolls. Feeding methods of rook with malformed bill 40:60r
- King, J.R. & D.S. Farner. The relationship of fat deposition to Zugunruhe & migration 35:132r
- Autumnal migratory fat deposition in the White-crowned Sparrow 36:119r
- Kingbird, Eastern (*Tyrannus tyrannus*)
- , Gray (*T. dominicensis*)
- Kingfisher, Belted (*Megasceryle alcyon*)
- , Common (*Alcedo atthis*)
- Kinglets (*Sylviidae*)
- Kinglet, Golden-crowned (*Regulus satrapa*)
- , Ruby-crowned (*R. calendula*)
- Kinsey, F.C. 10th Annual Report of the Banding Committee. Ornith. Soc. of N.Z., Inc. for the year ending 31st Mar. 1960 32:230r
- Kirikiv, S.V. & O.N. Shubinkova (eds.) Tetraonid resources in USSR 39:327r
- Kirmse, P. Cnemidocoptiasis (Scaly leg) in a Buff Throated Saltator (*Saltator maximus*) from Panama 40:51
- Kishchiuskii, A.A. On the biol. of the Short-billed & Long-billed (Kittlitz & Marbled) Murrelets 40:260r
- Birds of the Kolyma Highlands 40:350r
- Kishko, Yu.I. see Uspenskii, S.M. & Kistyakovskii, A.B. & L.I. Kotkova & L.A. Smogorzhevskii. The return of the Swallow (*Hirundo rustica*) from winter quarters 40:329r
- Kite, Yellow-billed (*Milvus milvus*)
- , Black (*M. migrans*)
- Kitchell, R.L. see Fedde, M.R. & Kittiwake (*Rissa*)
- , Black-billed (*R. tridactyla*)
- Kiwi, N. Is. (*Apteryx australis mantelli*)
- Kleinenberg, S.E. (ed.) Flight mechanisms & the orient. of birds 38:169r
- Klimstra, W.D. see Roseberry, J.L. & Klinghammer, E. & E.H. Eckhard. Parental feeding in Ring Doves (*Streptopelia roseogrisea*) innate or learned? 35:275r
- Imprinting in an altricial bird: The Blond Ring Dove (*Streptopelia risoria*) 36:123r
- Klopfer, P.H. Stimulus preferences & discrimination in neonatal ducklings 40:343r
- see Kilham, P. & Kneutgen, J. see Gwinner, E. & Knot, Great (*Calidris tenuirostris*)
- , Red (*C. canutus*)

- Koehler, A. The breeding of some raptors in captivity 40:153r
- Koehler, O. Konrad Lorenz 60 Jahre 35:130r
- Koenig, L. Gay colored rarities 41:47r
- Koffan K. Observations on the nesting of the Woodlark (*Lulla arborea* L.) 32:62r
- Kolar, K. Breeding of the Cattle Egret (*Bubulcus ibis*) 38:157r
- Kolonin, G.V. see Berman, D.I. & Konishi, M. The role of auditory feedback in the vocal behav. of the Domestic Fowl 35:130r
- Effects of deafening on song dev. in Am. Robins & Black-headed Grosbeaks 37:144r
- The role of auditory feedback in the control of vocalization in the White-crowned Sparrow 37:221r
- Konrad, T.G. & J.J. Hicks & E. B. Dobson. Radar characteristics of birds in flight 41:45r
- Kookaburra (*Dacelo gigas*)
- Korneeva, T.M. Shape & position of the pecten in certain aluids 40:263r
- Korner, H.K. On the egg-rolling of the Arctic Tern 38:157r
- Korshar, A.F. see Gavrilov, E.I. & Koshkina, A.K. see Cheltsov-Bebutov, A.M. &
- Kossack, C.W. see Hanson, H.C. & Kotkova, L.I. see Kistiyakovskii, A.B. & Kovshar, A.F. On the nesting of *Parus rufonuchalis* in w. Tyan-Shan 39:137r
- & Niekrasov, B.V. On the sublingual pouches of the Fringillidae 39:141r
- Kozlova, E.V. Ancestral relationships of the Saker & Gyr Falcons & a tentative hist. of their dispersal 41:257r
- Kramer, G. Recent experiments on bird orientation 32:234r
- Kramer, P. see Curio, E. & -- see Goethe, F. &
- Krapivnyi, A.P. & V.V. Turchaninov. Ecological evidence of adaptive forms of avian behav. in response to stationary food stimuli 41:61r
- Krause, H. Nesting of a pair of Canada Warblers 37:59r
- Kravik, N.-G. The terrestrial vertebrates of Dalsland in s.w. Sweden 36:131r
- Krechman, A.V. The birds of w. Taimyr 38:333r
- & Lenovich, V.V. Distr. & biol. of the Red-breasted Brant in the breeding season 39:142r
- Krivitskii, I.A. On the biology of the Kazakhstan Pigeon Hawk 39:137r
- Kroneisl-Rucner, R. Bird banding in 1957 & 1958 32:231r
- Kroshkin, V.I. On the problem of avian plumage abrasion 39:66r
- Kruijt, J.P. & H.A. Hogan. Social behav. on the lek in the Black Grouse (*Lyrurus tetrix tetrix* L.) 40:260r
- Krushinskaya, N.L. Some complex forms of feeding behav. in the Nutcracker (*Nucifraga caryocatactes*) after removal of its archeocortex 39:67r
- Kruuk, H. Competition for food between vultures in e. Africa 40:261r
- Predators & anti-predators: behav. of the Black-headed Gull (*Larus ridibundus*) 36:134r
- see Tinbergen, N. &
- Kuchin, A.P. Observations of the Siberian Saker Falcon on the upper Ob 40:348r
- Kulczycki, A. Study on the make up of the diet of owls from the Niski Beskid Mts. 37:220r
- Kuleshova, L.V. Flights of Pallas's Sandgrouse (*Syrhaptes paradoxus*) to the far east 40:151r
- Kumerloeve, H. A revised systematic list of the bird spp. of Turkey 38:164r
- Kunkle, P. Social behav. of the Golden Sparrow 33:162r
- Types of movements, social behav., courtship & nest building in the Indian White-eye 34:169r
- Kurbanova, D. On the feather mite (*Acarina, analgesoidea*) fauna of waterfowl in Turkmeniya 40:343r
- Kuroda, N. Comparison of migratory adaptations in the Rustic & Black-faced Buntings 37:218r
- Data on body weight, fat weight & gonad size of light house struck & other birds 37:218r
- Kusnetsov, A.A. see Flint, V.E. & Kuyt, E. Two band. returns for Golden Eagle & Peregrine Falcon 38:78
- Kuzmina, M.A. Comparative features of the food of Tetraonids & Phasianids in USSR 40:172r
- Kuzyakin, A.P. On the biology of the Long-billed (Marbled) Murrelet 35:274r

- Labisky, R.F. Observations on a robin nest: nest translocation & nestling mortality 37:288
 -- see Harper, J.A.
- Laboratory of Ornithology - Nest Card Program 36:272r
- LABRADOR see CANADA
- Lack, D. Autumn 'drift-migration' on the English east coast 32:102r
 -- Migration across the sea 32:176r
 -- Migr. across the North Sea studied by radar: Part 2, the spring departure, 1956-1959 32:177r
 -- Migr. across the s. North Sea studied by radar. Part 4. Autumn 35:44r
 -- & Parslow, J.L.F. Falls of night migrants on the English east coast in autumn, 1960 & 1961 35:207r
 -- Radar evidence on migratory orientation 35:209r
 -- Cuckoo hosts in England 35:215r
 -- & Eastwood, E. Radar films over eastern England 35:271r
 -- Migr. across the s. North Sea studied by radar: Part 5. Movements in August, winter & spring & conclusion 36:49r
 -- & P. Lack. Passerine night migrants on Stockholm 38:240r
 -- Population changes in the land birds of a small island 40:332r
 -- Tit niches in two worlds: or homage to Evelyn Hutchinson 40:340r
 -- Bird migr. & natural selection 41:44r
 -- Drift migration: a correction 41:44r
 -- Subspecies & sympatry in Darwin's Finches 41:72r
- Lack, P. see Lack, D. &
- Lagonosticta rhodopareia (Firefinch, Jameson's)
 observations on pair 36:56r
 comp. with *L. rubricata* 36:56r
 -rubricata (Firefinch, African/Dark) comp. with *L. rhodopareia* 36:56r
 -senegala (Firefinch, Senegal) reprod. & mort., parasitism 36:275r
- Lagopus lagopus (Ptarmigan, Willow) bioenergetics 40:264r
 hybrid with *Canachites* 40:348r
 -scoticus (Grouse, Red) behavior 35:277r
 -, terr. & pop. control 40:151r
 pop. dynamics & heather growth 40:331r
 -spp. (Ptarmigans) management 36:212r
- Laird, M. Migratory birds & the dispersal of avian malaria parasites in the South Pacific 32:179r
- Lakhanov, Zh.L. On the biology of the Desert Raven in the s.w. Kyzylkums 39:137r
- Lalanda, M. see Bernis, F. &
- Lambert, A. Spring migration of raptors in Bulgaria 33:106r
- Lambert, K. Migr. & winter quarters of Sabine's Gull in the e. Atl. 39:322r
- Lance, A.N. see Zwickel, F.C. &
- Lane, J A hybrid Eastern Bluebird x Mountain Bluebird 41:71r
- Lane, S.G. Some aspects of band. 41:42r
- Lanius collurio (Shrike, Red-backed) behavior 32:63r
 ecol.: nesting success 33:207r
 food 39:237r
 pairing 36:195r
 vocal expressions 32:63r
 -excubitor (Shrike, Great Grey) band. 32:184r
 -, Ottenby 33:155r
 L.H.: ecol. & predatory behav. 39:138r
 -isabellinus (Shrike, Isabelline) first sight record, Sweden 40:265r
 -ludovicianus (Shrike, Loggerhead) band. report 33:7
 impaling behav. 41:141r
 weights & meas. 32:154
- Lannoy, J. de. Imprinting & species-specific fixed action patterns. (Researches on Mallards & Red-crested Pochards) 39:64r
- Lansgren, E. see Høglund, N.H. &
- Lanyon, W.E. Experiments on species discrimination in Myiarchus Flycatchers 34:226r
 -- Biology of Birds 35:282r
 -- & J. Bull. Identification of Connecticut, Mourning & MacGillivray's Warblers 38:187
 -- see Gill, D.E. &
 -- see Phillips, A.R. &
- LAPLAND see EUROPE
- Lapwing (*Vanellus vanellus*) -, Red-wattled (*V. indicus*)
- Laridae (Gulls & Terns) band. 32:230r
 eye, morph. 41:151r
 sympatry on Pacific Is. 41:249r
 wing & leg muscles 41:151r
- Larionov, V.F. & A.R. Sakayan. Homing Pigeon races at Moscow 40:151r

- Larks (Alaudidae)
 -, Crested (*Galerida cristata*)
 -, Horned (*Eremophila alpestris*)
 -, Short-toed (*Calandrella cinerea*)
 Larsen, K.H. A hoop-net trap for passerine birds 41:92-96
 Larson, S. Ornithological observations at West-Spitzbergen, Summer 1958 32:108r
 Larson, T. Land use & bird fauna on shores in s. Sweden 41:146r
 Larsson, K. The distr. of the Quail & Corncrake in Narke, Central Sweden 40:56r
 -- see Gyllin, R. &
 Larsson, Y. see Anderson, G. &
 Larus argentatus (Gull, Herring)
 band loss 38:309-323, 40:216-221
 band. 32:100r, 32:231r, 34:68-72
 distr. 32:59
 feeding area defence 40:59r
 foot-paddling 33:210r
 growth, mort. of chicks 40:223-233
 incubation 39:136r
 longevity 36:45r, 39:326r
 marking with streamers 36:191
 meas., bills & tarsi 36:203
 migr. & movements 37:68r
 nest with five eggs 37:290
 nesting, return to natal colonies 34:68-72
 population 32:61r
 - dynamics, offspring data 40:133r
 -, seasonal fluctuations 39:81-106
 -, structure 40:258r
 preying on *L. ridibundus* 36:134r
 recoveries 34:40r
 systematics, subspecies 40:170r
 trapping breeding adults 41:28-31
 visual isolation 41:52
 weights & meas. 32:147
 -atricilla (Gull, Laughing)
 adaptations, structural 34:104r
 age detn. 32:223
 albinism, partial 38:235
 behav., feeding 34:104r
 social flight 37:206
 Sweden, occurring in 37:219r
 transported by hurricane 39:200-208
 -bulleri (Gull, Black-billed)
 band. 32:230r
 -californicus (Gull, California)
 band. in MT 34:40r
 -canus (Gull, Common)
 band. 32:100r
 foot-paddling 33:210r
 Spring migration from Scotland 35:210r
 -delawarensis (Gull, Ring-billed)
 band. 38:50-60
 -, in MT 34:40r
 longevity, colony selection, etc. 38:52-60
 -dominicanus (Gull, Black-backed)
 band wear 39:62
 breeding biology 36:55r
 longevity 41:133r
 predation on gannetries 35:273r
 -fuscus (Gull, Lesser Black-backed)
 band. 32:230r
 preying on *L. ridibundus* 36:134r
 Spitzbergen, occurring in 38:333r
 systematics 40:170r
 -glaucesens (Gull, Glaucous-winged)
 band.:nesting, Mittlenach, B.C. 34:30-36
 census & success, Mandarte Is., B.C. 36: 205r
 ion excretion 41:253r
 longevity 39:226
 -glaucoides (Gull, Iceland)
 visual isolation 41:52r
 -hyperboreus (Gull, Glaucous)
 behavior 32:108r
 longevity, Neth, 36:45r
 visual isolation 41:52r
 -ichthyaetus (Gull, Black-headed)
 band. 32:100r
 life history 41:46r
 -marinus (Gull, Great Black-backed)
 band. 32:100r
 -melanocephalus (Gull, Mediterranean)
 migr. & movements 37:68r
 -minutus (Gull, Little)
 migration 33:106r, 41:45r
 -novaehollandiae (Gull, Red-billed)
 preyed on by octopus 36:123r
 trapped, Australia 33:123r
 -philadelphia (Gull, Bonaparte's)
 incubation 38:156r
 -pipixcan (Gull, Franklin's)
 band. in MT 34:40r
 chick movement dev., comparison 33:210r
 -ridibundus (Gull, Black-backed)
 band. 32:100r, 32:174r, 32:231r
 behav., predator & defence 36:134r
 eggs & egg shells, to distinguish 32:210r
 egg shell removal 34:102r
 longevity, Neth. 36:45

- Larus ridibundus* (cont.)
 migr. & movement, USSR 37:68r
 - over n.e. Atlantic 33:159r
 -, summer, North Sea 33:160r
 movement dev., in captivity 33:210r
 predation by Goshawk 33:116r
 -- other L.r. 34:102r
 recovery, Gt. Britain 33:151r
 -, Yugoslavia 37:291r
 -spp. (Gulls)
 food preference 'learned' 40:348
 foot-paddling 38:244r. 40:157r
 pop. dynamics 41:247r
 -thayeri (Gull, Thayer's)
 visual isolation 41:52r
 Lawrence, L. de K. A comparative life-history study of four spp. of Woodpeckers 39:238r
 Laybourne, R.C. see Banks, R.C. &
 Laycock, G. The Sign of the Flying Goose/ A guide to the National Wildlife Refuges 36:210r
 Leach, E.P. Recoveries in Gt. Britain & Ireland of birds ringed abroad 32:100r 33:154r
 Leach, R. (Mrs.) Experiences with a Heligoland trap 36:179
 Leafscraper, Scaly-throated (*Sclerurus guatemalensis*)
 Lebedeva, M.I. & Shevareva, T. Forty years of bird banding in the USSR 36:118r
 -- Shoreline migration according to banding records 37:127r
 -- & P.P. Shevareva. Band. & tagging of animals 37:127r
 -- White-fronted Goose migration according to band. data 40:329r
 -- A nutcracker migration 41:136r
 Leberman, R.C. Banding notes on the Starling at Meadville, PA 35:206r
 -- Bird band. at Powdermill, 1962 35:267r
 -- Bird band. at Powdermill, 1963 35:267r
 -- Bird band. at Powdermill, 1964 36:195r
 -- A preliminary check-list of the birds of Powdermill Nature Reserve 37:142r
 -- & M.H. Clench. Bird band. at Powdermill, 1968 41:43r
 -- Pattern & timing of skull pneumatization in the Ruby-crowned Kinglet 41:121-124
 -- see Heimerdinger, M.A. &
 -- see Parkes, K.C. &
 Leuret, T. Ecological successions & wildfowl concentrations 36:57r
 Leck, C.F. & S. Hilty. A feeding congregation of local & migratory birds in the mountains of Panama 39:318
 Ledger, J.A. A list of ectoparasites recorded from colies. 40:347r
 Lee, S.L.B. Migration in the Outer Hebrides. Studies by radar 35:271r
 -- see Ballance, D.K. &
 LeFebvre, E.A. see Raveling, D.G. &
 Legatus leucophaeus (Flycatcher, Piratic)
 behavior 32:65r
 Lehrman, D.S. see Friedman, M. &
 Leinisch, G.T. A technique for banding day-old ducklings 36:45r
 Leipoa ocellata (Fowl, Mallee)
 ontogeny 35:275r
 Lekagul, B. Bird Guide of Thailand 40:273r
 Lemon, R.E. The relation between organization & function of song in Cardinals 40:349r
 Lengacher, H. see Tschanz, B. &
 Lennerstedt, I. Observations on shorebirds in Sweden during winter 35:128r
 -- see Otterlind, G. &
 Lennerstedt, R. The Bean Goose in n. Halland, Sweden 34:166r
 Lenovich, V.V. see Krechman, A.V. &
 Leon, F. see Bernis, F. &
 Leopold, A. A sand county almanac with other essays on conservation from Round River 38:252r
 -- A sand county almanac 40:77r
 Leptoptilos crumeniferus (Stork, Marabou)
 behavior 38:84r, 40:157r
 breeding biology 38:82r
 Lessler, M.A. see Hartman, F.A. &
 Leucophoyx thula (Egret, Snowy)
 breeding increase, Long Is., NY 39:317
 tongue flicking 41:73r
 weights & meas. 32:99
 Leucosticte arctoa (Finch, Arctic Rosy)
 life history 36:276r
 -nemoricola (Finch, Hodgson's Mountain)
 nesting; food pouches 36:276r
 Leuzinger, H. Report on the International Waterfowl Counts from 1960-61 to 1962-63 & the National Waterfowl Count in 1962-63 in the German part of Switzerland 36:203r
 Leveque, R. Notes concerning migrants observed during a trip to Spain in the Spring of 1959 33:104r

- Lewis, R.W. Studies on the stomach oils of marine animals. II. Oils of some procellariiform birds 41:254r
- Life, editors of, see Peterson, Roger Tory
- LIFE HISTORIES (see also AGE, BEHAVIOR, DEVELOPMENT, ECOLOGY, MANAGEMENT, PLUMAGE & MORTALITY)
- Booby, Brown 39:138r
- Brant, Red-breasted 39:142r
- Budgerigar 35:48r
- Bunting, Corn 38:330r
- Catbird 37:59r
- Colies 39:63r
- Crane, Wattled 37:136r
- Dickcissel 39:138r
- Duck, Wood 38:83r
- Eagle, Pacific Ocean 37:293r
- Flicker 39:238r
- Flycatcher, Acadian 37:227-257
- , Red-breasted 37:136r
- Fulmar, Antarctic 36:57r
- Grassfinches, Aust. 34:225r, 40:158r
- , African 40:158r
- Grebe, Red-necked 35:276r
- Gull, Great Black-headed 41:46r
- , Ivory 41:248r
- Hawk, Pigeon 39:137r
- Heron, Great White 39:239r
- Hillstar, Andean 40:259r
- Jaeger, Long-tailed 36:276r
- , Parasitic 36:276r
- Lark, Horned 40:153r
- Mallard 40:262r
- Murrelet, Kittlitz's & Marbled 40:260r
- nutcracker 36:276r
- Nuthatch, Lesser Rock 37:295r
- Owl, Elf 39:240r
- , Great Gray 41:314r
- Parrot, King 35:48r
- Penguin, Emperor 38:242r
- Petrel, Snow 36:57r
- Pigeon, Cape 36:57r
- Rail, King 41:164r
- Raven 39:137r
- Roller 37:215r
- Rosefinch, Lapidary 40:152r
- Rosella, Eastern 35:48r
- Sandgrouse, Namagua 40:153r
- Sapsucker, Yellow-bellied 39:238r
- Seedsnipe, Grey-breasted 41:258r
- , Lesser 41:258r
- Shakhin 41:249r
- Shearwater, Sooty 35:134r
- Shrike, Northern 39:138r
- Skua, South Polar 32:187-223
- Sparrow, Desert 38:158r
- , Song
- , Tree 39:234r
- Takahe 41:247r
- Tanager, Scarlet 37:222r
- Thrasher, Brown 33:99
- Vireo, Bell's 33:208r
- , Black-capped 33:207r
- Vulture, Black 38:243r
- waterfowl 40:71r
- Woodcock, Am. 39:144r
- Woodpecker, Downy 39:238r
- , Hairy 39:238r
- , Three-toed 40:340r
- Wood Swallows 37:293r
- Wren, Superb Blue 37:215r
- Yellowthroat 33:208
- Ligon, J.D. The biology of the Elf Owl, *Micrathene whitneyi* 39:240r
- Lim, R.P. see Medway, L. &-
- Limnodromus griseus* (Dowitcher, Short-billed)
- fall migrants, NJ 36:47r
- migr., summering, FL 33:28-32
- Sweden 39:236r
- scolopaceus (Dowitcher, Long-billed)
- moving west, Siberia 36:63r
- spp. (Dowitchers)
- migration 32:238r
- Limnithlypis swainsonii* (Warbler, Swainson's)
- banded, NJ 39:230
- non-squealer 36:86
- weights & meas. 32:48
- Limosa fedoa* (Godwit, Marbled)
- summering, Apalachee Bay, FL 33:38
- haemastica (Godwit, Hudsonian)
- breeding, winter range 33:24
- nesting 38:156r
- lapponica (Godwit, Bar-tailed)
- recovery abroad 37:127r
- limosa (Godwit, Black-tailed)
- diet 39:143r
- pop., Morocco 37:130r
- recovery abroad 37:127r
- taxonomy, distr. , habitat, nesting, migration 35:285r
- l. islandica (Godwit, Icelandic)
- possible occurrence, Belgium 36:60r
- Lind, E.A. Sociability of the House Martin during nesting 35:275r
- Lind, H. Analysis of the sexual behavior of the Red-crested Pochard 34:169r

- Lind, H. & Poulson, H. On the morph. & behav. of a hybrid between Goosander & Shelduck (*Mergus merganser* L. x *Tadorna tadorna* L. 35:132r
- Lindberg, P. The irruption of the Pygmy Owl into s. Scan., 1963-64 38:87r
- Lindhe, U. An investigation into the prey selection of the Boreal Owl in s.w. Lapland 38:87r
- Lindquist, T. Peregrines & Homing Pigeons 35:48r
- Linduska, J.P. Waterfowl tomorrow 36:211r
- Linnet (*Carduelis cannabina*)
- Linsenmair, K.E. see Kiepenheuer, J. & Lint, K.C. Breeding of the Thailand Hoopoe, *Upupa epops longirostris* ferden 36:121r
- Little, J. de V. Some aspects of the behav. of the Wattled Plover 40:154r
- Ljungdahl, P.-S. Radde's Bush Warbler found in Sweden, Ottenby Bird Station Report, No. 42 36:125
- Lloyd, A.C. & M.H. Clench. A device for forming hummingbird bands 40:45
- Lloyd, M. Statistical analysis of Marchant's data on breeding success & clutch size 32:103r
- Lobachev, Y.S. & V.I. Kapitonov. The ecol. of the Horned Lark in the Kharzhantau Mts. 40:153r
- Lobipes lobatus (Phalarope, No.) band. 32:184r, 37:197-200
- Lockie, J.D. & D.A. Ratcliffe & R. Balharry. Breeding success & organochlorine residues in Golden Eagles in west Scotland 41:252r
- Insecticides & Scottish Golden Eagles 35:216r
- LOCOMOTION (see also FLIGHT)
flight speed, Hummingbird 33:108r
locomotor mechanisms 33:55r, 33:116r
speed in water, Little Penguin 37:64r
swimming, Blue Jay 34:221
-, Yellowthroat 37:53
unusual return, Myrtle Warbler 35:206r
- Locustella certhiola (Grasshopper Warbler, Pallas's)
migration & molt 39:323r
-ochotensis (Grasshopper Warbler, Middendorf's)
distr. & migr. 33:158r
gonadal dev., fat deposition 33:158r
-spp. (Grasshopper Warblers)
comparative song study 38:87r
- Loftin, H. A study of boreal shorebirds summering in Apalachee Bay, FL 33:21
-- Some repeats & returns of No. Amer. migrants in Panama 34:219
-- & D.T. Rogers, Jr. & D.L. Hicks. Repeats, returns & recoveries of No. Amer. migrant birds banded in Panama 37:35
-- & G.I. Child & S. Bongiorno. Returns in 1965-1966 of No. Amer. migrant birds banded in Panama 38:151
-- see Olson, S.L. &
- Lofts, B. & A.J. Marshall. Zugunruhe activity in castrated Bramblings, *Fringilla montifringilla* 33:110r
-- & A.J. Marshall & A. Wolfson. The experimental demonstration of the pre-migratory activity in the absence of fat deposition in birds 35:51r
-- & R.K. Murton. The role of weather, food & biological factors in timing the sexual cycle of Woodpigeons 38:83r
-- & R.K. Murton & N.J. Westwood. Photographs of the Woodpigeon, *Columba palumbus*, in relation to the breeding season 39:65r
-- & R.K. Murton. Photoperiodic & physiological adaptations regulating avian breeding cycles & their ecological significance 41:313r
- Lohrl, H. The time of imprinting to the home region in Collared Flycatchers, (*F. albicollis*) 32:174r
-- Behavior characters of the genera Parus (Tits), Aegithalos (Long-tailed Tits), Sitta (Nuthatches), Tichodroma (Wall Creepers) & Certhia (Tree Creepers) 36:56r
-- Some figures on the breeding biology of the European Nuthatch 38:157r
-- Behavior patterns of the Wall Creeper in relation to its adaptation to its environment 39:64r
-- The runt of the nest as a biological problem 40:333r
- Lonchura striata (Finch, Bengalese)
behavior in captivity 33:113r
-, nesting; chick dev. 33:51r
reproduction 32:182r
- Long, R. Exceptional longevity in Reed Warblers 35:205r
- Long, R.C. Some land birds noted at sea between Mombassa & the English Channel 33:106r

- LONGEVITY see AGE
- Longspur, Lapland (*Calcarius lapponicus*)
 -, Smith's (*C. pictus*)
 -, McCown's (*Rhynchophanes mccownii*)
- Longstreet, R.J. (ed.) *Birds of Florida*
 37:75r
- Loon, Common (*Gavia immer*)
- Lophortyx californica (Quail, California)
 band. report 33:3
 breeding biology, N.Z. 41:314r
 pop. dynamics 36:198r, 37:57r
 weights & meas. 32:145r
 -gambelii (Quail, Gambel's)
 Vitamin A & productivity 36:199r
- Lorenz, K. Phylogenetic adaptations &
 adaptive modification of behav. 33:51r
 -- On animal & human behav. The dev. of
 theories of behavior 37:68r, 37:222r
 -- The evol. of ritual in biological &
 cultural spheres 41:249r
- Lott, D.F. & S. Comerford. Hormonal
 initiation of parental behav. in
 inexperienced Ring Doves 41:62r
- Lovejoy, T.E. see Humphrey, P.S. &
 Lowe, V.P.W. see Southern, H.N. &
 Lowe-McConnell, R.H. Biology of the
 immigrant Cattle Egret (*Ardeola ibis*)
 in Guyana, South America 38:329r
- Lowery, G.H., Jr. & R.J. Newman. A con-
 tinent-wide view of bird migr. on four
 nights in October 38:153r
- Lowther, J.K. Polymorphism in the White-
 throated Sparrow 33:55r
- Loxia curvirostra (Crossbill, Red)
 invasion into Belgium 36:45
 mallophaga infestation 33:165r
 pop. boom, Sweden 35:51r
 - dynamics & Spruce seed crop 38:155r
- leucoptera (Crossbill, White-winged)
 migration 32:107r
- pytyopsittacus (Crossbill, Parrot)
 summer & autumn invasion, British
 Isles 36:53r
- spp. (Crossbills)
 migr. irruptive, & special food needs
 35:273r
 -, Sweden 33:206r
- Loxigilla violacea (Bullfinch, Greater
 Antillean)
 weights & meas. 32:50
- Ludicke, M. On radioactive marking of
 color areas of the bird feather
 36:204r
- Ludwig, F.E. Herring Gulls & Caspian
 Terns 32:231r
- Ludwig, C.C. Herring Gulls, 1961.
 Recoveries 34:40r
- Ludwig, J.P. Return of Herring Gulls to
 natal colony 34:68
- Biol. & structure of the Caspian Tern
 pops. of the Gt. Lakes, 1896-1964 36:217
- Band loss: its effect on band. data &
 apparent survivorship on the Ring-billed
 Gull pop. of the Great Lakes 38:309
- Lueshen, J. Identification of Empidonax
 by recorded calls 32:229
- Lullula arvorena (Woodlark)
 band., nesting, behav. 32:62-66
- Lumb, J.W. see McLoed, W.M. &
 Lumsden, H.G. Displays of the Spruce
 Grouse 33:52r
 -- The display of the Capercaillie 33:53r
 -- A hybrid grouse, *Lagopus x Canachites*
 from n. Ontario 40:348r
- Lundberg, S. Bird observations in the
 Kalix region 32:184r
- Lundin, A. On the wintering & roosting
 habits of the Jackdaw 34:42r
- Lunk, W.A. The Rough-winged Swallows,
Stelgidopteryx ruficollis (V.) 34:105r
- Luscinia luscinia (Nightingale)
 census 37:214r
 range changes in 100 yrs, Sweden 35:136r
- svecica (Bluethroat, Red-spotted)
 behavior studies 32:183r
 nesting, Scotland 40:169r
 study, esp. photos 40:173r
- Luther, D. Eastern Wood Pewees help
 parents mold a nest 40:58r
- Luther, H. see Berglund, B.E. &
 Luttich, S. & D.R. Rusch, E.C. Meslow &
 L.B. Keith. Ecology of Red-tailed Hawk
 predation in Alberta 41:328r
- Lyons, J. see Thomas, D.R. &
 Lyrurus tetrix (Grouse, Black)
 age detn., primary molt 36:198r
 behavior, comparison 32:64r
 -, social, in 'lek' 40:260r
 display 33:53r
 -, & weather 38:243r
 movements, flock stratification 41:144r
- Lysov, E.S. Age dynamics of 'red blood
 indices' in several avian spp. 41:149r
- Skin temp. & its topography in some
 avian species 41:252r
- Weight fluctuation of the large
 pectoral muscles of thrushes in post-
 embryonic life 41:322r
- Lyuleeva, D.S. Flight energy in swallows
 & swifts 41:320r

- MacBriar, W.N., Jr. Correction of a report of a recovery of a Hermit Thrush 33:154
 -- Eight year old Bank Swallow (*Riparia riparia*) 41:130
- Macdonald, J.W. & L.W. Cornelius. Salmonellosis in wild birds 41:59r
- MacDonald, Mrs. R.N. Injury to birds by ice-coated bands 32:59
- MacDonald, S.D. see Parmelee, D.F. & MacEachern, A. & K. Williamson. Goose emigration at the Butt of Lewis 32:180r
- Machler, G. The Siberian Nutcracker in Switzerland 41:137r
- Mackenzie, L. & R.T. Peterson & J.E. Sanders. The birds of Guildford, CT 34:44
- Maclean, G.L. Nest transfer in the Three-banded Sandplover, *Charadrius tricoloris*, Vieillot 37:133r
 -- The systematic position of the Sandgrouse 39:67r
 -- The breeding biol. & behav. of the Double-banded Courser, *Rhinoptilus africanus* (Temminck) 39:136r
 -- Field studies on the Sandgrouse of the Kalahari Desert 40:153r
 -- A study of Seedsnipe in southern South America 41:258r
 -- see Cade, T.J. &
- MacMillen, R.E. & C.H. Trost. Water economy in White-winged & Inca Doves 40:163r
 -- & J.C. Snelling. Water economy of the White-crowned Sparrow & its use of saline water 40:164r
 -- & C.H. Trost & J.C. Snelling. (Correspondence) 40:165r
- Macrodipteryx longipennis (Nightjar, Standard-winged)
 display, structural & functional adaptation 41:150r
- Macronectes giganteus (Petrel, Giant)
 band. report 32:230r
 pop. dynamics & food availability, N.Z. 36:121r
- Madsen, R.M. Age detn. of wildlife, a bibliography 39:141r
- Madson, J. Dark days in Dogtown 40:263r
- Maes, P. see Ridder, J. de, &
 Magg, M. see Schleidt, W.M. &
 Magnusson, B. Activities at Ottenby Bird Station, 1961 35:128r
- Magpie, Black-billed (*Pica pica*)
 Main, A.J. & K.S. Anderson. The Genera *Ornithoica*, *Ornithomya* & *Ornithoictona* in MA (Diptera: Hippoboscidae) 41:300
 -- see Anderson, K.S. &
 Makarov, V.V. see Bianki, V.V. &
 Makin, D. Mass migration 33:111r
- Malacorhynchus membranaceus (Duck, Pink-eared)
 breeding biol. & ecol. 33:51r
- MALAYA
 band. 35:206r, 35:141-183
 - report 37:197r, 40:324r
 -, Subang Forest 36:242-270
- Malinorsky, L. & R. Zemanek. Sensory corpuscles in the beak skin of the Domestic Pigeon 41:323r
- Mallard (*Anas platyrhynchos*)
 Malone, C.R. see Proctor, V.W. &
 Malurus cyaneus (Wren, Superb Blue)
 life history 37:215r
- Mambetzhumae, A.M. On reprod. & food of some birds of the tugai (bottomland) landscape of mid & lower Amu-Daria 40:259r
- MANAGEMENT
 game surveying 38:335r
 migratory birds, spreading arboviruses 41:250r
 of:
 Chicken, Prairie 36:212r, 37:297r
 Duck, Wood 37:62r
 Eider, N. 38:241r
 grouse 36:212r
 Mallard 37:297r
 Teal, Blue-winged 37:297r
 Tetraonids, USSR 37:297r
 Waterfowl 36:211r
 -, USSR 37:297r
 Woodcock, Am. 39:144r
 seed dissemination 41:146r
 Sweden 41:146r
- Manakin, Golden-collared (*Manacus vitellinus*)
 -, Lance-tailed (*Chiroxiphia lanceolata*)
 -, White-bearded (*M. manacus*)
- Manning, T.H. Geographical & sexual var. in the Long-tailed Jaeger, *Stercorarius longicaudus*, Vieillot 36:126r
- Manuileva, N. A. Features of the dev. of the optic region in the Pied Flycatcher 40:264r
 -- Adaptive features of retinal dev. in some passerines 40:265r
- Marchant, S. Migration in Iraq 36:47r
- Mareca americana = *Anas americana*
- Markgren, G. & S. Mathiasson. Studies on wild geese in s. Sweden 35:219r

- Markgren, G. (cont.) see Jensen, B. & -- & M. Markgren. On the Spotted Eagle & its occurrence in Sweden 32:184r
- Markgren, M. On distraction displays & so called 'play' behavior in birds 33:112r
- MARKING see TECHNIQUES
- Markus, M.B. The number of feathers on birds 37:64r
- Marler, P.R. & T. Miwako. Culturally transmitted patterns of vocal behavior in sparrows 36:122r
- & W.J. Hamilton, III. Mechanisms of animal behavior 38:165r
- Marsh, R.E. see Schwab, R.G. & Marshall, A.J. see Lofts, B. & Marshall, J. see Phillips, A. & Marshall, S.G. see Caldwell, L.D. & -- see Odum, E.P. & --
- Martens, J. Distr. & migr. of the White Stork in Greece 38:85r
- Martin, Gray-breasted (*Progne chalybea*) -, House (*Delichon urbica*) -, Purple (*P. subis*) -, White-eyed (*Pseudochelidon sirintarae*) -, Sand = Bank Swallow
- Martin, F.W. Woodcock age & sex detn. from wings 36:203r
- Martin, S.G. A technique for capturing nesting grassland birds with mist nets 40:233-237
- Martinez, E.F. see Houston, C.S. & Martini, E. Otoliths in pellets of Caspian Terns 36:61r
- Martinson, R.K. & A.S. Hawkins. Lack of assoc. among duck broodmates during migration & wintering 41:42r
- Masatomi, H. Attacking behavior in homosexual groups of the Bengalee, *Uroloncha striata*, var. *domestica*, Flower 33:113r
- Territorial behavior between two pairs of the Bengalee in two different cages 33:113r
- Mascher, J.W. Wt. var. in nesting Dunlins (*Calidris a. alpina*) on autumn migration in Sweden 35:208r
- Mason, E.A. Tree Sparrow recovery 32:99
- Mourning Dove banded in MA in winter, taken in FL 32:173
- Abundance of English Sparrows 32:229
- Brown Thrasher life history data 33:99
- New trap available 35:122
- Nesting data & notes on a Tree Swallow colony 39:187
- Mathews, F.S. Field book of wild birds & their music 40:77r
- Mathiasson, S. Migr. at Falsterbo:- 1956, 32:60r; 1957, 33:111r; 1958, 33:206r
- Fulmars in Swedish waters: A biometric - morphological study designed to establish their geographical origin 35:280r
- Birds breeding on the Island Dynan in s.w. Scania; an 11 year study 38:158r
- Food & foraging behavior of the Wood Pigeon in s.w. Sweden 39:236r
- Matoltsy, A.G. Keratinization of the avian epidermis. An ultrastructural study of the newborn chick skin 41:256r
- Matthews, G.V.T. 'Nonsense' orientation in Mallard, *Anas platyrhynchos*, & its relation to experiments on bird navigation 32:232r
- 'Nonsense' orientation as a population variant 36:48r
- The orientation of Pigeons as affected by the learning of landmarks & by the distance of displacement 36:49r
- Some parameters of 'nonsense' orientation in the Mallard 39:322r
- Bird Navigation 40:176r
- Mattox, W.G. Banding Gyrfalcons (*Falco rusticolus*) in Greenland, 1967 41:31-7
- Matyniak, K.A. see Sttner, L.J. & Maxfield, H.K. see Anderson, K.S. & Mayfield, H. The Kirtland's Warbler 32:185r
- Nesting success calculated from exposure 33:112r
- The Brown-headed Cowbird, with old & new hosts 36:61r
- Mayhew, W.W. Homing of Bank Swallows & Cliff Swallows 34:179
- Mayr, E. & J.C. Greenway, Jr. Checklist of birds of the world 34:49r
- McCamey, F. The Chickadee trap 32:51
- McCandless, J.B. Bird life in s.w. PR I. Fall migration 33:161r
- McClure, H.E. Ten years & 10,000 birds 33:1
- Ten years & 10,000 birds (concluded) 33:69
- Avian bionomics in Malaya: The avifauna above 5,000ft altitude at Mount Brunchang, Pahang 35:141
- An Asian bird-banders manual 35:287r

- McClure, H.E. (cont.) & Othman, H.B. Avian bionomics of Malaya 2. The effect of forest destruction upon a local pop. 36:242e
- Comparison of the periods of residency of some migrant birds common to Japan & Malaya 38:154r
- McCull, R.H.S. see Harris, M.P. & McEntee, E.G. A banders view of the 1960 Redpoll-Siskin invasion 32:59r
- A new look at the House Finch spring migration 39:325r
- McEvey, A. see Bock, W.J. & McFarland, D.J. & F.J. McFarland. Dynamic analysis of avian drinking response 41:148r
- McIlwaine, C.P. Fluctuations in the no. of Giant Petrels at Ngauranga, Wellington Harbour, N.Z. 36:121r
- McKeen, J.L. see Wilson, S.J. & McKinley, D. My eye is on the Sparrow 35:131r
- Human ecology. Some thoughts on brash pioneering in an orderly world 36:202r
- see Shepard, P. & McKinney, F. An anal. of the displays of the Eur. Eider (*Somateria m. mollissima* L.) & the Pac. Eider (*Somateria m. v. nigra*. Bonaparte 34:169r
- The comfort movements of Anatidae 37:60r
- Nest-building movements performed by male ducks 40:157r
- Spacing & chasing in breeding ducks 37:217r
- McLaughlin, E.T. Blood parasites of the Cowbird, Grackle, Redwing & Starling in NJ 39:193
- McLachlan, G.R. Seventh ringing report 32:231r
- Tenth ringing report 36:45
- McLean, I. & K. Williamson. Migrants at Stn. 'Juliett' in Sept. 1959 32:237r
- & -- Migrants between s.Greenland & Iceland 32:238r
- & -- Migrants in the n.e.Atl. 33:159r
- McLean, L.A. DDT residues & Bermuda Petrels 41:56r
- McLeod, W.M. & D.M. Trotter & J.W. Lumb. Avian Anatomy 36:282r
- McMillan, E. see Muller, A.H. & McMillan, I.I. Annual pop. changes in California Quail 37:57r
- see Miller, A.H. & McNeil, R. Modifications of the use of the Japanese mist nets 38:149
- Bill deformities in the Robin, Black-throated Blue Warbler & Willet 38:324
- & M.C. Itriaga. Fat deposition in the Scissor-tailed Flycatcher (*Muscivora t. tyrannus*) & the Small-billed Elaenia (*Elaenia parvirostris*) during the Austral migratory period in n.Venezuela 39:322r
- Fat contents & flight range in some shorebird species 41:148r
- McNicholl, M. Trapping nesting Arctic Terns 39:321r
- McNulty, F. The Whooping Crane / the bird that defies extinction 38:169r
- Meaden, F.M. & C.J.O. Harrison. Courtship display in the Waxwing 37:61r
- Meadowlark, East. (*Sturnella magna*) -, West. (*S. neglecta*)
- Meanley, B. Distr. of winter Red-winged Blackbird pops. on the Atl. Coast 32:94
- Origin, structure, molt & dispersal of a late summer Red-winged Blackbird population 35:32
- & J.S. Webb. Nationwide pop. estimates of Blackbirds & Starlings 37:213r
- & G.M. Bond. Molts & plumages of the Red-winged Blackbird with particular ref. to fall migration 41:22-27
- Natural Hist. of the King Rail 41:164r
- MEASUREMENTS see WEIGHTS & MEASUREMENTS
- Mebs, Th. The biol. & pop. dynamics of the Common Buzzard (*Buteo buteo*) 36:54r
- MEDITERRANEAN
- Capri, Isle of, band. 35:205r
- Sahara migration 33:101r
- Medway, L. & D.R. Wells. Bird report: 1962 (Malaya) 35:206r
- & I.C.T. Nisbet. Bird report: 1964 37:209r
- & -- & D.R. Wells. Bird report: 1967 40:324r
- & R.P. Lim. Post-juvenile dispersal of night herons in Malaya 41:265-274
- Megaceryle alcyon (Kingfisher, Belted) weights & meas. 32:148
- Megapodius reinwardti (Megapode) growth data 36:278r
- Meier, A.H. & D.S. Farner & J.R. King. A possible endocrine basis for migratory behav. in the White-crowned Sparrow (*Zonotrichia leucophrys gambelii*) 37:299r

- Melanerpes erythrocephalus* (Woodpecker, Red-headed)
 capture & care in captivity 39:313-316
 distress calls 36:83-88
 food preferences, utility pole damage, hole location 35:225-253
 pop. decrease since 1906, IL 35:134r
 reverse mounting 40:255r
 terr. & resonance, role 35:225-253
 -formicivorus (Woodpecker, Acorn)
 food preference, etc. 35:225-253
- Melanitta fusca* (Scoter, Velvet)
 ecology, Gulf of Bothnia 36:199r
 -perspicillata (Scoter, Surf)
 migration 32:238r
- Meleagris gallopavo* (Turkey, Common)
 innate releasing mechanisms, reaction to flying predators 33:162r
- Meliphagidae (Honeyeaters, Australian)
 evol. of niches 40:267r
 seasonal movements & ecol. 40:339r
- Mellencamp, W.R. Skull ossification in the White-throated Sparrow 41:43r
- Mellquist, H. & B. Nilsson. The Vomb Lake area in s. Scania as stopover & wintering grounds of the Bean Geese 40:61r
- Melopsittacus undulatus* (Budgerigar)
 life cycles 35:48r
 weights & meas. 32:147
- Melospiza georgiana* (Sparrow, Swamp)
 arbovirus studies 38:80r
 host-parasite assoc. 41:302
 weights & meas. 32:59
 wing lengths & weights 32:77
- lincolni (Sparrow, Lincoln)
 band. report 33:82
 distribution 32:58
- melodia (Sparrow, Song)
 band. report 33:82
 behav., aggressive, to Cowbird 34:41
 -, response to diff. environmental conditions 35:273
 -, singing, & dev. 38:250r
 distribution 32:58
 ecol., descr. 8 races, Mex. 35:52r
 gigantism 32:109
 host-parasite assoc. 41:302
 migration 32:102
 -, & lipid deposition 36:18
 nests 75 miles from birthplace 34:38
 on ship, 500 miles from land 33:159r
 parasitism by Cowbirds 35:48,50r
 pop. dynamics 36:196r
 --, Mandarte Is., BC 36:205
- pox virus susceptibility 33:192
 recovery 37:285
 reproduction 32:181
 song descr., instrument anal. 35:281r
 - variation 36:280r
 status changes & band. records, CT 35:1-7
 weights & meas. 32:159
- Menaker, M. Extraretinal light perception in the sparrow. 1. Entrainment of the biological clock 39:235r
 -- see Gaston, S. &
- Mendez, E. see Galindo, P. &
- Mengel, R.M. The Birds of KY 37:149r
 -- see Jenkinson, M.A. &
- Menzie, C.M. see Sladen, W.J. &
- Merganser, Auckland Is. (*Mergus australis*)
 -, Red-breasted (*M. serrator*)
- Mergus albellus* (Smew)
 breeding 32:184
 -australis (Merganser, Auckland Is.)
 extinct in N.Z. 36:58r
 -merganser (Goosander)
 behav., winter: feeding: courtship 38:84r
 ecol., general 34:46r
 -, Gulf of Bothnia 36:199r
 morph. & behav., Shelduck hybrid 35:132r
 -serrator (Merganser, Red-breasted)
 behavior 37:136r
 ecol., Gulf of Bothnia 36:199r
- Merilees, W.J. Longevity of Dominican Gulls 41:135r
- Merkel, F.W. & H.G. Fromme & W. Wiltachko. Non-visual orient. of nocturnal unrest in robins 37:209r
 -- & W. Wiltachko. Magnetism & orient. of migr: restlessness in robins 37:210r
- Merlin (*Falco columbarius*)
- Meropidae (Bee-eaters)
 behav. in captivity 41:47r
 evol. & systematics 41:155r
 venomous & non-venomous insects 41:72r
- Merops albicollis* (Bee-eater, White-throated)
 lipid deposition, pre-migr. 39:135r
 -apiaster (Bee-eater, Common)
 migr., Mediterranean 33:103,105r
- Meslow, E.C. see Luttich, S. &
- Metzgar, L.H. An experimental comparison of Screech Owl predation on resident & transient White-footed Mice (*Peromyscus leucopus*) 41:73r

- Mewaldt, L.R. California 'crowned' sparrows return from LA 34:224r
 -- Effects of bird removal on a winter pop. of sparrows 35:184
 -- California 'crowned' sparrows return from MD 35:211r
 -- & M.L. Morton & I.L. Brown. Orient. of migr. restlessness in Zonotrichia 36:274r
 -- see Cortopassi, A.J. &
 -- see Morton, M.L. &
 MEXICO
 Tres Marias Is., avifauna 37:220r
 Meyerriecks, A.J. Heron dispersal study 36:271
 Meyers, T.U. see Bellrose, F.C. &
 Mezhenyi, A.A. The biol. of the Nutcracker (*Nucifraga caryocatactes macrorhynchos*) in s.Yakutiya 36:276r
 Michael, E.D. The Evening Grosbeak in e.Texas 41:40
 Michener, M. see Walcott, C. &
 Micrastur spp. (*Micrastur Falcons*) mobbing, a hunting technique 41:53r
 Micrathene whitneyi (Owl, Elf) biol. & life history 39:240r
 Micropalama himantopus (Sandpiper, Stilt)
 band wear 40:47r
 in Sweden 36:125r
 Mielewczyk, L.S. On food of the Red-backed Shrike 39:237r
 MIGRATION (see also
 LIFE HISTORIES, ORIENTATION, RECOVERIES & RETURNS & indiv. spp. accounts)
 aircraft, danger to 38:327r
 bionics 39:145r, 41:75r
 ceilometer 40:309-320
 delayed - 33:23-40
 density measuring 41:245r
 diurnal, factors affecting 39:135r
 direction change, causes of 40:252-254
 drift, correcting for 41:44r
 duck broodmates 41:42r
 early - 33:23-40
 energy metabolism 38:97-113
 evol. of migratory habit 39:53r, 39:231r, 41:44r
 fat deposition 33:32, 33:108r, 33:158r, 37:218r, 38:81r, 40:321r
 --, comparative 36:119r
 --, flight energy &, 33:109r, 33:156r
 -- in:
 Bee-eater, White-throated 39:135r
 Bobolink 33:108r
 Bunting, Indigo 37:131r, 39:227-293
 Dunlin 37:1-34
 Elaenia, Small-billed 39:322r
 Flycatcher, Scissor-tailed 39:322r
 passerines 37:172-183
 Sparrow, White-cr. 36:119r
 -, White-thtd. 33:108r, 35:51r
 Wagtail, Blue-headed 35:44r
 Warbler, Grasshopper 33:158r
 -, Reed 36:120r
 -, Hooded 33:109r
 Wheatear 35:44r
 Vireo, Red-eyed 33:108r, 33:110r, 36:115r, 36:120r
 Zonotrichia 35:51r, 35:132r, 36:120r
 --, migrant flight range, Pan. 36:115
 --, Zugunruhe &, 35:51r
 gastroliths, evidence from 34:100r
 headwind migr. 41:44r
 hyperphagia, pre-migratory 33:108r, 40:65r
 in:
 Africa 33:168r
 -, North 37:210r
 Antilles 33:161r
 Australia 33:111r
 Baltic, USSR 39:237r
 Bombay 33:48r
 Britain 35:208r, 36:46r
 Bulgaria, raptors 33:106r
 Cape Cod 38:173-196
 Cyprus 33:106r
 Denmark 36:273r
 England 35:271r
 English Channel 33:106r, 40:237r
 Europe, Am. Passerines 36:47r
 -, southwest 35:210r
 Falsterbo 35:45r, 33:111r, 37:210r
 France, Camargue 33:104r
 Great Lakes, raptors 33:161r
 Greece 33:105r
 Hebrides, Outer 35:271r
 Iberia 33:102r
 IL 35:128r
 India 36:48r
 Iraq 36:38r
 Japan & Malaya 38:154r
 Mediterranean 35:105r, 38:155r
 New England 35:45r, 35:69-119,
 --, songbirds 35:207r
 Newfoundland 33:158r
 North Sea 33:160r, 35:44r
 Norwegian Sea 33:160r
 Ottenby 35:45r

MIGRATION (cont.)

in: (cont.)

- Panama 36:115
- Sahara 33:101r
- Scotland 37:211r
- Spain, swallows 33:102-104r
- Switzerland 36:47r, 40:327r
- irruptive, ecol. aspects 35:273r
- leading lines 32:101r
- mathematical representation 38:154r
- mechanics of, 41:148r
- malaria dispersal 32:179r
- Migration in Birds, book 37:305r
- molt &, 40:149r
- moon watching 33:107r, 38:153r, 40:243-252
- nocturnal 34:57-67, 38:237r, 40:55r 41:282-290
- nonfat components &, 36:120r
- of:
 - albatross spp. 40:54r
 - Baldpate 32:238r
 - Bee-eater, Common 33:102r
 - Blackbird, Eur. 33:157r
 - , Red-winged 33:155r
 - Blackcap, reverse 37:128r
 - Bluebird, Eastern 32:100r, 33:155r
 - Bobwhite 32:85, 32:90
 - Bobolink 35:268r
 - Brambling 33:110r, 40:329r
 - Buntings 36:47r, 37:218r
 - , Indigo 38:153r, 39:277-93, 40:44r
 - , Ortolan 33:49r
 - , Snow 32:102r, 33:158r
 - Buzzard, Honey 33:105r
 - Catbird, Gray 33:158r
 - Chaffinch 32:178r, 37:55r
 - Chat, Yellow-breasted 32:102r, 34:99r, 38:130-135
 - Chiffchaff 41:137r
 - Cormorant, Common 36:52r
 - Cowbird, Brown-headed 32:100r, 33:99 33:155r, 39:117-122, 41:245r
 - Crane, Common 33:111r, 37:211r
 - , Sandhill 32:180r, 33:111r
 - creepers 35:203
 - Crossbill spp. 33:206r
 - , Parrot 37:53r
 - , White-winged 32:107r
 - crows 32:90
 - Cuckoo, Shining 32:179r
 - Curllew 32:206r
 - Dickcissel 39:138r
 - Dove, Mourning 32:175r, 33:158r
 - , Turtle 33:102-107r

- Dowitcher spp. 32:238r
- , Short-billed 33:28-32, 36:47r, 39:236r
- Dunlin 33:37, 33:159r, 37:1-34
- Eagle, Short-toed 37:210r
- Egret, Little 33:106r
- Eider, Common 32:238r, 33:205r
- Fieldfare 35:208r, 36:196r
- finches 32:178r, 33:155r
- , Purple 33:173
- Firecrest 32:178r
- Flicker, Yellow-shafted 33:158r
- Flycatcher, Collared 32:174r
- , Hammond 41:169-190
- , Least 38:61-65, 41:198-204
- , Old World 32:102r
- , Pied 32:174r, 40:329r
- , Solomon's Broadbill 32:179r
- , Traill's 41:198-204
- Gallinule, Purple 32:238r
- Garganey 37:130r
- Godwit, Bar-tailed 37:127r
- , Black-tailed 35:285r
- Goldcrest 38:81r
- Goose, Can. 32:237r, 37:131r
- , Grey-lag 32:180r
- , Snow 32:238r, 37:68r
- , White-fronted 40:329r
- Gull, Black-headed 33:159r, 37:68r, 37:291r
- , Common 35:210r
- , Herring 37:68r
- , Little 33:106r, 41:45r
- , Mediterranean 37:68r
- , Sabine's 39:322r
- Hawk, Broad-winged 37:121-123
- , Rough-legged 33:161r
- , Sharp-shinned 37:56r, 40:54r
- , Swainson's 37:121-123
- Hawks 38:82r
- , leading lines 32:101r
- Heron, Black-crowned Night 34:221r
- Hummingbird spp. 33:108r
- , Gray 32:238r, 33:106r
- , Green 32:181r
- Ibis, White-faced 38:257-277
- Jay, Blue 33:161r, 35:8-13
- Junco, Dark-eyed 32:100r, 33:158r
- Killdeer 32:238r
- Kingbird, Eastern 32:181r, 35:155r
- kite 35:128r, 41:145r
- Knot, Red 33:36, 34:65r
- Lapwing, Northern 32:178r, 33:160r 34:65r

MIGRATION (cont.)

of: (cont.)

Longspur, Lapland 33:48r, 33:159r,
 36:273r
 Martin, House 33:104r
 -, Purple 33:155r
 Merlin 40:328r
 Mockingbird 33:155r
 murre spp. 34:100r
 Nutcracker 40:328r, 41:136r
 Oriole, Baltimore 32:238r, 33:158r,
 40:181-198
 -, Golden 35:105r
 Ouzel, Ring 35:208r, 36:196r
 Owl, Saw-whet 38:120-125
 -, Screech 32:100r
 Oystercatcher 32:180r, 33:159r
 Passeriformes 32:178r, 37:140r,
 38:239r, 41:282-290
 Pheasant, Ring-necked 37:69r
 Pipit, Meadow 32:237r, 33:46r,
 35:271r
 -, Tree 33:46r
 Plover, Pacific Golden 36:196r
 Quail, Eur. 32:85-90
 Rail, Sora 33:158r
 raptors 33:106r, 33:161r, 38:240r
 39:321r
 Redhead 36:202r
 Redpoll 39:51-55, 39:321r
 Redshank 33:159r
 Redstart, Am. 33:155r
 Robin, Am. 33:155r
 -, Eur. 37:56r
 Ruff 33:159r
 Sanderling 33:38, 34:65
 Sandpiper, Buff-breasted 32:238r
 -, Least 33:37, 41:244r
 -, Pectoral 32:238r
 -, Purple 32:238r, 33:159r
 -, Semipalmated 33:37, 34:65, 41:244r
 -, Western 33:38
 -, White-rumped 33:37, 33:238r
 -, Wood 33:49r
 Sapsucker, Yellow-bellied 32:100r
 Scoter, Surf 32:238r
 Shearwater, Flesh-footed 36:195r
 shorebirds 33:206r, 37:127r, 37:130r
 40:150r
 Siskin, Pine 33:158r
 Skylark 32:178r
 sparrow spp. 32:100r
 Sparrow, Grasshopper 32:100r
 -, Fox 33:158r
 -, Golden-crowned 34:227r

-, Henslow's 32:100r
 -, House 33:104r
 -, Savannah 32:100r
 -, Song 32:102r
 -, White-cr. 33:49r, 33:58r
 36:141-169, 37:299r
 -, White-thtd. 32:100r, 33:158r,
 34:39, 35:51r, 36:120r
 -, Vesper 32:102r
 Sparrowhawk 32:102r
 Starling 33:160r, 33:206r, 37:55r,
 37:267-273, 40:55r
 Stork, White 33:105r, 36:48r, 38:85r
 Swallows 33:111r
 -, Bank 34:104r
 -, Barn 32:178r, 33:103r, 33:107r,
 33:168r, 40:67r, 40:329r
 Swan, Bewick's 39:330r
 -, Mute 35:272r
 Swift, Eur. 33:104r, 39:106r
 Sylvia spp. 32:102r, 39:135r
 Sylviidae, reverse 41:45r
 Teal, Green-winged 32:238r
 Tern, Arctic 33:159r, 40:328r
 -, Black 32:181r
 -, Caspian 41:312r
 -, Royal 37:54r
 -, Sooty 41:136r
 Thrasher, Brown 33:158r
 thrushes 35:210r
 Thrush, Gray-cheeked 33:130
 -, Hermit 33:130
 -, Mistle 35:208r, 36:196r
 -, Swainson's 33:130, 37:83-112
 -, Wood 33:130
 Tit, Long-tailed 32:60r
 Titmouse, Tufted 35:45r
 Towhee, Rufous-sided 35:158r
 Turnstone, Ruddy 32:237r, 33:35,
 33:159r
 Ular, Caucasian 39:231r
 Veery 33:130
 Vireo, Red-eyed 33:161r, 36:115
 -, Yellow-green 38:151
 Warbler, Arctic 33:166r
 -, Barred 32:178r
 -, Blackpoll 32:100r, 33:161r,
 36:192, 37:55r, 37:131r, 38:240r
 39:323r, 41:207-240
 -, Black-thtd. Blue 33:158r
 -, Cape May 33:158r
 -, Grasshopper 33:158r
 -, Pallas's 39:323r
 -, Prothonotary 33:158r
 -, Pine 32:51

MIGRATION (cont.)

of: (cont.)

Warbler, Willow 33:105r
 -, Wood 35:45r
 -, Yellow-rumped 32:178r, 33:158r,
 35:206r
 waterfowl 33:111r, 37:211r, 40:150r,
 41:42r
 Waterthrush, N. 32:175r, 32:238r
 Waxwing, Bohemian 32:184r
 Wheatear 32:237r, 33:159r, 35:271r
 Whimbrel 33:36, 33:159r
 Woodpigeon 37:210r
 Yellowlegs, Greater 33:36
 -, Lesser 32:238r, 33:36
 over oceans, seas, etc. 33:101r,
 33:158r
 Palearctic, origin of, 40:326r
 physiology & celestial orient. 41:44r
 problems in study of, 34:98r
 radar & visible, comparison anal.
 38:238r, 40:55r
 radar studies 33:160r, 34:57-67, 35:44r,
 35:61-119, 35:128r, 35:209r, 35:271r,
 36:49r, 36:51r, 36:195r, 37:211r,
 38:155r, 38:173-186, 38:238r, 38:240r
 38:327r, 39:324r, 40:55r, 40:327r,
 41:44r, 41:245r, 41:282-290
 radio transmitter, *Hylocichla* thrush
 39:135r
 reverse 35:45r
 -, Blackcap 37:128r
 -, Sylviidae 41:45r
 -, Titmouse, Tufted 35:45r
 T.V. tower kills 33:155r, 38:154r,
 40:55r
 ---, FL, Leon County 39:72r
 ---, Gulf Coast 36:115
 ---, MO 39:323r
 USSR, collection of papers 37:68r
 visual observations, value of data
 35:272r
 weather, effects of, 33:43r, 33:49r,
 33:111r, 33:156r, 35:45r, 37:55r,
 37:212r
 - forecaster, as 37:211r
 -, multivariate anal. of 41:134r
 wedge method 35:69-119
 young ornithologists for, book 35:53r
 Zugunruhe, & annual cycle 36:119r
 -, endocrine basis for, 37:299r
 -, Eur. Warblers 40:149r
 -, Brambling, castrated 33:110r
 -, Sparrow, Golden-cr., castrated
 34:227r

-, Zonotrichia, & 36:274r
 Mikheer, A.V. The origin of Palearctic
 bird migration 40:326r
 Mildvan, A.S. General theory of mort.
 & aging 32:62r
 Millar, J.B. Autumn movements of young
 Magpies 35:265
 Miller, A.H. Seasonal activity & ecol.
 of the avifauna of an American equat-
 orial cloud forest 34:171r
 -- & J.I. McMillan & E. McMillan. The
 current status & welfare of the
 California Condor 37:62r
 -- Capacity for photoperiodic response
 & endogenous factors in the reprod.
 cycles of an equatorial sparrow 37:63r
 -- & R.C. Stebbins. The lives of desert
 animals in Joshua Tree National
 Monument 37:73r
 Miller, H. & A.Dzubin. Regrouping of
 family members of the White-fronted
 Goose (*Anser albifrons*) after
 individual release 36:184
 Miller, L.L. see Mosier, A.R. &
 Miller, R.S. Conditions of competition
 between Redwings & Yellow-headed
 Blackbirds 40:159r
 Millikan, G.C. & R.I. Bowman. Observ-
 ations on Galapagos tool-using finches
 in captivity 39:139r
Milvus migrans (Kite, Black)
 more frequent sightings, Falsterbo
 33:206r
 -*milvus* (Kite, Common)
 gradual disappearance, Sweden 35:51r
 winter residence more frequent,
 Sweden 35:128r, 41:145r
 Mimidae (Thrushes)
 squealing 36:83-88
Mimocichla plumbea (Thrush, Red-legged)
 distribution 32:50
Mimus gundlachi (Mockingbird, Bahamian)
 weights & meas. 32:48
 -*polyglottos* (Mockingbird)
 age detn. 32:56
 -- & feather dev. 37:257-267
 behavioral ontogeny 40:335r
 distress calling? 36:86
 migr., TV towers, FL 33:155r
 movements of young 37:113-119
 pop. after *Zonotrichia* removal 35:184
 pox infection 33:192
 range extension, CT 35:6
 ticks 35:127
 weights & meas. 32:47, 32:152

- Minton, C.D.T. Pairing & breeding of Mute Swans 40:151r
- Mitchell, W.G. & E.C. Turner. Arthropod parasites on the Starling, *Sturnus vulgaris*, L., in s.w. VA 41:147r
- Mitropoloskii, O.V. The breeding of the Blacknecked Wheatear in Mangychlak 40:57r
- Mitterling, L.A. Construction of a 'beta-confinement' bird enclosure 37:123
- Fledgling Blue Jays (*Cyanocitta cristata*) raised in captivity 38:77
- Apple feeding by wild Blue Jays in captivity 39:23
- Blue Jays & blueberries 40:47
- Miwako, T. see Marler, P. &
- Mletsko, G.G. Orientation rhythm of the Carabidae 40:328r
- Mniotilta varia (Warbler, Black-&-white) banded, Panama 34:220
- feeding at sapsucker holes 36:192
- longevity 40:255
- migrants, fall: age, sex, winglength of tower casualties 34:191-199
- mist netting 32:48, 32:171
- non-squealer 36:86
- weights & meas. 32:48
- Mockingbird (*Mimus polyglottos*)
- , Bahamian (*M. gundlachii*)
- Mohr, H. The recog. of birds of prey, especially the Sparrow Hawk 32:182r
- The dev. of some behav. patterns of hand-raised Sparrow Hawks & Hobbies 32:182r
- Moldenhauer, R.R. & K.B. Bryan. An interesting recovery of a banded Evening Grosbeak during the 1968-69 winter incursion into e.TX 41:39
- Molothrus ater (Cowbird, Brown-headed) abnormalities, physical 34:199-202
- aggression arousal in Redstart 34:41r
- band. program 39:117-122
- report 33:20
- breeding success 35:48r
- colored leg-tags 39:6-13
- clutch size 36:200r
- distribution 39:117-122
- eggs, spotted 41:308-310
- flocking 37:294r
- host-parasite assoc. 41:302
- host relations 35:50
- hosts 37:61r
- migration 32:100, 41:245r
- at sea, off Nfld. 33:158r
- , 500 miles from land 33:159r
- , FL, TV tower kills 33:155r
- , reverse 33:99
- migratory pattern 39:117-122
- nest-box trap 39:48-50
- non-squealer 36:86
- orient. after displacement 40:257r
- parasitism by, 33:112,114, 33:207r
- pox virus 33:192r, 34:199-203
- sex related characteristics 38:143-147
- status changes & band. records, CT 35:1-7
- weights & meas. 32:156
- bonariensis (Cowbird, Shiny)
- parasitises 148 spp., S.Amer. 35:50r
- MOLT see PLUMAGE
- Monson, G. & A.R. Phillips. A checklist of the birds of AZ 35:285r
- see Phillips, A.R. &
- Montgomerie, R.D. see Hussell, D.J.T. &
- Montgomery, G.G. see Cochran, W.W. &
- Moos, L.M. Report of gull band. in MT 34:40r
- Moorhen (*Gallinula chloropus*)
- Moreau, F. & J. Pouyet. Evidence of solar influence on orient. of caged homing pigeons 40:327r
- Moreau, R.E. Autumn migrants in Greece 32:178r
- Problems of Mediterranean-Sahara migration 33:101r
- Waterbirds over the Sahara 38:327r
- The bird faunas of Africa & its islands 39:69r
- & P. Wayre. On the Palearctic Quails 40:347r
- & M. Perrins. & J.T. Hughes. Tongues of the Zosteropidae (White-eyes) 41:256r
- Morel, M-Y. Reprod. & mort. in a natural pop. of a tropical passerine, *Lagonosticta senegala* 36:275r
- Morgon, N.C. see Watson, A. &
- Morley, N.W. see Thomson, J.A. &
- MOROCCO see AFRICA
- Morony, J.J., Jr. see Cracraft, J. &
- MORPHOLOGY see ANATOMY
- Morse, D.H. The use of tools by Brown-headed Nuthatches 40:58r
- see Ficken, R.W. &
- MORTALITY see also INJURIES, etc.
- assessing 37:127
- blood samples &, 38:125-130
- differential, Bobwhites 37:133r
- of:
- birds of prey 35:49

MORTALITY (cont.)

- of: (cont.)
 cormorant 33:50r
 Cowbird, Brown-headed 33:20
 Finch, Purple 38:1-17
 fulmars, mass wreck, 1962 41:138r
 Goose, Can. 37:131r
 Gull, Herring 40:222-233
 Ibis, White-faced 38:257-277
 Oriole, Bullock's 33:17-18
 Shag 33:50r
 Starling 33:49
 waterfowl 37:63r
 Waxwing, Cedar 33:7
 severe winter, U.K., 1962-63 36:120r
 TV tower kills 33:155-157, 36:115, 39:323r
- Mortensen, Chr.E. Wilson's Phalarope, (*Steganopus tricolor*), Lapland 37:141r
- Morton, M.L. & L.R. Mewaldt. Some effects of castration on a migratory sparrow, *Zonotrichia atricapilla* 34:227r
 -- An apparatus for continuous recording of food intake in caged birds 37:221r
 -- see Mewaldt, L.R. &
- Morton, R.K. Breeding, migr. & survival of Turtle Doves 39:326r
- Mosalova, N.I. see Ryalov, V.F. &
- Mosier, A.R. & W.D. Guenzi & L.L. Miller Photochemical decomposition of DDT by a free-radical mechanism 41:59r
- Mosquin, T. Government move to ban chlorinated carbons 41:251r
 -- Towards legislation to protect young Peregrine Falcons 41:252r
- Moss, R. A comparison of Red Grouse, *Lagopus l. scoticus* stocks with the production & nutritive value of heather *Calluna vulgaris*. 40:331r
- Motacilla alba* (Wagtail, Pied) movements 38:239r
 night migration 33:46r
 -cinareus (Wagtail, Gray) nest site location 33:167r
 -flava (Wagtail, Yellow) banded, interior AK 34:38
 lipid levels & trans-Sahara travel 35:44
 migr. 33:105r, 33:107r, 35:44, 36:119r
 -, different races wintering together 36:119r
 -, from equator 41:246
 -, nocturnal 33:46r
 molt, weight, gonad dev. 36:119r
 separate sp., *M. flava* & *M. lutea* 35:132r
- Sweden, 1st breeding record, *M. f. flavissima* 35:45r
 territories 32:38
 wintering birds, fat reserves 36:59, 37:63
- Mott, P.R. Recovered health of Screech Owl 37:207
- Mougin, J-L. Ecological observations at the Pointe Geologie Emperor Penguin Colony (Adelie Land), 1964 38:242r
- Mountfort, G. see Peterson, R.T. & MOVEMENTS see POPULATION
- Moynihan, M. Social mimicry; character convergence vs character displacement 40:171r
- Mueller, H.C. Weather & fall migr. of hawks at Cedar Grove, WI 33:46r
 -- A westward autumnal movement of a Brown Creeper 35:203
 -- & D.D. Berger. Anal. of wt. & fat var. in transient Swainson's Thrushes 37:83
 -- Abnormalities in the remiges & rectrices of the Saw-whet Owl 37:287
 -- & D.D. Berger. Wind drift, leading lines & diurnal migration 40:54r
- Mulligan, J.A. A description of Song Sparrow song based on instrumental analysis 35:281r
 -- Singing behav. & its dev. in the Song Sparrow, *Melospiza melodia* 38:250r
- Mumford, R.E. The breeding biology of the Acadian Flycatcher 36:133r
- Mundinger, P.C. Vocal imitation & indiv. recognition of finch calls 41:330r
- Murie, O.J. Fauna of the Aleutian Is. & Alaskan Peninsula 32:109r
- Murphy, R.C. Antarctic conservation 33:162r
 -- Rare & exotic birds 36:214r
- Murphy, R.K. & R.E. Phillips. central patterning of a vocalization in fowl 40:64r
- Murray, B.G., Jr. & J.R., Jehl, Jr. Weights of autumn migrants from coastal NJ 35:253
 -- On the autumn migr. of the Blackpoll Warbler 37:55r
 -- A review of Sharp-shinned Hawk migr. along the n.e. coast of the U.S. 37:56r
 -- Blackpoll Warbler migr. in MI 38:240r
 -- The relationships of sparrows in the genera *Ammodramus*, *Passerherbulus* & *Ammospiza* with a descr. of a hybrid, Leconte's x Sharp-tailed Sparrow 41:71r

- Murrelet, Kittlitz's (*Brachyramphus brevirostre*)
 -, Long-billed = Marbled
 -, Marbled (*B. marmoratus*)
 Murres, Common (*Uria aalge*)
 Murres (*Uria* spp.)
 Murton, G.K. & S.P. Clarke. Breeding biol. of Rock Doves 40:334r
 Murton, R.K. Some phot. of Wood-pigeon behav. & feeding 32:64r
 -- & A.J. Isaacson & N.J. Westwood. The feeding ecol. of the Wood-pigeon 35:133r
 -- & -- Productivity & egg predation in the Woodpigeon 36:55r
 -- & -- & -- Capturing Columbids at the nest with stupifying baits 37:291r
 -- Breeding, migr. & survival of Turtle Doves 40:256r
 -- see Lofts, B. &
 Muscicapidae (Flycatchers, Old World)
 migration 32:102r
 trapping 32:119, 32:130
 Muscicapa albicollis (Flycatcher, Collared)
 behavior 32:63r
 migration 32:174r
 -parva (Flycatcher, Red-breasted)
 breeding 32:185r
 -, Sweden, yearly from 1963 35:135r
 life history 37:136r
 -striata (Flycatcher, Spotted)
 banded on Capri 35:205r
 behavior 32:63r,
 migration 33:105r
 Muscivora forficata (Flycatcher, Scissor-tailed)
 identification key 37:153-171
 -tyrannus (Flycatcher, Fork-tailed)
 fat deposition 39:322r
 Myasoedova, O.M. More on the feeding of the Bank Swallow 38:164r
 Mycteria americana (Stork, Wood)
 feeding ecol. & breeding cycle 36:206r
 Myhrberg, H. see Alm, B. &
 Myrberg, H. The migr. through Eur. of the Wood Sandpiper 33:49r
 Myiagra ferrocyanea (Flycatcher, Solomon's Broadbill)
 migration 32:179r
 Myiarchus spp. (Flycatchers)
 song, experiments on sp. discrimination 34:226r
 - patterns & evol. divergence 33:168r
 - spectrograms 33:168r
 -cinerascens (Flycatcher, Ash-throated)
 sp. discrimination & song 34:226r
 spectrogram 33:168r
 -crinitus (Flycatcher, Gt. Crested)
 distress calls 36:83-88
 sp. discrimination & song 34:226r
 spectrograms 33:168r
 weights & meas. 32:149
 -tuberculifer (Flycatcher, Olivaceous)
 sp. discrimination & song 34:226r
 spectrograms 33:168r
 -tyrannulus (Flycatcher, Wied's)
 sp. discrimination & song 34:226r
 spectrograms 33:168r
 Myiozetes granadensis (Flycatcher, Gray-capped)
 behavior 32:65r
 Myres, M.T. Dawn ascent & re-orientation of Scandinavian thrushes (*Turdus* spp.)
 migr. at night over the n.e. Atlantic Ocean in autumn 35:269r
 -- Technical details of radar equipment detecting birds, & bibliography of papers reporting the observations of birds with radar 36:195r

- Nagell, B. & I. Frycklund. The incursion of the Snowy Owl into s.Scan. during the winters of 1960-63, & notes on behav. at the wintering localities 37:64r
- Nair, R.M. & P.V. George & D.B. Dixit. Some observations on the behav. of the incubating Red-wattled Lapwing, *Vanellus i. indicus* (Bodd.) 34:101r
- Nakamura, T. Change of lipid levels in Eastern Great Reed Warbler.II.Chemical observations 36:120r
- Nannopterum harrisi* (Cormorant, Flightless)
behav. & ecol. 37:292r
- Nasimovich, A.A. Purposes & ways of dev. of USSR reserves 40:62r
- Nat. Wildlife Refuges 36:50r
- Nau, B.S. see Gladwin, T.W. &-
Naumor, R.L. see Kislenko, G.A. &-
Navas, J.R. Aggressive behav. of the Red-gartered Coot 33:210r
- Navy, F.O. An unusual return for a Myrtle Warbler 35:206r
- Nectarinia asiatica* (Sunbird, Purple)
honey sucking 35:130r
- Neff, J.A. Banded Evening Grosbeak strikes airplane 35:265
- Nekipelov, N.V. Importance of bright male coloration to sexual selection in Mallard Ducks 41:259r
- Nekrasov, B.V. see Egelis, Y.V. &-
-- see Korshar, A.F. &-
- Nelson, J.B. The behavior of the Gannet 37:136r
-- The breeding ecol. of the Red-footed Booby in the Galapagos 40:331r
- Neophron percopterus* (Vulture, Egyptian)
tool using, photos 41:74r
- Nero, R.W. Comparative behav. of the Yellow-headed Blackbird, Red-winged Blackbird & other Icterids 35:215r
- NEST(S)
boxes, 7 year study, passerines 32:62r
building by:
 Blackbird, Red-winged 35:119-121, 39:14-22
 -, Tri-colored 33:161r
 Dotterel 34:168r
 ducks, male 40:159r
 Flycatcher, Acadian 37:227-257
 Pewee, Eastern Wood 40:58r
 Prinia, Karoo 35:214r
 building, evol., weaverbirds' 35:274r
 burrow passages, Dancing Wheatear 37:135r
 cowbird hosts 32:181r
 fledgling help 40:58r
 foreign eggs introduced 41:241
 habitats, analysis, Chickadees 40:159r
 parasitism, increase in high water, waterfowl 39:136r
 polygamy &, 41:139r
 predation, Black Rat Snake 37:135r
 protection with feces, Shoveler 41:47r
 raising to avoid flood, King Rail 41:165r
 site location:
 alpine Fringillids, CO 41:314r
 Crane, Sandhill, MI 37:134r
 Grebe, Black-necked, S.Africa 40:334r
 Gull, Herring 34:68-72
 Kingfisher, Common 33:167r
 murrees 33:56r
 Owl, Great Grey 41:314r
 Passerines, Eur. 41:139r
 Teal, Blue-winged 37:138r
 Wagtail, Grey 33:167r
 study, 17 yrs. Alpine Swift 32:64r
 -, Herons, 4 spp., FL 41:143r
 transfer, Three-banded Sandplover 37:133r
 - acceptance, Gray Jays 41:130
- NESTING (see also BEHAVIOR,-, BREEDING)
albinistic eggs 39:1-6
association, Blue Jay 35:39
attentiveness, Wood Duck 33:85
-, Robin, Am. 35:47r
behav. & weather forecasting 39:136r
- of:
 Cuckoos, Common & Glukha, parasitism 39:137r
 Dove, Mourning 36:200r
 Duck, brood behav. 37:60r
 -, Black-backed, parasitism 40:152r
 -, Flightless Steamer 37:59r
 -, Wood 39:130
 Eagle, Golden 35:123, 39:232r, 41:252r
 -, White-tailed 36:200r
 Finch, Bengalese 33:51r
 Flamingo 37:249r
 Goose, Kelp 37:59r
 Guillemot, Pigeon 37:214r
 Mallard 40:158r
 Martin, House 35:275r
 Osprey 33:116r
 Ostrich 38:156r

NESTING (cont.)

behavior of: (cont.)

- Owl, Pygmy 36:121r
- , Snowy 39:232r
- phalarope 39:327r
- Plover, Pacific Golden 34:42r
- , Wattled 40:154r
- robin, nest translocation 37:288
- Sandplover, Kittlitz's 40:57r
- Stonechat 33:52r
- Swift, Chimney 38:147-149
- Tit, Marsh 37:215r
- Veery 33:114r
- Warbler, Canada 37:59r
- waterfowl 40:58r
- Woodlark 32:62r
- Woodpecker, Hairy 41:53r
- blackbird, 5 broods in 1 season
33:207r
- breeding cycle timing 37:44-49, 38:83r
38:195-211
- cave nesters, Australia 37:292r
- 'clicking' in egg young 37:215r
- colonial nesting, Osprey 33:116r
- density, limiting factors, Peregrine
Falcon & Raven 35:47r
- ecological factors, Red-winged Black-
bird 39:14-22
- egg temp., response, Ringed Turtle
Dove 38:329r
- rolling, Arctic Tern 38:157r
- shape, Guillemot 41:49r
- experimental study, Coot 41:48r
- global var. of clutch size, model
41:313r
- habits of:
 - albatross 35:277r
 - Baldpate 36:199r
 - bluebird 33:209r
 - Bunting Little 40:61r
 - Catbird 37:59r
 - Chickadee, Black-capped 40:159r
 - , Chestnut-backed 40:159r
 - cuckoo 33:212r, 33:167r, 36:200r
 - Dipper 33:167r
 - dove 37:59r
 - Duck, Wood 34:226r
 - Falcon, Peregrine 38:73-74
 - Finch, Hodgson's Mt. 36:276r
 - , House 36:1-13
 - Flycatcher, Acadian 37:227-257
 - Gadwall 36:199r
 - Gull, Glaucous-winged 34:30-36
 - Jay, Blue 33:210r
 - , Mexican 33:210r

- kingfisher 33:167r
- Mallard 36:199r
- Nuthatch, Rock 37:295r
- Osprey 33:116r
- Parrot, Woodpecker 33:114r
- Phoebe, Eastern 34:99r
- Pintail 36:199r
- Plover, Wattled 40:154r
- Showeler 36:199r
- Sparrow, House 34:39-40
- Starling 33:207r
- Swallow, Bank & Rough-winged 35:40
- Swan, Whooper 33:167r
- Teal, Blue-winged 36:199r, 37:138r
- , Cinnamon 36:199r
- , Grey 35:51r
- Tern, Arctic 38:157r
- , Cabot's 36:21-27
- , Royal 36:21-27
- Veery 33:114r
- Wagtail, Grey 33:167r
- Warbler, Yellow, Galapagos 37:44-49
- Woodpeckers 35:225-253, 40:335r
- greeting ceremony 39:232r
- hatching synchronization 41:49r
- helpers at nest 41:140i
- incubation period, Acadian Fly. 37:227
- , Robin 35:47r
- , subarctic birds 38:156r, 41:314r
- , Wood Duck 33:85
- Jay, Blue, in a building 39:55
- nest-box, hens & ducklings 34:226r
- photoperiod control, White-crowned
Sparrow 35:279r
- regulating of breeding cycles 41:313r
- renesting, Red-winged Blackbird 35:119
- , Blue Grouse 37:135r
- Robin, nest observations 35:47r
- runt, adaptation 40:333r
- sites, alpine fringillids 41:314r
- sociability, House Martin 35:275r
- terr. & evol. of mating systems 41:139r
- success, calculated from exposure
33:112r
- , Cent. Amer., 208 nests, 37 spp.
37:213r
- , deciduous habitat, 97 nests 36:274r
- , farm in MI, 54 spp. 33:112r
- , of:
 - Blackbird, Eur. 37:57r
 - Cormorant, Flightless 37:292r
 - Cowbird, Brown-headed 35:48r
 - Dipper, during flood 34:227r
 - Dove, Mourning 37:59r
 - Duck, Tufted 38:330r

NESTING (cont.)

- success, of: (cont.)
 Eagle, Golden 39:62r
 Eider 36:197-199r
 Finch, House 33:206r
 Fire-finch, Senegal 36:275r
 Flycatcher, Acadian 37:227-257
 Guillemot 41:49r
 Gull, Herring, 5 eggs 38:290r
 Jay, Pander's Ground 39:60
 Owl, Barn 35:133r
 Penguin, Adelie 35:46-47
 Pheasant, Ring-necked 39:133
 Phoebe, Eastern 34:99-100r
 Pochard 38:330r
 Raven, Brown-necked 39:62r
 Shrike, Red-backed 33:207r
 Starling 33:207r
 Teal, Blue-winged 37:138r
 Whitethroat 40:57r
 Woodpigeon 36:55r
 trees, of Woodpeckers 40:335r
 unusual, Bluethroat, Scotland 40:169r
 utility pole use 35:225, 40:335r
 water levels, effect on waterfowl
 39:136r
 weather &, esp. Lapwings 39:136r
Nestor notabilis (Kea)
 status 41:46r
 NETHERLANDS see EUROPE
 NETS see TECHNIQUES
Netta peposaca (Pochard, Rosy-billed)
 recovery, S. America 39:32
 -rufina (Pochard, Red-crested)
 imprinting & fixed action patterns
 39:64r
Nettleship, D.N. Banded turnstone
 recovered at Lake Hazen, Ellesmere Is.
 N.W.T. 38:236
 -- Band size for Common Puffins in
 Nfld. 39:57
 -- Trapping Common Puffin fledglings
 40:139-144
Neuville, J. Pine Bunting trapped in
 Leige Province 36:52r
 NEW CALEDONIA
 birds of, 38:248
 NEW ZEALAND
 band. reports 32:230r, 37:290r
 biol. of birds of, 38:336r
 Hautura sanctuary 33:212r
 Tasman Sea, sea birds 37:64r
Newman, R.J. see Lowery, G.H., Jr. &
Newton, I. Fluctuations in the weight
 of bullfinches 37:298r
Nice, M.M. Kestrel pellets at winter
 roost 32:64r
 -- Dev. of behav. in precocial birds
 34:46r
 -- Studies in the life hist. of the
 Song Sparrow 36:133r
 -- Displays & songs of a handraised
 Eastern Meadowlark 37:61r
 -- The watchers at the nest 38:339r
Nicholls, C.A. see Serventy, D.L. &
Nicholls, G.D. see Bowen, V.T. &
Nicholls, T.H. & D.W. Warner. A harness
 for attaching radio transmitters to
 large owls 39:209
Nickell, W.P. Returns on aged Cardinal
 35:41
 -- Some mammal predators in a colony of
 Common Terns 35:40
 -- Rough-winged Swallow recovered in
 Bank Swallow colony 35:40
 -- Behav. of hiding young Killdeer 36:192
 -- Birds & insects feed at sapsucker
 trees 36:192
 -- Habitats, terr. & nesting of the
 Catbird 37:59r
 -- Return of n. migrants to tropical
 winter quarters & banded birds
 recovered in the U.S. 39:107
Nicolai, J. Brood parasitism of the
Viduines as an ethological problem
 35:50r
 -- Imprinting phenomena as factors in
 race & sp. formation 35:275r
 -- Isolated early molt of the color
 signals of the head markings in the
 Garnet & Violet Waxbills 40:167r
 -- The bill-color as a potential isolating
 factor between, *Pytilia phoenicoptera*,
Swainson & *Pytilia lineata* Heuglin
 (Family Estrildidae) 40:348r
Niedrach, R.J. see Bailey, A.M. &
Nightingale (*Luscinia luscinia*)
Nightjar, Standard-winged (*Macrodipteryx*
longipennis)
Nighthawk, Common (*Chordeiles minor*)
Niles, D.M. & S.A. Rohwer & J.A. Jackson
 & J.D. Robins. An observation of mid-
 winter nocturnal movement & tower
 mort. of Tree Sparrows 40:322
Nilsson, B. see Mellquist, H. &
Nilsson, L. The migr. of shorebirds at
 Hull Lake, w.central Sweden, 1959, &
 its relation to the temp. 33:206r
 -- From the duck census, 1959-60 & 1960-61:
 The Mallard & the Tufted Duck 34:41r

- Nilsson, L. (cont.) Studies of waterfowl at upper Gota River, w.central Sweden, winter & spring, 1957-1961 35:46r
- Notes on the behav. of the Red-breasted Merganser in the spring 37:136r
- Preening behav. in the Goldeneye 37:216r
- The behav. in winter of the Goosander 38:84r
- Midwinter censuses of ducks & other waterfowl along the Swedish coast, 1964-1966 38:329r
- Seasonal fluctuations in the nos. of Swedish winter ducks 40:61r
- The international mid-winter censuses of ducks & swans in Sweden, 1967 & 1968 Report No. 5 40:258r
- Food consumption of diving ducks wintering at the coast of s.Sweden in relation to food resources 41:159r
- Nilsson, R. see Fritz, B. & Nisbet, I.C.T. & P.R. Evans & P.P. Feeny. Migr. from Morocco into s.w.Spain in relation to weather 33:103r
- Studying migr. by moonwatching 33:107r
- Meas. with radar of the height of nocturnal migr. over Cape Cod, MA 34:57
- & W.H. Drury, Jr. & J. Baird. Weight loss during migr. Part I. Deposition & consumption of fat by the Blackpoll Warbler, *Dendroica striata* 34:107
- Wt. loss during migr. Part II. Review of other estimates 34:139
- American passerines in w.Europe, 1951-1962 36:47r
- Quantitative study of migr. with 23 centimeter radar 36:50r
- & W.H. Drury, Jr. Orient. of spring migrants studied by radar 38:173
- Aerodynamic theories of flight vs physiological theories 38:306
- Migr. & moult in Pallas's Grasshopper Warbler 39:323r
- & W.H. Drury, Jr. Scanning the sky/ Birds on Radar 39:324
- & -- Weather & migration 39:325r
- & -- A migr. wave observed by moonwatching & at band. stns. 40:243-252
- & -- Nocturnal migrants changing direction in flight 40:252
- & -- Short term effects of weather & bird migr.: a field study using multivariate statistics 41:134r
- Autumn migr. of the Blackpoll Warbler Evidence for long flight provided by regional survey 41:207-40
- Band. recoveries of the Blackpoll Warbler 41:279-281
- & J. Baird. Statistical comparison of wing-lengths measured by four observers 41:307
- see Bateson, P.P.G. & -- see Drury, W.H., Jr. & -- see Medway, L. & Noble, R. see Segre, A. & Noddy, Brown (*Anous stolidus*) -, White-capped (*A. minutus*) Nolan, V., Jr. Reproductive success of birds in deciduous habitat 36:274r
- Noll, H. Bird life in Switz. II. The nesting birds in their habitats 36:280r
- Norberg, A. On the ecol. of the Boreal (Tengmalm's) Owl 36:123r
- Physical factors in directional hearing in *Aegolius funereus* (Linne), with special ref. to the significance of the asymmetry of the external ears 40:263r
- Nord, I. Strong fall movements of buzzards observed along the coast of e.central Sweden 36:51r
- The activities at Hartso-Enskar bird station, 1965-67 Report No. 1 39:320r
- Norderhaug, M. The Black Brant pop. on Spitzbergen & Franz-Joseph Land 41:46r
- Nordstrom, G. Bird banding in Finland in 1958 32:231r
- Einege ergebnisse der Vogelberingung in Finnland in den jahren 1913-1962 35:128r
- Norgren, M.B. see Scott, T.G. & Norikov, G.A. The biol. of forest birds & mammals 39:144r
- Norman, F.I. see Harris, M.P. & Norris, A.Y. Observations of seabirds in the Tasman Sea & in N.Z. waters in Oct. & Nov., 1962 37:64r
- Norris, R.A. Birds of the AEC Savannah River Plant Area 35:285r
- & Stamm, D.D. Relative incidence of distress calls or 'squeals' in mist netted birds 36:48r
- A preliminary study of avian blood groups with special ref. to the Passeriformes 36:287r
- see Stoddard, H.L., Sr. & NORTH AMERICA birds of, 37:305r -- e. N.America 38:91r
- NORTH BORNEO birds from, 38:333r

- Norton-Griffiths, M. Some ecological aspects of the feeding behav. of the Oystercatcher (*Haematopus ostralegus*) on the edible mussel (*Mytilus edulis*) 39:68r
- The organization, control & dev. of parental feeding in the Oystercatcher (*Haematopus ostralegus*) 41:49r
- Notiomystis cincta* (Stitchbird)
survival, Hauturu, N.Z. 33:212r
- Notornis mantelli* (Takahe)
life history 41:247r
- Nottebohn, F. Auditory experience & song dev. in the Chaffinch (*Fringilla coelebs*) 40:268r
- Nucifraga caryocatactes* (Nutcracker)
archeocortex removal 39:67r
ecology 38:331r
food & feeding 36:276r
- storage 38:248r, 39:67r, 40:59r, 41:259r
migr. 40:328r, 41:136r, 41:259r
- Numenius arquata* (Curlew)
diet, Russia 39:143r
migr. 34:65
- & temp. 33:206r
-phaeopus (Whimbrel)
migr. over n.e. Atlantic 33:159r
summering, FL 33:36
-tenuirostris (Curlew, Slender-billed)
pop., Morocco 37:130r
- Nunneley, S.A. Analysis of band. records of local pops. of Blue Jays & Redpolls at Granby, MA 35:8
- Nutcracker (*Nucifraga caryocatactes*)
- Nuthatch (*Sitta* spp.)
-, Brown-headed (*S. pusilla*)
-, Persian (*S. tephronota*)
-, Pigmy (*S. pygmaea*)
-, Red-breasted (*S. canadensis*)
-, Rock (*S. neumayer*)
-, Siberian (*S. europa*)
-, White-breasted (*S. carolinensis*)
- Nuttallornis borealis* (Flycatcher, Olive-sided)
identification key 37:153-171
- Nyctea scandiaca* (Owl, Snowy)
nesting, first in Britain 39:232r
plumage, sys., distr., Labrador 35:281r
range, hunting & feeding, Scan. 37:64r
Sweden, rare occurrence 35:129r
- Nycticorax nycticorax* (Heron, Black-crowned Night)
banded, PA, recovery, FL 34:221
band. report 33:3
- post-juvenile dispersal, Malaya 41:265-274
survival curve, London Zoo, comp. 35:46
weights & meas. 32:144
- Nye, P.W. An examination of the electroretinogram of the pigeon in response to stimuli of different intensity & wavelength & following intense chromatic adaptation 40:163r
- Nyholm, E. see Arheimer, O. &
-- see Alm, B. &-

OCEANIC ISLANDS

- Capri, Isle of, band. 35:205r
 Hawaii, birds of Kauai 37:144r
 Jamaica, band. 37:54r, 37:290r
 Puerto Rico, fall migrants 33:161r
 Solomon Is., patterns of bird fauna
 40:265r
 West Indies, birds of, 39:73r
 Oceanodroma leucorhoa (Petrel, Leach's)
 weights & meas. 32:77
 Odham, G. Studies on the feather waxes
 of birds 38:163r
 -- see Karlsson, H. &-
 Odum, E.P. Lipid depositions in
 nocturnal migrant birds 33:108r
 -- Premigratory hyperphagia in birds
 33:109r
 -- & H.L. Stoddard & C.E. Connell. Flight
 energy & estimated flight ranges of
 some migratory birds 33:109r
 -- & D.T. Rogers & D.L. Hicks. Homeo-
 stasis of the nonfat components of
 migratory birds 36:120r
 -- & S.G. Marshall & T.G. Marples. The
 caloric content of migrating birds
 37:219r
 -- see Caldwell, L.D. &-
 -- see Connell, C.E. &-
 Oehlerts, D.E. see Baldwin, P.H. &-
 Oehme, H. The operative mechanism of the
 avian iris (a comparative morpho-
 functional study) 41:151r
 -- Comparative studies of the color of
 the avian iris 41:255r
 Oenanthe finschii (Wheatear, Black-
 necked)
 breeding biology 40:57r
 -isabellina (Wheatear, Dancing)
 ecol. & pop. & rodents 37:135r, 39:142r
 -oenanthe (Wheatear)
 lipid levels before trans-Saharan
 travel 35:44r
 migration 32:237r
 -, autumn, from Grnl. & Iceland, radar
 studies 35:271r
 - over n.e. Atlantic 33:159r
 trapping 32:127r
 Ogden, J.C. & E.J. Fisk. Traill's Fly-
 catcher, a transient in peninsula FL
 41:40
 Ohman, C.G. Yellow-browed Warbler at
 Ottenby, 1961 34:172r
 OIL POLLUTION see ENVIRONMENTAL QUALITY
 Olendorff, R.R. & S.E.O. Olendorff.
 An extensive bibliography on falconry,
 eagles, hawks, falcons & other birds
 of prey 41:336r
 Oliger, T.I. On the territorial behav.
 of Chaffinches 41:315r
 Olor buccinator (Swan, Trumpeter)
 hist., habits & pop. in U.S. 32:110r
 monograph 32:110r
 -columbianus (Swan, Whistling)
 bumblefoot 33:196
 heartworms 40:342r
 lead poisoning 37:137r
 Olrog, C.C. List & distr. of Argentine
 birds 35:288r
 -- Bird-band. in S. America 41:154r
 -- Birds of South America 41:154r
 Olson, S.L. & H. Loftin & J. Wiese.
 Observations on the behav. of Black &
 Turkey Vultures at traps & in
 captivity 38:75
 Olsson, V. Studies of less familiar
 birds. 126. Parrot Crossbill 35:214r
 -- The migrations & winter quarters of
 the Swedish Mute Swan 35:272r
 -- Danger threatens the Eagle Owl (Bubo
 bubo) & the White-tailed Eagle
 (Haliaeetus albicollis) in Sweden 35:278r
 -- Recent changes in the avifauna on the
 Swedish e.coast with special reference
 to their causes 36:205r
 -- see Berglund, B.E. &-
 Onion, D.K. see Kadlee, J.A. &-
 Oporornis agilis (Warbler, Connecticut)
 identification keys, meas. etc. 38:187
 -formosus (Warbler, Kentucky)
 age, sex & winglength of tower
 casualties & fall migrants 34:191-199
 banded, Panama 34:220, 38:152
 distress calls 36:83-88
 -philadelphia (Warbler, Mourning)
 identification key, meas., etc. 38:187
 -tolmiei (Warbler, MacGillivray's)
 identification 39:136
 - key & meas. etc. 38:187-194
 Oppenheim, R. see Hamburger, V. &-
 Oppenheim, R.W. Light responsivity in
 chick & duck embryos just prior to
 hatching 40:156r
 -- Color preferences in the pecking
 response of newly hatched ducks (Anas
 platyrhynchos) 40:270r
 Oreotrochilus chimboraza (Hillstar,
 Andean)
 life history 40:259r
 Orians, G.H. The ecol. of Blackbirds'
 (Agelaius) social systems 33:161r

- Orians, G.H. (cont.) On the evol. of mating systems in birds & mammals 41:139r
- The no. of bird spp. in some tropical forests 41:325r
- & H.S. Horn. Overlap in foods & foraging of four spp. of Blackbirds in the potholes of central Washington 41:327r
- ORIENTATION
- detection by radar 35:270r
- experiments with:
- Sparrows, Golden-cr. & White-cr., translocation 34:101r, 34:224r, 35:211r
- Swallows, Bank & Cliff 34:179-189
- Waterthrush, No. 35:270r
- flight directions, radar study, nocturnal migrants, IL 35:270r
- homing ability of:
- Goose, Can. 35:128r
- Grassquit, Yellow-faced 37:56r
- Owl, Screech 40:146
- Pigeons 36:49r, 40:55r, 40:151r, 40:327r
- Pintail 35:128r
- Rails, N.Z. 40:56r
- Robins 37:209r
- Swallow, Bank 34:179-189
- , Cliff 34:179-189
- inertial navig., basis for animal navig. 35:269, 38:239r
- magnetic field & biological rhythms 40:327r
- magnetism &, 37:210r, 40:54r, 40:151r
- navigation &:
- bi-coordinate & re-orient. 35:269r
- celestial, difficulties of, 33:44r
- passerines, by 38:328r, 40:55r
- Penguins 38:155r
- physiology & geophysics of, 41:134r
- semi-circular canals bisected 37:211r
- sensory factors in, 35:270r
- 'nonsense', pseudo migratory 32:232r, 36:48r, 40:53r
- , Mallards 36:48r, 39:322r
- of:
- Bunting, Indigo 41:44r
- Chaffinch 33:44r
- Dove, Rock 36:49, 37:211r, 40:54r, 40:151r, 41:43r, 41:246r
- Fieldfare 35:269r
- Goose, Can. 35:128r
- Mallard 32:232r, 35:128r, 36:48r, 39:322r
- Ouzel, Ring 35:269r
- Passeriformes 38:328r
- Penguin, Adelie 36:195r, 38:155r, 39:135r
- pigeons 32:232-235r, 36:49r, 41:43r
- pintails 33:61, 35:128r
- Plover, Black-bellied 34:65
- Redwing 35:269r
- Robin, Am. 40:326r
- , Eur. 37:207-210
- shorebirds 40:55r
- Starlings 32:236r, 40:257r
- Swallow, Bank 34:179-189
- , Cliff 34:179-189
- Teal, Blue-winged 35:128r
- Thrush, Gray-cheeked 37:129r
- , Mistle 35:269r
- Warblers 32:236r
- , Blackcap 32:236r
- , Garden 32:236r, 41:45r
- Waterthrush, No. 35:270r
- Zonotrichia 36:274r
- over sea, pigeon 41:246r
- pecten &, 39:235r
- pop. features of, USSR 37:291r
- radar study 40:54r
- shorebirds 40:55r
- solar influence 40:327r
- static magnetic field, robin 40:326r
- weather, effect on, 35:128r
- without sun, pigeons 41:43r
- Zugunruhe, Zonotrichia 36:274r
- Oriolus oriolus (Oriole, Golden) banded, Capri, recovery, Ukraine 35:205r
- Sweden, yearly breeding since 1963 35:135r
- Oropendola, Wagler's (Zarhynchos wagleri)
- , Para (Psarocolius bifasciatus)
- Osborne, D.R. see Wallace, G.J. & Osipova, I.V. see Vinnikov & Osprey. (Pandion haliaetus)
- Osterlof, S. Annual Rep. for 1961 of the Swedish Bird-ringing Office 37:208r
- Osterlof, S. The migr. of the Goldcrest 38:81r
- Ostrich (Struthio sp.)
- Othman, H.B. see McClure, H.E. & Otis tarda (Bustard, Great)
- nesting 37:215r
- Otsenasek, M. Keratinophilic fungi from nests of birds in Czech. 39:140r
- OTTENBY see SWEDEN
- Otterlind, G. Biocides, the avifauna & legislation 35:278r

- Otterlind, G. (cont.) The dev. of the biocide problem 36:58r
- & Lennerstedt, I. The Swedish avifauna & the biocides 36:201r
- Ovchinnikova, N.P. On the use of established vocal & general motor reactions by birds 40:268r
- Ovenbird (*Seiurus aurocapillus*)
- Overton, W.S. see Scott, T.G. &
- Owen, D.F. The nesting success of the Heron, *Ardea cinerea*, in relation to food 32:104r
- The migr. of the Yellow Wagtail from the equator 41:246r
- Otus asio (Owl, Screech)
- band. at nest boxes 34:40r
- bands from Chickadee in pellets 36:116
- calls, effect on *Sitta pusilla* 35:285r
- host parasite assoc. 41:302
- illness, weight loss 37:207
- migration 32:100r
- non-homing, incubating bird 40:146
- predation experiment 41:73r
- Owlet, Desert (*Athene noctua*)
- Owls (Strigiformes)
- , Barn (*Tyto alba*)
- , Barred (*Strix varia*)
- , Boreal or Tengmalm's (*Aegolius funereus*)
- , Eagle (*Bubo bubo*)
- , Elf (*Micrathene whitneyi*)
- , Great Gray (*Strix nebulosa*)
- , Great-horned (*Bubo virginianus*)
- , Little (*Athene brahma*)
- , Long-eared (*Asio otus*)
- , Pygmy (*Glaucidium passerinum*)
- , Saw-whet (*Aegolius acadicus*)
- , Screech (*Otus asio*)
- , Short-eared (*Asio flammeus*)
- , Snowy (*Nyctea scandiaca*)
- , Spectacled (*Pulsatrix perspicillata*)
- , Striped (*Rhinoptynx clamator*)
- , Tawny (*Strix aluco*)
- Owre, O.T. Adaptations for locomotion & feeding in the Anhinga & the Double-crested Cormorant 41:165r
- Oystercatcher, Eur. (*Haematopus ostralegus*)
- , Am. (*H. palliatus*)

- Pachyptila turtur* (Prion, Fairy)
 overseas recovery 40:56r
 -vittata (Prion, Broad-billed)
 breeding biol. & behav. 37:293r
 Pack, A.B. see Johnson, J.W. &
 Paerskii, V.A. Brambling migr. on the
 Courish Spit per trapping & banding
 data 40:329r
 Page, G. & A. Salvadori. Wt. changes of
 Semipalmated & Least Sandpipers
 pausing during autumn migr. 41:244r
Pagodroma nivea (Petrel, Snow)
 life history 36:57r
Pagophila eburnea (Gull, Ivory)
 life history, status 41:248r
 Paillette, M. see Tinbergen, N. &
 Palearctic avifauna
 non-passeriformes 37:145r
PALEONTOLOGY
 catalogue of fossil birds 36:126r,
 39:72r
 Cretaceous, Lower 38:246r
 Crow, Am. 34:51r
 Mid-Pleistocene birds, NE 41:324r
 Miocene, early middle 41:257r
 Pliocene, Woodpecker 41:258r
 Sheldgoose, new sp., *Anabernicula*
robusta 41:324r
 Palmer, E.C. see Brook, A. &
 Palmer, R.S. Handbook of North
 American Birds 34:47r
PANAMA see **CENTRAL AMERICA**
PANAMA CANAL ZONE " "
 Panchenko, S.G. Migr. of game birds in
 the n.Semipalatinsk Region 40:150r
Pandion haliaetus (Osprey)
 band. 32:59r
 colonial nesting 33:116r
 distribution 32:58r
 flying, long distance 32:59r
 status 41:58r
Panurus biarmicus (Tit, Bearded)
 irruptions 38:240r
 Sweden 39:142r
PARASITES & DISEASES
 aggression aroused by Cowbirds 34:41r
 anthrop parasites, Starling 41:147r
Apaulina sp. (Protocalliphora) larvae
 in nests of House Finch 33:71
 arbovirus studies 38:80
 -, disseminated by migr. birds 36:193
 blood parasites 39:193-199
 botfly larvae on chicks 40:170r
 bumblefoot (*Staphylococci*) 33:196
 cutaneous diseases 41:147r
 ectoparasites, Coliiformes 40:347r
 ergotism 33:196
 feather mite fauna 40:343r
 fleas, burrow-dwelling birds 38:332r
 foot pox virus 33:192
 fowl cholera 37:61r
 heart worms, Whistling Swan 40:342r
 helminth parasites 37:137r
 histoplasmosis from droppings 34:43r
 insect & bluebird, MI 32:91
 malaria host, Shining Cuckoo 32:179r
 MA, Diptera: Hippoboscidae 41:300-306
 mallophaga & abnormal & crossbills
 33:165r
 -, from Chile 37:160r
 -, Poland 37:217r
 of:
 burrow-dwelling birds 38:332r
 cowbirds 34:199-202, 33:192
 crossbills 33:165r
 Dove, Mourning 33:195
 -, White-winged 33:195
 Dunlin 40:342
 Eider, Common 37:61r
 Grouse, Hazel 40:161r
 Mockingbird 33:192
 passerines 40:161r
 pheasants 34:103r
 Pipit, Water 39:33-36
 Saltator, Buff-throated 40:51-52
 Sparrow, Song 33:192
 -, Swamp 38:80r
 Swan, Whistling 33:196
 Starlings 34:43
 Thrush, Swainson's 40:146
 Warbler, Orange-cr. 41:58r
 waterfowl 40:343
Ornithorhina, *Ornithomya* & *Ornithectona*
 in MA 41:300-306
 pluminidal sinus, Hazel Grouse 0:161
 population regulation 40:342r
 pox virus, Dunlin 40:342r
 salmonella in wild birds 40:161r, 41:59r
 scaly leg, caused by mites,
Cnemidocoptes 33:194
 -, Buff-throated Saltator 40:51r
 -, dove 33:195
 seed-dressing residues, pheasants'
 eggs 34:103r
 synchronized life cycle of parasites
 41:58r
 ticks, *Ixodis brunneus* 35:127
 -, India 36:48r
 toxic chemicals & birds of prey 35:49r
 Trombiculid mites 39:235r

PARASITES & DISEASES (cont.)

- tuberculosis, Swainson's Thrush 40:146
- PARASITISM by BIRDS
- brood parasitism problems 35:50r
- , knowledge, hist. of 35:50r
- , of Viduines 35:275r
- cowbirds on:
- breeding birds, MI 33:112r
- Cacique, beneficial 40:170r
- Catbirds, unsuccessful 37:59r
- Oropendola, beneficial 40:170r
- Sparrow, Song 35:48r, 35:50r
- Tanager, Scarlet 37:222r
- Veery, breeding 32:114r
- vireo nests 33:207r
- Warbler, Kirtland's 34:41r, 35:50r
- , Yellow 35:48r, 35:50r
- Cuckoo, Common 39:137r, 212r
- , Glukha 37:137r
- , Horzfield Bronze 41:140r
- Duck, Black-backed 40:152r
- Green Indigo Bird on Firefinch 36:275r
- host-nest finding, cuckoo 41:248r
- imprinting to songs of host sp. 35:275r
- quail & pheasant nests 39:133
- Viduines on waxbills 35:275r
- Pardi, L. see Popi, F. &
- Paridae spp.
- dynamics of flocks 39:327r
- taxonomy: genera Auriparus & Remiz 41:325r
- winter roosts 39:138r
- Parish, A.L. White-cr. Sparrow crossing Atl. on board ship 33:49r
- Parks, G.H. A convenient method of sexing & aging the Starling 33:148r
- & H.C. Parks. Some notes on a trip to an Evening Grosbeak nesting area 34:22
- & -- Evening Grosbeaks died to supply bands for this 'jewelry' 34:73
- Effect of sprayed pesticide on Evening Grosbeaks' nesting area 35:216r
- Supplementary notes on an Evening Grosbeak nesting area study 36:113
- Another experience with Evening Grosbeaks in Canada 39:328r
- Mr. & Mrs. Still another experience with Evening Grosbeaks in Can. 39:328r
- & -- Evening Grosbeaks in New Brunswick. Chap. III 39:239r
- see Blais, J.R. &
- see Parks, H.C. &
- Parkes, K.C. & R.C. Leberman. Abnormal retention of juvenal feathers by a Catbird 38:326
- Parmelee, D.F. & S.D. MacDonald. The birds of w.central Ellesmere Is. & adjacent areas 32:110r
- Parrinder, E.R. The Little Ringed Plover in Gt. Britain during 1957-59 32:184r: 1960-62 35:275r
- Parrots (Psittaciformes)
- , Caica (*Pinopsitta caica*)
- , King (*Alisterus scapularis*)
- , Woodpecker (*Micropsitta keiensis*)
- Parslow, J.L.F. Immigration of night-migrants into s.England in spring, 1962 35:208r
- Changes in status among breeding birds in Britain & Ireland 39:330r
- The migr. of passerine night-migrants across the English Channel studied by radar 40:327r
- see Lack, D. &
- Partridge (*Perdix perdix*)
- Parula americana (Warbler, Parula) distribution 32:50r
- non-squealer 36:86
- Parulidae (Warblers, Am. Wood)
- age, sex, wing length, fall migrants 34:191-199
- aging & sexing in fall 36:126r
- band. 32:171r
- ethology, comp. 33:209r
- mist netting 32:171r
- returns, MA 38:218-233
- special formation 36:61r
- squealing 36:86
- wing-weight relationship 32:77
- Parus ater (Tit, Coal)
- pop., food 35:280r
- songs of young 33:168r
- Parus atricapillus (Chickadees, Black-capped)
- band. 32:228r
- band. program, NH, 1952-62 33:198
- breeding hab. & ecol., anal. 40:159r
- host-parasite assoc. 41:302
- longevity 35:41. 35:124, 35:267r
- movements 36:71-79, 36:193
- nesting experiments 40:260r
- pop. dynamics & survival 34:87-93
- resident, Monhegan Is., ME 35:207r
- traps 32:51
- weights & meas. 32:151
- wing length 33:154
- bicolor (Titmouse)
- distress calls 36:83-88
- reverse migr. 35:45r
- status, CT Valley & band. records 35:1-7

- Parus caeruleus* (Tit, Blue)
 band. in Britain 33:154r
 ecology 32:106r
 songs of young 33:168r
 -*carolinensis* (Chickadee, Carolina)
 distress squealer 36:86
 mist netting 32:172
 trapping 32:161
 weight & meas. 32:151
 wing length 33:154
 -*gambeli* (Chickadee, Mt.)
 migration, partial altitudinal 35:207r
 -*hudsonicus* (Chickadee, Boreal)
 host-parasite assoc. 41:302
 -*major* (Tit, Great)
 band. 32:100r
 behav. 32:15
 ecology 32:106r
 eggs, turning, marked 41:40
 geog. var. in size 40:345r
 pop. & pine woods food supply 35:280r
 - dynamics in oak woods, Engl. 35:129r
 -- & productivity 41:137r
 - invasions 39:321r
 - movements, & beach crops 38:248r
 predation on Goldcrest 33:211r
 songs 33:168r
 weights & meas. 32:61r
 -*montanus* (Tit, Willow)
 band. 32:100r
 -*palustris* (Tit, Marsh)
 biol. & breeding behav. 37:215r
 - & territory 33:50r
 -*rufescens* (Chickadee, Chestnut-backed)
 breeding hab. & ecol., anal. 40:159r
 -*rufinuchalis*
 nesting 39:137r
 -spp. (Tits, Eur.)
 behav., comp. 36:56r
 ecol., winter 41:54r
 egg laying & incub. 38:83r
 niches 40:340r
 pop. dynamics 36:53r, 36:78
 - & productivity 41:137r
 Pashby, B.S. & J. Cudworth. The Fulmar
 'wreck' of 1962 41:138r
 Passeriformes (Passerines)
 appendicular myology 41:68r
 band. 32:230r
 behav. 32:65r
 colony size, courtship of trop. 41:141r
 fat deposition, migrants 37:176-183
 habitat 32:29
 identification guide, n.Eur. 36:125r
 migration 32:178r, 38:239r
 migr., nocturnal, altitude 34:57-67
 41:282-290
 -, radar study 34:57-67, 41:282-290
 -, --, coastal NJ 35:45
 nest helpers, Australia 41:140r
 orient. & navig. 38:328r
 polygamy, Eur. 41:139r
 retinal dev. 40:265r
 songs & morph. groupings, 5 spp. 40:347r
 weights & meas., migrants 37:140
 Passer domesticus (Sparrow, House)
 age detn. 32:55
 albinism & melanism 35:132r
 band. 32:179r, 32:229r
 - program, Britain 35:154r
 - reports 33:7-15
 behav., rearing young 32:63r
 food, USSR 40:172r
 host-parasite assoc. 41:302
 light perception, extra retinal 39:235r
 migration 33:104r
 non-squealer 36:83
 parasites 32:93
 photoperiodism, pineal function 41:61r
 pop., after *Zonotrichia* removal, San
 Jose 35:184-195
 pox virus susceptibility 33:192
 study on acclimatization 38:162r
 trapping 32:161, 35:122
 weights & meas. 32:55
 -*hispaniolensis* (Sparrow, Spanish)
 foods, USSR 40:172r
 -*luteus* (Sparrow, Golden)
 social behav., in captivity 33:162r
 -*montanus* (Sparrow, Eurasian Tree)
 dispersal of young 37:214r
 - & overcrowding 37:58r
 ethology 34:226r
 foods, USSR 40:172r
 life history 39:234r
 nestling growth 37:58r
 pop. dynamics 36:275r
 -*simplex* (Sparrow, Desert)
 life history 38:158r
 Passerculus sandwichensis (Sparrow,
 Savannah)
 aging 32:56
 band. report 33:72
 giantism 32:109r
 host-parasite assoc. 41:302
 hybrid with Grasshopper Sparrow 41:71r
 lipid deposition 33:109r
 migration 32:102r
 range, Wrangel Is. 36:279r
 squealer? 36:87

- Passerculus sandwichensis* (cont.)
 vocalizations 41:18-21
 weights & meas. 32:50
- Passerella iliaca* (Sparrow, Fox)
 aging 32:51
 band. report 33:82
 migr. off Nfld. 33:158r
 pox virus susceptibility 33:192
 status, changing, CT 35:1-7
- Passerherbulus caudatus* (Sparrow, LeConte's)
 hybrid with Sharp-tailed Sparrow 41:71r
 plumage, juvenile, comp. with Sharp-tailed Sparrow 33:202
 -henslowii (Sparrow, Henslow's)
 migration 32:100r
- Passerina ciris* (Bunting, Painted)
 weights & meas. 32:50
 -cyanea (Bunting, Indigo)
 age & sex detn. 41:113-118
 band., Jamaica 37:54r
 - results 40:133-139
 ecology 37:131r
 identification, autumnal 38:211-214
 lipid deposition 33:108, 37:131r
 meas., plumage, etc. 38:211-214
 migration 37:131r, 40:44r
 - features, Jamaica & FL 39:277-293
 molt 36:270, 39:277-293
 orient., discussed 41:44r
 Panama 38:152
 pop. statistics 40:133-139
 recovery, long distance 38:153r
 song dev. 40:349r
 squealing 36:86
 trapping terr. males 36:80-83
 weights & meas. 32:158, 39:277-293
- Pastor roseus* (Pastor, Rosy)
 lipase activity, heart muscle 33:110r
- Patterson, I.J. see Bourne, W.R.P. &
 -- see Dunnet, G.M. &
- Patten, B.C. Preliminary method for
 estimating stability in plankton 33:112r
- Paulson, R.C., Jr. Heron studies 36:194
- Payne, R. Giant Cowbird solicits
 preening from man 41:143r
- Payne, R.B. Age var. & time of migr. in
 Swainson's & Gray-cheeked Thrushes
 33:157r
 -- Clutch size & nos. of eggs laid by
 Brown-headed Cowbirds 36:200r
- Paynter, R.A. see Deignan, H.G. &
 Peacock, Congo (*Afropavo congensis*)
- Pearse, T. Results from band. Glaucous-winged
 Gulls in the n.Gulf of Georgia
 B.C. from 1922-1949 34:30
 -- see Campbell, R.W. &
 Pearson, O.P. Flight speeds of some
 small birds 33:108r
- Pearson, T.G. & C.S. Brimley & H.H.
 Brimley. Birds of NC 32:110r
- Pearson, T.H. The feeding biol. of sea-
 bird spp. breeding on the Farne
 Islands 40:171r
- Pedioecetes phasianellus* (Grouse, Sharp-
 tailed)
 management 36:212r
- Pedionomus torquatus* (Hemipode, Collared)
 osteology 41:152r
- Peiponen, V.A. Behav. studies on the
 Bluethroat 32:183r
- Pejler, B. On waterfowl & lake types
 34:170r
- Pelagodroma marina* (Petrel, Storm or
 White-faced)
 breeding biology 37:292r
- Pelecaniformes*
 chlorinated hydrocarbons & breeding
 41:252r
 communication patterns 37:67r
 spread-wing posture 41:53r
- Pelecanoides urinatrix* (Petrel, Diving)
 breeding biology 37:292r
- Pelecanus crispus* (Pelican, Dalmatian)
 nesting in Danube delta, cons. 35:133r
 -occidentalis (Pelican, Brown)
 distribution 32:50
 -onocrotalus (Pelican, Eastern White)
 band. 40:329r
 nesting, Danube delta, cons. 35:133r
- Pelican, Dalmatian* (*Pelecanus crispus*)
 -, Brown (*P. occidentalis*)
 -, Eastern White (*P. onocrotalus*)
- Penguin, Adelie* (*Pygoscelis adeliae*)
 -, Emperor (*Aptenodytes forsteri*)
 -, King (*A. patagonica*)
 -, Little Blue (*Eudyptula minor*)
 -, Rockhopper (*E. cresatus*)
- Penny, R.L. & J.T. Emlen. Further ex-
 periments on distance navig. in the
 Adelie Penguin, *Pygoscelis adeliae*
 39:135r
 -- & W.J.L. Sladen. The use of teflon
 for band. penguins 40:325r
 -- see Emlen, J.T.
- Pennycook, C.J. The physical basis of
 astronavig. in birds: theoretical
 considerations 32:233r
 -- The mechanics of bird migr. 41:148r
 -- see Pumphrey, R.J. &

- Pepper, W. see Dennis, J.V. &-
 Perdeck, A.C. & J.Taapken. Bird ringing
 in the Netherlands 32:230r
 -- Does navig. without celestial clues
 exist in Robins? 35:207r
 -- & B.J. Speek. Ringverslag van het
 vogelstrekstation 36:45r
 -- & -- Bird ringing in the Neth. 37:209r
 38:81r, 39:62r
 -- The Starling as a passage migrant in
 Holland 40:55r
 -- Orient. of Starlings after
 displacement to Spain 40:257r
 Perdix perdix (Partridge)
 ecology, breeding success, food 41:158r
 study, Hampshire, England 32:61r
 Perisoreus canadensis (Jay, Gray)
 nest translocation 41:130
 Perlman, D. Pesticides causing rapid
 extinction of the Brown Pelican 41:56r
 Pernis apivorus (Buzzard, Honey)
 migration 33:105r
 Perrins, C.M. The effect of beech crops
 on Great Tit pop. & movements 38:248r
 Perrins, M. see Gross H.M. &-
 -- see Moreau, R.E. &-
 Persson, B. The breeding success of the
 Whitethroat in pesticide treated
 environment 40:57r
 PESTICIDES & HERBICIDES (see also
 ENVIRONMENTAL QUALITY, MORTALITY)
 Betoxin '61' 37:57
 biocides, legislation 35:278r, 36:58r
 Carbaryl 38:66-72
 chlorinated hydrocarbons, banning
 41:251r
 --, pelicans & cormorants & Golden
 Eagle 41:252r
 DDE contamination, Can. Prairie Falcon
 41:251r
 DDT, Alaska 40:341r, 41:58r
 -, Antarctica 40:341r
 -, Bermuda Petrel 41:56r
 -, Brown Pelican 41:56r
 -, photochemical decomposition 41:57r
 Dieldrin 41:57r
 effects 33:163r, 33:211r, 34:103r
 - on:
 corvids 36:278r
 Eagle, Bald 41:58r
 -, Golden 36:123, 41:252r
 -, White-tailed 35:278r, 38:245r
 Falcon, Peregrine 35:50, 40:234r,
 41:58r
 -, Can. Prairie 41:251r
 gallinules 41:57r
 grosbeaks 36:113, 36:124r
 Jackdaw 37:57
 kestrel 35:50r, 41:57r
 Osprey 41:58r
 Owl, Eagle 35:278r
 Pelican, Brown (DDT) 41:56r
 Penguins, Adelie 40:341r
 Petrel, Bermuda 41:56r
 pheasants 34:103r
 raptors 36:278r
 robin 33:163r
 Sparrowhawk 35:50r
 Starling 37:57
 Swedish avifauna 36:201r
 Turkey, Wild 33:113r
 Whitethroat, nesting success 40:57r
 Woodcock 33:163r, 37:133r
 eggshell thickness 41:319r
 - changes in raptors & fish eaters
 40:62r
 gardening without - 33:54
 guides for good spraying 33:53
 Heptachlor 37:133r, 37:298r
 Mercury 38:245r
 nesting success 38:66-72, 40:57r,
 40:62r, 40:342r
 organochlorine residues 36:278r
 Phosphamidon 37:298r
 seed dressing 34:103r
 Sevrin 38:66-72
 Peterson, D.F. & M.R. Fedde. Receptors
 sensitive to carbon dioxide in lungs
 of chicken 41:61r
 Peterson, P., Jr. Mist netting Saw-whet
 Owls 34:224r
 Peterson, R.T. & the Editors of 'Life'
 The Birds. 34:231r
 -- Birds over America 36:209r
 -- & G. Mountfort & P.A.D. Hollum. A
 Field Guide to the Birds of Britain
 & Europe 37:304r
 -- A Field Guide to the Birds/ Eastern
 Land & Water Birds 39:332r
 -- see Fisher, J. &-
 -- see Mackenzie, L. &-
 Petrel, Bermuda (Pterodroma cahow)
 -, Cook's (P. cooki)
 -, Diving (Pelecanoides urinatrix)
 -, Giant (Macronectes giganteus)
 -, Leach's (Oceanodroma leucorhoa)
 -, Pycroft's (Pterodroma pycrofti)
 -, Snow (Pagodroma nivea)
 -, Storm or White-faced (Pelagodroma
 marina)

- Petrochelidon pyrrhonata* (Swallow, Cliff)
 artificial incub. 32:151
 band. 32:231r
 -, marking & movements 41:97-103
 homing experiments 34:179-189
 parasites 32:93
- Pettingill, O.S., Jr. Hawk migr. around the Great Lakes 33:161r
- All-day observations at a robin's nest 35:47r
- (Ed.) *The Living Bird* 36:61r
- (Ed.) *The Birdwatchers' America* 36:282r
- & N.R. Whitney, Jr. *Birds of the Black Hills* 36:283r
- Kelp Geese & Flightless Steamer Ducks in the Falkland Is. 37:59r
- An 'ancient' Herring Gull 39:326r
- Pewee, Wood (*Contopus virens*)
 -, Tropical (*C. cinereus*)
 -, Greater Antillean (*C. caribaeus*)
- Peyton, L.J. see West, G.O. & Phaethon lepturus (Tropicbird, White-tailed)
 preying on nests of Bermuda Petrel 33:53r
 -rubricauda (Tropicbird, Red-tailed) longevity 37:193-196
- Phaethornis longuemari (Hermit, Little) singing assembly, 'lek' 40:69r
- Phalacrocorax spp. (Cormorants)
 chlorinated hydrocarbons & breeding 41:252r
 physiology of habitat selection 38:161r
 water repellence & feather structure 40:65-67r, 40:346r
- Phalacrocorax aristotelis (Shag, Common)
 behav. 34:226r
 breeding 32:104r
 mort., severe, shellfish poison 40:62r
 pop. dynamics 40:330r
- auritus (Cormorant, Double-crested)
 adaptation, locomotion & feeding 41:165r
 census & success, Mandarte Is., B.C. 36:205r
 longevity 39:326r
- brasilianus (Cormorant, Neotropic)
 recovery, S. America 39:32
- carbo (Cormorant, Common)
 flying with bills agape 40:65r
 migration, Belgium 36:52r
- fuscescens (Cormorant, White-breasted)
 buoyancy & pebble swallowing 40:65r
- pelagicus (Cormorant, Pelagic)
 census & success, Mandarte Is., B.C. 36:205r
 trapping 37:207
- pygmacus (Cormorant, Pygmy)
 band. 40:329r
- Phalarope, Northern (*Lobipes lobatus*)
 -, Red (*Phalaropus fulicarius*)
 -, Wilson's (*Steganopus tricolor*)
- Phalaropus fulicarius (Phalarope, Red)
 band. program 37:197-200
 behav. 32:108r
 -, & hormones 41:62r
 -, breeding 39:327r
- Phasianus colchicus (Pheasant, Ring-necked)
 distr. & calcium, IL 37:65r
 eggs, chemical residue 34:103r
 migration, USSR 37:69r
 weights & meas. 32:146
- Pheasant, Ring-necked (*Phasianus colchicus*)
- Phersson, O. A study on resting & wintering waterfowl in the inner archipelago of s. Bohuslan 37:132r
- Pheucticus ludovicianus (Grosbeak, Rose-breasted)
 band. & plumage 37:49-51
 -, Panama 34:220
 nesting, same tree as two other spp. 35:39-40
 weights & meas. 32:158
- melanocephalus (Grosbeak, Black-headed)
 band. report 33:69
 deafening & song dev. 37:144r
- Philips, R.E. see Murphy, R.K. & Phillips, A.R. & J. Marshall & G. Monson
- The Birds of Arizona 36:286r
- & M.A. Howe & W.E. Lanyon. Identification of the Flycatchers of eastern N.America with special emphasis on the genus *Empidonax* 37:153
- Some unusual vireos 37:286
- & W.E. Lanyon. Additional notes on the Flycatchers of e.n.Amer. 41:190-7
- see Monson, G. & Philohela minor (Woodcock)
 aging & sexing via wing molt 36:203r
 artificial incub. 32:146
 band., pop. data, etc. 41:1-10
 DDT & heptachlor 37:133r, 138r
 life history, mgt., pop. 39:144r
 weights & meas. 32:146

Philomachus pugnax (Ruff)
 behav. 32:66r
 -, social 38:244r
 in Lina bog, Sweden 33:115r
 migration over Atlantic, n.e. 33:159r
 molt 41:68r
 recoveries, long distance 37:128r
 status, Finland 37:212r
 Phoebe (Sayornis spp.)
 -, Black (S. nigricans)
 -, Eastern (S. phoebe)
 Phoenicopteridae (Flamingos)
 systematic position 41:156r
 Phoenicopus ruber (Flamingo)
 band. 32:230r
 food, reprod. 37:294r
 movements, Europe 36:281r
 Phoenicurus ochrurus (Redstart, Black)
 recovery abroad, Britain 39:134r
 -phoenicurus (Redstart, Eur.)
 migration 32:178r, 33:107
 PHOTOGRAPHY
 Bluethroat, Red-spotted, studies 40:73
 Bowerbird, Crested 41:74r
 British photographers 40:349r
 equipment & techniques, natural
 photography 36:63r
 Owl, Great Gray 41:157r
 Pictorial Encyclopedia of Birds 41:160r
 radio-operated camera 40:70r, 40:349r
 stalking by, 40:349r
 sunbathing 40:70r
 Swift, Eur. 33:166r
 Vulture, Egyptian 41:74r
 Wildlife Portrait Series. No. 1 41:331r
 PHOTOPERIOD see PHYSIOLOGY
 Phylloscopus borealis (Warbler, Arctic)
 in c.Sweden in July 33:166r
 -collybita (Chiffchaff)
 parasitism by Glukha Cuckoo 37:137r
 migration 41:137r
 -schwarzii (Warbler, Radde's Bush)
 first record, Sweden 36:125r
 -sibilatrix (Warbler, Wood)
 behav., parental 34:95
 habitat 32:29
 migr., fall, over w. Atl. from N.Z. 35:45r
 sound repertoire 40:268r
 weights & meas. 32:76
 -trochilus (Warbler, Willow)
 migration 33:105r
 pop. dynamics, English oakwood 35:129r

PHYSIOLOGY

 acoustic system 41:52r
 adaptation to display 41:150r
 -- lateral optical displacement 41:65r
 age dynamics of 'red blood indices'
 41:149r
 albinism & melanism 34:46r, 35:132r
 Avian Physiology, book 37:222r, 40:175r
 biological clock, sparrow 39:235r
 blood characteristics, Rockhopper
 Penguin 40:161r
 body weight & fuel storage, Scarlet
 Tanager 33:156r
 brain, central patterning of
 vocalization 40:64r
 -, of birds 41:62r
 breathing rate control 41:61r
 caloric content of migr. birds 37:219r
 chemical inhibitors of ovulation
 36:203r, 37:219r
 circadian rhythms 41:253r
 color preference shift, hungry &
 thirsty pigeons 41:63r
 corrosive action of thermal water
 35:277r
 digestion of seeds, Blackbirds 33:212r
 directional hearing, Boreal Owl 40:263r
 drinking response 41:148r
 egg shell structure 41:152r
 electromagnetic fields, effect on
 chick embryo 39:141r
 --, & respiration rates 40:163r
 electroretinogram 40:161-163r
 energetics:
 adaptations to arctic environment
 Redpoll 41:60r
 bioenergetics of migration 36:272r
 -, Dickcissel 37:218r
 bionics 39:145r, 41:75r
 cold tolerance & Bergmann's rule 41:60r
 cycle timing, nesting 38:195-211
 fat deposition see lipid -
 flight, & aerodynamics 38:306-308
 - energy, fuel consumption & weight
 33:156r, 33:109r
 --, parakeet 40:343r
 --, swallows & swifts 41:320r
 - muscle, Zebra Finch 41:245r
 - range limitations 33:158r
 flying, of 41:61r
 lipid deposition 40:65r
 -- & migr. 33:108r, 33:156r, 33:158r

PHYSIOLOGY (cont.)

energetics: (cont.)

- lipid deposition (cont.) of:
 - arctic birds, post-breeding 37:63r
 - Bunting, Indigo 33:108r
 - Dickcissel 36:115r
 - Dunlin 37:1-34
 - Procellariiformes, stomach oils 41:254r
 - shorebirds & flight range 41:148r
 - Sparrow, Savannah 33:109r
 - Tanager, Scarlet 33:108r, 33:156r, 36:115
 - , Summer 33:109r, 36:115
 - Thrush, Swainson's 37:83-112
- of:
 - Capercaillie chicks, starving 36:204r
 - Carib, Purple-throated, during torpor 41:254r
 - Blackbird, Red-winged, reserve energy 38:195-211r
 - Bunting, Yellow, winter survival 41:59r
 - , metabolism 35:132r
 - Hummingbird, neuromuscular mechanism of wingbeats 40:343r
 - , Ruby-throated 33:108r, 35:285r
 - parakeet, during flight 40:343r
 - Pastor, Rosy, lipase activity in heart muscle 33:110r
 - Ptarmigan, Willow 40:264r
 - Starling 41:320r
 - swallows & swifts 41:320r
 - Wagtail, Blue-headed, fat reserves 36:59r
 - Wren, Long-billed Marsh 37:78r
 - oxygen consumption, flying 38:161r
 - requirements, caged migrants 39:60
 - reserve, Red-winged Blackbird 38:195-211
 - respiratory muscles, tonic activity 41:254r
 - erythrocytes in birds 35:131r
 - extraretinal light perception, sparrow 39:235r
 - fat classes 40:321r
 - fat-free weights 33:109r
 - flight see 'energetics'
 - foot abnormalities, parasites & diseases 33:191r
 - gastroliths, differential digestion & composition 34:100r
 - habitat selection &, cormorant 38:161r

- hearing in owls 41:148r
- Herbst bodies, shorebird food searching 41:151r
- , & Gandry, Mallard 41:151r
- histochemical study, Organ of Corti 39:141r
- hormonal initiation of parental behav. Ring Dove 41:62r
- hormones & behav., phalaropes 41:62r
- hyperthermia, behav. reactions 38:333r
- iris, morpho-functional study 41:151r
- lipase activity in heart muscle 33:110r
- mechanics of migration 41:148r
- medulla, induced potentials in acoustic centers, pigeon 40:263r
- metabolism & evolution 40:161r
- flight range 39:97-113
- morphology of eye, gulls & terns 41:151r
- olfaction, King Vulture 36:61r
- , Rallidae 51:151r
- optomotor response, & visual system organization 41:65r
- organ weights, Swainson's & Gray-cheeked Thrushes 33:156r
- orientation, Starling 41:320r
- osteology, Collared Hemipode 41:152r
- , post-cranial, waterfowl 33:54r
- photoperiodic control, reprod. cycles 35:279r
- response, Andean Sparrow 37:63r
- photoperiodism, House Sparrow 41:61r
- photoresponse 39:65r
- pineal function, House Sparrow 41:61r
- preen gland & Vitamin D 40:63r
- preingratory hyperphagia 33:109r
- prolactin stimulation, Ring Dove 41:62r
- provitamin D 33:165r
- radiation, effect on eggs, & birds 38:246r
- salt gland, inactive, Mallard 41:255r
- , ontogeny, Peking & Mallard ducks 35:280r
- sea water drinking experiment, gulls 41:253r
- senescence, cause examined 35:46r
- spherical urine:petrography 41:147r
- stomach oil, Procellariiformes 41:254r
- starving, Capercaillie chicks 36:204r
- stimulus preference & detection 40:344r
- subcutaneous lipid data, quantitative treatments 34:14-20
- taste discrimination, Bobwhite 41:68r
- thermoregulation:
 - black pigmentation, function 40:63r

PHYSIOLOGY (cont.)

- thermoregulation: (cont.)
 ecological aspects, cont. of
 homiothermy 40:64r
 of:
 Anatids & polypnoea 38:246r
 Egret Cattle, temp. var. 40:64r
 Ostrich, body temp. 36:203r
 Penguin, Adelie 34:45r, 36:57r
 -, Emperor 34:45r
 Shag, Black, bill agape while
 flying 40:65r
 Storks, Whale-headed & Hammerhead
 40:169r
 Tern, Sooty 35:51r
 Tetraonids, warmth of snow burrows
 39:234r
 skin temp., topography 41:252r
 sunbathing 40:63r, 41:254r
 torpor, Whooping Swan 37:132r
 transmitter, birds in flight 40:163r
 ultraviolet radiation, effect on
 chick eggs 41:253r
 visual acuity & 'internal' clock 35:270r
 - field dependency, pigeon 41:67r
 water deprivation, Scaly-feathered
 Finch 37:219r
 - economy & salt balance, White-winged &
 Inca Dove, & White-cr. Sparrow 40:163r
 - loss & prolonged flight 33:156r
 weight loss, nocturnal migr. 40:343r
 --, trans-Sahara migrants 40:344r
 wing & leg muscles, numerical study,
 Laridae & Alcidae 41:153r
 wing-beats, neuromuscular mechanisms
 40:343r
- Pica pica* (Magpie, Black-billed)
 autumn movements 35:265
 preying on Wood Pigeon 36:55r
- Picidae (Woodpeckers)
 nesting tree preference 40:335r
 sexual dimorphism, tail length,
 foraging differences 41:85-92
 terr. & resonance, utility pole
 damage, etc. 35:225-252
 squealing 36:83-88
- Pickett, A.D. Pesticides & the biological
 control of insect pests 35:216r
- Picoides tridactylus* (Woodpecker, Three-
 toed)
 biology 40:340r
 conservation 32:107r
 in Sweden 38:329r
- Picus canus* (Woodpecker, Grey-headed)
 conservation 32:107r
- Pied Goose = Magpie Goose
- Pigeons
 -, Cape (Daption capensis)
 -, Homing (*Columba livia*)
- PIGMENTATION see PLUMAGE
- Pinchon, P.R. Fauna of the French
 Antilles, the Birds 35:288r
- Pinicola enucleator* (Grosbeak, Pine)
 breeding in outdoor cage 32:103r
- Pinowski, J. The Tree Sparrow as
 potential carrier of infections 36:275r
 -- Overcrowding as one of the causes of
 dispersal of young Tree Sparrows 37:58r
 -- Dispersal of young Tree Sparrows
 (*Passer m. montanus*, L.) 37:214r
 -- Fecundity, mort., nos. & biomass dy-
 namics of a pop. of the Tree Sparrow
 39:234r
- Pintail (*Anas acuta*)
 -, Brown (*A. georgica*)
 -, Yellow-billed = Brown
- Pipilo erythrophthalmus* (Towhee, Rufous-
 sided)
 artificial incub. 32:158
 band. report 33:71
 distress call 36:83-88
 healthy despite serious handicap 33:72
 host-parasite assoc. 41:302
 migration off Nfld. 33:158r
 ticks 35:127
 -fuscus (Towhee, Brown)
 pop., after *Zonotrichia* removal,
 San Jose 35:184-195
- Pipit (*Anthus novaeseelandiae*)
 -, Meadow (*A. pratensis*)
 -, Rock (*A. crenatus*)
 -, Tree (*A. trivialis*)
 -, Water (*A. spinoletta*)
- Pipridae (Manakins)
 courtship behav. 39:138r
- Piranga flava* (Tanager, Hepatic)
 -olivacea (Tanager, Scarlet)
 artificial incub. 32:157
 host-parasite assoc. 41:302
 life history 37:222r
 migr., fat levels, range 33:108r,
 33:156r, 36:115
 natal pterylosis 34:36-38
- rubra (Tanager, Summer)
 band., Panama 34:220
 distress calls 36:83-88
 host-parasite assoc. 41:302
 identifying, from Hepatic Tanager 40:144
 migr., fat levels, range, energy
 33:109r, 36:115

- Platelea leucorodia* (Spoonbill, White)
 distribution, biology 39:232r
Platycercus eximius (Rosella, Eastern)
 life cycles 35:48r
Plectrophenax nivalis (Bunting, Snow)
 breeding biology 32:1
 migration 32:102r
 - off Nfld. 33:158r
Plegadis chihi (Ibis, White-faced)
 distr., migr., mort. 38:257-277
 -falcinellus (Ibis, Glossy)
 nesting, Danube delta, cons. 35:133r
 Ploceidae (Weaverbirds)
 evol., nest building 35:274r
 -, social & visual 36:128-131r
 parasitic, study 32:185r
Ploceus cucullatus (Weaverbird, Village)
 courtship, colony size, etc. 41:141r
 Plovers (Charadriidae)
 -, Am. Golden (*Pluvialis dominica*)
 -, Black-bellied (*P. squatarola*)
 -, European (*P. apricaria*)
 -, Little Ringed (*Charadrius dubius*)
 -, Pacific Golden (*P. dominica*)
 -, Piping (*C. melodioides*)
 -, Ringed (*C. hiaticula*)
 -, Semipalmated (*C. semipalmatus*)
 -, Upland = Upland Sandpiper
 -, Wattled (*Afribyx senegallus*)
 -, Wilson's (*C. wilsonia*)
 Plumb, W.J. Observations on the breeding
 biology of the Razor Bill 37:134r
Pluvialis dominica (Plover, Am. &
 Pacific Golden)
 breeding 32:62r
 ecol. & ethology of reprod. 34:42
 habitat 32:29
 migr. & orientation 36:196r
 -squatarola (Plover, Black-bellied)
 habitat 32:29
 pop. dynamics; plumage & age; gonadal
 dev. 33:33
 migration 33:33
 -, spring 34:65
PLUMAGES
 adherent colors 39:66
 albinism & melanism 34:46r, 35:132r
 -, in n.Amer. birds, many spp. 36:67-70
 contour plumage & flight 38:247r
 distinguishing Summer & Hepatic
 tanagers 40:144r
 erythrism 36:241, 37:121
 evolution 38:161r
 feather dev., Mockingbird 37:257-267
 - fossils from lower Cretaceous 38:246r
 - morphology 37:219r, 38:171r
 - waxes 38:163r, 41:256r
 Humphrey-Parkes terminology 34:48r,
 35:132r
 iron oxide 39:236r
 keratinophilic fungi 39:140r
 mechanism of abrasion 39:66
 melanism 36:240, 37:121
 Molt of Birds, book 38:335r
 molt of:
 Blackbird, Red-winged 35:32-38,
 41:22-27
 Bunting, Indigo 36:270, 39:277-293
 Cardinal 38:37-51
 Catbird retains juvenile - 38:326
 Grouse, Black 36:198r
 -, Blue 37:141r
 Redpoll, Lesser 38:239r
 Ruff 41:68r
 Wagtail, Yellow 36:119r
 Warbler, Tennessee, arrested 38:236
 Waxbills, Garnet & Violet, head
 markings 40:167r
 Woodcock 36:203r
 - related to rainfall & breeding,
 Australia 41:324r
 no. of feathers on a bird 37:64r
 of:
 Blackbird, Eur. 33:211r
 Brant, Black, & aging 37:299r
 Bunting, Indigo 38:211-214
 Capercaillie 36:198r
 Cardinal 38:37-51, 39:57
 Dowitcher 33:28-32
 Egret, Little 38:162r
 Finch, Cassin's 36:12
 -, Darwin's 36:27-44
 -, House 36:1-13, 34:44r
 -, Purple 33:90r, 34:44r, 36:12,
 38:11-17
 Flycatchers 37:153-171, key
 Goose, Magpie 33:50r
 Grosbeak, Evening, juvenile & sexual
 dimorphism 36:59r
 -, Rose-breasted 37:49-51
 Grouse, Blue 37:141r
 Hawk, Sparrow, late growth for
 rectrices 33:204, 34:95
 Junco, Dark-eyed 33:97, 35:125
 Knot, Red 33:36
 Lammergeyer 40:345r
 lark family 39:329r
 Mallard 41:259r
 Oriole, Bullock's 33:17-19
 Owl, Great-horned 36:102-112

PLUMAGES (cont.)

- of: (cont.)
- Owl, Saw-whet, abnormal -37:287
 - , Snowy 35:281r
 - Oystercatcher, feather wax 41:256r
 - Passeriformes, identification 36:125r
 - Penguin, King, feather follicles 41:324r
 - Plover, Black-bellied 33:33
 - , Semipalmated 33:32
 - Puffinus spp, identification 37:64r
 - Redhead, dev. of ducklings' 37:299r
 - Redpoll 34:94, 37:65r
 - Rook, albinism & melanism 35:132r
 - Sanderling 33:39
 - Sandpiper, Semipalmated & Stint 33:38
 - , Western 33:38
 - Sandgrouse, water carrying in belly feathers 39:67r
 - Shrike, African Bush, pterylosis 41:257r
 - Sparrow, House, different pops. 38:162r
 - , LeConte's, juvenile 33:202
 - , Sharp-tailed, juvenile 33:202
 - , White-throated 33:55r
 - Sylvia, genus 36:60r
 - Tanager, Dusky-tailed Ant, definitive 33:113
 - Tern, Roseate, unusual 40:255r
 - Thraupidae, pterylosis 34:36-38
 - vireos, unusual 37:286
 - Vulture, Bearded, rusty coloration 39:66r
 - Warbler, Bay-breasted 39:132
 - , Old World, identification 34:53r
 - , Pallas' Grasshopper 39:323r
 - , Tennessee 36:169-179
 - , Yellow 37:44-49
 - waterfowl & molt migr. 40:149r
 - Waxwing, Bohemian, secondaries 36:125r
 - Woodpecker, Hairy, melanic 40:145
 - pigmentation, sexing Starlings 33:148
 - , Sylvia spp. 36:60r
 - pterylosis, natal, tanagers 34:36-38
 - reflection spectrophotometry 38:163r
 - structural features, tail, Woodcock 39:66r
 - water repellency, cormorant & anhinga 40:65-67, 40:346r
 - white headed, Cardinal 39:57
 - xanthochroism 36:140, 37:121
 - Pochard (*Aythya ferina*)
 - , Red-crested (*Netta rufina*)
 - , Rosy-billed (*Netta peposaca*)
 - Podarueva, V.I. & Davidova, A.S. Geog. var. in the song intensity of some passerines 39:144r
 - Podiceps griseigena (Grebe, Red-necked) life history, comp. behav. 35:276r
 - nigricollis (Grebe, Black-necked) nesting behav. 40:334r
 - ruficollis (Grebe, Little) new nesting sp., Falsterbo 37:128r
 - Podilymbus podiceps (Grebe, Pied-billed) osteology & myology 41:165r
 - weights & meas. 32:77
 - Podoces panderi (Jay, Pander's Ground) nesting success, desert 39:62r
 - Poephila guttatus (Finch, Zebra) captive & wild compared 34:227r
 - flight muscle 41:254r
 - Poesch, J. Titian Ramsay Peale 38:164r
 - POLAND see EUROPE
 - Polcyn, G.M. The capillary tube in avian blood studies 41:132
 - Polioptila caerulea (Gnatcatcher, Blue-gray) weights & meas. 32:153
 - POLLUTION see ENVIRONMENTAL QUALITY
 - Polysticta stelleri (Eider, Steller's) rare sighting, Sweden, winter 35:129r
 - Pomeroy, D.E. Birds with abnormal bills 33:165r
 - Poocetes gramineus (Sparrow, Vesper) migration 32:102r
 - Popi, F. & L. Pardi. Are pigeons able to home when released over sea? 41:246r
 - POPULATION (see also CONSERVATION, DISTRIBUTION, ECOLOGY, MANAGEMENT, MOVEMENTS, PESTICIDES, TECHNIQUES & TERRITORY)
 - animal growth & regulation 34:52r
 - birds of prey, Hampshire preserve, 1952-1959 32:61r
 - censuses:
 - methods, experiment 34:44r
 - of:
 - Blackcap 36:53r
 - Brant, Black 41:46r
 - Gannet 37:56r
 - Owl, Barn 35:22-31
 - Tern, Common 36:55r
 - Waterfowl, Sweden 38:329r, 40:61r, 40:258r
 - , Switzerland 36:203r
 - , USSR 30:61r
 - Wheatear, Dancing 39:142r
 - distribution: (see also DISTRIBUTION)

POPULATION (cont.)

distribution of:

- albatross, ecol. factors 35:277r
- Anatidae, England, Scotland & Wales 35:287r
- Charadriiformes, eight spp., alpine heaths 38:155r
- Dipper, Sweden 40:56r
- Duck, Tufted, Sweden, 34:41r
- Dunlin, Finland 36:52r
- Godwit, Black-tailed 35:285r
- murre 33:56r
- Owl, Snowy, Labrador 35:281r
- Passeriformes, six spp., alpine heaths 38:155r
- Starling 39:117-122
- Warbler, Radde's Bush, Sweden 36:125r
- Waxwing, Bohemian, Rumania, winter 36:125r
- Woodpecker, Three-toed, Sweden 38:329r
- , White-backed, Sweden 38:329r

dynamics:

- comparative study, IL 35:133r
- dispersal &, 75 spp., CA 33:1-21
- geog. var. in mort. rates & production requirements, Barn Owl 40:277-290
- Malaya, seasonal fluctuations, migrants 38:154r

of:

- albatross 35:205r
- Blackbird, Brewer's 35:184-195
- , European 35:57r
- , Red-winged 35:32-38
- Booby, Red-footed 40:331r
- Brambling 33:166r
- Buzzard 36:51r
- Chaffinch 35:129r
- Crossbills 35:51r, 36:45r, 36:53r
- Dipper 49:56r
- Dove, Turtle 39:326r
- Dowitchers 33:28-32
- Dunlin 39:63r
- Finch, House 36:1-13
- , Purple 33:173, 35:1-7, 38:1-17
- Flamingo, Europe 36:281r
- Flicker, Yellow-shafted 40:290-308
- Fulmar 35:280r
- Grosbeak, Evening 33:175, 33:181, 34:1-22, 36:113, 39:328r
- Grouse, Red 40:331r
- Gull, Herring, chick prod. 40:333r
- , seasonal fluctuation 39: 81
- gulls 41:247r
- Heron, Squacco 41:312r

- Jay, Scrub, after Zonotrichia removal 35:184-195
 - Junco, Oregon 35:184-195
 - Kite, Sweden 35:51r, 35:128r
 - Malayan birds, after forest destruction 36:242-270
 - Mockingbird 35:184-195
 - , young 37:113-119
 - Owl, Barn 35:133r, 40:277-290
 - , Boreal 36:52r
 - Oystercatcher, chick prod. 40:333r
 - Paridae, flocks 39:327r
 - Parus spp. 36:53r, 36:78
 - Penguin, Emperor 38:242r
 - Petrel, Giant 36:121r
 - Plover, Black-bellied 33:33
 - , Little Ringed 35:275r
 - , Semipalmated 33:32
 - Quail, California 36:198r
 - Robin, A., fledgling dispersal 40:208-215
 - , European 35:129r
 - Rook 41:247r
 - Shag 40:330r
 - Shearwaters, Audubon, Little & Manx 38:278-305
 - shorebirds, Sweden 35:128r
 - Sparrow, House 35:184-195
 - , Song, in absence of enemies 36:196r
 - , Tree 36:275r
 - , dispersal of young 37:214r
 - , overcrowding & dispersal 37:58r
 - Tern, Caspian 35:217-233
 - Thrush, Swainson's 37:83-112
 - Tit, Great 35:129r
 - , invasions 39:321r
 - Tits 41:137r
 - Towhee, Brown 35:184-195
 - Turnstone, Ruddy 33:35
 - Warbler, Arctic 33:166r
 - , Yellow 35:129r
 - Waxwing, Bohemian, invasion 39:321r
 - Woodcock, Am. 38:144r, 38:129r
 - Wren, European 35:129r
 - Yellowlegs, Greater & Lesser, summering 36:36
 - Wales, small island 40:332r
- ecology:
- control, Red Grouse 40:151r
 - density in dynamics 40:151r
 - dispersal, post-juvenile, Black-crowned Night Heron 41:265-274
 - Falcon, Peregrine 41:333r
 - forest succession, Finland 38:155r

POPULATION (cont.)

ecology: (cont.)

suburbanization & old field
 succession, many spp. 38:17-37
 Wren, Long-billed Marsh 37:78r
 explosion, Starling 37:123r
 -, Bearded Tit 38:240r
 extinct & vanishing:
 biocides, Sweden 36:201r
 Birds of the World 40:177r
 Christmas, counts, use of 40:333r

of:

blackbird 37:213r
 Bobwhite 40:333r
 Cardinal, as index sp. 40:333r
 Condor, California 37:62r
 Crane, Sandhill 37:134r
 Curlew, Black-tailed 37:130r
 -, Slender-billed 37:130r
 Dove, Collared Turtle 35:273,
 36:280r
 Dunlin 37:130r, 37:212r
 Eagle, Bald 41:58r
 Falcon, Peregrine 41:58r
 Grebe, Red-necked 37:128r
 Gyrfalcon 40:62r
 Kea 41:46r
 Lapwing 37:212r
 Lark, Crested 36:280r
 Nightingale 37:214r
 Osprey 41:58r
 Penguin, Adelie 40:147r
 Redshank 37:212r
 Ruff 37:212r
 Skylark 37:212r
 Stork, White 36:280r
 Swan, Mute 37:128r

fluctuations of:

Anatidae, N.Z. 36:58r
 Bluebird, IL 35:134r
 Bunting, Corn, Sweden 41:147r
 -, Pine, Belgium 36:52r
 Cardinal, CT 35:1-7
 Chickadee, Black-capped 34:87-93,
 36:71-79
 Corncrake, Sweden 33:115r, 35:51r
 cowbird, CT 35:1-7
 Crow, Carrion 33:206r
 -, Common, CT 35:1-7
 Eagle, Golden 35:123
 Eider, Steller's, Sweden 35:129r
 Finch, Purple, CT 35:1-7
 Flycatcher, Red-breasted, Sweden
 35:135r
 Goose, Snow 36:279r

Goshawk, Falsterbo 33:206r
 Grosbeak, Evening, OH 39:306-309
 Junco, Dark-eyed, CT 35:1-7
 Mallard, N.Z. 36:58r
 -, Sweden 34:41r
 Merganser, N.Z. 36:58r
 Oriole, Golden, Sweden 35:135r
 Owl, Eagle, Sweden 35:135r
 Petrel, Bermuda 33:53r
 Sparrow, Fox, CT 35:1-7
 -, Lark, IL 35:134r
 -, Song, CT 35:1-7
 -, White-throated, CT 35:1-7
 Stitchbird, N.Z. 33:212r
 Swan, Black 36:58r
 Thrasher, Brown, IL 35:134r
 Titmouse, Tufted, CT 35:1-7
 Wagtail, Blue-headed, Sweden 35:45r
 Woodpecker, Red-headed 36:83-88
 Wren, Carolina, CT 35:1-7

Hampshire preserve 32:61r

increase, Mute Swan, Sweden 32:107r

Marsh Harrier, Finland 38:241r

migrants, seasonal, Japan & Malaya
 38:154r

movements:

dispersion, studies & experiments
 41:134r

indicator of pop. changes 36:53r

of:

Bunting, Indigo 39:277-293

Flycatcher, Pied 39:233r, 40:329r

Gull, Dominican 41:135r

-, Laughing, to Nfld. via hurricane
 39:200-205

Honey-eater, Australian 40:339r

Oriole, Baltimore, wintering

40:181-198

redpoll spp., migratory flocks

changing composition 39:51-55

Skimmer, Black, to Nfld. via

hurricane 39:200-205

Sparrow, Tree, mid-winter

nocturnal 40:322

Starling 37:200-203

-, dispersal 41:320r

Swallow, Barn & Cliff 41:91-103

Thrush, Varied, extralimital

39:245-276

Tit, Great, related to food 38:248r

Waterfowl, wintering 37:132r, 38:86r

net-shyness, effect on studies, Wood

Thrush 35:196-202

POPULATION (cont.)

- ratios:
of:
- Blackbird, Brewer's 33:20
 - , European 33:157r
 - Bluebird, Mt., winter 33:6
 - Bunting, Indigo, age & sex distr. 41:113-118
 - Grosbeak, Evening 35:13
 - Gull, Herring, pop. structure 40:258r
 - Oriole, Bullock's 32:19
 - Sparrow, English 33:12
 - Starling 33:50r
 - Warbler, Marsh 36:125r
 - , spp. 34:191-199
 - Vireo spp. 34:191-199
 - sex ratio, estimating 37:133r
 - tower casualties, 24 spp., TN 34:191
 - regulation, chemical inhibitors of ovulation, pigeon 36:203r
 - returns, percentages, to determine 36:197r
 - variability measuring technique 33:112r
 - Porphyrio melanotus (Swamphen, Eastern) feeding technique 40:60r
 - homing instinct 50:56r
 - Porphyryula martinica (Gallinule, Purple) Dieldrin residues 41:57r
 - migration 32:238r
 - Portenko, L.A. On the Bering bridge problem 41:154r
 - Porter, R.D. & S.N. Wiemeyer. Dieldrin & DDT: effects on Sparrow Hawk eggshells & reproduction 41:57r
 - Porzana carolina (Rail, Sora) in Sweden 39:236r
 - migration off Nfld. 33:158r
 - Post, P.W. Manner of death of two Rough-winged Swallows: a post-mortem report 35:264
 - Manx, Audubon's & Little Shearwaters in the n.w. North Atlantic 38:278r
 - Poston, H.J. see Sugdon, L. &
 - Potapov, R.L. On the biol. of the Pamir Leucosticte (Leucosticte arctoa pamir-ensis Sevastyanov) in Pamir 36:276r
 - On the navigational ability of some Passerine birds 38:328r
 - The Birds of the Pamirs 38:336r
 - & Vykhovskii, B.E. (Eds.) Cisbaltic Bird Migration 39:237r
 - The courtship display of the Asiatic Spruce Grouse 41:71r
 - Potts, G.R. The influence of eruptive movements, age, pop. size & other factors on the survival of the Shag (Phalacrocorax aristotelis) 40:330r
 - see Coulson, J.C. &
 - Poulson, H. see Lind, H. &
 - Pouyet, J. see Moreau, G. &
 - Pratincole, Black-winged (Glareola normanni)
 - PREDATION (see also FOOD, LIFE HISTORIES & MORTALITY)
 - by:
 - Antbird, Bicolored 38:399r
 - Buzzard 34:103r
 - Corvidae 38:332r
 - Chickadee band in Screech Owl pellet 36:116
 - Condor, Great 36:61r
 - Coot, on gulls 36:134r
 - Crow, on Eur. Blackbirds 37:57r
 - , Carrion 36:134r
 - , Hooded 36:197r
 - Falcon, Eleanora's, on migrants 39:330r, 40:332r
 - , Micrastur, hunting technique 41:53r
 - , Peregrine, on birds 35:48r, 36:134r
 - Finch, Sharp-beaked Ground, blood eating 37:66r
 - fish-eating birds, fisheries 37:300r
 - Goshawk, on Woodpigeon, Black-headed Gulls & Jays 33:116r
 - Gull, Black-backed, on gannetries 35:273r
 - , Black-headed, anti-predator behav. 36:134r
 - , Herring, on Black-headed Gull 36:134r
 - Hawk, Marsh, food passing 41:41
 - Jay, on Eur. Blackbirds 37:58r
 - Owl, Boreal, prey preference 36:52r
 - , Great Gray 41:157r
 - , Great Horned, on Short-eared Owl 39:319
 - , Long-eared 40:69r
 - , Screech, experiment 33:116r
 - Oystercatcher, on gulls 36:134r
 - Raven, on duck nests 37:199r
 - Shrike, Northern 39:138r
 - Skua, on Adelie Penguin chicks 35:47r
 - squirrels on Cardinal 38:236
 - , on netted birds 38:152
 - , on Tree Sparrow 38:326

PREDATION (cont.)

- by: (cont.)
 Sunbird, Purple 35:130r
 Tit, Coal 35:208r
 -, Great, on Goldcrest 33:211r
 Tropicbird, on Bermuda Petrel 33:53r
 Vulture 61:61r
 feeding terr. size 40:158r
 food habits, how to study 38:334r
 olfaction &, 36:61r
 on:
 Cardinal, by squirrel
 Creeper, Brown, netted, by Praying Mantis 39:59
 Gull, Silver, by octopus 36:134r
 netted birds 38:152, 39:59
 Tern, Common 35:46r
 Veery, nest, by Garter Snake 33:114r
 Wood Pigeon nests 36:55r
- Prescott, K.W. Studies in the life hist. of the Scarlet Tanager, Piranga olivacea 37:222r
 -- Slate-colored Junco killed by Gray Squirrel 38:152
 -- Tree Sparrow killed by Gray Squirrel 38:326
 -- Praying Mantis feeds on netted Brown Creeper 39:59
 -- Bill deformity in Brown Thrasher 39:134
 -- Missing foot of Red-winged Blackbird & Blue Jay 41:41
- Preston, F.W. The mathematical representation of migration 38:154r
- Preuss, N.O. Ground-speed & air-speed according to flock-size in migrating birds 32:180r
- Prevost, J. see Arnaud, P. &
 Prince, H.H. see Burgess, H.H. &
 Prinia maculosa (Prinia, Karoo)
 nest building by both sexes 35:214r
- Priocella antarctica (Fulmar, Silver-gray)
 nesting with South Polar Skua 32:200
- Procellariiformes (Tube-nosed Swimmers)
 capturing at sea 41:111-113
 stomach oils 41:254r
 systematics 37:65r
- Prion, Broad-billed (Pachyptila vittata)
 -, Fairy (P. turtur)
 -, Narrow-billed = Fairy
- Prior, S. see Brindley, L.D. &
 Proctor, V.W. & C.R. Malone. Further evidence of the passive dispersal of small aquatic organisms via the intestinal tract of birds 37:143r
- Progne subis (Martin, Purple)
 band., PA; nest-box design; trapping 34:223r
 migration, FL, TV tower 33:155
 mosquito control claim invalid 41:73r
- Protonotaria citrea (Warbler, Prothonotary)
 banded, Panama 34:220r
 distress calls 36:83-88
 migration off Nfld. 33:158r
- Psaltriparus melanotis (Bushtit, Black-eared)
 nest building 32:65r
- Pseudochelidon sirintarae (Martin, White-eyed River)
 new sp., Thailand 40:347r
- Psilorhinus mexicanus (Jay, Brown)
 behav., feeding young 32:65r
- Psittaciformes (Parrots)
 evolutionary problems 34:227r
 head-scratching 33:209r, 34:227r
- Ptarmigan (Lagopus spp.)
 -, Rock (L. mutus)
 -, Willow (L. lagopus)
- Pterocles alchata (Sandgrouse, Pin-tailed)
 dev. & behav., juvenile 41:315r
 -namaqua (Sandgrouse, Namaqua)
 life history 40:153r
- Pteroclididae (Sandgrouse)
 belly feathers carry water 39:67r
 systematic position 39:67r, 41:325r
- Pterodroma cahow (Petrel, Bermuda)
 nest predation by Tropicbird 33:53r
 reprod. decline & DDT 41:56r
 status 33:53r
 -cooki (Petrel, Cook's)
 on Hauturu Is., N.Z. 33:212r
 -pycrofti (Petrel, Pycroft's)
 breeding habits 40:152r
- Ptushenko, E.S. & A.A. Inozemtsev. Biol. & economic value of birds of the Moscow region & adjacent terr. 40:274r
 -- see Galdkov, N.A. &
 PUERTO RICO see OCEANIC ISLANDS
- Puffin, Common (Fratercula arctica)
 Puffinus assimilis (Shearwater, Little)
 pop. dynamics 38:278-305
 -carneipes (Shearwater, Flesh-footed)
 banded, Aust., recovered Korea 36:195r
 -gravis (Shearwater, Greater)
 extension to Pacific? 40:150r
 -griseus (Shearwater, Sooty)
 biology 35:134r

- Puffinus** (cont.)
 -lherminieri (Shearwater, Audubon's)
 pop. dynamics 38:278-305
 -pacificus (Shearwater, Wedge-tailed)
 identified, s. Pacific, nr. N.Z. 37:65r
 -puffinus (Shearwater, Manx)
 band loss & wear 35:268r
 band. 32:100r
 breeding biology 37:215r
 pop. dynamics 38:278-305
 -spp. (Shearwaters)
 band. 32:320r
 distr., N. Atlantic 38:278-305
 identified, s. Pacific, nr. N.Z. 37:65r
Pukeko = Eastern Swamphen
Pullianen, E. & E. Tanhuanpaa.
 Pluminal sinus on the back of a
 male Hazel Grouse 40:161r
Pumphrey, R.J. & C.J. Pennyquick. Sun
 navigation by birds 32:234r
Purton, M.D. Structure & ultrastructure
 of the liver in the domestic fowl,
Gallus gallus 41:256r
Putnam, W.L. Starling feeds nestling
 robins 32:183r
Puzachenko, Y.G. Geog. var. of abundance
 & structure of avian pops. in forest
 biocenoses 39:142r
Pycnonotus cafer (Bulbul, Red-vented)
 behav. in captivity 36:56r
 -leucogenys (Bulbul, White-cheeked)
 behav. in captivity 36:56r
 -jocosus (Bulbul, Red-whiskered)
 in Florida 40:266r
Pygoscelis adeliae (Penguin, Adelie)
 band., breeding pop. increase, drastic
 40:147r
 breeding data, comparisons 35:46r
 DDT residues 40:341r
 orient. & navig. 36:195r, 38:155r,
 39:135r
 temp. regulation 34:45r, 36:57r
Pyle, R.L. Proposed modifications of
 age & sex reporting 34:222r
Pyrocephalus rubinus (Flycatcher,
 Vermilion)
 identification, key 37:153-171
Pyrrhospiza punicea (Rosefinch, Lapidary)
 biology 40:152r
Pyrrhonorax pyrrhonorax (Chough)
 post-fledgling behav. 34:42r
Pyrrhula pyrrhula (Bullfinch)
 weight fluctuations 37:298r
Pytilia spp. (Pytilia)
 bill color
- Quail, Bobwhite** (*Colinus virginianus*)
 -, Calif. (*Lophortyx californicus*)
 -, Eur. (*Coturnix coturnix*)
 -, Gambel's (*L. gambelii*)
Quay, T.L. see Grant, G. &
Quelea, Red-billed = Black-faced Dioch
Quelea quelea (Dioch, Black-faced)
 breeding biol. 37:58r
 feeding ecol., Nigeria 36:279r
 social organization 41:63r
 testosterone & LH & agonistic behav.
 41:63r
Quiscalus quiscula (Grackle, Common)
 band loss & wear 35:43-44r
 band. 32:57
 -, MN 34:22r
 blood parasites 39:193-199
 host-parasite assoc. 41:302
 pox virus infections 33:192
 weights & meas. 32:156
 wing tagging 34:216

- Rabinowitch, V.E. The role of experience in the dev. of food preferences in gull chicks 40:348r
- Rabol, J. Visual diurnal migratory movements 39:135r
- Reversed migr. as the cause of westward vagrancy by four Phylloscopus warblers 41:45r
- Orient. of autumn migrating garden warblers, Sylvia borin, after displacement from w.Denmark to e.Sweden. A preliminary experiment 41:45r
- Radabaugh, B.E. Food passing by nesting Marsh Hawks, Circus cyaneus 41:41
- Radtke, G.A. 'Vogelwarte Helgoland' moved to a new site 41:244r
- Rails (Rallidae)
- , King (Rallus elegans)
- , Sora (Porzana carolina)
- , Virginia (R. limicola)
- , Water (R. aquaticus)
- Rallidae (Rails)
- homing instinct, N.Z. 40:56r
- olfaction 51:151r
- Rallus aquaticus (Rail, Water)
- terr. behav., spring 38:329r
- elegans (Rail, King)
- natural history 41:164r
- limicola (Rail, Virginia)
- weights & meas. 32:77, 32:146
- Raitt, R.J. & Genelly, R.E. Dynamics of a pop. of California Quail 36:198r
- Ralph, C.J. & F.C. Sibley. A new method of capturing nocturnal alcids 41:124-7
- Ramel, C. The influence of wind on the migration of swallows 33:111r
- Rand, A.L. Wing length as an indicator of weight: a contribution 32:71
- Randall, E.J. see Anderson, K.S. & -
- RANGE (see also BEHAVIOR, MIGRATION, POPULATION, RECOVERIES & RETURNS, & ZOOGEOGRAPHY)
- of:
- Brant, Red-breasted 39:142r
- Bunting, Am. in Europe 36:47r
- , Rustic 38:86r
- Clamator 36:131r
- Dowitcher, Long-billed 36:63r
- Finch, House 34:44r
- , Purple 34:44r
- Godwit, Black-tailed 36:60r
- Goose, Snow 33:152
- Greenshank 38:86r
- Grosbeak, Evening 33:181
- , Scarlet 35:135r
- Gull, Ross's 36:63r
- Lapwing 36:205r
- , Eurasian 39:322r
- Mockingbird, CT 35:6
- Murrelet, Kittlitz's 36:279r
- Nightingale 35:136r
- Oldsquaw 36:205r
- Owl, Pygmy, Scan. 38:87r
- , Snowy, 35:129r, 35:281r
- , -, Scan. 37:64r
- , -, Scotland 39:232r
- Petrel, Cook's 33:212r
- Raven, Labrador 35:281r
- Sandpiper, Shp.-tailed, Russia 36:63r
- Shearwater, Greater, Pacific? 49:150r
- Skua, Arctic 36:205r
- Sparrow, Savannah 36:279r
- , White-throated 37:191-193
- Swallow, Barn 33:160r
- Swan, Mute 36:205r
- , Whooper 33:167r
- Switchbird, N.Z. 33:212r
- Tern, Arctic 33:105r
- , Common, Aust. 35:204
- , Little 36:205r
- , Sandwich 36:205r
- Thrush, Varied, extralimital 39:245-276
- Turnstone, Ruddy 33:125
- Twite, Lapland 35:48r
- Warbler, Blackpoll 33:161r
- , Marsh, Sweden 36:125r
- Rankin, J.S., Jr. Land birds observed at sea 32:58
- Rappe, A. Notes on nocturnal passing of thrushes in Belgium 36:196r
- Raptors (Falconiformes)
- Rarities Committee, see Smith, F.R. & -
- Rasmusson, G. The exploitation of waters 33:164r
- Raspet, A. Biophysics of bird flight 32:104r
- Ratcliffe, D.A. Breeding density in the Peregrine, Falco peregrinus, & Raven, Corvus corax 35:47r
- Organo-chlorine residues in some raptor & corvid eggs from n.Britain 36:278r
- Changes attributable to pesticides in egg breakage frequency & eggshell thickness in some British birds 41:319r
- see Lockie, J.D. & -
- Rau, R. see Berthold, P. & -
- Raveling, D.G. Geog. var. & meas. of TN Warblers killed at TV tower 36:89

- Raveling, D.G. (cont.) & D.W. Warner.
 Plumages, molt & morphometry of
 Tennessee Warblers 36:169
 -- & E.A. LeFebvre. Energy, metabolism
 & theoretical flight range of birds
 38:97
- Ravens (*Corvus* spp.)
 -, Brown-necked = Desert
 -, Common (*C. corax*)
 -, Desert (*C. ruficollis*)
- Rawcliffe, C.P. The Scottish Mute
 Swan census 32:102r
- Ray, O.Z. & J.S. Hart. A multi-channel
 transmitter for physiological study of
 birds in flight 40:163r
- Raynor, G.A. An African recovery of a n.
 American Common Tern 41:310
- Raynsford, L.D. Pairing of Red-backed
 Shrikes from same brood 36:195r
- Razorbill (*Alca torda*)
- Recher, H.F. Some aspects of the ecol.
 of migrant shorebirds 37:296r
 -- Bird spp. diversity & hab. diversity
 in Aust. & N.America 40:340r
 -- & J.A. Recher. Some aspects of the
 ecol. of migrant shorebirds.
 II. Agression 41:54r
- RECOVERIES, REPEATS & RETURNS
 anal. of returns, Kirtland's Warbler
 39:161-185
 band loss, effect on data 38:309-323,
 40:216-221
 banded gull inside shark 41:336r
 blood parasitism & NJ 39:193-199
 breeding range extension, Evening
 Grosbeak 39:306-309
 Cisbaltic migration 39:237r
 cooperation in South America 39:32
 distr. & survival, Field Sparrow
 39:293-305
 - study, shearwater spp., n.Atlantic
 38:278-303
 dramatic recoveries 40:324r
 duck decoys, Neth. 32:320r
 expansion, Collared Dove 39:134r
 foreign banded birds in:
 Africa 36:45, 37:208r, 40:257r,
 40:324r
 Australia 34:165r, 35:205r, 36:195r,
 38:327r, 39:51r, 39:134r, 40:56r,
 40:326r
 Austria 37:208r
 Belgium 41:136r
 Bermuda 41:279
 Britain 33:154r, 34:165r, 36:272r,
 Canada 35:265
 Czechoslovakia 37:208r, 41:136r
 Denmark 41:136r
 Europe 40:326r
 Estonia 41:136r
 Finland 35:128r
 France 37:208r
 Hungary 38:153r
 Italy 37:208r
 Jamaica 37:290r, 38:153r
 Lower Saxony 41:136r
 Luxembourg 41:136r
 Mediterranean 37:208r
 Netherlands 32:230r, 36:45r, 37:209r
 38:81r, 39:62r, 41:136r
 New Zealand 32:230r, 34:160r
 Norway 32:231r
 Philippines 37:209r
 Poland 34:223r, 37:208r
 Rumania 38:153r
 Schleswig-Holstein 41:136r
 South Africa 37:208r
 Sweden 37:128r, 38:153r, 39:320r,
 40:42r
 Switzerland 37:128r
 Trinidad 33:49r
 USA 40:325r
 USSR 36:45r, (Siberia) 36:112r,
 36:118r, 37:127r, 37:290r, 40:329r,
 41:136r
 Westphalia 41:136r
 Yugoslavia 32:231r, 37:291r, 38:253r
 interpretation of bird movements &
 32:179r
 invasion of young gulls, Gt. Britain
 & Ireland 32:100r
 larger-mesh nets &, 40:52r
 life expectancy & mort. rate calcula-
 tions &, 35:268r, 36:119r, 37:131r,
 37:208r, 40:277
 longevity records 37:193
 many spp. 32:110r, 32:174r
 maps:
 British, for Europe, Asia & Africa
 33:154r,
 -, many spp. 40:257r, 40:324r
 Britain, Collared Dove, foreign
 recoverues 39:134r
 Canada 40:326r
 Canadian Wildlife Service 40:325r
 France, Camargue Band. Sta. 32:230r
 Finland, 50 yrs. band. 35:128r
 Neth., Little Bittern & Stonechat
 36:45r
 -, Pochard & Greenfinch 38:81r

RECOVERIES, REPEATS & RETURNS (cont.)

maps: (cont.)

Poland, Eur. Corvidae 41:311r
 Russia, Mallard 40:169r
 -, shorebird migration 37:127r
 Sweden 37:208r, 40:42r
 -, Ottenby, Thrush & Gull band. 32:174r
 migrants, Am., Panama 37:35, 37:286,
 38:151

migratory patterns &, 38:135-138,
 40:324r

---, Barn Swallow 40:95-104
 ---, Blackpoll Warbler 36:192
 ---, Canada Goose 37:131r
 ---, Least Flycatcher 40:238-243
 ---, Ruff 37:127r

of birds abroad:

Albatross, Wandering, Aust. 35:205r,
 38:237r

-, -, s.Indian Ocean 36:195r

-, -, New Zealand 39:51r

Blackbird, Europe 33:154

Brambling, Britain 39:134r

-, Czech. 36:45r

Bunting, Indigo, Jamaica 38:153r

Chaffinch, Britain 39:134r

Coot, Am., Jamaica 37:290r

crossbill spp., Sweden 39:134r,
 39:320r

Crow, Carrion, Eur. 41:311r

-, Hooded, Neth. 39:51r

Dove, Collared, Britain 39:134r

Egret, Great, Japan 37:290r

-, Little, Trinidad 33:49r

-, Plumed, Japan 37:290r

-, White, New Guinea 36:195r

Flycatcher, Spotted, Capri 35:205r

Godwit, Bar-tailed 37:127r

-, Black-tailed 37:127r

Goldfinch, & many other spp.,

Great Britain 32:100r

-, Neth. 39:51r

Goose, Pink-footed, Eur. 33:154

-, White-fronted, Italy 36:45r

-, -, USSR 40:329r

Grackle, Bronzed, USA 40:325r

Grosbeak, Evening 36:195r, 39:306r

Gull, Blk.-headed, Yugoslavia 37:291r

Harrier, Marsh, Gibraltar 37:209r

Hawk, Marsh, USA 40:325r

-, Red-tailed, USA 40:325r

-, Swainson's. USA 40:325r

Heron, Blk-crowned Night, USA 40:325r

Jackdaw, Europe 41:311r

Jay, Common, Eur. 41:311r

Kittiwake, Norway 32:231r

Knot, Liberia 36:272r

Lapwing 37:127r

Magpie, Blk-billed, Canada 35:265

-, Europe 41:311r

many spp. 32:230r

Nutcracker, Sweden 39:134r

Oriole, Golden, Ukraine 35:205r

Osprey, South America 32:59r

Owl, Boreal, Sweden 39:134r

-, Long-eared, Neth. 39:51r

-, Short-eared, Finland, Spain 36:45r

Petrel, Giant, & many other spp.

New Zealand 32:320r

Pintail, Greece & Turkey 36:45r

Plover, Golden 37:127r

Prion, Fairy, Aust. 40:56r

Raven, Europe 41:311r

Redstart, Black, Britain 39:134r

Robin, Am., USA 40:325r

Rook, Europe 41:311r

Ruff, Siberia 37:127r

Sandpiper, Marsh 37:127r

-, Pectoral, Siberia 36:112

-, Wood 37:127r

Shearwater, Flesh-footed 36:195r

-, Manx 34:165r

-, Short-tailed, Aust. 38:327r

-, Sooty, Aust. 38:327r

Skua, South Polar 32:216

Sparrow, Fox, Ireland 34:165r

Snipe 37:127r

Starling, Europe 33:154

Stint, Little 37:127r

Swallow, Barn, Eur. 40:328r

Swan, Mute, France 36:45r

Swift, European, Africa 40:324r

Teal, Grey, & other spp., N.Z. 32:320r

Tern, Arctic, Aust. 39:134r, 40:326r

-, Common, Cook Is., N.Z. 34:160

-, Royal, Jamaica 37:290r

-, Sooty, West Africa 35:206r

Thrush, Mistle, France 37:209r

thrush spp., Panama 34:202-208

Tit, Blue, Europe 33:154

turnstone spp., Neth. 39:51

Wagtail, Yellow, Africa 40:324r

Warbler, Blackpoll, Bermuda 41:279r

Canada 41:279, NC 36:192

-, Canada 36:195r

-, Garden, Congo 35:205r

-, Sedge, France 38:237r

-, spp., Panama 34:219

waterbirds, many spp., Neth. 32:230r

Wheatear, Britain 39:134r

RECOVERIES, REPEATS & RETURNS (cont.)
of birds abroad: (cont.)

Whinchat, Britain 39:134r
Woodcock 37:127r

of birds within country of banding:

Albatross, Wandering, Aust. 39:61r
Bittern, Am. CA 33:3
-, Little 36:45r
Blackbird, Brewer's 33:19
-, Red-winged 33:15, 32:96, 35:34,
35:205r, MA 38:22, MA 38:139-142,
NJ 39:193-199, MI 39:216
-, Tri-colored 33:16
-, Yellow-headed 33:15
Bluebird, Mountain 33:6
Bunting, Indigo, Br. Honduras 39:111,
Jamaica 37:54r, Panama 38:151r,
USA 40:135
-, Painted 39:111
Buzzard, Rough-legged, Sweden
33:155r, 39:134r
Cardinal MI34:41, Canada 39:149r
Catbird, Panama 34:220, 36:233-239
Honduras 39:111
Chat, Yellow-breasted 35:267r, 37:42
38:130-135, Panama 38:151r,
Honduras 39:111
Chickadee, Blk-capped MA 38:22,
MI 39:217
Cormorant, Common 33:50r
-, Neotropic, S.America 39:32
Cowbird, Brown-headed CA 33:20,
OH 37:272, MA 38:22, NJ 39:193-199
Creeper, Brown, MA 38:22
Dickcissel, Panama 37:43
Dove, Mourning 32:173, CA 33:4,
33:83, 38:21
Dowitcher, Sht-billed, FL 33:29-31
Duck, Blk-headed, S.Amer. 39:32
-, Fulvous Tree, S.Amer. 39:32
Dunlin, Sweden 33:155r, 35:128r,
40:42r
Eagle, Golden, PA 35:123, MD 38:78
Egret, Great, S.Amer. 39:32
-, Snowy, NY 39:317
Falcon, Peregrine, MD 38:78,
Sweden 39:134r
Finch, House, CA 33:70, 40:43r
-, Purple 35:124, NC 38:1-17, MA 38:22
Flicker, Yellow-shafted, MA 38:22
Flycatcher, Acadian, MI 37:233
-, Crested, Honduras 39:111
-, Olive-sided, Honduras 39:111
-, Traill's 41:204

Frigatebird, Great, HI 40:37
Goldfinch, Am., MA 38:22
-, Eur., Sweden 35:128r
Goose, Canada 37:131r, 40:149r
Grackle, Common, MA 38:22, NJ 39:139
Grosbeak, Evening, USA 33:184,
34:73-86, MA 38:22, MI 39:217,
Canada 40:149r, TX 41:39
-, Rose-breasted, Panama 37:43,
Honduras 39:111
-, Blue, Honduras 39:111
Gull, Blk-billed, Aust. 41:247r
-, Blk-headed, Aust. 41:247r
-, Dominican, Aust. 41:133r, 41:247r
N.Z. 41:135r
-, Glaucous-winged, CA 34:31-35,
41:247r
-, Herring, MA 34:40, MI 34:68-72,
ME 39:81-105, MI 39:215, 41:247r
-, Laughing, Nfld. 30:200-208
-, Ring-billed, MI 39:215
-, Silver, Aust. 41:247r
Gyrfalcon, Greenland 40:35
Hawk, Broad-winged, Panama 37:43
-, Shp-shinned, CA 33:3, S.Amer.39:32
Heron, Blk-crowned Night, CA 33:3,
S.Amer. 39:32, Malaya 41:265-271
-, White-necked, S.Amer. 39:32
Hummingbird, Ruby-throated 35:267r
Ibis, Sacred, S.Africa 32:231r
-, White-faced 38:257;273
Jay, Blue, MA 35:13, 35:43, 38:22,
MI 39:216
Junco, Oregon 33:73
-, Slate-colored, MA 38:22,
Canada 40:149r
Kea, N.Z. 40:46r
Kestrel, A., CA 33:3
-, Eur., Sweden 39:134r
Magpie, Blk-billed 35:265
Mallard, Canada 40:149r
many spp., CA 33:83, Malaya 35:174,
36:242
Martin, Purple, USA 34:223r
Nighthawk, Common, MI 39:217
Nutcracker, Russia 41:136r
Nuthatch, White-breasted, MA 38:22,
MI 39:216
Oriole, Baltimore, Panama 37:43,
MI 39:217, Honduras 39:111,
NC 40:181-197
-, Bullock's 33:17
-, Orchard, Honduras 39:111
Ovenbird, Panama 34:220, 37:43,
38:151, Honduras 39:111

RECOVERIES, REPEATS & RETURNS (cont.)

of birds within country of band. (cont.)

- Owl, Barn, CA 33:4, MA 35:22-31,
Switzerland 40:277-289
- Pewee, Eastern Wood, MA 38:22
- phalaropes, Sweden, Finl., Grnl 37:199
- Phoebe, Black, CA 33:6
- Pintail, Am., MI 39:215
- , Brown, S.America 39:32
- , USSR 40:347r
- Plover, Upland, MI 39:217
- Pochard, Rosy-billed, S.Amer. 39:33
- Quail, Cal. CA 33:3, many states 32:85
- redpoll spp., MA 35:13, AK 39:51-54
- Redstart, Am., Jamaica 37:290r,
Panama 38:151r, Honduras 39:111
- , Eur., one of 106 recoveries at
Falsterbo, 1957-58 32:100r
- Robin, Am., SD 35:206r, MA 37:53, 38:22
40:208
- , Eur., Poland 34:223
- Rook, Sweden 33:155r
- Sandpiper, Cmn., Sweden 33:155r,
39:134r
- Sapsucker, Ylw-bellied, Honduras
39:111
- Shag 33:50r
- Shrike, Great Grey 33:155r
- , Loggerhead CA 33:7, 33:83
- Skimmer, Black, Nfld. 39:200-208
- Skua, South Polar 32:216
- Sparrow, Field NC 39:302
- , Fox 38:22
- , English 33:7-15, 33:83
- , Golden-cr. 33:81, 40:43r
- , Harris's 33:73
- , House, MA 38:22
- , Lark CA 33:72
- , Song WI 37:285, MA 38:22
- , Swamp MA 38:22
- , Tree MA 38:22
- , White-cr. 33:72-82
- , White-thr. MA 38:23, Can. 40:149r
- Spoonbill, Roseate, S.Amer. 39:32
- Starling CT 32:57, 32:173, 33:50r,
PA 35:205r, 37:267-273, MA 38:22,
NJ 39:193-199, PA 39:117-122
- Stonechat 36:45r
- Swallow, Barn PA 34:40
- Thailand 40:95-104
- , Cliff 34:186
- , Rough-winged 35:40, Honduras 39:111
- , Tree MA 39:187
- Swift, Chimney OH 33:153, 35:38,
37:120, 39:36
- , Sweden 40:42r

- Tanager, Scarlet MA 38:22
- , Summer, Pan. 37:43, Honduras 39:111
- Teal, Cinnamon, S.Amer. 39:32
- , Ringed, S.Amer. 39:32
- , Silver, S.Amer. 39:32
- Tern, Caspian, study 36:217-232
MI 39:215
- , Common, Canada 40:149r
- , Royal, Jamaica 37:54r, MI 39:215
- , Sooty, Dry Tortugas 35:206r
- Thrasher, Brown MI 39:217
- Thrush, Gray-cheeked 36:233-239
- , Swainson's 36:233-239, 37:101
- , Wood 35:199, 36:235, MA 38:22
- Towhee, Brown CA 40:43r
- , Rufous-sided CA 33:72, MA 38:22,
MI 39:217
- Turnstone, Ruddy, Sweden 33:155r
- Veery 36:233-239
- Vireo, Yellow-green, Pan. 37:43,
37:286, CZ 38:151r
- , Red-eyed MA 38:22
- Warbler, Black-&-white MA 38:22
- , Blackpoll MA, MI, AL 41:279
- , Chestnut-sided CZ 38:151r
- , Hooded, Honduras 39:111
- , Kentucky, Pan. 37:42, 38:152r
- , Kirtland's MI 39:161-185, 39:217
- , Magnolia, Pan. 34:220, Hond. 39:111
- , Mourning, Pan. 37:42
- , Myrtle, Can. 40:149r
- , spp., study, MA 218-233
- , Tennessee, Pan. 34:220, 38:151r
- , Wilson's, Hond. 39:111
- , Worm-eating, Jamaica 37:290r
- , Yellow, Pan. 34:220, Hond. 39:111
- , Yellow-throated, Hond. 39:111
- Warblers & others, migrants &
residents, OH 32:171
- Waterthrush, No., Pan. 37:42
- Waxwing, Bohemian, Sweden 35:128r
- , Cedar, NY 41:291
- Woodcock, Sweden 35:128r, NJ 41:1-9
- Woodpecker, Downy MA 38:22
- , Hairy, MA 38:22
- Wren, House, MA 38:22, MI 39:216
- Yellowthroat, Honduras 39:111
- owl pellet, band in, 36:116
- pioneer bander, Josselyn Van Tyne
39:214-219
- pop. size estimation &, 36:197r
- raptors, common, decrease, Sweden 39:134
- seasonal movements &, Black-capped
Chickadee 36:195r
- study, warbler spp., returns, MA 38:218
- telescope, band reading by, Herring
Gull, ME 39:90

RECOVERIES, REPEATS & RETURNS (cont.)

- telescope, band reading by, Indigo Bunting, Jamaica 38:153r
 unusual Redstart recovery, Atl. O. 32:100r
 wintering Britain from Eur., Black-headed Gull 33:154r
 within country of banding:
 Australia 34:194r, 35:205r, 36:195r, 37:209r, 38:327r, 39:134r, 40:133-135, 41:247r
 Belgium 32:231r
 Britain 32:100r, 32:231r, 33:145r, 34:165r, 37:290r, 35:272r, 39:134r, 30:149r
 British Honduras 39:107-115
 Canada 35:265, 40:148r
 Capri, Is. of, 35:205r
 Finland 32:231r, 35:128r
 Ghana 40:53r
 Greenland 41:35
 Heligoland 33:205r
 Jamaica 37:54r, 39:277-291
 Japan 37:290r
 Malaya, many spp. 35:175, 36:242, 37:209r, 41:265-217
 Netherlands 32:230r, 36:45, 37:209r, 38:81r, 39:51r
 New Zealand 32:230r, 40:46r, 40:133-135, 41:135r
 Nigeria 40:53
 Norway 32:231r
 Panama 37:35-43, 38:151r
 South Africa 32:231r, 36:119r, 39:320r
 Spain 37:208r
 Sweden 32:100r, 32:174r, 33:154r, 35:128r, 35:205r, 37:128r, 37:208r, 38:80r, 38:327r, 30:320r, 40:42
 Thailand 40:95-104
 USA 32:231r, 33:1-21, 33:71, 33:184, 34:40, 34:68, 34:223, 35:13, 35:22, 35:34, 35:38, 35:206r, 35:267r, 37:83-111, 37:131r, 38:1-37, 38:130-134, 38:257-273, 39:51, 39:81;122, 39:161-185, 39:200-208, 39:214-219, 39:302-309, 39:317, Hawaii: 40:47, 40:181-197, 40:208, 40:243, 40:277, 41:1-9, 41:39, 41:43, 41:204, 41:279, 41:291
 USSR 36:118r, 37:127r, 40:347r
 Yugoslavia 32:231r
- Redshank (*Tringa totanus*)
 Redstart, Am. (*Setophaga ruticilla*)
 -, Eur. (*Phoenicurus phoenicurus*)
 -, Slate-throated (*Myioborus miniatus*)
- Redstart, Black (*P. ochrurus*)
 Redhead (*Aythya americana*)
 Redpolls
 -, Common (*Acanthis flammea*)
 -, Hoary (*A. hornemanni*)
 -, Lesser (*Carduelis flammea*)
 Red-wing (*Turdus musicus*)
 Reed, C.A. North American birds' eggs 37:69r
 Reed, R.A. Studies of the Diederik Cuckoo, *Chrysococcyx caprius*, in the Transvaal 40:58r
 Reese, E.P. see Bateson, P.P.J. &-
 Reese, J. Some thoughts on recoveries 40:324r
 Regnell, S. New breeding locality of the murre in Sweden 32:184r
 -- A brief contribution to the breeding biol. of the Ringed Plover 37:214r
Regulus calendula (Kinglet, Ruby-crowned)
 mortality 32:163
 skull pneumatization 41:121-124
 -ignicapillus (Firecrest)
 band. 32:174r
 migration 32:178r
 -regulus (Goldcrest)
 band., Poland 34:223r
 migration 38:81r
 predation by Great Tit 33:211r
 250 miles from land 33:160r
 -satrapa (Kinglet, Golden-crowned)
 distribution 32:58
 host-parasite assoc. 41:302
 Reichel, W.L. see Sladen, W.J.L. &-
 Reid, B. An interpretation of the age structure & breeding status of an Adelie Penguin pop. 40:147r
 -- Some features of recent research on the Takahe, *Notornis mantelli* 41:247r
 Renida, T. Researches on the dev. & the morphogenesis of the *Gallus gallus* (Linn.) patella 41:324r
 Reimers, N.F. Birds & mammals of the s.Taiga of Central Siberia 38:165r
 -- The Nutcracker 41:259r
 Reynard, G.B. The cadence of bird song 35:52r
Rhinoptilus africanus (Courser, Double-banded)
 breeding biol. & behav. 39:136r
Rhodostethia rosea (Gull, Ross's)
 nesting grounds, Yakutia, USSR 36:63r
Rhynchophanes mccownii (Longspur, McCown's)
 territory 32:12

- Ribaut, J.-P. Dynamics of a pop. of European Blackbirds 37:57r
- Rice, C.E. Imprinting by force 34:102r
- Rice, J.O'H. & W.L. Thompson. Song Dev. in the Indigo Bunting 40:349r
- Richards, A.J. see Dobinson, H.M. & Richards, J.P. see Vanderstoep, K. & Richardson, F. Breeding & feeding habits of the Wheatear, *Oenanthe leucura*, in s. Spain 36:201r
- & J. Bowles. A survey of the birds of Kauai, Hawaii 37:144r
- Richardson, J. A tern-band. project at the Dry Tortugas 35:206r
- Richardson, R.E. see Drury, W.H. & Richardson, W.J. Weather & late spring migr. of birds into s. Ontario 38:328r
- & M.E. Haight. Migr. departures from starling roosts 41:245r
- Richdale, L.E. Biol. of the Sooty Shearwater, *Puffinus griseus* 35:134r
- Biol. of the birds of Whero Is., N.Z., with special ref. to the Diving Petrel & the White-faced Storm Petrel 37:292r
- Breeding behav. of the Narrow-billed Prion & the Broad-billed Prion on Whero Is. New Zealand 37:294r
- Richmondia cardinalis* (Cardinal) band. records 35:1-7
- Christmas counts, index sp. 40:333r
- dew bathing 39:227
- distress calls 36:83-86
- pairing 40:255
- post-juv. molt; aging 38:37-51
- returns, aged bird 35:41, 36:45
- song, org. & function 40:349r
- status changes, CT 35:1-7
- weights & meas. 38:37-51
- white-headed 39:57
- Ricklefs, R.E. Patterns of growth in birds 40:166r
- Weight recession in nestling birds 40:264r
- Preliminary models for growth rates in altricial birds 41:322r
- Rider, G.C. see Eastwood, E. & Rieffengerger, J.C. & F. Ferrigno. Woodcock band. on the Cape May Peninsula, NJ 41:1-10
- Rietz, J. Photographing with radio-operated camera 40:70r
- Rijke, A.M. The water repellency & feather structure of cormorants, *Phalacrocoracidae* 40:65r, 40:346r
- Riparia riparia* (Swallow, Barn) band., Britain 33:154r
- colonizing with Rough-winged Swallow 35:40, 35:204
- homing experiments 34:179-189
- longevity 41:30
- migr., Mediterranean 33:104r
- Ripley, S.D. A synopsis of the birds of India & Pakistan tog. with those of Nepal, Sikkim, Bhutan & Ceylon 33:169r
- see Deignan, H.G. & Ripley, T.H. Weights of MA quail & comp. with other geog. samples for taxonomic significance 32:108r
- see Cookingham, R.A. & Risebrough, R.W. Pollution, wildlife & science 40:262r
- see Anderson, D.W. & *Rissa tridactyla* (Kittiwake, Black-legged) breeding 32:104r
- , Sweden 39:330r
- biol. 38:82r
- movements 38:240r
- recovery, Norway 32:231r
- Rissi, P.J. Adaptation & negative after-effect to lateral optical displacement in newly hatched chicks 41:65r
- Rittinghaus, H. Researches on the biol. of the Dotterel in Swedish Lapland 34:168r
- Terr. defense in the Oystercatcher 37:132r
- Roadcap, R. Translocation of White-cr. & Golden-cr. Sparrows 34:100
- Robbins, C.S. A guide to the aging & sexing of Wood Warblers, Parulidae, in the fall 36:126r
- & B. Brunn & H.S. Zim. Birds of North America 37:305r
- Robel, R.J. Differential winter mort. of Bobwhites in Kansas 37:133r
- Movements & flock stratification within a pop. of Black-cocks in Scotland 41:144r
- Roberts, B. Wildlife conservation in the Antarctic 37:296r
- Robertson, C.J.R. Observations on Black-backed Gull predation at the Cape Kidnappers Ganneries:1959-63 35:273r
- Banded Fairy Prion: first overseas recovery 40:56r
- Robertson, W.B., Jr. The Terns of the Dry Tortugas 36:61r
- Transatlantic migr. of juvenile Sooty Terns 41:136r

- Robin, Am. (*Turdus migratorius*)
 -, Eur. (*Erithacus rubecula*)
 Robins, J.D. see Niles, D.M. &
 Rochard, J.B.A. & J. Kear. A trial to
 investigate the reactions of sheep to
 goose droppings on grass 40:160r
 Rodhe, W. see Berglund, B.E. &
 Rogers, D.T. Fat levels & estimated
 flight-ranges of some autumn migratory
 birds killed in Panama during a
 nocturnal rainstorm 36:115r
 -- see Hicks, D.L. &
 -- see Odum, E.P. &
 Rogers, D.T., Jr. Energy expenditures of
 caged postmigrants in Panama 39:60
 -- see Loftin, H. &
 Rogers, J.P. Effect of drought on reprod.
 of the Lesser Scaup 36:199r
 -- & J.L. Hansen. Second broods in the
 Wood Duck 38:234
 -- see Grice, D. &
 Rohwer, S.A. see Niles, D.M. &
 Roller (*Coracias garrulus*)
 Rolls, J.C. see King, B. &
 Rolnik, V.V. The Biology of Avian
 Embryo Development 41:76r
 Rook (*Corvus frugilegus*)
 Roos, B. Birger's Birds 40:274r
 Roos, G. Notes from Falsterbo Bird
 Sta., summer & fall, 1961 37:128r:
 1962 37:128r: 1963 37:210r
 -- Band. activities at Falsterbo Bird
 Sta. 1965-67. Rep. No. 39 41:42r
 ROOSTING (see also BEHAVIOR)
 Duck, Wood 41:52r
 Egret, Cattle 38:85r
 Jackdaw, wintering &, 34:42r
 Paridae spp., winter 39:138r
 Starling, daily rhythms 36:54r
 Swallow, Barn, indoors 39:131
 Root, O.M. Reverse migr. by Cowbirds 33:99
 Rooth, J. The Flamingos on Bonaire, Neth.
 Antilles 37:294r
 Rosefinch, Lapidary (*Pyrhospiza punicea*)
 Rosella, Eastern (*Platycercus eximius*)
 Rosen, L. The migr. of raptors at
 Falsterbo 38:240r
 Rosenberg, E. & P.O. Swanberg. Display
 of the Black Cock 33:53r
 Rosenberg, H.R. The site & nature of
 provitamin D in birds 33:165r
 Rosene, W., Jr. Effects of field applica-
 tions of Heptachlor on Bobwhite Quail &
 other wild animals 37:298r
- Roseberry, J.L. Some responses of Bob-
 white to snow cover in s.II 36:198r
 -- & Klimstra, W.D. A guide to age detn.
 of Bobwhite Quail embryos 37:58r
 Roseneau, D.G. see Enderson, J.H. &
 Rothschild, M. Dev. of paddling & other
 movements in young Black-headed Gulls
 33:210r
 Rowan, M.K. & G.J. Broekhuysen. A study
 of the Karoo Prinia 35:214r
 -- An anal. of the records of a South
 African Ringing Sta. 36:119r
 -- Regulation of sea-bird nos. 36:198r
 -- A study of the Colies of s.Africa 39:63r
 -- Bird-ringing in southern Africa 39:320r
 -- The origins of Eur. Swallows 'wintering'
 in South Africa 40:67r
 Rowley, I. The life hist. of the Superb
 Blue Wren, *Malurus cyaneus* 37:213r
 -- Rapid band wear on Aust. ravens 38:238r
 -- Unusual feeding technique of Bald
 Coot 40:60r
 -- The ABC of crow catching 40:148r
 Royama, T. Cuckoo hosts in Japan 35:215r
 -- A model for the global var. of clutch
 size in birds 41:313r
 Rudebeck, G. Red-breasted Flycatcher
 breeding in Scania 32:185r
 Ruff (*Philomachus pugnax*)
 Rufibrenta ruficollis (Brant, Red-
 breasted)
 biol & distr. 39:142r
 Ruge, K. The biol. of the Northern Three-
 toed Woodpecker 40:340r
 Rumsey, R.L. Capture & care of Pileated &
 Red-headed Woodpeckers 39:313
 Ruppell, G. Preliminary contributions to
 the knowledge of threat behav. in the
 Redshank 34:102r
 Rusch, D.R. see Luttich, S. &
 Russel, F. Argen the Gull 36:214r
 Russell, S.M. A distr. study of the birds
 of British Honduras 36:132r
 Rutter, R.J. Gray Jays accept transfer to
 a different nest in a new location 41:130
 Ryabov, V.F. & N.I. Mosalova. The dietary
 features of the Curlew & the Black-tailed
 Godwit in n. Kazakhstan 39:143r
 -- & Y.A. Samorodov. Winter avifauna of
 the Kustanai Steppes, n. Kazakhstan
 41:155r
 -- see Samorodov, Y.A. &
 Ryden, J.P. A preliminary study of the
 breeding biol. of the Ross's Goose
 36:55r

- Ryden, O. & H. Kallander. Calculations of migr. flight speed with special ref. to the Eider 36:51r
- Ryder, R.A. Distr., migr. & mort. of the White-faced Ibis, *Plegadis chihi*, in North America 38:257
- Rydzewski, Dr. W. (IOIS) The Ring. Series B. 1963 34:221r
- Ryerson, L.L. see Brower, L.P. & Rylander, M.K. & E.G. Bloen. Ecological & anatomical adaptations of n.American Tree Ducks 41:254r
- Rynchops nigra* (Skimmer, Black)
carried by hurricane 39:200-208
feeding behav., adaptations 34:104r
nesting, GA 36:22
recoveries 39:325r
- Ryszkowski, L. see Pinowski, J. &

- Sabanevskii, B.V. The Common Eider, *Somateria mollissima* L., in the Black Sea Reserve area 40:346r
- Sage, B.L. Albinism & melanism in birds 34:46r
- The incidence of albinism & melanism in British birds 35:132r
- Sakayan, A.R. see Larionov, V.F. & Salfeld, D. Jays recovering buried food from under snow 41:159r
- Salmon, J.T. Heritage destroyed: the crisis in scenery preservation in N.Z. 33:163r
- Salomonsen, F. The moult migr. 40:149r
- Salzen, E.A. Consocial tact & attachment in domestic chicks 40:336r
- Saltator, Buff-throated (*Saltator maximus*)
- Saltator maximus* (*Saltator*, Buff-throated scaly-leg 40:51r
- Salvadori, A. see Page, G. & Samorodov, Y.A. see Ryabov, V.F. & -- & V.F. Ryabov. On the ecol. of the Great Black-headed Gull in the Kuantanai region 41:46r
- Samuel, D.E. Banding, paint-marking & subsequent movements of Barn & Cliff Swallows 41:97-103
- Sanderling (*Calidris alba*)
- Sanders, J.E. see Mackenzie, L. & Sandgrouse (*Pteroclididae*)
- , Pallas's (*Syrhaptus paradoxus*)
- , Pin-tailed (*Pterocles alchata*)
- , Namaqua (*P. namaqua*)
- Sandpiper, Buff-breasted (*Tryngites subruficollis*)
- , Common (*Tringa hypoleucos*)
- , Green (*T. ochropus*)
- , Least (*Calidris minutilla*)
- , Pectoral (*C. melanotos*)
- , Purple (*C. maritima*)
- , Red Knot (*C. canutus*)
- , Semipalmated (*C. pusillus*)
- , Sharp-tailed (*C. acuminata*)
- , Spotted (*Actitis macularia*)
- , Stilt (*Micropalama himantopus*)
- , Western (*C. mauri*)
- , White-rumped (*Erolia fuscicollis*)
- , Wood (*Tringa glareola*)
- Sandplover, Kittlitz's (*Charadrius pecuarius*)
- , Three-banded (*C. tricollaris*)
- Sanger, M.B. World of the Great White Heron 39:239r
- Sapetin, Y.V. Notes on band. of the White Pelican & Pygmy Cormorant in the Tereka delta 40:329r
- Sapine, J.J. see Arnaud, P. & Sarcoramphus papa (Vulture, King) olfaction in food location 36:61r
- Sapsucker, Yellow-bellied (*Sphyrapicus varius*)
- Sauer, E.G.F. & E.M. Sauer. Star navig. of nocturnal migr. birds: the 1958 planetarium experiments 32:236r
- Ethology & ecology of Golden Plovers on St. Lawrence Is., Bering Sea 34:42r
- Migr. habs. of Golden Plovers 36:196r
- & E.M. Sauer. The behav. & ecol. of the South African Ostrich 38:156r
- Saunders, A.A. An introduction to bird life for bird watchers 36:133r
- Savage, S. see West, G.C. & Savell, W.E. Swainson's Warbler banded at Linwood, NJ 39:230
- Sawyer, P.J. Report on the cause of mort. & the morphometry of 70 Ruby-crowned Kinglets killed at the WENH-TV tower in Deerfield, NH 32:162
- Saxicola rubetra (Whinchat)
- recovery abroad, Britain 39:134r
- torquata (Stonechat)
- nesting behav. 33:52r
- recovery map, Neth. 36:45r
- Saxod, R. Ultrastructure of cutaneous sensory Herbst & Gandy bodies in the Mallard 41:151r
- Sayornis nigricans (Phoebe, Black)
- band. report 33:6
- phoebe (Phoebe, Eastern)
- band., PA; nest locations; mort.; cowbird predation 34:99r, 34:100r
- weights & meas. 32:149
- spp. (Phoebes)
- identification key 37:153-171
- Scaphidura oryzivora (Cowbird, Giant)
- beneficial parasite 40:170r
- solicits human preening 41:143r
- Scardafella inca (Dove, Inca)
- water economy, salt balance 40:163r
- Scaup (*Aythya marila*)
- , Lesser (*A. affinis*)
- Schaeffer, F.S. On skulling with a hand lens 41:133r
- Observation of 'billing' in courtship behav. of Tree Swallow 41:242
- Schaffer, L.S. Two new Malleophaga spp. from the terr. of the fauna in Chile 38:160r

- Schifferli, A. Longevity, mort. & causes of death in the Kestrel, Falco tinnunculus 36:120r
- Schleidt, W.M. & M. Schleidt & M. Magg. Disturbance of the mother-child relationship in turkeys through loss of hearing 32:106r
- Reactions of turkeys to flying predators & experiments on the anal. of the innate releasing mechanism 33:162r
- Schmekel, L. Data on the weight of avian yolk from hatching 'til its disappearance 33:207r
- Embryonic & early postembryonic erythropoiesis in liver, spleen, yolk sac & bone marrow of birds 34:172r
- Schmid, F.C. Record longevity of a wild Red-shouldered Hawk 34:160
- Schmidt, H. Der Flug der Tiere 33:117r
- Schmidt, W.J. The nature of 'canals' in Falconiformes' egg shells 41:255r
- Schmidt-Koenig, K. Internal clocks & homing 32:235r
- Sun navigation in birds? 32:235r
- The sun azimuth compass: one factor in the orient. of homing pigeons 32:235r
- The sun-orient. of directionally trained pigeons in their physiological night 32:235r
- Initial orient. & distance of displacement in pigeon homing 36:49r
- Schmidt-Nielsen, K. & Y.T. Kim. The effect of salt intake on the size & function of the salt gland in ducks 35:280r
- Schmitt, R. Birds of the Luxembourg City Park. Today & yesterday 36:208r
- Schnitzer, A. Operation Recovery at Monhegan Is., ME 32:231r
- Three years of Operation Recovery at Monhegan 35:207r
- Schoener, T.W. Sizes of feeding terr. among birds 40:158r
- Schorger, A.W. Migr. of Blue Jays at Madison, WI 33:161r
- Schreiber, R.W. Seasonal fluctuations of Herring Gulls in Central ME 39:81
- Schultz, F. Sexual imprinting in ducks 36:277r
- Schutz, W.E. How to attract, house & feed birds 41:334r
- Schuz, E. On the n.w. migr. divide of the White Stork 36:48r
- Schwab, R.G. & R.E. Marsh. Reliability of external sex characteristics of the Starling in CA 38:143
- Schwartz, P. Bird songs from the tropics 35:218r
- Orient. experiments with No. Water-thrushes wintering in Venezuela 35:270r
- The Llano vibrates 36:280r
- Schwartz, S.S. The pop. structure of the species 40:68r
- The evolutionary ecology of animals 41:335r
- Sciple, G.W. see Kale, H.W., II & Scolopax rusticola (Woodcock) behav., protective parental 35:51r mass invasion, Ottenby, Nov. 1961 38:129r tail feather structure & 'shine' 39:66r recovery, banded at Ottenby 35:128r
- Scopus umbretta (Stork, Hammerhead) hyperthermia, response to, 38:333r, 40:169r
- Scoter, Surf (Melanitta perspicillata) -, Velvet (M. fusca)
- SCOTLAND see BRITISH ISLES
- Scott, D.M. Postjuvinal molt & detn. of age in the Cardinal 38:37
- Scott, J.P. Critical periods in behavioral dev. 34:102r
- Scott, P. see Boyd, H. & -
- Scott, R.E. Weights & meas. of migrant Passerines, Sept. 1962 37:140r
- Scott, T.G. Grouse mgt. symposium 36:212r
- & M.B. Norgren & W.S. Overton. Ten year index, 1957-1966, to the Journal of Wildlife Management 40:160r
- Scrub-bird, Noisy (Atrichornis clamosus)
- Sdobnokov, V.M. Some features of n.e. Taimyr avifauna 40:346r
- Sealy, S.G. The Peregrine Falcon in the Perry River area, n.w. terr. 38:73r
- Some alcid leg sizes and band sizes 39:59
- Techniques for recording field data in the rain 39:134
- Sebeok, T.A. (Ed.) Annual communication: techniques of study & results of research 40:72r
- Seed-eater, Variable (Sporophila aurita)
- Seed-snipes (Thinocoridae)
- , Gray-breasted (Thinocorus orbignyianus)
- , Least (Thinocorus rumicivorus)
- , Lesser = Least
- Segre, A. & R. Noble & J.P. Hailman. A five-egg Herring Gull nest 37:290r

- Seidensticker, J.C., IV & L. Kilham, M.D.
a device for examining nesting
cavities 39:228
- Seiurus aurocapillus (Ovenbird)
band., Panama 34:220, 38:151
cowbird, non-reaction to, 34:42r
distress callers? 36:86
host-parasite assoc. 41:302
mist netting 32:172
TV tower kill, large, WI 35:211r
weights & meas. 32:155
- motacilla (Waterthrush, Louisiana)
non-squealer 36:86
weights & meas. 32:49
- noveboracensis (Waterthrush, No.)
band., Panama 34:220r
migration 32:175r, 32:238r
non-squealer 36:86
orient. experiments 35:270r
- Selander, R.K. Speciation in wrens of the
genus *Campylorhynchus* 37:72r
- Selasphorus sasin (Hummingbird, Allen's)
flight speed 33:108r
- Semenov-Tyan-Shanskii, O.I. & A.B. Bragin.
Incubation conditions for some pre-
cocial birds in the subarctic 41:314r
- Sengupta, S. Studies on the life of the
Common Myna, *Acridotheres tristis*
tristis L. 40:334r
- Seppa, J. The cuckoo's ability to find
a nest where it can lay an egg 41:248r
- Serinus canaria (Canary)
respiration during singing 41:260r
- Serpophaga cinerea (Flycatcher, Torrent)
behavior 32:65r
- Serventy, D.L. & D.S. Farner &
C.A. Nicholls & N.E. Stewart. Trapping
& maintaining shorebirds in captivity
33:123
- Setophaga ruticilla (Redstart, Am.)
aggression towards cowbirds 34:41r
band. 32:100r
distribution 32:51,58
host-parasite assoc. 41:302
in Panama 38:152
migration 32:178r
mist netting 32:172
non-squealer 36:86
weights & meas. 32:76
- Seubert, J.L. Research on methods of
trapping the Red-winged Blackbird,
Agelaius phoeniceus 36:46r
- Sevastyanov, A. & A.D. Slonim (Eds.)
Avian Physiology 40:175r
- SEXING see TECHNIQUES
- Shag, Common (*Phalacrocorax aristotelis*)
-, Black = Common Cormorant
Shakhin = Barbary Falcon
- Shakleton, K. & T. Stokes. Birds of the
Atlantic Ocean 40:177r
- Shakespeare, Birds of, 37:76r
- Shama (*Copsychus malabaricus*)
- Sharland, R.F. & B.J. Harris. Ringing in
Nigeria & Ghana during 1960: Third
Annual Report 40:53r
- Shaub, B.M. Notes on the destruction of
banded Evening Grosbeaks in Quebec
in 1960 36:46r
-- John James Audubon & juvenile Evening
Grosbeaks 36:59r
- Shaub, M.S. Evening Grosbeak winter
incursions, 1958-59, 1959-60 34:1
- Shearwaters (*Puffinus* spp.)
-, Audubon's (*P. lherminieri*)
-, Flesh-footed (*P. carneipes*)
-, Greater (*P. gravis*)
-, Little (*P. assimilis*)
-, Manx (*P. puffinus*)
-, Wedge-tailed (*P. pacificus*)
-, Short-tailed (*P. tenuirostris*)
-, Sooty (*P. griseus*)
- Sheldon, W.G. The book of the American
Woodcock 39:144r
- Shelduck, Ruddy (*Tadorna ferruginea*)
- Shelford, V.E. The Ecology of North
America 36:64r
- Shepard, P. & D. McKinley (Eds.) The
subversive science: essays toward an
ecology of man 40:272r
- Shepherd, P.E.K. see Harris, S.W. &
Sheppard, J.M. Mist netting in Hamilton
County, OH 32:171
- Shevareva, T.P. Pop. features of bird
migration 37:291r
-- Geog. pop. of the Mallard in USSR 40:169r
-- Geog. pop. of the Pintail in USSR 40:347r
-- see Lebedeva, M.I. &
- Shilov, I.A. On the mechanisms of pop.
homeostasy in animals 39:233r
-- Ecological aspects of the homiothermy
evolution problem 40:64r
- Shluger, E.G. & G.S. Belskaya. The ecol.
of Trombiculid mites of burrowing
birds in Turkmeniya 39:235r
- Short, L.L. Notes on the behav. of the
bulbuls, *Pycnonotus cafer* (L.) & *P.*
leucogenys (Grey) in captivity 36:56r
-- An apparently melanic Hairy Wood-
pecker from NM 40:145

- Short, L.L. (cont.) Taxonomic aspects of avian hybridization 41:70r
- Reversed sexual dimorphism in tail length & foraging differences in woodpeckers 41:85-92
 - Jr. Mid-pleistocene birds from w. NE, including a new sp. of sheldgoose 41:324r
- Shoveler (*Anas clypeata*)
- Shrike, African Bush (*Tchagra minuta*)
- , Great Gray = Northern Shrike
 - , Isabelline (*Lanius isabellinus*)
 - , Loggerhead (*L. ludovicianus*)
 - , Northern (*L. excubitor*)
 - , Red-backed (*L. collurio*)
- Shtegman, B.K. see Ivanov, A.I. & Shubnikova, O.N. Tetraonids as geographic resources 41:55r
- see Kirikov, S.V. &
- Shumakov, M.E. An investigation of the migr. orient. of Passerine birds 32:328r
- An experiment for determining the possibility of magnetic orient. in birds 40:54r
- Shuntov, V.P. On tubinares & alcids of the Bering Sea 37:300r
- Some correlations in the dispersal of albatrosses in the N. Pacific 40:54r
- Sialia currucoides (Bluebird, Mountain) band.report 33:6
- sialis (Bluebird, Eastern) band. 32:229
 - behav., breeding, in captivity 33:209r
 - migr. 32:100r, 33:155r
 - nest box project 40:114-129
 - parasites 32:91
 - pop. decreases since 1906, IL 35:134r
 - trapping 30:320r
 - weights & meas. 32:153
- Sibley, C.G. & K.W. Corbin & J.E. Ahlquist. The relationships of the Seedsnipe (*Thinocoridae*) as indicated by their egg white proteins & hemoglobins 40:347r
- & -- J.H. Haarie. The relationships of the flamingos as indicated by the egg white proteins & hemoglobins 41:156r
- Sibley, F.C. see Clapp, R.B. &
- see Ralph, C.J. &
- Sick, H. Courtship behav. in the manakins (*Pipridae*): A review 39:138r
- Seigfried, W.R. Age at which Cattle Egrets first breed 38:157r
- The distr. & status of the Black Stork in southern Africa 40:56r
 - Temp. var. in the Cattle Egret 40:64r
- Sigal, S. Bird tragedy at the dunes 32:100r
- Silvereye = Gray-backed White-eye
- Silverstov, V.B. New data on the distr. & biol. of the Thick-tailed Jerboa 41:73r
- Simmons, K.E.L. Anting in the Motacillidae 32:64r
- Foot movements in plovers & other birds 32:183r
 - Some recent records of anting in passerine birds 33:114r
 - Further observations on foot movements in plover & other birds 33:162r
 - Anting & the problem of self-stimulation 38:84r
 - Ecological adaptations in the life hist. of the Brown Booby at Ascension Is. 39:138r
- Simms, E. A study of suburban bird-life at Dollis Hill 33:165r
- Effects of the cold weather of 1962-63 on the Blackbird pop. of Dollis Hill, London 36:196r
- Simpson, N. see Hagiwara, S. & Sinclair, A.R.E. see Cameron, R.A.D. & Siskin, Pine (*Spinus pinus*)
- Sitta spp. (Nuthatches)
- comparative behav. 36:56r
 - canadensis (Nuthatch, Red-breasted) host-parasite assoc. 41:302
 - carolinensis (Nuthatch, White-breasted) claw encircling tarsus 37:126
 - host-parasite assoc. 41:302
 - recovery, MA 39:216
 - weights & meas. 32:151
 - europea (Nuthatch, Siberian) breeding biol. 38:157r
 - food storage 40:69r
 - invasion, Finland 37:141r
 - neumayer (Nuthatch, Rock) life hist., ecol., nesting 37:295r
 - pusilla (Nuthatch, Brown-headed) screech owl calls, reaction to 35:285r
 - tool use 40:58r
 - pygmaea (Nuthatch, Pygmy) aging 32:56
 - aggressive behav. examined 41:250r
 - weights & meas. 32:73
 - tephronota (Nuthatch, Persian) life hist., ecol. & nesting 37:295r
- Sjostrand, B. see Enemar, A. & Skimmer, Black (*Rynchops nigra*)
- Skryabin, N.G. The effect of fluctuations of Baikal water levels on waterfowl 39:136r
- Skua, Arctic = Parasitic Jaeger

- Skua, Brown (*Catharacta skua*)
 -, South Polar (*C. maccormicki*)
 Skutch, A.F. Life hist. of Central Amer. birds. Part II. Families Vireonidae, Turdidae, Sylviidae, Troglodytidae, Paridae, Corvidae, Hirundinidae and Tyrannidae 32:64-65r
 -- A breeding bird census & nesting success in Central America 37:213r
 -- Adaptive limitations of the reprod. rate of birds 39:136r
 Skylark (*Alauda arvensis*)
 Sladen, W.J.L. & C.M. Menzie & W.L. Reichel. DDT residues in Adelie Penguins & a Crabeater Seal from Antarctica: ecological implications 40:341r
 -- see Gill, D.E. &
 -- see Goldsmith, R. &
 -- see Penny, R.L. &
 Slobodkin, L.B. Growth & regulation of animal pops. 34:52r
 Slonim, A.D. (Ed.) Complex forms of behavior 37:301r
 -- see Sevastyanov, A. &
 Slud, P. The birds of Costa Rica, distr. & ecol. 36:64r
 -- The birds of Cocos Is., Costa Rica 38:247r
 Smart, G. Dev. & maturation of primary feathers of Redhead ducklings 37:299r
 Smew (*Mergus albellus*)
 Smiley, D. Another nine year old Chickadee 35:267r
 Smith, A.E. see Cornwallis, R.K. &
 Smith, C.L. (Mrs.) Old Chickadee 35:124
 Smith, C.E. Band recovered from owl pellet 36:116
 -- Preliminary notes on a six year study of Rose-breasted Grosbeak plumages 37:49
 Smith, C.F. South American bird field guides 39:74r
 Smith, F.R. & Rarities Committee. Report on rare birds in Gt. Britain in 1966 (with 1965 & 1964 additions) 39:322r
 Smith, G.T.C. A high altitude hummingbird on the volcano Cotopaxi 40:259r
 Smith, K.D. The passage of Palaearctic migrants through Eritrea 32:179r
 -- Spring migr. through s.e. Morocco 40:328r
 Smith, L.B. see Bird, R.D. &
 Smith, N.G. The advantage of being parasitized 40:170r
 -- Visual isolation in gulls 41:52r
 -- Provoked release of mobbing: a hunting technique of *Micrastur falcons* 41:53r
 Smith, P.C. & J.S. Bleakney. Observations on oil pollution & wintering Purple Sandpipers in Nova Scotia 40:342r
 Smith, R.L. Ecology & field biol. 37:302r
 Smith, R.W. Bird banding 37:54r, 37:290r
 Smith, V.W. & D. Ebbutt. Notes on Yellow Wagtails wintering in cent. Nigeria 37:63r
 -- Autumn & spring wts. of some Palearctic migrants in cent. Nigeria 38:161r
 Smith, W.J. Messages of vertebrate communication 41:51r
 -- see Drury, W.H. &
 Smithe, F.B. The Birds of Tikal 38:253r 41:334r
 Smogorzhevskii, L.A. The initial flight direction in homing experiments 40:53r
 -- see Kistyakovskii, A.B. &
 Snelling, J.C. see MacMillen. R.E. &
 Snipe, Common (*Capella gallinago*) -, Great (*Gallinago media*)
 Snowcock, Caucasian (*Tetraogallus caucasicus*)
 Snow, B.K. The breeding biol. of the Shag, *Phalacrocorax aristotelis*, on the Island of Lundy, Bristol Channel 32:104r
 -- The behav. of the Shag 34:226r
 -- Observations on the behav. & ecol. of the Flightless Cormorant (*Nannopterum harrisi*) 37:292r
 Snow, D.W. & B.K. Snow. No. Waterthrush returning to same winter quarters in successive winters 32:175r
 -- The natural hist. of the Oilbird, *Steatornis caripensis*, in Trinidad, W.I. Part I. General behav. & breeding habits 34:167r
 -- A field study of the Black & White Manakin, *Manacus manacus*, in Trinidad 34:168r
 -- Annual cycle of the Yellow Warbler in The Galapagos 37:44
 -- The singing assemblies of Little Hermits 40:69r
 -- see Davies, P.W. &
 Snyder, D.E. The birds of Guyana. A check list of 720 spp., with brief descr., voice & distr. 38:89r
 Soikkeli, M. The distr. of the s. Dunlin, *Calidris alpina schinzi*, in Finl. 36:52r
 -- On the structure of the bird fauna on some coastal meadows in w. Finl. 37:212r

- Soikkeli, M. (cont.) Breeding cycle & pop. dynamics in the Dunlin 39:63r
- Sokal, R.R. Distance as a measure of taxonomic similarity 33:115r
- SOLOMON ISLANDS see OCEANIC ISLANDS
- Somateria mollissima (Eider, Common)
 - behav., duckling 32:108r, 32:183r
 - Black Sea Reserve area 40:346r
 - breeding biol. & mgt. 38:241r
 - ecology 39:65r
 - , Gulf of Bothnia 36:199r
 - egg predation, Hooded Crow, Finl. 36:197r
 - fowl cholera 37:61r
 - migration 32:238r
 - , Baltic Sea 33:205r
 - nest protection, fecal 41:47r
- Sopyev, O.V. The Desert Sparrow in the Kara-Kums 38:158r
- On mort. of avian clutches & young in a desert 39:62r
- On the breeding of some birds in the Kara-Kums 39:137r
- on nestling feeding activity in the desert situation 40:260r
- Sorensen, J.H. see Bailey, A.M. & -
- SOUNDS
- acoustics & physiology 41:159r
- animal communication, study 40:72-75r
- auditory feedback, chicks 35:130r
- , role of, 37:221r
- deafening & song dev., Black-headed Grosbeak 37:144r
- , Robin 37:144r
- echo-location, swiftlets 38:244r
- modulation, amplitude & frequency 41:74r
- multipurpose sounds 40:268r
- occurrence in chicks 38:87r
- physical & functional characteristics 40:269r
- 'purposive' use of learned, Raven & Shama 34:227r
- repertoire of Wood Warbler 40:268r
- terr. & resonance, roles of, 35:225-52
- vocal:
 - calls, antiphonal, Bobwhite 40:268r
 - , distress, mist-netted birds 36:83-8
 - , evol. of, environmental influence 41:74r
 - , of:
 - Acanthis spp. 32:10
 - cuckoo, fledgling food-begging 40:60r
 - Diver, Gt. No., mating 35:136r
 - domestic chick 38:87
 - finch, imitation & recog. 41:330r
 - Pipit, Water, similarity 32:10
 - song, cadence of 35:52r
 - , common bird 40:70r, 40:77r
 - dev. & auditory experience 40:268r
 - , duets 40:268r
 - , evolutionary divergence &, 33:168r
 - , human music, versus 40:173r
 - , of:
 - blackbird, human whistle imitation 39:64r
 - Bunting, Indigo, dev. of 40:349r
 - Cardinal, org. & function 40:349r
 - Chaffinch, auditory experience & dev. 40:268r
 - Creeper, Tree 35:56r
 - Estrildidae 39:331r
 - Hermit, Little, singing assemblies 40:69r
 - Lark, Crested, imitation by 37:221r
 - Meadowlark 37:61r
 - Myiarchus spp., n.Am. 38:168r, 34:226r
 - Palaearctic birds, pitch differences 41:74r
 - passerines, geog. var. 39:144r
 - , morph. groupings, 5 spp. 40:347r
 - Sparrow, Song, Dev. 38:250r
 - , -, instrument anal. 35:281r
 - , -, variations 36:280r
 - , Savannah 41:18-21
 - , White-cr., experiments 37:221r
 - Tern, Sandwich, indiv. voice recog. 40:349r
 - Tits, Blue, Coal & Great 33:168r
 - warbler, 3 spp., comparison 38:87r
 - , Wood, comp. of pitch 33:209r
 - Waxbill 35:275r
 - , Blue-headed 34:102r
 - Weaverbird, Parasitic 35:275r
 - , recordings 36:215r
 - , -, garden 35:55r
 - , -, Myiarchus spp. 33:168r, 34:226r
 - , -, Palaearctic birds 40:349r, 41:260r
 - , -, Venezuelan Plains, birds of 36:280r
 - , respiration during, canary 41:260r
 - , ultrasonic frequencies 35:52r
- SOUTH AFRICA see AFRICA
- SOUTH AMERICA
- Argentina:
 - band. 39:30-32
 - Birds of, 41:154r
 - British Honduras:
 - migration 39:107-116
 - Field Guide to, 39:74r

SOUTH AMERICA (cont.)

- Guatemala:
Tikal, Birds of 38:253r, 41:334r
- Guyana:
Birds of, 38:89r
- Southern, H.N. The place of ecology in Science & Affairs 38:159r
-- & V.P. Lowe. The pattern of distr. of prey & predation in Tawny Owl terr. 40:159r
-- see Brook, A. &
- Southern, W.E. Colony selection, longevity & Ring-billed Gull pops.: Preliminary discussion 38:32
- Southwood, T.R.E. & D.J. Cross. The ecol. of the partridge. III Breeding success & the abundance of insects in natural habitats 41:158r
- Spadebill, White-throated (*Platyrinchus mystaceus*)
- SPAIN see EUROPE
- Sparks, J.H. The relationship between foot-movements & feeding in shorebirds 33:116r
- Sparrows (*Zonotrichia* spp.)
Sparrow, Andean (*Zonotrichia capensis*)
-, Bachman's (*Aimophila aestivalis*)
-, Chipping (*Spizella passerina*)
-, Desert (*Passer simplex*)
-, Eurasian Tree (*P. montanus*)
-, Field (*Spizella pusilla*)
-, Fox (*Passerella iliaca*)
-, Golden (*Passer lutueus*)
-, Golden-cr. (*Z. atricapilla*)
-, Grasshopper (*Ammodramus savannarum*)
-, Harris's (*Z. querula*)
-, Henslow's (*Passerherbulus henslowii*)
-, House (*Passer domesticus*)
-, Lark (*Chondestes grammacus*)
-, LeConte's (*Passerherbulus caudacutus*)
-, Lincoln (*Melospiza lincolni*)
-, Rufous-collared (*Z. capensis*)
-, Savannah (*Passerculus sandwichensis*)
-, Seaside (*Ammospiza maritima*)
-, Sharp-tailed (*Ammospiza caudacuta*)
-, Song (*Melospiza melodia*)
-, Swamp (*M. georgiana*)
-, Tree (*Spizella arborea*)
-, Vesper (*Poocetes gramineus*)
-, White-cr. (*Z. leucophrys*)
-, White-throated (*Z. albicollis*)
- Sparrow Hawk, Am. = Kestrel, Am.
- Sparrowhawk, Eur. (*Accipiter nisus*)
- Spearman, R.I.C. The epidermis & feather follicles of the King Penguin 41:324r
- Speek, B.J. see Perdeck, A.C. &
- Speirs, J.M. Survival & pop. dynamics with particular ref. to Black-capped Chickadees 34:87
- Spencer, A.W. & J.W. DeGazio. Capturing blackbirds & starlings in marsh roosts with dip nets 33:42
-- A device for holding & spreading bird bands 33:96
- Spencer, H.E., Jr. see Gershman, M. &
- Spencer, R.R. Report on bird ringing for 1959, 32:100r, 1960, 33:154r, 1961, 34:165r, 1962, 35:219r, 1963, 36:272r, 1964, 37:291r, 1966, 39:134r, 1967, 40:149r, 40:324r
-- Bird migration 35:53r
-- see Williamson, K. &
- Sperling, S. Observations on the summer & fall invasion of Nutcrackers, *Nucifraga caryocatactes* 41:136r
- Sphenorhynchus *abdimii* (Stork, *Abdim's*) narcotizing for capture 37:209r
- Sphyrapicus *varius* (Sapsucker, Yellow-bellied)
food preference 35:225-253
life hist., comparisons 39:238r
migration 32:100r
other feeders at sapsucker trees 36:192
weights & meas. 32:47
- Spinus lawrencei* (Goldfinch, Lawrence's) band. report 33:71
-pinus (Siskin, Pine)
band. 32:59r
-, interior AK, first record 34:38
bird feeder observations 34:217
host-parasite assoc. 41:302
migr., off Nfld. 33:158r
pop. dynamics 38:155r
-psaltria (Goldfinch, Lesser)
band. report 33:71
-tristis (Goldfinch, Am.)
band. 32:59
- report 33:71
breeding biology 40:26-44
display, intimidation 35:285r
nestling growth 41:11-17
structure, differential dev. 39:233r
Traill's Flycatcher chicks put in nest 38:325
trapping 32:119
- Spiza americana* (Dickcissel)
bioenergetics 37:218r
lipid deposits & flight range 36:115
netting, Monhegan Is., ME 35:207r
wintering, Trinidad 39:138r

- Spizaetus nipalensis* (Hawk-eagle, Mt.)
 falconry, Japan 37:70r
Spizella arborea (Sparrow, Tree)
 band. 32:59, 32:99
 nocturnal movement, midwinter; tower
 mort. 40:322
 pox virus susceptibility 33:192
 -passerina (Sparrow, Chipping)
 foot pox 33:192
 host-parasite assoc. 41:302
 non squealer 36:86
 weights & meas. 32:158
 -pusilla (Sparrow, Field)
 habitat distr. & survival 39:293-306
 ticks 35:127r
 weights & meas. 32:158
 Spofford, S.H. Nuthatch, claw caught
 37:126
 -- see Arbib, R.S. &
 Spoonbill, White (*Platelea leucorodia*)
 Sporopipes squamifrons (Finch, Scaly-
 feathered)
 survival without water 37:219r
 Sprunt, A., Jr. Carolina low country
 impressions 35:136r
 Squab (*Columba livia*)
 Stafford, J. The census of heronries
 1957, 32:102r, 1958, 32:103r
 Stager, K.E. The role of olfaction in food
 location in the Turkey Vulture
Cathartes aura 36:61r
 Stallcup, R. Shorebird band. at Carmel.
 CA 34:99r
 Stamm, A. Aspects of pair behav. in the
 African Parrot, *Agapornis personata*
 34:170r
 Stamm, D.D. & J.J. Hickey. Relation of
 birds to anthropod-borne viruses 35:139
 -- see Norris, R.A. &
 Stamm, R. see Tinbergen, N. &
 Stamp, R.W. see Hussell, D.J.T. &
 Stanger, M.A. That quail, Robert 39:240r
 Starling (*Sturnus vulgaris*)
 Stasz, C.F. Birds' celestial navig. 33:44r
 STATUS see POPULATIONS
 Stebbins, R.C. see Miller, A.H. &
 Steel, D.C. The behav. of a pair of House
 Sparrows while raising young 32:63r
 Stefferud, A. (Ed.) Birds in our lives
 38:167r
Steganopus tricolor (Phalarope, Wilson's)
 band. data 37:197-200
 in USSR? 36:63r
 seen in Lapland 37:141r
 Stegmann, B.K. On the systematic position
 of pigeons & sandgrouse 41:325r
 Steidinger, P. Radar observations of
 direction & directional scatter of night
 migr. in Switzerland 40:327r
 Stein, R.C. Isolating mechanisms between
 pops. of Traill's Flycatchers 34:228r
 -- Modulation in bird sounds 41:74r
 Steinbacher, J. Concerning land birds
 on ships 33:158r
Stelgidopteryx ruficollis (Swallow,
 Rough-winged)
 artificial incub. 32:150
 Bank Swallows nesting with, 35:204
 --, recovery in colony 35:40
 breeding biology 34:105r
 death of two females, study 35:204
 Stepanyan, L.S. The sibling sp. & some
 problems of their study as applied to
 ornithological material 38:163r
Stephanoaetus coronatus (Eagle, Crowned)
 breeding 38:156r
 Stephen, W.S.D. Bionomics of the
 Sandhill Crane 38:245r
 Sterbetz, see Fabian, G. &
Stercorarius longicaudus (Jaeger, Long-
 tailed)
 breeding 32:110r
 geog. & sexual behav. 36:126r
 life history 36:276r
 predator 32:25
 -parasiticus (Jaeger, Parasitic)
 range, Sweden 36:205r
 Sternberg, H. see Brendt, R. &
Sterna albifrons (Tern, Least)
 nesting, GA 36:22
 pop. & biol., Dry Tortugas 36:61r
 range change, Sweden 36:205r
 -bergii (Tern, Crested)
 chick recog. 34:41r
 prey of octopus 36:123r
 -dougallii (Tern, Roseate)
 pop. & biol., Dry Tortugas 36:61r
 unusual plumage 40:255
 -fuscata (Tern, Sooty)
 Dry Tortugas, band. 33:206r
 --, pop. & biol. 36:61r
 longevity 37:193-197
 migr., juvenile 41:136r
 temp. regulation, Midway Is. 35:51r
 -hirundo (Tern, Common)
 artificial incub. 32:147
 band. program, NJ 35:211r
 breeding, Central Sweden 36:55r

- Sterna hirundo* (cont.)
 chick dev., study 39:233r
 mammal predation on colony 35:40
 pop. & biol., Dry Tortugas 36:61r
 recovery, Africa 41:310
 subsp. in Aust. & s.Pacific 35:204
 -paradisaea (Tern, Arctic)
 behav. 32:108r
 egg-rolling 38:157r
 e. Mediterranean, 1st record 33:105r
 migration 40:328r
 -, over n.e. Atlantic 33:159r
 trapping, on nest 39:320r
 -nereis (Tern, Aust. Fairy)
 trapping 33:124
 -sandvicensis (Tern, Sandwich)
 band. 32:100r
 pop. & biol., Dry Tortugas 36:61r
 range extension, Sweden 36:205r
 voice recog. 40:349r
- Sternidae (Terns)
 morphology of the eye 41:151r
- Stevenson, J.G. see Hutchinson, R.E. &
 Stewart, N.E. see Serventy, D.L. &
 Stewart, P.A. Nesting attentiveness &
 incub. period of a Wood Duck 33:85
 -- Abnormalities among Brown-headed
 Cowbirds trapped in AL 34:199
 -- Defecation by Bobwhites when
 flushed 37:287
 -- Hatching of Wood Duck ducklings 39:130
 -- Non-homing by incubating Screech Owl
 released 4 miles from its nest 40:146
 -- Wt. changes & feeding behav. of a
 captive-reared Bald Eagle 41:103-110
 -- Introduction of foreign eggs into nests
 of Starlings & House Sparrows 41:241
- Steyn, P. Some cases of allopreening
 40:60r
- Stichmann, W. Transfer ability
 experiments of races of hens of markedly
 different body size 34:102r
- Stickel, D.W. Territorial & breeding habits
 of Red-bellied Woodpeckers 37:134r
- Stickel, W.H. & D.W. Hayne & L. Stickel.
 Effects of heptachlor-contaminated
 earthworms on Woodcocks 37:138r
- Stillwell, N. Bird songs: Adventures &
 techniques in recording the songs of
 American birds 36:215r
- Stint
 -, Little (*Calidris minuta*)
 -, Long-toed (*C. subminuta*)
 -, Temminck's (*C. temminckii*)
 Stitchbird (*Notiomystis cincta*)
- Stockstad, D.S. see Craighead, J.J. &
 Stoddard, H.L. Bird casualties at a Leon
 County, FL, TV tower 33:115r, 39:72r
 -- see Odum, E.P. &
 -- see Norris, R. A. &
 Stokes, A.W. (Ed.) Animal behav. in lab.
 & field 40:173r
 -- & H.W. Williams. Antiphonal calling
 in quail 40:268r
- Stokes, T. see Shackleton, K. &
 Stolt, B.O. see Mascher, J.W. &
 Stonechat (*Saxicola torquata*)
 Stoner, E.A. Bird Band. in CA 41:43r
- Storer, R.E. see Watson, G.E. &
 Storer, R.W. see Zusi, R.L. &
 Stork, Abdim's (*Sphenorhynchus abdimii*)
 -, Black (*Ciconia nigra*)
 -, Hammerhead (*Scopus umbretta*)
 -, Marabou (*Leptoptilos crumeniferus*)
 -, Whale-headed (*Balaeniceps rex*)
 -, White (*Ciconia ciconia*)
 -, Wood (*Mycteria americana*)
- Strelnikov, I.D. Anatomical & physiological
 bases of speciation in birds 38:160r
- Streptopelia decaocto (Dove, Collared
 Turtle)
 pest, Europe 37:140r
 pop. increase, large, Eur. 35:273r
 westward expansion cont. 39:134r
 -risoria (Dove, Ring)
 band. report 33:4
 breeding 40:256r
 feeding, in young 41:163r
 -, parental experiment 35:275r
 hormones & behav., interaction 35:62r
 imprinting 36:123r
 migr., survival 40:256r
 -turtur (Dove, Turtle)
 crossed Atl. westward on ship 35:209r
 migr. Mediterranean 33:102-107
 pop. dynamics 39:326r
- Stresemann, E. & V. Stresemann. The molt
 of birds 38:335r
 -- The amount of predation due to *Falco*
eleonora on fall migrants 40:332r
 -- Strickland, W.N. see Wurster, D.H. &
 Strigiformes (Owls)
 hearing examined 41:148r
- Strix aluco (Owl, Tawny)
 diet 37:220r
 feeding, ecol., terr. 40:159r
 -nebulosa (Owl, Great Grey)
 hunting, feeding 41:157r, 41:314r
 life history 41:314r

- Strix varia* (Owl, Barred)
radio transmitter harness 39:209-214
- Strnad, Rev. F. Common Grackle banding from Kason, MN 34:224r
- Strokov, V.V. Expulsion of young from the nest by adult birds 40:57r
- Avian abundance in n. forest-steppe shelterbelts 40:266r
- Stromberg, G. The fall migr. of Black Terns in the Baltic region, 1960 36:120r
- Struthio spp. (Ostrich)
behav. & ecol. 38:156r
-, sleeping, & rhythm, captive young 34:227
body temp. 36:203r
yolk & dev. 33:207r
- Sttner, L.J. & K.A. Matyniak. The brain of birds 41:67r
- Sturkie, P.D. Avian Physiology 37:222r
- Sturman, W.A. Description & anal. of breeding habitats of the Chickadees, *Parus atricapillus* & *P. rufescens* 40:159r
- Strunnella spp. (Meadowlarks)
hybridization & isolating mechanisms in sympatric - 38:330r
-magna (Meadowlark, Eastern)
distress calls 36:83-88
song; displays 37:61r
winglength & weight 32:77
-neglecta (Meadowlark, Western)
feeding ecology 41:327r
- Sturnus vulgaris* (Starling)
arthropods 41:147r
band. 32:57, 32:231r
-, Australia 37:209r
-, Britain 33:148, 33:154r
-, PA 35:206r
behav., feeding 32:183r
biocides 37:57r
breeding 32:33
- ecology, Czech. 33:207r
color marking 35:205r
dispersal, phys. of orient. 41:320r
food, & environmental impact 37:143r
- preference at feeder 37:51
host-parasite assoc. 41:302
longevity, Neth. 36:45r
migr. 32:178r, 37:55r, 37:367, 40:55r,
-, Falsterbo 33:206r
-, summer, North Sea 33:160r
mist netting 32:173
mortality 33:50r
movements, roosting 37:200-203
nesting 32:183r
non-squealer 36:86
orientation 32:236r
pop. status 37:213r
post-natal dev. 33:161r
recoveries 37:267-273
-, Britain; mort.; sexing; aging 33:148
resident, CT 32:57
rhythm, daily, & roosting 36:54r
spotted eggs 41:308
tagging, wing & back 34:213-217
weight fluctuations 35:279r
weights & meas. 32:154
yolk & dev. 33:207r
- Sugarbirds, African (*Promerops* spp.)
- Sugden, L.G. & H.J. Poston. A raft trap for ducks 41:128-9
- Sukacher, V.N. & Dylis, N.V. (Ed.)
Fundamentals of forest biogeocenology 37:295r
- Sula bassana* (Gannet)
band. 32:230r
behav. 37:136r
- of young 38:241r
mort., distr., senescence 35:46r
pop., Grassholm, Eng., 1964 37:56r
predation by *Larus dominicanus* 35:273r
-dactylatra (Booby, Blue-faced)
longevity 37:193-196
-leucogaster (Booby, Brown)
life history 39:138r
-sula (Booby, Red-footed)
breeding ecology 40:331r
longevity 37:193-196
- Sullivan, J.B. A method of recording feather molt in birds 32:9
- Sullivan, W. A fungus disease spreading in U.S.: histoplasmosis, once rare, afflicts 160,000 a year 35:49r
- Sunbird, Purple (*Nectarinia asiatica*)
- Sussman, O., R.E. Kerlin, W.C. Carter, J. Swinebroad & M. Goldfield. Ecol. of arbovirus infection in NJ. Review of a 5 yr mist-netting program 37:183
- Sutter, E. & N. Cornaz. On body dev. & growth of primaries in young s. African Button-Quails 35:213r
- Growth studies of the Megapodes, *Alectura* & *Megapodius* 36:278r
- The influence of weather on nocturnal orientation as observed by radar 37:212r
- Sutherland, C.A. Notes on the behavior of Common Nighthawks in FL 35:48r
- Sutton, G.M. Oklahoma birds 38:337r
- Sutton, R.R. Strong homing instinct in a Pukeko 40:56r

- Sutton, R.R. (cont.) Food passing
by breeding harriers 40:59r
- Svensson, L. A guide to the identifica-
tion of certain passerines 36:125r
- Svensson, S. The Yellow Wagtail breeding
in Sweden & a survey of the Yellow Wag-
tail complex 35:132r
- Weight fluctuations in young
Starlings 35:279r
- see Alm, B. &-
- Svensson, Sten. Birds of the streams
33:166r
- Sviridenko, P.A. Food storage by the
Nuthatch, *Sitta europaea* 40:69r
- Swallows (Hirundinidae)
- , Bank (*Riparia riparia*)
 - , Barn (*Hirundo rustica*)
 - , Cliff (*Petrochelidon pyrrhonota*)
 - , Greater Striped (*Hirundo cucullata*)
 - , Rough-winged (*Stelgidopteryx
ruficollis*)
 - , Tree (*Iridoprocne bicolor*)
 - , White-throated (*Hirundo albigularis*)
- Swampen, Eastern (*Porphyrio melanotus*)
- Swanberg, P.O. Studies of less familiar
birds. 138. Great Snipe 37:215r
- see Rosenber, E. &-
- Swan Bewick's (*Cygnus bewickii*)
- , Black (*C. astrata*)
 - , Mute (*C. olor*)
 - , Trumpeter (*Olor buccinator*)
 - , Whistling (*Olor columbianus*)
 - , Whooper (*C. cygnus*)
- Swartz, L.G. see Enderson, J.H. &-
- Swennen, C. Nest protection of Eider-
ducks & Shovelers by means of faeces
41:47r
- Swift, Alpine (*Apus melba*)
- , Chimney (*Chaetura pelagica*)
 - , European (*Apus apus*)
 - , White-rumped (*Apus caffer*)
- Swift, J.J. Notes on the behav. of
Whiskered Terns 32:138r
- Swiftlets (*Collocalia* spp.)
- Swinebroad, J. Net-shyness in Wood
Thrush pops. 35:196
- see Greenlow, J.S. &-
- see Sussman, O. &-
- SWITZERLAND see EUROPE
- Sylvia atricapilla* (Warbler, Black-cap)
migr., reverse 37:128r
navig. 32:236r
pop., fall, record, Britain 36:53r
250 miles at sea, Norway 33:160r
- borin (Warbler, Garden)
at Spitzbergen 38:333r
banded, Capri 35:205r
navigation 32:236r
orientation after displacement 41:45r
- communis (Whitethroat, Eur.)
breeding success after pesticide usage
40:57r
- nisoria (Warbler, Barred)
migration 32:178r
- spp. (Warblers, Eur.)
identification, meas., sounds, pigment,
& aging 36:60r
migration 32:102r, 39:135r
mist netting 32:171
trapping 32:139
- Sylviidae (Warblers, Old World)
identification guide 34:53r
migr., sp.-specific restlessness
patterns 40:149r
- , reversed, & vagrancy 41:45r
- Sylviidae (Kinglets)
weights & meas. 32:77
- Syrhaptus paradoxus (Sandgrouse,
Pallas's)
movements, USSR 40:151r
- SYSTEMATICS (see also ADAPTATIONS, ANATOMY,
BEHAVIOR, DISTRIBUTION, PALEONTOLOGY,
& ZOOGEOGRAPHY)
- biochemical indicators, Anseriformes
39:143r
- biosystematics, flycatchers 35:136r
- birds of:
- Amazonian forest 41:69r
 - Arizona 36:286r
 - Australia 34:225r
 - Mexico 35:52r, 37:220r
 - Paleartic region 37:145r
 - South America 41:258r
- blood proteins 38:247r
- types 36:287r
- Darwin's finches, subsp. & sympatry
41:72r
- distance, meas. of tax. similarity
33:115r
- egg-white hemoglobins, Seedsnipe
40:347r
- evol. of avian auditory system 39:237r
- , higher & lower organization 34:43r
 - , Megapodes 35:275r
 - , morphophysiological criteria 39:329r
 - , social mimicry 40:171r
 - , trends in Anatidae 34:101r
 - , - - Clamator 36:131r
- Gruiformes, comparative 41:71r

SYSTEMATICS (cont.)

- head scratching, parrots 33:209r
 hybridization, taxonomy 41:70r
 innate differences betw. races 40:154r
 island vs mainland avifauna, Mexico
 37:220r
 isolating mechanisms, warblers 40:68r
 - -, Traill's Flycatcher 34:228-230r
 lens protein, Passeriformes 36:279r
 martin, new 40:347r
 meristic characters 41:259r
 morph. groupings & song, passerines
 40:347r
 motor patterns 33:113r
 nest building, Weaverbirds 35:274r
 of:
- Anatidae, evol. trends 34:101r
 - Auriparus & Remiz relationship 41:325r
 - Bunting, Indigo & Blue Grosbeak
 40:193-141r
 - , song, 8 races, Mexico 35:52r
 - Campylorhynchus, genus 37:72r
 - Charadriiformes 37:72r, 37:79r
 - Clamator, evol. trends 36:131r
 - Doves & Pigeons 40:67r
 - Finches, Darwin's, sympatry 41:72r
 - Flamingos 41:156r
 - flycatchers 35:136r
 - Galliformes 36:126r
 - Godwits 35:285r
 - Grassfinch, Australian 34:225r
 - , naming of, 40:158r
 - Grosbeak, Blue & Indigo Bunting
 40:139-141r
 - Gruiformes, comparative 41:71r
 - Gull, Herring 40:170r
 - , four spp. 41:52r
 - herons 40:266r
 - Jaeger, Long-tailed 36:126r
 - jay, new world 33:210r
 - Mallard, pop. 40:169r
 - martin, new 40:347r
 - Megapodes, evol. 35:275r
 - murres 33:56r
 - Myiarchus 33:168r, 34:226r
 - Owl, Snowy 35:281r
 - Passeriformes, lens proteins 36:279r
 - passerines, 5 spp. 40:347r
 - Pigeons & Doves 40:67r
 - Sandgrouse 41:325r
 - Ploceidae 36:128-131r
 - Psittaciformes, head scratching
 34:227r
 - Procellariiformes 37:65r
 - Quail, Palearctic 40:347r
 - raptors, four spp. 41:52r
 - , variability related to food
 40:268r
 - Redpolls 34:94
 - Sandgrouse 39:67r
 - Screamers 41:156r
 - Seedsnipe 40:347r
 - Sparrow, Song, 8 races, Mexico 35:52r
 - , White-cr. 36:141-169
 - , -, subspp. 36:137r
 - Storks, Hammerhead & Whaleheaded
 40:169r
 - wagtails 35:132r
 - Warblers, Am.Wood 36:61r
 - , Blue-wg. & Golden-wg. 40:68r
 - , Pine & Yellow-thr. 40:68r
 - , Wood 33:209r
 - waterfowl, post-cranial osteology
 33:54r
 - Waxbills 35:275r
 - Weaverbirds, nest building 35:274r
 - , Parasitic 35:275r
 - phylogeny, Charadriiformes,
 classification 37:72r, 37:79r
 - , Garrulinae 33:210r
 - pop. structure of sp. 40:68r
 - post-cranial osteology, waterfowl 33:54r
 - racial classification, White-crowned
 Sparrow 36:141-169
 - sibling species concept 38:163r
 - speciation, Amazonian forest 41:69r
 - , anatomic & physiological bases
 38:160r
 - , Campylorhynchus 37:72r
 - & species 41:77r
 - species formation, Weaverbirds 35:275r
 - , Warblers, Am. Wood 36:61r
 - subspecies concept 41:70r
 - sympatric warblers 40:68r
 - taxonomy, Auriparus & Remiz Tits 41:325r
 - variability, raptors 40:268r
 - visual isolating mechanism 41:52r
- Sziij, L.J. Hybridization & the nature of
 isolating mechanisms in the sympatric
 pops. of Meadowlarks, Sturnella in
 Ontario, Canada 38:330r
 Szula, E. see Tinbergen N. &
 Szulc-Olech, B. The resting period of
 migrant Robins on autumn passage 37:56r
 Szulc-Olechowska, B. see Cymborowski, B. &

- Taapken, see C.G.B.J. Kate &
 -- see Perdeck, A.C. &
 Tachyeres brachypterus (Duck,
 Flightless Steamer)
 nesting behav. 37:59r
 Tadorna ferruginea (Shelduck, Ruddy)
 nesting, Danube delta, cons. 35:133r
 -tadorna (Shelduck)
 morph. & behav., Goosander x Shelduck
 hybrid 35:132r
 parental care 36:55r
 Takahe (Notornis mantelli)
 Taksa, G.R. see Ilichev, V.D. &
 Talegalla jobiensis (Turkey, Brown-
 collared Brush)
 ontogeny 35:275r
 Talent, J.A., P.M. Duncan & P.L. Handby.
 Early cretaceous feathers from
 Victoria 38:246r
 Tanagers (Thraupidae)
 -, Blue-gray (Thraupis episcopus)
 -, Hepatic (Piranga flava)
 -, Palm (Thraupis palmarum)
 -, Plain-colored (Tangara inornata)
 -, Rose-breasted Thrush (Rhodinocichla
 rosea)
 -, Scarlet (Piranga olivacea)
 -, Silver-thrtd. (Tangara icterocephala)
 -, Summer (Piranga rubra)
 Tangara inornata (Tanager, Plain-colored)
 longevity 35:264
 Tangavius aeneus (Cowbird, Bronzed)
 parasitizes orioles, blackbirds &
 finches 35:50r
 Tanhuanpaa, E. see Pulliainen, E. &
 Tanner, J.T. & R.S. Collier. Evaluating
 the Christmas count records of Bobwhite
 in TN 40:333r
 Tarchevskaya, V.A. Some adaptive features
 of the eyes of ducks 39:141r
 Tarras-Wahlberg, N. Mute Swan in Narke,
 central Sweden, 1959 32:107r
 Tatarinkova, I.P. see Bianki, V.V. &
 Tauber, E.S. & A. Atkin. Optomotor
 responses to monocular stimulation:
 relation to visual system organization
 41:65r
 Taylor, R.H. The Adelie Penguin,
 Pygoscelis adeliae, at Cape Royds
 35:46r
 Taylor, W.K. Some taxonomic comments on
 the genus Auriparus 41:325r
 Tchagra minuta (Shrike, African Bush)
 pterylosis 41:257r
 Teager, C.W. Birds sunbathing 40:70r
 Teal, Blue-winged (Anas discors)
 -, Cinnamon (A. cyanoptera)
 -, Green-winged (A. crecca)
 -, Grey (A. gibberifrons)
 -, Ringed (A. leucophrys)
 Teale, E.W. Audubon's Wildlife 36:127r
 TECHNIQUES (see also AGE & MANAGEMENT)
 aging:
 bibliography 39:141r
 cranial ossification 33:131-134,
 34:222r, 41:43r
 molt 36:203r
 of:
 Capercaillie 36:198r
 Darwin's finches 36:27-44
 Dowitchers 33:28-32
 Grouse, Black 36:198r
 Hawk, Marsh 39:329r
 -, Rough-legged 40:326r
 Hylocichlid thrushes 33:131,
 33:157r
 Junco, Slate-colored 41:274-278
 Kinglet, Ruby-cr. 41:121-124
 Knot, Red 33:36
 Sanderling 33:39
 sandpiper 33:38
 Sparrow, White-throated 41:43r
 Starling 33:148
 Sylvia spp. 36:60r
 Turnstone, Ruddy 33:35
 Warbler, Bay-breasted 39:132
 Warblers, fall 36:126r
 Waxwing, Cedar 41:291-299
 Woodcock 36:203r
 plumage color 36:27-44
 skull pneumatization 41:121-124
 attracting birds, for 38:339r
 band(s):
 changing, bad idea 41:244r
 day-old chicks, for 40:45
 device for holding & spreading 33:96
 hummingbirds 49:45
 ice-coating & injury 32:59r
 'knee' joint, above 36:46r
 loss, effect on data 38:309-323
 -, Gulls, Herring 40:216-221
 sizes 39:57
 teflon, for penguins 40:325r
 wear, Stilt Sandpipers 40:47
 banding, Asian birds 33:96
 -, usefulness of, 40:256r
 capillary tube, blood studies 41:132r
 capture:
 nocturnal alcids 41:124-127

TECHNIQUES (cont.)

capture: (cont.)

- petrels at sea 41:111-113
- shearwaters at sea 41:111-113
- stick, pole & noose 39:41-43
- Swallows, Bank 34:180
- ceilometer, portable 40:309-320
- collecting parasites 35:287r
- communication, - of study 40:72-75r
- distress calls, broadcasting 41:55r
- enclosure, construction 37:123-127
- fat classes & 'rule of thumb' 40:321
- handrearing:
 - caring for birds in captivity 36:283r
 - How to attract, house & feed birds 41:334r

of:

- bluebirds 33:209r
- Hawk, Sparrow 40:153r
- Hoopoe, Thailand 36:121r
- Jay, Blue 38:77-78
- Peacock, Congo 33:114r
- Pintails 33:61
- Tern, Common 39:233r
- Waxbill, Blue-headed 34:102r
- Woodpeckers 39:313-316
- harness for radio transmitters 39:209-214
- hole-nesting birds, to study 38:83r
- marking:
 - color 35:205r, 39:36-40
 - , Red-winged Blackbird & Starling 35:205r
 - , Wandering Albatross 39:36-40
 - , with tape 37:54r
 - 'Drimark' & pull-traps 33:93, 33:202,
 - feather autografts 37:203-205
 - radioactive, of feathers 36:204r
 - migr., mathematical representation 38:154r
 - , multivariate statistics 41:134r
 - narcotizing Abdim's Stork 37:209r
 - , columbids at nest 37:291r
 - nest-box study details, bluebird 40:114-129
 - nesting cavity examining device 39:228-230

- net(s):
 - aerial, in forest 38:114-119
 - bat-fowling, Starlings 32:232r
 - cannon 36:46
 - dip 33:42
 - mist 37:54r
 - , efficiency of different meshes 37:280-285

net(s), mist, (cont.)

- , migratory & breeding birds 36:80-83
- , modifying 38:114-119
- , shyness, Wood Thrush 35:196-202
- , nesting grassland birds 40:233-237
- , Owl, Saw-whet 34:244
- , new technique, phalaropes 34:209-213
- Nolen's 39:189-192
- thrown at sea 41:111-113

netting 40:52r

- , at night, mist nets 41:38-39
- , Puffin, Common, fledglings 40:139-144
- , thrushes, PA 34:100r
- , yields 33:99

- parasites, collecting 38:332r
- pliers for band. 40:130-132
- programming, color band sequences 39:123-129

sexing:

- Kessel/Davis procedure 33:148-151
- of:

- fall warblers 36:126r
- Hawks, Marsh 39:239r
- Junco, Slate-colored 41:274-278
- Starling 33:148-151, 38:143-147
- Warbler, Bay-breasted 39:132
- Waxwing, Cedar 41:291-299
- Woodcock 36:203r

- skins, drying 33:95
- skulling, hand lens 41:133r
- stochastic anal. of behav. 40:336-339r
- strip survey 39:62r

tagging:

- colored leg tags, blackbird & starling 39:6-13
- streamers, Herring Gulls 36:191
- wing & back 34:213-217

telemetry equipment, field studies 41:144r

trap(s):

- all purpose 33:130
- automatic 33:93
- Bal-Chatri 39:310-313, 39:321
- , shrikes 39:321
- , owls 35:268r
- Chardonneret 33:149
- floodlight 36:56r
- Heligoland 32:115-139, 36:179-184
- Holgerson-type 33:123
- hoop-nest 41:92-96, 41:311
- How to - & band 39:241r
- nest 36:46r
- nest-box, starlings 40:48-50

TECHNIQUES (cont.)

- trap(s): (cont.)
 pull-string 33:92
 -, chickadees 33:202
 raft, ducks 41:128
- trapping:
 of:
 Blackbird, Red-winged 36:46r
 Bunting, Indigo 36:80-83
 chickadee 33:202
 Cormorant, Pelagic 37:207r
 crows 40:148r
 dowitchers 33:28-32
 grassland birds, nesting 40:233-237
 Grosbeak, Scarlet 40:148r
 Gull, Herring, breeding 41:28-31
 hole-nesting birds 39:320r
 Martin, Purple, nest -boxes 34:223r
 passerines 41:92-96, 41:311r
 Puffin, Common, fledglings 40:139
 shorebirds 33:123-129, 38:214-218
 Sparrow, House 35:122
 swallows 36:272r
 Tern, Arctic, on the nest 39:320r
 vultures 38:75-76
 Woodcock, night-lighting 41:1-10
 study, four years 33:75
 winglength measuring 40:345r
- Telmatodytes palustris (Wren, Long-billed Marsh)
 food 36:206r
 ecol. & bioenergetics 37:78r
- Tempchin, A.N. see Ilyichev, V.D. &
- Ten Kate, C.G.B. & J. Taapken. Recoveries of birds banded abroad 32:230r
- Tenaza, R.R. A method for trapping cormorants 37:207r
- Pigeon Guillemot band. returns 37:288
- Tenovuo, R. The breeding biol. of the Hooded Crow in the outer archipelago of s.w. Finland 36:197r
- Terborgh, J.W. & J.S. Weske. Colonization of secondary habitats by Peruvian birds 41:316r
- Terentev, P.V. Geog. var. in size of the Great Tit, Parus major L. 40:345r
- Terns (Sternidae)
 -, Arctic (Sterna paradisaea)
 -, Australian Fairy (S. nereis)
 -, Black (Chlidonias nigra)
 -, Cabot's = Sandwich
 -, Caspian (Hydroprogne caspia)
 -, Common (S. hirundo)
 -, Crested (S. bergii)
 -, Gull-billed (Gelocheilon nilotica)
- , Least (S. albifrons)
 -, Little = Least
 -, Roseate (S. dougallii)
 -, Royal (Thalasseus maximus)
 -, Sandwich (Thalasseus sandvicensis)
 -, Sooty (S. fuscata)
 -, Whiskered (Chlidonias hybrida)
- Terres, J.K. The Audubon Book of True Nature Stories 41:77r
- Terrill, L.M. Cowbird hosts in southern Quebec 32:181r
- TERRITORY see BEHAVIOR, ECOLOGY, LIFE HISTORIES, NESTING & SOUNDS
- Tetraogallus caucasicus (Snowcock, Caucasian)
 migration 39:231r
- Tetraonidae (Grouse)
 courtship, male, agonistic 39:139r
 geographic resource 41:55r
 mgt. of N. American 36:212-214r
 snow burrows, warmth 39:234r
 USSR 39:327r
- Tetrao urogallus (Capercaillie)
 behav. 32:66r
 display 33:53r
 feeding, winter 38:248r
 pop. dynamics & molt 36:198r
 starving experiments 38:248r
- Tetrastes bonasia (Grouse, Hazel)
 pluminidal sinus on back 40:161r
- THAILAND Birds of - 40:273r
- Thalasseus maximus (Tern, Royal)
 banded, VA; recovery, Jamaica 37:54r
 behav., feeding, & structural adaptations 34:104r
 colony, GA, Little Egg Is. 36:21-27
 pop. & biol., Dry Tortugas 36:61r
 -sandvicensis (Tern, Sandwich)
 breed associate, T. maximus 36:23
- Thielcke, G. Evol. & geog. var. of the songs of our Tree Creepers 33:56r
- Thinocoridae (Seedsnipes)
 egg-white proteins & hemoglobins as indicators 40:347r
- Thinocorus orbignyianus (Seedsnipe, Gray-breasted)
 life history & systematics 41:258r
 -runicivorus (Seedsnipe, Least)
 life history & systematics 41:258r
- Thomas, D.R. & J. Lyons. Visual field dependency in pigeons 41:67r
- Thomas, M.J. Band. in Europe: bat fowling 32:231r
- Thompson, A.L. Bird-migr. terms 32:180r

- Thompson, M.C. & R.C. DeLong. The use of cannon & rocket projected nets for trapping shorebirds 38:214
- Birds from North Borneo 38:333r
- Band wear on Ruddy Turnstones 41:241
- Thomson, W.L. & E.L. Coutlee. The biol. & pop. structure of starlings at an urban roost 35:211r
- The songs of five spp. of *Passerina* 40:347r
- see Rice, J.O'H. & Thomson, A.L., Sir (Ed.)
- A New Dictionary of Birds 36:284r
- The subspecies concept 41:70r
- Thomson, J.A. & N.W. Morley. Physiological correlates of habitat selection in Australian cormorants 38:161r
- Thonglongya, K. A new martin of the genus *Pseudochelidon* from Thailand 40:347r
- Thoreau on birds 36:127r
- Thornsberry, W.H. A compound leverage banding pliers 40:130
- Thorpe, W.H. & D.R. Griffin. The lack of ultrasonic components in the flight noise of owls compared with other birds 35:52r
- & -- Ultrasonic frequencies in bird song 35:52r
- Experiments on the effects of water deprivation 40:166r
- see Hutshinson, R.E. & Thrasher, Bendire's (*Toxostoma bendirei*)
- , Brown (*T. rufum*)
- , Curved-billed (*T. curvirostre*)
- Thraupidae (Tanagers)
- pterylosis, natal 34:36-38
- Thraupis palmarum* (Tanager, Palm) pterylosis, natal 34:36-38
- Threlfall, W. Helminth parasites & poss. causes of death of some birds 37:137r
- Threskiornis aethiopicus* (Ibis, Sacred) band. 32:231r
- Thrushes (*Turdidae*)
- , European (*Turdus* spp.)
- , Gray-cheeked (*Hylocichla minima*)
- , Hermit (*H. guttata*)
- , Mistle (*Turdus viscivorus*)
- , Ruddy-capped Nightingale (*Catharus frantzii*)
- , Song (*T. philomelos*)
- , Swainson's (*H. ustulata*)
- , Varied (*Ixoreus naevius*)
- , Wood (*H. mustelina*)
- , Western Red-legged (*Mimocichla plumbea*)
- Thryomanes bewickii* (Wren, Bewick's) artificial incub., wts. & meas. 32:152
- Thryothorus ludovicianus* (Wren, Carolina) artificial incub. 32:152
- band. 32:172
- records 35:1-7
- mist netting 32:172
- status changes, CT 35:1-7
- ticks 36:127
- weights & meas. 32:152
- Tiaris olivacea* (Grassquit, Yellow-faced) homing 37:56r
- Tia-yung, C. see Hsiang-kan, C. & Tichodroma muraria (Creeper, Wall) behavior 39:64r
- , comparative 36:56r
- Tickeel, W.L.N. Color dyeing albatrosses 39:36
- Timken, R.L. see Anderson, B.W. & Tinbergen, L. The dynamics of insect & bird pops. in pine woods 32:106r
- Tinbergen, N. & H. Krunk, M.Palette & R. Stamm. How do Black-headed Gulls distinguish btw. eggs & egg shells? 33:210r
- Foot paddling in gulls 33:210r
- & C.J. Broukhuysen, F. Feekes, J.C.W. Houghton, H. Krunk & E. Szulc. Egg shell removal by the Black-headed Gull, *Larus rudibundus* L.; a behavior component on camouflage 34:102r
- On aims & methods of ethology 35:130r
- & M. Norton-Griffiths. Oystercatchers & mussels 35:218r
- Tinker, J. A new bird pest? 37:140r
- Titmouse, Tufted (*Parus bicolor*)
- Titova, L.K. see Vinnikov & Tits (*Parus* spp.)
- , Bearded (*Panurus biarmicus*)
- , Blue (*Parus caeruleus*)
- , Coal (*P. ater*)
- , Crested (*P. cristatus*)
- , European (*P. spp.*)
- , Great (*P. major*)
- , Long-tailed (*Aegithalos* spp.)
- , Marsh (*P. palustris*)
- , Penduline (*Remiz pendulinus*)
- , Willow (*P. montanus*)
- Tkachenko, V.I. The ecol. of Gallinaceous birds of the high-montane region of n.w. Caucasus 39:328r
- Todd, W.E.C. Birds of the Labrador peninsula & adjacent areas 35:281r
- Tolman, C.W. Varieties of social stimulation in the feeding behavior of

- domestic chicks 41:52r
Tolmarchus caudifasciatus (Flycatcher, Loggerhead)
 mist netting, weights & meas., Andros, Bahamas 32:47
 Tolstoy, A. The activities at Ottenby Bird Station, 1959 32:174r
 -- Observations & band. at Ottenby Bird Station, 1960 33:155r
 -- The activities at Ottenby Bird Station 1962 37:128r
 Tomkins, I.R. Wilson's Plover; some egg weights 37:58r
 -- see Kale, H.W. II &-
 Tompa, F.S. Behavioral responses of Song Sparrows to different environmental conditions 35:273r
 -- Factors determining the nos. of Song Sparrows, *Melospiza melodia* (Wilson), on Mandarte Is., B.C., Canada 36:196r
 -- see Drent, R. &-
 -- Reprod. success in relation to breeding density in Pied Flycatchers 39:232r
 Tonn, R.J. see Anderson, K.S. &-
Totanus flavipes (Yellowlegs, Lesser)
 migration 32:238r
 summering, FL 33:36
 -*melanoleucus* (Yellowlegs, Greater)
 breeding 33:24
 summering, FL 33:36
 Towhee, Brown (*Pipilo fuscus*)
 -, Rufous-sided (*P. erythrophthalmus*)
 -, Red-eyed = Rufous-sided
 -, Spotted = Rufous-sided
 Townsend, A.D. see Cornwallis, R.C. &-
Toxostoma rufum (Thrasher, Brown)
 artificial incub. 32:152
 band., life history 33:99
 bill deformity 39:134
 distress callers? 36:86
 distr. 32:58
 host-parasite assoc. 41:302
 migr., off Nfld. 33:158
 pop. increase since 1906, IL 35:134r
 trapping 32:119
 Trainer, D.O. & R.A. Hunt. Lead poisoning of waterfowl in WI 37:137r
 Tramer, E.J. Bird spp. diversity: components of Shannon's formula 41:249r 41:315r
 Trauger, D.L. see Burgess, H.H. &-
 Tree, A.J. Return of Palearctic birds to place of band. in Zambia 37:211r
 Tretzel, E. Imitation & var. of shepherd whistles by Crested Larks 37:221r
 -- Imitations & transportations of human whistles by blackbirds 39:64r
Tringa glareola (Sandpiper, Wood)
 migration 33:49
 return, Zambia 37:211r
 -*hypoleucos* (Sandpiper, Common)
 band.report; recovery, Ottenby 33:115r
 -*nebularia* (Greenshank)
 breeding range extension 38:86r
 -*ochropus* (Sandpiper, Green)
 returns, Zambia 37:211r
 -*totanus* (Redshank)
 behav., threat 34:102r
 migr., over n.e. Atl. 33:159r
 prey, density response 41:329r
 status, Finland 37:212r
 TRINIDAD & TOBAGO
 Birds of, 33:117
 Egret, Little 33:49
 Trivette, E.C. see Hudson, G.E. &-
 Trochilidae (Hummingbirds)
 flight speeds, fuel reserves 33:108r
 migration 33:108r
 Troglodytidae (Wrens)
 wing-weight relationships 32:77
Troglodytes aedon (Wren, House)
 artificial incub. 32:152
 host-parasite assoc. 41:302
 parasites 32:93
 polygyny 41:118-121
 weights & meas. 32:152
 -*troglodytes* (Wren, Winter)
 distr. 32:58
 pop. dynamics in English oak wood 35:129r
 Tropicbird, Red-tailed (*Phaethon rubricauda*)
 -, White-tailed (*P. lepturus*)
 Trost, C.H. see Mac Millen. R.E. &-
 Trotter, D.M. see McLeod, W.M. &-
 Trumpeter, Gray-winged (*Psophia crepitans*)
Tryngites subruficollis (Sandpiper, Buff-breasted)
 at Spitzbergen 38:333r
 migration 32:238r
 Tryphonas, L. see Houston, C.S. &-
 Tschanz, B., P. Ingold & H. Lengacher.
 Egg-shape & breeding success in the Guillemot, *Uria a. aalge* 41:49r
 Tso-hsin, C., T. Yao-kuang, L. Chun-yu & c. Chun-fan. Studies on birds of Mt. Omei & their vertical distr. 35:218r
 -- China's economic fauna 37:66r

- Tuck, L.M. The murre, their distr., pop. & biol.: A study of the genus *Uria* 33:56r
- Laughing Gulls, *Larus atricilla*, & Black Skimmers, *Rynchops nigra*, brought to Nfld. by hurricane 39:200
- Tucker, V.A. Oxygen consumption of a flying bird 38:161r
- Upon the wings of the wind 40:343r
- Tulloch, R.J. Snowy Owls breeding in Shetland in 1967 39:232r
- Turcek, F.J. On some inter-relations of the woody-plants, birds & forest pest insects 33:208r
- The role of animals in baring & soil erosion on Karst-Land 36:278r
- The zoological significance of ecological & geographical borderlands 37:295r
- On plumage quantity in birds 38:161r
- The means of rediscovery of stored seeds by the Eur. Jay 38:248r
- & L. Kelso. Ecological aspects of food transportation & storage in the Corvidae 40:59r
- Vertebrate ecol. of the Tatra Mt. open woods 40:262r
- Avian dissemination of sweet cherry in woodlands 41:146r
- Turchaninov, V.V. see Krapivnyi, A.P. & Turdidae
- squealing 36:83-88
- Turdus merula* (Blackbird, European) adaptations 32:30
- band., Gt. Britain 33:154r
- cold weather, effects on London pop. 36:196r
- digestion of seeds 33:212r
- ecology 33:209r
- economic importance, Czech. 37:133r
- 5 broods in one season 33:207r
- human whistles imitated 39:64r
- migr., sex count 33:157r
- pop. dynamics; nesting success 37:57r
- weights & plumage 32:211r
- migratorius (Robin, Am.)
- Atl. crossing on ship 33:159
- band. 32:180r, 37:53
- , SD 35:206r
- behav. 32:66r
- , feeding 35:47r
- bill deformity 38:324
- capture, net & decoy 39:189-192
- conservation 32:107r
- deafening & song dev. 37:144r
- dispersal & flocking, fledglings 40:208-215
- host-parasite assoc. 41:302
- migr., FL, TV-tower 33:155r
- nest translocation 37:288
- nesting 32:183r
- orient. & static magnetic field 40:326r
- weights & meas. 32:153
- wing tagging 34:213-217
- musicus (Redwing)
- breeding biol. 41:48r
- migr., habits 35:208r
- , nocturnal, & weather 36:196r
- , radar study, Iceland 35:271r
- , re-orient. 35:269r
- pectoral muscles, wt. changes 41:322r
- philomelos (Thrush, Song)
- band. 32:174r
- snails, predation on 41:157r
- terr., food 36:275r
- pilaris (Fieldfare)
- migr., habits 35:208r
- , nocturnal, & weather 36:196r
- , re-orient. 35:269r
- pectoral muscles, wt. changes 41:322r
- torquatus (Ouzel, Ring)
- migr., habits 35:208r
- , nocturnal, & weather 36:196r
- , re-orient. 35:269r
- pectoral muscles, wt. changes 41:322r
- viscivorus (Thrush, Mistle)
- migr., habits 35:208r
- , nocturnal, & weather 36:196r
- , re-orient. 35:269r
- pectoral muscles, wt. changes 41:322r
- Turner, E.C. see Mitchell, W.G. & Turnicidae (Hemipodes)
- osteology 41:152r
- Turnstone, Ruddy (*Arenaria interpres*)
- TURKEY see EUROPE
- Turkey, Common (*Meleagris gallopavo*)
- , Brown-collared (*Talegalla jobiensis*)
- , Brush (*Alectura lathami*)
- Twirst, G. see Holcomb, L.C. & Twite (*Carduelis flavirostra*)
- Tyler, C. A study of the egg shells of the Gaviiformes, Procellariiformes, Podicipitiformes & Pelecaniformes 41:152r
- The snapping strength of the egg shells of various orders of birds 41:256r
- Tympanuchus spp. (Prairie Chickens)
- management 36:212r
- cupido (Chicken, Greater Prairie)
- behav., comparison 32:64r
- weights & meas. 32:145

Tyrannidae

identification, key 37:153-171
squealing 36:83-88

Tyrannulet, Torrent (*Serpophaga cinerea*)

-, Paltry (*Tyranniscus vilissimus*)

Tyrannus dominicensis (Kingbird, Gray)

weights & meas. 32:47

-tyrannus (Kingbird, Eastern)

host-parasite assoc. 41:302

migr., Fl, TV tower 33:155r

-, WI 32:181r

pop. decrease since 1906, IL 35:134r

weights & meas. 32:148

Tyrvainen, H. The breeding biol. of the

Red-wing, *Turdus iliacus* L. 41:48r

Tyto alba (Owl, Barn)

band. report 33:4

diet 37:220r

geog. var. in mort. rates; reproduction

requirements 40:277-290

mort., possible causes 37:126

nesting data, band., Martha's Vineyard,

MA 35:22-31

pop. dynamics, Sweden, 1951-61 35:133r

- Ular (Snowcock), Caucasian (Tetraogallus caucasicus)
- Ulfstrand, S. Studies in visible migr. at Falsterbo Bird Station 32:101r
- The status of certain rare woodpeckers in Sweden 32:107r
- Some aspects on the directing & releasing influence of wind conditions on visible bird migr. 33:110r
- Migr. at Falsterbo Bird Sta. 1959. Report No. 21 34:166r
- Supplementary notes on the Imperial Eagles at Hackeberga, Scania, & a comp. btw. Imperial & Tawny Eagles 34:172r
- The migr. at Falsterbo, 1960. Report No. 23 35:45r
- The kite in Scania, s.Sweden, as a winter resident 35:128r
- Ecological aspects of irruptive bird migr. in n.w.Europe 35:273r
- Upupa epops (Hoopoe, Thailand) breeding, San Diego Zoo 36:121r
- Uraeginthus cyanocephalus (Waxbill, Blue-headed) nesting, food preference, behav. & song in captivity 34:102r
- granatinus (Waxbill, Garnet) partial early molt & early pair formation 40:167r
- ianthinogaster (Waxbill, Violet) partial early molt & early pair formation 40:167r
- Uria spp. (Murres) evol., adaptation, distr., breeding biol., pops., economics 33:56r
- gastroliths indicate migr. from USSR 34:100r
- aalge (Murre, Common) breeding success, egg shape 41:49r
- Spitsbergen 38:333r
- Urry, D. & K. Urry. Flying Birds 41:337r
- U.S.A. (see also RECOVERIES, REPEATS & RETURNS)
- AK, environment, Cape Thompson 38:166r
- AL, Birds of, 34:50r
- AZ, Birds of, 36:286r
- CA, band. 33:1-21, 34:99r, 34:206,
- CO, Birds of, 38:88r
- , pictorial 39:240r
- CT, Guildford, annotated list 34:44
- Starling, band. 34:148
- , residents 32:57
- FL, Birds of, 37:75r
- Dry Tortugas, pop. & biol. 36:61r
- shorebirds, summering 33:22
- IA, mist netting, Saw-whet Owls 34:224r
- IL, environmental destruction 35:133r
- Hylocichlid thrush migr. 33:130
- MA, band. 34:40r
- bird collecting, 1882-1889 36:270
- Encephalitis Field Sta. 38:135-138
- ME, band. 35:207r
- recoveries 37:231
- MI, nesting success 33:112r
- MN, band., grackles 34:224r
- MT, band. 34:40
- NJ, band., Island Beach 35:268r
- , Osprey 32:59r
- capturing flickers 34:223r
- major study 35:253-262
- mist netting prog., 5yr 37:183-190
- NY, Birds in NY city 38:251r
- OH, band., Chimney Swifts 33:153
- OK, Birds of, 38:337r
- PA, band., 32:59r, 34:99r, 34:223r, 35:267r, 36:195r
- SD, band., 35:206r
- , Pinyon Jays 34:219
- Birds of the Black Hills 36:283r
- WI, Migr., spring 41:245r
- WA, Sandhill Crane 33:111r
- USSR (see also RECOVERIES, REPEATS & RETURNS)
- band. 34:98r, 36:118r, 37:127r
- techniques 36:45r
- Birds of, 39:331r
- , key to, 36:284r
- Bylorussia, birds of 39:241r
- conservation 39:234r, 40:61r
- Dwarf Juniper Belt pop. 39:142r
- forest birds, biol. of 39:144r
- communities 39:142r
- Karakums, Birds of the, 39:137r
- Kolyma Highlands, avifauna 40:350r
- Kustanai Steppes 41:155r
- migration 37:68r
- Moscow Region, Birds of the, 40:274r
- Ob River, migr. 40:150r
- Pamir-Alaya, Birds of, 41:163r
- Pamirs, Birds of, 38:336r
- Siberia, central, birds & mammals 38:165r
- Soviet Ornithology, 50 yrs of, 40:168r
- Steppe shelter belts 40:266r
- Taimyr, w., Birds of, 38:333r
- , n.e., avifauna 40:346r
- Wrangel Is., Birds of, 36:279r
- Uspenskii, S.M., R.L. Beme & A.G. Velizhanin. The avifauna of Wrangel Island 36:279r

140]

Uspenskii, S.M. (cont.) & Y.I. Kishko.
The wintering of the Red-breasted Brant
in e.Azerbaidzhan 39:143r
-- Life at high latitudes, as
exemplified by birds 41:161r

- Valatskii, A.V. see Yablokov, A.B. & Van de Kraan, C. & N.J. van Strien. Polygamy in Hen Harrier. 41:47r
- Van den Hoek, J. & J.A. Eyengraam. Radioactive contamination in a wild bird population 36:278r
- Van der Cingel, see Baeranda, G.P. & Vanderstoep, J. & J.P. Richards. The changes in egg shell strength during incubation 41:322r
- Van der Vloet, H. see de Ridder, J. & Van Tets, G.F. A comparative study of some social communication patterns in the Pelecaniformes 37:67r
- White-breasted Cormorant swallows pebbles on land 40:65r
- & P.A. Van Tets. A report on the resident birds of the terr. of Christmas Island 40:67r
- Seasonal fluctuations in the mort. rates of three northern & three southern hemisphere gulls 41:247r
- see Drent, R. & Van Tets, P.A. see Van Tets, G.F. & van Tyne, J. & A.J. Berger. Fundamentals of Ornithology 38:165r
- Vanellus indicus (Lapwing, Red-wattled) behav., incubating pair 34:101r
- vanellus (Lapwing, Northern) band. 32:110r
- in Lina bog, Sweden 33:115r
- migration 32:178r, 34:65
- , summer, North Sea 33:160r
- nesting & weather 39:136r
- occurrence in e. N. America 39:322r
- range, Sweden 36:205r
- status, Finland 37:212r
- wing length, before & after skinning 40:345r
- Van Lawick-Goodall, J. Tool-using bird, the Egyptian Vulture 41:74r
- Van Strien, N.J. see Van de Kraan, C. & Jaughen, R. Notes on autumn migr. in Greece & Crete 32:179r
- Jaught, R.W. & G.C. Arthur. Migr. routes & mort. rates of Canada Geese banded in the Hudson Bay lowlands 37:131r
- Jaurie, C. The birds of the Palearctic fauna. Non-passeriformes 37:145r
- Jeery (Hylocichla fuscescens)
- Jelizhanin, A.G. see Uspenskii, S.M. & Jepsalainen, K. Wing length of Lapwing (Vanellus vanellus) before & after skinning, with remarks on measuring methods 40:345r
- Verbeek, N.A.M. & W.P. Carney. Parasites of the Water Pipit, *Anthus spinoletta alticola*, from Montana 39:33-36
- Verheyen, R.K. Results of bird banding in Belgium, 1959 32:231r
- *Oologia Belgica* 39:73r
- Vermivora celata (Warbler, Orange-cr.) synchronized life cycle with mallophagan parasites 41:58r
- chrysoptera (Warbler, Golden-winged) hybridism 41:131
- , & sp. integrity 40:68r
- , & terr. relationships 41:53r
- pinus (Warbler, Blue-winged) hybridism 41:131
- , & sp. integrity 40:68r
- , & terr. relationships 41:53r
- ruficapilla (Warbler, Nashville) weights & meas. 32:76
- peregrina (Warbler, Tennessee) age, sex, wing lengths, fall migrants 34:191-199
- flight metabolism 38:100-113
- geog. var. & meas., WI 36:89-101
- migr., 34:191, 35:211r, 36:89, 36:169, 38:100
- mist netting 32:171
- molt, arrested 38:236
- , plumage & morphometry 36:169-179
- recapture, Panama 38:151
- tower casualties 34:191-199, 35:211r, 36:89-101, 36:169-179, 38:100-113
- weights & meas. 32:76
- Vespremeanu, E.E. Distr. & biol. of the Spoonbill in Roumania 39:232r
- Viduines (Widow Weavers) brood parasitism in Estrilids 35:275r
- Vilenchik, M.M. Magnetic effects in biology 38:340r
- Vilks, E.K. Experimental investigation of the behav. of certain passerines during the nesting period, by means of natural stimuli 32:105r
- Vince, M.A. Retardation as a factor in the synchronization of hatching 41:49r
- Vinnikov & I.V. Osipova, L.K. Titova & V.I. Govardovsky. Electron microscopy of the organ of Corti in birds 37:140r
- Vireo Bell's (*Vireo bellii*)
- , Black-capped (*V. atricapilla*)
- , Philadelphia (*V. philadelphicus*)
- , Red-eyed (*V. olivaceus*)
- , Thick-billed (*V. crassirostris*)
- , Yellow-green (*V. flavirostris*)
- , Yellow-throated (*V. flavifrons*)

- Vireo, Warbling (*V. gilvus*)
 -, White-eyed (*V. griseus*)
Vireo atricapilla (*Vireo*, Black-capped)
 distr., habitat & life history 33:207r
-bellii (*Vireo*, Bell's)
 life history 33:208r
-crassirostris (*Vireo*, Thick-billed)
 mist netting, wts. & meas., Bahamas
 32:48
-flavirostris (*Vireo*, Yellow-green)
 movements, Panama 38:151r
-flavifrons (*Vireo*, Yellow-throated)
 banded. Panama 34:220r
 distress calls 36:83-88
-gilvus (*Vireo*, Warbling)
 artificial incub. 32:155
-griseus (*Vireo*, White-eyed)
 artificial incub. 32:154
 distress calls 36:83-88
 host-parasite assoc. 41:302
-olivaceus (*Vireo*, Red-eyed)
 age, sex, wing length, fall migrants
 34:191-199
 artificial incub. 32:155
 banded, Panama 34:220
 distress calls 36:83-88
 flight range 36:115
 lipid deposition 33:108-10, 36:115-20
 migration 33:161r, 36:115
 mist netting 32:171
 reproduction 32:181r
 tower casualties 34:191-199, 35:211r
-philadelphicus (*Vireo*, Philadelphia)
 artificial incubation 32:155
 -spp. (*Vireos*)
 squealing 36:83-88
 unusual plumage 37:286
 weights & meas. 32:77
 VISION see individual spp. accounts)
 Vleugel, D.A. The most profitable method
 of wind orient. of migrating
 Chaffinches, *Fringilla coelebs* 33:44r
 -- Observations of the falling off of sea-
 ward ultra-high migr., especially along
 the Dutch coast, during calm of with
 very weak wind 33:45r
 -- Nocturnal migr. of thrushes & their
 orientation 35:210r
 VOCALIZATIONS see SOUNDS
 Voet, H. see de Ridder, J. &
 Voipio, P. On the distr. of the *argentatus*
 & *cachinnans* pops. of the Herring Gull
 40:170r
 Voitkevich, A.A. The Bird's Feather
 37:219r
- Volchanetskii, I. Geographically cor-
 related var. in Lark plumages & the
 hist. of this family's distr. 39:329r
 Volkov, N.I. An experimental study of
 thermal conditions in the snow burrows
 of Tetraonids 39:234r
 Von Blotzheim, Glutz U.N. The breeding
 birds of Switzerland 34:230r
 -- Greatest ages reached by ringed
 birds in Switzerland 37:128r
 -- see Bauer, K.M. &
 Von Frisch, O. On the biol. of the Red-
 legged Partridge 34:169r
 -- The smallest Gallinaceous bird: the
 Painted Quail 37:58r
 -- Montagu Harrier retrieves its young
 38:244r
 -- & H.V. von Frisch. Observations on the
 breeding biol. & dev. of the young of
 the Great Spotted Cuckoo 39:63r
 -- On the juvenal dev. & ethology of
 Pin-tailed Sandgrouse 41:315r
 Von Gunten, K. Researches on a village
 population of House Martins 35:212r
 Von Haartman, L. Clutch size in the Pied
 Flycatcher 39:231r
 -- The evol. of resident migratory habit
 in birds - some considerations 39:231r
 -- West-site & evol. of polygamy in
 European passerine birds 41:139r
 Von Schultz, R. Winter & spring at
 Ottenby, 1961-1962 35:129r
 Voous, K.H. Atlas of European Birds
 32:109r
 -- Records of Peregrine Falcons on the
 Atlantic Ocean 33:159r
 Voronov, A.G. The role of animal pops. in
 the formation of biocenoses 40:261r
 Vree de, F. The pterylosis of the African
 Bush Strike, *Tchagra m. minuta* 41:257r
 Vtorov, P.P. Features of the avian pop. of
 the Dwarf Juniper belt 39:142r
 Vuilleumier, F. Factors concentrating
 fall migrants at an alpine pass 36:47r
 Vultur gryphus (Condor, Andean)
 food location, not by olfaction 36:61r
 Vulture, Bearded (*Gypaetus barbatus*)
 -, Black (*Coragyps atrata*)
 -, Cinereous (*Aegypius monachus*)
 -, Egyptian (*Neophron percopterus*)
 -, King (*Sarcoramphus papa*)
 -, Turkey (*Cathartes aura*)
 Vykhovskii, B.E. see Potapov, R.L. &

- Wagtail, Blue-headed = Yellow
 -, Grey (*Motacilla cinerea*)
 -, Pied (*M. alba*)
 -, White = Pied
 -, Yellow (*M. flava*)
 Wahlstedt, J. Siberian Nuthatches in
 Norrbotten, 1962-1963 37:141r
 -- The avifauna of Haparanda Sandskar
 39:62r
 -- Hunting, feeding & vocalizations of
 the Great Gray Owl 41:157r
 Wahlstrom, S. A comparative study of the
 songs of three *Locustella* spp. 38:87r
 -- Sora Rail; new sp. for Sweden 39:236r
 Walcott, C. & M. Michener. Anal. of tracks
 of single homing pigeons 40:54r
 Walin, G. Unrestricted exploitation vs
 comprehensive planning 33:164r
 Walkinshaw, L.H. Mist netting birds on
 Andros Is., Bahamas 32:46
 -- Migr. of the Sandhill Crane e. of the
 Mississippi 32:180r
 -- Mist netting Saw-whet Owls 36:116
 -- One hundred thirty three Michigan
 Sandhill Crane nests 37:134r
 -- Why the decrease in young cranes?
 37:134r
 -- The Wattled Crane, *Bugeranus*
carunculatus (Gmelin) 37:136r
 -- Studies of the Acadian Flycatcher
 in Michigan 37:227
 -- Summer observations of the Least
 Flycatcher in Michigan 38:24r
 Walker, T.J. see Whitesell, J.J. &
 Wallace, G.J., A.G. Etter & D.R. Osborne.
 Spring mort. of birds following fall
 spraying of elms 35:216r
 -- On the cause of death of a Barn Owl
 37:126
 -- see Caldwell, L.D. &
 Wallen, L. see Mascher, J.W. &
 Waller, R. The Wild Falcon is my
 Companion 41:336r
 Wallin, K. see Jacobson, S. &
 Wallin, L. Some observations on the behav.
 of the Hawfinch during the early part of
 the breeding season 38:245r
 Wallraff, H.G. Does celestial navig.
 exist in animals? 32:236r
 -- & Kiepenheuer, J. Migr. & orient.:
 autumn observations in s.w. Eur. 35:210r
 -- The homing of pigeons after bisection
 of the semicircular canals 37:211r
 -- The present status of our knowledge
 about pigeon homing 40:55r
- Walter, H. Dependence of *Falco eleonorae*
 on trans-Medit. bird migr. 39:330r
 Warbler, Arctic (*Phylloscopus borealis*)
 -, African Reed (*Acrocephalus baeticatus*)
 -, Barred (*Sylvia nisoria*)
 -, Bay-breasted (*Dendroica castanea*)
 -, Black-&-white (*Mniotilta varia*)
 -, Blackpoll (*D. striata*)
 -, Black-throated Green (*D. virens*)
 -, Black-throated Blue (*D. caerulescens*)
 -, Blackburnian (*D. fusca*)
 -, Blue-winged (*Vermivora pinus*)
 -, Blyth's Reed (*Acrocephalus dumetorum*)
 -, Canada (*Wilsonia canadensis*)
 -, Cape May (*D. tigrina*)
 -, Chestnut-capped (*Basileuterus*
delatrii)
 -, Chestnut-sided (*D. pensylvanica*)
 -, Connecticut (*Oporornis agilis*)
 -, European (*Sylvia* spp.)
 -, Garden (*Sylvia borin*)
 -, Golden-winged (*Vermivora chrysoptera*)
 -, Grasshopper (*Locustella naevia*)
 -, Gray-capped (*Eminia lepida*)
 -, Great Reed (*Acrocephalus scirpaceus*)
 -, Hooded (*Wilsonia citrina*)
 -, Icterine (*Hippolais icterina*)
 -, Kentucky (*Oporornis formosus*)
 -, Kirtland's (*D. kirtlandii*)
 -, MacGillivray's (*Oporornis tolmiei*)
 -, Magnolia (*D. magnolia*)
 -, Marsh (*Acrocephalus palustris*)
 -, Melodious (*Hippolais polyglotta*)
 -, Mourning (*Oporornis philadelphia*)
 -, Myrtle = Yellow-rumped
 -, Nashville (*Vermivora ruficapilla*)
 -, Orange-crowned (*V. celata*)
 -, Oriole (*Hypergerus atriceps*)
 -, Pallas's Grasshopper (*Locustella*
certhiola)
 -, Palm (*D. palmarum*)
 -, Parula (*Parula americana*)
 -, Pine (*D. pinus*)
 -, Prothonotary (*Protonotaria citrea*)
 -, Prairie (*D. discolor*)
 -, Radde's Bush (*Phylloscopus schwarzi*)
 -, Sedge (*Acrocephalus schoenabaenus*)
 -, Swainson's (*Limnithlypis swainsonii*)
 -, Tennessee (*Vermivora peregrina*)
 -, Willow (*Phylloscopus trochilus*)
 -, Wilson's (*Wilsonia pusilla*)
 -, Wood (*P. sibilatrix*)
 -, Worm-eating (*Helmitheros vermivorus*)
 -, Yellow (*D. petechia*)
 -, Yellow-rumped (*D. coronata*)

- Warbler, Yellow-throated (*D. dominica*)
 Ward, F.P. & D.P. Martin. An improved cage trap for birds of prey 39:310
 Ward, P. Lipid levels in birds preparing to cross the Sahara 35:44r
 -- The fat reserves of Yellow Wagtails, *Motacilla flava*, wintering in s.w. Nigeria 36:59r
 -- Feeding ecol. of the Black-faced Dioch *Quelea quelea*, in Nigeria 36:279r
 -- The breeding biol. of the Black-faced Dioch in Nigera 37:58r
 Warner, D.W. see Anderson B.W. &
 -- see Nicholls, T.H. &
 -- see Raveling, D.G. &
 Waters, J.H. Avian pops. in a recently disturbed old field succession 38:17
 Waterson, G. Studies of less familiar birds: 130. White-tailed Eagle 36:200r
 Watson, A. & D. Jenkins. Notes on the behav. of the Red Grouse 35:277r
 -- & N.C. Morgan. Residues of organochlorine insecticides in a Golden Eagle 36:123r
 -- & D. Jenkins. Experiments on pop. control by territorial behav. in Red Grouse 40:151r
 Watson, G.E. Late June Blackburnian Warblers in s. CT 32:227
 -- A bird skin drying form for field use 33:95
 -- & R.L. Zusi & R.E. Storer. Preliminary field guide to the birds of the Indian Q for use during the Internat'l Indian Ocean Expedition 34:174r
 -- & A.B. Amerson, Jr. Instructions for collecting bird parasites 38:332r
 Waterthrush, Louisiana (*Seiurus motacilla*)
 -, Northern (*S. noveboracensis*)
 Waxbill (*Estrilda astrid*)
 -, Blue-headed (also Blue-capped Cordon-Bleu, *Uraeginthus cyanocephalus*)
 -, Garnet (*U. granatinus*)
 -, Violet (*U. ianthinogaster*)
 Waxwing, Bohemian (*Bombycilla garrulus*)
 -, Cedar (*B. cedrorum*)
 Wayre, P. see Moreau, R.E. &
 Weaver, D.K. & J.A. Kadlec. A method for trapping breeding adult gulls 41:28-30
 Weaver, J.D. Rules for using the Balchatri on owls 35:268r
 -- see Hamerstrom &
 Weaverbirds (*Ploceidae*)
 -, Village (*Ploceus cucullatus*)
 Webb, J.S. see Meanley, B. &
 Webber, G.L. Pairing of Reed Warblers from same brood 35:274r
 Weber, H. Studies of less familiar birds. 136. Red-breasted Flycatcher 37:136r
 WEIGHTS & MEASUREMENTS (see also EGGS, TECHNIQUES & indiv. spp. accounts)
 bionomics, Malaya, many spp. 35:167
 error, winglength meas. 39:142r
 flight, theories &, 38:306
 megapodes, growth 36:278r
 migr. study, coastal NJ 35:253-262
 of:
 autumn migrants, NJ 35:253
 Babblers 32:75
 Bananaquit 32:48
 Blackbird, Red-winged 32:156, 38:197
 -, Eur. 33:211r
 Bobwhite 32:77
 Bullfinch, Gr. Antillean 32:50
 Bunting, Indigo 37:131r, 38:211-214, 40:137
 -, Painted 32:50
 Cardinal 38:37-51
 Catbird 32:48
 Chat, Yellow-breasted 33:43
 Chickadee, Black-capped 33:154
 -, Carolina 33:154
 Cuckoo, Yellow-billed 32:77
 Dove, Ground 32:47
 Duck, Ring-necked 40:83-93, 40:198-207
 Dunlin 37:1-34
 Eagle, Bald 40:103
 Flowerpecker 32:75
 Flycatcher, Acadian 37:255
 -, Loggerhead 32:47
 -, of e. N. Amer. 37:153-171, 41:40
 -, Traill's 34:229
 Fringillidae 41:149r
 Goldfinch, nestlings 41:11-17
 Grassquit, Black-faced 32:50
 Grebe, Pied-billed 32:77
 Gull, Herring 36:203r
 -, -, chicks 40:222-233
 -, Laughing, chicks 32:223
 Gyrfalcon 41:34, 41:85-92
 Hummingbird, Ruby-thr. 35:265r
 Jaeger, Long-tailed 36:126r
 Jay, Scrub 32:74
 Junco, Slate-colored 33:97, 35:125, 38:234, 41:274-278
 -, spp. 40:20
 Kingbird, Gray 32:47
 Kinglets, Ruby-cr. 32:162-168
 Lapwing 40:345r

WEIGHTS & MEASUREMENTS (cont.)

of: (cont.)

- many spp., Malaya 35:167
 Mockingbird, Bahamian 32:48
 Nighthawk, Common 32:77
 Nuthatch, Pygmy 32:73
 Oriole, Gr. Antillean 32:49
 Ovenbird 32:49
 Owl, Great Gray 41:314r
 -, Great Horned 36:102-112
 -, Saw-whet 38:120-125
 Palearctic migrants 38:161r, 41:245r
 passerines, migrant 37:140r
 Petrel, Leach's 32:77
 Prion, Narrow & Broad-billed 37:293r
 Rail, Virginia 32:77
 Redpoll, 34:94, 36:65
 -, Lesser 38:239r
 Sandpiper, Least 41:244r
 -, Semipalmated 41:244r
 Sapsucker, Yellow-bellied 32:47
 Scaup, Lesser 32:47, 40:85-94,
 40:198-207
 Songbirds of N.Amer. 32:76
 Sparrow, Grasshopper 32:50
 -, Savannah 32:50
 -, Tree, nestling 37:58r
 Starling 35:279r
 Swift, Chimney 32:77
 -, European 36:124r
 Sylvia spp. 36:60r
 Tanager, Stripe-headed 32:49
 Thrush, Swainson's 37 83-112
 Tit, Great 40:345r
 Vireo, Red-eyed 34:191-199
 -, Thick-billed 32:48
 -, White-eyed 32:48
 wagtails 37:63r
 Warbler, Black-&-white 32:48,
 34:191-199
 -, Blackburnian 34:191-199
 -, Blackpoll 34:110-157
 -, Cape May 32:48
 -, Connecticut 38:187-194
 -, Kentucky 34:191-199
 -, MacGillivray's 38:187-194
 -, Magnolia 34:191-199
 -, Mourning 38:187-194
 -, Palm, Western 32:491 34:191-199
 -, Prairie 32:49
 -, Swainson's 32:48
 -, Tennessee 34:191-199, 36:98-101
 -, Worm-eating 32:48
 -, Yellow-rumped 32:48
 -, Yellow-throated 32:48
 warblers 32:75, 34:195
 -, identification 38:187
 wood warblers 32:76
 Waterthrush, Louisiana 32:49
 Whip-poor-will 36:118r
 Woodstar Bahamian 32:47
 Yellowthroat 32:49
 statistical comp., winglengths 41:307
 winglength shrinkage 40:345r
 -, warblers 34:191-199
 -, & weight correlation 32:75
 yolk study, thirty-nine spp. 33:207
 Weise, C.M. Annual physiological cycles
 in captive birds of differing migratory
 habits 36:119r
 Weller, M.W. Bursa regression, gonad
 cycle & molt of the Gt. Horned Owl 36:102
 -- Distr. & migr. of the Redhead 36:202r
 -- The breeding biol. of the parasitic
 Black-headed Duck 40:152r
 Wells, D.R. see Medway, L. &-
 Welty, J.C. The Life of Birds 34:103r
 Wemmer, C. Impaling behav. of the Logger-
 head Shrike, *Lanius ludovicianus* 41:141r
 Wentworth, B.C. see Coppinger, R.P. &-
 Weske, J.S. & Fessenden, H. Glossy Ibis
 nesting in Tidewater, MD, away from
 the ocean 34:107
 -- see Terborgh, J. &-
 West, G.C. & L. Peyton & S. Savage.
 Changing comp. of Redpoll flock during
 spring migration 39:51
 -- Bioenergetics of captive Willow
 Ptarmigan under nat. conditions 40:264r
 -- see Kendeigh, S.C. &-
 Westerkov, K. Evaluations of pheasant
 liberations in N.Z., based on a 12 yr
 band. study 35:217r
 -- Ecological factors affecting distr. of
 a nesting Royal Albatross pop. 35:277r
 Westwood, N.J. see Lofts, B. &-
 -- see Murton, R.K. &-
 Wetherbee, D.K. Migr. of the Common
 Coturnix in North America 32:85
 -- Descriptions of four artificially
 hatched neonatal large waders 32:99
 -- & N.S. Wetherbee. Artificial incub.
 of eggs of various bird spp. & some
 attributes of neonates 32:141
 -- Gamma irradiation of birds' eggs & the
 radiosensitivity of birds 38:246r
 Wetmore, A. Song & Garden Birds in
 North America 36:132r
 -- & others. Water, Prey & Game Birds
 of North America 37:146r

- Wetmore, A. (cont.) The Birds of the Republic of Panama. Part I. Tinamidae (Tinamous) to Rynchopidae (Skimmer) 37:302r
- Wharton, W.P. Nine-year-old Chickadee 35:41
- Recoveries of robins banded at Groton, MA in the years 1951-1964 37:53
- Wheatear (*Oenanthe oenanthe*)
- , Black-necked (*O. finschii*)
- , Dancing (*O. isabellina*)
- , Red-tailed (*O. xanthopyrma*)
- Whimbrel (*Numenius phaeopus*)
- Whinchat (*Saxicola rubetra*)
- Whip-poor-will (*Caprimulgus vociferus*)
- White, C.M. see Cade, T.J. &
- White, E. see Coulson, J.C. &
- White-eyes (*Zosteropsidae*)
- , Gray-backed (*Zosterops lateralis*)
- , Cape (*Z. virens*)
- Whiteface, Banded (*Aphelocephala nigricincta*)
- Whitehead, P. see Williamson, K. &
- Whitesell, J.J. & T.J. Walker. A test to determine if Bobwhite Quail hunt crickets by sound 41:67r
- Whitethroat, European (*Sylvia communis*)
- Whitney, N.R. Results of Pinyon Jay band. in SD 34:219
- see Petingill, O.S., Jr. &
- Whydah (*Steganura spp.*)
- , Paradise (*Vidua paradisaea*)
- Wibeck, E. The Whooper Swans at Lake Draven 33:166r
- Wickler, W. On the evolutionary hist. & taxonomic value of some motor patterns in birds 33:113r
- Widgeon, American (*Anas americana*)
- Wiemeyer, S.M. see Porter, R.D. &
- Wiese, J. see S.L. Olson &
- Wight, H.M., R.G. Heath & A.D. Geis. A method for estimating fall adult sex ratios form production & survival data 37:133r
- see Henny, C.J. &
- Wilcock, J. Detection by radar of autumn migr. in Eastern Scotland 37:211r
- Wilcox, L. Oldest known shorebird in North America 34:101r
- Capturing sleeping flickers 34:223r
- Wildfowl Trust, edited by G.L. Atkinson-Willes. Wildfowl in Great Britain 35:287r
- Wilimovsky, N.J. (Ed.) & J.N. Wolfe (Assoc. Ed.) Environment of the Cape Thompson Region, AK 38:166r
- Wilks, K.A. Some ideas on avian orient. 41:246r
- Willet (*Catoptrophorus semipalmatus*)
- Williams, G.C. Evolutionary aspects of migration 32:176r
- Extinction & the Anatidae of N.Z. 36:58r
- The breeding biol. of California Quail in N.Z. 41:314r
- Williams, H.W. see Stokes, A.W. &
- Williams, M. Courtship & copulatory behav. of the N.Z. Grey Duck 41:53r
- Williamson, K. Aspects of autumn migr. 1960 32:178r
- & J.J. Ferguson-Lees. Nearctic birds in Gt. Britain & Ireland in autumn 1958 32:238r
- & R. Spencer. Ringing recoveries & the interpretation of bird-movements 32:179r
- Identification for ringers. 2. The Genus *Phylloscopus* 34:53r
- & P. Whitehead. An examination of the Blackcap movements of autumn, 1969 36:53r
- Movements as an indicator of pop. changes 36:53r
- The summer & autumn crossbill irruptions of 1962 36:53r
- Identifications for ringers: The Genus *Sylvia* 36:60r
- see MacEachern, A. &
- see McLean, I. &
- Williamson, M.A. Do we need special critics? 41:75r
- Willis E.O. Interspecific competition & the forage behav. of Plainbrown Wood-creepers 38:159r
- The behav. of Bi-colored Antbirds 38:338r
- Willson, M.F. Avian niche size & morph. variation 41:145r
- Wilson, Alexander, biography 34:105r
- Wilson, F.E. see Donham, R.S. &
- Wilson, S.J., S.G. Lane & J.L. McKeen. The use of mist nets in Australia 37:54r
- Wilsonia canadensis (Warbler, Canada) band., Panama 34:220r
- incubation 37:59r
- non-squealer 36:86
- citrina (Warbler, Hooded)
- distress calls 36:83-88
- lipid deposition, flight energy 33:109r

- Wiltshcko, W. On the influence of a static magnetic field on the orientation of the robin 40:326r
 -- see Merkel, F.W. &-
- Wingate, D.B. Present status of the Bermuda Petrel 33:53r
 -- & J. Baird. Blackpoll Warbler banded in Bermuda, recovered in NC 36:192
 -- see Wurster, C.F., Jr. &-
- Winkel, W. Prising by Honeycreepers 41:73r
 -- see Berndt, R. &-
- Winterbottom, J.M. Avifaunal relationships between the Neotropical & Ethiopian regions 37:300r
 -- What can we learn from ringing? 40:256r
 -- see Broekhuysen, H.J. &-
- Wiss, L.E. see Hogstrom, S. &-
- Witter, J.F. see Gershman, M. &-
- Wolf, L.L. see Hainsworth, F.R. &-
- Wolfe, J.N. see Wilimovsky, N.J. &-
- Wolfson, A. see Lofts, B. &-
- Wolhuter, B.R. Apparent homing in the Red-tailed Hawk 39:61r
 -- Second report of Great Horned Owl preying on Short-eared Owl 39:319
- Wong, H.H. 'Sunset Jr. Book' on Waterfowl 32:111r
- Wood, J.S. Normal dev. & causes of reprod. failure in Canada Geese 36:204r
 -- Some associations of behav. to reprod. dev. in Canada Geese 37:135r
- Wood, M. Black or striped sunflower seeds, equally good as bait 32:59r
 -- see Bordner, D.L. &-
- Woodcock, Eur. (*Scolopax rusticola*)
- Woodcreeper, Buff-throated (*Xiphorhynchus guttatus*)
 -, Long-tailed (*Deconychura longicauda*)
 -, Plain-brown (*Dendrocincla fuliginosa*)
 -, Spot-crowned (*Lepidocolaptes affinis*)
 -, Wedge-billed (*Glyphorhynchus spirurus*)
- Woodford, J. see Hessel, D.J.T. &-
 -- & D.J.T. Hessel. Construction & use of Heligoland traps 32:125
- Woolfenden, G.C. Postcranial osteology of the waterfowl 33:54r
- Woodpeckers (*Picidae*)
- Woodpecker, Acorn (*Melanerpes formicivorus*)
 -, Black (*Dryocopus martius*)
 -, Downy (*Dendrocopos pubescens*)
 -, Golden-fronted (*Centurus aurifrons*)
 -, Grey-headed (*Picus canus*)
 -, Hairy (*Dendrocopos villosus*)
 -, Ladder-backed (*D. scalaris*)
- , Lewis's (*Asyndesmus lewis*)
 -, Pileated (*Dryocopus pileatus*)
 -, Red-bellied (*Centurus carolinus*)
 -, Red-headed (*Melanerpes erythrocephalus*)
 -, Three-toed (*Picoides tridactylus*)
 -, Waved (*Cealeus unquatus*)
 -, White-toed (*Dendrocopos leucotos*)
 -, Red-cockaded (*Dendrocopos borealis*)
 -, Middle-spotted (*D. medius*)
 Woodpigeon (*Columba palumbus*)
- Woodstar, Bahamian (*Calliphlox evelynae*)
- Work, T.H., (M.D.) Birds & arboviruses 36:193
- Worth, C.B. Aspiration of seeds by trapped Red-winged Blackbirds 41:243
- Wortis, R.P. The transition from dependent to independent feeding in the young Ring Dove 41:163r
- Wrens (*Troglodytidae*)
- Wren, Cactus (*Campylorhynchus brunneicapillus*)
 -, Bewick's (*Thryomanes bewickii*)
 -, Black-bellied (*Thryothorus fasciatoventris*)
 -, House (*Troglodytes aedon*)
 -, Long-billed Marsh (*Telmatodytes palustris*)
 -, Rufous & white (*Thryothorus rufalbus*)
 -, Rufous-breasted (*Thryothorus rutilus*)
 -, Song (*Cyphorhinus phaeocephalus*)
 -, Superb Blue (*Malurus cyaneus*)
 -, White-throated Grass (*Amytornis woodwardi*)
 -, Winter (*Troglodytes troglodytes*)
- Wright, B.S. Some effects of Heptachlor & DDT on New Brunswick Woodcocks 37:133r
- Wright, E.N. see Bremond, J.C. &-
- Wuping, H. & C. Hsiang-kan. On the growth of the nestlings of the Tree Sparrow 37:58r
- Wurster, C.F., Jr. & D.B. Wingate. DDT residues & Bermuda Petrels 41:56r
 -- DDT residues & declining reproduction in the Bermuda Petrel 41:56r
- Wurster, D.H., C.F. Wurster, Jr. & W.N. Strickland. Bird mort. following DDT spray for Dutch Elm disease 37:62r

- Xanthocephalus xanthocephalus (Black-bird, Yellow-headed)
band. report 33:15
colored leg-tagging 39:6-13
competition with Red-winged Black-bird 40:159r
feeding ecology 41:327r
recovery, unusual 39:325r
Xema sabini (Gull, Sabine's)
- Yablokov, A.B. & A.V. Valetskii. On variability of meristic characters in birds 41:259r
- Yakoleve, I.M. The effect of ultrahigh frequency electromagnetic fields on regulation of heart rate & respiration in birds 40:163r
- Yakubania, V.K. see Andrievskii, I.V. & Yamashina, Y. Birds in Japan: a Field Guide 33:169r
- Yanchuk, Z.Z. see Baraboi, V.A. & Yao-kuang, T. see Tso-hsin, C. & Yapp, W.B. Some physical limitations on migration 33:156r
- Yeatman, L. & Y. Berthelot. Mathematical methods for determining a bird pop. according to the percentage of returns 36:197r
- Yellowhammer (*Emberiza citrinella*)
- Yellowlegs, Greater (*Totanus melanoleucus*)
-, Lesser (*T. flavipes*)
- Yellowthroat, Common (*Geothlypis trichas*)
- Yglesias, D. The cry of a bird 34:53r
- Yocom, C.F. & H.A. Hansen. Magnitude of crane migr. in e. Washington 33:111r
- Yoshii, M. & Y. Hasuo. Fourth annual report on the bird ringing for the year ending March, 1965 37:290r
- Young, H. A test for randomness in trapping 32:160
-- Breeding success of the cowbird 35:48r
- Yudin, K.A. The phylogeny & classification of the Charadriiformes 37:74r
- Yunick, R.P. An examination of certain aging & sexing criteria for the Cedar Waxwing, *Bombycilla cedrorum* 41:291-99
- Zagniborodova, E.N. & G.S. Belskaya. The fleas of burrow-dwelling birds & their possible role in plague epizootology in Turkmeniya 38:332r
- ZAMBIA
banding 37:211r
- Zavednyuk, V.F. Ant dispersal for forest protection 40:342r
- Zarhynchus wagleri (*Oropendola*, Wagler's) parasitism, beneficial, Giant Cowbird 40:170r
- Zavadskii, K.M. Species & Speciation 41:77r
- Zemanek, R. see Malinovsky, L. & Zenaida asiatica (Dove, White-winged)
scaly-leg, mass checking 33:195
water economy & salt balance 40:163r
-macroura (Dove, Mourning)
band. 32:173
- report 33:4,5
breeding behav. 36:200r
distr. 32:50, 32:58
host-parasite assoc. 41:302
migration 32:175r
- off Nfld. 33:158r
nesting success 37:59r
pairing in captivity, & cooing 34:41r
---, & color marking 34:226r, 38:159r
pox virus 33:192
scaly-leg, mass checking 33:195
status changes & band. records, CT 35:1-7
weights & meas. 32:147
- Zhelnin, V.A. The fall migr. of cranes as an indicator of time for winter sowing in Esthonia 37:211r
- Zim, H.S. see Robbins, C.S. & Ziswiler, V. Extinct & vanishing animals 39:73r
- Zlotorzyccka, J. Mallophaga parasitizing within the bird families Columbidae & Phasianidae in Poland 37:217r
-- Mallophaga from birds associated with the water environment in Poland 37:217r
- Zonotrichia albicollis (Sparrow, White-throated)
band. report 33:82
-, Vancouver, B.C. 34:39
behav., of partially blind 33:204r
breeding range 37:191-193
distress calls 36:83-88
distr. 32:58
fat deposition 33:108r, 36:120r, 37:172
-- & Zugunruhe 35:51r
host-parasite assoc. 41:302
in Sweden 38:86r

- Zonotrichia albicollis* (cont.)
 longevity claimed 40:148r
 - claim correction 41:42
 migr. 32:100r, 35:51r, 36:120r
 - off Nfld. 33:158r
 polymorphism, plumage 33:55r
 pox virus 33:192
 skull ossification 41:43r
 status changes, band., CT 35:1-7
 ticks 35:127
 trapping 32:123
 -*atricapilla* (Sparrow, Golden-crowned)
 band. report 33:80
 migr., & castration, effects 34:227r
 removal, effects on other spp. 35:184-195
 translocation 35:211r
 -, CA 34:101r
 -, LA 34:224r
 -*capensis* (Sparrow, Andean)
 photoperiodic response 37:63r
 -*leucophrys* (Sparrow, White-crowned)
 band. reports 33:73-80
 crosses Atl. on ship 33:49r
 distr. 36:141-169
 geog. var. 36:137r
 migr. 36:141-169, 37:299r
 -, autumn, fat deposition 36:119r
 -, off Nfld. 33:158r
 pop. dynamics 33:73-80
 removal, effects on other spp. 35:184-195
 reprod., photoperiodic control 35:279r
 song, auditory feedback 37:221r
 ticks 35:127
 translocations 34:100r, 34:224r,
 35:211r, 35:184-195
 trapping 32:123
 vocal behav. patterns 36:122r
 water economy & salt balance 40:164r
 wing lengths & weight 32:76
 Zugunruhe, endocrine basis 37:299r
 -*querula* (Sparrow, Harris's)
 banded, NJ, first 41:133
 band. report 33:73
 -spp. (Sparrows)
 migration 32:102r
 trapping 32:119
 wing/weight relationships 32:77
 Zugunruhe, fat deposition 35:132r
 -, orientation 36:274r
- Zonov, G.B. On the winter roost of
Paridae spp. in the Cisbaikal 39:138r
 -- On the winter ecology of tits in
 Cisbaikal 41:54r
- ZOOGEOGRAPHY (see also DISTRIBUTION,
 EVOLUTION, MIGRATION, PALEONTOLOGY,
 RECOVERIES & RETURNS, & SYSTEMATICS)
 evolution, & 37:304r
 Neotropical vs Ethiopian avifauna
 37:300r
 of birds of:
 Africa, origins of Eur. swallows
 wintering 40:67r
 -, Sabine's Gull 40:67r
 Bering Sea, tubinares & alcids 37:300r
 - Straits, avifauna 41:154r
 Florida, Red-whiskered Bulbul 40:266r
 Palearctic range, distr. 41:312r
 Solomon Is., bird fauna patterns
 40:265r
 Sweden, oriole distr. 38:163r
 USSR, four pops. of pintails 40:347r
- Zosteropidae* (White-eyes)
 tongues 41:256r
- Zosterops lateralis* (White-eye, Grey-
 backed)
 band., Australia, large 36:195r
 -*virens* (White-eye, Cape)
 nesting 40:333r
- Zoutend, P. The occurrence of Sabine's
 Gull (*Xema sabini*) off the Cape
 Peninsula 40:67r
- Zurhorst, C. The Conservation Fraud
 41:260r
- Zusi, R.L. Structural adaptations of the
 head & neck in the Black Skimmer,
Rynchops nigra, L. 34:104r
 -- see Watson, G. E. &-