

INDEX TO VOLUME 45

Compiled by Brian A. Harrington
Manomet Bird Observatory

This index is for new papers published in this volume of *Bird-Banding* as well as a subject and species index to papers reviewed in Volume 45 Recent Literature sections, and a title and author index to book and monograph reviews. Items indexed from Recent Literature are identified by (r), those from books and monographs by (rev.).

- Acanthis flammea*, migration, 145-151
Accipiter gentilis, in Louisiana, 270
—, recovery of, 270
Acrothores cristatellus, movements, 197-205
Adventures in birding, 291 (rev.)
Aegithalos caudatus, breeding biology, 372(r)
AGE, CRITERIA
Blackbird, Tricolored, 156-159
Bunting, Painted, 353-359
Goldfinch, American, 293-296
Gackle, nestling Common, 16-23
Grebe, Horned, 188(r)
—, FIRST BREEDING
Tern, Sooty, 115-144
—, SURVIVAL
Blue Jays, 206-209
Passerines in Pa., 152-155
—, LONGEVITY
Bunting, Painted, 353-359
Chachalaca, 178
Chick embryos *in vitro*, 67(r)
Eagle, Matopos Black, 180(r)
Grouse, Ruffed, 270-71
Jay, Blue, 206-209
Jay, Green, 178
Tern, Arctic, 269-270
Age ratios, see populations
Agelaius phoeniceus, flight after banding, 33-45
—, growth, food, niche, 65(r)
—, selection for polygyny, 68-9(r)
A. tricolor, aging by skull, 156-159
Aix sponsa, hen feeding away from brood, 58
Alaska, avifaunal review, north slope, 379(r)
Albatross, Laysan, see *Diomedea immutabilis*
Albatrosses, see *Diomedea*
Alca torda, New England population changes, 1-15
—, parent-chick recognition, 372(r)
Alcidae, New England populations, 1-15
—, Feeding and nesting ecology, 183(r)
—, Vision, 187(r)
Alle alle, oil kills, 376-7(r)
Ammodramus savannarum, habitat variation, 184(r)
Anas acuta, in Rhodesia, 380(r)
A. platyrhynchos, sound effects on embryo, 369-70(r)
—, smell by, 72(r)
- ANATOMY AND MORPHOLOGY
Avian integument, 76-9(rev.)
Body size and heat conductance, 71(r)
Bony stapes, suboscines, 279(r)
Dendrocaptidae and Furnariidae, 79-80(rev.)
Digestive systems, birds, 187-8(r)
Eye structure, larids and alcids, 187(r)
Feeding adaptations, *Dendrocygna*, 186(r)
Foot scutes, oscines, 279(r)
Furnarius leucopus, 381(r)
Fundulus oculi, 279(r)
Internal organ size, *Lagopus*, 187(r)
Kidney structure, *Passerculus*, 276-7(r)
Kidney venous plan, *Fregata*, 72(r)
Loxops, 194-5(r)
Lungs and air sacs, passerines, 72(r)
Morphology, Little Owl, 280(r)
Owl, Snowy, 196(rev.)
Size, Horned Lark, 280(r)
Tongue structure, Kiwis, 186(r)
—, seabirds, 186(r)
White-eye, Mascarene, 193(rev.)
Wing configurations, herons, 186(r)
Woodpecker, tongue deformities, 279-80(r)
Angle, J. P., see Watson, G. E., and —
Antarctica, birds of, 192-3(rev.)
Anthus spinolella, migration, 145-51
Anting, see behavior
Aptryx spp., tongue structure, 186(r)
Aquila verreauxi, longevity, 180(r)
Ardeidae, wing configurations, 186(r)
—, offal feeding, 382(r)
Asio otus, food, 382(r)
Athene noctua, food, 281(r), 382-3(r)
—, subspecies, N.Z., 280(r)
Auklet, Parakeet, see *Cyclorrhynchus psittacula*
Autumn of the eagle, 191-2(rev.)
Avian anatomy—Integument, 76(rev.)
Avian Biology, vol. 3, 281-3(rev.)
Bailey, E. P. Passerine diversity, relative abundance, and migration at Cold Bay, Alaska. 145-151
— Winter banding of passerines on the Alaska Peninsula. 307-314
Balaeniceps rex, in Ethiopia, 380(r)
Band wear, Arctic Tern, 269
BANDING, RECOVERIES
Argentine waterfowl, 170-77

- Bunting, Alaskan Snow, 307-14
 - , Painted, 353-59
 - Goose, Snow, 217-223
 - Goshawk, 270
 - Grouse, Ruffed, 270-71
 - Gull, Ring-billed, 341-52
 - Jay, Blue, 206-209
 - Mynas, 197-205
 - Sandpiper, Semipalmated, 364-5
 - Starlings, 197-205
- , REPORTS
 - New Zealand, 180(r)
 - Operation Baltic, 60(r)
 - Powdermill, Pa., 60(r)
- , RETURNS
 - Bunting, McKay's, 307-14
 - , Painted, 353-59
 - , Snow, 307-14
 - Finch, Gray-crowned Rosy, 307-314
 - In El Salvador, 58-9
 - Jay, Blue, 206-09
 - Loon, Common, 178
 - Sandpiper, Least, 93-105
 - Tern, Arctic, 269-70
- Banding techniques, see Research Methods
- Baylor, L. M., and Whitney, N. R., Jr.
 - Aberrant feather condition in a White-winged Junco, 269
- BEHAVIOR, ANTING
 - In passerines, 68(r)
- , AREA FIDELITY AND TERRITORY
 - Bluebird, Eastern, 363-4
 - Bunting, Painted, 353-59
 - , Snow, 307-14
 - Chat, Yellow-breasted, 64-5(r)
 - Finch, Gray-crowned Rosy, 307-14
 - Jay, Pinon, 65(r)
 - Loon, Common, 178
 - Pilotbirds, 372-3(r)
 - Swift, Chimney, 365
 - Territory as a dispersive mechanism, 369(r)
 - Tit, Long-tailed, 372(r)
- , COMPARATIVE
 - Accipiters and falcons, 370(r)
- , FLOCKING
 - Family flocks, jays, 253-268
 - Flock fidelity, Snow Buntings, 307-14
 - Flock formations, 160-69
- , FRIGHT
 - Blackbirds, 33-45
 - Pheasant chicks to calls, 370(r)
- , GENERAL
 - Gull, Ring-billed, 210-216
 - Jaeger, Pomarine, 182(r)
 - Jays, four species, 253-68
 - Magpie, Yellow-billed, 85(rev.)
- , MISCELLANEOUS
 - Adolescent Sooty Terns, 115-144
 - Agitation and complacency, 66(r)
 - Avoidance conditioning, Jackdaws, 373(r)
 - Cliff-nesting, 371(r)
- Flight and fright, 33-45
- Juvenile gull postures, 371(r)
- Nutritional deficiency, effect on behavior, 370(r)
- Predatory behavior relative to hunger, 182(r)
- Prey-capture, Great Gray Owl, 190(r)
- , Loggerhead Shrike, 373(r)
- , PAIRING
 - Aerial courtship, Red-tailed Hawk, 269
 - Bill-clapping, albatrosses, 188(r)
 - Gull, Ring-billed, 210-16
 - Polygyny, Red-winged Blackbird, 68-9(r)
 - Tern, adolescent Sooty, 115-44
- , PARENTAL
 - Duck, Wood, 58
 - Pelicans, 75(r)
 - Tern, Royal, recognition, 66(r)
- , POSTURES AND DISPLAYS
 - Cathartid vultures, 67(r)
 - Jays, four species, 253-68
- , RECOGNITION
 - Chicks, Razorbill, 372(r)
 - Eggs and chicks, Royal Terns, 66(r)
 - , birds, 67(r)
- , TOOL USE
 - Ibis, White, 369(r)
- Belton, W. Cattle Egrets in Rio Grande do Sul, Brazil, 59
- Bird-capture and bird-banding, Part II, 85(rev.)
- Birding from a tractor seat, 291(rev.)
- Birds-of-paradise, see *Parotia*
- Birds of the Antarctic and subantarctic, 192-3(rev.)
- Birds of USSR. Bibliographic index, 1881-1917, 86(rev.)
- Blackbirds, flight after banding, 33-45
- Blackbird, Brewer's, see *Euphagus cyanocephalus*
- Blackbird, Red-winged, see *Agelaius phoeniceus*
- Blackbird, Tricolored, see *Agelaius tricolor*
- Bluebird, Eastern, see *Sialia sialis*
- Bobwhite, see *Colinus virginianus*
- Bock, W. J., see Richards, L. P., and —
- Bonasa umbellus*, longevity, 270-71
- , nocturnal activity and calling, 179
- Born to sing, 83(rev.)
- Boyd, J. C., see Watson, G. E., and —
- Boyd, M. M., see Watson, G. E., and —
- Breeding biology, see Nesting and Reproduction
- Breeding birds of Britain and Ireland: a historical survey, 195-6(rev.)
- Bridge, M. A., see Watson, G. E. and —
- Britain, breeding birds of —, 195-6(rev.)
- British Columbia, seabirds of —, 189(r)
- Bub, H. Bird-capture and bird-banding, 85(rev.)

- Bubo virginianus*, eye movements, 278(r)
- Bubulcus ibis*, as virus disseminator, 184(r)
- , in Brazil, 59
- Bucephala albeola*, food-habitat relationship, 374(r)
- B. clangula*, food-habitat relationship, 374(r)
- Bunting*, McKay's, see *Plectrophenax hyperboreus*
- , Painted, see *Passerina ciris*
- , Snow, see *Plectrophenax nivalis*
- Burtt, H. E., and M. L. Giltz. Behavior of some icterids and starlings when released after banding, 33-45
- Buteo jamaicensis*, aerial courtship, 269
- B. platypterus*, food and hunger, 182(r)
- Calcarius lapponicus*, migration in Alaska, 145-151
- Calidris alpina*, comparative ecology, 70(r)
- , feeding behavior, 370-71(r), 375(r)
- C. minutilla*, feeding behavior, 370-71(r), 375(r)
- , sex determination, 93-105
- , winter feeding, molt, and returns, 98-105
- C. pusillus*, feeding behavior, 370-71(r), 375(r)
- , recovery, 364-5
- California, passerine migration, 46-57
- Canary, see *Serinus canaria*
- Cape Clear Island, natural history of—, 196(rev.)
- Cardinal, see *Cardinalis cardinalis*
- Cardinalis cardinalis*, lungs and air sacs, 72(r)
- , temperature regulation, 275-6(r)
- C. sinuata*, temperature regulation, 275-6(r)
- Carney, W. P. Notes on raising passerine birds in the laboratory, 29-32
- Cassidix mexicanus*, growth and thermoregulation, 378(r)
- Catbird, Gray, see *Dumetella carolinensis*
- Cathartes aura*, smell by, 72(r)
- , spread-wing postures, 67(r)
- Catharus minima*, migration in Alaska, 145-151
- C. ustulata*, migration and molt, 46-57
- Central America, Birds of Mexico and—, 80-82(rev.)
- Centurus*, tongue abnormalities, 279-80(r)
- Cephus grylle*, kills by oil, 376-7(r)
- , New England population changes, 1-15
- Chachalaca, see *Ortalis vetula*
- Chaetura caudacuta*, flight and play, 67(r)
- C. pelagica*, large numbers at nest, 365
- Charadrius semipalmatus*, feeding behavior, 370-71(r), 375(r)
- Chat, Yellow-breasted, see *Icteria virens*
- Check-list of Japanese birds, 386(rev.)
- Chen caerulescens*, flight from Canada to Bermuda, 217-223
- Chickadee, Black-capped, see *Parus atricapillus*
- Choate, E. A. The dictionary of American bird names, 284-87(rev.)
- Cisticola*, distribution, 380-81(r)
- , taxonomy, 382(r)
- Civilized man's eight deadly sins, 291-92(rev.)
- Clangula hyemalis*, food-habitat relationship, 374(r)
- , killed by oil, 376-7(r)
- Clutch size, see nesting and reproduction
- Cochlearius cochlearius*, subspecies of, 189(r)
- Coded list of birds of the world, 288-290(rev.)
- Colinus virginianus*, smell by, 72(r)
- Collecting, see research methods
- Columba livia*, fundulus oculi, 279(r)
- , inertial navigation, 63-4(r)
- , lateral vision, 278(r)
- , olfaction, 62(r), 63(r)
- , orientation, 61(r), 64(r), 272(r), 273(r), 368(r)
- , polarized light detection, 277-8(r)
- , pressure change sensitivity, 277(r)
- Colymbus auritus*, oil kills, 376-7(r)
- COMMUNICATION
- In animals, 82-83(rev.)
- See also vocalization and sound
- COMPETITION, FOOD
- Between alcids, 183(r)
- Between two warblers, 69(r)
- In Yellow-faced Grassquits, 75(r)
- Conner, R. N. A note on aerial courtship of Red-tailed Hawks, 269
- Coot, see *Fulica atra*
- Coragyps atratus*, spread-wing postures, 67(r)
- Cormorant, Double-crested, see *Phalacrocorax auritus*
- Cormorant, Great, see *Phalacrocorax carbo*
- Corvidae, nests of — in Poland, 273(r)
- Corvus corax*, Food, 383(r)
- , temperature regulation, 71(r)
- C. frugilegus*, population studies, 68(r)
- C. monedula*, avoidance conditioning, 373(r)
- C. ossifragus*, flight energetics, 185(r)
- C. sp.*, smell by, 72(r)
- Coturnix japonica*, bone formation, 185(r)

- Courser, Temminck's, see *Cursorius temminckii*
 —, Three-banded, see *Rhinoptilus cinctus*
 Cowbird, Brown-headed, see *Molothrus ater*
 Crase, F. T., see DeHaven, R. W., and—
 Crow, see *Corvus*
 Crow, Fish, see *Corvus ossifragus*
 Cuckoo, see *Cuculus canorus*
Cuculus canorus, parasitizing Barn Swallow, 65(r)
Cursorius temminckii, chick plumage, 188(r)
Cyanocitta cristata, banding movements and longevity, 206-209
Cyanocorax beecheii, behavior of, 253-268
 C. melanocyanea, behavior of, 253-268
 C. sanblasiana, behavior of, 253-268
 C. yncas, longevity, 178
 C. yucatanica, behavior of, 253-268
Cyclorrhynchus psittacula, status off Br. Columbia, 189(r)
 Davis, D. E., see Savage, I. R., and—
 Davis, J. A., see Stoll, R. J. Jr., and—
 Davis, L. I. A field guide to the birds of Mexico and Central America, 80-82(rev.)
 DeHaven, R. W., F. T. Crase, and M. R. Miller. Aging Tricolored Blackbirds by cranial ossification, 156-159
Delichon urbica, attracted by fire, 68(r)
 —, hybrid X *Hirundo rustica*, 373(r)
 Dendrocolaptidae, evolution in, 79-80 (rev.)
Dendrocygna spp., feeding adaptations, 186-7(r)
Dendroica petechia, banded returns in El Salvador, 58-9
 —, ecological isolation, 69(r)
 —, migration in Alaska, 145-151
 —, migration in California, 46-57
 D. townsendi, banded returns in El Salvador, 58-9
 —, migration in California, 46-57
 DeWolfe, B. B., D. D. Kaska, and L. J. Peyton. Prominent variations in the songs of Gambel's White-crowned Sparrows, 224-252
 Dexter, R. W. Unusually large numbers of Chimney Swifts at a nest, 365
 Dictionary of American bird names, 284-87(rev.)
Diomedea spp., bill clapping, 188(r)
 —, identification, 186(r)
 D. immutabilis, status off Br. Columbia, 189(r)
 Distribution, see Zoogeography and—
 Dove, Collared Turtle, see *Streptopelia decaocto*
- , Turtle, see *Streptopelia turtur*
 Dovekie, see *Alle alle*
 Drury, W. H. Population changes in New England seabirds (conclusion), 1-15
 Drury, W. H., and J. A. Kadlec. The current status of the Herring Gull population in the northeastern United States, 297-306
 Duck, Wood, see *Aix sponsa*
 Ducks, recoveries in Argentina, 170-177
 Ducks, whistling, see *Dendrocygna* spp.
Dumetella carolinensis, survival, 152-155
 Dunlin, see *Calidris alpina*
 Eagle, Bald, see *Haliaeetus leucocephalus*
 —, Matopos Black, see *Aquila verreauxii*
 Ecological and physiological aspects of bird migration, 84(rev.)
ECOLOGY, INTERSPECIFIC
 Alcids, 183(r)
 Antarctic birds, 192-3(rev.)
 Cormorants, 181(r)
 Grasshopper and Savannah sparrows, 184(r)
 Grassland passerines, 69(r)
 Juncos and sparrows, 184(r)
 Nectar-feeding birds, 376(r)
 Owl, Snowy, 196(rev.)
 Seven sea duck species, 374(r)
 Six shorebirds species, 370-71(r), 375(r)
 Yellow Warblers and American Redstarts, 69(r)
—, SYSTEMS
 Birds in grasslands, 373-4(r)
 Edwards, E. P. A field guide to the birds of Mexico, 80-82(rev.)
 —, A coded list of birds of the world, 288-90(rev.)
 Eggs, see nesting and reproduction
 Egret, Cattle, see *Bubulcus ibis*
 Eider, Common, see *Somateria mollissima*
 El Salvador, returns of banded birds, 58-9(r)
 Embryology, see nesting and reproduction, growth
Empidonax difficilis, migration and molt, 46-57
 E. traillii, nesting biology, 320-325
ENDANGERED SPECIES
 Eagle, Bald, 191(r)
 Kakapo, status and habits, 181(r)
Parotia, 190(r)
ENVIRONMENTAL QUALITY
 Alcids and oil, 185(r), 376-7(r)
 Ducks and herbicides, 180(r)
 Eagles and pesticides, 191(rev.)
 Human hunting of songbirds, 274(r)
 Science and environmental education, 274(r)
 Seabird population changes, 1-15

- Seabirds and oil, 70(r), 376-7(r)
 Toxic chemicals and bird populations, 195-6(rev.)
Eremophila alpestris, body size variation, 280(r)
Erythacus rubecula, orientation, 61(r), 368(r)
Euphagus cyanocephalus, breeding range change, 381(r)
 Evans, D. L., and C. R. Sindelar. First record of the Goshawk from Louisiana—a collected, banded bird, 270
- EVOLUTION AND GENETICS**
 Evolution in alcid communities, 183(r)
 — in dendrocolaptids and furnariids, 79-80(rev.)
 — in Horned Larks, 280(r)
 — in *Loxops*, 194-5(rev.)
 — in suboscines, 279(r)
 — in rails, 74(r)
 — in Mascarene White-eyes, 193(r)
 Evolution of the brain and intelligence, 287-8(rev.)
 Evolutionary trends in the neotropical ovenbirds and woodhewers, 79-80(rev.)
 Exploitation system of the Yellow-billed Magpie, 85(rev.)
Falco sparverius, hunger and predation, 182(r)
 Farner, D. S., and J. R. King (eds.), Avian Biology, 281-83(rev.)
- FEATHERS**
 Aberrant condition in *Junco*, 269
 Feduccia, A. Evolutionary trends in the neotropical ovenbirds and woodhewers, 79-80(rev.)
 Field guide to the birds of Mexico, 80-82(rev.)
 Field guide to the birds of Mexico and Central America, 80-82(rev.)
 Finch, Gray-crowned Rosy, see *Leucosticte tephrocotis*
 —, Himalayan Rosy, see *Leucosticte nemoricola*
 Fisk, E. J. Wintering populations of Painted Buntings in southern Florida, 353-359.
 Fleetwood, R. J., see Marion, W. R., and—
 Flight, see locomotion
 Flocking, see behavior
 Flugum, C. T. Birding from a tractor seat, 291(rev.)
 Flycatcher, Western, see *Empidonax difficilis*
 —, Willow, see *Empidonax traillii*
- FOOD AND FEEDING**
 Alcids, 183(r)
 Behavior, nutritional effect on, 370(r)
Dendrocygna, adaptations, 186(r)
 Ducks, seven spp., 374(r)
 Dunlin, 70(r)
- Grassquit, Yellow-faced, 75(r)
 Hawks, food and predation, 182(r)
 Honeyeater, Hawaiian, 194-5(r)
 Ibis, White, 369(r)
 Magpie, Yellow-billed, 85(rev.)
 Nectar-feeding, 190(r)
 Owl, Barn, 382(r)
 —, Gt. Gray, 190(r)
 —, Little, 281(r), 382-3(r)
 —, Short-eared, 382(r)
 —, two strigine, 375-6(r)
 Passerines, diet for captive, 29-32
 Pelicans, 75(r)
 Piscivorous birds, 190(r)
 Raven, 383(r)
 Sandpiper, Least, 93-105
 Scavengers, herons, 382(r)
 Seabirds, New England, 1-15
 Shorebirds, six spp., 370-71(r), 375(r)
 Starvation, see mortality
 Swallows, 68(r)
 Tasmanian Native Hen, 374-5(r)
 Terns, fishing ability, 67(r)
- Fratercula arctica*, New England population changes, 1-15
 Fregata, kidney venous plan, 72(r)
 Frigatebirds, see *Fregata*
Fringilla coelebs, hypothalamic neurosecretions, 378(r)
Fulica atra, snared by cobwebs, 76(r)
 Furnariidae, evolution in, 79-80(rev.)
Furnarius leucopus, individual variation, 381(r)
Gallus domesticus, temperature regulation, 276(r)
Gavia immer, territorial affinity, 178
 George, C., and D. McKinley. Urban ecology, 292(rev.)
Geothlypis trichas, banded returns in El Salvador, 58-9(r)
 Gill, F. B. Intra-island variation in the Mascarene White-eye *Zosterops barbonica*, 193(rev.)
 Giltz, M. L., see Burtt, H. E., and—
 Goldfinch, American, see *Spinus tristis*
 —, Lesser, see *Spinus psaltria*
 Goose, Snow, see *Chen caerulescens*
 Goshawk, see *Accipiter gentilis*
 Grackle, Common, see *Quiscalus quiscula*
 —, Great-tailed, see *Cassidix mexicanus*
 Grassquit, Yellow-faced, see *Tiaris olivacea*
 Grebe, Horned, see *Podiceps auritus*
 Grosbeak, Black-headed, see *Pheucticus melanocephalus*
 —, Rose-breasted, see *Pheucticus ludovicianus*
 Grouse, Ruffed, see *Bonasa umbellus*
 Growth, see nesting and reproduction
 Guillemot, Black, see *Cephus grylle*
 Gull, Great Black-backed, see *Larus marinus*
 —, Herring, see *Larus argentatus*

- , Laughing, see *Larus atricilla*
 —, Little, see *Larus minutus*
 —, Ring-billed, see *Larus delawarensis*
 —, Ross', see *Rhodostethia rosea*
Gymnorhinus cyanocephala, chick biology, 65(r)
Haematopus, distribution in N. Z., 189(r)
 —, taxonomy and distribution, 189(r)
Haliaeetus leucocephalus, natural history, 191(rev.)
 Hamel, P. B. Age and sex determination of nestling Common Grackles, 16-23
 Hardy, J. W. Behavior and its evolution in neotropical jays (*Cissiphalops*), 253-68
 Harper, P. C., see Watson, G. E., and—
 Harrington, B. A. Colony visitation behavior and breeding ages of Sooty Terns (*Sterna fuscata*), 115-144
 Hartshorne, C. Born to sing, 83(rev.)
 Harwood, M. The view from Hawk Mountain, 386(rev.)
 Hatch, J. J. Longevity record for the Arctic Tern, 269-70
 Hawk, Broad-winged, see *Buteo platypterus*
 —, Sparrow, see *Falco sparverius*
 —, Red-tailed, see *Buteo jamaicensis*
 Heppner, F. H. Avian flight formations, 160-169
 Herbicides, see environmental quality
 Heron, Boat-billed, see *Cochlearius cochlearius*
 Herons, see Ardeidae
 Heyland, J. D., D. B. Wingate, and N. N. Powe. Five Greater Snow Geese from northwestern Baffin Island winter in Bermuda, 217-23
Hirundo rustica, attracted by fire, 68(r)
 —, homing, 368-9(r)
 —, hybrid *X Delichon urbica*, 373(r)
 —, parasitized by cuckoo, 65(r)
 Holcomb, L. C. The influence of nest building and egg laying behavior on clutch size in renests of the Willow Flycatcher, 320-25
 Homing, see Orientation and—
 Honeycreepers, Hawaiian, see *Loxops*
 Honeyguide, Greater, see *Indicator indicator*
 Hummingbird, Broad-tailed, see *Selasphorus platycercus*
 —, Calliope, see *Stellula calliope*
 —, High Montane, see *Oreotrochilus estella*
 HYBRIDS AND HYBRIDIZATION
Hirundo rustica X Delichon urbica, 373(r)
Parus melanolophus X P. ater, 74(r)
Hydropogone caspia, tongue structure, 186(r)
- Hylocichla guttata*, migration in California, 46-57
H. mustelina, survival, 152-55
 Ibis, Japanese Crested, see *Nipponia nippon*
 —, White, see *Threskiornis molucca*
Icteria virens, population biology, 64-65(r)
Indicator indicator, nestling vocal mimesis, 383(r)
 Intra-island variation in the Mascarene White-eye *Zosterops barbonica*, 193(rev.)
 Immigration, see populations
 Ireland, breeding birds of, 195-6(rev.)
Iridoprocne bicolor, migration in Alaska, 145-51
 Ivanov, A. I. (ed.), Birds of USSR, Index, 86(rev.)
 Jackdaw, see *Corvus monedula*
 Jaeger, Pomarine, see *Stercorarius pomarinus*
 Jay, Blue, see *Cyanocitta cristata*
 —, Green, see *Cyanocorax yncas*
 —, Pinon, see *Gymnorhinus cyanocephala*
 —, neotropical spp., see *Cyanocorax* spp.
 Jerison, H. J. Evolution of the brain and intelligence, 287-88(rev.)
 Johnson, S. R. Analysis of starling and myna movements in the Pacific Northwest, 197-205
 Junco, habitats and competition, 184(r)
Junco hyemalis aikeni, aberrant feathers, 269
Junco oreganus, migration in Cal., 46-57
 Junco, Oregon, see *Junco oreganus*
 —, White-winged, see *Junco hyemalis*
 Kadlec, J. A., see Drury, W. H., and—
 Kaiser, S., see Stewart, R. M.
 Kakapo, see *Strigops habroptilus*
 Kanwisher, J. W., see Williams, T. C., and—
 Kaska, D. D., see DeWolfe, B. B., and—
 Kendigh, S. C. (ed.) A symposium on the House Sparrow (*Passer domesticus*) and European Tree Sparrow (*P. montanus*) in North America, 283-84(rev.)
Ketupa blakistoni, vocalizations, 383(r)
 King, J. R., see Farmer, D. S., and—
 Kittiwake, see *Rissa tridactyla*
 Kiwis, see *Apteryx* spp.
Lagopus lagopus, size variation of organs, 187(r)
L. mutus, size variation of organs, 187(r)
Lanius ludovicianus, field study methods, 361-62
 —, prey-attack behavior, 373(r)
 Laridae, color vision, 187(r)
 Lark, Horned, see *Eremophila alpestris*

- Larus argentatus*, chick begging response, 371(r)
 —, cliff-nesting behavior, 371(r)
 —, current northeastern populations, 297-306
 —, homing, 106-114
 —, New England population changes, 1-15
L. atricilla, New England population changes, 1-15
L. delawarensis, behavior for nesting synchrony, 210-16
 —, winter distribution, 341-52
L. marinus, New England population changes, 1-15
L. minutus, breeding in Angola, 380(r)
- Laycock, G. Autumn of the eagle, 191-92(rev.)
- LeCroy, M., and S. Lecroy. Growth and fledging in the Common Tern (*Sterna hirundo*), 326-340.
- LeCroy, S. see LeCroy, M., and—
- Leucosticte nemoricola*, breeding biology, 182(r)
- L. tephrocotis*, sex determination, 307-314
- LIFE HISTORY**
- Hummingbird, High Montane, 75(r)
 - Magpie, Yellow-billed, 85(r)
 - Limnodromus griseus*, feeding behavior, 370-71(r), 375(r)
 - Linnaeana*, 86(rev.)
- LOCOMOTION**
- Flight and play, swifts, 67(r)
 - Flight energetics, Fish Crow, 185(r)
 - Flight in herons, 186(r)
 - Flightlessness in rails, 74(r)
 - Flock formations, 160-169
 - Locustella naevia*, breeding in Ethiopia, 380(r)
 - Lohrer, F. E. Some techniques used in a field study of Loggerhead Shrikes, 361-62
 - Lonchura* sp., song learning, 384(r)
 - Longevity, see age
 - Loon, Common, see *Gavia immer*
 - Longspur, Lapland, see *Calcarius lapponicus*
 - Lorenz, K. Civilized man's eight deadly sins, 291-92(rev.)
 - Louisiana, first Goshawk from, 270
 - Loxops* spp., feeding anatomy and evolution, 194(rev.)
 - Lucas, A. M., and P. R. Stettenheim. Avian anatomy—Integument, 76-79(rev.)
 - Lucid, V. J. Nocturnal activity and vocalization by a Ruffed Grouse, 179
 - Magpie, Yellow-billed, see *Pica nuttallii*
 - Mallard, see *Anas platyrhynchos*
 - MANAGEMENT**
 - Attraction of open-nesting birds, 376(r)
- Bird resistance in Sorghum, 376(r)
- Marion, W. R., and R. J. Fleetwood. Longevity of Green Jays, 178
- , Longevity of Chachalacas, 178
- Martin, House, see *Delichon urbica*
- Martinez, E. F. Recovery of a Semi-palmated Sandpiper at Prudhoe Bay, Alaska, 364-65
- McIntyre, J. W. Territorial affinity of a Common Loon, 178
- McKinley, D., see George, C., and—
- Melanerpes* spp., tongue abnormalities, 279-80(r)
- Melanitta fuscata*, kills by oil, 70(r)
- M. nigra*, kills by oil, 70(r)
- Melospiza lincolni*, migration in Calif., 46-57
- M. melodia*, lung and air sacs, 72(r)
- Merganser, Red-breasted, see *Mergus serrator*
- Mergus serrator*, food-habitat relationship, 374(r)
- , kills by oil, 376-7(r)
- Mewaldt, L. R., see Stewart, R. M., and—
- Mexico, Birds of—, 80-82(rev.)
- Middleton, A. L. A. Age determination in the American Goldfinch, 293-296
- Middleton, R. J. Fifty-two years of banding Blue Jays at Norristown, Pa., 206-209
- MIGRATION**
- Also see orientation and homing
 - Ecological and physiological aspects of, 84(rev.)
 - European passerines, 385-6(rev.)
 - Physiology of, 275(r)
- MIGRATION, REGIONAL**
- Alaska, arctic coast, 366-7(r)
 - , Gulf of, 366(r)
 - , passerines, Cold Bay, 145-51
 - Britain, raptors, 367(r)
 - California, autumn passerines, 46-57
 - Penna., Blue Jays, 206-09
 - Straits of Gibraltar, raptors, 367-8(r)
- MIGRATION, SPECIES**
- Bunting, Painted, 353-359
 - , Snow, 307-314
 - Eagle, Bald, 191(rev.)
 - Flycatcher, Western, 46-57
 - Goose, Snow, 217-223
 - Grosbeak, Black-headed, 46-57
 - Gull, Ring-billed, 341-52
 - Hawks, 367(r)
 - Junco, Oregon, 46-57
 - Longspur, Lapland, 145-51
 - Owl, Snowy, 196(rev.)
 - Pipit, Water, 145-151
 - Redpoll, 145-151
 - Sandpiper, Least, 93-105
 - Sparrow, Chipping— 46-57
 - , Fox, 46-51, 145-151
 - , Golden-crowned, 46-57, 145-151
 - , Lincoln's, 46-57

- , Savannah, 145-51
- , Tree, 145-151
- , White-crowned, 46-57, 145-151
- , White-throated, 46-57
- Swallow, Tree, 145-151
- Tanager, Western, 46-57
- Tern, Arctic, 180(r)
- Thrush, Gray-cheeked, 145-151
- , Hermit, 46-57
- , Swainson's, 46-57
- Tit, Coal, 366(r)
- Vireo, Warbling, 46-57
- Warbler, Orange-crowned, 46-57, 145-151
- , MacGillivray's, 46-57
- , Townsend's, 46-57
- , Wilson's, 46-57, 145-151
- , Yellow, 46-57, 145-151
- Waterthrush, Northern, 145-151
- Miller, M. R., see DeHaven, R. W., and—
- Molt, see plumages and—
- Morphology, see anatomy and—
- MORTALITY**
 - By hookgrass, 76(r)
 - Starvation, pelicans, 75(r)
 - , Red-winged Blackbirds, 65(r)
- Mniotilla varia*, banded returns in El Salvador, 58-9
- Molothrus ater*, endothermy development, 72(r)
 - , flight after banding, 33-45
- Murre, Common, see *Uria aalge*
- Murrelet, Ancient, see *Synthliboramphus antiquus*
- Myna, Crested, see *Acridotheres cristatellus*
- Natural history of Cape Clear Island, 196(rev.)
- Navigation, see migration. Also see orientation.
- NESTING AND REPRODUCTION, BREEDING BIOLOGY**
 - Blackbird, Red-winged, 68-9(r)
 - Chat, Yellow-breasted, 64-65(r)
 - Finch, Himalayan Rosy, 182(r)
 - Gull, Ross', 274(r)
 - Jay, Pinon, 65(r)
 - Owl, Wood, 182(r)
 - Ruff, 181(r)
 - Weaverbirds, 183(r)
- , CLUTCH SIZE
 - Blackbird, Red-winged, 65(r)
 - Flycatcher, Willow, 320-25
 - Jay, Pinon, 65(r)
 - Seabirds in New England, 1-15
 - Tern, Common, 326-40
- , GROWTH AND DEVELOPMENT
 - Blackbird, Red-winged, 65(r)
 - Chicken embryogenesis, 185(r)
 - Grackle, Great-tailed, 378(r)
 - Jay, Pinon, 65(r)
 - Piscivorous birds, 190(r)
 - Quail, Japanese, bones, 185(r)
- Tern, Common, 326-40
- , HABITS
 - Cormorant, Double-crested, 181(r)
 - , Great, 181(r)
 - Eagle, Bald, 191(rev.)
 - Flycatcher, Willow, 320-25
 - Hummingbird spp., 183(r)
 - Owl, Snowy, 196(rev.)
 - Owl, Ural, 369(r)
 - Swift, Chimney, 365
 - Tasmanian Native Hen, 374-5(r)
- , NESTS
 - Corvids, 273(r)
 - Eagle, Bald, 191(rev.)
 - Hummingbirds, location, 183(r)
 - Tern, Royal, recognition, 66(r)
- , PARENTAL CARE
 - Courser, Three-banded, 182(r)
 - Jay, Pinon, 65(r)
 - Pelican, 75(r)
- , SUCCESS
 - Flycatcher, Willow, 320-25
 - Of polygyny in *Agelaius*, 68-9(r)
 - Pelicans, 75(r)
 - Tern, Common, 326-40
 - Tern, Sooty, 115-144
 - Weaverbirds, 183(r)
- New England seabird populations, 1-15
- Nice, M. M., Tribute to—, 360
- Nipponia nippon*, plumage color, 73(r)
- Nomenclature, see systematics and taxonomy
- Nyctea scandiaca*, distribution, 183(r)
 - , natural history, 196(rev.)
- Oceanodroma leucorhoa*, New England populations, 1-15
- Oldsquaw, see *Clangula hyemalis*
- Olfaction, see sensory organs
- Olrug, C. C. Recoveries of banded Argentine waterfowl, 170-77
- Oporornis tolmei*, migration in Cal., 46-57
- Oreotrochilus estella*, life history, 75(r)
- ORIENTATION AND HOMING**
 - Direction bias in homing pigeons, 272(r)
 - European Robin, 61(r), 368(r)
 - Herring gull in low visibility, 106-114
 - Hirundo rustica*, 368-9(r)
 - Inertial navigation in pigeons, 63-4(r)
 - Least Sandpiper winter returns, 93-105
 - Migrants between opaque cloud layers, 60-61(r)
 - Olfaction and homing, pigeons, 62(r), 63(r)
 - Orientation cages, 368(r)
 - Pigeons under radar radiation, 373(r)
 - Pigeons in orientation cages, 64(r)
 - Pigeons with impaired vision, 61(r)
 - Polarized light detection by pigeons, 277-8(r)
 - Pressure sensitivity, pigeons, 277(r)

- Transatlantically displaced pigeons, 368(r)
- Ornithological Society of Japan, Checklist of Japanese Birds, 386(rev.)
- Ornalis vetula*, longevity, 178
- Ovenbird, see *Seiurus aurocapillus*
- Owl, Barn, see *Tyto alba*
- , Cape Grass, see *Tyto capensis*
- , Fishing, see *Ketupa blakistoni*
- , Great Gray, see *Strix nebulosa*
- , Horned, see *Bubo virginianus*
- , Laughing, see *Sceloglaux albifacies*
- , Little, see *Athene noctua*
- , Long-eared, see *Asio otus*
- , Snowy, see *Nyctea scandiaca*
- , Ural, see *Strix uralensis*
- , Wood, see *Strix woodfordii*
- Oystercatcher, see *Haematopus* spp.
- Page, G. Molt of wintering Least Sandpipers, 93-105
- Pairing behavior, see behavior
- PARASITES AND DISEASES
Of Snowy Owls, 196(rev.)
- PARASITISM BY BIRDS
Cuckoos on Barn Swallows, 65(r)
- Trumpetbirds, 373(r)
- Parental behavior, see behavior
- Parental care, see nesting and reproduction
- Parotia* spp., distribution and ecology, 190(r)
- Parrots, see Psittacidae
- Parslow, J. Breeding birds of Britain and Ireland: a historical survey, 195-6(rev.)
- Parus ater*, hybridization by, 74(r)
- , migration and movements, 366(r)
- P. atricapillus*, in Alaska, 145-51
- P. melanophrys*, hybridization, 74(r)
- Passer domesticus*, as owl prey, 382(r)
- , hypothalamic neurosecretions, 378(r)
- , seasonal variation of liver minerals, 275(r)
- , symposium on, 283-4(rev.)
- , thermal conductance of, 274-5(r)
- Passer montanus*, symposium on, 283-4(r)
- Passerculus sandwichensis*, geographic variation, 190(r)
- , habitat variation, 184(r)
- , migration in Alaska, 145-51
- , water economy, 276-7(r)
- Passerella iliaca*, migration in Alaska, 145-51
- , migration in Cal., 46-57
- Passerina ciris*, wintering populations in Fla., 353-59
- Pelecanus occidentalis*, egg composition, 277(r)
- P. onocrotalus*, carrying fish, 75(r)
- Pelican, African White, see *Pelecanus onocrotalus*
- , Brown, see *Pelecanus occidentalis*
- Perspectives in zoosemiotics, 82-3(rev.)
- Pesticides, see environmental quality
- Petrel, Leach's, see *Oceanodroma leucorhoa*
- Petrel, Scaled, see *Pterodroma inexpectata*
- Peyton, L. J., see DeWolfe, B. B., and—
- Phalacrocorax carbo*, nesting, Nova Scotia, 181(r)
- P. auritus*, nesting, Nova Scotia, 181(r)
- , populations, New England, 1-15
- Phasianus colchicus*, chick response to calls, 370(r)
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Pheucticus ludovicianus*, song organization, 383-4(r)
- P. melanocephalus*, migration and molt, 46-57
- Phillips, A. R. The need for education and collecting, 24-28
- Philomachus pugnax*, breeding biology, 181(r)
- Phonygammus keraudrenii*, brood parasitism, 373(r)
- Photoperiod and reproduction, 278-9(r)
- PHYSIOLOGY, ENERGETICS
Flight and play, swifts, 67(r)
- Metabolism, migrant birds, 275(r)
- Metabolism, sedentary and migratory birds, 70(r)
- Premigratory fatty acids, 379(r)
- Sparrow, House, 274-5(r)
- , MISCELLANEOUS
Activity rhythms, owls, 377-8(r)
- Amino acid transport, intestine, 377(r)
- Cardiac response, diving, 377(r)
- Egg composition and energy content, 277(r)
- Electrolyte variation, migrants, 379(r)
- Hypothalamic neurosecretions, migratory and sedentary birds, 378(r)
- Seasonal mineral variation in liver, 275(r)
- Tissue water content, 377(r)
- Water economy, 276-7(r)
- , TEMPERATURE REGULATION
Cardinal, Arizona, 275-6(r)
- Cowbird, Brown-headed, 72(r)
- Domestic fowl, 276(r)
- Heat and water loss, 275(r)
- Nestling Great-tailed Grackle, 378(r)
- Pyrrhuloxia, 275-6(r)
- Raven, Brown-necked, 71(r)
- Sparrow, House, 274(r)
- Torporid, hummingbird, 75(r)
- Piatt, J. Adventures in birding, 291 (rev.)
- Pica nuttalli*, exploitation system of, 85(rev.)

- Pigeon, see *Columba livia*
 Pilotbird, see *Pycnoptilus floccosus*
 Pinkowski, B. C. A note on familial longevity in Eastern Bluebirds, 363-64
 Pintail, see *Anas acuta*
Pipilo erythrorthalmus, lung and air sacs, 72(r)
 —, survival, 152-55
 Pipit, Water, see *Anthus spinolella*
Piranga ludoviciana, migration in Cal., 46-57
Piranga olivacea, survival, 152-55
Plectrophenax hyperboreus, sex determination, 307-14
P. nivalis, sex determination, 307-14
 —, winter movement, 307-14
 Ploceidae, breeding synchrony, 183(r)
PLUMAGES AND MOLT
 Bunting, Painted, 353-59
 Courser, chick patterns, 188(r)
 Flycatcher, Western, 56
 Grebe, Horned, 188(r)
 Goldfinch, American, 293-96
 Grosbeak, Black-headed, 56
 Ibis, Japanese Crested, color, 72(r)
 Owl, Snowy, 196(rev.)
 Sandpiper, Least, 93-105
 Thrush, Swainson's, 56
 Vireo, Warbling, 56
 Warbler, Orange-crowned, 56
 —, Wilson's, 56
Podiceps auritus, geographic variation, 188(r)
 Polygyny, see behavior, pairing
POPULATIONS, CHANGES
 Owl, Snowy, 183(r), 196(rev.)
 New England seabirds, 1-15
 —, IMMIGRATION
 New England seabirds, 1-15
 Tern, Sooty, 115-144
POPULATIONS AND SOCIAL BIOLOGY
 Bird population effects of agriculture, 69(r)
 Bluebird, Eastern, familial longevity, 363-4
 Chat, Yellow-breasted, 64-5(r)
 Dove, Collared Turtle, 64(r)
 Gull, Herring, 297-306
 —, Ring-billed, 210-216
 Jays, four species, 253-268
 Magpie, Yellow-billed, 85(rev.)
 Pilotbird, 372-3(r)
 Rook, 68(r)
 Swift, Chimney, nest associates, 365
 Tasmanian Native Hen, 374-5(r)
 Tern, Sooty, 115-144
 Tit, Long-tailed, 372(r)
 Weaverbirds, 183(r)
 Winter bird populations, 69(r)
 Portenko, L. The Snowy Owl, 196(rev.)
 Postures, see behavior
 Potapov, R. (ed.) Ecological and physi-
 ological aspects of bird migration, 84(rev.)
 Powe, N. N., see Heyland, J. D., and—
 Prank, compiler, see Editor's bane
Procellariiformes, tongue structure, 186(r)
Psittacidae, relationships, three sub-families, 190(r)
 Ptarmigan, Rock, see *Lagopus mutus*
 Ptarmigan, Willow, see *Lagopus lagopus*
Pterodroma inexpectata, status off in Br. Columbia, 189(r)
 Puffin, Common, see *Fregata arctica*
Puffinus puffinus, smell by, 72(r)
Pycnoptilus floccosus, breeding behavior, 372-3(r)
Pyrrhoxia, see *Cardinalis sinuata*
 Quail, Japanese, see *Coturnix japonica*
Quiscalus quiscula, flight after banding, 33-45
 —, lung and air sac system, 72(r)
 —, nestling age and sex determination, 16-23
 Rails, see *Rallidae*
Rallidae, evolution in, 74(r)
 Raven, Brown-necked, see *Corvus corax*
 Razorbill, see *Alca torda*
 Recognition, see behavior
 Redpoll, Common, see *Acanthis flammea*
 Redstart, American, see *Setophaga ruticilla*
RESEARCH METHODS
 Capturing and marking shrikes, 361-2
 Capturing methods, 85(rev.)
 Capturing swallows, 68(r)
 Cassette holder for small bands, 362-3
 Collecting, need for, 24-28, 315-319
 Examining the fundulus oculi of birds, 279(r)
 Identification of albatrosses, 186(r)
 Math for calorimetry, 186(r)
 Raising passerine birds, 29-32
 Statistics, capture-recapture, 180(r)
 Use of orientation cages, 368(r)
Rhinoptilus cinctus, chick plumage, 188(r)
 —, incubation, 182(r)
Rhodostethia rosea, nesting, 274(r)
 Richards, L. P., and W. J. Bock.
 Functional anatomy and adaptive evolution of the feeding apparatus in the Hawaiian Honeycreeper genus *Loxops* (Drepanidae), 194-5(rev.)
Riparia riparia, attracted by fire, 68(r)
Rissa tridactyla, cliff nesting behavior, (371(r))
 Robin, American, see *Turdus migratorius*
 —, European, see *Erythacus rubecula*
 Rook, see *Corvus frugilegus*
 Roslien, D. J. A reusable cassette holder for small bands, 362-63

- Rudolph, G., and E. Williams. *Linnaeana*, 86(rev.)
- Ruff, see *Philomachus pugnax*
- Rynchops nigra*, New England populations, 1-15
- Sandpiper, Common, see *Tringa hypoleucus*
- , Least, see *Calidris minutilla*
- , Semipalmated, see *Calidris pusillus*
- Savage, I. R., and D. E. Davis. Survival of some common passerines in a Pennsylvania woodlot, 152-155
- Sceloglaux albifacies*, distribution, 73(r)
- Schlatter, R. P., see Watson, G. E., and—
- Scoter, Common, see *Melanitta nigra*
- , Velvet, see *Melanitta fusca*
- Scoter spp., food in three species, 374(r)
- Seabirds, population changes in New England, 1-15
- Sebeok, T. A. Perspectives in Zoosemiotics, 82-3(rev.)
- Seedeater, White-collared, see *Sporophila torqueola*
- Seiurus aurocapillus*, Returns in El Salvador, 58-9
- , survival, 152-55
- , *S. noveboracensis*, migration in Alaska, 145-151
- Selasphorus platycercus*, nest sites, 183(r)
- SENSORY ORGANS, OLFACTION
By birds, 72(r), 379(r)
In homing pigeons, 62(r), 379(r)
- , TASTE
In kiwis, 186(r)
- , VISION
Color vision, gull chicks, 371(r)
In larids, 187(r)
In larids and alcids, 187(r)
- Serinus canaria*, smell by, 72(r)
- Setophaga ruticilla*, ecological isolation, 69(r)
- SEX CRITERIA AND DIMORPHISM
Bunting, McKay's, 307-314
—, Painted, 353-359
—, Snow, 307-314
Finch, Gray-crowned Rosy, 307-14
Gackle, nestling Common, 16-23
Sandpiper, Least, 93-105
- Sharrock, J. T. R. The natural history of Cape Clear Island, 196(rev.)
- Shearwater, Manx, see *Puffinus puffinus*
- Shrike, Loggerhead, see *Lanius ludovicianus*
- Sialia sialis*, familial longevity, 363-364
- Sindelar, C. R., see Evans, D. L., and—
- Skimmer, Black, see *Rynchops nigra*
- Smell, see sensory organs
- Snowy Owl, The, 196(rev.)
- Somateria mollissima*, oil kills, 70(r), 376-7(r)
- , population changes in New England, 1-15
- Song, see vocalizations and sound
- Sound, see vocalizations and—
- Southern, W. E. Florida distributions of Ring-billed Gulls from the Great Lakes region, 341-352
- . Copulatory wing-flagging: a synchronizing stimulus for nesting Ring-billed Gulls, 210-216
- Sparrow, Chipping, see *Spizella passerina*
- , European Tree, see *Passer montanus*
- , Fox, see *Passerella iliaca*
- , Golden-crowned, see *Zonotrichia atricapilla*
- , Grasshopper, see *Ammodramus savannarum*
- , House, see *Passer domesticus*
- , Lincoln's, see *Melospiza lincolni*
- , Savannah, see *Passerculus sandwichensis*
- , Song, see *Melospiza melodia*
- , Tree, see *Spizella arborea*
- , White-crowned, see *Zonotrichia leucophrys*
- , White-throated, see *Zonotrichia albicollis*
- Spinus psaltria*, banded return in El Salvador, 58-59
- S. tristis*, age determination, 293-296
- Spizella arborea*, migration in Alaska, 145-151
- S. passerina*, migration in Calif., 46-57
- Sporophila torqueola*, banded return in El Salvador, 58-59
- Starling, see *Sturnus vulgaris*
- Starling, Japanese, see *Sturnia philippensis*
- Starvation, see food and feeding
- Statistics, see research methods
- Stellula calliope*, nest sites, 183(r)
- Stercorarius pomarinus*, behavior, 182(r)
- Sterna albifrons*, New England population changes, 1-15
- S. dougallii*, New England population changes, 1-15
- S. fuscata*, behavior and breeding age, 115-144
- S. hirundo*, fishing ability, 67(r)
—, growth and fledging, 326-340
—, New England population changes, 1-15
- S. paradisea*, longevity, 269-70
—, migration route, 180(r)
—, New England population changes, 1-15
- Stewart, P. A. Mother Wood Ducks feeding away from their broods, 58
- Stewart, R. M., L. R. Mewaldt, and S. Kaiser. Age ratios of coastal and inland fall migrant passerines in central California, 46-57

- Stoll, R. J., Jr., and J. A. Davis. A longevity record for the Appalachian Ruffed Grouse, 270-71
- Stork, Whale-headed, see *Balaeniceps rex*
- Streptopelia decaocto*, population dynamics, 64(r)
- S. turtrur*, breeding in S. W. Africa, 380(r)
- Strigops habroptilus*, status and habits, 181(r)
- Strix nebulosa*, life history notes, 375-6(r)
- , prey-capture, 191(r)
- S. uraleensis*, Life history notes, 375-6(r)
- , nest sites, habitats, and habituation, 369(r)
- S. woodfordii*, breeding biology, 182(r)
- Sturnia philippensis*, distribution, 73(r)
- Sturnus vulgaris*, distribution in USSR, 280(r)
- , flight after banding, 33-45
- , movements, 197-205
- Survival, see age
- Swallow, Bank, see *Riparia riparia*
- , Barn, see *Hirundo rustica*
- , Tree, see *Iridoprocne bicolor*
- Swift, Chimney, see *Chaetura pelasgica*
- , Spine-tailed, see *Chaetura caudacuta*
- Symposium on the House Sparrow (*Passer domesticus*) and European Tree Sparrow (*P. montanus*) in North America, 283-84(rev.)
- Synthliboramphus antiquus*, oil contamination, 185(r)
- SYSTEMATICS AND TAXONOMY
- Birds-of-paradise, 190(r)
- Cisticola* spp., 382(r)
- Courser, 188(r)
- Furnarius leucopus*, 381(r)
- Heron, Boat-billed, 189(r)
- Nomenclature stability, 74(r)
- Oscines, 279(r)
- Owl, Little, 280(r)
- , Snowy, 196(rev.)
- Oystercatchers, 189(r)
- Petrochelidon* spp., 74(r)
- Rails, 74(r)
- Sparrow, Savannah, 190(r)
- Three parrot subfamilies, 190(r)
- Systems ecology, see ecology
- Tanager, Scarlet, see *Piranga olivacea*
- , Western, see *Piranga ludoviciana*
- Tatum, J. B. On killing birds, 315-19
- Taxonomy, see systematics and—
- Teal, J. M., see Williams, T. C., and—
- Tern, Arctic, see *Sterna paradisaea*
- , Caspian, see *Hydroprogne caspia*
- , Common, see *Sterna hirundo*
- , Least, see *Sterna albifrons*
- , Roseate, see *Sterna dougallii*
- , Royal, see *Thalasseus maximus*
- , Sandwich, see *Thalasseus sandvicensis*
- , Sooty, see *Sterna fuscata*
- Territory, see behavior, area fidelity
- Tetraenura fischeri*, song learning, 383(r)
- Thalasseus maximus*, chick and egg recognition, 66(r)
- T. sandvicensis*, fishing ability, 67(r)
- Threskiornis molucca*, feeding of, 369(r)
- Thrush, Gray-cheeked, see *Catharus minimus*
- , Hermit, see *Hylocichla guttata*
- , Swainson's, see *Catharus ustulatus*
- Wood, see *Hylocichla mustelina*
- Thurber, W. A., and A. Villeda C. Banded returns in El Salvador, 1972-73 season, 58-59
- Tiaris olivacea*, feeding ecology, 75(r)
- Tickell, W. L. N., see Watson, G. E., and—
- Tit, Longtailed, see *Aegithalos caudatus*
- Tool use, see Behavior
- Torpidity, see physiology
- Towhee, Rufous-sided, see *Pipilo erythrrophthalmus*
- Tribonyx mortierii*, behavioral and breeding biology, 374-5(r)
- Tringa flavipes*, feeding behavior, 370-71(r), 375(r)
- T. hypoleucus*, breeding in E. Africa, 380(r)
- Troglodytes aedon*, banded returns in El Salvador, 58-59
- Trumpetbird, see *Phonygammus keradrenii*
- Turdus migratorius*, survival, 152-155
- Tyto alba*, food, 382(r)
- T. capensis*, breeding in Ethiopia, 380(r)
- Urban Ecology, 292(rev.)
- Uria aalge*, New England populations, 1-15
- USSR, Birds of—, 86(rev.)
- Verbeek, N. A. M. The exploitation system of the Yellow-billed Magpie, 85(rev.)
- Vermivora celata*, migration in Alaska, 145-51
- , migration and molt, 46-57
- V. peregrina*, banded returns in El Salvador, 58-59
- Victoria Island, Birds of—, 189(r)
- View from Hawk Mountain, 386(rev.)
- Villeda C., A., see Thurber, W. A., and—
- Vireo gilvus*, migration and molt, 46-57
- V. olivaceus*, survival, 152-55
- Vireo, Red-eyed, see *Vireo olivaceus*
- Vireo, Warbling, see *Vireo gilvus*
- VISION
- Eye movements, owls, 278(r)
- Lateral — in pigeons, 278(r)

VOCALIZATIONS AND SOUNDS

- Acoustic principles, bird song, 75(r)
- Bird song as music, 83(rev.)
- Chick call, effects on behavior, 370(r)
- Copulation call, gulls, 210-216
- Effects of sound on duckling embryos, 369-70(r)
- Grosbeak, Rose-breasted, song organization, 383-4(r)
- Grouse, Ruffed, 179
- Honeyguide, Greater, nestlings, 383(r)
- Owl duetting, 383(r)
- , Fishing, 383(r)
- Response to — by pheasant chicks, 370(r)
- Song variation, sparrows, 224-252
- Widowbird, Straw-tailed, song learning, 383(r)
- Vulture, Black, see *Coragyps atratus*
- , Turkey, see *Cathartes aura*
- Warbler, Black-and-white, see *Mniotilla varia*
- , Grasshopper, see *Locustella naevia*
- , MacGillivray's, see *Oporornis tolmiei*
- , Orange-crowned, see *Vermivora celata*
- , Tennessee, see *Vermivora peregrina*
- , Townsend's, see *Dendroica townsendi*
- , Wilson's, see *Wilsonia pusilla*
- , Yellow, see *Dendroica petechia*
- Waterfowl, recoveries in Argentina, 170-77
- Waterthrush, Northern, see *Seiurus noveboracensis*
- Watson, G. E., J. P. Angle, P. C. Harper, M. A. Bridge, R. P. Slatter, W. L. N. Tickell, J. C. Boyd, and M. M. Boyd. Birds of the Antarctic and subantarctic, 192-3(rev.)
- WEATHER**
 - Effects on gull homing, 106-114
 - , on hawk migration, 367(r)
 - , on migration, 46-57
 - , on Snow Goose migration, 217-223
 - , on tern fishing, 67(r)
- Weaverbirds, see *Ploceidae*
- White-eye, Mascarene, see *Zosterops barbonica*
- Whitney, N. R., Jr., see Baylor, L. M., and—
- Williams, J. M., see Williams, T. C., and—
- Williams, T. C., J. M. Williams, J. M. Teal, and J. W. Kanwisher. Homing flights of Herring gulls under low visibility conditions, 106-114
- Wilsonia pusilla*, banded returns in El Salvador, 58-9
- , migration and molt, 46-57
- , migration in Alaska, 141-151
- Wingate, D. B., see Heyland, J. D., and—
- Wren, House, see *Troglodytes aedon*
- Yellowthroat, Common, see *Geothlypis trichas*
- Zink, G. (The migration of European passineres. An atlas of the recoveries of banded birds. Part I.), 385-6(rev.)
- Zonotrichia albicollis*, migration in Calif., 46-57
- , temporal electrolyte variations, 379(r)
- Z. atricapilla*, habitat and competition, 184(r)
- , migration in Alaska, 145-151
- , migration in Calif., 46-57
- Z. leucophrys*, migration in Alaska, 145-151
- , migration in Calif., 46-57
- , premigratory fatty acids, 379(r)
- , song variation, 224-252

ZOOGEOGRAPHY AND DISTRIBUTION

- Albatrosses in Australia, 186(r)
- Antarctic birds, 192-3(rev.)
- Birds of the Alaskan North Slope, 379(r)
- Birds-of-paradise, 190(r)
- Birds on the Vistula River, 374(r)
- Blackbird, Brewer's, 381(r)
- British and Irish birds, 195-6(rev.)
- Cape Clear Island Birds, 196(rev.)
- Cisticola, Boran, 380-81(r)
- Dove, Turtle, 380(r)
- Eagle, Bald, 191(rev.)
- Egret, Cattle, 59
- Goshawk, 270
- Grebe, Horned, 188(r)
- Gull, Herring, 297-306
- Gull, Little, 380(r)
- Gull, Ring-billed, 341-52
- Heron, Boat-billed, 189(r)
- Myna, Crested, 197-205
- Owl, Cape Grass, 380(r)
- Owl, Laughing, 73(r)
- Owl, Snowy, 183(r)
- Owl, Ural, 369(r)
- Oystercatchers, 189(r)
- Pintail, 380(r)
- Rails, 74(r)
- Sandpiper, Common, 380(r)
- Seabirds, Br. Columbia, 189(r)
- Starling, Japanese, 73(r)
- Starlings, 197-205, 280(r)
- Stork, Whale-headed, 380(r)
- Suboscines, 279(r)
- Warbler, Grasshopper, 380(r)
- Zoosemiotics, Perspectives in—, 82-83(rev.)
- Zosterops barbonica*, Intra-island variation, 193(rev.)