

## INDEX TO VOLUME 51

### BY DOUGLAS B. MCNAIR

- Abe, H., see Yoneda, M., —, and H. Nakao  
De Abreu Sacchetta, L., see De Souza Lopes, O., —, and E. Dente  
*Acanthis flammea*, systematics and habits, 300–301(r)\*  
*A. hornemannii*, systematics and habits, 300–301(r)  
*Accipiter gentilis*, feeding ecology and niche differentiation, 395–397(r)  
*A. nisus*, attack behavior, 188–189(r); feeding ecology and niche differentiation, 395–397(r); pesticide residues, 194–195(r)  
*A. striatus*, stomach contents, 178  
*Acrocephalus baeticatus*, systematics, Niger, 92(r)  
*A. palustris*, identity, 196(r); population turnover, 186(r); sexual bond, 383–384(r)  
*A. scirpaceus*, identity, 196(r); song, similar to African Reed Warbler, 92(r)  
*Actitis macularia*, prey item, 178  
Adam, M., see Lustick, S., —, A Hinko  
*Agelaius phoeniceus*, feeding ecology, 95(r); marking, 6–9; reproductive strategy, 287(r); sexual selection, 201(r); song, 96(r)  
**AGING**  
Owl, Snowy, 149–160  
Woodpecker, Acorn, 10–16  
Alaskan birds, 400(r)  
*Alauda cristata*, breeding abundance in Iran, 90(r)  
Albatross, Wandering, see *Diomedea exulans*  
*Alceda atthis*, breeding biology, 382–383(r)  
Alerstam, T., see Pennycuick, C. J., —, and B. Larsson  
Altmann, S. A., S. S. Wagner, and S. Lenington, Two models for the evolution of polygyny, 185–186(r)  
Alway, J. H., see Boag, D. A., and —; —, see Boag, D. A., K. H. McCourt, P. W. Herzog, and —  
*Amazilia tzacatl*, time-energy budget, 302(r)  
Amoco Cadiz, bird mortality, 296–297(r)  
*Anarhynchus frontalis*, feeding ecology, 202(r)  
*Anas discors*, territorial behavior, 383(r)  
*A. platyrhynchos*, feeding on grain, 194(r); flightless period, 390(r); hydrocarbon intake, 388(r)  
Anderson, A., Band wear in the Fulmar, 101–110; The effects of age and wear on color bands, 213–219
- \* (r) indicates a review
- Anderson, D. R., and K. P. Burnham, Effect of delayed reporting of band recoveries on survival estimates, 244–247; —, see Nelson, L. J., —, and K. P. Burnham  
Andersson, N. A., and K. Müller, The circadian rhythm of the Starling *Sturnus vulgaris* and other passerines in Abisko, northern Sweden, 87(r)  
orexias, 298–299(r)  
*Anser albifrons*, early winter flight, 78–79(r)  
*A. albifrons flavirostris*, status, 295–296(r)  
*A. anser*, food habits, 393(r); north Caspian, 390(r)  
*A. brachyrhynchus*, breeding, 80(r)  
*A. caerulescens*, egg deposition, 289(r); territory, 291(r)  
*A. fabalis*, early winter flight, 78–79(r)  
Anseriformes, behav. control, 291–292(r)  
*Anthus novaeseelandiae*, systematics, 92(r)  
*A. spinoleta*, reproductive biology, 287(r)  
Antipodes Island, New Zealand, birds, 198(r)  
*Aphelocoma coerulescens*, body weights, 284(r)  
Appalachians, southern, birds, 304(r)  
*Aptenodytes patagonica*, calls, 393–394(r)  
*Ardea cinerea*, mortality, 80(r)  
*A. herodias*, predation on voles, 190–191(r)  
*A. purpurea*, old age, 78(r)  
*Arenaria interpres*, opportunistic scavenging, 373–375  
Argentina, banded birds, 198(r)  
Aristarkhov, V., A critique of theories of biological effects of magnetic fields, 183(r)  
Armbruster, M. J., T. S. Baskett, W. R. Goforth, and K. C. Sadler, Evaluating call-count procedures for measuring local Mourning Dove populations, 194(r)  
Arnold, A. P., Sexual differences in the brain, 388–389(r); —, and A. Saltiel, Sexual difference in pattern of hormone accumulation in the brain of a songbird, 88(r); —, see Nottebohm, F., and —  
*Asio flammeus*, Belgium, 391(r); interactions with Snowy Owls, 190(r)  
*Athene noctua*, breeding biology, 381(r)  
Atlantic Ocean, pelagic birds, 390(r)  
Atwood, J. L., Body weights of the Santa Cruz Island Scrub Jay, 284(r)  
Auklet, Rhinoceros, see *Cerorhinca monocerata*  
*Aythya americana*, nest parasitism, 361–364

- A. ferina*, molt, 297(r)  
*A. fuligula*, molt, 297(r)  
*A. valisineria*, nest parasitism, 361–364  
 Baeyens, G., Description of the social behaviour of the Magpie (*Pica pica*), 383(r)  
 Baillie, S. R., see Swann, R. L., and —  
 Bairlein, F., Analysis of movements of Bullfinches *Pyrrhula pyrrhula* ringed in southern Germany, 199(r)  
 Bakken, G. S., The use of standard operative temperature in the study of the thermal energetics of birds, 298(r)  
 Ballman, P., Remains of birds at St. Peter's Abbey, Ghent, Belgium (7th to 18th century), 199–200(r)  
 Balthazard, J., and E. Schoopeneels, Pheromones are involved in sexual behavior in birds, 81(r)  
 Bananaquit, see *Coereba flaveola*  
**BANDING AND LONGEVITY**  
 Bananaquit, banding recaptures, 368  
 band recoveries, survival estimates, 244–247  
 bird coll. permit, early, 283  
 Canada, annual report, 182(r)  
 Dove, Stock, ring recoveries, 376(r)  
 Falcon, Peregrine, recovery, 376(r)  
 Flycatcher, Pied, movement, 78(r)  
 Fulmar, band wear, 101–110  
 Goose, Canada, neckbands, 285(r)  
 Grebe, Horned, live-trapping, 179–180  
 Gull, Western, band loss, 319–328; trapping, 285(r)  
 Heron, Grey, survival, 182(r)  
 —, Purple, old age, 78(r)  
 Jay, Scrub, body weights, 284(r)  
 Kestrel, American, winter returns, 174–175  
 Martin, Sand, dispersal and migration, 83(r)  
 Ontario banding report, 376(r)  
 Ovenbird, banding recaptures, 368  
 Owl, Barn, nesting obs., 284–285(r)  
 —, Snowy, aging and sexing, 149–160  
 passerines, skull pneumatization, 284(r)  
 Pigeon, Wood, ring recoveries, 376(r)  
 Poland, bird trapping, 285(r)  
 Puerto Rico, banding returns, 368  
 raptors, Ontario banding report, 376(r)  
 southern Africa ringing report, 78(r)  
 Sparrow, Highland Rufous-collared, return rates, 176–177  
 Swan, Bewick's, life history, 182(r)  
 Thrasher, Pearly-eyed, banding recaptures, 368  
 Thrush, Red-legged, banding recaptures, 368  
 Vireo, Puerto Rican, banding recapture, 368  
 Warbler, Adelaide's, banding recapture, 368  
 —, Black-and-White, banding captures, 368  
 —, Prothonotary, banding recapture, 368  
 waterfowl, Canadian banding summary, 376(r)  
 band recoveries, survival estimates, 244–247  
 Barnard, C. J., Interactions between House Sparrows and Sparrowhawks, 188–189(r)  
 Barn Swallow, ingestion of grit, 368–371  
 Barrentine, C. D., The ingestion of grit by nestling Barn Swallows, 368–371  
 Barrett, J. N., see Gunderson, R. W., and —  
 Baskett, T. S., see Armbruster, M. J., —, W. R. Goforth, and K. C. Sadler  
 Bayer, R. D., Novel use of an unusual food: American Robins eating parts of fish, 74–75  
 Beacham, T. D., Selectivity of avian predation in declining populations of the vole *Microtus townsendii*, 190–191(r)  
 Beaver, D. L., Recovery of an American Robin population after earlier DDT use, 220–228  
 Beaver, P., Ontogeny of feeding and drinking in the Greater Rhea (*Rhea americana*), 83(r)  
 Becker, P. H., Comparison of the vocalizations of the genus *Regulus* (Goldcrest) as a contribution to systematics, 96(r); Geographical variation of the song of Goldcrests (*Regulus regulus*) and Firecrest (*Regulus ignicapillus*), 96–97(r); The influence of learning on simple and complex songs of Marsh Tits (*Parus palustris*), 202(r)  
 Bedard, J., see Courcelles, R., and —  
 Beecher, M. D., and I. M. Beecher, Socio-biology of Bank Swallows: reproductive strategy of the male, 382(r)  
 Bee-eaters, see *Merops apiaster*  
**BEHAVIOR**  
 Aggressive reactions, 82(r)  
 Anseriformes, behav. control, 291–292(r)  
 Bullfinch, Trumpeter, behavior of capitives, 82(r)  
 Chickadee, Carolina, mobbing, 18, 27  
 Chough, flocking behavior, 83–84(r)  
 —, Alpine, flocking behavior, 83–84(r)  
 communal nesting, 384(r)  
 Crow, Common, anting, 177–178  
 Dipper, roosts, 188(r)

- Duck, Torrent, displays, 291(r)  
 Egret, Cattle, roosting behavior, 84(r)  
 —, Great, commensalism, 73–74  
 Finch, Zebra, behavior patterns, 290(r)  
 flocking in presence of predator, 384(r)  
 Galliformes, behavioral control, 291–292(r)  
 Goose, Barnacle, territory, 291(r)  
 —, Snow, territory, 291(r)  
 Grackle, Common, interactions with robins, 297  
 Grouse, Red, dominance, 290(r)  
 —, Willow, nest behavior, 84(r)  
 Gull, California, daily activity patterns, 329–339  
 —, Laughing, nest site selection, 82(r)  
 —, Ring-billed, daily activity patterns, 329–339; nocturnal behavior, 83(r); site tenacity, 1–5  
 Hawk, Red-shouldered, 22  
 Ibis, White, commensalism, 73–74  
 Jay, Blue, agitation, 22  
 Junco, Yellow-eyed, flocking in presence of predator, 384(r)  
 Kestrel, sexual behavior, 292(r)  
 —, Lesser, sexual behavior, 292(r)  
 Magpie, social behavior, 383(r)  
 Martin, Purple, stolen prey, 371–372  
 Miner, Noisy, social system, 189(r)  
 mobbing behavior, 189(r)  
 Mockingbird, defense of winter food, 375  
 pigeon, communication, 291(r)  
 Quail, Japanese, dominance, 290(r)  
 Rhea, Greater, feeding and drinking, 83(r)  
 Robin, American, interaction with Grackles, 227  
 snake, black rat, 22  
 Snipe, Great, social system, 189–190(r)  
 Sparrow, Clay-colored, territory size, 83(r)  
 —, House, predation on, 188–189(r)  
 —, Savannah, parental investment, 188(r)  
 Sparrowhawk, attack behavior, 188–189(r)  
 Starling, feeding space reduction, 190(r)  
 Swallow, Barn, ingestion of grit, 368–371  
 —, Tree, superterritory, 189(r)  
 Swift, Chimney, stealing prey, 371–372  
 Teal, Blue-winged, territorial behavior, 383(r)  
 Thrush, Wood, agitated, 22; mobbing, 18, 27  
 Tit, Bearded, pair bond, 85(r)  
 Titmouse, Tufted, mobbing, 18, 27  
 Warbler, Garden, circannual rhythm, 190(r)  
 —, Marsh, sexual bond, 383–384(r)  
 —, Palm, winter site, 365–367  
 —, Sardinian, circannual rhythms, 190(r)  
 Wheatears, interspecific relations, 384(r)  
 Woodpecker, Acorn, inbreeding avoidance, 384(r)  
 —, Great Spotted, gregarious behavior, 290–291(r); territory, 289–290(r)  
 Wren, Stripe-backed, social behavior, 290(r)  
 Belgium, bird remains, 199–200(r)  
 Belik, V. P., Communal nesting, 384(r)  
 Bell, B. D., see Warham, J., and —  
 Bell, H., see Schuchmann, K.-L., Schmidt-Marloh, D., and —  
 Benzinger, I., see Gwinner, E., and —  
 Bergman, H.-H., About the spread and quality of a learned motif in the local song of a population of Blackcaps (*Sylvia atricapilla*) of western France, 97(r)  
 Bergtold, P., About the development of migratory unrest among Garden Warblers (*Sylvia borin*) during inhibition of fat depression, 79(r); On the artificial rearing of nestling Blackbirds (*Turdus merula*) with ivy (*Hedera helix*), 96(r); The interaction of endogenous migration—programs and environmental factors during migration by warblers: an hypothesis, 79(r)  
 Berndt, R., and G. Creutz, From birth to settlement, a female Pied Flycatcher moves a distance of 280 km, 78(r); —, and W. Winkel, Transfer-experiments on problems of imprinting to the birthplace in the Pied Flycatcher (*Ficedula hypoleuca*), 285(r)  
 Berthold, P., Development of nestlings from different populations of the same species: investigations of Garden Warblers (*Sylvia borin*) from southern Finland and southwestern Germany, 187–188(r); On the photoperiodic synchronization of circannual rhythms in warblers (*Sylvia*), 190(r)  
 Best, H. A., Food and foraging behavior of the Snares Fernbird, 386(r)  
 Beuchat, C. A., S. B. Chaplin, and M. L. Morton, Ambient temperature and the daily energetics of two species of hummingbirds, *Calyptra anna* and *Selasphorus rufus*, 87(r)  
 Bider, J. R., see Weatherhead, P. J., R. G. Clark, —, and R. T. Titman

- Biebach, H., see Gwinner, E., and —
- Bildstein, K. L., and F. Hamerstrom, Age and sex differences in the size of Northern Harriers, 356–360
- Biomedea exulans*, distribution and population changes, 348–349(r)
- Bird watching, Americas, 208(r)
- birder's lifelist, 304–305(r)
- Blaber, S. J. M., see Whitfield, A. K., and —
- black rat snake, see *Elaphe obsoleta*
- Blackbird, Red-winged, see *Agelaius phoeniceus*
- Blackbirds, crop damage, 294(r)
- Blackcap, see *Sylvia atricapilla*
- Black, J. E., see Morris, R. O., and —
- Black Vulture, patagial markers, 309–314
- Blokpoel, H., and P. Courtney, Site tenacity in a new Ring-billed Gull colony, 1–5
- Blount, J. E., see Harris, E. D., —, and R. M. Leach, Jr.
- Blue Jay, see *Cyanocitta cristata*
- Boag, D. A., K. H. McCourt, P. W. Herzog, and J. H. Alway, Population regulation in Spruce Grouse: a working hypothesis, 285–286(r); —, and J. H. Alway, Effect of social environment within the brood on dominance rank in gallinaceous birds (Tetraonidae and Phasianidae), 290(r)
- Board, R. G., and H. R. Perrott, The plugged pores of Tinamou (Tinamidae) and Jacana (Jacanidae) egg shells, 196(r)
- Boardman, T. J., see Taigen, T. L., G. C. Packard, P. R. Sotherland, —, and M. J. Packard
- Bobwhite, see *Colinus virginianus*
- Bock, G., see Saunders, J., —, and S. Fahrbach
- Bock, W. J., and J. J. Morony, Relationships of the passerine finches (Passeriformes: Passeridae), 91–92(r)
- Bolen, E. G., Winter returns of American Kestrels, 174–175
- Bollinger, E. K., see White, S. B., T. A. Bookhout, and —
- Bonasa umbellus*, reintroduced to Indiana, 295(r)
- bones, dating, 301(r)
- BOOKS AND MONOGRAPHS
- Alaska, birds, 400(r)
  - Americas, bird watching, 208(r)
  - birder's lifelist, 304–305(r)
  - birds, insectivores in forest ecosystems, 399(r)
  - birds, respiration, 397–399(r)
  - birds, spacial orientation, 305–306(r)
  - British Columbia, ornithological bibliography, 205(r)
  - California, bird field list for the north, 99(r)
  - color, behav. sig., 203–205(r)
  - Eagle, Golden, personal experiences with, 98–99(r)
  - Gannet, life-history, 207–208(r)
  - Goshawk, feeding ecology and niche differentiation, 395–397(r)
  - Nice, M. M., autobiography, 209–211(r)
  - Norway, birds, 394(r)
  - Owl, Eagle, population in Sweden, 306(r)
  - Owl, Fish, observations in Russia, 100(r)
  - Paleartic, birds, Vol. II, 394–395(r)
  - Pennsylvania, bird-finding guide, 205(r)
  - Plover, Egyptian, breeding biology, 395(r)
  - raptors, population ecology, 208–209(r)
  - shorebirds, marine environments, 99–100(r)
  - Sparrowhawk, feeding ecology and niche differentiation, 395–397(r)
  - Sulidae, life-histories, 207–208(r)
  - Truslow, F. K., photographs, 397(r)
  - Vorobev, K. A., memoirs, 397(r)
  - Warbler, Prairie, life-history, 205–207(r)
  - Zanzibar and Pemba, birds, 304(r)
  - Bookhout, T. A., see White, S. B., —, and E. K. Bollinger
  - Boxall, P. C., see Lein, M. R., and —
  - Bowdleria punctata*, food and foraging behavior, 386(r)
  - brain, sexual differences, 388–389(r)
  - Branta canadensis*, neckbands, 285(r)
  - B. leucopsis*, territory, 291(r)
  - Brensing, D., Nutritional and ecological studies of migratory birds in a southwest German migratory area during migration, 202(r)
  - British Columbia, ornithological bibliography, 205(r)
  - Brooks, R. J., see Gartshore, R. G., —, J. D. Somers, and F. F. Gilbert
  - Brodie, E. D., Jr., and E. D. Brodie, III, Differential avoidance of mimetic salamanders by free-ranging birds, 302(r)
  - Brodie, E. D., III, see Brodie, E. D., Jr., and —
  - Brown, C. R., Chimney Swift tries to steal prey from Purple Martin, 372–373
  - Bryan, R. M., Jr., see Jones, D. R., —, N. H. West, R. H. Lord, and B. Clark
  - Bubo blakistonii*, observations in Russia, 100(r); purple prose, 100(r)
  - B. bubo*, population ecology, 80–81(r); population in Sweden, 306(r)
  - Bubulcus ibis*, roosting behavior, 84(r)
  - Bucephala clangula*, nest boxes, 179
  - Bullfinch, see *Pyrrhula pyrrhula*

- Bunting, Rustic, see *Emberiza rustica*
- Burger, A. E., Breeding biology, moult and survival of Lesser Sheathbills (*Chionis minor*) at Marion Island, 380(r)
- Burger, J., and F. Lesser, Nest site selection in an expanding population of Herring Gulls, 270–280; see Gochfield, M., and —
- Burnham, K. P., see Anderson, D. R., and —; —, see Nelson, L. J., D. R. Anderson, and —
- Burtt, E. H., Jr., ed., The behavioral significance of color, 203–205(r)
- Busby, D. G., and S. G. Sealy, Feeding ecology of a population of nesting Yellow Warblers, 85(r)
- Buteo galapagoensis*, systematics, 92–93(r)
- B. lineatus*, behavior, 22
- Cadieux, P., see Finney, G. H., —, and E. Silieff
- Calcarias lapponicus*, fatty acids, 138–143
- Calidris alba*, opportunistic scavenging, 373–375
- C. alpina*, migrating speeds, 184(r)
- C. canutus*, migrating speeds, 184(r)
- C. minutilla*, egg size, 288(r)
- Calypte anna*, daily energetics, 87(r)
- Campbell, R. W., see Hatler, D. F., —, and A. Dorst; —, H. R. Carter, C. D. Shepard, and C. J. Guiguet, A bibliography of British Columbia ornithology, 205(r)
- Campredon, P., Breeding of the Sandwich Tern *Thalasseus sandvicensis* on the Arguin Bank, with a brief survey of winter distribution (1st part), 382(r)
- Campylorhynchus nuchalis*, social behavior, 290(r)
- Canachites canadensis*, 285–286(r)
- Canada, bird censuses, 380(r); 385(r); 387–388(r)
- Canvasback, see *Aythya valisineria*
- Capella media*, social system, 189–190(r)
- Caraco, T., S. Martindale, and H. R. Pulliam, Avian flocking in the presence of a predator, 384(r)
- Carduelis flammea*, skull pneumatization, 89(r)
- Carpodacus mexicanus*, evolution, Cal. islands, 94(r)
- C. purpureus*, skull pneumatization, 89(r)
- Carter, H. R., see Campbell, R. W., —, C. D. Shepard, and C. J. Guiguet
- Casmerodius albus*, commensalism, 73–74
- Cassola, F., Shooting in Italy: the present situation and future perspective, 295(r)
- Catbird, Gray, see *Dumetella carolinensis*
- Cathartes aura*, patagial markers, 309–314
- Catharacta chilensis*, systematics, 93–94(r)
- C. shug antarcticus*, systematics, 93–94(r)
- Catoptrophorus semipalmatus*, opportunistic scavenging, 373–375; wing tags, 72–73
- Catzeflis, F., Reproductive biology of the Water Pipit, 287(r)
- Cerorhinca monocerata*, growth, 380–381(r)
- Chaetura pelasgica*, stealing prey, 371–372
- Chaplin, S. B., see Beuchat, C. A., —, and M. L. Morton
- Chappell, M. A., Thermal energetics of chicks of arctic-breeding shorebirds, 297–298(r)
- Charadriidae, migrating speeds, 184(r)
- Cheng, M., see Nag, A. C., and —
- Chernyavskaya, S., and V. Vinogradov, Food habits of the Grey Lag Goose and trophic links to their biomes on the Volga Delta, 393(r)
- Chicken, Greater Prairie, see *Tympanuchus cupido*
- Chicken, see *Gallus gallus*
- Chile, seabirds, 198(r)
- China, birds, 300(r)
- Chionis minor*, breeding biology, 380(r)
- Christensen, C. R., see Rabenold, K. N., and —
- Ciconia ciconia*, hunting, 86(r)
- Cinclus cinclus*, prey selection, 95(r); roosts, 188(r)
- Circus cyaneus*, predation on voles, 190–191(r); size, 356–360
- Cistrothorus palustris*, predation, 287(r)
- Clancey, P. A., On some enigmatic pipits associated with *Anthus novaeseelandiae* (Gmelin) from central and southern Africa (Aves, Motacillidae), 92(r)
- Clark, B., see Jones, D. R., R. M. Bryan, Jr., N. H. West, R. H. Lord, and —
- Clark, K. L., and R. J. Robertson, Spatial and temporal multi-species nesting aggregations in birds as anti-parasite and anti-predator defense, 286–287(r)
- Clark, R. G., see Weatherhead, P. J., —, J. R. Bider, and R. T. Titman
- Coccothraustes coccothraustes*, population, 185(r)
- Coccycuza americanus*, nesting, 17–29
- Coereba flaveola*, banding recaptures, 368
- Cohen, B., and T. C. Williams, Short-range corrections for migrant bird tracks on search radars, 248–253
- Colaptes auratus*, foraging, 119–127; prey item for, 178
- Colinus virginianus*, 178
- color, behavioral significance, 203–205(r)

- Columba livia*, communication, 291(r); heat production, 195(r); metabolism, 195(r); see Pigeon
- C. oenas*, ring recoveries, 346(r)
- C. palumbus*, breeding biology, 381(r); migration, Stuttgart, 80(r); ring recoveries, 376(r)
- Conner, R. N., Foraging habitats of woodpeckers in southwestern Virginia, 119–127; —, and J. G. Dickson, Strip transect sampling and analysis for avian habitat studies, 387(r); —, see Dickson, J. G., —, R. R. Fleet, J. C. Kroll, and J. A. Jackson
- Connor, H. A., see Stewart, P. A., and —
- Conover, M. R., and D. E. Miller, Daily activity patterns of breeding Ring-billed and California gulls, 329–339
- CONSERVATION AND MANAGEMENT
- Amoco Cadiz, oil spill, 296–297(r)
  - Goose, Greenland White-fronted, status, 295–296(r)
  - Gull, Glaucous-winged, hydrocarbon intake, 388(r)
  - Italy, shooting birds, 295(r)
  - Mallard, hydrocarbon intake, 388(r)
  - raptors, eggshell thickness, 388(r)
  - Sparrowhawk, pesticide residues, 194–195(r)
  - Stork, White, hunting, 86(r)
  - waterfowl, Estonia, 297(r)
- Conrad, B., High pesticide residues in Sparrowhawks (*Accipiter nisus*) as a possible cause of death, 194–195(r)
- Cooch, F. G., see Newell, K. L., and —
- Cooke, F., see Mineau, P., Territoriality in Snow Geese or the protection of parenthood—Ryder's and Inglis's hypotheses re-assessed, 291(r)
- Cooper, J. A., Trumpeter Swan nesting behaviour, 289(r)
- Cooper, J. E., The brothers Brimley: North Carolina naturalists, 203(r)
- Coot, see *Fulica atra*
- Coragyps atratus*, patagial markers, 309–314
- Corbin, K. W., C. G. Sibley, and A. Ferguson, Genic changes associated with the establishment of sympatry in orioles of the genus *Icterus*, 94(r)
- Corvus brachyrhynchos*, anting, 177–178
- C. monedula*, nest sites, 302(r)
- Coturnix coturnix*, dominance, 290(r); inheritance, 301(r)
- Coulter, M. C., Limits to egg size in the Western Gull, *Larus occidentalis*, 75–77
- Courcelles, R., and J. Bedard, Habitat selection by dabbling ducks in the Baie Noire marsh, southwestern Quebec, 194(r)
- Courtney, P., see Blokpoel, H., and —
- Craig, A. J. F. K., Mortality rates of the Red Bishop and the Red-collared Widow, 81(r)
- Cramp, S., and K. E. L. Simmons (eds.), *The birds of the western Palearctic*, Vol. II, 394–395(r)
- Crane, Common, see *Grus grus*
- Craven, S. R., Some problems with Canada Geese neckbands, 285(r)
- Creutz, G., see Berndt, R., and —
- Crow, Common, see *Corvus brachyrhynchos*
- Croxall, J. P., Distribution and population changes in the Wandering Albatross (*Bienoidea exulans*) at South Georgia, 378–379(r)
- Cruickshank, H. G., The nesting season. The bird photographs of Frederick Kent Truslow, 397(r)
- Cullen, L., see Vermeer, K., and —
- Cyanocitta cristata*, agitated behavior, 22; predation, 20–22; search image, 192(r)
- Cygnus columbianus*, life history, 182(r)
- C. cygnus*, nesting behavior, 289(r); production, 286(r)
- C. olor*, production, 286(r)
- Dachy, P., see Delmée, E., —, and P. Simon
- Daciak, J., Faunistic and bioecological notes of Peninsula Valdés and Patagonia. V. Bird-banding in Patagonian maritime littoral for studies of migratory behavior (Chubut and Santa Cruz Provinces, Argentina), 198(r)
- Danell, K., and K. Sjoberg, Abundance and productivity of ducks on boreal lakes in northern Sweden, 295(r)
- Daption capense*, breeding, 198(r)
- De Abreu Sacchetta, L., see De Souza Lopes, O., —, and E. Dente
- DeBenedictis, P., see McCaskie, G., —, R. Erickson, and J. Morlan
- De Brujin, O., Feeding ecology of the Barn Owl (*Tyto alba*) in the Netherlands, 380(r)
- Dejaegher, J., see Joiris, C., —, and K. Delbeke
- Dejonghe, J. F., and B. Mallet, The rediscovery of the White-winged Guan (*Penelope albipennis*), 89(r)
- Delbeke, K., see Joiris, C., J. Dejaegher, and —
- Delmée, E., P. Dachy, and P. Simon, A comparative study of the food regime of

- a forest population of Tawny Owls (*Strix aluco*), 393(r); —, —, and —, Fifteen years of observation of reproduction in a forest population of Tawny Owls, 186–187(r)
- Dendragapus obscurus*, breeding density, 379(r)
- Dendrocopos major*, gregarious behavior, 290–291(r); territory, 289–290(r)
- Dendroica adelaidae*, banding recapture, 368
- D. caerulescens*, age-related migratory behavior, 254–269
- D. castanea*, age-related migratory behavior, 254–269
- D. coronata*, age-related migratory behavior, 254–269
- D. discolor*, life-history, 205–207(r)
- D. magnolia*, age-related migratory behavior, 254–269
- D. palmarum*, winter site, 365–367
- D. pensylvanica*, age-related migratory behavior, 254–269
- D. petechia*, age-related migratory behavior, 254–269; feeding ecology, 85(r); predation and parasitism, 286–287(r)
- D. striata*, age-related migratory behavior, 254–269; prey item, 178
- D. tigrina*, age-related migratory behavior, 254–269
- D. virens*, age-related migratory behavior, 254–269
- Dente, E., see De Souza Lopes, O., L. DeAbreu Sacchetta, and —
- DePaulo, D., see Gaioni, S., H. Hoffman, and —
- Deppe, H.-J., Concerning the fall migration of the Crane (*Grus grus*) in the interior of Mecklenburg, 79(r); Weather-influenced guidance factors during the fall migration of cranes in Central Europe, 79(r)
- Derenne, M., P. Jouventin, and J.-L. Mougin, The call of the King Penguin (*Aptenodytes patagonica*) and its evolutionary significance, 393–394(r)
- Desfayes, M., and J. C. Prax, Notes on habitat and distribution of montane birds in southern Iran, 90–91(r)
- Des Granges, J. L., and P. LaPorte, Second tour of inspection of Quebec heronries, 1978, 379–380(r); —, Avian community structure of six forest stands in La Mauricie National Park, Quebec, 385(r)
- De Souza Lopes, O., L. De Abreu Sacchetta, and E. Dente, Longevity of wild birds obtained during a banding program in São Paulo, Brasil, 144–148
- Despin, B., Y. Le Maho, and M. Schmitt, Infrared thermographic measurement of peripheral temperature in the Humboldt Penguin (*Spheniscus humboldti*), 389(r)
- Devillers, P., A Lesser Black-backed Gull (*Larus fuscus*) in French Guyana, 391(r); —, Distribution and relationships of South American Skuas, 93–94(r); —, and F. Dowsett-Lemaire, African Reed Warblers (*Acrocephalus baeticatus*) in Kaouar (Niger), 92(r); —, and J. A. Terschuren, Melodious Warblers in southern Belgium; their identification, 391(r); —, and J. A. Terschuren, Mid-summer seabird distribution in the Chilean fjords, 198(r)
- Dexter, R. W., An early application for a bird collecting permit (1877), 283
- Dickson, J. G., R. N. Conner, R. R. Fleet, J. C. Kroll, and J. A. Jackson, (eds.), The role of insectivorous birds in forest ecosystems, 399(r); see Conner, R. N., and —
- DiCostanzo, J., Population dynamics of a Common Tern colony, 229–243
- Dill, L. M., see Major, P. F., and —
- Dipper, see *Cinclus cinclus*
- Dolnik, V., and V. Paevskii, avian population dynamics in territories adjacent to the Baltic Sea in 1960–1976, 185(r)
- Dorst, A., see Hatler, D. F., R. W. Campbell, and —
- Dove, Mourning, see *Zenaida macroura*
- Dove, Stock, see *Columba oenas*
- Dow, D. D., Agonistic and spacing behaviour of the Noisy Miner *Manorina melanoccephala*, a communally breeding Honeyeater, 189(r)
- Dowsett-Lemaire, F., see Devillers, P., and —; Annual turnover in a Belgian population of Marsh Warblers, *Acrocephalus palustris*, 186(r); The sexual bond in the Marsh Warbler, *Acrocephalus palustris*, 383–384(r)
- Drennan, S. R., (ed.), The North American birder's library lifelist, 304–305(r)
- Dryocopus pileatus*, foraging, 119–127
- Dryolimnas cuvieri*, vocalizations, 394(r)
- duck, dabbling, habitat selection, 194(r)
- , Torrent, see *Merganetta armata*
- , Tufted, see *Aythya fuligula*
- , White Pekin, see Mallard
- , numbers, Sweden, 295(r)
- Dumetella carolinensis*, 175–176
- Duncan, S., An analysis of the stomach contents of some Sharp-shinned Hawks (*Accipiter striatus*), 178

- Dunlin, see *Calidris alpina*  
 Dunn, E. H., and E. Nol, Age-related migratory behavior of warblers, 254-269  
 Dunnet, G. M., see Ollason, J. C., and —  
 Dupuy, A., and J. Verschuren, Notes on the birds, principally aquatic, of the region of the National Park of the delta of Saloum, Senegal, 91(r)  
 Eagle, Bald, origins and migration, 161-167; see *Haliaeetus leucocephalus*  
 Eckhardt, R. C., The adaptive syndromes of two guilds of insectivorous birds in the Colorado Rocky Mountains, 293(r)  
**ECOLOGY**  
 birds, breeding population in the Lauwerszee area, 385-386(r)  
 —, community structure, Quebec, 385(r)  
 —, ecological structure, 85(r)  
 —, feeding ecology, 293(r)  
 —, forest moisture gradient dist., 191(r)  
 —, optimal foraging, 293(r)  
 —, strip transect sampling, 387(r)  
 —, urban, 292-293(r)  
 Bunting, Rustic, 386-387(r)  
 Canada, bird census plot studies, 385(r)  
 duck, dabbling, habitat selection, 194(r)  
 evolutionary ecology, 292(r)  
 Fernbird, 386(r)  
 Hawk, Marsh, 190-191(r)  
 hawks, population, 191-192(r)  
 Heron, Great Blue, predation on voles, 190-191(r)  
 Jay, Blue, search image, 192(r)  
 Lapwing, farmland use in winter, 95(r)  
 Larks, habitat and food, Ahraine, 294(r)  
 Oriole, Northern, reproductive responses, 292(r)  
 Owl, Short-eared, interactions with Snowy Owls, 190(r)  
 —, Snowy, 190(r)  
 Plover, Golden, farmland use in winter, 85(r)  
 Ptarmigan, White-tailed, winter habitat use, 385(r)  
 Tit, Blue, foraging patterns, 191(r)  
 —, Great, foraging patterns, 191(r)  
 wading birds, feeding ecology, 192-193(r)  
 Warbler, Yellow, feeding ecology, 85(r)  
 waterbirds, niche separation, 293(r)  
 Wheatears, interspecific relations, 387(r)  
 egg shell, lysyl oxidase, 299(r)  
 Eggs, *Larus occidentalis*, 75-77  
 Eider, Common, see *Somateria mollissima*  
 Eldridge, J. L., Display inventory of the Torrent Duck, 291(r)  
 van den Elzen, R., Length of the pair bond in the Bearded Tit (*Panurus biarmicus*), 85(r)  
*Emberiza burchanani*, song dialects, Iran, 91(r)  
*E. cioides*, breeding biology, 84(r)  
*E. rustica*, ecological notes, 386-387(r); plumages, 300(r)  
*Empidonax minimus*, fall migration and molt, 65-71  
*E. traillii*, 175-176  
 Epstein, R., R. P. Lanza, and B. F. Skinner, Symbolic communication between two pigeons (*Columba livia domestica*), 291(r)  
 Erickson, R., see McCaskie, G., P. De-Benedictis, —, and J. Morlan  
*Erithacus rubecula*, migratory behavior, 79(r); 88(r)  
 Erskine, A. J., A preliminary catalogue of bird census plot studies in Canada, part 4, 385(r); Man's influence on potential nesting sites and populations of swallows in Canada, 295(r)  
*Eudocimus albus*, commensalism, 73-74  
*Euplectes ardens*, mortality, 81(r)  
*E. orix*, mortality, 81(r)  
 Evans, R. M., see O'Malley, J. B. E., and —  
 Evens, M. E., Aspects of the life cycle of the Bewick's Swan, based on recognition of individuals at a wintering site, 182(r)  
**EVOLUTION AND GENETICS**  
 Blackbird, Red-winged, sexual selection, 201(r)  
 Finch, Howe, evolution, Cal. islands, 94(r)  
 Flycatcher, Pied, egg size variation, 201(r)  
*Parus "pleskii,"* Belgium, 392(r)  
 Quail, Japanese, genetic resist., 201(r); inheritance, 301(r)  
 Oriole, Northern, evolution, 94(r)  
 Sparrow, Song, morphological character, 200-201(r)  
 Tit, Great, egg size variation, 201(r)  
 evolutionary ecology problems, 292(r)  
 Faaborg, J., and J. E. Winters, More returns from the Guanica Forest, Puerto Rico, 368  
 Fahrbach, S., see Saunders, J., G. Bock, and —  
*Falco columbarius*, food, 393(r)  
*F. mexicanus*, color marker, 281-282  
*F. naumanni*, sexual behavior, 292(r)

- F. peregrinus*, recovery, 376(r)  
*F. sparverius*, winter returns, 174–175  
*F. subbuteo*, foraging, 288(r)  
*F. tinnunculus*, diet, 202(r); foraging, 288(r); sexual behavior, 292(r)
- Falcon, Peregrine, see *Falco peregrinus*  
 —, Prairie, see *Falco mexicanus*
- Ferguson, A., see Corbin, K. W., C. G. Sibley, and —
- Ferguson, R. S., A technique for live-trapping nesting Horned Grebes, 179–180
- Fernbird, see *Bowdleria punctata*
- Fetterolf, P. M., Nocturnal behavior of Ring-billed Gulls during the early incubation period, 83(r)
- Ficedula hypoleuca*, egg size variation, 201(r); imprinting, 285(r); movement, 78(r)
- Field, M., and D. Field, Hawk Cliff raptor banding station: Eighth annual report 1978, 376(r)
- Fieldfare, see *Turdus pilaris*
- Filonov, K., and V. Siokhin, The Avocet in the Western Sea of Azov, 81(r)
- Finch, Zebra, see *Poephila guttata*
- Finland, bird populations, 391(r); birds during cold spell, 382(r)
- Finney, G. H., P. Cadieux, and E. Silieff, The co-operative Breeding Bird Survey in Canada, 1979, 380(r)
- Firefinch, Red-billed, see *Lagonostica senegal*
- Fisher, R. M., and M. T. Myres, A review of factors influencing extralimital occurrences of Clark's Nutcracker in Canada, 300(r)
- Fitzharris, T. P., see Kinsella, M. G., and —
- Fleet, R. R., see Dickson, J. G., R. N. Conner, —, J. C. Kroll, and J. A. Jackson
- Flicker, Common, see *Colaptes auratus*
- Flood, N. J., see Robertson, R. J., and —
- Flycatcher, Pied, see *Ficedula hypoleuca*  
 —, Willow, see *Empidonax traillii*
- Flynn, R. K., and J. A. Gessaman, An evaluation of heart rate as a measure of daily metabolism in pigeons (*Columba livia*), 195(r)
- Fokhin, S., see Tikhonov, A., and —
- FOOD AND FEEDING
- bird predation on salamanders, 302(r)
  - Blackbird, European, ivy as food, 96(r)
  - , Red-winged, feeding ecology, 95(r)
  - Dipper, prey selection, 95(r)
  - Eider, Common, *Nereis virens* as food item, 95–96(r)
  - Flicker, Common, foraging, 119–127
  - Goose, Grey Lag, food habits, 393(r)
  - Gull, Common, *Nereis virens* as food item, 95–96(r)
  - , Herring, foraging, 110–118; *Nereis virens* as food item, 95–96(r); opportunistic scavenging, 373–375
  - , Ring-billed, feeding ecology, 95(r); opportunistic scavenging, 373–375
  - hawks, food, 94–95(r)
  - hummingbird, time-energy budget, 302(r)
  - ivy, food item, 96(r)
  - Jackdaw, nest sites, 302(r)
  - Kestrel, European, 202(r)
  - Mallard, feeding on grain, 194(r)
  - Martin, Sand, 95(r)
  - Merlin, 393(r)
  - nutrition studies, Germany, 202(r)
  - Owl, Barn, 301–302(r)
  - , Tawny, 393(r)
  - , Ural, winter, 302(r)
  - raptors, 94–95(r)
  - Robin, American, unusual food, 74–75
  - rowan-berries, nutritive values, 393(r)
  - Salmon, spp., food item, 74–75
  - Sanderling, opportunistic scavenging, 373–375
  - Starling, nestlings, 301(r)
  - Turnstone, Ruddy, opportunistic scavenging, 373–375
  - Willet, opportunistic scavenging, 373–375
  - Wrybill, feeding ecology, 202(r)
  - Woodpecker, Downy, foraging, 119–127
  - , Hairy, foraging, 119–127
  - , Red-bellied, foraging, 119–127
  - , Red-headed, foraging, 119–127
  - , Pileated, foraging, 119–127
  - , foraging, 119–127
  - Fowl, Red Jungle, see *Gallus gallus*
  - fox, red, see *Vulpes fulva*
  - Francis, C. M., see Salvadori, A., and —
  - Frelin, C., Physiological adaptation of Blue Tits (*Parus caeruleus*) to migration, 195(r)
  - Frenzel, L. D., see Griffin, C. R., J. M. Southern, and —
  - Fringilla coelebs*, flight traces, 78(r); clutch and breeding strategy, 81–82(r)
  - Fringillidae, prey item, 178
  - frugivores, foraging ecology, 294(r)
  - Fulica atra*, fat and protein metabolism, 388(r)
  - Fuller, R. J., and R. E. Youngman, The utilisation of farmland by Golden Plovers wintering in southern England, 85(r)
  - Fulmar, see *Fulmarus glacialis*
  - Fulmarus glacialis*, band wear, 101–110; effects on color bands, 213–219; nest failure, 39–54

- Furphy, J. S., see Goodwillie, R., —, K.
- Preston, C. D. Hutchinson, O. J. Merne, and R. J. O'Connor
- Furrer, R. K., A shifting of breeding location in the colonial Fieldfare *Turdus pilaris* after nest loss, 287(r)
- Gaioni, S., H. Hoffman, and P. De Paulo, Aggressive reactions of ducklings to a nonliving target object, 82(r)
- Gallagher, M. D., and T. D. Rogers, On the breeding birds of Bahrain, 90(r)
- Galliformes, behavioral control, 291–292(r)
- Gallus gallus*, anorexia, 298–299(r); prey item, 178
- Gannet, see *Morus bassanus*
- Gartshore, R. G., R. J. Brooks, J. D. Somers, and F. F. Gilbert, Temporal change in gullet food passage in penned Red-winged Blackbirds (*Agelaius phoeniceus*): Significance for research in feeding ecology, 95(r)
- Gaston, A. J., Populations, movements and wintering areas of Thick-billed Murres (*Uria lomvia*) in eastern Canada, 390(r)
- Gatter, N., and K. Penski, Migration of the Wood Pigeon (*Columba palumbus*) according to mapped observations at the Ran-decker Maar, 80(r)
- geomagnetic sensitivity, 378(r)
- Geothlypis trichas*, age-related migratory behavior, 254–269
- Gessaman, J. A., see Flynn, R. K., and —
- Gibson, D. P., see Kessel, B., and —
- Gilbert, F. F., see Gartshore, R. G., R. J. Brooks, J. D. Somers, and —
- Giraudoux, P., Hunting of White Storks in Niger, 86(r)
- Glue, D., and D. Scott, Breeding biology of the Little Owl, 381(r)
- Gochfield, M., and J. Burger, Opportunistic scavenging by shorebirds: Feeding behavior and aggression, 373–375
- Goerzen, D. W., see Sugden, G., and —
- Goforth, W. R., see Armbruster, M. J., T. S. Baskett, —, and K. C. Sadler
- Goldeneye, Common, see *Bucephala clangula*
- Goldsmith, T. H., Hummingbirds see near ultraviolet light, 298(r)
- Goodwillie, R., J. S. Furphy, K. Preston, C. D. Hutchinson, O. J. Merne, and R. J. O'Connor, Special Irish issue, 300(r)
- Goose, Barnacle, see *Branta leucopsis*
- , Canada, see *Branta canadensis*
- , Grey Lag, see *Anser anser*
- , Snow, see *Anser caerulescens*
- , (Greenland) White-fronted, see *Anser albifrons flavirostris*
- Goshawk, see *Accipiter gentilis*
- Gould, J. L., The case for magnetic sensitivity in birds and bees (such as it is), 377(r); see Walcott, C., —, and J. L. Kirschvink
- Grackle, Common, see *Quiscalus quiscula*
- gray tree frog, see *Hyla versicolor*
- Grazhdankin, A. V., The Desert Sparrow, 391–392(r)
- Grebe, Horned, see *Podiceps auritus*
- Griffin, C. R., J. M. Southern, and L. D. Frenzel, Origins and migratory movements of Bald Eagles wintering in Missouri, 161–167
- Grimes, S. A., The vocally versatile Mockingbird, 98–99(r)
- Gromadzki, M., Abundance of the Starling, *Sturnus vulgaris* L. in the breeding season in the Gdansk vicinity, 286(r); see Gromadzka, J., and —
- Gromadzka, J., and M. Gromadzki, Composition of food of Starlings' nestlings, *Sturnus vulgaris* L., in Zulawy Wislane, 301(r)
- Grosbeak, Pine, see *Pinicola enucleator*
- Ground-Thrush, Africa, 199(r)
- Grouse, Blue, see *Dendragapus obscurus*
- , Red, see *Lagopus lagopus*
- , Ruffed, see *Bonasa umbellus*
- , Spruce, see *Canachites canadensis*
- Grus grus*, fall migration, central Europe, 79(r); fall migration, Mecklenburg, 79(r); soaring migration, 184(r)
- Guiguet, C. J., see Campbell, R. W., H. R. Carter, C. D. Shepard, and —
- Gull, Black-headed, see *Larus ridibundus*
- , California, see *Larus californicus*
- , Glaucous-winged, see *Larus glaucescens*
- , Great Black-backed, see *Larus marinus*
- , Herring, see *Larus argentatus*
- , Laughing, see *Larus atricilla*
- , Lesser Black-backed, see *Larus fuscus*
- , Ring-billed, see *Larus delawarensis*
- , Western, see *Larus occidentalis*
- Gulls, trapping, 285(r)
- Gunderson, R. W., and J. N. Barrett, Neuronal chemotaxis: chick dorsal-root axons turn toward high concentrations of nerve growth factor, 195(r)
- Gurney, M. E., and M. Konishi, Hormone-induced sexual differentiation of brain and behavior in Zebra Finches, 389–390(r)

- Gwinner, E., and I. Benzinger, Synchronization of a circadian rhythm in pineal-ectomized European Starlings by daily injections of melatonin, 87(r); —, and H. Biebach, Endogenous control of molt and migratory restlessness in Red-backed Shrikes from southern Finland and southern France, 88(r)
- von Haartmann, L., An account of a small population of Hawfinches, 185(r)
- Haematoopus ostralegus*, migrating speeds, 184(r)
- Haematopodidae, systematics, 301(r)
- Haffer, J., Distribution of Amazon forest birds, 89–90(r)
- Haila, Y., O. Jarvinen, and R. A. Väistönen, Long-term changes in the bird community of farmland in Åland, SW Finland, 185(r)
- Hails, C. J., A comparison of flight energetics in hirundines and other birds, 195(r)
- Haim, A., S. Saarela, and R. Hissa, Heat production induced by photoperiodicity in the pigeon, 195(r)
- Haliaeetus leucocephalus*, origins and migration, 161–167
- Haller, H., On the population ecology of the Eagle Owl (*Bubo bubo*) in the high mountains: Population, population growth and available living space in the central Alps, 80–81(r)
- Hamerstrom, F., An eagle to the sky, 99(r); see Bildstein, K. L., and —
- Handford, P., Return rates among Highland Rufous-collared Sparrows, 176–177
- Hardy, A., see Hirons, G., —, and P. Stanley
- Harrier, Northern, see *Circus cyaneus*
- Harris, E. D., J. E. Blount, and R. M. Leach, Jr., Localization of lysyl oxidase in hen oviduct: implications in egg shell membrane formation and composition, 299(r)
- Harris, R. N., Aggression, superterritories, and reproductive success in tree swallows, 189(r)
- Harrison, C. J. O., The behavior, voice, displays, and a breeding with fosterers of the Trumpeter Bullfinch, 82(r); Pleistocene birds from Swanscombe, Kent, 200(r)
- Harrison, J. D., see Mead, C. J., and —
- Hasegawa, Y., see Olson, S. L., and —
- Hatler, D. F., R. W. Campbell, and A. Dorst, Birds of the Pacific Rim National Park, 197(r)
- Hawfinch, see *Coccothraustes coccothraustes*
- Hawk, Marsh, see *Circus cyaneus*
- , Sharp-shinned, see *Accipiter striatus*
- heart, cushion tissue, 299(r); intercellular adhesion, 389(r)
- Heintzelman, D. S., A manual for bird watching in the Americas, 208(r)
- Heisler, C., The significance of the legs for thermoregulation by the House Sparrow (*Passer domesticus*) and Zebra Finch (*Tanagriopygia guttata castanotis*), 88(r)
- Helle, E., and P. Helle, Changes in land bird populations on the Krunnit Islands in the Bothnian Bay, 1937–77, 391(r)
- Hendricks, P., Anting by Common Crows, 177–178; Reaction of Brown-capped Rosy Finches to banded nestlings, 175
- Heron, Great Blue, see *Ardea herodias*
- , Grey, see *Ardea cinerea*
- Herzog, P. W., Winter habitat use by White-tailed Ptarmigan in southwestern Alberta, 385(r); see Boag, D. A., K. H. McCourt, —, and J. H. Alway
- Hinko, A., see Lustick, S., M. Adam, and —
- Hippolais pallida*, breeding in Bahrain, 90(r)
- H. polyglotta*, Belgium, 391(r)
- Hirons, G., A. Hardy, and P. Stanley, Starvation in young Tawny Owls, 80(r)
- Hirundo rustica*, ingestion of grit, 368–371
- Hissa, R., see Haim, A., S. Saarela, and —
- Hobby, see *Falco subbuteo*
- Hoffman, H., see Gaioni, S., —, and P. DePaulo
- Holmes, R. T., J. C. Schultz, and P. Nothnagle, Bird predation on forest insects: an exclosure experiment, 85–86(r)
- Horned Grebe, see *Podiceps auritus*
- Howe, M. A., Problems with wing tags: evidence of harm to Willets, 72–73
- Howell, T. R., Breeding biology of the Egyptian Plover, *Pluvianus aegyptius*, 395(r)
- Hoyt, D. F., Osmoregulation by avian embryos: the allantois functions like a toad's bladder, 87(r); see Vleck, C. M., —, and D. Vleck
- human intrusion at nest, 22; 39–54
- Hummel, D., The winter flight of White-fronted Geese (*Anser albifrons*) and the Bean Goose (*Anser fabalis*) in northern Germany in late fall, 78–79(r)
- hummingbird, see *Amazilia tzacatl*; UV light, 298(r)
- Hussell, D. J. T., The timing of fall migration and molt in Least Flycatchers, 65–71
- Hutchinson, C. D., see Goodwillie, R., J. S.

- Furphy, K. Preston, —, O. J. Merne, and R. J. O'Connor
- Huxley, C. R., and R. Wilkinson, Duetting and vocal recognition by Aldabra White-throated Rails *Dryolimnas cuvieri aldabrensis*, 394(r)
- Hyde, P. A., see Marchant, J. H., and —
- Hylocichla mustelina*, agitated behavior, 22; mobbing, 18, 27; nest, 18
- Ibidorhyncha struthersii*, systematics, 301(r)
- Ibis, Indian White, see *Threskiornis melanoccephala*
- Ibisbill, see *Ibidorhyncha struthersii*
- Icterus galbula*, evolution, 94(r); reproductive responses, 292(r)
- I. spurius*, breeding biology, 381(r)
- Ieromnimon, V., Observations on the effect of hormones on the migratory behavior of Robins (*Erithacus rubecula*). I. The effect of prolactin (LtH=HPr) on annual cycles, 79(r); Observations about the effects of hormones on the migratory behavior of the Robin (*Erithacus rubecula*). II. Pharmacological effects, 88(r)
- Ikeya, M., and T. Miki, Electric spin resonance dating of animal and human bones, 301(r)
- Ilyichev, V., and A. Tikhonov, Biological principles of behavior control in birds, 291–292(r); —, and E. K. Vilks, The spacial orientation of birds, 305–306(r)
- Indigobird, Village, see *Vidua chalybeata*
- Ireland, birds, 300(r)
- Iridoprocne bicolor*, superterritory, 189(r)
- Italy, shooting birds, 295(r)
- Ivanitskii, V., Interspecific relations of sympatric Wheatears. 1. Ecological competitive prerequisites and spatial structures of mixed populations, 387(r); Interspecific relations of sympatric Wheatears. 2. Behavioral aspects of coexistence in closely allied species, 384(r)
- Jackdaw, see *Corvus monedula*
- Jackson, J. A., see Dickson, J. G., R. N. Conner, R. R. Fleet, J. C. Kroll, and —
- Jacobs, P., and B. Ochando, Winter censuses of waterfowl in Algeria, 391(r)
- Jaffe, L. F., and D. C. Stern, Strong electrical currents leave the primitive streak of chick embryos, 88(r)
- Jani, M., see Menon, G., R. Shah, and —
- Jarvinen, O., and R. A. Väistönen, Long-term population changes of the most abundant south Finnish forest birds dur-
- ing the past 50 years, 185(r); see Haila, Y., —, and R. A. Väistönen
- Jay, Blue, see *Cyanocitta cristata*
- , Scrub, see *Aphelocoma coerulescens*
- , Siberian, see *Perisoreus infaustus*
- Jehl, J. R., Jr., F. S. Todd, M. A. E. Rumboll, and D. Schwartz, Notes on the avifauna of South Georgia, 197–198(r); —, F. S. Todd, M. A. E. Rumboll, and D. Schwartz, Pelagic birds in the South Atlantic Ocean and at South Georgia in the austral autumn, 390(r)
- Jellmann, J., Radar observations of spring migration over northwest Germany and the southern North Sea in April and May 1971, 79(r)
- Jenkins, J. A. F., Observation on the Wedge-tailed Shearwater (*Puffinus pacificus*) in the southwest Pacific, 288(r)
- Johnson, E. V., Recovery of California's first captive-produced, wild-fostered Peregrine Falcon, 376(r)
- Joiris, C., J. Dejaeger, and K. Delbeke, Changes of eggshell thickness in Belgian birds of prey, 388(r)
- Jones, D. R., R. M. Bryan, Jr., N. H. West, R. H. Lord, and B. Clark, Regional distribution of blood flow during diving in the duck (*Anas platyrhynchos*), 86(r)
- Jones, P. H., and P. K. Kinnear, Moultling Eiders in Orkney and Shetland, 297(r)
- Josephson, B., Ageing and sexing Snowy Owls, 149–160
- Jouventin, P., see Derenne, M., —, and J.-L. Mougin
- Junco hyemalis*, prey item, 178
- J. phaeonotus*, flocking in presence of predator, 384(r)
- Junco, Dark-eyed, see *Junco hyemalis*
- , Yellow-eyed, see *Junco phaeonotus*
- Jynx torquilla*, breeding behavior and growth rates, 84–85(r)
- Kamil, A. C., see Pietrewicz, A. T., and —
- Karasawa, K., Relationships between fruit-eating birds and seed dispersal in urbanized areas, 294(r)
- Keeton, W. T., Avian orientation and navigation: a brief overview, 183(r)
- Kelly, S. T., and C. M. Kirkpatrick, Evaluation of a Ruffed Grouse reintroduction in northern Indiana, 295(r)
- Kenagy, G. J., see Vleck, C. M., and —
- Kent, Pleistocene birds, 200(r)
- Kessel, B., and D. D. Gibson, Status and distribution of Alaska birds, 400(r)
- Kestrel, American, see *Falco sparverius*

- , European, see *Falco tinnunculus*  
 —, Lesser, see *Falco naumanni*  
 Khrabryi, V., Ducks and Coots in Leningrad, 198(r)  
 Kilham, L., Association of Great Egret and White Ibis, 73-74  
 King, R., see Owen, M., and —  
 Kingfisher, see *Alcedo atthis*  
 Kinnear, P. K., see Jones, P. H., and —  
 Kinsella, M. G., and T. P. Fitzharris, Origin of cushion tissue in the developing chick heart—cinematographic recordings of in situ formation, 299(r)  
 Kirkham, I. R., and R. D. Morris, Feeding ecology of Ring-billed Gull (*Larus delawarensis*) chicks, 95(r)  
 Kirkpatrick, C. M., see Kelly, S. I., and —  
 Kirschvink, J. L., see Walcott, C., J. L. Gould, and —  
 Knapton, R. W., Optimal size of territory in the Clay-colored Sparrow, *Spizella pallida*, 83(r)  
 Knot, Red, see *Calidris canutus*  
 Kochan, W., Materials concerning food composition of raptors and owls, 94-95(r)  
 Koenig, W. D., Variation and age determination in a population of Acorn Woodpeckers, 10-16; —, and F. A. Pitelka, Relatedness and inbreeding avoidance: counterplays in the communally nesting Acorn Woodpecker, 384(r)  
 Kokshaiskii, L., and V. Petrovskii, A preliminary account of the nature of bird flight traces, 78(r); Kokshaiskii, N. V. and V. Petrovskii, Wake of a flying bird, 196(r)  
 Konishi, M., see Gurney, M. E., and —  
 Kostina, G., and E. Panov, The extent of stereotypy in sexual behavior of two Kestrel species, *Falco tinnunculus*, and *Falco naumanni*, 292(r)  
 Kotiukov, Iu. V., see Numerov, A. D., and —  
 Kovach, J. K., Mendelian units of inheritance control color preferences in quail chicks (*Coturnix coturnix japonica*), 301(r)  
 Krauthammer, V., see Marsden, J. E., T. C. Williams, —, and H. Krauthammer  
 Krauthammer, H., see Marsden, J. E., T. C. Williams, V. Krauthammer, and —  
 Kreithen, M. L., and D. B. Quine, Intrasound detection by the Homing Pigeon: A behavioral audiogram, 86(r)  
 Kroll, J. C., see Dickson, J. G., R. N. Conner, R. R. Fleet, —, and J. A. Jackson  
 Kumari, E., Moult and moult migration of waterfowl in Estonia, 297(r)  
 Kushlan, J. A., Feeding ecology of wading birds, 192-193(r)  
 Kuyt, E., Distribution and breeding biology of raptors in the Thelon River area, Northwest Territories, 1959-1969, 379(r)  
*Lagonostica senegala*, breeding, molt, and dispersal, 299-300(r)  
*Lagopus lagopus*, dominance, 290(r); nest behavior, 84(r)  
*L. leucurus*, winter habitat use, 385(r)  
 Lancaster, R. K., and W. E. Rees, Bird communities and the structure of urban habitats, 292-293(r)  
 Landry, P., see Lebreton, J.-D., and —  
*Lanius collurio*, endogenous control, 88(r)  
 Lanza, R. P., see Epstein, R., —, and B. F. Skinner  
 Lapland Longspur, see *Calcarius lapponicus*  
 Laporte, P., see DesGranges, J. L., and —  
 larks, habitat and food, Ukraine, 294(r)  
 Larsson, B., see Pennycuick, C. J., T. Alsterstam, and —  
*Larus argentatus*, *Nereis virens* as food item, 95-96(r); nest sites, 270-280; opportunistic scavenging, 373-375; predation, 81(r); radiative heat load, 390(r); radio-telemetry and foraging, 110-118  
*L. atricilla*, breeding biology, 340-355; nest site selection, 82(r); nesting, 271  
*L. californicus*, daily activity patterns, 329-339  
*L. canus*, *Nereis virens* as food item, 95-96(r)  
*L. cirrocephalus*, breeding, Senegal, 91(r)  
*L. delawarensis*, daily activity patterns, 329-339; feeding ecology, 95(r); nocturnal behavior, 83(r); opportunistic scavenging, 373-375; site tenacity, 1-5  
*L. fuscus*, French Guyana, 391(r)  
*L. glaucescens*, hydrocarbon intake, 388(r)  
*L. marinus*, nesting, 271  
*L. occidentalis*, band loss, 75-77; 319-328  
*L. ridibundus*, fecundity, 381-382(r)  
 Leach, R. M., Jr., see Harris, E. D., J. E. Blount, and —  
 Lebreton, J.-D., and P. Landry, Fecundity of the Black-headed Gull (*Larus ridibundus*) in a colony in the Forez Plaine (Loire, France), 381-382(r)  
 Leck, C. F., Establishment of new population centers with changes in migration patterns, 168-173  
 Lein, M. R., and P. C. Boxall, Interactions between Snowy and Short-eared owls in winter, 190(r)

- Leisler, B., and H. Winkler, On the identification of Reed Warbler (*Acrocephalus scirpaceus*) and Marsh Warbler (*Acrocephalus palustris*), 196(r)
- Le Maho, Y., see Despin, B., —, and M. Schmitt
- Lemnelli, P. A., Social behaviour of the Great Snipe *Capella media* at the arena display, 189–190(r)
- Lenington, S., see Altmann, S. A., S. S. Wagner, and —
- Lesser, F., see Burger, J., and —
- Leucosticte australis*, reaction to banded nestlings, 175
- Lobkov, E., On the habits and relationships of the Common and Arctic redpolls in Kamchatka, 300–301(r)
- Löhrl, H., Contributions to the ethology and growth rates of the Wryneck *Jynx torquilla*, 84(r)
- longevity of wild birds, 144–148
- Longspur, Lapland, see *Calcarius lapponicus*
- Lord, R. H., see Jones, D. R., R. M. Bryan, Jr., N. H. West, —, and B. Clark
- Lovari, S., Flocking behaviour of the Chough and the Alpine Chough, 83–84(r)
- Lumsden, H. G., Starling nest sites and cleared land, 178–179
- Lunda cirrhata*, growth, 380–381(r)
- Lustick, S., M. Ádám, and A. Hinko, Interaction between posture, color, and the radiative heat load in birds, 390(r)
- McCaskie, G., P. DeBenedictis, R. Erickson, and T. Morlan, Birds of northern California. An annotated field list, 99(r)
- McCourt, K. H., see Boag, D. A., —, P. W. Herzog, and J. H. Alway
- McEwan, E. H., and P. M. Whitehead, Uptake and clearance of petroleum hydrocarbons by the Glaucous-winged Gull (*Larus glaucescens*) and the Mallard Duck (*Anas platyrhynchos*), 388(r)
- McGillivray, W. B., Communal nesting in the House Sparrow, 371–372
- McKenzie, H. R., History and account of the birds of the Hunua Ranges, 198(r)
- McKinley, D., Historical review of the Carolina Parakeet in the Carolinas, 197(r)
- Magpie, Black-billed, see *Pica pica*
- MacBriar, W. N., Jr., and D. E. Stevenson, Dispersal and survival in the Bank Swallow (*Riparia riparia*) in southeastern Wisconsin, 197(r)
- Major, P. F., and L. M. Dill, The three-dimensional structure of airborne bird flocks, 182–183(r)
- Mallard, see *Anas platyrhynchos*
- Mallet, B., see DeJonghe, J. F., and —
- Manorina melanocephala*, social system, 189(r)
- Marchant, J. H., and P. A. Hyde, Population changes for waterways birds, 1974–1978, 379(r)
- Margarops fuscatus*, banding recaptures, 368
- Marks, H. L., and R. D. Syatt, Genetic resistance to aflatoxin in Japanese Quail, 201(r)
- Marsden, J. E., T. C. Williams, V. Krauthammer, and H. Krauthammer, Effect of nuclear power plant lights on migrants, 315–318
- Martin, Purple, see *Progne subis*
- Martin, P. R., B. G. Thompson, and S. J. Witts, Niche separation in three species of waterbirds, 293(r)
- Martin, Sand, see *Riparia riparia*
- Martindale, S., see Caraco, T., —, and H. R. Pulliam
- Mead, C. J., Colony fidelity and interchange in the Sand Martin, 196–197(r); —, and J. D. Harrison, Sand Martin movements within Britain and Ireland, 83(r); —, P. M. North, and B. R. Watmough, The mortality of British Grey Herons, 80(r)
- Mendenhall, V., Brooding of young ducklings by female eiders *Somateria mollissima*, 187(r)
- Menon, G., R. Shah, and M. Jani, The lipoid secretion by epidermis of bare skin from the head of the Indian White Ibis, *Threskiornis melanocephala*, 389(r)
- Merganetta armata*, displays, 291(r)
- Merlin, see *Falco columbarius*
- Merne, O. J., see Goodwillie, R., J. S. Furphy, K. Preston, C. D. Hutchinson, —, and R. J. O'Connor
- Merops apiaster*, voice, 303(r)
- MIGRATION, ORIENTATION, AND HOMING
- animals, geomagnetic sensitivity, 378(r); magnetic sensitivity, 377(r)
  - avian orientation and navigation, 183(r)
  - avian vision and flock patterns, 80(r)
  - bird flight traces, 78(r)
  - bird flock structure, 182–183(r)
  - Blackcap, magnetic compass, 183(r)
  - Calidris alpina*, bird flock structure, 182–183(r)
  - Chaffinch, bird flight traces, 78(r)
  - Crane, Common, soaring migration, 184(r)
  - , European, fall migration, central Eu-

- rope, 79(r); fall migration, Mecklenburg, 79(r)
- Dunlin, bird flock structure, 182–183(r); migrating speeds, 184(r)
- Flycatcher, Least, Fall migration and molt, 65–71
- , Pied, imprinting, 285(r)
- Knot, Red, migrating speeds, 184(r)
- Goose, Bean, early winter flight, 78–79(r)
- , White-fronted, early winter flight, 78–79(r)
- magnetic fields, critique of theories, 183(r)
- migrants, effects of lights, 315–318
- orientation, nocturnal migrants, 184–185(r)
- Ovenbird, age-related migratory behavior, 254–269
- Oystercatcher, migrating speeds, 184(r)
- Pigeon, Homing, geomagnetic map, 377–378(r)
- , magnets, 184(r)
- , Wood, migration, Stuttgart, 80(r)
- Plover, Golden, migration in east Frisia, 78(r)
- radar, migratory bird tracks, 248–253
- radar observations of spring migration, 79(r)
- Redstart, American, age-related migratory behavior, 254–269
- Starling, bird flock structure, 182–183(r)
- Warbler, Bay-breasted, age-related migratory behavior, 254–269
- , Blackpoll, age-related migratory behavior, 254–269
- , Black-throated Blue, age-related migratory behavior, 254–269
- , Black-throated Green, age-related migratory behavior, 254–269
- , Canada, age-related migratory behavior, 254–269
- , Cape May, age-related migratory behavior, 254–269
- , Chestnut-sided, age-related migratory behavior, 254–269
- , Garden, figs, 183(r); migratory unrest, 79(r)
- , Magnolia, age-related migratory behavior, 254–269
- , Nashville, age-related migratory behavior, 254–269
- , Tennessee, age-related migratory behavior, 254–269
- , Yellow, age-related migratory behavior, 254–269
- , Yellow-rumped, age-related migratory behavior, 254–269
- Yellowthroat, Common, age-related migratory behavior, 254–269
- migrants, effects of lights, 315–318
- Miki, T., see Ikeya, M., and —
- Miller, D. E., see Conover, M. R., and —
- Miller, E. H., Egg size in the Least Sandpiper *Calidris minutilla* on Sable Island, Nova Scotia, Canada, 288(r)
- Mimochichla plumbea*, banding recaptures, 368
- Mimus polyglottos*, defense of winter food, 375; recorded imitations, 98–99(r)
- Miner, Noisy, see *Manorina melanopephala*
- Minsky, D., Preventing fox predation at a Least Tern colony with an electric fence, 180–181
- Mniotilla varia*, banding recaptures, 368
- Mockingbird, see *Mimus polyglottos*
- Molodovskii, A., Some features of avian vision and their flock patterns in flight, 80(r)
- Molothrus ater*, marking, 6–9
- Monnat, J.-Y., Bird mortality after the shipwreck of the oil tanker Amoco Cadiz, 296–297(r)
- Montevecchi, W. A., Nest site selection and its survival value among Laughing Gulls, 82(r)
- Montifringilla*, systematics, 91–92(r)
- Moore, B. R., Is the Homing Pigeon's map geomagnetic, 377–378(r)
- Morant, P. D., Twentieth ringing report for Southern Africa, 78(r)
- Morgan, B. J., see North, P. M., and —
- Morlan, J., see McCaskie, G., P. De-Benedictis, R. Erickson, and —
- Morony, J. J., see Bock, W. J., and —
- MORPHOLOGY
- Anas platyrhynchos*, blood flow, 86(r)
- eggshells, pores, 196(r)
- Finch, Purple, skull pneumatization, 89(r)
- heart, cushion tissue, 299(r)
- Pigeon, magnetic region in skull, 89(r)
- Redpoll, Common, skull pneumatization, 89(r)
- Sparrow, Savannah, sexual dimorphism, 299(r)
- wake of a flying bird, 196(r)
- Warbler, Marsh, identification, 196(r)
- , Reed, identification, 196(r)
- Morris, R. D., see Kirkham, I. R., and —
- , —, and J. E. Black, Radiotelemetry and Herring Gull foraging patterns, 110–118
- Morse, D. H., Structure and foraging pat-

- terns of flocks of tits and associated species in an English woodland during the winter, 191(r)
- MORTALITY**
- Bishop, Red, 81(r)
  - Heron, Grey, 80(r)
  - Widow, Red-collared, 81(r)
  - Morton, M. L., see Beuchat, C. A., S. B. Chaplin, and —
  - Morus bassanus*, 207–208(r)
  - Mougin, J.-L., see Derenne, M. P. Jouventin, and —
  - Mrosovsky, N., and D. F. Sherry, Animal anorexias, 298–299(r)
  - Müller, K., see Andersson, N. A., and —
  - Murre, Thick-billed, see *Uria lomvia*
  - Murton, R. K., and N. J. Westwood, Birds as pests, 98(r)
  - Myres, M. T., see Fisher, R. M., and —
  - Nag, A. C., and M. Cheng, Intercellular adhesion: coconstruction of contractile heart tissue by cells of different species, 389(r)
  - Nakao, H., see Yoneda, M., H. Abe, and —
  - Narosky, S., A new species of the genus *Sporophila*, 199(r)
  - Naumov, N., Problems of evolutionary ecology, 292(r)
  - Nectarinia stuhlmanni*, subspecific variation, 392(r)
  - Nelson, J. B., The Gannet, 207–208(r); The Sulidae: Gannets and Boobies, 207–208(r)
  - Nelson, L. J., D. R. Anderson, and K. P. Burnham, The effect of band loss on estimates of annual survival, 30–38
- NESTING AND REPRODUCTION**
- Auklet, Rhinoceros, growth, 380–381(r)
  - avocet, nesting, Azov Sea, 81(r)
  - Blackbird, Red-winged, reproductive strategy, 287(r)
  - Bunting, Meadow, 84(r)
  - Canvasback, nest parasitism, 361–364
  - Chaffinch, clutch and breeding strategy, 81–82(r)
  - cold in Finland, 382(r)
  - Cuckoo, Yellow-billed, 17–29
  - Eider, Common, 187(r)
  - Fieldfare, 287(r)
  - Fulmar, nest failure, 39–54
  - Goldeneye, Common, nest boxes, 179
  - Goose, Snow, egg deposition, 289(r)
  - Goshawk, nests used, 91(r)
  - Grosbeak, Pine, 382(r)
  - Gull, Black-headed, fecundity, 381–382(r)
  - , Great Black-backed, 271
  - , Herring, nest sites, 270–280
  - , Laughing, 271; 340–355
  - herons, nesting, 271
  - Hobby, foraging, 288(r)
  - Kestrel, Common, foraging, 288(r)
  - kingfisher, breeding biology, 382–383(r)
  - Oriole, Orchard, 381(r)
  - Owl, Little, 381(r)
  - , Tawny, 186–187(r)
  - Pelican, White, eggs, 381(r)
  - pheromones and sexual behavior, 81(r)
  - Pigeon, Wood, 381(r)
  - Pipit, Water, 287(r)
  - polygyny, evolution, 185–186(r)
  - Puffin, Tufted, growth, 380–381(r)
  - Redhead, nest parasitism, 361–364
  - Sandpiper, Least, egg size, 288(r)
  - Shearwater, Wedge-tailed, 288(r)
  - Sheathbill, Lesser, 380(r)
  - Shelduck, Paradise, 187(r)
  - Skimmer, Black, 271
  - Sparrow, House, communal nesting, 371–372
  - Starling, breeding abundance, 286(r); nest sites, 178–179
  - Swallow, Bank, sociobiology, 382(r)
  - Swan, Trumpeter, 289(r)
  - Tern, Common, 271
  - , Roseate, colony site, 229
  - , Sandwich, 382(r)
  - , Sooty, cat and rat predation, 187(r)
  - Thrush, Wood, 18
  - Tit, Coal, nest destruction, 85(r)
  - Warbler, Garden, nestling development, 187–188(r)
  - , Marsh, population turnover, 186(r)
  - , Yellow, predation and parasitism, 286–287(r)
  - Wren, Long-billed Marsh, predation, 287(r)
  - Netherlands, breeding bird populations, 385–386(r)
  - Newell, K. L., and F. G. Cooch, A summary of waterfowl banding accomplishments in Canada, 1918–1978, 376(r); see Poulin, R. M., —, S. J. O'Donnell, and S. Wendt
  - Newton, I., Population ecology of raptors, 208–209(r)
  - New Zealand, birds of the Hunua Range, 198(r); birds on Antipodes Island, 198(r)
  - Nice, M. M., Research is a passion with me, 209–211(r)
  - Nikolskii, I., Voice in the behavior of the Bee-eater (*Merops apiaster*), 303(r)
  - Nilsson, L., Variation in the production of

- young of swans wintering in Sweden, 286(r)
- Nitesci, C., Bird trapping by cannon net in Poland, 285(r)
- Noer, H., Speeds of migrating waders Charadriidae, 184(r)
- Nol, E., see Dunn, E. H., and —
- Nolan, V., Jr., The ecology and behavior of the Prairie Warbler *Dendroica discolor*, 205–207(r)
- North, P. M., see Mead, C. J., —, and B. R. Watmough; —, and B. J. Morgan, Modelling heron survival using weather data, 182(r)
- North Carolina, birds, 304(r); Brimley brothers, 203(r)
- Norway, birds, 394(r)
- Nothnagle, P., see Holmes, R. T., J. C. Schultz, and —
- Nucifraga columbiana*, extralimital occurrences, 300(r)
- Numerov, A. D., and Iu. V. Kotiukov, The Kingfisher, 382–383(r)
- Nutcracker, Clark's, see *Nucifraga columbiana*
- nutritional studies, Germany, 202(r)
- Nyctea scandiaca*, ageing and sexing, 149–160; interactions with Short-eared Owls, 190(r)
- Oceanodroma furcata*, embryonic metabolism, 298(r)
- O'Connor, R. J., see Goodwillie, R., J. S. Furphy, K. Preston, C. D. Hutchinson, O. J. Merne, and —
- Ochando, B., see Jacobs, P., and —
- O'Donnell, S. J., see Poulin, R. M., K. L. Newell, —, and S. Wendt
- Ogilvie, M. A., see Ruttledge, R. F., and —
- Ojanen, M., Effect of a cold spell on birds in northern Finland in May 1968, 382(r); —, M. Orell, and R. A. Väistönen, Role of heredity in egg size variation in the Great Tit *Parus major* and the Pied Flycatcher *Ficedula hypoleuca*, 201(r)
- Ollason, J. C., and G. M. Dunnet, Nest failures in the Fulmar: the effect of observers, 39–54
- Olson, S. L., and Y. Hasegawa, Fossil counterparts of giant penguins from the North Pacific, 200(r)
- Olsson, V., Studies on a population of Eagle Owls, *Bubo bubo* (L.), in southeast Sweden, 306(r)
- O'Malley, J. B. E., and R. M. Evans, Variations in measurements among White Pelican eggs and their use as a hatch date predictor, 381(r)
- Opdam, P., Feeding ecology and niche differentiation in Goshawk (*Accipiter gentilis* L.) and Sparrowhawk (*Accipiter nisus* L.), 395–397(r)
- Orell, M., see Ojanen, M., —, and R. A. Väistönen
- Oriole, Northern, see *Icterus galbula*  
—, Orchard, see *Icterus spurius*
- Oriolus larvatus*, hybridization with Percival's Oriole, 93(r)
- O. percivali*, hybridization with *Oriolus larvatus*, 93(r)
- Ovenbird, see *Seiurus aurocapillus*
- Owen, M., and R. Wells, Territorial behaviour in breeding geese—a re-examination of Ryder's hypothesis, 291(r); —, and R. King, The duration of the flightless period in free-living Mallard, 390(r)
- Owl, Barn, see *Tyto alba*  
—, Eagle, see *Bubo bubo*  
—, Little, see *Athene noctua*  
—, Short-eared, see *Asio flammeus*  
—, Snowy, see *Nyctea scandiaca*  
—, spp., predation on voles, 190–191(r)  
—, Tawny, see *Strix aluco*  
—, Ural, see *Strix uralensis*
- Oystercatcher, see *Haematopus ostralegus*
- Pacific Rim Natl. Park, Birds, 197(r)
- Packard, G. C., see Taigen, T. L., —, P. R. Sotherland, T. J. Boardman, and M. J. Packard
- Paevskii, V., see Dolnik, V., and —
- Pakenham, R. H. W., The birds of Zanzibar and Pemba, 304(r)
- Palacios, L., see Palomeque, J., —, and J. Planas
- Palearctic, birds, Vol. II, 394–395(r)
- Palomeque, J., L. Palacios, and J. Planas, Comparative respiratory functions of blood in some passerine birds, 389(r)
- Panov, E., see Kostina, G., and —
- Panurus biarmicus*, pair bond, 85(r)
- Papenko, V., Distributional features of larks in principal biomes of left-bank steppes of the Ukraine, 294(r)
- Parakeet, see *Melopsittacus undulatus*
- Parakeet, Carolina, historical review, 197(r)
- Parker, P. G., see Wallace, M. P., —, and S. A. Temple
- Parus ater*, nest destruction, 85(r)
- P. bicolor*, mobbing, 18, 24
- P. caeruleus*, foraging patterns, 191(r); physiological adaptation to migration, 195(r)

- P. carolinensis*, mobbing, 18, 24  
*P. major*, egg size variation, 201(r); foraging patterns, 191(r)  
*P. montanus*, song, 97(r), 202–203(r)  
*P. palustris*, song, 97(r), 202–203(r); song learning, 202(r)  
*P. "Pleskei,"* Belgium, 392(r)  
*Passer domesticus*, communal nesting, 371–372; prey item, 178, 188–189(r); thermoregulation, 88(r)  
*P. simplex*, biology, 391–392(r)  
*Passer*, systematics, 91–92(r)  
*Passeriformes*, blood, 389(r)  
—, Palearctic, 390–391(r)  
*Passerculus sandwichensis*, parental investment, 188(r); sexual dimorphism, 299(r)  
*Passerines*, skull pneumatization, 284(r)  
De Paulo, D., see Gaioni, S., H. Hoffman, and —  
Payne, R. B., Seasonal incidence of breeding, moult and local dispersal of Red-billed Firefinches *Lagonostica senegala* in Zambia, 299–300(r)  
*Pelecanus erythrorhynchos*, eggs, 381(r)  
Pelican, White, see *Pelecanus erythrorhynchos*  
*Penelope albipennis*, rediscovery in Peru, 89(r)  
Penguin, Humboldt, see *Spheniscus humboldti*  
—, King, see *Aptenodytes patagonica*  
Pennsylvania, bird-finding guide, 205(r)  
Pennycuick, C. J., T. Alerstam, and B. Larsson, Soaring migration of the Common Crane (*Grus grus*) observed by radar and from an aircraft, 184(r)  
Penski, K., see Gatter, W., and —  
Pererva, V., An experimental operation of a mechanical actograph for monitoring foraging activity of the Hobby and Common Kestrel in the Naurzum Reserve, 288(r)  
*Perisoreus infaustus*, predation, 382(r)  
Perrott, H. R., see Board, R. G., and —  
*Petronia*, systematics, 91–92(r)  
Petrovskii, P., see Kokshaiskii, L., and —  
Petrovskii, V. I., see Kokshaiskii, N. V., and —  
Pettigrew, J. D., see Presti, D., and —  
Peyton, L. J., see West, G. C., and —  
*Phasianus colchicus*, interactions with prairie chickens, 294–295(r)  
Pheasant, Ring-necked, see *Phasianus colchicus*  
Philippona, J., and E. Smith, Observations on the Pink-footed Goose, *Anser brachyrhynchus*, in central Iceland in 1975 and 1976, 80(r)
- PHYSIOLOGY**  
anorexias, 298–299(r)  
avian embryo, metabolism, 87–88(r); osmoregulation, 87(r)  
brain, sexual differences, 388–389(r)  
Coot, fat and protein metabolism, 388(r)  
egg shell, lysyl oxidase, 299(r)  
embryo, chick-electrical currents, 88(r)  
Finch, Zebra, brain, 388–389(r); hormone and sex difference, 88(r); hormone-induced song, 389–390(r); thermoregulation, 88(r)  
flight energetics, 195(r)  
Fowl, Red Jungle, anorexia, 298–299(r)  
Fringillids, circadian rhythm, 84(r)  
heart, intracellular adhesion, 389(r)  
Hummingbird, Anna's, daily energetics, 87(r)  
—, Rufous, daily energetics, 87(r)  
hummingbirds, UV light, 298(r)  
Ibis, Indian White, lipid secretion, 389(r)  
Longspur, Lapland, fatty acids, 138–143  
Magpie, Black-billed, water-vapor conductance of eggs, 389(r)  
Mallard, blood flow, 86(r)  
neuronal chemotaxis, 195(r)  
Passeriformes, blood, 389(r)  
Penguin, Humboldt, peripheral temperature, 389(r)  
Pigeon, Homing, intrasound detection, 86(r)  
pigeon, metabolism, 195(r)  
Robin, European, hormonal effects on migratory behavior, 88(r)  
shorebirds, thermal energetics, 297–298(r)  
Shrike, Red-backed, endogenous control, 88(r)  
Sparrow, House, thermoregulation, 88(r)  
Starling, circadian rhythm, 87(r)  
Storm Petrel, Fork-tailed, embryonic metabolism, 298(r)  
swallows, flight energetics, 195(r)  
swifts, flight energetics, 195(r)  
Tit, Blue, physiological adaptation to migration, 195(r)  
*Pica pica*, social behavior, 383(r); water-vapor conductance of eggs, 389(r)  
Picmar, J., Impact of marsh wrens on reproductive strategy of Red-winged Blackbirds, 287(r)  
*Picoides pubescens*, foraging, 119–127; prey item, 178  
*P. villosus*, foraging, 119–127  
Pierce, R. J., Foods and feeding of the Wry-

- bill *Anarhynchus frontalis* on its riverbed breeding grounds, 202(r)
- Pietrewicz, A. T., and A. C. Kamil, Search image formation in the Blue Jay (*Cyanocitta cristata*), 192(r)
- Pigeon, Homing, geomagnetic map, 377-378(r)
- , see *Columba livia*
- , Wood, see *Columba palumbus*
- Piper, J. (ed.), Respiratory function in birds, adult and embryonic, 397-399(r)
- Pinicola enucleator*, breeding biology, 382(r)
- Pipit, Water, see *Anthus spinolella*
- Pitelka, F. A. (ed.), Shorebirds in marine environments, 99-100(r); see Koenig, W. D., and —
- Planus, J., see Palomeque, J., L. Palacios, and —
- Platt, S. W., Longevity of Herculite leg jess color markers on the Prairie Falcon (*Falco mexicanus*), 281-282
- Plotopteridae, fossils in North Pacific, 200(r)
- Plover, Egyptian, see *Pluvianus aegyptius*
- PLUMAGES AND MOLT
- birds, radiative heat load, 390(r)
  - Bunting, Rustic, plumages, 300(r)
  - Firefinch, Red-billed, breeding, molt, and dispersal, 299-300(r)
  - Flycatcher, Least, fall migration and molt, 65-71
  - Gull, Herring, radiative heat load, 390(r)
  - Indigobird, Village, 299-300(r)
  - Mallard, flightless period, 390(r) molt, trans-Saharan migrants, 89(r)
  - Pluvianus aegyptius*, breeding biology, 395(r)
  - P. apricaria*, winter ecology, 85(r); migration in east Frisia, 78(r)
  - Pochard, see *Aythya ferina*
  - Podiceps auritus*, live-trapping, 179-180
  - Poephila guttata*, behavioral patterns, 290 (r); brain, 388-389(r); hormone and sex difference, 88(r); hormone-induced song, 389-390(r)
- POPULATION DYNAMICS
- Albatross, Wandering, distribution and population changes, 378-379(r)
  - Baltic Sea, avian population dynamics, 185(r)
  - Canachites canadensis*, population regulation, 285-286(r)
  - Finland, bird community changes on farmland, 185(r); population changes in forest birds, 185(r)
  - Goose, Pink-footed, breeding, 80(r)
  - Grackle, Common, population recovery, 226-227
  - Grouse, Blue, breeding density, 379(r)
  - Hawfinch, population, 185(r)
  - Herons, in Quebec, 379-380(r)
  - Owl, Barn, feeding ecology, 380(r)
  - , Eagle, population ecology, 80-81(r)
  - , Tawny, starvation, 80(r)
  - raptors, distribution and breeding biology, 379(r)
  - Robin, American, population recovery, 220-228
  - Swan, Mute, production, 286(r)
  - , Whooper, production, 286(r)
  - Tern, Common, population dynamics, 229-243
  - Potter, E. F., Notes on nesting Yellow-billed Cuckoos, 17-29
  - Potuliege, R., An old Belgian record of *Parus "pleskii"*, 392(r)
  - Poulin, R. M., K. L. Newell, S. J. O'Donnell, and S. Wendt, Annual report to banders: summary of birds banded in Canada in 1977, 182(r)
  - Power, D. M., Evolution in peripheral isolated populations: *Carpodacus* finches on the California islands, 94(r)
  - Prater, A. J., Trends in accuracy of counting birds, 193-194(r)
  - Prax, J. C., see Desfayes, M., and —
- PREDATION
- bird predation, 85-86(r)
  - Bobwhite, prey item, 178
  - Catbird, Gray, killed in net, 175-176
  - Chicken, prey item, 178
  - Dove, Mourning, prey item, 178
  - Flicker, Common, prey item, 178
  - Flycatcher, Willow, killed in net, 175-176
  - fox, red, predation, 180-181
  - Gull, Herring, predation, 81(r)
  - Hawk, Sharp-shinned, stomach contents, 178
  - Jay, Blue, predation, 20, 21, 22
  - , Siberian, predation, 382(r)
  - Junco, Dark-eyed, prey item, 178
  - lizard, prey item, 178
  - mice, prey item, 178
  - Rail, Clapper, killing birds, 175-176
  - salamanders, prey for birds, 302(r)
  - Sandpiper, Spotted, prey item, 178
  - snake, prey item, 178
  - Sparrow, House, prey item, 178
  - Sparrow, Song, prey item, 178
  - Tern, Least, preyed upon by red fox, 180-181
  - voles, preyed upon, 190-191(r)
  - Warbler, Blackpoll, prey item, 178
  - Woodpecker, Downy, prey item, 178
- Presti, D., and J. D. Pettigrew, Ferromag-

- netic coupling to muscle receptors as a basis for geomagnetic field sensitivity in animals, 378(r)
- Preston, K., see Goodwillie, R., J. S. Furphy, —, C. D. Hutchinson, O. J. Merne, and R. J. O'Connor
- Prigogine, A., The status of Percival's Oriole (*Oriolus percivali*) and its hybridization with *Oriolus larvatus* in East Africa, 93(r); A new ground-thrush from Africa, 199(r); Subspecific variation of Stuhlmann's Double-collared Sunbird, *Nectarinia stuhlmanni*, around the Albertine Rift, 392(r)
- Progne subis*, stolen prey, 371–372
- Prop, J., see Van Eerden, M. R., —, and K. Veenstra
- Protonotaria citrea*, banding recapture, 368
- Ptarmigan, White-tailed, see *Lagopus leucurus*, 385(r)
- Puerto Rico, banding returns, 368
- Puffin, Tufted, see *Lunda cirrhata*
- Puffinus pacificus*, 288(r)
- Pukinskii, Yu. B., Through the taiga of River Bikin. In search of the Fish Owl, 100(r)
- Pullainen, E., Behaviour of a Willow Grouse, *Lagopus lagopus*, at the nest, 84(r); On the breeding of the Pine Grosbeak *Pinicola enucleator* in NE Finland, 382(r); The nutritive values of rowanberries, *Sorbus aucuparia* L., for birds and mammals, 393(r)
- Pulliam, H. R., see Caraco, T., S. Martin-dale, and —
- Pyrrhocorax graculus*, flocking behavior, 83–84(r)
- P. pyrrhocorax*, flocking behavior, 83–84(r)
- Pyrrhula pyrrhula*, movements, 199(r)
- Quail, Japanese, see *Coturnix coturnix*
- Quebec birds, avian community structure, 385(r)
- Quelea quelea*, control, 387(r)
- Quine, D. B., see Kreithen, M. L., and —
- Quiscalus quiscula*, interactions with Am. Robins, 227; marking, 6–9; population recovery, 226–227
- Rabenold, K. N., and C. R. Christensen, Effects of aggregation on feeding and survival in a communal wren, 290(r)
- Radar, migratory bird tracks, 248–253
- Rail, Clapper, see *Rallus longirostris*  
—, White-throated, see *Dryolimnas cuvieri*
- Rallus longirostris*, killing birds, 175–176  
raptors, distribution and breeding biology, 379(r); eggshell thickness, 388(r); Ontario banding report, 376(r); population ecology, 208–209(r); Rwanda, 197(r)
- Ratowsky, A. V., and D. A. Ratowsky, A comparison of counting methods to obtain bird species numbers, 194(r)
- Recurvirostra avosetta*, nesting, Azov Sea, 81(r)
- Redhead, see *Aythya americana*
- Redpoll, Arctic, see *Acanthis hornemannii*  
—, Common, see *Acanthis flammea*
- Redstart, American, see *Setophaga ruticilla*
- Rees, W. E., see Lancaster, R. K., and —
- Regulus ignicapillus*, song, 96–97(r)
- Regulus regulus*, song, 96–97(r)
- Reid, F. A., see Smith, D. G., and —
- Rhea americana*, feeding and drinking, 83(r)
- Rhodopechys githaginea*, behavior of captives, 82(r)
- Ring-billed Gull, see *Larus delawarensis*
- Riparia riparia*, colony fidelity, 196–197(r); diet, 95(r); dispersal and survival, 197(r); dispersal and migration, 83(r); sociobiology, 382(r)
- Robertson, R. J., and N. J. Flood, Effects of recreational use of shorelines on breeding bird populations, 387–388(r); see Clark, K. L., and —
- Robin, American, see *Turdus migratorius*
- Rogers, T. D., see Gallagher, M. V., and —
- Romanonski, E., The song of the Marsh and Willow tits (*Parus palustris* and *Parus montanus*)—variation and function, 97(r)
- Rosy Finch, Brown-capped, see *Leucosticte australis*
- Rumboll, M. A. E., see Jehl, J. R., Jr., F. S. Todd, —, and D. Schwartz
- Ruprecht, A., Food of the Barn Owl, *Tyto alba guttata*, from Kujawy, 301–302(r)
- Ruttledge, R. F., and M. A. Ogilvie, The past and current status of the Greenland White-fronted Goose in Ireland and Britain, 295–296(r)
- Rycnlik, B., Territoriality of the Great Spotted Woodpecker, *Dendrocopos major* (L.) in a pine-wood, 289–290(r)
- Rynchos niger*, nesting, 271
- Ryumkevich, T., Notes on Rustic Bunting (*Emberiza rustica*) ecology in the Leningrad region, 300(r); Ecological notes on the ecology of the Rustic Bunting in the Leningrad region, 386–387(r)
- Saarela, S., see Haim, A., —, and R. Hissa
- Saari, L., Ring recoveries of Finnish Wood

- Pigeons (*Columba palumbus* L.) and Stock Doves (*C. oenas* L.), 376(r); On the breeding biology of the Wood Pigeon (*Columba palumbus* L.) in Finland, 381(r)
- Sadler, K. C., see Armbruster, M. J., T. S. Baskett, W. R. Goforth, and —
- Sagar, R. M., Breeding of the Cape Pigeon (*Daption capense*) at the Snares Islands, 198(r)
- Saltiel, A., see Arnold, A. P., and —
- Salvadori, A., and C. M. Francis, A system survey of a Bird Observatory: Part II. The processing of banding data, 128–137
- Sanderling, see *Calidris alba*
- Sandpiper, Least, see *Calidris minutilla*  
—, Spotted, see *Actitis macularia*
- Sauer, E. G. F., and E. M. Sauer, Golden Plovers during the passage through east Frisia, 78(r)
- Sauer, E. M., see Sauer, E. G. F., and —
- Saunders, J., G. Bock, and S. Fahrbach, Frequency selectivity in the Parakeet (*Melopsittacus undulatus*) studied with narrow-band noise masking, 303(r)
- Schlenker, R., A Purple Heron (*Ardea purpurea*) that was 25½ years old, 78(r)
- Schmitt, M., see Despin, B., Y. Le Maho, and —
- Schmidt-Marloh, D., see Schuchmann, K.-L., —, and H. Bell
- Schofpeneils, E., see Balthazart, J., and —
- Schreiber, E. A., and R. W. Schreiber, Breeding biology of Laughing Gulls in Florida. Part II: Nestling parameters, 340–355
- Schuchmann, K.-L., Allopatric speciation in the hummingbird genus *Trochilus*, 392(r); —, D. Schmidt-Marloh, and H. Bell, Energetic investigations on a tropical hummingbird (*Amazilia tzacatl*), 302(r)
- Schultz, J. C., see Holmes, R. T., —, and P. Nothnagle
- Schwartz, D., see Jehl, J. R., Jr., F. S. Todd, M. A. E. Rumboll, and —
- Scott, D., see Glue, D., and —
- Sealy, S. G., Reproductive response of Northern Orioles to a changing food supply, 292(r); Breeding biology of Orchard Orioles in a new population in Manitoba, 381(r); see Busby, D. G., and —
- Searcy, W. A., Sexual selection and body size in male Red-winged Blackbirds, 201(r)
- Seiurus aurocapillus*, age-related migratory behavior, 254–269; banding recaptures, 368
- Selasphorus rufus*, daily energetics, 87(r)
- Senegal, bird notes, 91(r)
- Setopagis parvula*, age-related migratory behavior, 254–269
- Shah, R., see Menon, G., —, and M. Jani
- Shalter, M. D., Studies of mobbing behaviour abound, 189(r)
- Sharp-shinned Hawk, see *Accipiter striatus*
- Shaw, G., Prey selection by breeding Dippers, 95(r); Functions of Dipper roosts, 188(r)
- Shearwater, Wedge-tailed, see *Puffinus pacificus*
- Sheathbill, Lesser, see *Chionis minor*
- Shelduck, Paradise, see *Tadorna variegata*
- Shepard, C. D., see Campbell, R. W., H. R. Carter, —, and C. J. Guiguet
- Sherry, D. F., see Mrosovsky, N., and —
- Shklyarevich, G., On the role of *Nereis vires* in marine birds' food in Kandalaksha Bay, White Sea, 95–96(r)
- Sibley, C. G., see Corbin, K. W., —, and A. Ferguson
- Silieff, E., see Finney, G. H., P. Cadieux, and —
- Simkin, G., Aggregate settlements of the Great Spotted Woodpecker, 290–291(r)
- Simmons, K. E. L., see Cramp, S., and —
- Simon, P., see Delmée, E., P. Dachy, and —
- Simpson, M. C., Jr., William Brewster's exploration of the southern Appalachian Mountains: the journal of 1885, 304(r)
- Siokhin, V., see Filonov, K., and —
- Sitta tephronota*, breeding in Iran, 90–91(r)
- Sjoberg, K., see Danell, K., and —
- Skimmer, Black, see *Rynchops niger*
- Skinner, B. F., see Epstein, R., R. P. Lanza, and —
- Skvortsov, A., Some remarks on "classical" and "non-classical" biology, 303–304(r)
- Slater, P. J. B., A simple model for competition between behaviour patterns, 290(r)
- Smith, D. G., and F. A. Reid, Roles of the song repertoire in Red-winged Blackbirds, 96(r)
- Smith, E., see Philippona, J., and —
- Smith, J. N. M., and R. Zach, Heritability of some morphological characters in a Song Sparrow population, 200–201(r)
- Smith, K. G., Distribution of summer birds

- along a forest moisture gradient in an Ozark watershed, 191(r)
- Smith, S. M., Henpecked males: the general pattern in monogamy?, 55–64
- Snipe, Great, see *Capella media*
- Somateria mollissima*, brooding, 187(r); molt, 297(r); food, 95–96(r)
- Somers, J. D., see Gartshore, R. G., R. J. Brooks, —, and F. F. Gilbert
- SONGS AND VOCALIZATIONS**
- Bee-eater, voice, 303(r)
  - Blackbird, Red-winged, song, 96(r)
  - Blackcap, learned motif in local song, 97(r)
  - Bunting, Grey-necked, song dialects, Iran, 91(r)
  - embryonic sounds, 302(r)
  - Firecrest, song, 96–97(r)
  - Goldcrest, song, 96–97(r)
  - Mockingbird, Northern, recorded imitations, 98–99(r)
  - Nottebohm, F., and A. P. Arnold, Songbirds' brains: sexual dimorphism, 202(r)
  - Parakeet, frequency selectivity, 303(r)
  - Penguin, King, calls, 393–394(r)
  - Rail, White-throated, vocalizations, 394(r)
  - Romanowski, E., The songs of Marsh Tit (*Parus palustris*) and Willow Tit (*Parus montanus*)—species-specific song characters, 202–203(r)
  - Tit, Marsh, song, 97(r), 202–203(r); song learning, 202(r)
  - , Willow, song, 97(r), 202–203(r)
  - Warbler, Palaeartic Reed, song similar to African Reed Warbler, 92(r)
  - Sutherland, P. R., see Taigen, T. L., G. C. Packard, —, T. J. Boardman, and M. J. Packard
  - Soucy, L. J., Jr., Some observations on nesting Barn Owls in New Jersey, 284–285(r)
  - Southern, J. M., see Griffin, C. R., —, and L. D. Frenzel
  - South Georgia, avifauna, 197–198(r)
  - De Souza Lopes, O., L. De Abreu Sacchetta, and E. Dente, Longevity of wild birds obtained during a banding program in Sao Paulo, Brasil, 144–148
  - Sparrow, Desert, see *Passer simplex*
  - , Highland Rufous-collared, see *Zonotrichia capensis*
  - , House, see *Passer domesticus*
  - , Savannah, see *Passerculus sandwichensis*
  - , Song, see *Melospiza melodia*
  - Sparrowhawk, see *Accipiter nisus*
  - Spear, Larry, Band loss from the Western Gull on Southeast Farallon Island, 319–328
  - Spendelow, J. A., and H. R. Spendelow, Jr., Clapper Rail kills birds in a net, 175–176
  - Spheniscus humboldti*, peripheral temperature, 389(r)
  - Spizella pallida*, territory size, 83(r)
  - Sporophila*, new species, 199(r)
  - Stanley, P., see Hiron, G., A. Hardy, and —
  - Starling, see *Sturnus vulgaris*
  - Stefansson, O., The Great Gray Owl in Norbotten Province in 1975–1978, 91(r)
  - Stem, D. C., see Jaffe, L. F., and —
  - Stepanyan, L., Possible generic affinities of the Ibisbill and remarks on the history of family Haematopodidae, 301(r)
  - Sterna albifrons*, preyed upon by red fox, 180–181
  - S. dougallii*, colony site, 229
  - S. fuscata*, cat and rat predation, 187(r)
  - S. hirundo*, nesting, 271; population dynamics, 229–243
  - Stevenson, D. E., see MacBriar, W. N., Jr., and —
  - Stewart, G. R., and R. D. Titman, Territorial behaviour by prairie pothole Blue-winged Teal, 383(r)
  - Stewart, P. A., Mockingbird's defense of a winter food source, 375; —, and H. A. Connor, Fixation of wintering Palm Warblers to a specific site, 365–367
  - Storm Petrel, Fork-tailed, see *Oceanodroma furcata*
  - Streptopelia turtur*, breeding in Bahrain, 90(r)
  - Strix aluco*, foods, 393(r); reproduction, 186–187(r); starvation, 80(r)
  - S. nebulosa*, distribution, Norbotten Province, Sweden, 91(r)
  - S. uralensis*, winter foods, 302(r)
  - Sturnus vulgaris*, bird flock structure, 182–183(r); breeding abundance, 286(r); circadian rhythm, 87(r); circadian rhythm, northern Sweden, 87(r); crop damage, 294(r); feeding space reduction, 190(r); food for nestlings, 301(r); marking, 6–9; nest sites, 178–179
  - Sugden, G., and D. W. Goerzen, Preliminary measurements of grain wasted by field-feeding Mallards, 194(r)
  - Sugden, L. G., Parasitism of Canvasback nests by Redheads, 361–364
  - Sulidae, life-histories, 207–208(r)
  - Summers, R. W., and M. Waltner, Seasonal variations in the mass of waders in south-

- ern Africa with special reference to migration, 285(r)
- Sunbird, Stuhlmann's Double-collared, see *Nectarinia stuhlmanni*
- Svensson, W., Clutch dimensions and aspects of the breeding strategy of the Chaffinch *Fringilla coelebs* in northern Europe: a study based on egg collections, 81–82(r)
- Swallow, Bank, see *Riparia riparia*  
—, Barn, see *Hirundo rustica*  
—, Tree, see *Iridoprocne bicolor*  
swallows, flight energetics, 195(r); nesting sites, 295(r)
- Swan, Bewick's, see *Cygnus columbianus*  
—, Mute, see *Cygnus olor*  
—, Trumpeter, see *Cygnus cygnus*  
—, Whooper, see *Cygnus cygnus*
- Swann, R. L., and S. R. Baillie, The suspension of moult by trans-Saharan migrants in Crete, 89(r)
- Swift, Chimney, see *Chaetura pelasgica*  
swifts, flight energetics, 195(r)
- Syatt, R. D., see Marks, H. L., and —
- Sylvia atricapilla*, learned motif in local song, 97(r); magnetic compass, 183(r)
- S. borin*, figs, 183(r); circannual rhythm, 190(r); migratory unrest, 79(r); nestling development, 187–188(r)
- S. melanocephala*, circannual rhythm, 190(r)
- Syroechkovskii, E., Egg deposition by Snow Geese in alien nests, 289(r)
- SYSTEMATICS AND PALEONTOLOGY**
- Belgium, bird remains, 199–200(r)  
bones, dating, 301(r)
- Ground-Thrush, Africa, 199(r)
- Harrier, Northern, size, 356–360
- Hawk, Galapagos, systematics, 92–93(r)
- Ibisbill, systematics, 301(r)
- Motacillidae, systematics, Africa, 92(r)
- Oriole, Percival's, hybridization with *Ornithion larvatus*, 93(r)
- oystercatchers, systematics, 301(r)
- pipits, systematics, Africa, 92(r)
- Pleistocene birds, Kent, 200(r)
- Plotopteridae, fossils in North Pacific, 200(r)
- Redpoll, Arctic, systematics and habits, 300–301(r)
- , Common, systematics and habits, 300–301(r)
- Skua, Chilean, systematics, 93–94(r)
- , Great, systematics, 93–94(r)
- skuas, South American distribution, 93–94(r)
- Sporophila*, new species, 199(r)
- Sunbird, Stuhlmann's Double-collared, subspecific variation, 392(r)
- Trochilus*, allopatric speciation, 392(r)
- Warbler, Reed, systematics, Niger, 92(r)
- Tadorna variegata*, life history and behavior, 187(r)
- Taeniopygia guttata castanotis*, thermoregulation, 88(r)
- Taigen, T. L., G. C. Packard, P. R. Soetherland, T. J. Boardman, and M. J. Packard, Water-vapor conductance of Black-billed Magpie (*Pica pica*) eggs collected along an altitudinal gradient, 389(r)
- Taylor, R. H., Predation on Sooty Terns at Raoul Island by rats and cats, 187(r)
- Teal, Blue-winged, see *Anas discors*
- TECHNIQUES**
- Blackbird, Red-winged, marking, 6–9  
blackbirds, marking, 6–9
- census, 387(r)
- color bands, effects, 213–219
- Cowbird, Brown-headed, marking, 6–9
- count methods, 194(r)
- data processing, 128–137
- Dove, Mourning, population counts, 194(r)
- Falcon, Prairie, color marker, 281–282
- Fulmar, effects on color bands, 213–219
- Grackle, Common, marking, 6–9
- Gull, Herring, radiotelemetry, 110–118
- Starling, marking, 6–9
- Vulture, Black, patagial markers, 309–314
- , Turkey, patagial markers, 309–314
- Willet, wing tags, 72–73
- Temple, S. A., see Wallace, M. P., P. G. Parker, and —
- Tern, Common, see *Sterna hirundo*  
—, Least, see *Sterna albifrons*  
—, Roseate, see *Sterna dougallii*  
—, Sandwich, see *Thalasseus sandvicensis*  
—, Sooty, see *Sterna fuscata*
- Terschuren, J. A., see Devillers, P., and —
- Thalasseus sandvicensis*, breeding biology, 382(r)
- Thiollay, J. M., Comparisons among populations of hawks of the coastal plains of Mexico and the Ivory Coast, 191–192(r)
- Thiollay, M. M., Comparison of the ecological structure of avian populations of mixed temperate forests, 85(r)
- Thomas, D. K., Figs as a food source of migrating Garden Warblers in southern Portugal, 183(r)
- Thompson, B. G., see Martin, P. R., —, and S. J. Witts

- Thrasher, Pearly-eyed, see *Margarops fusatus*  
*Threskiornis melanocephala*, lipoid secretion, 389(r)
- Thrush, Red-legged, see *Mimochichla plumbea*
- Tikhonov, A., and S. Fokhin, Acoustic signaling and shorebird behavior at early ontogenesis, 302(r); see Ilyichev, V., and —
- Tit, Blue, see *Parus caeruleus*  
 —, Great, see *Parus major*  
 —, Marsh, see *Parus palustris*  
 —, Willow, see *Parus montanus*  
 —, see *Parus "pleskii"*
- Titman, R. D., see Stewart, G. R., and —
- Titman, R. T., see Weatherhead, P. J., R. G. Clark, J. R. Bider, and —
- Todd, F. S., see Jehl, J. R., Jr., —, M. A. E. Rumboll, and D. Schwartz
- Trochilus*, allopatric speciation, 392(r)
- Truslow, F. K., photographs, 397(r)
- Tso-hsin, C., Great numbers of bird species found in China, 300(r)
- Tufted Titmouse, see *Parus bicolor*
- Turdus merula*, ivy as food, 96(r)
- T. migratorius*, interact with Common Grackles, 227; population recovery, 220–228; unusual food, 74–75
- T. pilaris*, breeding biology, 287(r)
- Turnstone, Ruddy, see *Arenaria interpres*
- Tympanuchus cupido*, interactions with Pheasants, 294–295(r)
- Tyto alba*, feeding ecology, 380(r); food, 301–302(r); nesting observations, 284–285(r)
- United Kingdom, birds of waterways, 379(r)
- Uria lomvia*, populations in eastern Canada, 390(r)
- Väistönen, R. A., see Haila, Y., O. Jarvinen, and —; see Jarvinen, O., and —; see Ojanen, M., M. Orell, and —
- Vance, D. R., and R. L. Westemeier, Interactions of pheasants and prairie chickens in Illinois, 294–295(r)
- Vande Weghe, J.-P., Palaeartic raptors in Rwanda, 197(r)
- Van den Elzen, R., Length of the pair bond in the Bearded Tit (*Panurus biarmicus*), 85(r)
- Van Der Wal, R. J., and P. J. Zomerdijk, The moulting of Tufted Duck and Po-chard on the IJsselmeer in relation to moult concentrations in Europe, 297(r)
- Van Erden, M. R., J. Prop, and K. Veenstra, The development of the breeding populations in several species of birds in the Lauwerszee area in eight years following reclamation, 385–386(r)
- Vanellus vanellus*, farmland use in winter, 85(r)
- Van Gompel, J., The occurrence of the Short-eared Owl (*Asio flammeus*) on the Belgian coast, 391(r)
- Vaughan, R., Arctic summer, birds in north Norway, 394(r)
- Veenstra, K., see Van Eerden, M. R., J. Prop, and —
- Vendeweghe, J.-P., The wintering and migration of Palaeartic passerines in Rwanda, 390–391(r)
- Vermeer, K., and L. Cullen, Growth of Rhinoceros Auks and Tufted Puffins, Triangle Island, British Columbia, 380–381(r)
- Vermivora peregrina*, age-related migratory behavior, 254–269
- V. ruficapilla*, age-related migratory behavior, 254–269
- Vershuren, J., see Dupuy, A., and —
- Vidua chalybeata*, brood parasite, 299–300(r)
- Viehmann, W., The magnetic compass of Blackcaps (*Sylvia atricapilla*), 183(r)
- Vilks, E. K., see Ilyichev, V. D., and —
- Vinogradov, V., see Chernyavskaya, S., and —; The Grey Lag Goose (*Anser anser*) in the north Caspian, 390(r)
- Vireo latimeri*, banding recapture, 368
- Vireo, Puerto Rican, see *Vireo latimeri*
- de Visscher, M. N., Aspects of the behavior of the Cattle Egret (*Bubulcus ibis*) at a roost in a mangrove region of Venezuela, 84(r)
- Visser, J., Fat and protein metabolism and mortality in the Coot (*Fulica atra*), 388(r)
- Vleck, C. M., and G. J. Kenagy, Embryonic metabolism of the Fork-tailed Storm Petrel: physiological patterns during prolonged and interrupted incubation, 298(r); —, D. F. Hoyt, and D. Vleck, Metabolism of avian embryos: patterns in altricial and precocial birds, 87–88(r)
- Vleck, D., see Vleck, C. M., D. F. Hoyt, and —
- Vleugel, P. A., Observations on probable primary orientation of nocturnal migrants with the help of first and last twilight points, 184–185(r)
- Vouous, K. H., and T. de Vries, Systematic place and geographic history of the Galapagos Hawk, *Buteo galapagoensis*, 92–93(r)

- Vorobev, K. A., Memoirs of an ornithologist, 397(r)
- de Vries, T., see Voous, K. H., and —
- Vulture, Black, see *Coragyps atratus*
- , Turkey, see *Cathartes aura*
- vultures, patagial markers, 309–314
- Wagner, S. S., see Altmann, S. A., —, and S. Lenington
- Walcott, C., J. L. Gould, and J. L. Kirschvink, Pigeons have magnets, 184(r)
- Wallace, G. J., My world of birds, 100(r)
- Wallace, M. P., P. G. Parker, and S. A. Temple, An evaluation of patagial markers for cathartid vultures, 309–314
- Waltner, M., see Summers, R. W., and —
- Warbler, Adelaide's, see *Dendroica adelaidae*
- , Bay-breasted, see *Dendroica castanea*
- , Blackpoll, see *Dendroica striata*
- , Black-and-white, see *Mniotilla varia*
- , Black-throated Blue, see *Dendroica caerulescens*
- , Black-throated Green, see *Dendroica virens*
- , Canada, see *Wilsonia canadensis*
- , Cape May, see *Dendroica tigrina*
- , Chestnut-sided, see *Dendroica pensylvanica*
- , Garden, see *Sylvia borin*
- , Magnolia, see *Dendroica magnolia*
- , Marsh, see *Acrocephalus palustris*
- , Melodious, see *Hippolais polyglotta*
- , Nashville, see *Vermivora ruficapilla*
- , Palm, see *Dendroica palmarum*
- , Prairie, see *Dendroica discolor*
- , Prothonotary, see *Protonotaria citrea*
- , Reed, see *Acrocephalus scirpaceus*
- , Sardinian, see *Sylvia melanocephala*
- , Tennessee, see *Vermivora peregrina*
- , Yellow-rumped, see *Dendroica coronata*
- , Yellow, see *Dendroica petechia*
- warblers, age-related migratory behavior, 254–269
- Warburton, A. B., see Yalden, D. W., and —
- Ward, P., Rational strategies for the control of Queleas and other migrant bird pests in Africa, 387(r)
- Warham, J. and B. D. Bell, The birds of Antipodes Island, New Zealand, 198(r)
- waterbirds, nesting in Leningrad, 198(r); niche separation, 293(r)
- waterfowl, Algeria, 391(r); Canadian banding summary, 376(r); Estonia, 297(r)
- Watmough, B. R., see Mead, C. J., P. M. North, and —
- Watson, J., Food of Merlins nesting in young conifer forest, 393(r)
- Waugh, D. R., The diet of Sand Martins during the breeding season, 95(r)
- Weatherhead, P. J., Do Savannah Sparrows commit the concorde fallacy, 1–8(r); —, R. G. Clark, J. R. Bider, and R. T. Titman, Movements of blackbirds and starlings in southwestern Quebec and eastern Ontario in relation to crop damage and control, 294(r); —, Sexual dimorphism in two Savannah Sparrow populations, 299(r)
- Weathers, W. W., Climatic adaptation in avian standard metabolic rate, 298(r)
- Wells, R., see Owen, M., and —
- Wendt, S., see Poulin, R. M., K. L. Newell, S. J. O'Donnell, and —
- West, G. C., and L. J. Peyton, Fatty acids of depot lipids in migrating Lapland Longspurs, 138–143
- West, N. H., see Jones, D. R., R. M. Bryan, Jr., —, R. H. Lord, and B. Clark
- Westemeier, R. L., see Vance, D. R., and —
- Westwood, N. J., see Murton, R. K., and —
- Wheatears, interspecific relations, 384(r), 387(r)
- Whitehead, P. M., see McEwan, E. H., and —
- White, S. B., T. A. Bookhout, and E. K. Bollinger, Use of human hair bleach to mark blackbirds and Starlings, 6–9
- Whitfield, A. K., and S. J. M. Blaber, Feeding ecology of piscivorous birds at Lake St. Lucia, Part 1: diving birds; Part 2: wading birds; Part 3: swimming birds, 293(r)
- WILDLIFE MANAGEMENT AND ECONOMIC ORNITHOLOGY**
- blackbirds, crop damage, 294(r)
- Chicken, Greater Prairie, interactions with pheasants, 294–295(r)
- frugivores, foraging ecology, 294(r)
- Grouse, Ruffed, reintroduced to Indiana, 295(r)
- Pheasant, Ring-necked, interactions with prairie chickens, 294–295(r)
- Queleas, control, 387(r)
- Starling, crop damage, 294(r)
- Wilkinson, R., see Huxley, C. R., and —
- Willet, see *Catoptrophorus semipalmatus*
- Williams, M., The social structure, breeding and population dynamics of Paradise Shelduck in the Gisborne-East Coast district, 187(r)

- Williams, T. C., see Cohen, B., and —;  
 see Marsden, J. E., —, V. Krauthammer,  
 and H. Krauthammer
- Wilsonia canadensis*, age-related migratory  
 behavior, 254–269
- Winkel, W., see Berndt, R., and —
- Winkler, H., see Leisler, B., and —
- Winters, J. E., see Faaborg, J., and —
- Witts, S. J., see Martin, P. R., B. G. Thompson,  
 and —
- Wood, M., Birds of Pennsylvania: When  
 and where to find them, 205(r)
- Woodpecker, Acorn, see *Melanerpes formicivorus*
- , Downy, see *Picoides pubescens*
- , Great Spotted, see *Dendrocopos major*
- , Hairy, see *Picoides villosus*
- , Pileated, see *Dryocopus pileatus*
- , Red-bellied, see *Melanerpes carolinus*
- , Red-headed, see *Melanerpes erythrocephalus*
- woodpeckers, foraging habitats, 119–127
- Wren, Long-billed Marsh, see *Cistothorus palustris*
- , Stripe-backed, see *Campylorhynchus nuchalis*
- Wrybill, see *Anarhynchus frontalis*
- Wryneck, breeding behavior and growth  
 rates, 84–85(r)
- Yalden, D. W., and A. B. Warburton, The  
 diet of the Kestrel in the Lake District,  
 202(r)
- Yamagishi, S., Social organization and sta-  
 bility of local density of breeders in the  
 Meadow Bunting *Emberiza cloides*, 84(r)
- Yellowthroat, Common, see *Geothlypis trichas*
- Yoneda, M., H. Abe, and H. Nakao, Winter  
 food habits of the Yezo Ural Owl *Strix uralensis japonica* in a wind shelter-belt,  
 307(r)
- Youngman, R. E., see Fuller, R. J., and —
- Yunick, R. P., Timing of skull pneumatization  
 of the Purple Finch and the Common  
 Redpoll, 89(r); Variation in skull  
 pneumatization patterns of certain pas-  
 serines, 284(r)
- Zach, R., see Smith, J. N. M., and —
- Zanzibar and Pemba, birds, 304(r)
- Zenaida macroura*, prey item, 178; popula-  
 tion counts, 194(r)
- Zomerdijk, P. J., see Van Der Wal, R. J.,  
 and —
- Zonotrichia capensis*, return rates, 176–177
- ZOOGEOGRAPHY AND DISTRIBUTION
- Amazon, birds, 89–90(r)
- Antipodes Island, New Zealand, birds,  
 198(r)
- Argentina, banded birds, 198(r)
- Atlantic Ocean, pelagic birds, 390(r)
- Bahrain, breeding birds, 90(r)
- Bullfinch, movements, 199(r)
- Cape Pigeon, breeding, 198(r)
- Chile, seabirds, 198(r)
- China, birds, 300(r)
- Dove, Turtle, breeding in Bahrain, 90(r)
- Finland, bird populations, 391(r)
- Goose, Grey Lag, north Caspian, 390(r)
- Guan, White-winged, rediscovery in  
 Peru, 89(r)
- Gull, Grey-hooded, breeding, Senegal,  
 91(r)
- , Lesser Black-backed, in French  
 Guyana, 391(r)
- Iran, montane birds, 90–91(r)
- Ireland, birds, 300(r)
- Lark, Crested, breeding abundance in  
 Iran, 90(r)
- Martin, Sand, colony fidelity, 196–197(r)
- Murre, Thick-billed, populations in east-  
 ern Canada, 390(r)
- New Zealand, birds of the Hunua Range,  
 198(r)
- North Carolina, birds, 304(r)
- Nutcracker, Clark's, extralimital occur-  
 rence, 300(r)
- Nuthatch, Rock, breeding in Iran, 90–  
 91(r)
- Owl, Great Gray, distribution, Norbotten  
 Province, Sweden, 91(r)
- , Short-eared, Belgium, 391(r)
- Pacific Rim National Park, birds, 197(r)
- Parakeet, Carolina, historical review,  
 197(r)
- Passeriformes, Palaearctic, 390–391(r)
- raptors, Rwanda, 197(r)
- South Georgia, avifauna, 197–198(r)
- Sparrow, Desert, biology, 391–392(r)
- Swallow, Bank, dispersal and survival,  
 197(r)
- Warbler, Melodious, Belgium, 391(r)
- , Olivaceous, breeding in Bahrain,  
 90(r)
- waterbirds, nesting in Leningrad, 198(r)
- waterfowl, Algeria, 391(r)
- Zvonov, B., Initiative mechanisms of acous-  
 tic orientation in precocial birds, 302–  
 303(r)
- Zwickel, F. C., Surplus yearlings and the  
 regulation of breeding density in Blue  
 Grouse, 379(r)