

Bird Taxonomic Index—1990

The following taxonomic index includes entries for common and scientific names of birds given in the Winter Bird Population Study and Breeding Bird Census. 'Visitors' in the Breeding Bird Census are not included. The numbers correspond to the publication order of the censuses. Numbers preceded by a 'W' refer to Winter Bird Population Studies. Numbers without a 'W' refer to Breeding Bird Censuses.

- Accipiter cooperii*, W5, W7, W21, W27, W30, 41, 53
A. striatus, W1, W3, W5, W10, W13, W25, 43
Actitis macularia, 63, 70, 97
Aegolius acadicus, W14
Agelaius phoeniceus, W20, W22, W23, W27, W28, W29, W33, 5, 14, 21, 22, 37, 60, 63, 65, 67, 70, 72, 73, 75, 76, 77, 82, 83, 84, 85, 90, 92, 94, 95
A. tricolor, W28
Aimophila ruficeps, W30
Aix sponsa, W3, W20, 9, 11, 22, 43, 60, 63
Ammodramus savannarum, 37, 76, 77, 84, 85, 90, 92, 93, 94
Anas americana, W23, W27, W31
A. clypeata, W23
A. crecca, W23, W31
A. cyanoptera, W23, W27, 72
A. cyanoptera, W23, W27, 72
A. discors, 76, 77
A. platyrhynchos, W1, W2, W3, W8, W23, W27, W28, W31, 2, 9, 12, 60, 70, 72, 73, 75, 76, 77
A. rubripes, W2, W3, W8, W20, 9, 32, 75
A. strepera, W23, W27
Anthus spinolettii, W23
Aphelocoma coerulescens, W27, W28, W30, 1, 2, 40, 41, 73, 79, 80, 81
Aquila chrysaetos, W9, W23
Archilochus alexandri, 2, 74
A. colubris, 7, 11, 13, 14, 16, 17, 21, 22, 44, 49, 53, 56, 60, 62, 71, 75
Ardea herodias, W2, W9, W23, W27, W29, 63, 70, 73
Arenaria interpres, W29
Auriparus flaviceps, W30, W31, 74, 78
Aythya affinis, W23, W29
A. americana, 63
A. collaris, W27, 63
A. valisineria, W20, W23, W27
Bartramia longicauda, 76, 77, 84, 89, 90, 91, 92, 93
Beardless-Tyrannulet, Northern, see *Campstoma imberbe*
- Bittern, American, see *Botaurus lentiginosus*
Blackbird, Brewer's, see *Euphagus cyanocephalus*
Red-winged, see *Agelaius phoeniceus*
Rusty, see *Euphagus carolinus*
Tricolored, see *Agelaius tricolor*
Yellow-headed, see *Xanthocephalus xanthocephalus*
Bluebird, Eastern, see *Sialia sialis*
Mountain, see *Sialia currucoides*
Western, see *Sialia mexicana*
Bobolink, see *Dolichonyx oryzivorus*
Bobwhite, Northern, see *Colinus virginianus*
Bombycilla cedarorum, W3, W4, W6, W7, W8, W13, W14, W20, W22, W25, W32, 12, 21, 22, 37, 38, 55, 56, 60, 63, 65, 67, 68, 70, 75, 95, 96, 97
B. garrulus, W7, W25
Bonasa umbellus, W11, W12, W13, W16, W17, W19, W25, 5, 21, 24, 25, 34, 51, 53, 54, 55, 60, 63, 65, 96, 97
Botaurus lentiginosus, 63
Branta canadensis, W1, W3, W6, W8, W23, 12, 60, 63
Bubo virginianus, W7, W8, W18, 12, 19, 22, 26, 42, 63
Bucephala albovula, W23, W27, W29*B. clangula*, W27
Bufflehead, see *Bucephala albovula*
Bunting, Indigo, see *Passerina cyanea*
Snow, see *Plectrophenax nivalis*
Bushtit, see *Psaltriparus minimus*
Buteo jamaicensis, W1, W3, W7, W9, W10, W15, W19, W22, W23, W25, W26, W29, W34, 2, 10, 12, 41, 42, 44, 49, 55, 56, 63, 79, 80, 81, 96
B. lagopus, W23, W34
B. lineatus, W4, W7, W10, W20, W33, 2, 9, 10, 13, 16, 17, 48, 49, 52, 73
B. platypterus, 4, 6, 13, 15, 43, 44, 45, 52, 54, 71, 96
Butorides striatus, W20, W31, 70, 73, 75
Calidris lapponicus, W34
Calidris alba, W29
C. alpina, W29

- C. canutus*, W29
C. mauri, W29
Callipepla californica, W27, W28, 40, 41, 73,
 80, 81
C. gambeli, W31, 74, 78
Calypte anna, W27, W30, W31, 1, 40, 41,
 72, 73, 74, 80, 81, 82
C. costae, 2, 74
Campstostoma imberbe, W30
Campylorhynchus brunneicapillus, W30, W31
Canvasback, see *Aythya valisineria*
Caprimulgus vociferus, 60, 62, 71
Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, W1, W2, W3, W4, W6,
 W7, W8, W9, W10, W14, W17, W19,
 W20, W22, W25, W26, W29, W30,
 W31, W32, W33, 4, 6, 7, 8, 9, 10, 11,
 12, 13, 16, 17, 19, 20, 21, 22, 23, 26,
 43, 45, 47, 48, 49, 50, 53, 55, 56, 58,
 60, 61, 62, 64, 66, 67, 68, 70, 71, 78,
 95, 96, 98
C. sinuatus, W30, W31
Carduelis flammea, W18, W19
C. pinus, W2, W5, W6, W7, W13, W16,
 W17, W18, W19, W20, W21, W23,
 W27, W28, W32, 42, 54, 73
C. psaltria, 1, 2, 30, 40, 41, 42, 74
C. tristis, W1, W3, W5, W6, W7, W9, W10,
 W13, W14, W17, W18, W19, W20,
 W22, W23, W25, W29, W32, 6, 12,
 19, 22, 37, 44, 60, 65, 67, 68, 70, 71,
 72, 73, 75, 79, 80, 81, 82, 83, 84, 85,
 87, 94, 95, 96
Carpodacus cassini, 63, 69
C. mexicanus, W1, W2, W3, W5, W6, W7,
 W12, W20, W22, W23, W25, W27,
 W28, W30, W31, W32, 1, 2, 7, 11, 19,
 21, 40, 41, 42, 58, 60, 66, 70, 73, 74,
 82, 95
C. purpureus, W4, W10, W13, W14, W16,
 W20, W21, W22, W25, W28, W32,
 31, 32, 34, 37, 38, 43, 52, 59, 60, 73,
 79, 80, 81, 96
Casmerodius albus, W29, W33
Catbird, Gray, see *Dumetella carolinensis*
Cathartes aura, W3, W4, W10, W26, W27,
 W29, 2, 44
Catharus fuscescens, 4, 5, 6, 7, 10, 12, 14, 15,
 18, 21, 26, 27, 28, 33, 39, 43, 44, 45,
 47, 50, 51, 52, 60, 64, 65, 75, 97
C. guttatus, W4, W15, W20, W27, W28,
 W30, 5, 6, 24, 29, 32, 36, 39, 46, 52,
 53, 54, 59
C. ustulatus, 2, 32, 34, 63, 73
Catherpes mexicanus, W30, 41
Catoptrophorus semipalmatus, W29
Certhia americana, W1, W2, W2, W3, W5,
 W7, W8, W9, W10, W13, W14, W15,
 W16, W17, W18, W19, W20, W22,
 W23, W25, 5, 6, 14, 15, 18, 26, 29, 31,
 32, 39, 43, 46, 52, 54, 55, 59
Ceryle alcyon, W2, W3, W6, W20, W23,
 W27, W29, W33, 70
Chaetura pelagica, 7, 16, 60, 70
C. vauxi, 29
Chamaea fasciata, W27, W28, 2, 72, 73, 79,
 80, 81
Charadrius melanotos, W29
C. semipalmatus, W29
C. vociferus, W22, W23, W26, W27, W29,
 76, 77, 86
C. wilsonia, W29
Chat, Yellow-breasted, see *Icteria virens*
Chickadee, Black-capped, see *Parus atricapillus*
Boreal, see *Parus hudsonicus*
Carolina, see *Parus carolinensis*
Chestnut-backed, see *Parus rufescens*
Mountain, see *Parus gambeli*
Chondestes grammacus, 1
Chordeiles minor, 42, 63
Circus cyaneus, W22, W27, W29, W34, 72,
 82
Cistrothorus palustris, W27, W28, 63, 72, 73,
 75
C. platensis, 77, 84, 85
Coccothraustes vespertinus, W2, W6, W13,
 W16, W32, 29, 59, 63
Coccyzus americanus, 5, 8, 9, 10, 12, 13, 16,
 17, 25, 48, 49, 55, 60, 62, 68, 71
C. erythrophthalmus, 5, 10, 24, 25, 67, 83, 97
Colaptes auratus, W1, W2, W3, W4, W5,
 W6, W7, W8, W10, W14, W20, W21,
 W22, W23, W26, W27, W29, W30,
 W31, 2, 4, 6, 7, 8, 9, 10, 12, 14, 18, 19,
 22, 23, 24, 25, 26, 29, 31, 34, 36, 39,
 44, 45, 47, 48, 49, 55, 56, 58, 59, 63,
 64, 65, 67, 69, 70, 79, 80, 81, 95, 97
Colinus virginianus, 95
Columba fasciata, 29, 59
C. livia, W1, W2, W10, W20, W22, W23,
 W26, W34, 7
Columbina inca, W31
C. passerina, W29, W33
Contopus sordidulus, 1, 2, 30, 42, 59, 63, 73
C. virens, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14,
 15, 16, 17, 18, 19, 21, 22, 23, 25, 26,
 27, 28, 31, 33, 34, 36, 43, 44, 45, 46,
 47, 48, 49, 50, 54, 55, 56, 57, 58, 62,
 64, 65, 66, 70, 97
Coot, American, see *Fulica americana*
Cormorant, Double-crested, see *Phalacrocorax auritus*

- Corvus brachyrhynchos*, W1, W2, W3, W4, W5, W6, W7, W8, W9, W10, W13, W14, W15, W18, W19, W20, W22, W23, W25, W32, W33, W34, 4, 6, 7, 8, 9, 10, 11, 12, 12, 13, 16, 17, 18, 26, 43, 44, 47, 48, 49, 55, 56, 58, 66, 70, 82, 96
C. corax, W12, W23, 2, 29, 34, 59, 63
C. ossifragus, W26, W29, 13
 Cowbird, Brown-headed, see *Molothrus ater*
 Creeper, Brown, see *Certhia americana*
 Crossbill, Red, see *Loxia curvirostra*
 White-winged, see *Loxia leucoptera*
 Crow, American, see *Corvus brachyrhynchos*
 Fish, see *Corvus ossifragus*
 Cuckoo, Black-billed, see *Coccyzus erythrophthalmus*
 Yellow-billed, see *Coccyzus americanus*
 Curlew, Long-billed, see *Numenius americanus*
Cyanocitta cristata, W1, W2, W2, W4, W5, W6, W7, W8, W10, W11, W13, W14, W15, W16, W17, W19, W20, W22, W25, W26, W32, W33, 4, 5, 6, 7, 8, 9, 10, 12, 13, 16, 17, 20, 22, 23, 24, 25, 26, 31, 32, 33, 34, 38, 39, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 55, 56, 58, 60, 61, 62, 64, 68, 70, 71, 95, 96, 97
C. stellata, W21, 29, 59, 69, 73
Dendragapus obscurus, 69
Dendroica caerulea, 4, 5, 27, 28
D. castanea, 31, 32
D. cerulea, 23, 27, 28, 46
D. coronata, W1, W4, W7, W8, W14, W20, W22, W26, W27, W28, W29, W30, W31, W33, 29, 31, 32, 33, 34, 36, 38, 43, 52, 59, 60, 69
D. discolor, 71, 95, 96
D. dominica, 11, 23
D. fusca, 6, 14, 31, 32, 34, 38, 43, 52, 56
D. magnolia, 31, 32, 34, 38, 44, 52
D. nigrescens, 1
D. occidentalis, 29, 59
D. palmarum, W29, W33
D. pensylvanica, 4, 6, 12, 14, 27, 44, 45, 51, 52, 54, 56, 60, 61, 96
D. petechia, 2, 12, 19, 21, 22, 60, 63, 65, 67, 68, 70, 74, 75, 83, 85, 87, 95, 96, 97
D. pinus, W20, 15, 16, 17, 26, 31, 36, 39, 43, 49, 51, 54
D. virens, 14, 15, 31, 33, 34, 36, 38, 39, 43, 46, 50, 52, 53, 54, 57
 Dickcissel, see *Spiza americana*
Dolichonyx oryzivorus, 37, 76, 77, 84, 85, 86, 87, 88, 90, 92, 93, 94
 Dove, Common Ground-, see *Columbina passerina*
 Inca, see *Columbina inca*
 Mourning, see *Zenaida macroura*
 Rock, see *Columba livia*
 Spotted, see *Streptopelia chinensis*
 White-winged, see *Zenaida asiatica*
 Dowitcher, Short-billed, see *Limnodromus griseus*
Dryocopus pileatus, W1, W2, W3, W4, W5, W8, W10, W11, W14, W19, W20, 5, 7, 9, 10, 11, 13, 14, 15, 16, 17, 23, 25, 29, 43, 47, 48, 49, 53, 54, 55, 56, 59, 64, 71
 Duck, American Black, see *Anas rubripes*
 Ring-necked, see *Aythya collaris*
 Ruddy, see *Oxyura jamaicensis*
 Wood, see *Aix sponsa*
Dumetella carolinensis, W26, W29, W33, 4, 6, 7, 8, 9, 10, 12, 19, 20, 21, 22, 26, 38, 39, 42, 43, 44, 45, 49, 51, 56, 60, 61, 64, 65, 66, 67, 68, 70, 75, 83, 85, 87, 95, 96, 97
 Dunlin, see *Calidris alpina*
 Eagle, Golden, see *Aquila chrysaetos*
 Egret, Great, see *Casmerodius albus*
 Snowy, see *Egretta thula*
Egretta caerulea, W29
E. thula, W27, W29
Elanus caeruleus, 82
Empidonax alnorum, 96
E. difficilis, 1, 59, 63
E. flaviventris, 32
E. hammondi, 29, 59, 63
E. minimus, 4, 12, 15, 51, 60, 70
E. oberholseri, 29, 59
E. traillii, 63, 65, 67, 68, 70, 75, 83, 85, 87, 94
E. virescens, 7, 8, 9, 10, 11, 12, 13, 16, 17, 23, 27, 28, 46, 47, 48, 49, 53, 57, 71
E. wrightii, W30
Eremophila alpestris, W34
Eudocimus albus, W26, W33
Euphagus carolinus, W22
E. cyanocephalus, W28
Falco mexicanus, 63
F. sparverius, W3, W22, W23, W29, W34, 40, 94
 Falcon, Prairie, see *Falco mexicanus*
 Finch, Cassin's, see *Carpodacus cassini*
 House, see *Carpodacus mexicanus*
 Purple, see *Carpodacus purpureus*
 Flicker, Northern, see *Colaptes auratus*
 Flycatcher, Acadian, see *Empidonax virescens*
 Alder, see *Empidonax alnorum*
 Ash-throated, see *Myiarchus cinerascens*
 Brown-crested, see *Myiarchus tyrannulus*
 Dusky, see *Empidonax oberholseri*

- Gray, see *Empidonax wrightii*
 Great Crested, see *Myiarchus crinitus*
 Hammond's, see *Empidonax hammondii*
 Least, see *Empidonax minimus*
 Pacific-slope, see *Empidonax difficilis*
 Vermilion, see *Pyrocephalus rubinus*
 Western, see *Empidonax difficilis*
 Willow, see *Empidonax traillii*
 Yellow-bellied, see *Empidonax flaviventris*
- Fulica americana*, W23, W27, W28, 63, 72, 73
- Gadwall, see *Anas strepera*
Gallinago gallinago, W20, W27 *Gallinula chloropus*, 72
- Gannet, Northern, see *Sula bassanus*
Gavia immer, W29
- Geococcyx californianus*, W30, W31
- Geothlypis trichas*, W27, W28, 2, 4, 5, 6, 7, 9, 12, 14, 15, 16, 19, 20, 21, 22, 23, 24, 26, 32, 33, 38, 39, 43, 44, 45, 49, 51, 52, 54, 56, 60, 61, 63, 64, 65, 67, 70, 72, 73, 74, 75, 83, 84, 85, 94, 95, 96, 97
- Glaucidium gnoma*, 29, 59
- Gnatcatcher, Black-tailed, see *Polioptila melanura*
 Blue-gray, see *Polioptila caerulea*
 Godwit, Marbled, see *Limosa fedoa*
 Goldeneye, Common, see *Bucephala clangula*
 Goldfinch, American, see *Carduelis tristis*
 Lesser, see *Carduelis psaltria*
 Goose, Canada, see *Branta canadensis*
 Chinese, see *Anser cygnoides*
 Goshawk, Northern, see *Accipiter gentilis*
 Grackle, Boat-tailed, see *Quiscalus major*
 Common, see *Quiscalus quiscula*
 Great-tailed, see *Quiscalus mexicanus*
 Grebe, Horned, see *Podiceps auritus*
 Pied-billed, see *Podilymbus podiceps*
 Grosbeak, Black-headed, see *Pheucticus melanocephalus*
 Blue, see *Guiraca caerulea*
 Evening, see *Coccothraustes vespertinus*
 Pine, see *Pinicola enucleator*
 Rose-breasted, see *Pheucticus ludovicianus*
 Ground-Dove, Common, see *Columbina passerina*
 Grouse, Blue, see *Dendragapus obscurus*
 Ruffed, see *Bonasa umbellus*
Guiraca caerulea, 74
- Gull, Bonaparte's, see *Larus philadelphia*
 Great Black-backed, see *Larus marinus*
 Herring, see *Larus argentatus*
 Laughing, see *Larus atricilla*
 Lesser Black-backed, see *Larus fuscus*
 Ring-billed, see *Larus delawarensis*
- Haematopus palliatus*, W29
- Harrier, Northern, see *Circus cyaneus*
 Hawk, Broad-winged, see *Buteo platypterus*
 Cooper's, see *Accipiter cooperii*
 Red-shouldered, see *Buteo lineatus*
 Red-tailed, see *Buteo jamaicensis*
 Rough-legged, see *Buteo lagopus*
 Sharp-shinned, see *Accipiter striatus*
Helmitheros vermivorus, 10, 13, 46, 49, 53, 56, 57, 71
- Heron, Black-crowned Night-, see *Nycticorax nycticorax*
 Great Blue, see *Ardea herodias*
 Green-backed, see *Butorides striatus*
 Little Blue, see *Egretta caerulea*
 Tricolored, see *Egretta tricolor*
Hirundo pyrrhonota, 72, 73
- H. rustica*, 60, 70, 73
- Hummingbird, Allen's, see *Selasphorus sasin*
 Anna's, see *Calypte anna*
 Black-chinned, see *Archilochus alexandri*
 Broad-tailed, see *Selasphorus platycercus*
 Calliope, see *Stellula calliope*
 Costa's, see *Calypte costae*
 Ruby-throated, see *Archilochus colubris*
 Rufous, see *Selasphorus rufus*
Hylocichla mustelina, 4, 6, 7, 8, 9, 10, 12, 13, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 55, 56, 57, 60, 61, 62, 64, 65, 66, 70, 71
Ibis, White, see *Eudocimus albus*
Icteria virens, 2, 71, 74
- Icterus galbula*, W26, 5, 6, 12, 19, 20, 21, 22, 23, 41, 44, 55, 56, 60, 62, 64, 65, 66, 67, 68, 70, 74, 95, 97
- I. spurius*, 13, 22, 95
- Ixoreus naevius*, W21, W28
- Jay, Blue, see *Cyanocitta cristata*
 Scrub, see *Aphelocoma coerulescens*
 Steller's, see *Cyanocitta stelleri*
- Junco, Dark-eyed, see *Junco hyemalis*
Junco hyemalis, W1, W2, W4, W6, W7, W10, W14, W15, W17, W18, W19, W21, W22, W23, W25, W26, W30, W32, 29, 32, 34, 36, 38, 52, 59, 63
- Kestrel, American, see *Falco sparverius*
 Killdeer, see *Charadrius vociferus*
 Kingbird, Eastern, see *Tyrannus tyrannus*
 Western, see *Tyrannus verticalis*
 Kingfisher, Belted, see *Ceryle alcyon*
 Kinglet, Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
 Kite, Black-shouldered, see *Elanus caeruleus*
 Knot, Red, see *Calidris canutus*
Lanius ludovicianus, W26, W29
- Lark, Horned, see *Eremophila alpestris*
Larus argentatus, W1, W26, W29

- L. atricilla*, W29
L. delawarensis, W1, W6, W23, W26, W29,
 W34, 63
L. fuscus, W29
L. marinus, W29
L. philadelphia, W29
Limnodromus griseus, W29
Limnothlypis swainsonii, 13
Limosa fedoa, W29
 Longspur, Lapland, see *Calcarius lapponicus*
 Loon, Common, see *Gavia immer*
Lophodytes cucullatus, W29, W33, 32, 60
Loxia curvirostra, W12
L. leucoptera, W11, W13, W16, 52
 Magpie, Black-billed, see *Pica pica*
 Yellow-billed, see *Pica nuttalli*
 Mallard, see *Anas platyrhynchos*
 Meadowlark, Eastern, see *Sturnella magna*
 Western, see *Sturnella neglecta*
Melanerpes carolinus, W1, W3, W4, W5, W6,
 W7, W8, W10, W14, W20, W22, W26,
 W33, 7, 8, 9, 10, 11, 12, 13, 16, 17, 18,
 19, 22, 23, 45, 47, 48, 49, 53, 58, 60,
 61, 62, 64, 66, 71
M. erythrocephalus, W4, W14, W22, 22
M. formicivorus, W28, 1, 40, 41, 73
M. uropygialis, W30, W31, 78
Melanitta perspicillata, W29
Meleagris gallopavo, W19, 4, 53, 56
Melospiza georgiana, W20, W27, W28, W29,
 39, 60, 75, 84, 85
M. lincolni, W27, 59, 69
M. melodia, W1, W3, W6, W7, W8, W10,
 W19, W20, W21, W22, W23, W27,
 W28, W29, 2, 6, 7, 11, 12, 14, 19, 20,
 21, 22, 37, 38, 43, 44, 52, 60, 63, 64,
 65, 66, 67, 68, 70, 72, 73, 74, 75, 79,
 80, 81, 82, 83, 84, 85, 94, 95, 96, 97
 Merganser, Common, see *Mergus merganser*
 Hooded, see *Lophodytes cucullatus*
 Red-breasted, see *Mergus serrator*
Mergus merganser, W2, W3, W9, W23
M. serrator, W29
Mimus polyglottos, W1, W2, W3, W10, W22,
 W26, W29, W31, 7, 58, 95
Mniotilla varia, 4, 5, 6, 12, 24, 25, 26, 31,
 33, 34, 39, 44, 45, 46, 49, 53, 55, 60,
 71, 96, 97
 Mockingbird, Northern, see *Mimus*
 polyglottos
Molothrus ater, W6, W20,
 W26, 2, 6, 7, 8, 9, 10, 11, 12, 13, 16,
 17, 19, 22, 24, 26, 30, 37, 38, 40, 41,
 43, 44, 45, 47, 48, 49, 52, 53, 55, 56,
 58, 59, 60, 63, 65, 67, 68, 69, 70, 71,
 73, 74, 75, 76, 77, 79, 80, 81, 83, 84,
 85, 86, 87, 88, 90, 92, 93, 94, 96, 97
 Moorhen, Common, see *Gallinula chloropus*
Myadestes townsendi, W30, 29, 59, 63
Myiarchus cinerascens, 1, 2, 40, 41, 74
M. crinitus, 4, 8, 9, 11, 12, 13, 14, 15, 16,
 17, 18, 21, 22, 23, 24, 25, 26, 31, 33,
 43, 45, 46, 47, 48, 49, 50, 51, 54, 55,
 56, 58, 60, 62, 64, 65, 68, 96, 97
M. tyrannulus, 74
 Nighthawk, Common, see *Chordeiles minor*
 Night-Heron, Black-crowned, see *Nycticorax*
 nycticorax
Numenius americanus, W29
 Nuthatch, Pygmy, see *Sitta pygmaea*
 Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
Nyctea scandiaca, W9
Nycticorax nycticorax, W27, 73
Oporornis formosus, 8, 9, 10, 13, 16, 23, 48,
 49, 53, 62, 71
O. philadelphus, 14, 51, 52, 54
O. tolmei, 29, 42, 59, 63
Oreortyx pictus, 29, 59
 Oriole, Northern, see *Icterus galbula*
 Orchard, see *Icterus spurius*
 Osprey, see *Pandion haliaetus*
Otus asio, W2, W19, 7, 12
Otus kennicottii, 74
 Ovenbird, see *Seiurus aurocapillus*
 Owl, Barn, see *Tyto alba*
 Barred, see *Strix varia*
 Eastern Screech-, see *Otus asio*
 Great Horned, see *Bubo virginianus*
 Northern Pygmy-, see *Glaucidium gnoma*
 Northern Saw-whet, see *Aegolius acadicus*
 Snowy, see *Nyctea scandiaca*
 Western Screech-, see *Otus kennicottii*
Oxyura jamaicensis, W27, 72
 Oystercatcher, American, see *Haematopus*
 pallatus
Pandion haliaetus, W29, 63
 Partridge, Gray, see *Perdix perdix*
 Parula, Northern, see *Parula americana*
Parula americana, 9, 10, 11, 14, 16, 23, 31,
 32, 34, 49, 53, 54, 57
Parus atricapillus, W2, W2, W5, W6, W7,
 W9, W11, W13, W15, W16, W17,
 W18, W19, W21, W23, W25, W32, 4,
 5, 6, 12, 14, 18, 19, 20, 21, 22, 24, 25,
 26, 31, 32, 33, 34, 36, 38, 39, 43, 44,
 45, 46, 50, 52, 54, 55, 56, 60, 61, 62,
 63, 64, 65, 68, 70, 95, 96, 97
P. bicolor, W1, W2, W3, W4, W5, W6, W7,
 W8, W10, W14, W15, W18, W19,
 W20, W22, 4, 5, 6, 7, 8, 9, 10, 11, 12,
 13, 17, 18, 19, 20, 22, 23, 24, 25, 26,
 27, 28, 39, 43, 44, 45, 46, 47, 48, 49,
 50, 53, 55, 56, 57, 58, 62, 64, 66, 71
P. carolinensis, W1, W3, W4, W8, W10,
 W14, W20, W22, 7, 8, 9, 10, 11, 13,
 16, 17, 23, 47, 48, 49, 53, 58, 71

- P. gambeli*, W23, 29, 30, 42, 59, 63, 69
P. hudsonicus, W11, 32
P. inornatus, 1, 2, 40, 41, 73, 74
P. rufescens, W21, W27, W28, 73
Passer domesticus, W1, W2, W6, W7, W22, W26, W31, 7, 21, 58, 66
Passerculus sandwichensis, W29, 37, 83, 84, 85, 86, 87, 94
Passerella iliaca, W4, W21, W26, W27, W28, 29, 59, 69
Passerina cyanea, 11, 12, 13, 14, 22, 23, 24, 27, 38, 49, 51, 52, 53, 55, 56, 62, 67, 70, 71, 94, 96
Pelecanus occidentalis, W26, W29
Pelican, Brown, see *Pelecanus occidentalis*
Perdix perdix, 84
Pewee, Eastern Wood-, see *Contopus virens*
 Western Wood-, see *Contopus sordidulus*
Phainopepla, see *Phainopepla nitens*
Phainopepla nitens, W30, W31
Phalacrocorax auritus, W26, W29
Phalarope, Wilson's, see *Phalaropus tricolor*
Phalaropus tricolor, 76, 77
Phasianus colchicus, W18, W21, 19, 20, 83, 84, 85
Pheasant, Ring-necked, see *Phasianus colchicus*
Pheucticus ludovicianus, 5, 6, 12, 15, 20, 21, 22, 24, 27, 28, 44, 51, 52, 55, 56, 60, 68, 70, 96, 97
P. melanocephalus, 2, 59, 63, 73, 74
Phoebe, Black, see *Sayornis nigricans*
 Eastern, see *Sayornis phoebe*
 Say's, see *Sayornis saya*
Pica pica, W23
Picooides albolarvatus, 29, 59
P. arcticus, 54
P. nuttallii, 1, 2, 40, 41, 73, 74
P. pubescens, W1, W2, W2, W3, W4, W5, W6, W7, W8, W9, W10, W11, W13, W14, W15, W16, W17, W18, W19, W20, W21, W22, W23, W25, W26, W32, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 34, 39, 43, 44, 45, 46, 47, 48, 49, 51, 54, 55, 56, 58, 60, 62, 65, 66, 70, 71, 73, 96, 97
P. scalaris, W30, W31
P. villosus, W1, W2, W3, W4, W5, W6, W7, W8, W10, W11, W15, W17, W18, W19, W20, W23, W25, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 22, 23, 25, 28, 29, 30, 31, 32, 39, 43, 44, 45, 47, 48, 49, 50, 51, 53, 54, 55, 56, 59, 62, 71, 97
Pigeon, Band-tailed, see *Columba fasciata*
Pinicola enucleator, W11, W12, W13
Pipilo aberti, W30, W31, 78
P. chlorurus, W30, 29, 59
P. erythropthalmus, W1, W4, W10, W14, W20, W21, W22, W26, W28, W29, 2, 4, 5, 6, 7, 8, 10, 13, 19, 20, 23, 24, 26, 27, 28, 33, 37, 38, 39, 42, 44, 45, 47, 48, 49, 58, 59, 60, 61, 62, 65, 71, 73, 74, 79, 80, 81, 95, 96
P. fuscus, W27, W28, 40, 41, 73, 80, 81
Pipit, Water, see *Anthus spinolella*
Piranga ludoviciana, 29, 42, 59, 63
P. olivacea, 4, 5, 6, 8, 9, 10, 12, 15, 16, 17, 18, 23, 24, 25, 26, 27, 28, 39, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 54, 55, 56, 57, 60, 64, 66, 71, 97
P. rubra, 13, 16, 17, 62, 71, 74
Plectrophenax nivalis, W34
Plover, Black-bellied, see *Pluvialis squatarola*
 Piping, see *Charadrius melanotos*
Semipalmated, see *Charadrius semipalmatus*
 Wilson's, see *Charadrius wilsonia*
Pluvialis squatarola, W29
Pochard, Red-crested, see *Netta rufina*
Podiceps auritus, W29
Podilymbus podiceps, W8, W23, W27, 63, 72, 73
Polioptila caerulea, W26, W33, 7, 9, 11, 12, 13, 16, 17, 22, 23, 25, 46, 49, 56, 62, 71
P. melanura, W30
Pooecetes gramineus, 83, 89
Porzana carolina, W27, W28
Protonotaria citrea, 11, 13
Psaltriparus minimus, W21, W28, 2, 40, 41, 73, 74, 80, 82
Pygmy-Owl, Northern, see *Glaucidium gnoma*
Pyrocephalus rubinus, 74
Pyrrhuloxia, see *Cardinalis sinuatus*
Quail, California, see *Callipepla californica*
 Gambel's, see *Callipepla gambelii*
Mountain, see *Oreortyx pictus*
Quiscalus major, W26, W29
Q. mexicanus, W31
Q. quiscula, W1, W4, W10, W22, W26, W29, 7, 12, 16, 21, 22, 43, 44, 49, 60, 64, 66, 67, 70, 97
Rail, Clapper, see *Rallus longirostris*-Virginia, see *Rallus limicola*
Rallus limicola, W23, W27, W28, 72, 73, 74, 75, 77
R. longirostris, W29
Raven, Common, see *Corvus corax*
Redhead, see *Aythya americana*
Redpoll, Common, see *Carduelis flammea*
Redstart, American, see *Setophaga ruticilla*

- Regulus calendula*, W1, W3, W4, W20, W21, W22, W26, W27, W28, W29, W30, W31, W33, 63, 69
- R. satrapa*, W1, W2, W3, W4, W5, W7, W8, W10, W11, W13, W14, W16, W17, W18, W19, W20, W21, W22, W25, 29, 31, 32, 34, 35, 52, 59, 63
- Roadrunner, Greater, see *Geococcyx californianus*
- Robin, American, see *Turdus migratorius*
- Salpinctes obsoletus*, W30
- Sanderling, see *Calidris alba*
- Sandpiper, Spotted, see *Actitis macularia*
Upland, see *Bartramia longicauda*
Western, see *Calidris mauri*
- Sapsucker, Red-breasted, see *Sphyrapicus ruber*
Yellow-bellied, see *Sphyrapicus varius*
- Sayornis nigricans*, W27, 73
- S. phoebe*, W4, W20, W22, W33, 4, 5, 6, 7, 15, 33, 44, 45, 47, 53, 60, 71
- S. saya*, W31
- Scapul, Lesser, see *Aythya affinis*
- Scolopax minor*, W4, W20, 16, 37, 38, 60, 62, 70, 96, 97
- Scoter, Surf, see *Melanitta perspicillata*
- Screech-Owl, Eastern, see *Otus asio*
- Seiurus aurocapillus*, 4, 5, 6, 7, 8, 9, 10, 12, 14, 15, 16, 17, 18, 21, 24, 25, 26, 27, 28, 31, 36, 38, 39, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 60, 62, 64, 66, 71, 97
- S. motacilla*, 9, 13, 16, 23, 44, 45, 47, 48, 49, 53, 57, 64
- S. noveboracensis*, 18
- Selasphorus platycercus*, 30, 42
- S. rufus*, 63
- S. sasin*, W27, 72, 73, 79, 80, 81, 82
- Setophaga ruticilla*, 4, 5, 6, 7, 12, 13, 14, 15, 16, 21, 27, 28, 33, 44, 46, 47, 51, 56, 60, 65, 75, 97
- Shoveler, Northern, see *Anas clypeata*
- Shrike, Loggerhead, see *Lanius ludovicianus*
- Sialia currucoides*, 69
- S. mexicana*, W30, 1, 40, 41, 42, 73, 81
- S. sialis*, W4, W10, W14, W20, W22, W32, 23, 60, 96
- Siskin, Pine, see *Carduelis pinus*
- Sitta canadensis*, W5, W7, W11, W12, W13, W14, W16, W17, W18, W19, W21, 29, 31, 32, 33, 36, 39, 43, 52, 54, 59, 63, 97
- S. carolinensis*, W1, W2, W2, W3, W5, W6, W7, W8, W9, W10, W14, W15, W16, W17, W18, W19, W20, W23, W25, W30, W31, 1, 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 17, 18, 19, 20, 22, 23, 24, 25,
- 26, 28, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 55, 56, 61, 62, 64, 66, 70, 71, 97
- S. pygmaea*, W12, 30, 42
- Skimmer, Black, see *Rynchops niger*
- Snipe, Common, see *Gallinago gallinago*
- Solitaire, Townsend's, see *Myadestes townsendi*
- Sora, see *Porzana carolina*
- Sparrow, American Tree, see *Spizella arborea*
Black-chinned, see *Spizella atrogularis*
Black-throated, see *Amphispiza bilineata*
Chipping, see *Spizella passerina*
Clay-colored, see *Spizella pallida*
Field, see *Spizella pusilla*
Fox, see *Passerella iliaca*
Golden-crowned, see *Zonotrichia atricapilla*
Grasshopper, see *Ammodramus savannarum*
- House, see *Passer domesticus*
Lark, see *Chondestes grammacus*
- Lincoln's, see *Melospiza lincolni*
- Rufous-crowned, see *Aimophila rufuliceps*
- Savannah, see *Passerculus sandwichensis*
- Song, see *Melospiza melodia*
- Swamp, see *Melospiza georgiana*
- Vesper, see *Pooecetes gramineus*
- White-crowned, see *Zonotrichia leucophrys*
White-throated, see *Zonotrichia albicollis*
- Sphyrapicus ruber*, 29, 59
- S. varius*, W3, W4, W14, W20, W22, W26, 5, 6, 14, 15, 18, 32, 51, 60
- Spiza americana*, 76, 83, 84, 85, 92, 94
- Spizella arborea*, W2, W2, W6, W7, W23, W25, W32
- S. pallida*, 87, 88
- S. passerina*, W30, W33, 1, 14, 22, 30, 36, 37, 38, 42, 51, 52, 55, 56, 59, 60, 63, 66, 69, 70, 85, 96
- S. pusilla*, W20, W22, 37, 38, 62, 67, 68, 70, 96, 97
- Starling, European, see *Sturnus vulgaris*
- Stelgidopteryx serripennis*, 2, 53, 70, 73
- Stellula calliope*, 63
- Sterna caspia*, W29
- S. forsteri*, W29
- S. maxima*, W29
- S. sandvicensis*, W29
- Streptopelia chinensis*, 74
- Strix varia*, 6, 9, 10, 11, 43, 44, 45, 46, 49
- Sturnella magna*, 94
- S. neglecta*, 76, 77, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93
- Sturnus vulgaris*, W1, W2, W3, W6, W7, W8, W9, W10, W14, W20, W22, W23,

- W26, W28, W29, W31, W34, 7, 11, 19, 20, 21, 22, 34, 40, 41, 58, 65, 70, 73, 74, 80
- Sula bassanoides*, W29
- Swallow, Barn*, see *Hirundo rustica*
- Cliff*, see *Hirundo pyrrhonota*
- Northern Rough-winged*, see *Stelgidopteryx serripennis*
- Violet-green*, see *Tachycineta thalassina*
- Swift, Chimney*, see *Chaetura pelasgica*
- Vaux's*, see *Chaetura vauxi*
- Tachycineta bicolor*, W27, W28, 21, 22, 33, 42, 60, 63, 65, 73, 75, 95, 96
- T. thalassina*, 30, 40, 41, 42, 63
- Tanager, Scarlet*, see *Piranga olivacea*
- Summer*, see *Piranga rubra*
- Western*, see *Piranga ludoviciana*
- Teal, Blue-winged*, see *Anas discors*
- Cinnamon*, see *Anas cyanoptera*
- Green-Winged*, see *Anas crecca*
- Tern, Caspian*, see *Sterna caspia*
- Forster's*, see *Sterna forsteri*
- Royal*, see *Sterna maxima*
- Sandwich*, see *Sterna sandvicensis*
- Thrasher, Brown*, see *Toxostoma rufum*
- California*, see *Toxostoma redivivum*
- Crissal*, see *Toxostoma crissale*
- Curve-billed*, see *Toxostoma curvirostre*
- Thrush, Hermit*, see *Catharus guttatus*
- Swainson's*, see *Catharus ustulatus*
- Varied*, see *Ixoreus naevius*
- Wood*, see *Hylocichla mustelina*
- Thryomanes bewickii*, W21, W30, 40, 41, 73, 74, 79, 80, 81, 82
- Thryothorus ludovicianus*, W1, W3, W4, W7, W8, W10, W14, W19, W20, W22, W26, W29, 7, 8, 9, 10, 11, 13, 17, 20, 22, 23, 26, 45, 47, 48, 49, 53, 56, 58, 61, 66, 71
- Titmouse, Plain*, see *Parus inornatus*
- Tufted*, see *Parus bicolor*
- Towhee, Abert's*, see *Pipilo aberti*
- Brown*, see *Pipilo fuscus* *California*, see *Pipilo crissalis*
- Canyon*, see *Pipilo fuscus*
- Green-tailed*, see *Pipilo chlorurus*
- Rufous-sided*, see *Pipilo erythrorthalmus*
- Toxostoma crissale*, W30
- T. curvirostre*, W30, W31
- T. redivivum*, 41, 74
- T. rufum*, W4, W22, W26, W33, 13, 19, 20, 58, 65, 83, 98
- Tringa melanoleuca*, W29
- Troglodytes aedon*, W22, W29, W33, 2, 6, 7, 19, 20, 21, 22, 23, 26, 38, 40, 45, 61, 65, 66, 68, 70, 74, 83, 95, 96, 97
- T. troglodytes*, W1, W3, W20, W21, W23, 5, 14, 25, 29, 31, 32, 33, 34, 35, 54
- Turdus migratorius*, W1, W2, W3, W4, W7, W8, W10, W12, W14, W16, W20, W21, W22, W23, W25, W26, W27, W28, W30, W32, W33, 1, 5, 6, 7, 8, 18, 19, 20, 21, 22, 24, 26, 29, 30, 32, 33, 34, 37, 38, 39, 42, 44, 48, 50, 52, 55, 56, 58, 59, 60, 63, 64, 65, 66, 67, 68, 69, 70, 73, 79, 80, 81, 83, 94, 95, 96, 97
- Turkey, Wild*, see *Meleagris gallopavo*
- Turnstone, Ruddy*, see *Arenaria interpres*
- Tyrannus tyrannus*, 21, 22, 37, 56, 60, 67, 68, 70, 75, 84, 85, 86, 87, 88, 90, 91, 94, 95, 97
- T. verticalis*, 41, 74, 88
- Tryannulet, Northern Beardless-*, see *Campstostoma imberbe*
- Veery*, see *Catharus fuscescens*
- Verdin*, see *Auriparus flaviceps*
- Vermivora celata*, W26, W27, W33, 1, 2, 73, 79, 80
- V. chrysoptera*, 51
- V. pinus*, 4, 6, 12, 19, 26, 38, 44, 60, 61, 66, 67, 68, 95, 96
- V. ruficapilla*, 14, 31, 32, 36, 51, 59, 96, 97
- Vireo bellii*, 78
- V. flavifrons*, 5, 6, 9, 10, 12, 13, 16, 17, 21, 22, 44, 46, 47, 48, 56, 60, 64, 71
- V. gilvus*, 1, 11, 21, 22, 59, 63, 70, 73 *V. griseus*, W33, 8, 9, 13, 23, 45, 49, 58, 61, 71, 95, 98
- V. huttoni*, W27, 1, 40, 41, 73
- V. olivaceus*, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 27, 28, 31, 43, 44, 45, 46, 47, 48, 49, 50, 51, 53, 54, 55, 56, 57, 60, 61, 64, 65, 66, 68, 70, 71, 97
- V. solitarius*, W26, 1, 27, 28, 29, 30, 31, 32, 36, 42, 43, 44, 52, 53, 57, 59
- Vireo, Bell's*, see *Vireo bellii*
- Hutton's*, see *Vireo huttoni*
- Red-eyed*, see *Vireo olivaceus*
- Solitary*, see *Vireo solitarius*
- Warbling*, see *Vireo gilvus*
- White-eyed*, see *Vireo griseus*
- Yellow-throated*, see *Vireo flavifrons*
- Vulture, Black*, see *Coragyps atratus*
- Turkey*, see *Cathartes aura*
- Warbler, Bay-breasted*, see *Dendroica castanea*
- Black-and-white*, see *Mniotilla varia*
- Blackburnian*, see *Dendroica fusca*
- Black-throated Blue*, see *Dendroica caerulea*

- Black-throated Gray, see *Dendroica nigrescens*
 Black-throated Green, see *Dendroica virens*
 Blue-winged, see *Vermivora pinus*
 Brewster's, see *Vermivora pinus* × *Vermivora chrysoptera*
 Canada, see *Wilsonia canadensis*
 Cerulean, see *Dendroica cerulea*
 Chestnut-sided, see *Dendroica pensylvanica*
 Golden-winged, see *Vermivora chrysoptera*
 Hermit, see *Dendroica occidentalis*
 Hooded, see *Wilsonia citrina*
 Kentucky, see *Oporornis formosus*
 Lucy's, see *Vermivora luciae*
 MacGillivray's, see *Oporornis tolmei*
Magnolia, see *Dendroica magnolia*
 Mourning, see *Oporornis philadelphia*
 Nashville, see *Vermivora ruficapilla*
 Northern Parula, see *Parula americana*
 Orange-crowned, see *Vermivora celata*
 Palm, see *Dendroica palmarum*
 Pine, see *Dendroica pinus*
 Prairie, see *Dendroica discolor*
 Prothonotary, see *Protonotaria citrea*
 Swainson's, see *Limnothlypis swainsonii*
 Wilson's, see *Wilsonia pusilla*
 Worm-eating, see *Helmitheros vermivorus*
 Yellow, see *Dendroica petechia*
 Yellow-rumped, see *Dendroica coronata*
 Yellow-throated, see *Dendroica dominica*
 Waterthrush, Louisiana, see *Seiurus motacilla*
 Northern, see *Seiurus noveboracensis*
 Waxwing, Bohemian, see *Bombycilla garrulus*
 Cedar, see *Bombycilla cedrorum*
 Whip-poor-will, see *Caprimulgus vociferus*
 Wigeon, American, see *Anas americana*
 Willet, see *Catoptrophorus semipalmatus*
Wilsonia canadensis, 15, 27, 31, 32, 44, 50, 54
W. citrina, 8, 9, 10, 13, 16, 17, 27, 45, 48, 49, 53, 56, 61, 71
W. pusilla, 73, 79, 80
 Wood-Pewee, Eastern, see *Contopus virens*
 Western, see *Contopus sordidulus*
 Woodcock, American, see *Scolopax minor*
 Woodpecker, Acorn, see *Melanerpes formicivorus*
 Black-backed, see *Picoides arcticus*
 Downy, see *Picoides pubescens*
 Gila, see *Melanerpes uropygialis*
 Hairy, see *Picoides villosus*
 Ladder-backed, see *Picoides scalaris*
 Nuttall's, see *Picoides nuttallii*
 Pileated, see *Dryocopus pileatus*
 Red-bellied, see *Melanerpes carolinus*
 Red-headed, see *Melanerpes erythrocephalus*
 White-headed, see *Picoides albolarvatus*
 Wren, Bewick's, see *Thryomanes bewickii*
 Cactus, see *Campylorhynchus brunneicapillus*
 Canyon, see *Catherpes mexicanus*
 Carolina, see *Thryothorus ludovicianus*
 House, see *Troglodytes aedon*
 Marsh, see *Cistothorus palustris*
 Rock, see *Salpinctes obsoletus*
 Sedge, see *Cistothorus platensis*
 Winter, see *Troglodytes troglodytes*
 Wrentit, see *Chamaea fasciata*
Xanthocephalus xanthocephalus, 63
 Yellowlegs, Greater, see *Tringa melanoleuca*
 Yellowthroat, Common, see *Geothlypis trichas*
Zenaida asiatica, W31, 78
Z. macroura, W1, W2, W3, W6, W7, W8, W10, W14, W20, W21, W22, W26, W29, W30, W31, W32, W33, 1, 2, 5, 7, 8, 10, 17, 22, 24, 25, 30, 33, 34, 40, 41, 42, 44, 47, 48, 58, 60, 63, 66, 67, 68, 70, 71, 72, 73, 74, 78, 79, 80, 82, 83, 84, 85, 95, 97
Zonotrichia albicollis, W1, W2, W3, W4, W8, W10, W14, W19, W20, W22, W26, W32, 14, 31, 32, 33, 34, 35, 97
Z. atricapilla, W27, W28
Z. leucophrys, W23, W28, W30, W31, 69, 79, 80, 81