

## INDICES TO VOLUME 63

COMPILED BY TERESA HOLEVAS, STACIE F. RAZIM  
AND KEN YASUKAWA

Three indices follow: an author index, a subject/geographic index and a taxonomic index of avian species mentioned in the volume.

### Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature selection.)

- Adelung, D., 219 (r)  
Ahlquist, J. E., 380-384 (r)  
Alerstam, T., 238 (r), 371 (r)  
Alonso, J. A., 477 (r)  
Alonso, J. C., 477 (r)  
Anabalón, J. J., 374 (r)  
Andersen, D. E., 223 (r)  
Anderson, J. G. T., 369 (r)  
Anderson, S. H., 88 (r)  
Andrews, R. D., 389 (r)  
Armesto, J. J., 369 (r)  
Arnold, T. W., 225 (r)  
Arvidsson, B. L., 221 (r)  
Attié, C., 95 (r)  
Atwood, J. L., 159-168, 221 (r)  
Backstrom, P., 375 (r)  
Baker, R. H., 220 (r)  
Baldassarre, G. E., 227 (r)  
Balletto, E., 94 (r)  
Baptist, T. R., 385 (r)  
Baxter, G. S., 373 (r)  
Bayn, R. L., 375 (r)  
Beason, R. C., 286-293  
Becker, M., 371 (r)  
Becker, P. H., 181-185  
Bednarz, J. C., 93-94 (r)  
Beissinger, S. R., 486-487 (r)  
Bejcek, V., 388 (r)  
Bensch, S., 87 (r)  
Beottcher-Streim, W., 371 (r)  
Berthold, P., 371 (r)  
Best, L. B., 224 (r)  
Bezzel, E., 235 (r)  
Bildstein, K. L., 373 (r)  
Blair, R. B., 1-9  
Blake, J. G., 378 (r)  
Blem, C. R., 53-56  
Blem, L. B., 53-56  
Bloesch, M., 371 (r)  
Blokpoel, H., 378 (r)  
Bock, C. E., 480-481 (r)  
Bock, J. H., 480-481 (r)
- Bolsinger, J. S., 159-168  
Bottoni, L., 100-101 (r)  
Bowman, T. D., 32-34  
Bozinovic, F., 97-98 (r)  
Breininger, D. R., 481 (r)  
Bretagnolle, V., 95 (r)  
Brittingham, M. C., 190-194  
Brown B. T., 88 (r), 393-400  
Brown, P. W., 32-34  
Bryan, A. L., 96-97 (r)  
Bryan, G. G., 224 (r)  
Bub, H., 238 (r)  
Buchanon, J. B., 218 (r)  
Buehler, D. A., 92-93 (r), 365 (r)  
Bull, E. L., 372 (r)  
Bunck, C., 203-211  
Burek, M. J., 98 (r), 377 (r)  
Burger, J., 101-102 (r)  
Burkhawlt, D., 377 (r)  
Burness, G. P., 186-189  
Cadenas, R., 88 (r)  
Carey, A., 365 (r)  
Carr, C. E., 98 (r)  
Case, R. M., 478 (r)  
Cavanagh, P. M., 264-267  
Ceballos, O., 223 (r)  
Christiansen, D. A., Jr., 479-480 (r)  
Conner, R. N., 227 (r)  
Coria, N. R., 219 (r)  
Correa, A., 369 (r)  
Craig, R. J., 436-444  
Crockett, T., 373 (r)  
Cruz, A., 311-317  
Culik, B., 219 (r)  
Custer, T. W., 97 (r), 145-154, 203-211,  
    477-478 (r)  
Dahlsten, D. L., 276-285  
Danchin, E., 367 (r)  
Davis, W. H., 100 (r)  
de le Court, C., 359-364  
de Rijk, J. H., 101 (r)  
De Santo, T. L., 373 (r)

- Deeming, D. C., 482-484 (r)  
 DeJong, M. J., 26-31  
 Dobrynina, I. N., 91 (r)  
 Donazar, J., 223 (r)  
 Dowd, C., 455-461  
 Downer, A., 102-103 (r)  
 du Plessis, M. A., 87 (r)  
 Dufty, A. M., Jr., 16-25  
 Duncan, B. W., 90 (r)  
 Dunlop, C. L., 378 (r)  
 Dunn, P. J., 90 (r)  
 Eddins, M. E., 401-407  
 Eens, M., 89 (r)  
 Ehmann, W. J., 388 (r)  
 Ehresman, B. L., 389 (r)  
 Ellis, D. H., 222 (r)  
 Emlen, J. T., 26-31  
 Ens, B., 104 (r)  
 Erikstad, K. E., 477 (r)  
 Esler, D., 241-249  
 Ethier, T. J., 482 (r)  
 Evans, I. M., 95 (r)  
 Ewald, P. W., 93 (r)  
 Ferguson, M. W. J., 482-484 (r)  
 Ferns, P. N., 57-65  
 Ferrer, M., 88 (r), 359-364, 477 (r)  
 ffrench, R., 384 (r)  
 Finger, E., 377 (r)  
 Fiske, P., 377 (r)  
 Fleming, T. L., 218 (r)  
 Flemming, S. P., 369 (r)  
 Fleskes, D. L., 138-144  
 Forbes, L. S., 94-95 (r), 480 (r)  
 Forsman, E., 365 (r)  
 Foster, C., 365 (r)  
 Fow, T., 104-105 (r)  
 Fowler, D., 90 (r)  
 Fowler, S., 90 (r)  
 Fox, A. D., 95-96 (r)  
 Fox, G. A., 482 (r)  
 Franklin, J., 378 (r)  
 Fraser, J. D., 92-93 (r), 220 (r), 365 (r)  
 Füller, E., 371 (r)  
 García, L., 88 (r)  
 Gaston, G. R., 226 (r)  
 Gilmer, D. S., 138-144  
 Goodrich, L., 90 (r)  
 Grand, J. B., 195-202  
 Grant, C. V., 375 (r)  
 Griffin, C. R., 89 (r), 264-267  
 Gubanyi, J. A., 478 (r)  
 Hagan, J. M., 221 (r)  
 Hakkarainen, H., 224 (r)  
 Haney, J. C., 43-52  
 Harris, A., 93 (r)  
 Hasselquist, D., 87 (r)  
 Hayden, T. J., 93-94 (r)  
 Hendricks, P., 331-338  
 Henjum, M. G., 372 (r)  
 Herremans, M., 96 (r)  
 Hik, D., 355-358  
 Hill, G. E., 408-410  
 Hill, W. L., 366 (r)  
 Hiraldo, F., 479 (r)  
 Hirschfeld, E., (r)  
 Høidal, K., 477 (r)  
 Hoofman, R. W., 219 (r)  
 Hooper, R. G., 99-100 (r)  
 Hoopes, E. M., 264-267  
 Howitz, J. L., 367 (r)  
 Hudec, K., 387 (r)  
 Huels, T. R., 88 (r)  
 Illyichev, V. D., 103-104 (r)  
 Inskip, C., 387 (r)  
 Inskip, T., 387 (r)  
 Irwin, L. L., 218 (r)  
 Jacobsen, O. W., 324-330  
 James, P. C., 219 (r), 473-475, 482 (r)  
 Jarvie, S., 378 (r)  
 Jenkins, D., 379 (r)  
 Jenni, L., 370 (r), 371 (r)  
 Jenni-Eiermann, S., 370 (r)  
 Johnson, L. S., 367 (r)  
 Johnston, D. W., 388 (r)  
 Kaiser, G. W., 480 (r)  
 Kattan, G. H., 482 (r)  
 Kellner, C., 365 (r)  
 Kemp, K. E., 129-137  
 Kennedy, E. D., 35-42  
 Kepler, A. K., 222 (r)  
 Kepler, C. B., 222 (r)  
 Kermott, L. H., 367 (r)  
 Klaassen, M., 181-185  
 Kleintjes, P. K., 276-285  
 Kokes, O., 387 (r)  
 Konishi, M., 98 (r)  
 Kopachena, J. G., 94 (r)  
 Kornfeldt, K., 370 (r)  
 Korpimäki, E., 221 (r), 224 (r)  
 Kozená, I., 387 (r)  
 Kratter, A. W., 96 (r)  
 Kress, S. W., 87-88 (r)  
 Krivánková, R., 387 (r)  
 Kruse, K. C., 420-427  
 Kulhavy, D. L., 227 (r)  
 Lavee, D., 222 (r)  
 Layne, J. N., 256-263  
 Lazo, I., 374 (r)  
 Leberg, P. L., 377 (r)  
 Leberman, R. C., 212-216  
 Lee, D. S., 121-128  
 Leibfried, W. C., 88 (r)  
 Lennartz, M. R., 99-100 (r)  
 Lent, R. A., 411-419

- Leuenberger, M., 371 (r)  
 Lindsey, G. D., 466-472  
 Lindström, Å., 226 (r), 371 (r)  
 Lint, J., 365 (r)  
 Lloyd-Evans, T. L., 221 (r)  
 Lott, D. F., 372 (r)  
 Lott, D. Y., 372 (r)  
 Maddock, M., 373 (r)  
 Madsen, J., 104-105 (r)  
 Mahrt, J. L., 99 (r)  
 Mallory, M. L., 428-435  
 Mannan, R. W., 372 (r)  
 Marchesseault, L., 93 (r)  
 Marks, J. S., 309-310  
 Marone, L., 294-308, 374 (r)  
 Martella, M. B., 117-120  
 Martin, K., 355-358  
 Massa, R., 100-101 (r)  
 Mayer, P. M., 10-15  
 McCabe, R. A., 484-485 (r)  
 McChrystal, R., 16-25  
 Meile, P., 101 (r)  
 Meiliison, I., 222 (r)  
 Mellen, T. K., 372 (r)  
 Mersmann, T. J., 92-93 (r), 365 (r)  
 Meslow, E. C., 372 (r)  
 Meslow, E., 365 (r)  
 Miller, M. R., 138-144  
 Mills, E. D., 109-116  
 Mitchell, C. A., 477-478 (r)  
 Møller, A. P., 370 (r)  
 Monroe, B. L., Jr., 228-234 (r)  
 Montgomerie, R., 366 (r)  
 Moorman, A. M., 227 (r)  
 Moorman, T. E., 227 (r)  
 Morgan, K. H., 378 (r)  
 Morris, R. D., 186-189  
 Mulvihill, R. S., 212-216  
 Munster, O. A. G., 227 (r)  
 Muse, H. D., 99-100 (r)  
 Myton, W. R., 223 (r)  
 Navarro, J. L., 117-120  
 Neergaard, R., 221 (r)  
 Negro, J. J., 479 (r)  
 Nelson, J. B., 367 (r)  
 Nettleship, D. N., 379 (r)  
 Niles, L. J., 89 (r)  
 Nordeen, E. J., 98 (r), 377 (r)  
 Nordeen, K. W., 98 (r), 377 (r)  
 Norment, C. J., 331-338  
 Nottebohm, F., 97 (r)  
 Novoa, F. F., 97-98 (r)  
 Oakleaf, R., 88 (r)  
 Ogden, J. C., 91-92 (r)  
 Oliphant, L. W., 473-475  
 Olivera, J. A., 88 (r)  
 Olsen, P. D., 96 (r)  
 Ortega, C. P., 311-317  
 Orthmeyer, 138-144  
 Palestini, C., 94 (r)  
 Pardieck, K., 250-255  
 Parkes, K. C., 212-216  
 Patnode, K. A., 77-85  
 Paton, P. W. C., 365 (r)  
 Patterson, M. E., 220 (r)  
 Paulson, D. R., 121-128  
 Pendleton, G. W., 145-154  
 Perlmutter, G. B., 462-465  
 Petersen, M. R., 344-354  
 Peterson, D. W., Jr., 97 (r)  
 Pienkowski, W. M., 95 (r)  
 Piersma, T., 104 (r)  
 Pinxten, R., 89 (r)  
 Pollard, M. J., 368 (r)  
 Pressman, A., 377 (r)  
 Prinzinger, R., 235 (r), 377 (r)  
 Ralph, C. J., 365 (r)  
 Ramos, M. A., 339-343  
 Rappole, J. H., 339-343  
 Read, W. F., 100 (r)  
 Reading, C. J., 98-99 (r)  
 Reid, J., 365 (r)  
 Reinert, S. E., 479-480 (r)  
 Richard, D. M., 227 (r)  
 Rivera-Rodríguez, L., 177-180  
 Roach, R. W., 145-154  
 Robbins, S. D., Jr., 236 (r)  
 Robel, R. J., 129-137  
 Rodgers, D. T., 109-116  
 Rodgers, J. A., Jr., 96-97 (r)  
 Rodríguez-Estrella, R., 177-180  
 Rogers, D. T., Jr., 401-407  
 Roggenbuck, J. W., 220 (r)  
 Rolando, A., 94 (r)  
 Rongstad, O. J., 223 (r)  
 Root, B. G., 10-15  
 Rosenmann, M., 97-98 (r)  
 Rozzi, R., 369 (r)  
 Rudolph, D. C., 227 (r)  
 Ryan, M. R., 10-15  
 Safriel, U. N., 222 (r)  
 Sandell, M., 218 (r)  
 Schlatter, R. P., 369 (r)  
 Schleicher, A., 98 (r)  
 Schleucher, E., 377 (r)  
 Schuchmann, K.-L., 98 (r)  
 Seay, J., 365 (r)  
 Seegar, J. K. D., 92-93 (r), 365 (r)  
 Segura, A., 374 (r)  
 Severinghaus, L. L., 220 (r)  
 Shealer, D. A., 87-88 (r)  
 Shepherd, P., 373 (r)  
 Shuman, T. W., 129-137  
 Shutler, D., 92 (r)

- Sibley, C. G., 228-235 (r), 380-384 (r)  
 Sidle, J. G., 218 (r)  
 Simmons, R., 368 (r)  
 Slack, R. S., 476 (r)  
 Smith, D. R., 256-263  
 Smith, E. L., 420-427  
 Smith, G. E. J., 378 (r)  
 Smith, H. G., 218 (r), 366 (r)  
 Smith, N. G., 376 (r)  
 Smith, P. C., 369 (r)  
 Smith, R. B., 481 (r)  
 Snell, R. R., 376 (r)  
 Snow, A. E., 227 (r)  
 Snyder, N. F. R., 486-487 (r)  
 Sodhi, N. S., 71-76  
 Solow, A. R., 43-52  
 Sonerud, G. A., 478 (r)  
 Sontag, W. A., Jr., 226 (r)  
 Spairani, H. J., 219 (r)  
 Spendelow, J. A., 375 (r)  
 Stangle, P. W., 96-97 (r)  
 Stastny, K., 388 (r)  
 Steadman, D. W., 378 (r)  
 Steele, B. B., 375 (r), 480 (r)  
 Steen, J. B., 477 (r)  
 Steidl, R. J., 89 (r)  
 Stotz, N. G., 90-91 (r)  
 Stutchbury, B. J., 366 (r)  
 Suter, W., 91 (r)  
 Sutton, R. L., 102-103 (r)  
 Swanson, D. L., 268-275  
 Taylor, I. R., 86 (r)  
 Teather, K., 318-323  
 Temple, S. A., 190-194  
 Tessier, T. G., 99 (r)  
 Thiollay, J., 481-482 (r)  
 Thompson, C. W., 445-454  
 Tøien, Ø., 377 (r)  
 Toland, B., 155-158  
 Torres-Mura, J. C., 369 (r)  
 Turman, J. W., 66-70  
 Tuttle, R. M., 89 (r)  
 Ugelvik, M., 324-330  
 Van Rhijn, J., 104-105 (r)  
 Varland, D. A., 389 (r)  
 Verhayen, R. F., 89 (r)  
 Vermeer, K., 378 (r)  
 Wagener, M., 181-185  
 Wagner, F., 365 (r)  
 Waide, R. B., 250-255  
 Wanless, S., 169-176  
 Warkentin, I. G., 219 (r), 473-475  
 Warner, D. W., 339-343  
 Weatherhead, P. J., 92 (r), 428-435  
 White, D. H., 77-85  
 White, D. W., 35-42  
 Wier, R. D., 90 (r)  
 Willebrand, T., 479 (r)  
 Wilson, R. P., 219 (r)  
 Wiltschko, R., 371 (r)  
 Winchell, C. S., 66-70  
 Wingfield, G., 478 (r)  
 Winker, K., 339-343  
 Wiprächtiger, E., 371 (r)  
 Wittmann, K., 286-293  
 Wittzell, H., 225 (r)  
 Wolff, W., 104 (r)  
 Wood, D. S., 212-216  
 Wright, A. L., 372 (r)  
 York, B. A., 378 (r)  
 Yunick, R. P., 476 (r)  
 Zeemin, V. B., 104 (r)  
 Zeranski, J. D., 385 (r)  
 Zerhusen, P. A., 482 (r)  
 Ziewitz, J. W., 218 (r)  
 Zilles, C., 98 (r)  
 Zimmerman, J. L., 129-137  
 Zwank, P. J., 477-478 (r)  
 Zwartz, L., 104 (r)  
 Zwickel, F. C., 99 (r)

## Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced within the review sections of the Journal, they are indexed by geographic location only.

- Africa, 226
- Aguijan, 436
- Alabama, 124–125, 400
- Alaska, 96, 121, 345
- ANOVA, 35–42, 71–76, 109–116, 132–135, 147–152, 171–174, 183–184, 207–209, 288–289, 244–248, 360–362, 303
- Arctic Ocean, 91
- Argentina, 117–120, 294–295, 369, 374
- Arizona, 88, 316, 392, 481
- Arkansas, 125
- Asia, Central, 91
- Atlantic flyway, 104
- Australasia, 121
- Australia, 96
  - avian predation, 186
  - Azores Islands, 94
  - Baja California, 96, 121, 159, 160, 166, 177–178
- behavior
  - anti-predator, 324–330
  - bird flocking, 129–137
  - central place foraging, 71–76
  - prey preparation, 71–76
  - sexually dimorphic foraging patterns, 318–323
  - sunbathing, 53–56
  - thermoregulation, 57–65
- Belize, central, 109–110, 114
- Bering Sea, 43–52
- bird banding
  - beads as bands, 408–410
  - “boleadoras,” 117–120
  - neck collar, 117–120
- bird counting, 26–31
- bird feeding
  - risks, 190
- bird songs, acoustic structure, 26–31
- Bonin Islands, 436
- Brazil, 117
- breeding
  - attendance behavior, 169–175
  - chronology, 195
- British Columbia, 378
- California, 93, 159, 316, 461
- CAMRIS, 160
- Canada, 71–76, 99
  - Canary Islands, 94
  - Cape Verde Islands, 94
  - Cascade Mountains, 372
  - Cat Island, 203–204, 207–208
  - Central America, 114
  - Chesapeake Bay, 92–93, 365
  - Chile, 97–98, 369
  - circadian rhythms, 462–465
  - Colombia, 114, 482
  - Colorado, 223, 316, 334
  - Connecticut, 385–387
  - Córdoba province, 118
  - Delaware Bay, 89
  - Dominica, 486
  - ecology
    - lake features and water quality effects on presence and breeding of Common Loons, 1–9
  - endangered habitat, coastal sage scrub, 159–166
  - endangered species
    - American Oystercatcher, 155
    - Pacific Island Reed-Warbler, 436–444
    - Puerto Rican Parrot, 466–472
  - Environmental Protection Agency (EPA), 1–9
  - Ermatingen Basin, 101
  - Europe, 127
  - fidelity, 32–34
  - Fisher’s LSD, 132–135, 139–141, 244–248
  - Florida, 91–92, 96–97, 124–125, 155–156, 257, 481
  - food alternative, 355–358
  - Georgia, 77–85, 124
  - Germany, 104
  - Great Britain, 90, 95–96
  - Great Plains, 10–15
  - Guam, 436
  - Gulf of Mexico, 196, 400
  - Gulfport, 125
  - habitat use, 241–248
  - Hawaiian Islands, 127, 309
  - Hispaniola, 114
  - human encroachment, effect of, 455–461
  - Hungary, 217
  - Idaho, 16–25
  - Illinois, 125, 378

- Indian Ocean, 95  
 Indian River Lagoon, 155  
 Indiana, 124  
 Indonesia, 222  
 Iowa, 224, 389  
 Ireland, 90  
 Isle of May, Scotland, 169–170  
 Israel, 57–65  
 Italy, 100–101  
 Jamaica, 102–103  
 Kansas, 130  
 Kentucky, 100, 365  
 Klamath Basin, 138–142  
 kleptoparasitism, 177  
 Labrador, 32–34  
 Lake Constance, 101  
 Lake Ontario, 90  
 Lavaca Bay, Texas, 146  
 Laysan Island, Hawaii, 309  
 Lesser Antilles, 486  
 Loch Ruthven, 368  
 Loquillo Mountains, 466  
 Los Angeles County, California, 159, 161, 163  
 Louisiana, 124–125, 195, 200, 226–227  
 Macaronesina islands, 94  
 Madeira, 94  
 Maine, 87–88  
 Manitoba, 355  
 MANOVA, 147–152, 360–362  
 Mardia two-sample test, 207–209  
 Mariana Islands, 436–443  
 Maryland, 124, 221, 482  
 Massachusetts, 122, 124, 222, 479–480  
 Mauritania, 104  
 Mexico, 88, 96, 166, 339  
 Michigan, 407  
 migration, 109–115  
     to avoid food shortages, 294–308  
 Minnesota, 141, 367, 389  
 Minsener Oldeoog, Germany, 182, 184  
 Mississippi, 124–125  
 Mississippi River, 375  
 Missouri, 122, 124, 389  
 Montana, 53–56  
 Nacuñán, 294–305  
 Nebraska, 218, 478  
 Negev Desert, 57–65  
 nest boxes, 35–42  
 nesting and reproduction  
     adaptive response to human encroachment, 155–157  
     chronology, 393–399  
     copulation, 16–25  
     habitat, 77–85  
     habitat selection, 155–157  
     hatching date predictions, 145–153  
     monitoring, balance monitoring, 428–434  
     monitoring, load cell, 428–434  
     monitoring, plunger incubation, 429–434  
     nest building, 35–42  
     nestling diet comparisons, 276–284  
 Netherlands, 101  
 Nevada, 99, 369  
 New Hampshire, 1–9, 480  
 New Jersey, 35–42, 89, 124, 157, 462  
 New Mexico, 93–94, 219, 316, 398  
 New South Wales, 373  
 New York, 121, 124–125, 157, 286–287, 411, 455–456, 476  
 North Carolina, 122, 124–125, 157  
 North Dakota, 10–15  
 North Sea, 90  
 Northwest Territories, 142  
 Norway, 324–325, 478  
 Nova Scotia, 369  
 Ohio, 89, 124  
 Oklahoma, 124, 366  
 Ontario, 90, 92, 93, 100, 122, 124, 366, 378–379, 428  
 Orange County, California, 159, 161  
 Oregon, 268–274, 365, 372–373  
 Pacific islands, 121  
 Pagan, 436  
 Palearctic, 104–105  
 Panama, 114  
 parasitism, blowfly, 286–293  
 Pennsylvania, 90–91, 212–213  
 Port Colborne, Ontario, 186, 188  
 PRESS, 147–148  
 Prince Edward Point, 90  
 Puerto Rico, 251, 466  
 Quiantana Roo, 114  
 resource use and selection, 43–52  
 Réunion Island, 95  
 Rhode Island, 97  
 Rocky Mountains, 334  
 SA analysis, 413  
 Sacramento Valley, 138–142  
 Saint Lucia, 486  
 Saint Vincent, 486  
 Salvagen Islands, 94  
 San Bernardino County, California, 163  
 San Diego County, California, 159, 161, 163  
 San Luis Obispo County, California, 161  
 Santa Barbara County, California, 161  
 Saskatoon, Saskatchewan, 71–76, 220, 472  
 Scotland, 86  
 Siberia, 91, 121  
 Sinai Peninsula, 222  
 South Africa, 87, 463  
 South America, 121  
 South Carolina, 96–97, 99–100, 125, 373  
 South China Sea, 222–223

- South Dakota, 375  
Soviet Union, 91, 103–104, 104  
Spain, 88, 223  
*Spider Island*, 203–204, 207–208  
*Spoil Islands*, 155  
survival rates, 10–15, 138–143  
Sweden, 87, 217, 225, 366–367, 479  
Switzerland, 91, 371  
Taiwan, 220  
techniques  
    bird netting, 250–254  
    blood sampling, 182  
    DNA-DNA hybridization, 380–384  
    sexing birds, Long-tailed Sabrewing, 334–342  
    trapping, Burrowing Owls, 66–70  
telemetric devices, affect on birds, 169–175, 181–185  
Tennessee, 124  
Texas, 97, 122, 124–125, 195, 220, 227, 241–249, 316, 366, 398, 477–478  
time budgeting, in flocks of different size and composition, 129–137  
Trinidad and Tobago, 384–385  
Ukraine, 91  
U.S.S.R., 91, 103–104, 104  
Ventura County, California, 161  
Veracruz, 339  
Vietnam, 103–104  
Virginia, 124, 220, 388–389  
vocalizations, 16–25  
Washington, 218, 365  
wintering, 121–128  
Wisconsin, 191, 203, 236, 179  
Wyoming, 88, 331–332, 367  
Yucatan peninsula, 109, 114  
Yukon Territory, 99

## Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

- Accipiter badius*, 223 (r)  
*A. gentilis*, 98–99 (r), 101 (r), 325, 327  
*A. gularis*, 223 (r)  
*A. nisus*, 101 (r)  
*A. striatus*, 90 (r)  
*Acrocephalus* sp., 223 (r)  
*A. arundinaceus*, 87 (r), 437–443  
*A. luscina*, 436, 444–443  
*A. orientalis*, 437–443  
*A. stentoreus*, 437–443  
*Aegolius acadicus*, 90 (r), 224 (r), 476 (r)  
*A. funereus*, 221 (r), 224 (r)  
*Aethia cristatella*, 43–52  
*Agelaius phoeniceus*, 16–25, 92 (r), 224 (r), 311–312, 457–459  
*Aimophila botterii*, 481 (r)  
*A. cassini*, 481 (r)  
*Alectoris chukar*, 57–65  
*Amazilia candida*, 113  
*A. cyancephala*, 113  
*A. tzacatl*, 109, 112–112  
*Amazona vittata*, 466–472  
*Ammodramus savannarum*, 224 (r), 386 (r), 481 (r)  
*Anairetes flavirostris*, 308  
*Anas acuta*, 138–144, 195, 201, 352  
*A. carolinensis*, 141–144  
*A. clypaeta*, 141, 144  
*A. crecca*, 142, 325, 327  
*A. discors*, 142  
*A. fulvigula*, 227 (r)  
*A. fulvigula fulvigula*, 195–202  
*A. laysanensis*, 200–201  
*A. penelope*, 141, 324–330  
*A. patachonicus*, 232 (r)  
*A. platyrhynchos*, 139, 141–144, 195, 201, 232 (r), 327, 352, 458  
*A. rubripes*, 32–34, 139, 141–144  
*A. strepera*, 141, 143  
*Anatidae*, 226 (r), 242  
Ani, Groove-billed see *Crotophaga sulcirostris*  
*Anous tenuirostris*, 367 (r)  
*Anser albifrons*, 32–34, 325  
*A. anser*, 104–105 (r), 232 (r)  
*A. caerulescens*, 351  
*A. cygnoides*, 232 (r)  
*A. erythropus*, 104–105 (r)  
*A. fabalis*, 104–105 (r)  
*Anthracothorax mango*, 102–103 (r)  
*A. prevostii*, 113  
*A. virdis*, 252  
*A. rubescens*, 331–338  
*A. spinoletta*, 335  
*Aphelocoma coerulescens*, 481 (r)  
*Aquila* spp., 101 (r)  
*A. chrysaetos*, 90 (r), 223 (r), 266, 327, 375 (r)  
*A. [heliacaca] adalberti*, 88 (r), 359–364, 477 (r)  
Aracari, Collared, see *Pteroglossus torquatus*  
*Archilochus alexandri*, 93 (r), 393–400  
*A. colubris*, 111–112  
*Ardea herodias*, 94 (r), 244, 464 (r)  
*Ardeidae*, 241  
*Arenaria interpres*, 87–88 (r)  
*Argusianus argus*, 231 (r)  
*A. bipunctatus*, 231 (r)  
*Asio otus*, 386 (r)  
*Asthenes humicola*, 374 (r)  
*Athene cunicularia*, 66–70, 482 (r)  
*Atlapetes brunneinucha*, 233 (r)  
*A. buarremon*, 233 (r)  
*A. torquatus*, 233 (r)  
*Attila spadiceus*, 113  
Attila, Bright-rumped, see *Attila spadiceus*  
Auklet, Cassin's, see *Ptychoramphus aleuticus*  
Crested, see *Aethia cristatella*  
Rhinoceros, see *Cerorhinca monocerata*  
*Aythya americana*, 477 (r)  
*A. ferina*, 95–96 (r)  
Bananaquit, see *Coereba flaveola*  
Blackbird, Melodius, see *Dives dives*  
Red-winged, see *Agelaius phoeniceus*  
Yellow-headed, see *Xanthocephalus xanthocephalus*  
Blackcap, see *Sylvia atricapilla*  
Bluebird, Eastern, see *Sialia sialis*  
Bluethroat, see *Luscinia s. svecica*  
Bobwhite, Northern, see *Colinus virginianus*  
*Bombycilla cedarorum*, 73, 212–216  
*Bonasa bonasia*, 379 (r)  
*Brachyramphus marmoratus*, 365 (r)  
*Branta bernicla*, 104–105 (r)  
*B. canadensis*, 32–34, 104–105 (r), 351  
*B. leucopsis*, 104–105 (r)  
Bronzy Sunbird, see *Nectarinia kilimensis*  
*Bubo bubo*, 327  
*B. virginianus*, 89 (r), 186, 266  
*Bubulcus ibis*, 153–154, 244, 264, 373 (r), 385 (r)  
*Bucephala albeola*, 32–34

- B. clangula*, 428–435  
*Bufflehead*, see *Bucephala albeola*  
*Bullfinch*, Puerto Rican, see *Loxigilla portoricensis*  
*Bunting*, Indigo, see *Passerina cyanea*  
 Lark, see *Calamospiza melanocorys*  
 Painted, see *Passerina ciris*  
 Snow, see *Plectrophenax*  
*Buteo buteo*, 101 (r)  
*B. jamaicensis*, 90 (r), 177–180, 223 (r), 266, 375 (r), 466–468  
*B. lagopus*, 327  
*B. lineatus*, 90 (r)  
*B. regalis*, 223 (r)  
*B. swainsoni*, 223 (r)  
*Butorides striatus*, 244  
*Buzzard*, Common, see *Buteo buteo*  
*Cairina moschata*, 232 (r)  
*Calamospiza*, 230 (r)  
*Calamospiza melanocorys*, 88 (r)  
*Calidris alpina schinzii*, 217 (r)  
*C. melanotos*, 103–104 (r)  
*C. minuta*, 103–104 (r)  
*C. paramelanotos*, 232 (r)  
*Calypte anna*, 93 (r)  
*C. costae*, 398  
*Campylopterus curvipennis*, 340–342  
*C. excellens*, 339–343  
*C. hemileucurus*, 340–341  
*Canary*, Common, see *Serinus canaria*  
*Canvasback*, 143  
*Capercaillie*, Common, see *Tetrao urogallus*  
*Capra ibex*, 63  
*Caprimulgus indicus*, 223 (r)  
*Caracara*, Crested, see *Polyborus plancus*  
*Cardinal*, Northern, see *Cardinalis cardinalis*  
*Cardinalis cardinalis*, 26–31, 77–85, 129–137, 458  
*Carduelis barbata*, 97–98 (r)  
*C. chloris*, 217 (r)  
*C. flammea-hornemannii*, 96 (r)  
*C. magellanica*, 308  
*C. tristis*, 417  
*Carpodacus mexicanus*, 108, 458  
*Casmerodium albus*, 97 (r), 145–154, 244, 373 (r), 464  
*Catbird*, Gray, see *Dumetella carolinensis*  
*Catharacta skua*, 151  
*Cathartes aura*, 90 (r), 102–103 (r), 177–180, 375 (r)  
*Catharus fuscescens*, 458, 460  
*Centurus carolinus*, 386 (r)  
*Certhrinca monocerata*, 480 (r)  
*Certhiaxis pyrrhogaster*, 308  
*Chaffinch*, see *Fringilla coelebs*  
*Charadrius alexandrinus*, 10–15  
*C. melanodus*, 10–15, 218 (r), 220 (r)  
*C. vociferus*, 157–158  
*C. wilsonia*, 157–158  
*Chat*, Yellow-breasted, see *Icteria virens*  
*Chen canagicus*, 344–354  
*Chickadee*, Black-capped, see *Parus atricapillus*  
 Chestnut-backed, see *Parus rufescens*  
 Mountain, see *Pardus gambeli*  
*Chicken*, see *Gallus gallus*  
*Chlorostilbon maugaeus*, 252–253  
*Chondestes grammacus*, 481 (r)  
*Chordeiles gundlachii*, 102–103 (r)  
*Chucao*, see *Scelorchilus rubecula*  
*Ciconia ciconia*, 371 (r)  
*C. nigra*, 103–104 (r)  
*Circus aeruginosus*, 239 (r)  
*C. cyaneus*, 375 (r), 479 (r)  
*C. ranivorus*, 239 (r), 368 (r)  
*Claravis pretiosa*, 113  
*Coccycus cinereus*, 308  
*cockatoo*, 151  
*Coereba flaveola*, 252–253  
*Colaptes auratus*, 373 (r), 458, 481 (r)  
*C. melanolaimus*, 308  
*Colinus virginianus*, 78, 481 (r)  
*Columba livia*, 57–65, 308, 370 (r)  
*C. maculosa*, 308  
*Columbina minuta*, 113  
*Contopus virens*, 112  
*Contopus*, 232 (r)  
*Coot*, American, see *Fulica americana*  
*Cormorant*, see *Phalacrocorax* spp.  
 Double-crested, see *Phalacrocorax auritus*  
 Olivaceous, see *Phalacrocorax olivaceus*  
*Corvus brachyrhynchos*, 78, 458  
*C. corax*, 324–325, 328  
*C. cornix*, 103–104 (r)  
*C. corone cornix*, 324–325, 328  
*Coturnix coturnix*, 100–101 (r)  
*Cowbird*, Brown-headed, see *Molothrus ater*  
*Creatophora cinerea*, 226 (r)  
*Crossbill*, see *Loxia*  
*Crotophaga sulcirostris*, 113  
*Crow*, American, see *Corvus brachyrhynchos*  
 Hooded, see *Corvus Corone cornix*  
*Cuckoo*, Common, see *Cuculus canorus*  
 Puerto Rican Lizard-, see *Saurothera vieilloti*  
 Yellow-billed, 458  
*Cuculus canorus*, 103–104 (r)  
*Curlew*, Bristle-thighed, see *Numenius tahitensis*  
 Eurasian, see *Numenius [arquata] americanus*  
*Long-billed*, see *Numenius [arquata] americanus*  
*Cyanerpes cyaneus*, 113

- Cyanocitta cristata*, 77–85, 458, 476 (r), 481 (r)  
*Cyanocorax morio*, 113  
*C. sanblasianus*, 231 (r)  
*C. yucatanicus*, 231 (r)  
*Cyanoliseus patagonus*, 308  
*Cygnus buccinator*, 375 (r)  
*Dendragapus canadensis*, 379 (r)  
*D. obscurus*, 99 (r)  
*Dendroica caerulescens*, 252, 480 (r)  
*D. coronata*, 481 (r)  
*D. discolor*, 442  
*D. dominica*, 112  
*D. magnolia*, 109–116  
*D. palmarum*, 93 (r)  
*D. petechia*, 73  
 Dickcissel, see *Spiza americana*  
*Diuca diuca*, 302–303, 308, 374 (r)  
*Dives dives*, 113  
*dominica*, 121  
 Dove, Barbary, see *Streptopelia risoria*  
     Gray-cheasted, see *Leptotila cassinii*  
     Mourning, see *Zenaida macroura*  
     Rock, see *Columba livia*  
     White-tipped, see *Leptotila verreauxi*  
*Drymocichla incana*, 230 (r)  
*Drymornis bridgesii*, 308  
*Dryocopus pileatus*, 372 (r), 373 (r)  
 Duck, American Black, see *Anas rubripes*  
     Black, see *Anas rubripes*  
     Flying Streamer, see *Anas platyrhynchos*  
     Laysan, see *Anas laysanensis*  
     Mottled, see *Anas fulvigula*  
*Dumetella carolinensis*, 26–31, 112, 401–407, 411–419, 457–458, 460  
 Dunlin, see *Calidris alpina schinzii*  
*Dysithamnus plumbeus*, 229 (r)  
 Eagle, Bald, see *Haliaeetus leucocephalus*  
     Golden, see *Aquila chrysaetos*  
     Spanish Imperial, see *Aquila adalberti*  
 Egret, Cattle, see *Bubulcus ibis*  
     Great, see *Casmerodius albus*  
     Intermediate, see *Egretta intermedia*  
     Little, see *Egretta garzetta*  
     Snowy, see *Egretta thula*  
*Egretta caerulea*, 153–154, 244  
*E. garzetta*, 153–154, 373 (r)  
*E. intermedia*, 373 (r)  
*E. thula*, 97 (r), 145–154, 244, 373 (r), 464  
*E. tricolor*, 373 (r)  
 Eider, Spectacled, see *Lampronetta*  
*Elaenia albiceps*, 308  
 Emerald, Puerto Rican, see *Chlorostilbon maugaeus*  
     White-bellied, see *Amazilia candida*  
*Empidonax alnorum*, 484–485 (r)  
     *E. flaviventris*, 112  
     *E. minimus*, 112, 352  
     *E. traillii*, 484–485 (r)  
*Empidonax aurantioatrocristatus*, 308  
*Eopsaltria australis*, 233 (r)  
*Ephthianura*, 232 (r)  
*Eremophila alpestris*, 73, 88 (r), 481 (r)  
*Erithacus rubecula*, 217 (r), 370 (r), 371 (r)  
*Eudocimus albus*, 96–97 (r), 373 (r)  
*E. ruber*, 385 (r)  
*Eudromia elegans*, 308  
*Euphonia hirundinacea*, 113  
 Euphonia, Yellow-throated, see *Euphonia hirundinacea*  
*Falco* spp., 101 (r)  
*F. albicularis*, 229 (r)  
*F. columbarius*, 71–76, 90 (r), 219 (r), 473–475  
*F. concolor*, 62  
*F. eleonorae*, 240 (r)  
*F. mexicanus*, 88 (r)  
*F. naumanni*, 479 (r)  
*F. peregrinus*, 103–104 (r), 223 (r)  
*F. rufigularis*, 229 (r)  
*F. sparverius*, 90 (r), 90–91 (r), 225 (r), 365 (r), 375 (r)  
*F. sparverius paulus*, 256–262  
*F. sparverius sparverius*, 256–262, 389 (r)  
*F. sparverius sparveroides*, 257  
*F. subbuteo*, 103–104 (r)  
*F. tinnunculus*, 388 (r), 479 (r)  
 Falcon, Eleanor's, see *Falco eleonorae*  
     Peregrine, see *Falco peregrinus*  
     Prairie, see *Falco mexicanus*  
     Sooty, see *Falco concolor*  
*Ficedula hypoleuca*, 103–104 (r), 370 (r)  
 Finch, House, see *Carpodacus mexicanus*  
     Zebra, see *Poephila guttata*  
 Flicker, Northern, see *Colaptes auratus*  
*Florisuga mellivora*, 113  
 Flycatcher, Alder, see *Empidonax alnorum*  
     Brown-crested, see *Myiarchus tyrannulus*  
     Dusky-capped, see *Myiarchus tuberculifer*  
     Great Crested, see *Myiarchus crinitus*  
     Least, see *Empidonax minimus*  
     Ochre-bellied, see *Mionectes oleagineus*  
     Pied, see *Ficedula hypoleuca*  
     Royal, see *Onychorhynchus coronatus*  
     Scissor-tailed, see *Tyrannus forficatus*  
     Social, see *Myiozetetes similis*  
     Spotted, see *Muscicapa striata*  
     Traill's, see *Empidonax traillii*  
     White-tailed, see *Microeca fascinans* or *Lanioturdus torquatus*  
 Willow, see *Empidonax traillii*  
 Yellow-bellied, see *Empidonax flaviventris*

- Yellow-olive, see *Tolmomyias sulphurescens*
- Fratercula cirrhata*, 480 (r)
- Fregata magnificens*, 232 (r)
- F. minor*, 232 (r)
- Fringilla* spp., 94 (r)
- F. coelebs*, 22, 100–101 (r), 103–104 (r)
- Fulica americana*, 242
- F. atra*, 232 (r)
- Gadwall, see *Anas strepera*
- Gallinago media*, 377 (r)
- Gallinula chloropus*, 232 (r), 242–248
- Gallirallus conditicus*, 229 (r)
- Gallus gallus*, 232 (r), 264, 483 (r)
- Gannet, Northern, see *Sula bassana*
- Gavia immer*, 1–9
- Geopelia striata*, 232 (r)
- Geothlypis trichas*, 110, 112, 458, 481 (r)
- Geotrygon montana*, 113, 252, 254
- Glareola maldivarum*, 230 (r)
- Gnatcatcher, Black-tailed, see *Polioptila melanura*
- Blue-gray, see *Polioptila caerulea*
- California, see *Polioptila californica*
- Goldeneye, Common, see *Bucephala clangula*
- Goldfinch, American, see *Carduelis tristis*
- Goose, Barnacle, see *Branta leucopsis*
- Bean, see *Anser fabalis*
- Brent, see *Branta bernicla*
- Canada, see *Branta canadensis*
- Emperor, see *Chen canagicus*
- Graylag, see *Anser anser*
- Lesser White-fronted, see *Anser erythropus*
- Snow, see *Anser caerulescens*
- White-fronted, see *Anser albifrons*
- Goshawk, Northern, see *Accipiter gentilis*
- Grackle, Common, 458
- Great-tailed, see *Quiscalus mexicanus*
- Grassquit, Black-faced, see *Tiaris bicolor*
- Great Bustard, see *Otis tarda*
- Greater Rhea, see *Rhea americana*
- Grebe, Grey-cheeked, see *Podiceps grisegena*
- Holboell's, see *Podiceps grisegena*
- Pied-billed, see *Podilymbus podiceps*
- Slavonian, see *Podiceps auritus*
- Greenfinch, see *Carduelis chloris*
- Grosbeak, Blue, see *Guiraca caerulea*
- Rose-breasted, see *Pheucticus ludovicianus*
- Ground-Dove, Blue, see *Claravis pretiosa*
- Plain Breasted, see *Columbina minuta*
- Grouse, Black, see *Tetrao tetrix*
- Blue, see *Dendragapus obscurus*
- Hazel, see *Bonasa bonasia*
- Spruce, see *Dendragapus canadensis*
- Guillemot, see *Uria aalge*
- Guiraca caerulea, 112
- Gull, Black-headed, see *Larus ridibundus*
- Common, see *Larus canus*
- Glaucous-winged, see *Larus glaucescens*
- Great Black-backed, see *L. marinus*
- Herring, see *Larus argentatus*
- Laughing, see *L. atricilla*
- Mew, see *Larus canus*
- Ring-billed, see *Larus delawarensis*
- Silver, see *Larus novaehollandiae*
- Thayer's, see *Larus argentatus thayeri* [*L. thayeri*]
- Western, see *Larus occidentalis*
- Haematopus palliatus*, 155–158
- Haliaeetus albicilla*, 101 (r)
- H. leucocephalus*, 88 (r), 90 (r), 92–93 (r), 363, 365 (r)
- Hamaetopus ostralegus*, 326, 328–329
- Harrier, African Marsh, see *Circus ranivorus*
- Marsh, see *Circus aeruginosus*
- Northern, see *Circus cyaneus*
- Hawk, Ferruginous, see *Buteo regalis*
- Harris', see *Parabuteo unicinctus*
- Red-shouldered, see *Buteo lineatus*
- Red-tailed, see *Buteo jamaicensis*
- Rough-legged, see *Buteo lagopus*
- Sharp-shinned, see *Accipiter striatus*
- Sparrow, see *Tinnunculus*
- Swainson's, *Buteo swainsoni*
- Helmitheros vermivorus*, 112
- Hermit, Little, see *Phaethornis longuemareus*
- Long-tailed, see *Phaethornis superciliosus*
- Heron, Eared, see *Podiceps nigricollis*
- Great Blue, see *Ardea herodias*
- Green-backed, see *Butorides striatus*
- Horned, see *Podiceps auritus*
- Little Blue, see *Egretta caerulea*
- Tricolored, see *Egretta tricolor*
- Heteroxolmis dominicana*, 232 (r)
- Hirundo perdita*, 231 (r)
- H. pyrrhonota*, 54
- H. rustica*, 53–56, 223 (r), 224 (r), 291, 370 (r)
- Honeycreeper, Red-legged, see *Cyanerpes cyaneus*
- Honeyeater, San Cristobal, see *Meliarchus sclateri*
- Hummingbird, spp., see *Trochilidae*
- Anna's, see *Calypte anna*
- Azure-crowned, see *Amazilia cyanocephala*
- Black-chinned, see *Archilochus alexandri*
- Costa's, see *Calypte costae*
- Ruby-throated, see *Archilochus colubris*
- Rufous-tailed, see *Amazilia cyanocephala*
- Rufous-tailed, see *Amazilia tzacatl*
- Vervain, see *Mellisuga minima*
- Hylocichla mustelina*, 26–31, 112, 458–460
- Ibex, see *Capra ibex*

- Ibis, Glossy, see *Plegadis falcinellus*  
 Scarlet, see *Eudocimus ruber*  
 White, see *Eudocimus albus*
- Icteria virens*, 212, 215–216
- Icterus*, 230 (r)
- I. galbula*, 112, 417, 458
- I. spurius*, 112
- Jacobin, White-necked, see *Florisuga mellivora*
- Jay, Blue, see *Cyanocitta cristata*  
 Brown, see *Cyanocorax morio*  
 Florida Scrub, see *Aphelocoma coerulescens*  
 Yucatan, see *Cyanocorax yucatanicus*
- Junco capensis*, 302–303, 308, 374 (r)
- J. hyemalis*, 130, 136, 268–275
- J. phaeonotus*, 130
- Junco, Dark-eyed, see *Junco hyemalis*  
 Yellow-eyed, see *Junco phaeonotus*
- Kestrel, American, see *Falco sparverius*
- Kestrel, American, see *Falco sparverius pallidus*  
 Eurasian, see *Falco tinnunculus*  
 Lesser, see *Falco naumannii*
- Killdeer, see *Charadrius vociferus*
- Kingbird, Eastern, see *Tyrannus tyrannus*
- Kisdkakee, Great, see *Pitangus sulphuratus*
- Kite, Red, see *Milvus milvus*  
 Snail, see *Rostrhamus sociabilis*
- Kittiwake [Black-legged], see *Rissa tridactyla*
- Lagopus lagopus*, 355–358, 477 (r)
- L. mutus*, 356
- Lampronetta, 232 (r)
- Lanioturdus torquatus*, 229 (r)
- Lanius cristatus*, 223 (r)
- L. ludovicianus*, 375 (r), 420–427
- Lapsus calami*, 232 (r)
- Lapwing, Northern, see *Vanellus vanellus*
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus*, 186, 264–266
- L. a. thayeri*, 376 (r)
- L. atricilla*, 264–266
- L. canus*, 103–104 (r), 326, 328–329
- L. delawarensis*, 153–154, 186, 189, 379 (r)
- L. glaucescens*, 378 (r)
- L. marinus*, 264–266
- L. novaehollandiae*, 151, 154
- L. occidentalis*, 154
- L. ridibundus*, 328
- Lepidocolaptes souleyetii, 113
- Lepotila cassiniii, 113
- L. verreauxii*, 113
- Leptasthenura aegithaloides, 308, 374 (r)
- leucoryn, 232 (r)
- leucorynchus, 232 (r)
- Lipaugs, 233 (r)
- Loon, Common, see *Gavia immer*
- Loxia*, 217 (r)
- Loxigilla portoricensis*, 252–253
- Luscinia s. svecia*, 217 (r)
- Lyrurus tetrix*, 103–104 (r)
- Mallard, see *Anas platyrhynchos*
- Manakin, Red-capped, see *Pipra mentalis*  
 Green-breasted, see *Anthracothorax prevostii*
- Jamaican, see *Anthracothorax mango*
- Margarops fuscatus*, 252–253, 466, 468, 471
- Martin, Purple, see *Progne subis*  
 Sand, see *Riparia riparia*
- Meadowlark, Eastern, see *Sturnella magna*  
 Western, see *Sturnella neglecta*
- Melanerpes aurifrons*, 113
- M. carolinus*, 481 (r)
- M. portoricensis*, 252
- M. radiolatus*, 102–103 (r)
- Melanitta fusca*, 352
- Meleagris gallopavo*, 377 (r)
- M. gallopavo merriami*, 219 (r)
- Meliarchus sclateri*, 231 (r)
- Mellisuga minima*, 102–103 (r)
- Melospiza melodia*, 224 (r)
- Merlin, see *Falco columbarius*
- Microeca fascinans*, 229 (r)
- Milvus milvus*, 95 (r)
- Mimus polyglottos*, 77–85, 458, 460
- M. thenca*, 374 (r)
- M. triurus*, 302–303, 308
- Mionectes oleagineus*, 113
- Mniotilla varia*, 109–116, 459
- Mockingbird, Northern, see *Mimus polyglottos*
- Molothrus ater*, 16–25, 163, 224 (r), 311–317
- M. ater artemisiae*, 24
- M. ater ater*, 24
- M. ater obscurus*, 16–25
- Moorhen, Common, see *Gallinula chloropus*
- Murrelet, Ancient, see *Synthliboramphus antiquus*
- Marbled, see *Brachyramphus marmoratus*
- Muscicapa striata*, 323
- Mycteria americana*, 91–92 (r), 96–97 (r)
- Myiarchus crinitus*, 481 (r)
- M. tuberculifer*, 113
- M. tyrannulus*, 113, 308
- Myiopsitta monacha*, 308
- Myiozetetes similis*, 113
- Nectarinia kilimensis*, 372 (r)
- Neophron percnopterus*, 62, 223 (r)
- Neoxolmis rufiventris*, 232 (r)
- Nesospingus speculiferus*, 252
- Nighthawk, Antillean, see *Chordeiles gundlachii*
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*

- Nightjar, Gray, see *Caprimulgus indicus*  
 Noddy, Black, see *Anous tenuirostris*  
*Numenius arquata*, 326, 328–329  
*N. phaeopus*, 104 (r)  
*N. tahitiensis*, 309–310  
*N. arquata americanus*, 230 (r)  
*Numida meleagris*, 232 (r)  
*Nuttalornis*, 232 (r)  
*Nycticorax nycticorax*, 87–88 (r), 97 (r), 145–154, 186, 189, 462–465  
 Oilbird, see *Steatornis caripensis*  
*Onychorhynchus coronatus*, 113  
*Oporornis formosus*, 110, 112, 212, 215–216  
 Oriole, Baltimore, see *Icterus galbula*  
   Hooded, see *Icterus cucullatus*  
   Northern, see *Icterus galbula*  
   Orchard, see *Icterus spurius*  
*Oriolus albitorques*, 231 (r)  
*O. isabellae*, 231 (r)  
*O. xanthornotus*, 231 (r)  
*Orthotomus derbianus*, 233 (r)  
*Oryzoborus funereus*, 113  
 Osprey, see *Pandion haliaetus*  
*Otis tarda*, 477 (r)  
*Otus flammeolus*, 372 (r)  
*O. scops sunia*, 223 (r)  
 Ovenbird, see *Seiurus aurocapillus*  
 Owl, Boreal, see *Aegolius funereus*  
   Burrowing, see *Athene cunicularia*  
   Common Barn-, see *Tyto alba*  
   Eagle, see *Bubo bubo*  
   Flammulated, see *Otus flammeolus*  
   Great-Horned, see *Bubo virginianus*  
   Hawk, see *Surnia ulula*  
   Long-eared, see *Asio otus*  
   Northern Spotted, see *Strix occidentalis*  
   Oriental Scops, see *Otus scops sunia*  
   Spotted, see *Strix occidentalis*  
   Tengmalm's, see *Aegolius funereus*  
   [Northern] Saw-whet, see *Aegolius acadicus*  
 Oystercatcher, American, see *Haematopus palliatus*  
   Eurasian, see *Hamaeotopus ostralegus*  
*Pandion haliaetus*, 89 (r), 369 (r)  
*Panurus biarmicus*, 239 (r)  
*Parabuteo unicinctus*, 93–94 (r), 177–180  
*Paradoxornis webbianus*, 220 (r)  
*Pardus gambeli*, 284, 291  
*Parmoptila rubrifrons jamesoni*, 233 (r)  
 Parrot, Puerto Rican, see *Amazona vittata*  
 Parrotbill, Vinous-throated, see *Paradoxornis webbianus*  
 Partridge, Chukar, see *Alectoris chukar*  
*Parula americana*, 112  
*Parulinea*, 111  
*Parus* spp., 94 (r)  
*P. atricapillus*, 190–194, 367 (r), 458  
*P. bicolor*, 386 (r), 457–458  
*P. inornatus*, 276–285  
*P. major*, 103–104 (r), 217 (r), 218 (r), 284–285  
*P. rufescens*, 276–285, 291  
*Passer domesticus*, 72, 89 (r), 100 (r), 458  
*Passerculus sandwichensis*, 481 (r)  
*P. ciris*, 445–454  
*P. cyanea*, 110–112, 322  
*Pelecanus erythrorhynchos*, 241, 244, 369 (r)  
*P. occidentalis*, 177  
 Pelican, American White, see *Pelecanus erythrorhynchos*  
   Brown, see *Pelecanus occidentalis*  
 Penguin, Adelie, see *Pygoscelis adeliae*  
   Gentoo, see *Pygoscelis papua*  
 Petrel, Barau's, see *Pterodroma baraui*  
   Hawaiian, see *Pterodroma phaeopygia*  
   Mottled, see *Pterodroma inexpectata*  
*Phaethornis longuemareus*, 113  
*P. superciliosus*, 113  
*Phalacrocorax* spp., 241  
*P. aristotelis*, 210–211  
*P. auritus*, 203–211, 244, 369 (r)  
*P. olivaceus*, 244  
*Phasianus colchicus*, 152, 225 (r), 458  
 Pheasant, Ring-necked, see *Phasianus colchicus*  
*Pheucticus ludovicianus*, 112  
*Philomachus pugnax*, 227 (r), 366 (r)  
*Phodilus badius*, 287 (r)  
*Phoeniculus purpureus*, 87 (r)  
*Phoenicurus ochruros*, 103–104 (r), 217 (r)  
*P. phoenicurus*, 222 (r)  
*Phrygilus carbonarius*, 308  
*P. gayi*, 97–98 (r)  
*Phylloscopus trochilus*, 221 (r), 222 (r)  
*Phytotoma rutila*, 308  
*Picoides borealis*, 99–100 (r), 227 (r)  
*Piculus rubiginosus*, 113  
 pigeon, homing, see *Columba livia*  
 Pintail, Northern, see *Anas acuta*  
 Pipit, American, see *Anthus rubescens*  
   Water, see *Anthus spinolletta*  
*Pipra mentalis*, 113  
*Piranga olivacea*, 458, 460  
*P. rubra*, 112  
*Pitangus sulphuratus*, 113  
*Plectrophenax*, 230 (r)  
*Plegadis falcinellus*, 373 (r)  
 Plover, Lesser Golden-, see *Pluvialis dominica dominica*  
   Piping, see *Charadrius melanotos*  
   Snowy, see *Charadrius alexandrinus*  
   Wilson's, see *Charadrius wilsonia*  
*Pluvialis dominica apricaria*, 127

- P. d. dominica*, 121–128  
*P. d. fulva*, 121  
*Pochard*, European, see *Aythya ferina*  
*Podiceps auritus*, 94 (r), 368 (r)  
*P. gresengena*, 232 (r)  
*P. nigricollis*, 94 (r)  
*Podilymbus podiceps*, 241  
*Podoces panderi*, 103–104 (r)  
*Poephila guttata*, 97 (r), 98 (r), 377 (r)  
*Polioptila caerulea*, 26–31, 386 (r)  
*P. californica*, 159–168  
*P. melanura*, 159  
*Polyborus plancus*, 177–180  
*Pooecetes gramineus*, 88 (r), 481 (r)  
*Poospiza ornata*, 305, 308, 374 (r)  
*P. torquata*, 302–303, 308  
*Pratincoles*, Oriental, see *Glareola maldivarum*  
*Progne subis*, 54, 366 (r)  
*Pseudochelidon sirintarae*, 229 (r)  
*Pseudoseisura lophotes*, 308  
*Ptarmigan*, Rock, see *Lagopus mutus*  
  Willow, see *Lagopus l. lagopus*  
*Pterodroma baraui*, 95 (r)  
*P. inexpectata*, 95 (r)  
*P. phaeopygia*, 95 (r)  
*Pteroglossus torquatus*, 113  
*Ptychoramphus aleuticus*, 480 (r)  
*Puffin*, Tufted, see *Fratercula cirrhata*  
*Puffinus puffinus*, 239 (r)  
*P. tenuirostris*, 43–52  
*Pygoscelis adeliae*, 174  
*P. papua*, 219 (r)  
*Pyrocephalus rubinus*, 308  
*Quail-Dove*, Ruddy, see *Geotrygon montana*  
*Quiscalus mexicanus*, 322  
*Raven*, Common, see *Corvus corax*  
*Redhead*, see *Aythya americana*  
*Redpoll*, see *Carduelis flammea-hornemannii*  
*Redshank*, Common, see *Tringa totanus*  
*Redstart*, see *Phoenicurus phoenicurus*  
  American see *Setophaea ruticilla*  
  Black, see *Phoenicurus ochruros*  
*Redwing*, see *Turdus iliacus*  
*Reed-warbler*, see *Sylviinae*: *Acrocephalus*  
  Australasian, see *Acrocephalus stentoreus*  
  European-African, see *Acrocephalus arundinaceus*  
  Nightingale, see *Acrocephalus luscinia*  
*Regulus*, spp., 94 (r)  
*Rhea americana*, 117–120  
*Rhinocrypta lanceolata*, 308  
*Riparia riparia*, 54, 217 (r), 388 (r)  
*Rissa tridactyla*, 169–176, 367 (r)  
*Robin*, see *Eriothacus rubecula*  
  American, see *Turdus migratorius*  
  Clay-colored, see *Turdus grayi*
- European, see *Eriothacus rubecula*  
*Rosstrhamus sociabilis*, 74  
*Ruff*, see *Philomachus pugnax*  
*Rynchops nigra*, 157–158  
*Sabrewing*, Long-tailed, see *Campylopterus excellens*  
  Violet, see *Campylopterus hemileucurus*  
  Wedge-tailed, see *C. curvipennis*  
*Saltator aurantiirostris*, 308  
*S. maximus*, 113  
*Saltator*, Buff-throated, see *Saltator maximus*  
*Saltatricula multicolor*, 302–303, 308  
*Sandpiper*, Cox's, see *Calidris paramelanotos*  
*Sapsucker*, Williamson's, see *Sphyrapicus thyroideus*  
  Yellow-bellied, see *Sphyrapicus varius*  
*Saurothera vieilloti*, 252  
*Sceloglaux albifacies*, 232 (r)  
*Scelorchilus rubecula*, 368 (r)  
*Scoter*, White-winged, see *Melanitta fusca*  
*Seed-Finch*, Thick-billed, see *Oryzoborus fuscatus*  
*Seedeater*, White-collared, see *Sporophila torqueola*  
*Seiurus aurocapillus*, 112, 252, 459  
*S. motacilla*, 252  
*S. noveboracensis*, 112  
*S. canaria*, 97 (r)  
*S. syriacus*, 233 (r)  
*Serpophaga munda*, 302–303, 308  
*Setophaea ruticilla*, 112, 459  
*Shag*, see *Phalacrocorax aristotelis*  
*Shearwater*, Manx, see *Puffinus puffinus*  
  Short-tailed, see *Puffinus tenuirostris*  
*Shelduck*, Paradise, see *Tadorna variegata*  
*Shikra*, see *Accipiter badius*  
*Shoveler*, Northern, see *Anas clypeata*  
*Shrike*, Brown, see *Lanius cristatus*  
  Loggerhead, see *Lanius ludovicianus*  
*Sialia sialis*, 89 (r), 100 (r), 286–293  
*Sicalis auriventris*, 97–98 (r)  
*S. tuteola*, 308  
*Skimmer*, Black, see *Rynchops nigra*  
*Skua*, Great, see *Catharacta skua*  
  Long-tailed, see *Stercorarius longicaudus*  
*Snipe*, Great, see *Gallinago media*  
*Sparrow*, Botteri's, see *Aimophila botterii*  
  Brewer's, see *Spizella breweri*  
  Cassin's, see *Aimophila cassini*  
  Chipping, see *Spizella passerina*  
  Clay-colored, see *Spizella pallida*  
  Grasshopper, see *Ammodramus savannarum*  
  Harris, see *Zonotrichia querula*  
  House, see *Passer domesticus*  
  Lark, see *Chondestes grammacus*  
  Savannah, see *Passerculus sandwichensis*

- Song, see *Melospiza melodia*  
 Vesper, see *Pooecetes gramineus*  
 White-crowned, see *Zonotrichia leucophrys*
- Sparrowhawk, Eurasian, see *Accipiter nisus*  
 Japanese, see *Accipiter gularis*  
*Sphyrapicus thyrodeus*, 96 (r)  
*S. varius*, 102–103 (r)
- Spindalis zena*, 252–253  
*Spiza americana*, 224 (r), 386 (r)  
*Spizella breweri*, 88 (r)  
*S. pallida*, 73  
*S. passerina*, 73  
*Sporophila torqueola*, 113  
 Starling, African Wattled, see *Creatophora cinerea*  
 European, see *Sturnus vulgaris*  
*Streatornis caripensis*, 385 (r)  
*Stercorarius longicaudus*, 90 (r)  
*Sterna antillarum*, 157–158, 189, 218 (r)  
*S. camtschatica*, 103–104 (r)  
*S. dougallii*, 157–158, 375 (r)  
*S. hirundo*, 87–88 (r), 153–154, 181–185, 186–189, 378 (r)  
*S. maximus*, 157–158  
*S. paradisea*, 103–104 (r)  
*Stigmatura budytoides*, 308  
 Stork, White, see *Ciconia ciconia*  
 Wood, see *Mycteria americana*
- Streamertail, Red-billed, see *Trochilus polytmus*  
*Streptopelia chinensis*, 232 (r)  
*S. risoria*, 58  
*Strix occidentalis*, 218 (r), 365 (r)  
*Sturnella magna*, 481 (r)  
*S. neglecta*, 88 (r), 224 (r)  
*S. superciliaris*, 308  
*Sturnus vulgaris*, 89 (r), 175–176, 217 (r), 388 (r), 457–458, 460, 482 (r)  
*Sula bassana*, 367 (r)  
*Surnia ulula*, 478 (r)  
 Swallow, Bank, see *Riparia riparia*  
 Barn, see *Hirundo rustica*  
 Cliff, see *Hirundo pyrrhonota*  
 Tree, see *Tachycineta bicolor*  
 Violet-green, see *Tachycineta thalassina*
- Swan, Trumpeter, see *Cygnus buccinator*  
*Sylvia atricapilla*, 222 (r), 371 (r)  
*S. borin*, 370 (r)  
*S. nisoria*, 217 (r)  
*Synallaxis albescens*, 308  
*Synthilboramphus antiquus*, 480 (r)  
*Tachycineta bicolor*, 53–65, 89 (r), 287  
*T. thalassina*, 53–56  
*Tadorna variegata*, 32–34
- Tanager, Blue-gray, see *Thraupis episcopus*  
 Puerto Rican, see *Nesospingus speculiferus*  
 Scarlet, see *Piranga olivacea*
- Stripe-headed, see *Spindalis zena*  
 Summer, see *Piranga rubra*  
 Yellow-winged, see *Thraupis abbas*
- Teal, Blue-winged, see *Anas discors*  
 Eurasian, see *Anas crecca*  
 Green-winged, see *Anas carolinensis*  
 Green-winged, see *Anas crecca*  
 Arctic, see *Sterna paradisaea*  
 Common, see *Sterna hirundo*  
 Least, see *Sterna antillarum*  
 Roseate, see *Sterna dougallii*  
 Royal, see *Sterna maximus*
- Terpsiphone cinnamomea*, 231 (r)  
*T. cyanescens*, 231 (r)  
*Tetrao tetrix*, 379 (r), 479 (r)  
*T. urogallus*, 379 (r)  
*Thamnomanes occidentalis*, 229 (r)  
*Thamnophilus amazonicus*, 232 (r)  
*T. ruficollis*, 232 (r)  
 Thrasher, Brown, see *Toxostoma rufum*  
 Pearly-eyed, see *Margarops fuscatus*  
*Thraupis abbas*, 113  
*T. episcopus*, 113  
 Thrush, Red-legged, see *Turdus plumbeus*  
 Song, see *Turdus philomelos*  
 Wood, see *Hylocichla mustelina*
- Thryothorus ludovicianus*, 481 (r)  
*Tiaris bicolor*, 102–103 (r), 252  
*Tijuca condita*, 233 (r)  
 Tit, Beaded, see *Panurus biarmicus*  
 Great, see *Parus major*
- Titmouse, Plain, see *Parus inornatus*  
 Tufted, see *Parus bicolor*  
*Todus mexicanus*, 252–253  
 Tody, Puerto Rican, see *Todus mexicanus*  
*Tolmomyias sulphurescens*, 113  
 Towhe, Rufous-sided, 458  
*Toxostoma rufum*, 77–85, 458  
*Tringa totanus*, 239 (r), 326, 328–329  
*Tripophaga* spp., 308  
*Trochilus polytmus*, 102–103 (r)  
*Troglodytes aedon*, 16–25, 26–31, 35–42, 89 (r), 308, 367 (r), 374 (r), 457–458  
*Turdus grayi*, 113  
*T. ignobilis*, 229 (r)  
*T. iliacus*, 100–101 (r)  
*T. migratorius*, 73, 366 (r), 458, 460  
*T. philomelos*, 100–101 (r)  
*T. pilaris*, 100–101 (r)  
*T. plebejus*, 229 (r)  
*T. plumbeus*, 252, 254  
 Turkey, Merriam's Wild, see *Meleagris gallopavo merriami*  
 Wild, see *Meleagris gallopavo*
- Turnagra*, 230 (r)
- Turnstone, Ruddy, see *Arenaria interpres*  
*Tyrannus forficatus*, 318–323

- T. savana*, 308  
*T. melanocholicus*, 308  
*T. tyrannus*, 321  
*Tyto alba*, 86 (r), 98 (r), 220 (r), 478 (r)  
*Upucerthia certhioides*, 308  
*U. dumetaria*, 233 (r)  
*Uria aalge*, 175–176  
*Urocynchramus pylzowi*, 231 (r)  
*Vanellus vanellus*, 153  
 Veery, see *Catharus fuscescens*,  
*Vermivora perigrina*, 112  
*V. pinus*, 112  
*Vireo altiloquus*, 252–253  
*V. griseus*, 111–112, 458, 481 (r)  
*V. olivaceus*, 457–460  
 Vireo, Black-whiskered, see *Vireo altiloquus*  
     Red-eyed, see *Vireo griseus*  
 Vulture, Egyptian, see *Neophron percnopterus*  
     Turkey, see *Cathartes aura*  
 Warbler, Barred, see *Sylvia nisoria*  
     Black-and-white, see *Mniotilla varia*  
     Black-throated Blue, see *Dendroica caerulea*  
     lescens  
     Blue-winged, see *Vermivora pinus*  
     Eastern Great Reed-, see *Acrocephalus orientalis*  
     Garden, see *Sylvia borin*  
     Great Reed, see *Acrocephalus arundinaceus*  
     Hooded, see *Wilsonia citrina*  
     Kentucky, see *Oporornis formosus*  
     Magnolia, see *Dendroica magnolia*  
     Palm, see *Dendroica palmarum*  
     [Northern] Parula, see *Parula americana*  
     Prairie, see *Dendroica discolor*  
     Reed, *Acrocephalus* sp.  
     Tennessee, see *Vermivora perigrina*  
     Willow, see *Phylloscopus trochilus*  
     Worm-eating, see *Helminthorus vermivorus*  
     Yellow, see *Dendroica petechia*  
     Yellow-rumped, see *Dendroica coronata*  
     Yellow-throated, see *Dendroica dominica*
- Waterthrush, Louisiana, see *Seiurus motacilla*  
 Northern, see *Seiurus noveboracensis*  
 Waxwing, Cedar, see *Bombycilla cedrorum*  
 Whimbrel, see *Numenius phaeopus*  
 Wigeon, Eurasian, see *Anas penelope*  
*Wilsonia citrina*, 112  
 Wood-Pewee, Eastern, see *Contopus virens*  
 Woodcreeper, Ivory-billed, see *Xiphorhynchus flavigaster*  
     Streak-headed, see *Lepidocolaptes souleyeti*  
 Woodhoopoes, Green, see *Phoeniculus purpureus*  
 Woodpecker, Downy, 458  
     Golden-fronted, see *Melanerpes aurifrons*  
     Golden-olive, see *Piculus rubiginosus*  
     Jamaican, see *Melanerpes radiolatus*  
     Pileated, see *Dryocopus pileatus*  
     Puerto Rican, see *Melanerpes portoricensis*  
     Red-bellied, see *Centurus carolinus*  
     Red-bellied, see *Melanerpes carolinus*  
     Red-cockaded, see *Picoides borealis*  
 Wren, Carolina, see *Thryothorus ludovicianus*  
     House, see *Troglodytes aedon*  
     Stephens [Island], see *Xenicus lyalli*,  
*Xanthocephalus xanthocephalus*, 312  
*Xenicus lyalli*, 232 (r)  
*Xiphorhynchus flavigaster*, 113  
*Xolmis coronata*, 308  
*X. rubetra*, 232 (r)  
 Yellowthroat, Common, see *Geothlypis trichas*  
*Zaratornis stresemanni*, 232 (r)  
*Zenaida auriculata*, 308, 374 (r)  
*Z. macroura*, 77–85, 458, 481 (r)  
*Zonotrichia capensis*, 97–98 (r), 375 (r)  
*Z. leucophrys*, 336, 417  
*Z. querula*, 129–137