

INDICES TO VOLUME 66

COMPILED BY TERESA HOLEVAS AND ASHTON HORNE

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature selection.)

- Aborn, D. A., 501-502
Aigner, P. A., 310-311 (r)
Albuquerque, J. L. B., 363-369
Amat, J. A., 311 (r)
Ambrose, R. E., 373-379
Anderson, S., 623 (r)
Anderson, S. H., 503-514
Andrade, G. I., 318 (r)
Ardern, S. L., 623 (r)
Arlettaz, R., 159-160 (r)
Armesto, J. J., 316 (r)
Aronov, E., 632-633 (r)
Arrowood, P. C., 380-384
Ashkenazi, S., 168-169 (r)
Avery, M. L., 632-633 (r)
Bakko, E. B., 445 (r)
Barta, Z., 1-11
Bear, A., 212-214
Becker, P. H., 624-625 (r)
Bender, D. J., 400-403
Bensch, S., 443 (r)
Bente, P. J., 373-379
Bidstrup, F. C., 444 (r)
Bildstein, K. L., 544-552
Birkhead, T. R., 164 (r)
Bjork, R., 317-318 (r)
Bleier, W. J., 316 (r)
Bloch, D., 630 (r)
Block, W. M., 310-311 (r)
Blocker, H. D., 44-53
Blodget, B. G., 128-132
Blus, L. J., 631 (r)
Boag, P., 443-444 (r)
Boag, P. T., 442 (r)
Boates, J. S., 168 (r)
Bock, C. E., 352-362
Boldt, A., 166 (r)
Bonczar, Z., 167-168 (r)
Bonner, L. H., 140-151
Boonstra, R., 192-198
Borowiec, M., 442-443 (r)
Botelho, E. S., 380-384
Bouchet, M.-A., 168 (r)
Boutin, S., 192-198
Bower, A., 445 (r)
Bowman, T. D., 310 (r)
Brandt, D. A., 408-417
Brigham, R. M., 400-403
Briskie, J. V., 531-543
Brockie, K., 106-161 (r)
Browder, R. C., 37-43
Browder, R. G., 37-43
Brown, K. M., 163 (r)
Browning, M. R., 12-21
Bruderer, B., 166 (r), 457-468
Brzorad, J. N., 164 (r)
Buchanan, J., 629 (r)
Buck, J. A., 133-139
Buehler, D. A., 173-180
Buhl, D. A., 408-417
Bukenhofer, G. A., 627-628 (r)
Bunn, A. G., 544-552
Calder, W. A., 522-530
Cardoza, J. E., 267-269
Carpenter, F. L., 167 (r)
Carroll, J. P., 628 (r)
Carss, D. N., 160-161 (r)
Casler, C. L., 163 (r)
Castellanos, A., 117-127
Cavanagh, P. M., 128-132
Chablox, V., 314 (r)
Collazo, J. A., 424-438
Colón, J. A., 424-438
Colwell, M. A., 181-183
Comolet-Tirman, J., 312 (r)
Conner, R. N., 140-151
Cooper, B. A., 590-608
Cooper, J., 311-312 (r)
Cott, H. B., 449-450 (r)
Craft, R. A., 133-139
Crawford, J., 628-629 (r)
Crawford, R. D., 628 (r)
Crawford, S., 321-333
Culik, B. M., 484-491
Cummings, J., 451 (r)
Czapulak, A., 442-443 (r)

- Danielsen, F., 630 (r)
 David, P. G., 314 (r)
 Davis, J., Jr., 451 (r)
 Day, K. S., 316–317 (r)
 Debout, G., 162 (r)
 deCalesta, D., 319 (r)
 Decker, D. G., 632–633 (r)
 Delany, M. F., 305–309
 DeLong, A., 628–629 (r)
 DeLong, D., Jr., 628–629 (r)
 Derocher, A. E., 321–333
 DeSanto, T. L., 316 (r)
 Desmet, J.-F., 314 (r)
 Devries, J. H., 391–399
 Díaz, M., 343–351
 Dittami, J., 160 (r)
 Divoky, G. J., 270–276
 Dobkin, D. S., 451 (r)
 Dodd, M. G., 181–183
 Donovan, T. M., 247–252
 Dubuc, L. J., 310 (r)
 Dunlop, J. N., 448–449 (r)
 Dunn, P. O., 442 (r)
 Dunning, J. B., Jr., 451 (r)
 Durnick, J., 630 (r)
 Dyrez, A., 442–443 (r)
 Eadie, J. M., 192–198
 Eason, P., 314–315 (r)
 Eguchi, K., 625 (r)
 Ellis, D. H., 609–611
 Emlen, S. T., 624 (r)
 Este, E. E., 163 (r)
 Evans, D. R., 128–132
 Figuerola, G., 497–500
 Fleck, D. C., 352–362
 Fleischer, R. C., 404–405
 Flint, P., 623 (r)
 Flint, P. L., 515–521
 Forbes, L. S., 626 (r)
 Ford, T. B., 22–29
 Fournier, J., 159–160 (r)
 Fouts, A. A., 334–342
 Franzeb, T. M., 253–259
 Fraser, J. D., 173–180
 Frederick, P. C., 318 (r)
 French, T. W., 128–132
 Fuller, M. R., 173–180
 Gabor, T. S., 81–87
 Gadawski, T. R., 81–87
 Galeotti, P., 161–162 (r)
 Garman, G. C., 37–43
 Geering, D. J., 439 (r)
 Gerstenberg, R. H., 181–183
 Gieg, J. A., 22–29
 Gill, M. J., 321–333
 Glahn, J. F., 299–304
 Götmark, F., 449–450 (r)
 Grant, T., 311–312 (r)
 Grear, J. S., 424–438
 Gudmundsson, G. A., 165–166 (r)
 Gummer, D. L., 400–403
 Gustamante, L., 497–500
 Haig, S. M., 626 (r)
 Hall, L. S., 310–311 (r)
 Haller, H., 449 (r)
 Halliday, T., 310 (r)
 Han, X., 54–59
 Hannon, S. J., 314–315 (r)
 Hanowski, J. M., 469–483
 Hanula, J. L., 253–259
 Hardy, J. W., 199–211
 Hario, M., 165 (r)
 Harrington, B. A., 424–438
 Hasselquist, D., 443 (r)
 Hemetsberger, J., 160 (r)
 Hendricks, L. N., 492–496
 Hendricks, P., 370–372, 492–496
 Henning, B. L., 44–53
 Henrioux, P., 314 (r)
 Henson, P., 311–312 (r)
 Hernandez, A., 236–246
 Herrmann, C., 289–295
 Hestbeck, J. B., 629 (r)
 Hicklin, P. W., 168 (r)
 Hill, G. E., 443–444 (r)
 Hixon, M. A., 167 (r)
 Hoff, D. J., 334–342
 Hohtola, E., 632 (r)
 Holt, D. W., 162–163 (r)
 Howell, S. N. G., 564–581
 Howerter, D. W., 391–399
 Humphrey, J. H., 632–633 (r)
 Hunt, K. A., 334–342
 Hunter, M. L., Jr., 632 (r)
 Irwin, L., 629 (r)
 Isenmann, P., 168 (r)
 James, R. A., Jr., 107–111
 Janik, C. A., 310 (r)
 Jenkins, J., 448–449 (r)
 Jenni, L., 446–447 (r)
 Jianguo, L., 451 (r)
 Johnson, K. W., 44–53
 Jonsson, P., 312–313 (r)
 Jussila, P., 444–445 (r)
 Kaiser, G. W., 321–333
 Kalcounis, M. C., 400–403
 Kay, B. J., 440–441 (r)
 Kelly, F. J., 318–319 (r)
 Kemp, K. E., 44–53
 Kentish, B., 450–451 (r)
 Kepler, C. B., 199–211
 Kinstler, K. A., 441–442 (r)
 Kitajima, N., 162 (r)
 Kjellen, N., 317 (r)

- Klein, W., 544-552
 Knopf, F. L., 171 (r)
 Koivula, K., 165 (r)
 Koivula, M., 623-624 (r)
 Komdeur, J., 159 (r)
 Korpimäki, E., 439-440 (r), 623-624 (r)
 Kotschal, K., 160 (r)
 Krapu, G. L., 408-417
 Krebs, C. J., 192-198
 Kroeker, D. W., 81-87
 Krupa, H., 451 (r)
 Kuyt, E., 170-171 (r)
 Lambert, D. M., 623 (r)
 Larsson, B. L., 445-446 (r)
 Leneuve, P., 162 (r)
 Leslie, D. M., 318-319 (r)
 Letzer, M., 30-36
 Levy, C., 171 (r)
 Liechti, F., 457-468
 Lindsey, G. D., 289-295
 Linscombe, S. D., 632-633 (r)
 Linz, G. M., 316 (r)
 Littlefield, C. D., 296-298
 Loose, S. S., 503-514
 Maccarone, A. D., 164 (r), 312 (r)
 MacCluskie, M. C., 515-521
 Maddock, M., 449 (r)
 Maddock, M. N., 439 (r)
 Mahéo, R., 631 (r)
 Maitra, S. K., 169 (r)
 Maloney, R., 623 (r)
 Manley, I. A., 321-333
 Martella, M. B., 215-220
 Martinez-Vilalta, A., 163-164 (r)
 Masters, R. E., 627-628 (r)
 Mawhinney, K., 168 (r)
 McAllister, L. S., 173-180
 McCabe, T. R., 373-379
 McColpin, A. C., 184-191
 McCoy, R. B., 299-304
 McCutchen, E., 629 (r)
 McEwen, L. C., 152-158
 McGehee, S. M., 318 (r)
 McIntyre, C. L., 373-379
 McLean, I. G., 623 (r)
 McNair, D. B., 612-622
 Melvin, S. M., 632 (r)
 Menetrey, Y., 314 (r)
 Meyers, J. M., 582-589
 Micerski, B., 315 (r)
 Michaud-Freeman, D., 442 (r)
 Michstein, S., 624-625 (r)
 Milks, M. L., 446 (r)
 Miller, C. K., 152-158
 Miscovic, A., 169 (r)
 Moller, A. P., 164 (r)
 Mönkkönen, M., 447 (r)
 Montgomerie, R., 443-444 (r)
 Moore, C. T., 305-309
 Morris, R. D., 163 (r)
 Morrison, M. L., 310-311 (r)
 Murray, M. D., 439 (r)
 Murray, N. L., 628 (r)
 Naugler, C. T., 161 (r)
 Navarro, J. L., 215-220
 Nelms, C. O., 316 (r)
 Nicholls, D. G., 439 (r)
 Niemi, G. J., 469-483
 Niles, L. J., 451 (r)
 Nisbet, I. C. T., 612-622
 Norment, C. J., 553-563
 O'Daniel, D. L., 406-407
 Oka, N., 160 (r)
 Olson, S. L., 630 (r)
 Orell, M., 165 (r), 447 (r)
 Oro, D., 163-164 (r)
 Ortega-Rubio, A., 117-127
 Otahal, C. D., 60-69
 Otis, D. L., 316 (r)
 Page, G. W., 444 (r)
 Palahniuk, D. P., 445 (r)
 Palokangas, P., 623-624 (r)
 Paproth, H., 457-468
 Pardo, H. M., 163 (r)
 Parren, S. G., 313 (r)
 Parsons, K. C., 164 (r), 184-191, 312 (r)
 Paszkowski, C. A., 260-266, 277-288
 Paton, D. C., 167 (r)
 Pavan, G., 161-162 (r)
 Payevsky, V. A., 448 (r)
 Peterson, A. P., 385-390
 Petrie, M., 310 (r)
 Piao, Z., 54-59
 Picman, J., 446 (r)
 Piersma, T., 88-98
 Pietz, P. J., 408-417
 Pitts, T. D., 418-423
 Pletschet, S. M., 318-319 (r)
 Plissner, J. H., 626 (r)
 Pochop, P., 451 (r)
 Post, W., 221-230, 612-622
 Powell, G., 317-318 (r)
 Pravosudov, V. V., 231-235
 Press, B. M., 44-53
 Prinzing, R., 169 (r)
 Progulsk, D. R., Jr., 305-309
 Pulliainen, E., 444-445 (r)
 Pulliam, H. R., 451 (r)
 Pyle, P., 564-581
 Pyörnilä, A., 632 (r)
 Ratcliffe, L., 161 (r)
 Ratcliffe, L. M., 625 (r)
 Ratti, O., 313-314 (r)
 Ravussin, P.-A., 314 (r)

- Redfern, C. P. F., 170 (r)
 Rempel, R. S., 81–87
 Renison, D., 215–220
 Renken, R. B., 112–116
 Reuter Cortes, A., 334–342
 Rich, A. C., 451 (r)
 Rilla, F. D., 311 (r)
 Rintamäki, H., 632 (r)
 Ritchie, R. J., 590–608
 Robel, R. J., 44–53
 Robertson, C. J. R., 439 (r)
 Robertson, R. J., 442 (r), 625 (r)
 Robinson, D., 448 (r)
 Rodgers, J. A., Jr., 450 (r)
 Roeder, C., 443–444 (r)
 Ross, R. K., 81–87
 Rotella, J. J., 391–399
 Rubio-Torgler, H., 318 (r)
 Rudolph, D. C., 140–151
 Russel, R. W., 167 (r)
 Ryman, W. E., 199–211
 Ryttonen, S., 165 (r)
 Saari, L., 167–168 (r)
 Sabag, C., 316 (r)
 Sarker, R., 169 (r)
 Savalli, U. M., 440 (r)
 Schleucher, E., 169–170 (r)
 Schultz, J. W., 628 (r)
 Seegar, J. K. D., 173–180
 Seutin, G., 30–36
 Sharman, M. Y., 625 (r)
 Skagan, S. K., 171 (r)
 Skov, H., 630 (r)
 Slater, P. J., 441 (r)
 Smith, G. C., 441 (r)
 Smith, H. T., 450 (r)
 Smith, J. W., 112–116
 Sodhi, N. S., 260–266, 277–288
 Sordahl, T. A., 441–442 (r)
 Sovari, Z., 1–11
 Spaldina, M., 317–318 (r)
 Stanley, C. M., 247–252
 Stauffer, D. F., 628 (r)
 Steadman, D. W., 630 (r)
 Stenius, S., 626–627 (r)
 Stenzel, L. E., 444 (r)
 Strann, K.-B., 167 (r)
 Summers, R. W., 170 (r)
 Sundlof, S., 317–318 (r)
 Suydam, R., 270–276
 Swenson, J. E., 167–168 (r)
 Sykes, P. W., Jr., 199–211
 Szep, T., 1–11
 Takeishi, M., 625 (r)
 Tarr, C. L., 404–405
 Tellería, J. L., 343–351
 Temeles, E. J., 167 (r)
 Temrin, H., 626–627 (r)
 Thompson, S. P., 310 (r)
 Timonen, S., 447 (r)
 Tirent, S., 312 (r)
 Tolonen, P., 439–440 (r)
 Toth, Z., 1–11
 Trulio, L. A., 99–106
 Tunkari, P., 444–445 (r)
 Twigg, L. E., 440–441 (r)
 Ueda, K., 162 (r)
 Underhill, L. G., 170 (r)
 Vickery, P. D., 632 (r)
 Viitala, J., 623–624 (r)
 Vuilleumier, F., 316 (r)
 Wada, T., 625 (r)
 Walder, P., 314 (r)
 Walters, J. R., 626 (r)
 Wang, K., 400–403
 Ward, D., 623 (r)
 Warriner, J. C., 444 (r)
 Warriner, J. S., 444 (r)
 Way, M. O., 632–633 (r)
 Wendeln, H., 624–625 (r)
 Widén, P., 447 (r)
 Wiedenfeld, D. A., 70–80
 Wiedenfeld, M. G., 70–80
 Wiersma, P., 88–98
 Wiklund, C. G., 445–446 (r)
 Williams, O. E., 181–183
 Williams, T. C., 612–622
 Willson, M. F., 316 (r)
 Wilson, C. W., 627–628 (r)
 Wilson, K. A., 289–295
 Wilson, K. S., 444 (r)
 Wilson, R. P., 484–491
 Winkel, W., 443 (r)
 Wrege, P., 624 (r)
 Wu, J., 54–59
 Young, D. D., Jr., 373–379
 Zerhusen, V. P. A., 164–165 (r)
 Zhang, S., 54–59
 Zhengjie, Z., 54–59
 Ziegler, A. C., 630 (r)

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced only within the review sections of the Journal, they are indexed by geographic location only.

- acoustic competition hypothesis, 161 (r)
- activity budget, 22-29
- ad hoc estimates, and bird density, 391-395
- air cell, development in egg, 419-423
 - egg width ratio, 422
 - growth with incubation, 421-423
- Alaska, 311-312 (r), 590-603, 623 (r), 629 (r)
 - Barrier Islands, 270-276
 - Brooks Range, 373-377
- Alberta, 170-171 (r), 629 (r)
- Amazonia, Colombian, 344
- Antarctica, Ardley Island, 484-485
- Antigua, 619
- ANWR, 374, 377-378
- Appalachian Mountains, 546
- Argentina, 312 (r)
- ARGOS satellite system, and bird monitoring, 439 (r)
- Arizona, 359-360, 522-529
- Arkansas, 371
- Australia, New South Wales, 448 (r)
 - Victoria, 450 (r)
- avicide, 129-130
- Bahamas, 612, 618
- Baltic Sea, Courish Spit, 448 (r)
- banding, and injury, 587
 - leg, colored, 582-589
- Barbados, 619
- Bay of Fundy, 168 (r)
- behavior, "still hunting" foraging, 366
- Bermuda, 613-615, 618-619
- blood, composition, 169 (r)
 - sampling, 623 (r)
- Brazil, Serra do Tabuleiro, Santa Catarina, 363-369
- breeding dispersal, 444 (r)
 - ecology, 54-59, 162 (r), 163 (r), 221-230, 231-235
- British Columbia, 314-315 (r), 386, 400
 - Kootenay Inlet, 325, 331
 - Malaspina Inlet, 326-327
 - Queen Charlotte Islands, 327, 330
 - Security Inlet, 327
 - Theodosia Inlet, 321-322
- brood reduction hypothesis, 623 (r)
- brood surveys, visibility bias, 81-87
- Cabo Rojo salt flats, 424-436
- California, 444 (r), 523, 565
 - Humbolt Bay, 181-183
 - Huntington Beach, 108
 - Mono Lake, 310-311 (r)
 - San Francisco, 61-62
 - Sierra Nevada, 166 (r), 167 (r)
- Canada, 260-266
 - Churchill, 531-534
 - Northwest Territories, 170-171 (r), 554
- Cape Cod, 618
- Cape Hatteras, 615
- Carribbean, 618-619
- censusing, 315 (r), 316 (r)
 - effect of time-of-day, 545-550
 - fixed-distance point count, 353
 - habitat specific, 482-483
 - moonwatching, 458
 - off-road vs. on-road, 469-481
 - passive infrared use, 458
 - radar use, 458
 - roadside surveys, 545-550
- Central Flyway, 600
- chi-squared test, two-tailed, 546-548
- Chile, 316 (r)
- China, Changbai Mountains, 54-59
- Christmas Bird Count (CBC), 385-389
- Colorado, 359-360, 523, 525-529
 - Boulder County, 353-359
- community restoration, effect on breeding birds, 627-628 (r)
- competition, avian interspecific, 359-360
- conservation, 368, 450-451 (r)
 - and raptors, 447 (r)
 - migratory areas, 425, 436
- conspecific tape recordings, as a lure, 497-499
- Coral Sea, 441 (r)
- Costa Rica, La Selva, 348
- cycle of colour changes, 449 (r)
- Delaware Bay, 184-191
- Denmark, 631 (r)
- deterrent, blackbirds, 632 (r)
- diet, analysis from prey remains, 160-161 (r)
 - energy budget, 44-53, 160 (r)
 - nutrient budget, 44-53
 - of nestlings, 253-259

- pellet analysis, 237-243, 310-311 (r), 312 (r)
 plasticity, 152-158
 selective predation, 159-160 (r), 236-246
 unusual, 501-502
 discriminant analysis, age, 247-252
 sex, 128-132, 299-304
 disease, risk of, 317-318 (r)
 disorientation, and "extra-limits", 529
 distribution, Procellariiformes, 630-631 (r)
 dominance, 166 (r)
 doubly-labeled water, and swim speed, 487-489
 change in foraging patterns, 488
 effect on breeding, 487
 technique, 484
 drought, population response to, 629 (r)
 dusting behavior, 492-494
 Ebro Delta, 497
 ECOLECON, 451 (r)
 ectoparasites, 212-214
 egg, artificial, 516-517
 laying patterns, 444 (r)
 mass loss, 423
 shell thinning, 184-191
 energy conservation, in owls, 629 (r)
 energy expenditure, free-living birds, 484-491
 Europe, 565
 evolution, and differential use of habitat, 442 (r)
 extinction, 630 (r)
 "extra-limits", 522
 extra-pair paternity, 442 (r), 444 (r)
 and nest density, 444 (r)
 fat extractions, 90-92
 feeding ecology, 311-312 (r), 312 (r)
 field equipment, celluloid bands, 289-295
 closed circuit television, 199-211
 electric nest balances, 1-11
 far infrared thermal imaging device, 192-199
 infrared linescanner, 197
 photographic systems, 37-43, 253-259
 radio transmitter, 169-170 (r), 173-180
 thermalhygrograph, 169-170 (r)
 traps, 133-139
 field technique, capture, 609-611
 capture-recapture, 61-64, 113-114
 ectoparasite collection, 272-274
 fecal-urate samples, 334-342
 helicopter survey, 81-87
 mist netting, 322-332
 nightlighting, 310 (r)
 pellet analysis, 237-243, 310-311 (r), 312 (r)
 radar surveillance, 165-166 (r)
 sweepnet collection, 45-47
 video monitoring, 253-259
 Finland, 165 (r), 167-168 (r), 313-314 (r), 439 (r), 447 (r)
 Finnish Lapland, 444 (r)
 flight, effect of altitude, 590-603
 radar testing, 593-594, 597-598
 flight altitude, collisions, 591-592
 diel patterns, 602-603
 diurnal, 599-600
 nocturnal, 601-602
 patterns, 594-598
 seasonal patterns, 602
 Florida, 223-230, 306, 314 (r), 614-615, 617-618
 food cache, covering, 370-372
 foraging, behavior, 277-288, 311 (r)
 strategies, 624-625 (r)
 forest fragmentation, and species abundance, 451 (r)
 fossil record, 630 (r)
 France, 312 (r), 631 (r)
 Alps, 314 (r)
 Normandy, 162 (r)
 Gamboa, 404-405
 Georgia, 614, 617
 Great Barrier Reef, 441 (r)
 Gulf of Lion, 168 (r)
 Gulf of Mexico, 70-80
 habitat use, 505-514, 628 (r)
 effect of snags on, 511-513
 grassland, 632 (r)
 nongame birds, 628 (r)
 Hawaii, Laysan, 407
 homing, 166 (r)
 hydrological conditions, and shorebird abundance, 434-435
 Iberian Peninsula, 236-237
 image analysis, 249-250
 incubation patterns, nest attendance, 553-563
 waterfowl, 515-521
 index, abdominal profiles, 88-98
 rectrix shape, 247-252
 infanticide, primary vs. secondary female, 443 (r)
 insecticide
 interference asymmetry, 166 (r), 167 (r)
 International Shorebird Survey (ISS), 428
 interspecific aggressiveness, 448 (r)
 egg destruction, 404-405
 investigator disturbance, 163 (r), 310 (r)
 Iowa, 136, 335
 Israel, 168-169 (r), 459
 Italy, 161-162 (r)
 Jamaica, 171 (r)
 Japan, 160 (r), 162 (r), 625 (r)

- jess, Aylmeri, 609–610
 Hollywood, 609–611
 Johnston Atoll, Sand Island, 406
 Jural Mountains, 314 (r)
 Kansas, 45–46
 kleptoparasitism, 163 (r)
 land management, 632 (r)
 lead poisoning, in swans, 631 (r)
 Lesser Antilles, 614–615, 618
 life history, 316 (r)
 Lisianski Island, Hawaii, 630 (r)
 longevity record, 181–183, 267–269, 406–407
 Louisiana, 70–80, 632 (r)
 Maine, 618, 632 (r)
 male attractiveness, and female choice, 440 (r)
 management, artificial nest sites, 99–106, 270–276
 of habitats, 314 (r), 316 (r), 318 (r)
 passive relocation, 99–106
 planning, 147–150
 Manitoba, 534
 Churchill, 161 (r)
 mark-resight estimator, and bird density, 391–395
 Massachusetts, 613, 618–619
 Catham, 162–163 (r)
 Ram Island, 128–132
 mating, mate choice, 624 (r)
 methoxyflurane, 410
 methyl anthranilate, 632 (r)
 Mexico, 117–127, 522–523
 Michigan, 445 (r), 618
 Micronesia, 630 (r)
 migration, 165–166 (r), 171 (r)
 and moult cycle, 317 (r)
 differences between sexes, 60–69
 energy stores, 88–98
 mortality, 70–80
 patterns, 631 (r)
 seasonal distribution, 12–21
 shorebirds, 429–431
 traffic rates, 463
 transoceanic, 612–620
 using radar to follow, 618–619
 wintering, 167 (r)
 Minnesota, 415, 445 (r), 469, 471
 Mississippi, Horn Island, 501
 Mississippi River Valley, 112–116
 molt, aging birds, 577–578
 flight-feathers, 564–579
 monogamy, genetic evidence for, 626 (r)
 Montana, Missoula County, 370
 nematode parasites, 318 (r)
 neotropical migrants, storm kills, 70–80
 nest, artificial, 99–106, 117–127, 270–276, 313 (r)
 defense of, 165 (r)
 monitoring with electric balance, 1–11
 relocation, 162 (r)
 reusing, 625 (r)
 site characteristics, 625 (r)
 site competition, 164–165 (r)
 site fidelity, 314–315 (r)
 site selection, 164 (r), 314 (r)
 site tenacity, 103–105, 107–111
 size, 231–235
 substrate preference, 30–36
 use by owls, 629 (r)
 nest attendance, 515–521
 nest attentiveness, 557–559
 interspecific differences, 560
 nest box, 445 (r)
 addition affecting bird density, 356
 nest predation, 343–351, 400–402
 nesting biology, 531–543
 behavior modification, 541
 phenology of Golden Eagle, 377
 synchronization, 539
 Nevada, Anoho Island, 310 (r)
 New England, 617
 New Jersey, 451 (r), 617–618
 New Mexico, 381
 New South Wales, 439 (r)
 New York, New York City, 312 (r)
 New Zealand, Dunedin, 439 (r)
 North Carolina, 611–613, 626 (r)
 North Dakota, 316 (r), 409, 628 (r)
 Norway, 167 (r)
 Nova Scotia, 168 (r), 613–614, 619
 Oceania, 630 (r)
 Ohio, 371
 Oklahoma, 318–319
 Ontario, 163 (r), 442 (r)
 Great Clay Belt, 82
 OP intoxication, 336, 341
 Oregon, 386, 629 (r)
 Great Basin, 296
 Panama, 30–36
 Barro Colorado, 348
 Republic of, 404
 parental effort, 439 (r)
 Party Hours (PH), calculating, 385–389
 correcting, 388–390
 patagial tags, Cattle Egrets, 439 (r)
 Penguin Island, 448 (r)
 Pennsylvania, 545
 pesticide, DDE, 184–191
 DDT, 184–191
 organochlorine, 184–191
 quinalphos, 169 (r)
 philopatry, 107–111, 314–315 (r)
 phylogeny, 34–36
 plumage, development, 170 (r)

- molt scores, 170 (r)
- polymorphism, 168–169 (r)
- Poland, 167–168 (r), 359
- polygyny, 222, 443 (r)
- Polynesia, 630 (r)
- polyterritoriality, 627 (r)
- population dynamics, 140–151
- predation, monitoring with automatic camera, 37–43
- Puerto Rico, 424–436, 584–585, 613–614, 619
- Queensland, 439 (r), 441 (r)
 - Brisbane, 441 (r)
- ReJeX-iT AG-36, 451 (r), 632–633 (r)
- reproduction, bigamy, 314 (r)
 - breeding ecology, 54–59, 162 (r), 316–317 (r)
 - breeding range expansion, 170–171 (r)
 - chick mortality, 165 (r)
 - clutch size, 231–235
 - cooperative breeding, 159 (r)
 - deception hypothesis, 313–314 (r)
 - delayed, 107–111
 - effects of weather, 167–168 (r)
 - estradiol levels, 312–313 (r)
 - mate selection, 310 (r)
 - monitoring with CCTV, 199–211
 - ovarian maturation, 312–313 (r)
 - parental investment, 165 (r)
 - paternal care, 164 (r)
 - success, 184–191, 221–230, 296–298, 310 (r)
- resource exploitation, 167 (r)
- revegetation, and bird populations, 450 (r)
- Rhode Island, Weekapaug, 22–29
- Saskatchewan, 391–393, 400–401, 629 (r)
- Scandinavia, 165–166 (r)
- Scotland, 160–161 (r)
- set-back distances, and breeding sites, 450 (r)
- sex-role reversal, 165 (r)
- Seychelles, 159 (r)
- Siberia, 165–166 (r)
- Sierra de Chiribiquete, 344
- software, NestBug, 9–11
- song mimicry, 312 (r)
- South America, 363–364, 425, 613–614, 619
- South Carolina, 221–230, 615–616
- Spain, 163 (r)
- species distribution, 522–529
- sperm competition, 162 (r)
- statistics, ANCOVA, 5–8, 498
 - ANOVA, 357, 428, 472–473, 507, 570, 572, 595
 - coefficients of variation, 547–548
 - Hayne's method, 237
 - Jacob's Index, 237
 - Jolly-Seber model, 113–114
 - Mann-Whitney *U*-test, 498, 507
 - paired *t*-test, two tailed, 546–548
 - Peterson's estimator, 47
 - Spearman's rank correlation, 556
 - stepwise discriminant function analysis, 508–509
 - Wilcoxon matched-pairs signed-ranks test, 556–557
 - Wilke's method, 507–508
 - z*-test, 395
- survival rate, adult annual, 112–116
 - calculating, 412–413
- Sweden, 165–166 (r), 443 (r)
- Switzerland, 159–160 (r), 446 (r)
- taxonomy, two-sample, 168–169 (r)
- Tennessee, 419
- territory, acquisition, 167 (r)
 - quality, 167 (r)
 - size, 305–309
- Texas, 140–151, 523, 632 (r)
- Thames River, 631 (r)
- Tobago, 619
- torpor, 632 (r)
- toxins, from waste water treatment, 318 (r)
 - lead poisoning, 631 (r)
 - mercury contamination, 317–318 (r)
- transmitter attachment, anchor, 410–415
 - harness, 408–409, 623 (r)
 - implanted, 409–410
 - suture, 409–410
- trap, live, 381–383
 - mist nets, 62
 - trip-plate, 133–139
 - walk-in funnel, 133–139
- trimmed mean (TM), calculating, 387–388
- underwater feeding, 160 (r)
- United Kingdom, 631 (r)
- Uruguay, 311 (r)
- Utah, 316–317 (r)
- Venezuela, 163 (r)
- vigilance, 215–220
- Virginia, 613–615, 618, 628 (r)
- vocalization, 161 (r), 161–162 (r), 312 (r)
 - distinguishing, 625 (r)
 - linear call, 441 (r)
 - soft call, 441 (r)
 - variable call, 441 (r)
- Wadden Sea, 89
- Washington, 386, 492–493, 523
 - Cascade Mountains, 629 (r)
- West Indies, 171 (r), 613
- West Virginia, 615, 618
- Wyoming, Laramie, 503–504
- Yukon Territory, 591

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

- Accipiter cooperii*, 474, 547
A. gentilis, 547, 606, 611
A. nisus, 499 (r)
A. striatus, 474, 547, 606
Acrocephalus arundinaceus, 443 (r)
A. orientalis, 67
A. paludicola, 443 (r)
A. schellensis, 159 (r)
A. schoenobaenus, 443 (r)
A. scirpaceus, 443 (r)
Actitis macularia, 606
Aegolius funereus, 314 (r), 632 (r)
Agelaius phoeniceus, 316 (r), 422, 446 (r), 477, 632 (r)
Aimophila aestivalis, 451 (r)
Aix sponsa, 85
Akiapolaau, see *Hemignathus muroi*
Albatross
 Northern Royal, see *Diomedea empomphora sanfordi*
 Wandering, see *Diomedea exulans*
Amakihi, Common, see *Hemignathus virens*
Amazona, 582-587
Amazona albifrons, 584
A. amazonica, 584
A. pretrei, 368
A. ventralis, 584
A. viridigenalis, 584
A. vittata, 583-587
Ammodramus leucoteii, 475
A. maritimus, 73-74, 79, 228
A. savannarum floridanus, 305-309
A. savannarum, 632 (r)
Anas acuta, 629 (r), 632
A. americana, 84, 519, 606
A. clypeata, 518-519, 606
A. crecca, 85, 192-199, 606
A. discours, 84, 474
A. laysanensis, 630 (r)
A. platyrhynchos, 84, 192-199, 391-397, 408-415, 474, 606
A. rubripes, 84
A. strepera, 409-415
Anser albifrons, 89, 519
A. anser, 160 (r)
A. canagicus, 515
Antbird, Dusky, see *Cercomacra tyrannina*
Anthus rubescens, 607
A. spinoletta, 377
Aquila chrysaetos, 104, 138, 314 (r), 373-378, 448 (r), 606, 611
Ardea herodias occidentalis, 317-318 (r)
A. herodias, 37, 42, 184-191, 450 (r), 474
Ardeola ibis, 439 (r), 449 (r)
Arenaria interpres, 109, 631 (r)
A. flammeus, 162-163, 377, 607
Asio otus, 36
Avocet
 American, see *Recurvirostra americana*
 Eurasian, see *Recurvirostra avosetta*
Aythya affinis, 85, 519-520
A. americana, 515
A. collaris, 84
A. marila, 519
Bartramia longicauda, 632 (r)
Bee-eater, White-fronted, see *Merops bullockoides*
Bittern
 American, see *Botaurus lentiginosus*
 Least, see *Ixobrychus exilis*
Blackbird
 Red-winged, see *Agelaius phoeniceus*
 Rusty, see *Euphagus carolinus*
 Yellow-headed, see *Xanthocephalus xanthocephalus*
Bluebird
 Eastern, see *Sialia sialis*
 Mountain, see *Sialia currucoides*
 Western, see *Sialia mexicana*
Bobolink, see *Dolichonyx oryzivorus*
Bobwhite, Northern, see *Colinus virginianus*
Bombcilla cedrorum, 473, 476, 477, 478
B. garrulus, 607
Bonasa bonasia, 167-168 (r)
Botaurus lentiginosus, 474
Brachyramphus marmoratus, 321-332
Brant, Black, see *Branta bernicla nigricans*
Branta bernicla nigricans, 519, 623 (r)
B. bernicla, 89
B. canadensis, 192-199, 451 (r), 534, 606
B. leucopsis, 89
Bubo virginianus, 115, 133-139, 192-199, 310-311 (r), 401
Bubulcus ibis, 78
Bucephala albeola, 192-199
B. clangula, 84
B. islandica, 192-199
Bufflehead, see *Bucephala albeola*
Bulweria bulwerii, 406-407

Bunting

Indigo, see *Passerina cyanea*Painted, see *Passerina ciris*Snow, see *Plectrophenax nivalis**Buteo albicaudatus*, 366*B. brachiurus*, 365–367*B. buteo*, 447 (r)*B. jamaicensis*, 133–139, 544, 547–550, 606*B. lagopus*, 547, 606*B. leucorrhous*, 365*B. lineatus*, 37, 42, 547*B. magnirostris*, 366*B. platypterus*, 547*B. tinnunculus*, 439 (r), 447 (r), 549*Butorides virescens*, 78

Buzzard

Common, see *Buteo buteo*Gray-chested, see *Geranoaetus melanoleucus**Cacicus cela*, 583Cacique, Yellow-rumped, see *Cacicus cela**Caladris alba*, 429, 434, 631 (r)*Calcaeus lapponicus*, 192–199, 560, 608

calidrids, 424–426

Calidris alpina, 631 (r)*C. bairdii*, 606*C. canutus*, 89, 165–166 (r), 429–430*C. ferruginea*, 497–499*C. fuscicollis*, 427, 429*C. himantopus*, 424, 429–430*C. maritima*, 167 (r)*C. mauri*, 427, 429*C. melanotos*, 429, 607*C. minutilla*, 427, 429*C. pusilla*, 109–110, 168 (r), 427, 429*Calonectris diomedea*, 630 (r)*C. leucomelas*, 160 (r)*Calypse costae*, 524*Calypte anna*, 523–526*Campylorhynchus brunneicapillus*, 51

caprimulgids, 34–35

Caprimulgus vociferus, 627 (r)Cardinal, Northern, see *Cardinalis cardinalis**Cardinalis cardinalis*, 627 (r)*Carduelis* spp., 609*C. pinus*, 355*C. spinus*, 448 (r)*C. tristis*, 477, 479, 627 (r)*Carpodacus cassinii*, 355, 358*C. mexicanus*, 443 (r)*Casmerodius albus*, 78, 312 (r), 314 (r), 318 (r)Catbird, Gray, see *Dumetella carolinensis**Cathartes aura*, 37, 42, 544, 547–549*Catharus fuscescens*, 476, 478*C. guttatus*, 476, 478, 607*C. swainsoni*, 68*C. ustulatus*, 607*Centrocercus urophasianus*, 628–629 (r)*Centurus*, 565, 568–578*C. aurifrons*, 566*C. carolinus*, 566, 568*C. uropygialis*, 566*Cepphus grylle*, 273, 275*Cercomacra tyrannina*, 404–405*Ceryle alcyon*, 474, 607Chaffinch, see *Fringilla coelebs**Charadrium montanus*, 316–317 (r)*Charadrius alexandrinus*, 108, 424–425, 428–436, 444 (r)*C. hiaticula*, 631 (r)*C. melodus*, 429, 431*C. semipalmatus*, 606*C. vociferus*, 108, 428–429*C. wilsonia*, 425, 428–429, 435*Chasiempis sandwichensis*, 292Chat, Yellow-breasted, see *Ictaria virens*

Chickadee

Black-capped, see *Parus atricapillus*Boreal, see *Parus hudsonicus*Chestnut-backed, see *Parus rufescens*Mountain, see *Parus gambeli*

Chicken

Domestic, see *Gallus gallus*Prairie, see *Tympanuchus* spp.*Circus cyaneus*, 400–401, 547, 595, 606*Cistothorus palustris*, 405, 446 (r)*C. platensis*, 474, 476*Clangula hyemalis*, 273*Coccyzus americanus*, 73, 76*Colaptes*, 568*C. auratus*, 192–199, 445 (r), 476, 478, 508, 510–511, 566, 607*Colinus virginianus*, 137, 628 (r)*Columba livia*, 136, 166 (r)*Contopus sordidulus*, 354, 358*C. virens*, 478, 624–625 (r), 628 (r)Coot, see *Fulica atra**Coragyps atratus*, 547

Cormorant

Double-crested, see *Phalacrocorax auritus*King, see *Phalacrocorax albiventer**Corvus brachyrhynchos*, 37, 42, 473, 476, 481, 531*C. corax*, 377, 474*C. corone cornix*, 446 (r)*C. corone*, 51*Coturnix coturnix*, 345Cowbird, Brown-headed, see *Molothrus ater*

Crane

Greater Sandhill, see *Grus canadensis tabida*Mississippi Sandhill, see *Grus canadensis pratensis*

- Sandhill, see *Grus canadensis*
Whooping, see *Grus americana*
cranes, 596, 600
Creeper, Brown, 478
Crossbill, Red, see *Loxia curvirostra*
Crow
 American, see *Corvus brachyrhynchos*
 Carrion, see *Corvus corone*
 Hooded, see *Corvus corone cornix*
 Rufous-winged Ground-, see *Neomorphus rufipennis*
 Squirrel, see *Piaya cayana*
 Yellow-billed, see *Coccyzus americanus*
Curlew, see *Numenius arquata*
 Bristle-thighed, see *Numenius tahitiensis*
Cyanocitta cristata, 473, 476, 478, 481
C. stelleri, 354
Cygnus buccinator, 311–312 (r), 606
C. columbianus berwickii, 89
C. columbianus, 606
C. olor, 631 (r)
Dacelo novaeguinea, 441 (r)
Delichon urbica, 45
Dendragapus canadensis, 474
Dendroica caerulescens, 266
D. castanea, 266
D. cerulea, 70–80, 266
D. coronata, 266, 285, 355, 358, 479, 607
D. discolor, 266, 627 (r)
D. dominica, 79
D. fusca, 266, 479
D. magnolia, 75, 266, 479
D. nigrescens, 266
D. occidentalis, 285
D. palmarum, 266, 475
D. pennsylvanica, 79, 266, 277–288, 473, 476, 477, 479
D. petechia aestiva, 533–536
D. petechia amnicola, 532–536
D. petechia, 68, 79, 266, 476, 531–543, 607
D. pinus, 266, 628 (r)
D. striata, 266, 531, 607, 612–620
D. tigrina, 266, 475
D. townsendi, 266
D. virens, 74–77, 79, 266, 479
Diomedea exulans, 439 (r)
Diomedea empomophora sanfordi, 439 (r)
Dolichonyx oryzivorus, 475
Dove
 Diamond, see *Geopelia cuneata*
 Mourning, see *Zenaida macroura*
 Rufous Turtle, see *Streptopelia orientalis*
Dowitcher
 Long-billed, see *Limnodromus scolopaceus*
 Short-billed, see *Limnodromus griseus*
Dryocopus, 568
D. martius, 314 (r)
D. pileatus, 146, 192–199, 473–474, 566
Duck
 American Black, see *Anas rubripes*
 Laysan, see *Anas laysanensis*
 Red-necked, see *Aythya collaris*
 Wood, see *Aix sponsa*
ducks, 596, 600
Dumetella carolinensis, 73–78, 473, 475, 477
Dunlin, see *Calidris alpina*
Eagle
 Bald, see *Haliaeetus leucocephalus*
 Black Hawk, see *Spizaetus tyrannus*
 Cattle, see *Ardeola ibis*
 Cattle, see *Bubulcus ibis*
 Golden, see *Aquila chrysaetos*
 Great, see *Casmerodius albus*
 Harpy, see *Harpya harpyja*
 Little, see *Egretta garzetta*
 Ornate Hawk, *Spizaetus ornatus*
 Snowy, see *Egretta thula*
Egretta caerulea, 78
E. garzetta, 168–169 (r)
E. gularis, 168–169 (r)
E. thula, 78, 312 (r), 318 (r)
E. tricolor, 78
Eider, Common, see *Somateria mollissima*
Elanoides forficatus, 368
Elanus notatus, 441 (r)
Elepaio, see *Chasiempis sandwichensis*
Empidonax spp., 36, 78
E. difficilis, 68
E. flaviventris, 473, 476, 478, 481
E. oberholseri, 559
E. virescens, 628 (r)
Eremophila alpestris, 607
Erolia melanotos, 192–199
Eudocimus albus, 314 (r), 318 (r)
Euphagus carolinus, 608
Euplectes macrourus, 440 (r)
E. progne, 440 (r)
Falco cenchroides, 441 (r)
F. columbarius, 445 (r), 606
F. mexicanus, 611
F. peregrinus, 188, 366, 606, 611
F. sparverius, 324–342, 474, 544, 547–550, 606
F. tinnunculus, 623 (r)
Falcon
 Peregrine, see *Falco peregrinus*
 Prairie, see *Falco mexicanus*
Ficedula hypoleuca, 231, 234, 313–314 (r), 443 (r), 444 (r), 449 (r)
Finch
 Cassin's, see *Carpodacus cassinii*
 House, see *Carpodacus mexicanus*
 Laysan, see *Telespiza cantans*
 Zebra, see *Taeniopygia guttata*

- Flamingo, Greater, see *Phoenicopterus ruber*
 Flicker, Northern, see *Colaptes auratus*
 flickers, see *Colaptes*
 Flycatcher
 Acadian, see *Empidonax virescens*
 Alder, 478
 Great-crested, see *Myiarchus crinitus*
 Least, 478
 Pacific-slope, see *Empidonax difficilis*
 Pied, see *Ficedula hypoleuca*
 Yellow-bellied, see *Empidonax flaviventris*
Forpus passerinus, 582
Fratercula corniculata, 273
Fringilla coelebs, 447 (r), 459
Fulica atra, 162 (r)
 Fulmar, Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 292, 630 (r)
 Gadwall, see *Anas strepera*
Gallinago gallinago, 474, 607
 Gallinule, Purple, see *Porphyryla martinica*
Gallus gallus, 136
Gavia immer, 22–29
Geopelia cuneata, 169–170 (r)
Geothlypis trichas, 74–77, 79, 266, 473, 476, 477, 479, 632 (r)
Geranoaetus melanoleucus, 366
Geranospiza caerulescens, 366
 Godwit
 Bar-tailed, see *Limosa lapponica*
 Hudsonian, see *Limosa haemastica*
 Marbled, see *Limosa fedoa*
 Goldeneye
 Barrow's, see *Bucephala islandica*
 Common, see *Bucephala clangula*
 Goldfinch, American, see *Carduelis tristis*
 Goose
 Barnacle, see *Branta leucopsis*
 Brent, see *Branta bernicla*
 Canada, see *Branta canadensis*
 Emperor, see *Anser canagicus*
 Great White-fronted, see *Anser albifrons*
 Greylag, see *Anser anser*
 White-fronted, see *Anser albifrons*
 goose, 596, 600
 Goshawk, see *Accipiter gentilis*
 Grackle
 Boat-tailed, see *Quiscalus major*
 Common, see *Quiscalus quiscula*
 Grosbeak
 Blue, see *Guiraca caerulea*
 Red-breasted, see *Pheucticus ludovicianus*
 Rose-breasted, see *Pheucticus ludovicianus*
 Ground, Tyrant, 316 (r)
 Grouse
 Hazel, see *Bonasa bonasia*
 Ruffled, 478
 Sage, see *Centrocercus urophasianus*
 Spruce, see *Dendragapus canadensis*
Grus americana, 170–171 (r)
G. canadensis pratensis, 199–211
G. canadensis tabida, 296–298
G. canadensis, 606
 Guan, Rusty-margined, *Penelope superciliosus*
 Guillemot, Black, see *Cephus grylle*
Guiraca caerulea, 79
 Gull
 Audouin's, see *Larus audouinii*
 Bonaparte's, see *Larus philadelphia*
 California, see *Larus californicus*
 Herring, see, *Larus argentatus*
 Lesser Black-backed, see *Larus fucofus fucofus*
 Mew, see *Larus canus*
 Ring-billed, see *Larus delawarensis*
 Silver, see *Larus novaehollandiae*
 Yellow-legged, see *Larus cachinnans*
 gulls, 109
Haematopus ostralegus, 631 (r)
Haliaeetus leucocephalus, 173–180, 185, 450 (r), 474, 583, 587, 606, 611
Harpya harpyja, 363–369
 Harrier, Northern, see *Circus cyaneus*
 Hawk
 Broad-winged, see *Buteo platypterus*
 Cooper's, see *Accipiter cooperii*
 Crane, see *Geranospiza caerulescens*
 Harris', see *Parabuteo unicinctus*
 Mantled, see *Leucopternis polionota*
 Red-shouldered, see *Buteo lineatus*
 Red-tailed, see *Buteo jamaicensis*
 Road-side, see *Buteo magnirostris*
 Rough-legged, see *Buteo lagopus*
 Sharp-shinned, see *Accipiter striatus*
 Short-tailed, see *Buteo brachyurus*
 White-necked, see *Leucopternis lacernulata*
 White-rumped, see *Buteo leucorrhous*
 White-tailed, see *Buteo albicaudatus*
Helminthos vermivorus, 73–77, 79, 628 (r)
Hemignathus muroi, 292
H. virens, 292
 Heron
 Great Blue, see *Ardea herodias*
 Great White, see *Ardea herodias occidentalis*
 Green, see *Butorides virescens*
 Little Blue, see *Egretta caerulea*
 Tricolored, see *Egretta tricolor*
 Tricolored, see *Hydranessa tricolor*
 Western Reef, see *Egretta gularis*
Himantopus mexicanus, 107–111, 424, 428–435
Hirundo neoxena, 294
H. pyrrhonota, 474, 607
 Honeyeater, 448 (r)
 Hummingbird

- Anna's, see *Calypte anna*
 Broad-tailed, see *Selasphorus platycercus*
 Calliope, 529
 Costa's, see *Calypte costae*
 Rufous, see *Selasphorus rufus*
Hydranessa tricolor, 450 (r)
Hydrobates pelagicus, 630 (r)
Hylocichla mustelina, 70–80, 628 (r)
 Ibis
 Glossy, see *Plegadis falcinellus*
 Sacred, see *Threskiornis aethiopica*
 White, see *Eudocimus albus*
 White-faced, see *Plegadis chihi*
Icteria virens, 266
Icterus galbula, 79
I. spurius, 73–77, 80
 Iiwi, see *Vestiaria coccinea*
Ixobrychus exilis, 73
Ixoreus naevius, 607
 Jay
 Blue, see *Cyanocitta cristata*
 Gray, see *Perisoreus canadensis*
 Steller's, see *Cyanocitta stelleri*
 Junco, Dark-eyed, see *Junco hyemalis*
Junco hyemalis, 60, 66, 355, 358, 475, 608
 Kestrel
 American, see *Falco sparverius*
 Australian, see *Falco cenchroides*
 Eurasian, see *Falco tinnunculus*
 Eurasian, see *Buteo tinnunculus*
 Killdeer, see *Charadrius vociferus*
 Kingbird, Eastern, see *Tyrannus tyrannus*
 Kingfisher, Belted, see *Ceryle alcyon*
 Kinglet
 Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
 Kite
 Black-shouldered, see *Elanus notatus*
 Grey-headed, see *Leptodon cayanensis*
 Snail, see *Rostrhamius sociabilis*
 Swallow-tailed, see *Elanoides forficatus*
 Knot, Red, see *Calidris canutus*
 Kookaburra, Laughing, see *Dacelo novaeguineae*
Lagopus lagopus, 314–315 (r), 534
L. mutus, 377
Lanius elegans, 168 (r)
L. excubitor, 168 (r), 236–246, 560, 607
 Lark, Horned, see *Eremophila alpestris*
Larus argentatus, 128–132, 164 (r), 165 (r), 607
L. audouinii, 163–164 (r)
L. cachinnans, 163–164 (r)
L. californicus, 310 (r)
L. canus, 607
L. delawarensis, 163 (r)
L. fuocus fuocus, 165 (r)
L. novaehollandiae, 450 (r)
L. philadelphia, 607
Leiothrix lutea, 292
 Leiothrix, Red-billed, see *Leiothrix lutea*
Leptodon cayanensis, 365
Leucopternis lacernulata, 365
L. polionota, 365
Limnodromus griseus, 429, 434
L. scolopaceus, 607
Limnothlypis swainsonii, 70–80
Limosa fedoa, 181–183
L. haemastica, 429–430
L. lapponica, 631 (r)
Lonchura malabarica, 169 (r)
 Longspur, Lapland, see *Calcarius lapponicus*
 Loon, Common, see *Gavia immer*
Lophodytes cucullatus, 85
Loxia curvirostra, 355
Loxioides bailleui, 292
Lurocalis semitorquatus, 30–36
 Magpie, Black-billed, see *Pica pica sericea*
 Mallard, see *Anas platyrhynchos*
 Martin, House, see *Delichon urbica*
 Meadowlark
 Eastern, see *Sturnella magna*
 Western, see *Sturnella neglecta*
Melanerpes, 565
M. erythrocephalus, 566, 570, 573–579, 627 (r)
M. formicivorus, 566, 568–579
M. lewis, 566, 568–569, 574
Meleagris gallopavo intermedia, 268
M. gallopavo mexicana, 268
M. gallopavo osceola, 268
M. gallopavo silvestris, 268
M. gallopavo, 267–269, 628 (r)
Melospiza georgiana, 476, 479
M. melodia, 36, 45, 473, 476, 477, 479, 632 (r)
 Merganser
 Chinese, see *Mergus squamatus*
 Common, see *Mergus merganser*
 Goosander, see *Mergus merganser*
 Hooded, see *Lophodytes cucullatus*
 Red-breasted, see *Mergus serrator*
Mergus merganser, 58, 606
M. serrator, 58
M. squamatus, 54–59
 Merlin, see *Falco columbarius*
Merops bullockoides, 624 (r)
Microeca leucophaea, 448 (r)
Mniotilta varia, 74–78, 266, 479, 627 (r), 628 (r)
Molothrus ater, 45, 355, 451 (r), 473, 477, 479, 539, 627 (r)
 Munias, White-throated, see *Lonchura malabarica*
 Murrelet, Marbled, see *Brachyramphus marmoratus*

- Myadestes townsendi*, 354, 358
Mycteria americana, 318 (r)
Myiarchus crinitus, 478, 625 (r)
Neomorphus rufipennis, 345
Neophema chrysogaster, 583
 Night-Heron, Black-crowned, see *Nycticorax nycticorax*
 Nighthawk, Short-tailed, see *Lurocalis semi-torquatus*
Numenius arquata, 167 (r), 631 (r)
N. paeopus, 429, 434
N. tahitiensis, 181–183
 Nuthatch
 Brown-headed, see *Sitta pusilla*
 Eurasian, see *Sitta europaea asiatica*
 Pygmy, see *Sitta pygmaea*
 Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
Nycticorax nycticorax, 73, 162–163 (r)
Oceanodroma leucorhoa, 630 (r)
Oenanthe oenanthe, 619
 Oilbird, see *Steatornis caripensis*
 Old-Squaw, see *Clangula hyemalis*
Oporornis agilis, 266, 310 (r), 473, 476, 479, 481
O. formosus, 73–77, 79
O. philadelphia, 266, 277–288, 473, 476, 477, 479
O. tolmiensis, 266
 Oriole
 Northern (Baltimore), see *Icterus galbula*
 Orchard, see *Icterus spurius*
 Osprey, see *Pandion haliaetus*
Otus scops, 159–160 (r)
 Ouzel
 Alpine Ring, *Turdus torquatus alpestris*
 Northern, *Turdus torquatus torquatus*
 Ovenbird, see, *Seiurus aurocapillus*
 Owl
 Barn, see *Tyto alba*
 Barred, see *Strix varia*
 Burrowing, see *Speotyto cucularia*
 Great Gray, see *Strix nebulosa*
 Great Horned, see *Bubo virginianus*
 Scops, see *Otus scops*
 Short-eared, see *Asio flammeus*
 Spotted, see *Strix occidentalis*
 Tawny, see *Strix aluco*
 Tengmalm's, see *Aegolius funereus*
 Western Burrowing, see *Speotyto cucularia hypugaea*
 Oystercatcher, see *Haematopus ostralegus*
 Palila, see *Loxioides bailleui*
Pandion haliaetus, 105, 117–127, 160–161 (r), 185, 547, 583
Parabuteo unicinctus, 611
Paro cristatus, 310 (r)
 Parrolet, Green-rumped, see *Forpus passerinus*
 Parrot
 Hispaniolan, see *Amazona ventralis*
 Orange-winged, see *Amazona amazonica*
 Puerto Rican, see *Amazona vittata*
 Red-capped, see *Pianospitta pileata*
 Red-crowned, see *Amazona viridigenalis*
 Red-spectacled, see *Amazona pretrei*
 White-fronted, see *Amazona albifrons*
 Partridge, Gray, see *Perdix perdix*
Parula americana, 78, 266, 479
 Parula, Northern, see *Parula americana*
Parus atricapillus, 286, 478
P. gambeli, 352, 354, 356, 358
P. hudsonicus, 474
P. inornatus, 254
P. major, 447 (r)
P. major, 312–313 (r)
P. montanus, 165 (r), 447 (r)
P. palustris, 231, 234
P. rufescens, 254
Passer spp., 492
P. domesticus, 445 (r)
Passerculus sandwichensis, 108, 152–158, 475, 607, 632 (r)
Passerella iliaca, 608
Passerina ciris, 79
P. cyanea, 73–77, 79, 628 (r)
 Passerines, 596, 600
 Peacock, see *Paro cristatus*
Pelecanus erythrorhynchus, 310 (r)
P. occidentalis, 109, 450 (r)
 Pelican
 Brown, see *Pelecanus occidentalis*
 White, see *Pelecanus erythrorhynchus*
Penelope obscura, 368
P. supercilialis, 368
 Penguin, Gentoo, see *Pygoscelis papua*
Perdix perdix, 628 (r)
Perisoreus canadensis, 478, 538
 Petrel, Bulwer's, see *Bulweria bulwerii*
Petroica multicolor, 448 (r)
P. phoenicea, 448 (r)
Phalacrocorax albiventer, 299, 303
P. auritus, 299–304, 310 (r), 450 (r)
Phalaenoptilus nuttallii, 400–402
 Phalarope, Red-necked, see *Phalaropus lobatus*
Phalaropus lobatus, 429–430
Phasianus colchicus, 51
 Pheasant, Ring-necked, see *Phasianus colchicus*
Phaeucticus fudovicianus, 476, 479, 581
P. ludovicianus, 79
 Phoebe
 Eastern, see *Sayornis phoebe*

- Say's, see *Sayornis saya*
Phoenicopterus ruber, 163 (r)
Phoenicurus phoenicurus, 312 (r), 444 (r)
Phylloscopus sibilatrix, 626–627 (r)
P. trochillius, 447 (r)
Pianospitta pileata, 368
Piaya cayana, 345
Pica pica sericea, 625 (r)
Picoides, 568, 570
P. albolarvatus, 566, 571
P. arcticus, 474, 511, 566
P. borealis, 105, 140–151, 253–259, 318–319 (r), 626 (r), 627 (r)
P. nuttallii, 566, 571
P. pubescens, 12–21, 286, 508–510, 566, 572
P. scalaris, 566
P. stricklandi, 566, 571
P. tridactylus, 508–513, 566
P. villosus, 478, 507–511, 566
Pigeon, Homing, see *Columba livia*
Pintail, Northern, see *Anas acuta*
Pipilo chlorurus, 355, 358
P. erythrophthalmus, 355, 358
Pipit
 American, see *Anthus rubescens*
 Water, see *Anthus spinoletta*
Piranga ludoviciana, 355, 358
P. olivacea, 73–77, 80, 479, 502, 628 (r)
P. rubra, 74–77, 80, 501–502
Pitohui, 449 (r)
Plectrophenax nivalis, 560, 608
Plegadis chihi, 311 (r)
P. falcinellus, 312 (r), 314 (r), 318 (r)
Plover
 Grey, see *Pluvier squatarola*
 Lesser Golden, see *Pluvialis dominica*
 Mountain, see *Charadrius montanus*
 Piping, see *Charadrius melodus*
 Ringed, see *Charadrius hiaticula*
 Semipalmated, see *Charadrius semipalmatus*
 Snowy, see *Charadrius alexandrinus*
 Wilson's, see *Charadrius wilsonia*
Pluvialis dominica, 429, 606
Pluvier squatarola, 631 (r)
Poocetes gramineus, 355, 475, 632 (r)
Poorwill, Common, see *Phalaenoptilus nuttallii*
Porphyryla martinica, 78
Porzana palmeri, 630 (r)
Protonotaria citrea, 78, 266
Ptarmigan
 Rock, see *Lagopus mutus*
 Willow, see *Lagopus lagopus*
Puffin, Horned, see *Fratercula corniculata*
Puffinus carneipes, 160 (r)
P. gravis, 630 (r)
P. griseus, 160 (r), 630 (r)
P. puffinus, 630 (r)
Pygoscelis papua, 484–490
quail, see *Coturnix coturnix*
Quiscalus major, 221–230
Q. quiscula, 316 (r)
Rail, Laysan, see *Porzana palmeri*
raptors, 169–170 (r), 317 (r), 596, 600
Raven, Common, see *Corvus corax*
Recurvirostra americana, 108–110
R. avosetta, 109–110, 631 (r)
Redhead, see *Aythya americana*
Redpoll (unidentified), see *Carduelis* spp.
Redshank, see *Tringa totanus*
Redstart, American, see *Setophaga ruticilla*
Redstart, see *Phoenicurus phoenicurus*
Regulus calendula, 607
R. satrapa, 473, 476, 478, 481
Rhea americana, 215–220
Rhea, Greater, see *Rhea americana*
Riparia riparia, 1–11, 607
Robin
 American, see *Turdus migratorius*
 Flame, see *Petroica phoenicea*
 Scarlet, see *Petroica multicolor*
Rostrhamus sociabilis, 583
Sanderling, see *Caladris alba*
Sandpiper
 Baird's, see *Calidris bairdii*
 Buff-breasted, see *Tryngites subruficollis*
 Curlew, see *Calidris ferruginea*
 Least, see *Calidris minutilla*
 Pectoral, see *Calidris melanotos*
 Pectoral, see *Erolia melanotos*
 Purple, see *Calidris maritima*
 Semipalmated, see *Calidris pusilla*
 Solitary, see *Tringa solitaria*
 Spotted, see *Actitis macularia*
 Stilt, see *Calidris himantopus*
 Upland, see *Bartramia longicauda*
 Western, see *Calidris mauri*
 White-rumped, see *Calidris fuscicollis*
Sapsucker
 Williamson's, see *Sphyrapicus thyroideus*
 Yellow-bellied, see *Sphyrapicus varius*
Sayornis phoebe, 474, 476
S. saya, 607
Scaup
 Greater, see *Aythya marila*
 Lesser, see *Aythya affinis*
Scolopax minor, 474
Seiurus aurocapillus, 73–77, 79, 247–252, 266, 476, 479, 481, 627–628 (r)
S. motacilla, 266, 628 (r)
S. noveboracensis, 266
Selaphorus rufus, 166 (r), 167 (r), 528–529
Selasphorum platycercus, 354, 358, 523–529

- Setophaga ruticilla*, 79, 266, 479
 Shearwater
 Cory's, see *Calonectris diomedea*
 Great, see *Puffinus gravis*
 Manx, see *Puffinus puffinus*
 Pale-footed, see *Puffinus carneipes*
 Sooty, see *Puffinus griseus*
 Streaked, see, *Calonectris leucomelas*
 Shelduck, see *Tadorna tadorna*
 shorebirds, 596, 600
 Shoveler, Northern, see *Anas clypeata*
 Shrike
 Mediterranean Great Grey, see *Lanius elegans*
 Northern Great Grey, see *Lanius excubitor*
 Northern, see *Lanius excubitor*
Sialia currucoides, 354, 356, 358
S. mexicana, 354, 356–357, 359
S. sialis, 164–165 (r), 313 (r), 418–423, 445 (r), 474
 Silveryeye
 (migratory), see *Zosterops lateralis familiaris*
 (sedentary), see *Zosterops lateralis chlorocephala*
 Siskin, see *Carduelis spinus*
 Pine, see *Carduelis pinus*
Sitta canadensis, 370–371, 478
S. carolinensis, 354, 356–357, 359, 371, 478, 628 (r)
S. europaea asiatica, 231–235
S. pusilla, 627 (r)
S. pygmaea, 352, 354, 356–359
 Snipe, Common, see *Gallinago gallinago*
 Solitaire, Townsend, see *Myadestes townsendi*
Somateria mollissima, 270–276
 Sparrow, see *Zonotrichia leucophrys oriantha*
 American Tree, see *Spizella arborea*
 Bachman's, see *Aimophila aestivalis*
 Chipping, see *Spizella passerina*
 Clay-colored, see *Spizella pallida*
 Field, see *Spizella pusilla*
 Florida Grasshopper, see *Ammodramus savannarum floridanus*
 Fox, see *Passerella iliaca*
 Gambel's White-crowned, see *Zonotrichia leucophrys gambeli*
 Golden-crowned, see *Zonotrichia atricapilla*
 Grasshopper, see *Ammodramus savannarum*
 Harris', see *Zonotrichia querula*
 House, *Passer domesticus*
 LeConte's, see *Ammodramus leuconteii*
 Savannah, see *Passerculus sandwichensis*
 Seaside, see *Ammodramus maritimus*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*
 Vesper, see *Pooecetes gramineus*
 White-crowned, see *Zonotrichia leucophrys*
 White-throated, see *Zonotrichia albicollis*
 Sparrowhawk, see *Accipiter nisus*
Speotyto cunicularia hypugaea, 99–106
S. cunicularia, 380–383
Sphyrapicus nuchalis, 565
S. ruber, 565
S. thyroideus, 508–511, 566, 568
S. varius, 476, 478, 481, 508–511, 565–566, 568–569, 574
Spizaetus ornatus, 363–369
S. tyrannus, 363–369
Spizella arborea, 161 (r), 607
S. pallida, 254, 475
S. passerina, 355, 358, 473, 476, 477, 479
S. pusilla, 632 (r)
 Starling
 Eurasian, see *Sturnus vulgaris*
 European, see *Sturnus vulgaris*
Steatornis caripensis, 34
Sterna spp., 109
S. anaethetus, 448 (r)
S. antillarum, 112–116
S. dougallii, 129
S. hirundo, 162–163 (r), 624 (r)
S. paradisaea, 273
 Stilt, Black-necked, see *Himantopus mexicanus*
 Stork, Wood, see *Mycteria americana*
 Storm-petrel
 British, see *Hydrobates pelagicus*
 Leach's, see *Oceanodroma leucorhoa*
Streptopelia orientalis, 625 (r)
Strix aluco, 161–162 (r)
S. nebulosa, 474
S. occidentalis, 629 (r)
S. varia, 115, 134, 474
Sturnella magna, 441 (r)
S. neglecta, 441 (r)
Sturnus vulgaris, 130, 164–165 (r), 231, 234, 445 (r)
 Swallow
 Bank, see *Riparia riparia*
 Cliff, see *Hirundo pyrrhonota*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
 Welcome, see *Hirundo neoxena*
 Swan
 Berwick's, see *Cygnus columbianus berwickii*
 Mute, see *Cygnus olor*
 Trumpeter, see *Cygnus buccinator*
 Tundra, see *Cygnus columbianus*
 swans, 596, 600
Tachycineta bicolor, 313 (r), 442 (r), 445 (r), 474, 607, 625 (r)
T. thalassina, 354, 356–358, 607
Tadorna tadorna, 162 (r)
Taeniopygia guttata, 169–170 (r)

- Tanager
 Scarlet, see *Piranga olivacea*
 Summer, see *Piranga rubra*
 Western, see *Piranga ludoviciana*
Taxostoma rufum, 475, 632 (r)
 Teal
 Blue-winged, see *Anas discors*
 Green-winged, see *Anas crecca*
Telespiza cantans, 630 (r)
 Tern
 Arctic, see *Sterna paradisaea*
 Bridled, see *Sterna anaethetus*
 Common, see *Sterna hirundo*
 Least, see *Sterna antillarum*
 Roseate, see *Sterna dougallii*
 terns, see *Sterna* spp.
 Thrasher, Brown, see *Taxostoma rufum*
Threskiornis aethiopica, 450 (r)
 Thrush
 Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
 Swainson's, see *Catharus swainsoni*
 Varied, see *Ixoreus naevius*
 Wood, see *Hyllocichla mustelina*
Thryomanes bewickii, 386, 492–496
Thryothorus fasciatoventris, 405
T. ludovicianus, 627 (r)
T. modestus, 404
T. rufalbis, 404
 Tinamous, Solitary, see *Tinamus solitarius*
Tinamus solitarius, 368
 Tit
 Great, see *Parus major*
 Marsh, see *Parus palustris*
 Willow, see *Parus montanus*
 Titmouse, Plain, see *Parus inornatus*
 Towhee
 Green-tailed, see *Pipilo chlorurus*
 Rufous-sided, see *Pipilo erythrophthalmus*
Toxostoma rufum, 36
Tringa flavipes, 424, 429–434, 606
T. melanoleuca, 429, 431, 435
T. solitaria, 606
T. totanus, 631 (r)
Troglodytes aedon, 352, 354, 356, 358–359,
 404–405, 445 (r), 474, 492–496
T. troglodytes, 476, 478
 Troglodytidae, 492
Tryngites subruficollis, 429
Turdus migratorius, 355, 358, 422, 473, 476,
 477, 478, 607, 628 (r)
T. torquatus alpestris, 446 (r)
T. torquatus torquatus, 446 (r)
 Turkey
 Eastern Wild, see *Meleagris gallopavo sil-*
vestris
 Florida, see *Meleagris gallopavo osceola*
 Gould's, see *Meleagris gallopavo mexicana*
 Rio Grande, see *Meleagris gallopavo inter-*
media
 Wild, see *Meleagris gallopavo*
 Turnstone, see *Arenaria interpres*
 Ruddy, see *Arenaria interpres*
Tympanuchus spp., 134
Tyrannus tyrannus, 78, 476, 477
Tyto alba, 236, 242–243, 312 (r)
 Veery, see *Catharus fuscescens*
Vermivora celata, 68, 266, 607
V. chrysoptera, 266, 478
V. peregrina, 74–78, 266
V. pinus, 73, 76, 266
V. ruficapilla, 266, 277–288, 479
V. virginiae, 355, 358
Vestiaria coccinea, 292
Vireo flavifrons, 78, 478
V. griseus, 73–77, 78
V. olivaceus, 73–77, 78, 476, 478, 481
V. solitarius, 355, 358, 478
 Vireo
 Red-eyed, see *Vireo olivaceus*
 Solitary, see *Vireo solitarius*
 White-eyed, see *Vireo griseus*
 Yellow-throated, see *Vireo flavifrons*
 Vulture
 Black, see *Coragyps atratus*
 Turkey, see *Cathartes aura*
 waders, 317 (r), 318 (r)
 Warbler
 Aquatic, see *Acrocephalus paludicola*
 Bay-breasted, see *Dendroica castanea*
 Black-and-white, see *Mniotilta varia*
 Black-throated Blue, see *Dendroica caeru-*
lescens
 Black-throated Gray, see *Dendroica nigres-*
cens
 Black-throated Green, see *Dendroica virens*
 Blackburnian, see *Dendroica fusca*
 Blackpoll, see *Dendroica striata*
 Blue-winged, see *Vermivora pinus*
 Canada, see *Wilsonia canadensis*
 Cape May, see *Dendroica tigrina*
 Cerulean, see *Dendroica cerulea*
 Chestnut-sided, see *Dendroica pensylvanica*
 Connecticut, see *Oporornis agilis*
 Eastern Great Reed, see *Acrocephalus ori-*
entalis
 Golden-winged, see *Vermivora chrysoptera*
 Great Reed, *Acrocephalus arundinaceus*
 Hermit, see *Dendroica occidentalis*
 Hooded, see *Wilsonia citrina*
 Kentucky, see *Oporornis formosus*
 MacGillivray's, see *Oporornis tolmien*
 Magnolia, see *Dendroica magnolia*
 Mourning, see *Oporornis philadelphia*

- Nashville, see *Vermivora ruficapilla*
 Orange-crested, see *Vermivora celata*
 Orange-crowned, see *Vermivora celata*
 Palm, see *Dendroica palmarum*
 Pine, see *Dendroica pinus*
 Prairie, see *Dendroica discolor*
 Prothonotary, see *Protonotaria citrea*
 Reed, *Acrocephalus scirpaceus*
 Sedge, *Acrocephalus schoenobaenus*
 Seychelles, see *Acrocephalus schellensis*
 Swainson's, see *Limnothlypis swainsonii*
 Tennessee, see *Vermivora peregrina*
 Townsend's, see *Dendroica townsendi*
 Virginia's, see *Vermivora virginiae*
 Willow, see *Phylloscopus trochillius*
 Wilson's, see *Wilsonia pusilla*
 Wood, see *Phylloscopus sibilatrix*
 Worm-eating, see *Helminthos vermivorus*
 Yellow (subspecies), see *Dendroica petechia amnicola*
 Yellow, see *Dendroica petechia*
 Yellow, see *Dendroica petechia aestiva*
 Yellow-throated, see *Dendroica dominica*
 warblers, 266, 317 (r)
 waterfowl, 81–87
 Waterthrush
 Louisiana, see *Seiurus motacilla*
 Northern, see *Seiurus noveboracensis*
 Waxwing
 Bohemian, see *Bombycilla garrulus*
 Cedar, see *Bombycilla cedrorum*
 Wheatear, Greenland, see *Oenanthe oenanthe*
 Whimbrel, see *Numenius paeopus*
 Whip-por-will, see *Caprimulgus vociferus*
 Widowbird
 Long-tailed, see *Euplectes progne*
 Yellow-shouldered, see *Euplectes macrourus*
 Wigeon, American, see *Anas americana*
Wilsonia canadensis, 266, 277–288, 474–475, 479
W. citrina, 73–77, 79, 266
W. pusilla, 60–69, 266, 285, 607
 Winter, Jacky, see *Microeca leucophaea*
 Wood-Pewee
 Eastern, see *Contopus virens*
 Western, *Contopus sordidulus*
 Woodcock, American, see *Scolopax minor*
 Woodpecker
 Acorn, see *Melanerpes formicivorus*
 Black, see *Dryocopus martius*
 Black-backed, see *Picoides arcticus*
 Black-belted, see *Picoides arcticus*
 Downy, see *Picoides pubescens*
 Gila, see *Centurus uropygialis*
 Golden-fronted, see *Centurus aurifrons*
 Hairy, see *Picoides villosus*
 Ladder-backed, see *Picoides scalaris*
 Lewis', see *Melanerpes lewis*
 Nuttall's, see *Picoides nuttallii*
 Pileated, see *Dryocopus pileatus*
 Red-bellied, see *Centurus carolinus*
 Red-cockaded, see *Picoides albolarvatus*
 Red-cockaded, see *Picoides borealis*
 Red-headed, see *Melanerpes erythrocephalus*
 Strickland's, see *Picoides stricklandi*
 Three-toed, see *Picoides tridactylus*
 woodpeckers, 564–579
 Wren
 Bewick's, see *Thryomanes bewickii*
 Black-bellied, see *Thryothorus fasciatus*
 Cactus, see *Campylorhynchus brunneicapillus*
 Carolina, see *Thryothorus ludovicianus*
 House, see *Troglodytes aedon*
 Marsh, see *Cistothorus palustris*
 Plain, see *Thryothorus modestus*
 Rufous-and-white, see *Thryothorus rufalbis*
 Sedge, see *Cistothorus platensis*
 Winter, see *Troglodytes troglodytes*
Xanthocephalus xanthocephalus, 316 (r), 475
 Yellowlegs
 Greater, *Tringa melanoleuca*
 Lesser, *Tringa flavipes*
 Yellowthroat, Common, see *Geothlypis trichas*
Zenaida sp., 36
Z. macroura, 474
Zonotrichia albicollis, 479, 558
Z. atricapilla, 558
Z. leucophrys gambeli, 553–563
Z. leucophrys oriantha, 559–560
Z. leucophrys, 608
Z. querula, 553–563
Zosterops lateralis chlorocephala, 441 (r)