

- LOKEMOEN, J.T. AND H.F. DUEBBERT. 1976. Ferruginous Hawk nesting ecology and raptor populations in northern South Dakota. *Condor* 78(4):464-470.
- NEWTON, I. 1979. Population ecology of raptors. Buteo Books, Vermillion, S.D. 399 pp.
- POWERS, L.R. 1981. Nesting behavior of the Ferruginous Hawk (*Buteo regalis*). Ph.D. Diss., Idaho St. Univ., Pocatello. 312 pp.
- STEWART, R.E. 1975. Breeding Birds of North Dakota. Tri-College Center for Environmental Studies, Fargo, N.D. 295 pp.
- THUROW, T.L., C.M. WHITE, R.P. HOWARD AND J.F. SULLIVAN. 1980. Raptor ecology of Raft River Valley, Idaho. DOE Contract No. DE-AC07-76 ID01570. EG&G, Idaho Inc., Idaho Falls. 45 pp.
- WAKELEY, J.S. 1978a. Factors affecting the use of hunting sites by Ferruginous Hawks. *Condor* 80(3):316-326.
- WAKELEY, J.S. 1978b. Hunting methods and factors affecting their use by Ferruginous Hawks. *Condor* 80(3):327-333.
- WOFFINDEN, N.D. AND J.R. MURPHY. 1983. Ferruginous Hawk postfledging activities. *Bird Bander* 8(3):94-96.
- U.S. Fish and Wildlife Service, Northern Prairie Wildlife Research Center, Jamestown, ND 58401. Present address of first author: 418-18 Street, Bismarck, ND 58501. Present address of second author: Wildlife Research Field Station, U.S. Fish and Wildlife Service, 6924 Tremont Road, Dixon, CA 95620.**

Received 1 February 1984; Accepted 1 November 1985

ERRATUM — Volume 19, Number 4, page 129, Table 1, S.R.B.P. (1979), should read . . . mammals 72%, birds 22%. In addition, S.R.B.P. Special Research Report (June 30, 1979, unreferenced) summarizes a 5-yr study of Prairie Falcon food items as . . . mammals 67%, birds 22%, reptiles 8%, invertebrates 2%.