14, a majority of which clustered around May 11-14. In a repeat performance from last spring, a & Kentucky Warbler took up residence in Cave Cr. Canyon in May; this year one was present for about a week in early May at the S.W.R.S. (fide DJa). Also rare, but seemingly regular in late spring, were two Hooded Warblers; one was at Proctor Rd. below Madera Canyon May 23 (LD) and another was at Canello Hills May 26 (RH). Seldom seen in Arizona away from breeding localities in the mountains, a Red-faced Warbler was along the upper S.P.R. n. of Charleston May 14 (DK). Similarly scarce in the lowlands as migrants, two Painted Redstarts were at Empire Ranch Mar. 25 (GM). The highlight of the season was a singing Rufouscapped Warbler discovered in lower Sycamore Canyon Mar. 16+ (voice recordings, ph. †CDB et al., m.ob.) providing only a 5th or 6th record for Arizona. Interestingly, this locality is within a mi or 2 (as the warbler flies) of last year's sighting in California Gulch. Despite a grueling 10 mi round-trip hike, this individual was seen by dozens of birders, a few of whom paid dearly with broken or sprained ankles and smashed binoculars. An Olive Warbler at Mingus Mt. near Sedona May 14 (M. Cantrell) provides yet another recent record for the Region, further suggesting that this species is expanding its range north and west.

A bird described as a \Im Flame-colored x W. Tanager hybrid was observed at Bog



Providing only a fifth or sixth record for Arizona, this Rufous-capped Warbler was found in lower Sycamore Canyon March 16, 1994, and remained there on territory for more than two months. Photograph/David Stejskal.

Spring, Santa Rita Mts. beginning May 4 (†LD), and was apparently joined by a typical female-plumaged Flame-colored Tanager May 19 (†LV,†RH), with both remaining through the period. Another Flame-colored Tanager was described from Miller Canyon, Huachuca Mts., May 31 (†T. Olsen); these records will be reviewed by the A.B.C. There have been a minimum of five individuals seen previously in Arizona (assuming sightings in Ramsey Canyon in consecutive years represented the same pair). Like N. Waterthrush, higher-than-average numbers of Rose-breasted Grosbeaks were reported, with eight individuals seen between May 9–May 15 and another present at Red Rock S.P., June 1 (m.ob). A very late Swamp Sparrow was found at Willow Tank May 15 (*fide* DJa).

Late spring records of White-throated Sparrow included one from St. David May 12 (DK), another at S.W.R.S., May 12–13 (DS), and another at Portal May 23 (DJa). The Golden-crowned Sparrow that wintered at Patagonia remained to at least Apr. 20 (CDB). Singles were at the Phoenix Zoo Mar. 5 (RJo), near Portal Mar. 7–20, and perhaps the same one at Portal Apr. 21 (DJa); although this species is regular in w. Arizona in winter, it is still a scarce visitor to the s.e. portion of the state.

A singing E. Meadowlark was found on the e. side of Chino Valley near Prescott (L. Muehlbach); this species was an historical breeder in this part of the state, but had been absent for several years. Two singing W. Meadowlarks present at San Xavier Mission s. of Tucson May 8–19 (DS, JC, CDB) was s. of previous nesting areas in s. Arizona. A Streak-backed Oriole was again sighted at Cook's L. on the lower S.P.R. Apr. 13 (GM); this is the species' 4th or 5th consecutive year in this area, including last year's attempted nesting.

Contributors (Area compilers in bold-

face): Charles Babbitt (CBa), Jerry Bock (JBo), Robert Bradley (RBr), Josh Burns (JoB), John Coons (Flagstaff), Troy Corman, Shirley Davis, Louie Dombroski, Dave Eshbaugh, Steve Ganley (SGa), Virginia Gilmore (Sedona), Sharon Goldwasser (SGo) (Tucson), George Hentz (GHe), Rick Hoyer, Betty Jackson (Globe), Dave Jasper (DJa) (Portal), Dan Jones (DJo), Roy Jones, Jeff Kingery, Ann Kovich, Dave Krueper (Sierra Vista), Chuck LaRue (Kayenta), Paul McQuary, Steve Mlodinow, Gale Monson, Mark Stevenson, Bob Thomen, Carl S. Tomoff (Prescott), Deb Treadway, Thea Ulen, Lynn VanderWerf, Jack Whetstone (JWh) (Sierra Vista), Chuck Williamson (Tucson), Robert & Janet Witzeman (Phoenix), Barry Zimmer, Kevin Zimmer. -Chris D. Benesh, 2600 W. Ina Rd., Apt. 228, Tucson, AZ 85741; Gary H. Rosenberg, 8101 N. Wheatfield Dr., Tucson, AZ 85741; David Stejskal, 5755 E. River Rd., Apt. 703, Tucson, AZ 85715.

New Mexico

SARTOR O. WILLIAMS III

Dry conditions prevailed throughout New Mexico early in the season, but most areas (except the southwest) received fair precipitation in May. As always in the Land of Enchantment, the birding was rewarding, with several rare waterbirds and neotropical migrant songbirds leading the way.

Abbreviations: Bitter Lake (*Bitter Lake Nat'l Wildlife Refuge*); Bosque (*Bosque del Apache Nat'l Wildlife Refuge*); R.G.V. (*Rio Grande Valley*); Zuni (*Zuni Indian Reservation*).

Loons to Waterfowl

Common Loons were at 7 locales in the east and north, including two at Farmington (TR), three at Heron L. (DS), and four at Conchas L. (MP), Apr. 10-16; singles were late at Sumner L., May 7 (CR) and Brantley L., May 10 (JP). A few Horned Grebes were at 5 n. locales; five at Las Vegas N.W.R., Mar. 20 was high(BF), and two at Farmington Apr. 10 were last (TR). Peripheral were six Double-crested Cormorants in Grant May 14 (RF); in the north two Neotropics were at Albuquerque May 14 (TBu) and three at La Joya May 1 (WH). Notable was an Am. Bittern at Maddox L., Lea Mar. 26 (CR). In the southwest, 4 traditional Great Blue Heron colonies were active at Glenwood, Gila Cliff Dwellings, Cliff, and near Bill Evans L. (RF); new colonies of three- four nests each were discovered near Riverside (RF) and Virden Mar. 25 (EL). In the southeast, West reported that the egret colony e. of Loving, occupied annually since 1979 by several species including Snowies, Cattles, and Blackcrowned Night-Herons, was abandoned this year; drying and pollution were the suspected culprits. Single Great Egrets wandered N to San Juan May 23 (TR); Cochiti L., May 18 (fide PRS); Zuni May 22 (DC); and Corrales May 2 (CR). The high count at Bosque was 20 May 15 (PB). A Tricolored Heron was at Percha May 17 (LG); another (or the same?) was at nearby Caballo L., May 29 (CS). An ad. Yellow-crowned Night-Heron was at Bosque Apr. 9 (JP, CB), where the species has appeared annually since 1990. New Mexico's second White Ibis of the 1990s was an adult at Percha Apr. 23 (CS, TF). Migrant White-faced Ibises were widespread April-early May (v.o.); early were 16 near Lordsburg Mar. 3 (EL). Highs were 75 at Morgan L., Apr. 15 (TR), 214 at Zuni Apr. 30 (DC), and 50 at Bosque Apr. 15-16 (GE). Certainly surprising were two imm. Black-bellied Whistling-Ducks at Bosque May 14 (J. Karo), the first for New

Mexico since 1990. Out of range was a Greater White-fronted Goose at Picacho, *Lincoln* Apr. 17 (SW). A Ross' Goose and two Snows were late at Fenton L., May 18 (DS); other Snows lingered into mid-May at Zuni (ph. DC) and Bitter L. (SB). Wood Ducks were widely reported, including in the R.G.V. from Corrales southward during May; ≤ 12 resided at Percha through the period (v.o.). Eurasian Wigeons made an unusually good showing, with single ad. males at Bitter L., Mar. 25 (SB), Bosque Apr. 30 (CR, DE) and May 1 (PRS), and Holloman L., Apr. 15 (BN, DE). One–six Redbreasted Mergansers were unusually west in *San Juan* Mar. 19–Apr. 23 (TR).

Raptors to Shorebirds

New Mexico's 2 known Osprey nests, one each at Heron and El Vado lakes, were occupied (DS), as were the 2 known Bald Eagle nests, one each in Colfax and Sierra (SOW). The only White-tailed Kite was in the s. Animas Valley May 17 (B. Tomberlin). Peripheral was a Mississippi Kite at Sena, San Miguel May 23 (CR); one at Percha May 21 (CS, ph. LG) furnished the only R.G.V. report. Late were single N. Harriers at Columbus May 29 (SOW) and near Rattlesnake Springs May 27 (SW), as were single Merlins at Santa Fe Mar. 21 (L. Herrmann) and near Melrose Mar. 25 (CR). Numbers of Lesser Prairie-Chickens reportedly declined by about one-third in the Mescalero Sands and adjacent areas (fide B.L.M.), possibly due to dry conditions, although some observers reported that leks were heavily used by cattle. Five Montezuma Quail in the San Andres Mts., Mar. 12 (MW et al.) furnished the first report there in many years. Earliest Snowy Plovers were two at Holloman L., Mar. 11 (L. Schulte, fide CS), where numbers peaked at 41 Apr. 5 (GE). At Bitter L., 285 Snowies were counted May 14 (SB), but only 14 were in the Laguna Grande area Apr. 24 (SW); peripheral were singles at Morgan L., Apr. 15–16 (TR) and Conchas L., May 5 (MP). Up to three Mt. Plovers were near White Lakes, Santa Fe May 28 (CR), where unreported in recent years. A Long-billed Curlew was early at Wagon Mound Mar. 24 (CR); noteworthy were 200 in alfalfa fields near Otis Apr. 2 (SW). A Whimbrel at Zuni May 14 (DC) provided the only report. One-four Marbled Godwits were at Morgan L., Bosque, and Holloman L., Apr. 9-May 3 (v.o.); but 180 were at Conchas L., Apr. 18 (MP). An ad. Ruddy Turnstone was at Bitter L., May 18 (DM). Notable were a well-detailed White-rumped Sandpiper at Bitter L., May 17 (PES), an early Pectoral at Bosque Apr. 9 (JP, LG), and five-seven Sanderlings at Morgan L. (TR) and Zuni (DC) Apr. 30-May 14 (DC). Seven Dunlins were at Bitter L., Mar. 30 (DC) and two

were at Bosque Mar. 26 (JP, LG); the lastest date was one at each site Apr. 16 (CR, BN, JP). What should prove to be New Mexico's first verified **Ruff** was a female at Bosque Apr. 30 (CR, JP *et al.*, phs. LG, PB). Wilson's Phalaropes were unusually numerous late April–early May (v.o.), and included 265 at Zuni (DC), 300 at Las Vegas N.W.R. (PRS), 625 at Bosque (CR), and 249 at Laguna Grande (SW). Red-necked Phalaropes likewise made a good showing, with 22 near Farmington May 14 (TR), one near White Lakes May 28 (CR), one at Zuni May 14 (ph. DC), and 12 at Bitter L., May 14 (SB).

Gulls to Woodpeckers

Moderate numbers of Franklin's Gulls were widespread Mar. 28-May 15, including w. to San Juan (TR) and Zuni (DC) and e. to Clayton (WC). Late were single Bonaparte's at Morgan L. (TR) and Zuni (DC) May 14. Perhaps held over from Caballo's winter collection of mystery gulls was a possible Thayer's there Mar. 12 (CS) and Mar. 28 (DC) and a first-year possible Glaucouswinged Apr. 16 (JP, LG) and May 28 (JP, ph. LG). Late were two Forster's Terns near Loving May 29 (SW, TH). Least Terns away from Bitter L. were singles at Zuni May 14 (ph. DC), Las Cruces May 6 (fide CS), and Brantley L., May 10 (JP, BP). Quite rare in New Mexico, a Black-billed Cuckoo was at Rattlesnake Springs May 24 (TH) & 25 (SW); somewhat early was a Yellow-billed there May 9 (JP, BP). Far north and at a high elevation was a Greater Roadrunner singing at Miami L., Colfax Mar. 16 (SOW). A W. Screech-Owl heard in n.e. Union May 24 (CR, CB) was near that species' easternmost limit. Surveys in the Peloncillo Mts., May 1, 2, and 12 found Whiskered Screech-Owls occupying 8 sites in 4 canyons (SOW). Notably early was an Elf Owl in the Peloncillo Mts., Mar. 4 (SOW). A Long-eared Owl at Sepultera Canyon, Sevilleta N.W.R., Apr. 9 (DM) was likely a local spring first. Chimney Swifts were again at Clayton (WC), where three were counted May 23 (CR, CB), and five were at Roswell May 14 (SB); a presumed Chimney was noticeably w. at Albuquerque May 8 (WH). A Magnificant Hummingbird was n. at Water Canyon, Magdalena Mts., May 2 (CR, DE); intriguing was the presence of three Magnificants just s. of the Texas line in Dog Canyon, Guadalupe Mts., May 20-21 (DM). A & Broad-billed Hummingbird at Skeleton Canyon May 2 (SOW) was n. of the usual Guadalupe Canyon range; a 9 Lucifer there the same day (SOW) was s. of the Post Office Canyon stronghold. Post Office Canyon provided the only Costa's report, a pair May 19 & 21 (RS), and a Rufous lingered there Apr. 16-May 7 (RS). Trogons away from their Peloncillo Mts. stronghold

were a \circ Elegant at Indian Cr., Animas Mts , May 13–14 (SOW) and a "green-backed" trogon sp. at Block Mt., San Andres N.W.R , May 10 (*fide* MW). An encouraging 15 Redheaded Woodpeckers were at a n.e. *Union* site May 24 (CR, CB). Gila Woodpeckers continued to be scarce along the Gila R.; four were at Redrock Mar. 12 (CR) but only three were tallied on the Gila Valley count May 14 (RF). An ad. $\$ Yellow-bellied Sapsucker was at Santa Fe Mar. 13 (S. Baldwin).

Flycatchers to Wrens

Gray Flycatchers were again found s. to the Guadalupe Mts., with one-two along Soldier Spring Trail and another nearby Apr. 20 (D&JH). The only Least Flycatcher was at Boone's Draw, Roosevelt May 14 (JP, BP) Black Phoebes unusually n. included one at Abiquiu May 7 (PRS) and a nest at Bluewater L., May 17 (CR); several others were far from usual haunts, including one at Sawmill Canyon, Magdalena Mts., May 14 (HS) Notable were three E. Phoebes near Villanueva May 23 (CR). Unusual was a Vermilion Flycatcher in the Hondo Valley near Picacho Apr. 17 (SW). Unexpected were up to three Brown-crested Flycatchers on Animas Cr. near Caballo L., Apr. 28+ (JP et al, ph. & recording LG). Scissor-tailed Flycatchers far west were singles in San Juan May 14 (TR) and at San Antonio May 24 (DL); an E. Kingbird was at San Antonio May 26 (DL). A Great Kiskadee on White Sands Missile Range at Mound Springs, Lincoln May 19 (L. Kamees, ph. D. Burkett) furnished only the 3rd verified state record, but followed the 2nd by less than a year. A & Purple Martin was n.e. near Gallinas, San Miguel, May 6 (CR). Albuquerque's Calabacillas Arroyo Bank Swallow colony was active in May, when 195 burrows were counted (WH). Eighteen Cave Swallows at Longview Spring, s. Guadalupe Mts., Apr 23 (SW) provided a new locality for Eddy's sizable population; the recently-discovered Dona Ana Cave Swallows returned to La Union for the 3rd year, and numbered 20-30 by May 27 (BZ). Wintering Blue Jays were gone from the Santa Fe area by early May (v.o., fide PRS), but breeding populations in the e. cities of Clayton, Fort Sumner, Roswell, and Carlsbad continued to thrive (v.o.). Two Clark's Nutcrackers were in the Magdalena Mts., Apr. 30 (CR), where seldom reported; recently fledged nutcrackers were at the Wild Rivers area, Taos May 24 (DM). A Black-billed Magpie was in the south near Isleta May 13 (TBu). A Bridled Titmouse in the Magdalena Mts., Apr. 30 (CR) was at the species' n. limit; to the east were three at Animas Cr. near Caballo L, May 28 (JP, LG). Far north for the R.G.V were two Cactus Wrens at Caja del Rio,

Santa Fe May 16 (CR). A voiciferous Carolina Wren at Ft. Sumner May 7 (CR) was still there May 14 (JP, BP); Carolinas have appeared in the state in 3 of the last 4 years. A surprise in the far s.e. was a pair of Bewick's Wrens feeding young at Allread Tank May 30 (SW), a likely first breeding record for *Lea*.

Gnatcatchers to Vireos

Two Black-tailed Gnatcatchers were at Redrock Mar. 12 (CR), where the status of the species is hazy at best. In contrast to recent years, E. Bluebirds were notably scarce, and none were in the Gila Valley (RF). Swainson's Thrushes were conspicuous in the east May 6-27 (v.o.), including 12 at 2 Union locales May 24 (CR, CB); one was at Mangas May 12-14 (RF). Late Gray Catbirds in the middle R G.V. included three singing at Albuquerque's oxbow May 14 (DM) and six singing between Belen and Bernardo May 25 (WH). Brown Thrashers far west included singles at Albuquerque Apr. 24 (DM) and Bill Evans L., Mar. 11 (CR); noteworthy were four in Union May 24 (CR, CB). Two Bendire's Thrashers were far north at Caja del Rio, Santa Fe May 16 (CR). An undetailed Sprague's Pipit was at Bitter L., Apr. 4 (SB); the species may be underreported in the Pecos Valley. Cedar Waxwings were generally scarce and, with the exception of ten at Silver City May 2 (EL), were unreported s. of Albuquerque; moderate numbers were at Albuquerque mid-May (WH, TBu) and Española yielded 93 May 8 (BF). Phainopeplas unusually n. included one at Socorro May 8 (fide PRS) and one-two at San Antonio Apr. 23 & 30 (ST); two were notably e. at Rattlesnake Springs May 9 (JP, BP). The only N. Shrike was one near Navajo L., Rio Arriba, Mar. 7 (CS). Early Gray Vireos were one at Yucca Canyon, Guadalupe Mts., Apr. 23 (SW) and two in the Manzanita Mts., Apr. 28 (HS). A Hutton's Vireo was notably n. at Water Canyon Apr. 30 (PB), and a few were on the e. slopes of the Black Range, Sierra Mar. 24 (SOW) and May 21 (LG). It was a banner year for Yellow-throated Vireos, with two at Boone's Draw Apr. 23-May 8 (JP, LG et al.), singles singing at 2 sites n. of Bernardo May 25 (WH), and one at Carlsbad Apr. 21 (D&JH).

Warblers to Tanagers

An unprecedented 39 warbler species were reported but, regretably, details were absolutely lacking for 3 rarities and were sketchy, ambiguous, and otherwise questionable for several others. Among the well-documented finds were a \mathcal{S} **Blue-winged Warbler** at Rattlesnake Springs Apr. 29 (SW, TH), a \mathcal{S} **Golden-winged Warbler** at Boone's Draw Apr. 30 (JP, ph. LG), and a singing \mathcal{S} **Cape May Warbler** at Rattlesnake Springs May 8 (J. Dunn) & 9 (JP, ph. & recording GL), still

there May 12 (GL). Two & Black-throated Blue Warblers were discovered, one at Waldrop Park, Chaves, on the early date of Apr. 28 (GE), another at Percha May 28 (JP, phs. LG, BZ). Other notables were a Tennessee at Boone's Draw May 1 & 7(LG, JP), single & Chestnut-sideds at Boone's Draw May 8 (JP, BP) and Percha May 13 (DL, ML), a & Magnolia at Rattlesnake Springs May 9 (BP, JP), single Palms at Caballo L., Mar. 24 (E. Wootten) and Percha May 8 (DL), a Kentucky at Socorro Apr. 27 (PB), and a Hooded at Percha May 13 (DL, ML). An excellently detailed Swainson's Warbler was at Boone's Draw May 8 (JP, BP, LG) and another was reported at Corrales May 12 (TBr); the species remains unverified by specimen, photo, or recording. It was a good season for N. Parulas, with singles at Boone's Draw Apr. 23 (JP, LG) and May 1 (LG), near Albuquerque Apr. 26 (DM), and reportedly at Bosque Apr. 23 (fide PRS). Ovenbirds also had a good season, with one--two at Boone's Draw, Albuquerque, Percha, and Rattlesnake Springs May 8-21 (v.o.). In the rare but regular category were six Blackand-whites, seven Am. Redstarts, and 15 N. Waterthrushes. One-two & Townsend's were notably e. at Boone's Draw Apr. 23 and May 7-8 (JP, LG), as was a Hermit at Percha Apr. 16 (JP, LG), while far out of range was a probable Olive at Corrales May 12 (TBr). Also noted were a possible Blackburnian at Boone's Draw May 1 (LG), a "very pale female" possible Prairie glimpsed at Percha May 15 (CS, TF), and an unlikely Golden-cheeked in the Pinos Altos Mts., May 10 (K. Cole); the latter two species are unverified in New Mexico. Summer Tanagers made a good showing in the R.G.V., including several n. to Corrales and Albuquerque by mid-May (v.o.).

Cardinals to Finches

Both N. Cardinals and Pyrrhuloxias wandered N, including a 9 cardinal at Clayton L., Mar. 24 (CR), one of each species at Santa Rosa Mar. 4 (CR), and one cardinal and two Pyrrhuloxias at Boone's Draw Apr. 23 (JP, LG). Rose-breasted Grosbeaks were well represented, with at least 15 at 8 locales from the R.G.V. eastward Apr. 29-May 22 (v.o.); two in Grant May 14 (RF) were considerably west. A severe hailstorm produced a "fallout" of Blue Grosbeaks at Queen May 12, where 50 were counted along a 3 mi stretch of highway (GL). Early Lazuli Buntings were singles at Silver City Apr. 21 (EL) and Percha Apr. 17 (CS); early Indigos included five at Percha Apr. 17 (CS) and singles at Boone's Draw Apr. 23 (JP, LG) and near Rattlesnake Springs Apr. 16 (BN). A Painted Bunting was well n. at Roswell May 14 (SB). Encouraging were ≤14 Abert's Towhees at Redrock Mar. 12 (CR); two were at San Simon Cienega the same day (DM). Single Field Sparrows were at Waldrop

Park Apr. 9 (BF) and Rattlesnake Springs Apr. 12 (T. Korolgh). Very late for the southeast was a Sage Sparrow near Rattlesnake Springs May 19 (PES); earliest Sages in the Farmington area were two Mar. 19 (TR). One-two White-throateds lingered until May 1 at Farmington (TR), May 7 at Fort Sumner (CR), and May 14 in Grant (RF), while also late was an ad. Golden-crowned Sparrow at Santa Fe May 1 (BF). The only spring Harris' was one at Bosque through Apr. 23 (ST). Two Rusty Blackbirds were notably west at Caballo L., Mar. 28 (CR); another was at Rattlesnake Springs Mar. 19 (SW). Common Grackles continued to crowd the Arizona line, including four near Farmington Apr. 21 (CR) and two-three at Zuni Apr. 10–13 (ph. DC). Bronzed Cowbirds continued to thrive in the south, ranging N to Silver City, Socorro, and Carlsbad (v.o.); most arrived in early May, with a high of five at Elephant Butte L., May 5-6 (PES). Three Orchard Orioles were notably n. along Perico Cr., Union May 25 (CR, CB), as was a 9 Hooded at Zuni Apr. 5 (ph. DC); a & Baltimore was at Clayton May 13 (WC). Red Crossbills were relatively widespread and numerous in n.c. and s.w. mountains late March-May (v.o.), but were unreported elsewhere. A die-off involving hundreds of Pine Siskins plus lesser numbers of House Finches and Evening Grosbeaks became evident in Santa Fe and surrounding areas in May. The mortalities were believed due to an outbreak of Salmonella, possibly transmitted via birdbaths, that produced throat lesions leading to eventual starvation (fide K. Ramsey). On a happier note, several Evening Grosbeaks notably s. were in the Pinos Altos Mts. from Mar. 31+, and local nesting was suspected (RF).

Omitted

Undocumented reports including Black Vulture, White-tailed Hawk, Varied Thrush, Philadelphia Vireo, and Black-throated Green, Pine, and Cerulean warblers.

Initialed Observers: Pat Basham, Sherry Bixler, Charles Black, Terry Brownell, Tamie Bulow, David Cleary, Wes Cook, Doug Emkalns, Gordon Ewing, Ralph Fisher, Ted Floyd, Bernard Foy, Larry Gorbet, Tommy Hines, Dick & Jean Hoffman, William Howe, Greg Lasley, David Leal, Eugene Lewis, Michael Livingston, David Mehlman, Bruce Neville, Benjamine Parmeter, John Parmeter, Mary Peckinpaugh, Tim Reeves, Christopher Rustay, Catherine Sandell, Robert Scholes, Hart Schwarz, Patricia R. Snider, Dale Stahlecker, Paul E. Steel, Sei Tokuda, Mara Weisenberger, Steve West, S. O. Williams, Barry Zimmer. -Sartor O. Williams III, New Mexico Department of Game and Fish, P. O. Box 25112, Santa Fe, NM 87504.