

Florida



Bruce H. Anderson

2917 Scarlet Road

Winter Park, Florida 32792

(scizortail@aol.com)

December was wetter than normal throughout the Region, whereas January and February were dry and rainfall amounts nearer to normal. Days averaged colder than in recent years. In the Orlando area, temperatures touched the freezing mark at least twice before 23 January, when the mercury dipped into the mid-twenties Fahrenheit there, and freezing temperatures extended south to Lake Okeechobee. Several passerines species were reported in greater numbers than normal, such as Blue-gray Gnatcatchers, Hermit Thrushes, Cedar Waxwings, American Goldfinches, and warbler species such as Yellow-throated, Pine, and Black-and-white. Two new species were reported: a long-awaited Mountain Bluebird and an unexpected Eurasian Kestrel.

Abbreviations/definitions: C.P. (County Park); E.N.P. (Everglades N.P.); L.A.R.A. (L. Apopka Restoration Area, *Orange*); Lucky Hammock (a part of Frog Pond W.M.A., *Miami-Dade*); report (any observation); record (only those reports verifiable from photograph, videotape, or specimen evidence).

LOONS THROUGH WATERFOWL

Fifty-two Red-throated Loons was a high count for Alligator Pt., *Franklin* (DSi, PB), where they are annual. Along the Atlantic coast, 2 were s. to Merritt I., *Brevard* 16 Dec (C.B.C.). One or 2 Pacific Loons were in *Franklin* off Alligator Pt. and Ochlockonee Bay 29 Dec—5 Feb (JD, KAn), and one was identified off Green Key, *Pasco* 2 Jan+ (DP, BAh et al.). Absent from the Region except in *Polk* where they are annual were up to 7 Eared Grebes at phosphate mines 1 Jan—25 Feb and one at L. Ariana 16 Jan (PF et al.). Florida's 4th documented *Western/Clark's Grebe* was found off Ft. Myers Beach, *Lee* 13-19 Jan (AW et al.), where one was photographed in Jan 2001. A Brown Booby was recorded off Stuart,

Martin 4 Jan (C.B.C.). A Great Cormorant was at Huguenot Memorial Park, *Duval* 28 Dec (BRi). Far n. on the same date were 2 Reddish Egrets in Jacksonville, *Duval* (C.B.C.). Up to 29 American Flamingos wintered at Snake Bight, E.N.P., *Monroe* (C.B.C., v. o.).

Eight Black-bellied Whistling-Ducks were at Gainesville 15 Dec (AK), and 42 were at Alachua 5 Jan (ES et al.). Four Fulvous Whistling-Ducks were in DeLand, *Volusia* 20 Jan (MG). Three Greater White-fronted Geese were at L. Jackson, *Leon* 11 Jan—2 Feb (EW, JCa). Snow Geese were in low numbers. At St. Marks N.W.R., only 2 were reported (JD). One of 2 present since fall at Merritt I. N.W.R. remained to 16 Dec, while another at Ft. De Soto C.P., *Pinellas* remained to 13 Dec (LA). At L.A.R.A., 2 were present 2-8 Dec (HR), while in *Pasco* one was found 23 Dec (CBL, KT). Mute Swans, neither banded nor marked, appeared Gulf-side at Cedar Key, *Levy* 9-10 Jan (JHi, BW) and Crystal River (2) 8 Dec (C.B.C.). A Eurasian Wigeon at Merritt I. N.W.R. remained from fall through 11 Dec (TR), and up to 2 were photographed at Naples, *Collier* 19 Dec+ (DSu, CE, v. o.). Port Canaveral, *Brevard*, a favorite haunt of Common Eiders, was home to a first-year male 14 Dec+ (v. o.). All three scoter species appeared in normal numbers off Alligator Pt. Elsewhere, Surf Scoters wintered at L. Worth, *Palm Beach* (2; BH et al.), *Lee* 25 Nov+ (CE), *Collier* 28 Jan (5; TD), and Naples, (one; v. o.). Up to 3 White-winged ventured s. to *Pinellas* 6-19 Dec (JFi), and 5 were at Jacksonville 28 Dec (C.B.C.). Single Black Scoters were s. to *Pinellas* 11-12 Dec (JFi) and Stuart 4 Jan (C.B.C.), while flocks of 3 and 5 were in *Collier* 3-22 Jan (LLB, TB et al.). Up to 2 Long-tailed Ducks remained at St. Marks N.W.R. (JD et al.). Elsewhere Gulf-side, 2 were in *Citrus* 29 Dec (TH) and one in *Pinellas* 7 Dec (JFi). On the Atlantic, one was in *Nassau* 31 Dec+ (PL et al.), and 3 were photographed in *Brevard* 4 Jan (C.B.C.). One Common Goldeneye was found in the interior of the peninsula at L.A.R.A. 30 Dec (HR).

RAPTORS THROUGH SHOREBIRDS

On 22 Feb, early Swallow-tailed Kites glided over *Polk* mines (PTi, CGe) and Brandon, *Hillsborough* (EK). White-tailed Kites were reported from their usual nesting sites in Pembroke Pines, *Broward* (v. o.) and at Kissimmee Prairie Preserve S.P., *Okeechobee* (B&LC). One was seen at E.N.P. 26 Dec (BPr et al.), and another was in *Highlands* 27 Dec (C.B.C.). An imm. Golden Eagle was found in *Leon* 15 Dec (GM). A Harris's Hawk with "remnants of [a] tether on at least one leg" was seen at Bonita Springs, *Lee* 18 Jan (LLB); all reports from the state are presumed to represent escapees. Rare in winter n. of L. Okeechobee, a Broad-winged Hawk wintered at Ft. De Soto C.P. (LA). Other reports n. of the Lake include one in Jacksonville 28

Dec (C.B.C.), 2 in *Brevard* 4 Jan (C.B.C.), and one in *Volusia* 21 Dec (C.B.C.). North of their usual winter range, 2 Short-tailed Hawks were near L. Wales, *Polk* 4 Jan (C.B.C.). An early migrant was noted in *Orange* 15 Feb (LoM). Also n. of its usual winter range was a Swainson's Hawk near Kissimmee, *Osceola* 4 Jan (C.B.C.). A first for the state, a female *Eurasian Kestrel* was identified at L.A.R.A. 26 Feb+ (HR, LS, ph., v. o.), one of very few confirmed records for the continent.


Winter breeding of Common Moorhen was again reported: a downy chick was observed in *Pinellas* 19 Dec (JFi). Two *Southern Lapwings*, presumed escapees (though certainly spreading northward in Central America), were a surprise at Hague, *Alachua* 14 Feb (GK). Single *American Golden-Plovers* at Titusville, *Brevard* 7–11 Dec (JD, JCa et al.), Crandon Park, *Miami-Dade* 17 Dec (RD), and L.A.R.A. 19 Jan (HR) were late. Rare on Florida's Atlantic coast, 2 *Snowy Plovers* were at Jacksonville 28 Dec (C.B.C.). A *Black-necked Stilt* at L.A.R.A. 26 Feb (HR) was early. An *American Avocet* at Apalachicola, *Franklin* 21 Dec (JD, JM) was late. Solitary *Sandpipers* were in *Polk* 14 Dec (PF et al.), *Leon* 15 Jan—1 Feb (2; GM), *Pinellas* 21 Feb (JG), *Palm Beach* 25 Jan, and *Wakulla* 17 Feb (BM). Single *Long-billed Curlews* wintered in *Brevard* (KAe), *Lee* (BPo), *Palm Beach* (BH), and *Pinellas* (S&MT). Four were in *Hillsborough* 15 Dec (C.B.C.) and 2 at Cedar Key 27 Dec (C.B.C.). *Purple Sandpipers* wintered on their usual jetties at Ft. Clinch pier, *Nassau* and *Smyrna Dunes S.P.*, *Volusia* (v. o.). Casual on the Gulf, one appeared at Alligator Pt. 29 Nov–1 Dec (TR, JD et al.). Mulrooney heard a *Semipalmated Sandpiper* on Elliot Key, *Miami-Dade* 7 Feb utter its "short, husky churt call," and photographed 2 of "dozens" at *Calusa Key*, *Monroe* 30 Jan. The winter status of this species in North America is poorly known. A *Pectoral Sandpiper* was early at L.A.R.A. 26 Feb (HR). A *Curlew Sandpiper* was found on the beach with Dunlin near Northwest Cape, E.N.P., *Monroe* 1 Jan (†DWh et al.).

GULLS THROUGH HUMMINGBIRDS

Florida's *Heermann's Gull*, first reported in Oct 2000, was at *Coquina Beach*, *Manatee* 22 Jan (HN, fide DB). Now in fourth-alternate plumage, it visited Ft. De Soto C.P. 6 Feb+ (LA, v. o.). A *Black-headed Gull* was in Kendall, *Miami-Dade* 21 Dec+ (C.B.C.). A first—basic *Iceland Gull* was photographed at Ft. Clinch, *Nassau* 31 Dec (BRI), and single *Glaucous Gulls* were at *Huguenot Memorial Park* 17 & 22 Jan (BRI, ph.), where the species is almost annual. Florida's first *Slaty-backed*

Gull remained at Key West through most of the period (JO et al.). Rare inland, a *Lesser Black-backed Gull* remained at L.A.R.A. 30 Dec—11 Jan (HR). In recent years, *Gull-billed Terns* have been found in winter in *Hernando*; up to 3 were at Pine I. 18–26 Jan (A&BH, MG, JG).

Two migrant *White-winged Doves* lingered at Alligator Pt. 5–19 Dec (JD, JM). A roost of up to 40 was discovered in e. *Pasco* in Dec (DP, BAh), while others were found farther n. still. Seven were at Gainesville 15 Dec, while 150+ were nearby at Archer 2–25 Jan (JT). Rare in winter, lone *Mangrove Cuckoos* were at Long Pine Key, E.N.P., *Miami-Dade* 18 Dec (C.B.C.) and on two small mangrove keys in Florida Bay, *Monroe* 12 Dec and 27 Jan (BM). Increasingly scarce, *Smooth-billed Anis* were at Darling N.W.R., *Lee* 7 Dec+ (fide BAh), *Loxahatchee N.W.R.*, *Palm Beach*, and at the Ft. Lauderdale airport *Broward* (v. o.). For the 2nd consecutive year, there were no reports of *Groove-billed Anis* in the Region. A *Short-eared Owl* of the continental form was seen on the main road near the entrance to E.N.P., *Miami-Dade* 23 Dec (KAn), where any form of this species is rare. Other singles were seen at Merritt I. N.W.R. 16 Dec (C.B.C.) and at St. Marks N.W.R. 11 Jan—13 Feb (v. o.), and up to 2 wintered at L.A.R.A. (HR). Wintering *Lesser*



A *Calliope Hummingbird* photographed 9 February 2003 at Alligator Point, Florida provided only the Region's fourth documented record. Photograph by Jim Cavanagh.

Nighthawks were in *Monroe* (v. o.), *Palm Beach* (BH), and *Collier* (TD, v. o.); and a late migrant passed through *Franklin* 26 Dec (JD, JM). An unidentified *nighthawk* at Tallahassee 16 Jan was a surprise (RL).

Wintering *hummingbirds* again made news in the Region, greatly aided by Bassett's banding efforts. In the Tallahassee area, newly-banded *hummingbirds* were 21 *Ruby-throated*, 2 *Black-chinned*, 25 *Rufous*, and 2 *Calliope Hummingbirds*. In the Gainesville area, the total of 33 *hummingbirds* was composed of 4 *Ruby-throated*, 3 *Black-chinned*, an *Archilochus*, 4 *Rufous*, 14 *Selasphorus*, and 7 not determined to genus. Other *Black-*

chinned reports included singles at *Riverview*, *Hillsborough* (EK), *Kissimmee*, *Osceola* (C.B.C.), and *Stuart* (C.B.C.). Another *Calliope Hummingbird* was photographed at Alligator Pt. 9 Feb (JD, JM, JCa).

FLYCATCHERS THROUGH PIPITS

Reports of *Least Flycatchers* came from *Alachua* (JHi, ES), *Orange* (HR), *Pinellas* (JFi), *Palm Beach* (C.B.C.), *Broward* (C.B.C.), and *Miami-Dade* (LaM, PB). Two *Vermilion Flycatchers* were in *Alachua* (fide RR), and singles returned to *Palm Beach* and *Hendry* for a 2nd year (v. o.). Another *Vermilion* remained at St. Marks N.W.R. 10 Dec—26 Jan (v. o.), and a female was at Harney Pond Canal Recreation Area, *Glades* 7 Feb (PC). *Ash-throated Flycatchers* were in *Leon* (C.B.C.), *Alachua* (4; ES et al.), and L.A.R.A. (2; HR). Northerly reports of *Great Crested Flycatchers* included 2 in *Seminole* (fide LoM) and singles at Merritt I. N.W.R. (C.B.C.) and *Withlacoochee R. C.P.*, *Pasco* 11 Jan (R&AS). *Brown-crested Flycatchers* were at L.A.R.A. 12 Feb (HR) and in *Miami-Dade*: one at *Lucky Hammock* (LA et al.) and 2 at Long Pine Key, E.N.P. (RD, WG et al.). A very late *Eastern Kingbird* stopped at *Corkscrew Swamp Sanctuary*, *Collier* 14 Dec (C.B.C.), while 2 in *Highlands* 23 Feb (MM) were very early. A *Tropical Kingbird* spent its 2nd winter at St. Marks N.W.R. (TC et al.). In recent years *Cassin's Kingbird* has been annual; singles were found in *Orange* (HR) and *Miami-Dade* (PB). The established *Western Kingbird* roost at L.A.R.A. peaked at 35 on 21 Dec (BHA). At L. Poinsett, *Brevard*, where *Westerns* have wintered for the past four years, a total of 11 was counted 14 Jan (KAe). The *kingbird* roost in Florida City, *Miami-Dade* hosted up to 23 (LaM et al.), and up to 5 *kingbirds* spent the season at Ft. De Soto C.P., a first in winter at that location (LA). A *Gray Kingbird* was photographed at *Everglades City*, *Collier* 12 Dec (DSu). *Scissor-tailed Flycatchers* were reported n. to *Brevard* (C.B.C.), where the species is only casual, *Pasco* (C.B.C., v. o.), and *Orange*, with up to 3 at L.A.R.A. (HR).

A *Bell's Vireo* stopped at L.A.R.A. 16 Dec (HR), and one was at the *Flamingo Road E.S.L. Site*, *Broward* 2–16 Feb (BRo). Representing rare verifiable winter records were the *Yellow-throated Vireos* photographed at *Collier-Seminole S.P.*, *Collier* 26 Jan (TD, DSu, v. o.) and *Six Mile Cypress Slough Preserve*, *Lee* 27 Feb (TZ). Rare in any season, a *Warbling Vireo* was identified at *Castellow Hammock Park*, *Miami-Dade* 19 Jan (JHB). Two *Purple Martins* were seen at L.A.R.A. 2 Jan (HR). *Cave Swallows* are resident in the s. tip of the peninsula; elsewhere, 6 were at Tallahassee 2

Dec, with another there 10 Dec (GM), 5 were in Ft. Lauderdale 15 Dec (C.B.C.), while on 14 Dec, 2 were at L. Poinsett (DSi), and one was at St. Marks N.W.R. (C.B.C.). Barn Swallows that tarried at Tallahassee 2 Dec (GM), St. Marks N.W.R. 14 Dec (C.B.C.), and Merritt I. N.W.R. 16 Dec may have been migrants, while 8 at Coot Bay, E.N.P., *Monroe* 28 Dec (C.B.C.) may have wintered. One at Alligator Pt. 27 Feb (JCo) was early.

At least one Brown Creeper found its way s. to Gainesville and was seen 14 Dec and 1 Feb (LD, RR, Bob Holt). In higher numbers than usual, Golden-crowned Kinglets penetrated the peninsula s. to *Sarasota* (C.B.C.), *Pinellas* (JFi), *Marion* (JP), *Orange*, and *Seminole* (LoM). A Winter Wren at L.A.R.A. 19 Jan (HR) was far south. Rare on intercoastal islands, up to 4 Eastern Bluebirds remained at Ft. De Soto C.P. from fall through 7 Dec (LA), and 3 were found at Merritt I. N.W.R. 15 Dec (TR). A first for Florida was a female **Mountain Bluebird** at E.N.P., *Miami-Dade* 18-24 Dec (RD, WG, et al., ph. LaM). A Wood Thrush was discovered at Gainesville 28 Jan (DL). Presumably pushed by the strong cold front on 23 Jan, Hailman estimated about 22,000 American Robins flying s. over the Loxahatchee R. Up to 2 Sprague's Pipits wintered at the Apalachicola airport, *Franklin*, a rather reliable location for this rare species (DWA, LS).

WARBLERS THROUGH MUNIAS

A Blue-winged Warbler was seen at Jonathan Dickinson S.P., *Martin* 29 Dec (C.B.C.). A Tennessee Warbler lingered until 8 Dec in *Orange* (LoM). A Nashville Warbler at Ft. De Soto C.P. 3 Dec (LA) was a migrant, whereas singles in *Pasco* (KT et al.), *Broward* (WG, MB, v. o.), and *Miami-Dade* (BRo) remained throughout the season. Another Nashville was found at L.A.R.A. 2 & 11 Jan (HR). Northern Parulas were found n. to *Alachua* (RR) and *Hamilton* (C.B.C.), and early migrants included 4 singing in *Polk* 19 Feb (PF). A high count of Yellow Warblers, 43, was made on the Key Largo-Plantation Key C.B.C., while at least one wintered n. to *Seminole* (B&LC, MG). Incredible counts of 8360 Yellow-rumped Warblers and 3120 Palm Warblers came from L.A.R.A. 26 Feb (HR). One Black-throated Blue Warbler was n. in *Highlands* (C.B.C.). Black-throated Green Warblers were in greater numbers than usual (v. o.), while a late Blackpoll Warbler lingered at Bill Baggs/Cape Florida S.P., *Miami-Dade* to 11 Dec (RD). Six Northern Waterthrushes wintered at L.A.R.A. (HR). A Louisiana Waterthrush at E.N.P., *Monroe* 28 Dec (C.B.C.) was wintering, but one at Paynes Prairie, *Alachua* 22 Feb probably was an early migrant (IS). Lone male Hooded Warblers were at Bonner Park, *Pinellas* 27 Dec (JFi), Starkey Park, *Pasco* 2 Jan (DP, BAh), and Key

Largo, *Monroe* 19 Jan (BM). At least 5 Wilson's Warblers wintered in *Leon* (*fide* GM). Eight reports of Yellow-breasted Chats were received Regionwide (v. o.).

Summer Tanagers were widespread this season, with 18 individuals reported from *Franklin* to *Monroe* (C.B.C.). Single Western Tanagers visited Bill Baggs/Cape Florida S.P. 28 Dec (RD) and Gainesville 3 Feb (WD). Florida's 2nd verified Green-tailed Towhee was at Honeymoon I. S.R.A., *Pinellas* and entertained dozens of birders 5 Feb+ (JFo, EH et al., ph. LS). Clay-colored Sparrows were scarce; reports were from *Leon* (RL), *Polk* (CGe et al.), *Orange* (BHA et al.), and *Miami-Dade* (LA et al.). Lone Lark Sparrows were in *Sarasota* 14 Dec and at St. Marks N.W.R. 15 Dec (TC), while up to 5 wintered at Homestead, *Miami-Dade* (*fide* JHB). Henslow's Sparrows are more widespread in the Peninsula than previously thought; several were banded this winter at Kissimmee Prairie Preserve S.P., *Okeechobee* (PS). Le Conte's Sparrows were reported from *Liberty* (LaM), *Wakulla* (LaM, SM), and *Alachua* (BC et al.). More common along the Atlantic coast, single Saltmarsh Sharp-tailed Sparrows were identified on Gulf-side C.B.C.s at Apalachicola Bay-St. Vincent N.W.R., *Franklin*, Cedar Key, and St. Marks N.W.R. (C.B.C.), while 2 were found at the s. tip of the mainland at Coot Bay, E.N.P. (C.B.C.). Always rare, Fox Sparrows were in *Leon* (4), *Hamilton*, *Alachua*, and at L.A.R.A. 5 & 9 Jan (HR). Lincoln's Sparrows were widespread in small numbers (v. o.). An ad. Harris's Sparrow was found at a fish camp on the St. Johns R., *Seminole* 28 Dec+ (CP et al., ph. BPr). One Lapland Longspur remained at Huguenot Memorial Park 26 Dec—26 Feb (*fide* PP).

Rare in winter, a Rose-breasted Grosbeak was at L.A.R.A. 21 Dec (JB et al.). Up to 3 Blue Grosbeaks wintered at w. Kendall, *Miami-Dade* (JHB), with 5 others at L.A.R.A. (HR). A late Indigo Bunting remained at a *Franklin* feeder through 22 Dec (JM). Lone Dickcissels were found at five sites (v. o.). A late Bobolink was at Lucky Hammock 7 Dec (BRo, JHB), while another at Honeymoon I. S.R.A. 21 Feb (WY) may have wintered. Reports of Yellow-headed Blackbirds were of one at Lucky Hammock 27 Dec (BAh et al.) and 4 in *Osceola* 4 Jan (C.B.C.). Single Rusty Blackbirds were detected as far s. as *Alachua* (RR), *Hillsborough* (KAN), and *Seminole* (BHA). Reports of Brewer's Blackbirds included singles on C.B.C.s in *Hamilton* and w. *Pasco* (KT), 2 in *Alachua* (*fide* RR), and 65 at Black Swamp, *Leon* 28 Feb (GM). Bronzed Cowbirds wintered at the usual location in Lakeland, *Polk* (v. o.), and up to 12 wintered at Naples (*fide* CE). One was at L.A.R.A. 21 Dec (HR) and 3 in Tampa 26 Jan (DWA, LS). The only Bullock's Oriole reported was one at L.A.R.A. 22 Jan (HR).

House Finches continue to colonize the cen. peninsula. The 2nd reported in *Orange* remained in Winter Park until 17 Jan (BHA), while another 2 were in different areas of Orlando 1 Dec (JCl), with another found singing downtown 7 Feb (GB). Elsewhere, 7 were reported in n. *Lake* (C.B.C.), 3 in *Volusia* (C.B.C.), 4 in *Pasco* (C.B.C.), up to 10 in *Hernando* (A&BH), one in *Pinellas* (PTr), and 4 in *Hillsborough* (C.B.C.). The species continues to increase in *Polk*, with 11 at L. Wales 8 Dec (CGe, PTi) and 3 at Lakeland 12 Jan (CBo). Single Pine Siskins were in St. Johns (JHo), *Orange* (LoM), *Brevard* (RP), *Hillsborough* (BAh), *St. Lucie* (C.B.C.), and in *Collier* at Corkscrew Swamp Sanctuary, where one wintered last year. Up to 3 visited feeders in Valrico, *Hillsborough* (SB, SG). Up to 5 Tricolored Munias were at Eco Pond, E.N.P. 1-8 Dec (DSi, BRo).

Corrigendum: Eleven is the correct number of Gull-billed Terns at *Polk* mines in winter 2001-2002.

Cited contributors and members of the Florida Ornithological Society Field Observations Committee: Brian Ahern (BAh), Ken Allen (KAN), Kenn Allie (KAe), Bruce H. Anderson, Lyn Atherton, Steve Backes, Linda Lee Baker, Fred Bassett, Ted Below, Mark Berney, Paul Bithorn, Clay Black (CBL), Chuck Borden (CBo), Jeff Bouton, Dave Bowman, John H. Boyd, Greg Bretz, Bob Carroll, Jim Cavanagh (JCa), Joie Clifton (JCl), Julie Cocke (JCo), Buck & Linda Cooper, P. Cunningham, Tom Curtis, Wade Davidson, Lloyd Davis, Robin Diaz, Terry Doyle, Jack Dozier, Bob & Lucy Duncan, John Epler, Charlie Ewell, Paul Fellers, Judy Fisher (JFi), J. Ford (JFo), Jill Gaetzi, Murray Gardler, Chuck Geanangel (CGe), Wally George, Stephen Gross, Erik Haney, Al & Bev Hansen, Dale Henderson, Jack Hailman (JHa), Tom Hince, John Hintermister (JHi), Jackie Holstein (JHo), Brian Hope, Grace Kiltie, Andy Kratter, Ed Kwator, Patrick Leary, Rob Lengacher, Doug Levey, Lorne Malo (LoM), Larry Manfredi (LaM), Peter May, Sean McCool, Mike McMillian, Gail Menk, Linda Most (LiM), Brennan Mulrooney, John Murphy, Harry Nienhaus, Joe Ondrejko, Jeff Palmer, Robert Paxton, Cheri Pierce, Bev Postmus (BPo), David Powell, Peggy Powell, Bill Pranty (BPr), John Puschock, Bob Richter (BRI), Bryant Roberts (BRo), Harry Robinson, Tom Rodriguez, Rex Rowan, Lilian Saul, Earl Scales, David Simpson (DSi), Parks Small, Ron & Austin Smith (R&AS), Lee Snyder, Doug Sutor (DSu), Pete Timmer (PTi), Ken Tracey, Paul Trunk (PTr), Janet Tucci, Sandy & Mark Turner, Bob Wallace, Doug Wassmer (DWA), Darroch Whitaker (DWh), Ed Woodruff, Andrew Wraithmell, Wilf Yusek, Tom Zinneman. ☉