A fter a soggy August, September was uncharacteristically dry and devoid of tropical systems. A strong cold front penetrated the Region 27–28 September, bringing exceptional vagrants to Alabama and the Florida Panhandle, including a possible five species new for Alabama! October and November weather was typical, with dry high-pressure systems prevailing between cold fronts.

Transients were timely, although numbers of typical winter visitors along the coast were unusually low at the end of the period, with ducks, Horned Grebes, Bonaparte's Gulls, Ruby-crowned Kinglets, Yellowrumped Warblers, and others yet to arrive in normal numbers. Sparrows, however, appeared in usual concentrations.

Feeder watchers in widely scattered locations throughout the Florida Panhandle and southern Alabama lamented a dearth of yard birds. Judging from our visits to favorite spots, we agree that common birds as well as migrants seemed down in numbers, although heavy patronage by hunting *Accipiters* makes such impressions of relative abundance difficult to interpret.

Abbreviations: EW.B.S.E. (Fort Walton Beach spray field, Okaloosa, FL); L.S.U.M.N.S. (Louisiana State University Museum of Natural Science); Noxubee (Noxubee N.W.R., e.-cen. Missisippi); nw. Florida (Florida west of the Apalachicola R.); St. Catherine (St. Catherine Creek N.W.R., Adams, MS); Wheeler (Wheeler N.W.R., n. Alabama); Yazoo (Yazoo N.W.R., Washington, MS). State names are included only with the initial use of a place name.

LOONS THROUGH STORKS

A Pacific Loon, the 6th for Arkansas, was at L. Dardanelle, Pope 8 Nov (LN, KN). In Alabama, where rare, one was in Marshall 21-22 Nov (RAR, SWM, SRM). A Rednecked Grebe in Marshall 21 Nov was Alabama's 12th (p. a., RAR, LBR). Rare to uncommon along the Gulf Coast, Eared Grebes were in Mobile, AL 12-14 Oct (m. ob.) and at the F.W.B.S.F. 4 Oct-30 Nov+ (m. ob.). Very rare in Arkansas, a Western Grebe was reported in Washington 7 Nov (JN, MM). Three Cory's Shearwaters 58 km ssw. of South Pass 7 Oct provided 6th records 5th and Louisiana's (*L.S.U.M.N.S., DLD, SWC, DPM, CCS). A Masked Booby was in Choctawhatchee Bay, Okaloosa 12 Sep (BG), and another was at Dauphin I., AL 16 Sep (BCG, HH). Large flocks of American White Pelicans were reported in Alabama (630), Arkansas (1200), and Louisiana (1200-1500). Accidental in Mississippi, Neotropic Cormorants were found at St. Catherine 9 Aug, where an ad. and a subad. were observed (p. a., TS, MS, SJD, m. ob.). A subad. was

Central Southern



also seen in *Humphreys*, MS 30 Aug (SJD). In Louisiana, where Neotropics are uncommon, 425 were counted 15 Sep in *St. Martin* (JWB, RD). Magnificent Frigatebirds were late 30 Nov in *Baldwin*, AL (RC) and 8 Nov in *Plaquemines*, LA (PW et al.).

Ardeids appeared in unusually high numbers along the Mississippi and nw. Florida coasts Aug-mid-Sep. Only 5 American Bitterns, a species infrequently reported in recent years, were reported for the entire Region. A count of 1256 Great Egrets in Tallahatchie, MS 30 Aug must have been impressive (GK, SK, SJD). Rare in the mountain region of Alabama, a Snowy Egret was in Jefferson 27 Sep (HHK, RDK). Uncommon inland in Mississippi, 29 Tricolored Herons at a St. Catherine roost was a good count (SJD, GK, SK et al.). Up to 5 Glossy Ibis strayed to Yazoo, MS 2-24 Aug (p. a., SJD), 4 were at St. Catherine, where rare, 9 Aug (p. a., GK, SK, SJD), and another surfaced in Humphreys 30 Aug (p. a., SJD). A rare migrant in Arkansas as well, one Glossy Ibis was early in Desha 16 Aug (KN, LN et al.), and 10 were in Mobile 24 Aug, where uncommon (GDJ).

A White-faced lbis at Ft. Morgan, Baldwin provided Alabama's 15th record (p. a., LRD, RAD), and 4 were reported from

Robert A. Duncan Lucy R. Duncan 614 Fairpoint Drive Gulf Breeze, Florida 32561 (Town.Point@att.net)

Arkansas 14-20 Sep (m. ob.), where rare. Still accidental in Mississippi, a single White-faced Ibis was at St. Catherine 9-10 Aug (p. a., TS, MS, SJD, m. ob.), 2 were at Yazoo 30 Aug (p. a., GK, SK, SJD), and another was in Humphreys 30 Aug (p. a., GK, SK, SJD). Plegadis not identified to species were reported in numbers in Mississippi and Alabama, with a near all-time high for Alabama of about 30 at Mobile on 24 Aug (GDJ). A peak count of 352 was recorded at St. Catherine 9 Aug (SJD), and 2 remaining at Noxubee 23 Oct were the latest for the area by 14 days (TS). For the 2nd straight year, Roseate Spoonbills were counted in good numbers in Arkansas and Mississippi, with 51 and 300 reported, respectively. One in Mobile 4-10 Sep was very rare (DD, AH).

As last year, Wood Storks were reported in impressive numbers: **3578** were estimated 9 Aug at St. Catherine (SJD), with state totals of 2 in Alabama, 350 in Arkansas, and 4300 in Mississippi.

WATERFOWL THROUGH CRANES

Black-bellied Whistling-Ducks continued their range expansion in Louisiana, with 30-35 (including 7-9 juvs.) seen 4 Oct-15 Nov at Bayou Sauvage N.W.R., Orleans (DM, BMM, LE, PW). A pair of Black-bellied Whistling Ducks with 7 half-grown young at Yazoo provided Mississippi's first verified breeding 16-19 Oct (DL, ph. SJD, TS, m. ob.). What can only be described as a massive movement of Greater White-fronted Geese from nw. Florida to the Mississippi Gulf Coast occurred 21-23 Oct. On 22 Oct, JAW observed 65 birds on a westward course over Niceville, Okaloosa. The same day, RAD and LRD watched an estimated 510 moving w. at Ft. Morgan. During the same three-day period, NB estimated a few thousand passing through Hancock, MS. One can only speculate what brought so many of this species, rare e. of Louisiana, so far off their normal migration route. Maximum ever for inland Alabama were 65 at Wheeler 29 Nov (BKF). An estimated 10,000 to 20,000 Snow Geese passed through Washington 1-2 Nov (JN). Formerly accidental in the Region, Ross's Geese have appeared regularly in recent

years. Alabama had 8, nw. Florida 5, and Arkansas one in the period 8–28 Nov.

Two Gadwalls at Yazoo 24 Aug were very early (SS). An ad. male Eurasian Wigeon at Eufaula N.W.R., Barbour 13 Nov was Alabama's 7th (p. a., CTS, LW). A Cinnamon Teal was seen 4 Nov in Lonoke, AR, where very rare (LY, H&MP). Seven Lesser Scaup in Sharkey, MS 24 Aug were the earliest ever for the area. A count of 1500 in Washington 7 Nov was the highest ever for nw. Arkansas (IN, MMl), Surf Scoters were reported from Mississippi (3) and Arkansas (13) 23 Oct-14 Nov, while Mississippi tal-



Florida's ninth Say's Phoebe was found by visiting birder Barry Fleming at Fort Pickens near Pensacola 13 October 2003. This cooperative bird, a first for the Panhandle, spent its Florida vacation feeding in dune vegetation until 15 October. Photograph by David Dortch.

lied a total of 7 Black Scoters in the same period, and Arkansas had 4 White-wingeds 6–12 Nov. *Washington* had 200 very early Buffleheads 7 Nov (JN, MMI). Single female



This dark-morph immature Buteo at Ft. Morgan, Alabama 15 (here) through 16 October 2003 was identified by experts as Alabama's first Short-tailed Hawk. Photographs by Lucy Duncan.

Common Mergansers were reported from there 9 (JL, SSp, SL) & 15 Nov (JL, SSp). Twelve Ruddy Ducks, including a juv., were in *Humphreys* 26 Jul (SS, KH), only the 2nd breeding record for Mississippi. On 7 Nov, nw. Arkansas had its highest ever count of Ruddy Ducks, some 1200 on L. Fayetteville (JN, MM).

Two kettles of Swallow-tailed Kites

totaling 150+ in Escambia, FL 7 Aug were a maximum for the area (GF, FL). Late in Leflore, MS, another was sighted 24 Aug (SJD, AHa). Twenty-five Mississippi Kites in Clay, MS were also impressive (TS). A dark Buteo over Ft. Morgan, Baldwin, AL 15-16 Oct proved to be the Region's first Short-tailed Hawk, a dark-morph imm. bird documented nicely (p. a., ph. LRD, RAD, ph. ALM et al.). Probably an indication of its more common occurrence now, only one report of Bald Eagle was received. An ad. Golden Eagle, casual in nw. Florida, was in Santa Rosa 28 Sep, the earliest for the state by three days (RAD, LRD). Another ad. was at the EW.B.S.F. 7 Oct (LRD, RAD, CB), and an imm. was in Bay, FL 31 Oct

(BL). Rare in Alabama, a Golden Eagle 27 Oct in Marshall was early for the Tennessee Valley region (RAR). Probably underreported because of increased sightings in recent years, Peregrine Falcons were tallied in only three states: Mississippi (4), Arkansas (3), and Louisiana (28).

A Black Rail 17 Nov at the F.W.B.S.F. was nw. Florida's 12th (LRD, CB, RAD). Seven Soras 27 Sep in Jefferson were quite high for Alabama's Mountain region (SSH). For the 5th consecutive year, Purple Gallinules nested at Noxubee 5 Aug-3 Sep (TS). Three ads. and 3 juvs. in Howard, AR 11 Oct were very late (CM). For the 4th consecutive year, Common Moorhens nested at Noxubee, where 4 downy young and one grown juv. were present 22 Aug (TS). A rare nester in n. Mississippi, Common Moorhens (including 6 juvs.) were in Tallahatchie 30 Aug (GK, SK, SJD); 4 ads. and 21 juvs. were tallied in Howard 11 Oct (CM); and 5 were at Yazoo 19 Oct (TS), where still considered uncommon. A count of 1325 American Coots was reported from Washington (JN, MMl, DP, AG). Locally rare, 11 Sandhill Cranes graced Elmore, AL 20 Nov (RER). The maximum for Alabama's Tennessee Valley was 160 at Wheeler 29 Nov (BKF. m. ob.).

SHOREBIRDS

American Golden-Plovers, Regional fall rarities, showed up early in Shelby 20 Aug (HHW, ASC) and Colbert 17 Aug (SWM), in Alabama's Mountain and Tennessee Valley regions, respectively. Others were noted in Mississippi in Hancock 22 Sep (NB), Grenada 14 Oct, and Humphreys and Leflore 18 Oct (SJD). Only Louisiana reported Snowy Plovers, with 69 counted 28 Sep-29 Nov. A Semipalmated Plover 4 Nov in Lonoke was quite late (LY, H&rMP). Piping Plover reports came from Louisiana (17), Arkansas (10), and Mississippi (2), 1 Aug-29 Nov. Killdeer appeared in high



An exciting find in Arkansas was the discovery of a molting adult Curlew Sandpiper by Kenny and LaDonna Nichols in Prairie County on 2 August 2003. Seen by many observers, it furnished a first record for the state. Photograph by LaDonna Nichols.

numbers in Alabama. *Colbert* had 250 on 15 Aug (DJS), topped by 500 in *Lowndes*, AL 24 Aug (LFG). Thirty American Oystercatchers in *Mobile* 30 Nov was considered a good number (RC). One at Gulf Shores, AL 11 Oct was locally rare (ALM). An astounding group of 1279 Black-necked Stilts 2 Aug in *Humphreys* (SJD) preceded a peak of 217 American Avocets there 21 Sep (SJD).

Oktibbeha, MS had its earliest ever Willet 2 Aug (TS), and its latest ever (by 16 days) Upland Sandpiper 20 Sep (SJD). Marbled Godwits, uncommon in the Region, were reported from Arkansas (one), Alabama (one), Mississippi (7), and nw. Florida (8). Very rare in Arkansas, a Red Knot was in Prairie 17-18 Sep (KN, LN). In Humphreys, Western Sandpipers peaked at 1047 on 18 Oct, and Least Sandpipers maxed at 4986 on 2 Aug (SJD). Alabama had its most-ever Leasts in Lowndes with 700+ on 24 Aug (LFG). A first state record for Arkansas, a molting ad. Curlew Sandpiper graced Prairie 2-3 Aug (KN, ph. LN, m. ob.). Stilt Sandpipers peaked at 617 on 13 Sep in Humphreys (SDJ). Alabama's 6th Ruff surfaced in Limestone 25 Oct (p. a., RAR, DBr). Long-billed Dowitchers peaked at 5000 on 2 Nov in Prairie (KN, LN), with a respectable 2034 birds 21 Sep in Humphreys (GK, SK, SJD). Very rare in the Region, Rednecked Phalaropes were in Prairie 23 Aug (KN, LN), Humphreys 13 Sep (ph. SJD), and Oktibbeha 19-22 Sep (TS, MS).

JAEGERS THROUGH WOODPECKERS

An imm. Pomarine Jaeger was 68 km s. of South Pass, LA 7 Oct (BMM, DLD, SWC, CCS); another was seen 14 Oct along the *Mobile* coast (ph. DD). A Parasitic Jaeger 22 Sep at Ft. Pickens, *Escambia* was nw. Florida's 12th (RAD). Franklin's Gulls peaked in Mississippi at 634 in *Grenada* 26 Oct (SJD). In nw. Florida and Alabama, where rare, singles

were in Okaloosa 23 Oct (AK, LM), Baldwin (ADM, ALM), and Mobile (BCG). At Wilson Dam Colbert/Lauderdale, AL, 17 were the maximum ever for the area (DJS). Alabama's 4th California Gull, a juv., was at Wilson Dam 8 Oct-14 Nov (p. a., ph. DJS, PN, GM, FM). Two ads. were in Cameron, LA 25-26 Oct (p. a., DPM, ph. RDP, ph. PW et al.). A juv. was reported in Cameron 25 Oct (p. a., PC, DaP). Lesser Black-backed Gulls totaled 7 in Louisiana 24 Oct-14 Nov, with 2 at Wilson Dam, AL 29 Oct-16 Nov (DJS) and another in coastal Mobile 7 Nov (BS, BeS, DD). An ad. Great Black-backed Gull, considered very rare in Louisiana,

was in Lafourche 11 Oct-5 Nov (p. a., PW, ph. BMM, RDP, CCS); an ad. was in coastal Mobile, AL 5–7 Nov (ph. DD, BS, BeS). Three Louisiana pelagic trips yielded 46 Bridled and 17 Sooty Terns 20 Aug-7 Oct (*L.S.U.M.N.S., DLD et al.). Singles Sooties were at Ft. Pickens 5 Aug (RAD) and in Mobile Bay 18 Aug (SW). Noteworthy were 51 Black Terns in Leflore 30 Aug (GK, SK, SJD).

White-winged Doves continued their expansion across se. Louisiana and as far as

nw. Florida, with successful breeding in Gulf Breeze, FL, where 12 ads. and 4 juvs. were seen 20 Aug-18 Sep (LRD, RAD). Inca Doves were reported in small numbers in Louisiana from Orleans to Lafayette, where there were 2 nestlings 3 Oct (JWB, EV). Only 2 Common Ground-Doves were reported, both from Louisiana, where they are considered declining. Groove-billed Anis, rare but fairly regular in the Region, made appearances in Okaloosa 4 Oct (LF, DW); Ft. Pickens, 6 Oct-5 Nov (AS, m. ob.); Cantonment, Escambia 30 Nov (CG); Dauphin I. 15 Oct (BCG); St. Martin, LA 22 Oct (JH); and Hancock 5 Nov (NB, QBG).

Alabama's first Flammulated Owl 31 Oct (p. a., ph. BS, RCl, VF), found injured on a Mobile street, was treated at a rehabilitation facility and flown to California for release. Very rare in the Region, individual sightings of Lesser Nighthawks were in coastal Mobile 6 Nov (p. a., DD) and in Cameron 25 Oct (p. a., DPM, ph. RDP et al.) and 25 Nov (p. a., PW, ph. RDP et al.). Ten Whip-poor-wills 9 Sep in Oktibbeha was a good count (TS, MS). Nancy Newfield commented that migration of Ruby-throated Hummingbirds and w. hummingbirds was below average. She banded a Broad-billed Hummingbird 11 Nov in Reserve, St. John the Baptist, LA. Single Buff-bellied Hummingbirds were reported from Alabama, Mississippi, and nw. Florida 24 Nov+. Accidental in Arkansas, a Calliope Hummingbird stayed in Pulaski early Nov-19 Dec+ (p. a., JM, P&LF et al.). Now commonplace, Rufous Hummingbirds were widely reported throughout the Region. An Allen's Hummingbird (b. by NN on 16 Nov 2002) returned to a St. Tammany, LA feeder 3 Nov. A report of 5 Red-cockaded Woodpeckers from Monroe, AR 25 Nov was encouraging (LY, WS, KD).

FLYCATCHERS THROUGH PIPITS

Rare but regular, Olive-sided Flycatchers were in Hancock 18 Sep (NB) and Franklin, AL 4 Sep (2 birds; DJS). Eastern Wood-Pewees were late breeders in Hancock, where 2 recently fledged young were found 1 Sep (SS). There were eight well-documented reports of Yellow-bellied Flycatcher from Alabama, where one was banded at Ft. Morgan 4 Oct (RRS). A Say's Phoebe, Florida's 9th and the first for nw. Florida, was at Ft. Pickens 13–15 Oct (p. a., BKF, DS, ph. LRD, ph. DD et al.). Casual in nw. Florida, a Vermilion Flycatcher was at FW.B.S.F. 22 Nov (RAD, LRD, BT, DJ). Rare in Alabama and



This Flammulated Owl, found injured 31 October 2003 in Mobile, Alabama, was rehabilitated and flown to California for release. Another was found in the Florida Panhandle 9 November 2001. Photograph by Bill Summerour.

Mississippi, single Vermilion Flycatchers were in Mobile 10 Oct (LFG) and Jackson 16 Oct (NB et al.), and 7 were reported from Louisiana. Ash-throated Flycatchers are now rare but regular in Alabama, Louisiana, and nw. Florida, with singles reported 5 Sep in Santa Rosa (RAD), 23 Oct at the F.W.B.S.F.

(AK, LM), 29 Oct at Ft. Pickens (CB, ST, RAD et al.), 15 Oct at Ft. Morgan (b., ph. RRS), and 10–12 Nov in Orleans (JW, TW, DPM, BMM). A Western Kingbird was a rare find in Oktibbeha 1–5 Oct (TS, ph. SJD, m. ob.). Ten Scissortailed Flycatchers at Dauphin I. 14 Oct made Alabama's maximum count (RAR, LBR). One was in Oktibbeha 1 Aug (SJD), one was in Adams, MS 22 Oct (MDD), and 5–6 were in Hancock 12 Oct–15 Nov (NB).

The only Bell's Vireo reported was a bird found at Ft. Morgan 11 Oct (JRW). A Yellow-throated Vireo on the same date in *Benton*, AR was late (JN, MMl). Two rare Warbling Vireos were at Ft. Morgan 6 Oct (b. RRS). One of several outstanding vagrants to grace Ft.

Morgan this fall was a Yellow-green Vireo 10 Oct, a first for Alabama (p. a., b. DB, FB, RRS, ph. DD, m. ob.). The largest concentration ever of Purple Martins in nw. Arkansas was 700 in *Benton* 17 Aug (JN, AG, MMl).

Three Cave Swallows were a rare find 26 Oct in Cameron (p. a., BMM, DPM, PW). Three White-breasted Nuthatches 26 Sep in Montgomery were the maximum for Alabama's coastal plain (LFG). A singing House Wren 4 Aug in Jefferson, AL indicated possible nesting (HHK). A very rare Rock Wren was a good find in Pope 8 Nov+ (KN, LN). Hopefully underreported regionally, 4 Gray-cheeked Thrushes were in Oktibbeha, along with 37 Swainson's Thrushes (SJD). A count of 147 Wood Thrushes passing over Montgomery 16 Oct must have been heartening (LFG). A Sage Thrasher at F.W.B.S.F. 23 Oct was nw. Florida's 5th (p. a., AK, LM). The sensational vagrant of the season was a Yellow Wagtail at Ft. Morgan 29 Sep, a first for Alabama and first e. of the Rockies (p. a., DD, RAD, CB, LRD, HH, VF et al.). Two ad. Cedar Waxwings feeding 2 juvs. 8 Sep in Calhoun were 270 km farther s. than the previous known breeding record in Arkansas (JC).

WARBLERS THROUGH FINCHES

Migrating warblers appeared in the Region as usual, but reports were punctuated with several outstanding finds. Golden-winged Warblers were reported from Mississippi (2) and Alabama (19), and 15 Nashville Warblers were a good and early number in Faulkner, AR 21 Sep (HR). A potential state first, a Virginia's Warbler was seen 29 Sep at Ft. Morgan (p. a., DD, RAD, CB). Very late was a Yellow Warbler 6 Nov in Jackson, MS (NB et al.). A Cape May Warbler 7–8 Oct in Oktibbeha was only the 6th ever there (TS). A Kirtland's Warbler in n. Pensacola 17 Oct



The second for Florida, this American Tree Sparrow enjoyed brief notoriety amidst 50 young Tae-kwan-do students and enthusiastic birders near a Fort Pickens picnic shelter in Escambia County 25 to (here) 26 October 2003. Photograph by Peggy Baker.

(MC) was the first for nw. Florida since 1953! Noteworthy were 20 American Redstarts and 15 Wilson's Warblers in *Faulkner* 21 Sep (HR).

An American Tree Sparrow 25-26 Oct at Ft. Pickens was only Florida's 2nd (p. a., HH, DG, ph. LRD, RAD, ph. PB, ph. DD, PWS, m. ob.). Rare but regular on the coast, Clay-colored Sparrows were at Ft. Pickens 13 Oct+ (DS, AK, m. ob.) and Ft. Morgan 8 Oct (SWM). A Brewer's Sparrow at Fort Pickens 24 Sep could have provided the first Florida record; the report has not been accepted by the F.O.S.R.C. (LRD, RAD). A Vesper Sparrow was early 4 Oct in Benton (JN). Rare in Mississippi, a Lark Sparrow was in Hancock 2 Sep (NB). Rare in interior Alabama, Le Conte's Sparrows were at Wheeler 15 Nov (RAR, HD) and in Montgomery 18 Oct (LFG). A Song Sparrow in Okaloosa 20 Sep was the earliest ever by 13 days for nw. Florida (AK, JAW). Rare to uncommon in the Region, a Lincoln's Sparrow was in Montgomery 18 Oct (LFG). In Mississippi, one was in Yalobusha 2 Oct (SJD), another was in Oktibbeha 28 Oct (TS), and 4 were banded at Yazoo 17-18 Oct (SS et al.). Swamp Sparrows arriving in nw. Florida early and in numbers were also noted in Hancock 3 Oct, where 45+ were estimated (NB). In Prairie, 75 Smith's Longspurs were counted 25 Nov (LY, WS, KD). A Painted Bunting 16 Oct in Oktibbeha was the latest ever for the area by 17 days. Rare in fall in the Region, Bobolinks made appearances at Grand Isle, Jefferson, LA 28

Sep (DPM, RDP) and at Ft. Pickens 12 Oct (RSD, RAD). A Yellow-headed Blackbird at Ft. Pickens 20 Sep was a rare find (AK et al.); singles were in *Lafourche* 28 Sep (DPM et al.) and 11 Oct (PW, BMM, CCS). A Common Grackle on an oil rig 221 km se. of *Cameron* 14 Oct and another there 15 Oct raise ques-

tions about the species' migratory movements. The only Bronzed Cowbird report came from Hancock, where one visited a feeder 14 Oct (NB). A Baltimore Oriole in Oktibbeha 17–20 Nov was very late (JB, TB), while Rapides, LA had a very early American Goldfinch 30 Aug (JEJ).

Cited observers (subregional editors in boldface): Peggy Baker, Fred Bassett, James W. Beck, Duane Berger, Dick Bruer (DBr), Jamen Berk, Trish Berk, Ned Boyajian, Cecil Brown, Joe Cambre, Steve W. Cardifl, Alice S. Christenson, Morris Clark, Roger Clay (RCl), Paul Conover, R. Cross, Ken Dayer, Harry Dean, Stephen J. Dinsmore, Donna L. Dittman, Rob Dobbs, David Dortch, Lucy

R. Duncan, Robert A. Duncan (nw. Florida), R. Scot Duncan, Mary D. Dunnell, Lehman Ellis, Lenny Fenimore, Barry K. Fleming, Gene Fleming, Peck & Leanah Floyd, Venetia Friend, Larry F. Gardella, Ben C. Garmon, Dick Giese, Bev Goode, Q.B. Gray, Andrea Green, Cheryl Greene, Andrew Haffenden, Alice Harper (AHa), Kirsten Hazler, Hay Honer, Howard Horne, Sharon S. Hudgins, Greg D. Jackson (Alabama), Dawn John, Jim E. Johnson, Jud Johnson, Helen H. Kittinger, R. D. Kittinger, Joe P. Kleiman (Louisiana), Gene Knight, Shannon Knight, Alan Knothe, Bob Landry, Sarah Lehnen, David Linden, Frank Logan, Jason Luscier, Jim Major, Frances Markine, Gary Markine, Larry Marler, Steve W. McConnell, Al D. Miller, Ann L. Miller, Charles Mills, Mike Mlodinow (MMI), Sue R. Moske, David P. Muth, B. Mac Myers, Joe Neal, Nancy Newfield, Kenny Nichols, LaDonna Nichols, Phyllis Nofzinger, David Parker, Helen & Max Parker (Arkansas), Dave Patton (DaP), R. Dan Purrington, Herschel Raney, R. E. Reed, Linda B. Reynolds, R. A. Reynolds, Robert R. Sargent, Marion Schiefer, Terrence Schiefer (Mississippi), William Shepherd, Alan Sheppard, Damian J. Simbeck, David Simpson, Carolyn T. Snow, Scott Somershoe, Curt C. Sorrells, Sarah Spurrier (SSp), Betty Summerour (BeS), Bill Summerour, Paul W. Sykes, Sam Tagatz, Betsy Tetlow, Ellen Vidrine, S. Walker, Phillip Wallace, Lorna West, Jean A. Williams, Jeff R. Wilson, Jennifer Wilson, Tom Wilson, Harriet H. Wright, Lyndal York. 📚