

# New Mexico



## Sartor O. Williams III

Southwest Natural History Institute

1819 Meadowview Drive NW

Albuquerque, New Mexico 87104-2511

(sunbittern@earthlink.net)

**W**idespread and abundant rain and snow made winter 2004–2005 the wettest on record for New Mexico; following plentiful summer-fall rains, this resulted in excellent cover, especially for grassland species in the south. As in previous winters, the theme of this birding season continued to be species lingering late, wintering north of expected, and/or returning early, and with early onset of breeding activity by many species.

**Abbreviations:** B.L.N.W.R. (Bitter Lake N.W.R.); Bosque (Bosque del Apache N.W.R.); C.C.N.P. (Carlsbad Caverns N.P.); E.B.L. (Elephant Butte L.); L.V.N.W.R. (Las Vegas N.W.R.); Maxwell (Maxwell N.W.R. and vicinity); P.O. Canyon (Post Office Canyon, Peloncillo Mts.); R.G.N.C. (Rio Grande Nature Center, Albuquerque); R.G.V. (Rio Grande Valley).

## GREBES THROUGH DUCKS

A Red-necked Grebe at Conchas L. 2 Jan–1 Feb (WW, m.ob., ph. JO) provided the 5th photographically documented New Mexico record. The few Horned Grebe reports were restricted to large ne. lakes; high count was 8 at Conchas L. 15 Jan (JO, JP). Noteworthy for the far nw. were 120 *Aechmophorus* grebes at Morgan L. 10 Jan (MW); early were 6 Westerns and 2 Clark's at Cochiti L. 30 Jan (WH). A Western Grebe pair was courting at L. Avalon on the auspicious and early date of 14 Feb (SW). The imm. Brown Pelican present at E.B.L. since Aug continued in evidence through Jan (m.ob., ph. JO) and was actively fishing 21 Feb (WW). A Neotropical Cormorant was n. to Albuquerque 26 Feb (CR).

An American Bittern provided a local first at Luis Lopez 15 Dec (JO); one at B.L.N.W.R. 1 & 29 Dec and 6 Jan (GW) furnished the only additional report. Far n. were single Great Egrets at Peña Blanca 26 Dec (WH) and near Cochiti 16 Feb (MW); Greats again wintered in the lower R.G.V. and the Pecos Valley, including 4 at B.L.N.W.R. 12 Jan (GW) and 9 at L. Avalon 30 Jan (SW). Apparently increasing in winter in the lower R.G.V., 12 Cattle Egrets were at Las Cruces 18 Dec (S. & W. Hill, *fide* GE), one was at Mesilla 11 Jan (J. Douglas), and 3 were at Las Cruces 11 Feb (GE). Traditionally unexpected in winter, a White-faced Ibis was at Belen's Taco Bell

marsh 15 Jan–27 Feb (CR, RB, JO, BN, MB) and up to 2 were at Bosque 7 Dec–21 Jan (PB, SC, JP). Turkey Vulture is a species historically unknown in winter in New Mexico, but this season, several were reported (but not detailed) in the lower Pecos Valley, including 2 at Roswell 18 Dec (*fide* SB), 8 s. of Roswell 15 Jan (JB), about 10 at Roswell 17 Jan (T. Bemis, *fide* SW), plus one at Carlsbad 30 Jan (SW); earliest elsewhere were one at E.B.L. Dam 21 Feb (WW) and 2 at Mangas Springs 24 Feb (LM).

A Black Brant at Cherry Valley L. 4–5 Dec (JP, MB, CB) furnished a *Mora* first and the 7th overall for New Mexico. Both enthusiasm and confusion were evident as birders attempted to distinguish Cackling Geese from Canada Geese; available evidence suggests Cackling Geese are relatively numerous in the ne. and in the middle R. G. V. Four ad. Trumpeter Swans put in a brief appearance, with 5 Tundras at Stubblefield L. 2 Dec (ph. DC), while 2 ad. Trumpeters at Clabber Hill Ranch below Conchas Dam were present 2 Jan–1 Feb (WW, m.ob., ph. JO). Tundra Swans were much in evidence, including 4 at Maxwell 2 Dec–7 Jan (m.ob.), 2 at Ute L. 3 Jan (JB), 5 at B.L.N.W.R. 29 Dec–23 Feb (GW), 3 at L. Avalon 10 Dec–18 Feb (SW, m.ob., ph. JO), and singles at Farmington 18 Dec (AN) and E.B.L. 8 & 12 Dec (MW, J&MH). A male Eurasian Wigeon at Albuquerque split its time between R.G.N.C. and Mariposa Park 4 Dec–6 Feb (m.ob., ph. DK, ph. GF). An aerial survey estimated 15,675 Green-winged Teal at E.B.L. 6 Jan (MW), a remarkable concentration for New Mexico. Lingering from Nov was a White-winged Scoter at Clayton L. 15 Dec–29 Jan (DK, CB, JP, JB, ph. JO), while 2 were at Holloman L. 6 Jan (GE). Single Long-tailed Ducks were at Santa Rosa L. 19 Dec (J. Black) and L.V.N.W.R. 9–17 Jan (m.ob., ph. JO). An unprecedented "invasion" of Barrow's Goldeneyes found up to 4 on the Chama R. below El Vado Dam 8–15 Feb (WW, JB), a male and female in the Maxwell–Stubblefield area 3 Dec–28 Feb (m.ob., ph. WH, ph. JO, ph. DC), and singles on the Rio Grande near Orilla Verde 13 Feb (CR, BN) and at Conchas L. 9 Jan (CR, BN, RB).

## RAPTORS THROUGH NIGHTJARS

Noteworthy for winter was an Osprey in the E.B.L. area 14 Jan–12 Feb (JP et al.). An aerial survey of the E.B.L.–Caballo L. area 25 Jan found only 15 Bald Eagles, down from 94 on a similar survey there Jan 2001 (RD, D. Ahlers). Merlins were noted nearly statewide Dec–Feb, including 2 at Chaco Canyon 20 Dec (BS) and 3 at Bosque 18 Dec (SC). Lesser Prairie-Chickens were "booming" near Pep as early as 6 Feb (CR). At least 7 Virginia Rails were vocal in upper E.B.L. 26 Jan (RD). Noteworthy for the sw. was a Common Moorhen near Cliff 7 Feb (D. Beatty); high count was 5 at Mesilla 12 Feb (JP). Two ad. Whooping

Cranes were among some 40,000 Sandhills at Grulla N.W.R. near Portales 1 Dec (J. Smith) but could not be relocated; although no photographs were obtained, U.S.F&W.S. considered this a "confirmed" record. A bright, fully white albino Sandhill Crane was photographed near Hermanas 21 Jan (ph. JO), demonstrating the value of photographically documenting all "white cranes."

Unexpected in winter, up to 5 Black-bellied Plovers lingered at B.L.N.W.R. until 18 Dec, and one persisted through Jan until 16 Feb (GW). Very late was a Mountain Plover at B.L.N.W.R. 20 Dec (CB). Surprising for mid-winter were 13 Black-necked Stilts at Sunland Park 1 Jan (MS, JZ); earliest spring migrants were 3 at Belen 24 Feb (JO). Late was an American Avocet at E.B.L. 12 Dec (J&MH); earliest returnees were 2 at B.L.N.W.R. 26 Jan (GW) and one at Lordsburg Playa 30 Jan (JO). North for the season was a Spotted Sandpiper at Española 2 Jan (BF). Late were 73 Long-billed Curlews at Loving 19 Dec (*vide* CC); unusual was one near Hermanas 21 Jan (JO); notably early were 20 near Loving 18 Feb (JP). Late for the n. were 8 Bonaparte's Gulls at Springer L. 1 Dec (ph. DC), with 4 lingering there 5 Dec (MB); high count was 30 at L. Avalon 11 Dec (SW). A Mew Gull visited Brantley L. 17–21 Jan (ph. JO, SW). Nicely documented were single first-winter Thayer's Gulls at Cochiti L. 26–27 Dec (ph. WH, MB) and E.B.L. 18 & 21 Jan (ph. JO, JP). Late was a Forster's Tern at L. Avalon 14 Dec (JO).

Ever-increasing numbers of Eurasian Colared-Doves were found statewide, including on 23 C.B.C.s, and with highs of 469 at Roswell 18 Dec (SB) and 203 at Clayton 15 Dec (CR); it was judged the most common and conspicuous bird species in the village of Elida 14 Feb, where only 2 Mourning Doves were noted (WH). White-winged Doves wintered as far n. as Farmington, where up to 2 were noted Dec–Feb (AN); others in the n. included one at Cochiti 5 Dec (WH), 18 at Santa Fe 26 Dec (DE), and several at Madrid 23 Jan (C. Perez); at Albuquerque, where now resident, White-winged were singing by 20–22 Jan (SOW, PS). Inca Doves were copulating at Radium Springs 15 Dec (MS, JZ), and the species continued in evidence n. in the R.G.V. to Albuquerque. Common Ground-Dove reports were restricted to *Hidalgo*, with one in the middle Animas Valley 2 Jan (CR, MB, RB) and up to 2 at Rodeo 1 Jan–23 Feb (AM, m.ob., ph. JO). Another strong showing by Ruddy Ground-Doves found 6 at Rodeo 1 Jan (AM), where 2–7 were seen almost daily through mid-Feb (m.ob., ph. JO, ph. PH, ph. RS) and vocal birds were noted 23 Feb (NM-C); elsewhere, a single Ruddy was at Radium Springs 15 Dec–7 Jan (MS, JZ, MB).

Late for the n. was a Barn Owl at Maxwell 28 Dec (P. Hoban). A Barn Owl nest with 2 small nestlings and 4 eggs was discovered at

B.L.N.W.R. 23 Feb (GW); such early nesting is unprecedented in New Mexico. The Eastern Screech-Owl found at Portales in Nov 2003 was still present 3 Jan (ph. JB) and was vocal 19 Feb (JO). Noteworthy were up to 4 Short-eared Owls in the Salt Creek area of B.L.N.W.R. 16 Dec (GW) and 3 s. of Whites City 18 Dec and 1 Jan (SW); undetailed was one below Conchas Dam 2 Jan (*vide* WW). Very late was a Common Poorwill seen in Walnut Canyon, C.C.N.P. 18 Dec (SW).

### HUMMINGBIRDS THROUGH WRENS

On the hummingbird front, a male Magnificent banded at L. Roberts 2 Dec remained there until 31 Jan (JD-M), and a female Anna's was n. to Albuquerque 24 Dec–11 Jan (S. Norris). Early-blooming manzanita shrubs in the Peloncillo Mts. may have assisted some hummers, notably single male Broad-taileds in P.O. Canyon 15 Feb (CL) and the Animas Valley 21 Feb (NM-C). A late male Rufous Hummingbird was banded at Las Cruces 8 Dec (JD-M), while the last Rufous at P.O. Canyon was seen (at a frozen feeder) 12 Dec (CL); undetailed was one in the Avalon–Brantley area 26 Dec (*vide* TH). A male Red-bellied Woodpecker was at Conchas Dam 2–15 Jan (m.ob., ph. JO), where one had been seen in Nov; another Red-bellied was in the Atarque Cr. area s. of Mosquero, e. *San Miguel* 3 Dec (M. Mac-Roberts). Yellow-bellied Sapsucker reports with useful details were single imms. at Dawson, Colfax 16 Dec (WH), Conchas L. 2–9 Jan (m.ob.), and Villanueva 22 Jan (JO), plus an ad. male at Percha 9 Jan (BZ) and 2 Feb (JB) and an imm. there 30 Jan (BZ). A Red-naped Sapsucker was e. to Lovington 22 Jan (CR). Unusually high numbers of Downy Woodpeckers were reported at low elevations in *San Juan*, including a record 14 at Farmington 18 Dec (AN). An American Three-toed Woodpecker was in the Sandia Mts. 30 Jan (J. Joseph), where the species has been scarce or absent in recent years; one was drumming at Bandelier N.M. 27 Feb (JO).

An apparent Cordilleran Flycatcher lingered at Rattlesnake Springs 18 Dec (ph. CC); single *Empidonax* were at Silver City 18 Dec and near Cliff 1 Jan (both *vide* R. Shook). Unusually late were 2 Black Phoebe n. to Zuni 18 Dec (JO). Far w. was an Eastern Phoebe in the Animas Valley 2 Jan (CR, RB). Say's Phoebe pushing the envelope were 3 at Farmington 18 Dec (AN) and singles at Santa Fe 26 Dec (DE) and Maxwell 6 Jan (DC). A Great Kiskadee at Las Cruces, first reported 14 Feb (M. Rivera) and well documented through 28 Feb (m.ob., ph. JZ), reportedly had been present since late Nov; it provided New Mexico's 6th credible report and the first for *Doña Ana*. Single Northern Shrikes were at seven n. sites during the period, including a vocal one at L.V.N.W.R. 17 Jan (RB); s. was an ad. at Bosque 12 Feb (M. Ristow). A late

Cassin's Vireo was on the Ladder Ranch w. of Caballo L. 7 Dec (WW), where there was also a Plumbeous the same day (WW); another Plumbeous was at Mesilla 12 Feb (JP). Noteworthy was a Hutton's Vireo at Mesilla 18 Jan (JZ) and 12 Feb (JP); Hutton's returned to P.O. Canyon 28 Jan and were much in evidence there by 7 Feb (CL).

Mexican Jays were carrying nest material in P.O. Canyon by 17 Feb (CL). Western Scrub-Jays were notably scarce in the middle and lower R.G.V. and were absent from some regularly occupied areas, such as near Socorro (PB). A Steller's Jay strayed to Farmington 10 Dec (JP). American Crow numbers continued unusually low in several areas, including at Albuquerque (WH, HS) and Socorro (PB). Late was a Tree Swallow at Bosque 5 Dec (D. Pellegrini); Trees may have wintered at L. Avalon, where there were 20 on 5 Jan (*vide* SW), 4 on 17 Jan (JO), and 40 on 23 Jan (SW). An early Barn Swallow was with 200 Trees at L. Avalon 18 Feb (JP). In the Peloncillo Mts., Bushtit pairs began segregating from winter flocks by 10 Jan (CL). Red-breasted Nuthatches staged a noticeable lowland invasion, including e. to Clayton, near Mosquero, and Roswell and s. to Deming, Mesilla, and Carlsbad. Two Pygmy Nuthatches were in the middle R.G.V. near Los Lunas 1 Dec (DH). Ten Cactus Wrens and numerous old nest structures were seen on San Juan Mesa n. of Elida, *Roosevelt* 14 Feb (WH). Nicely described was a Carolina Wren at Cedar Crest 26 Dec (AR), which represented the 3rd record there; there have been multiple New Mexico reports each year since 1998. Late was a mid-Dec House Wren at Zuni (JT). A good season for Winter Wrens produced singles at Farmington 18 Dec (AN), Santa Fe 26 Dec (*vide* DE), Pecos R. near San Jose 11 Jan (WW), Clayton L. 15 Dec (DK), Albuquerque 26 Feb (CR), and Rattlesnake Springs 15 & 29 Jan (JB, MB, SW). High counts for wintering Marsh Wrens were 38 at Conchas L. 2 Jan (WW) and 22 in upper E.B.L. 26 Jan (RD).

### KINGLETS THROUGH WARBLERS

Two Golden-crowned Kinglets strayed to the Florida Mts. 28 Jan (JO). Nicely described were 2 late Blue-gray Gnatcatchers near San Acacia 14 Dec (DH); undetailed C.B.C. reports were 3 at Bosque 18 Dec (*vide* SC) and singles at C.C.N.P. 18 Dec (*vide* SW) and Loving 19 Dec (*vide* CC), all areas where Black-tailed is likely. Black-tailed Gnatcatcher reports increased n. in the R.G.V., including one at Bosque 11 Dec and 2 at a different locale there 18 Dec (JP), plus one there 7 Jan (CB), one at the Ladder Ranch 7 Dec (WW), another at Truth or Consequences 12 Feb (JP), and 2 w. of Caballo L. 14 Jan (JP). Seven Black-tailed on the Peloncillo Mts. C.B.C. included 4 in the middle Animas Valley 2 Jan (CR, MB,

RB), while one was n. to Carlisle Canyon, Grant 24 Jan (RS). Eastern Bluebirds were well represented, with reports from 29 locales (and including 13 C.B.C.s) from the R.G.V. eastward, including a high 171 at Santa Rosa 19 Dec (WW); w. was a male in P.O. Canyon 7 Dec (CL). American Robins were singing at Albuquerque by 22 Jan (PS).

Surprising were single Gray Catbirds n. to Abiquiu 12 Feb (CR) and Clayton 15 Dec (RB). Northern Mockingbirds lingered at Clayton 15 Dec (DK) and Maxwell 16 Dec (DK); noteworthy for the season were 4 at Conchas L. 2 Jan (WW) and one there 9 Jan (RB). Sage Thrashers wintering n. of usual included 12 at Española 2 Jan (BF), 5 at Santa Fe 26 Dec (DE), one near Bernal, San Miguel 15 Jan (JP), and up to 2 at Conchas L. 2 & 17 Jan (WW, RB). Brown Thrashers w. of usual were singles at Zuni's Blackrock Dam 18 Dec (JO) and P.O. Canyon 10 Jan (CL). Crissal Thrashers were singing in the Sandia Mts. foothills by 9 Jan (JP). Sprague's Pipits are irregular in winter, with Jan records particularly scarce; this season, 6 were found near Hope, Eddy 15 Dec, but only singles were noted there 26 & 27 Dec and 20 Jan (RM); on Otero Mesa, 5 were found 2 Feb and 10 on 6 Feb (RM); farther w., 8 were s. of Deming 11 Dec (RM), and one was in the s. Animas Valley 8 Feb (EL). Cedar Waxwings were unusually numerous and widespread Dec-Feb, including reports on 21 C.B.C.s statewide. Among some 400 Cedar Waxwings at Farmington was a Bohemian Waxwing 7 & 10 Dec (C. Black, JP), and 2 Bohemians were among Cedars near Abiquiu 8-9 Feb (WW, ph. S. Brayshaw); these provided the first Bohemian records in four years. Unusual for the elevation and date was a Phainopepla near Cloudcroft 21 Feb (SW).

Late for the n. were single Orange-crowned Warblers at Albuquerque 12 & 19 Dec (RB), Santa Rosa 19 Dec (WW), and Bosque 18 Dec (SC); several lingering Orange-crowneds were found in the lower R.G.V. and the lower Pecos Valley, but there were no Jan reports; presumably early were singles at Mesilla 12 Feb (JP) and Deming 16 Feb (LM). Unexpected in winter, a Black-throated Gray Warbler first reported at Mesilla in mid-Dec was still there 18 Jan (BZ), 29 Jan (BZ), 6 Feb (JO), and 12 Feb (JP), a wintering first for *Doña Ana*. Also surprising for winter were single well-documented Townsend's Warblers at Albuquerque 12 & 19 Dec (RB) and Owl Canyon, Peloncillo Mts. 2 Jan (D. Danforth); undetailed was another at Mesilla 9 & 12 Dec (*vide* PS). Yet another winter surprise was a Pine Warbler at Kirtland A.F.B. 14 Jan-16 Feb (GF, JP). An American Redstart lingered at Radium Springs 11-22 Dec (MS, JZ).

## SPARROWS THROUGH FINCHES

Cassin's Sparrows, typically scarce or absent

in winter, included 18 in the middle Animas Valley 2 Jan (CR, MB, RB), one near Hermanas 5 Feb (JO), small numbers on Otero Mesa all winter (RM), 3 in s. *Lea* 22 Jan (CR), and one n. to Sevilleta N.W.R. 23 Dec (AR); early singing by Cassin's was noted at B.L.N.W.R. 19 Feb (GW), Hope 21 Feb (SW), Brantley L. 25 Feb (RD), and Carlsbad 28 Feb (SW). South of expected were single American Tree Sparrows at Zuni 18 Dec (JT) and Dripping Springs, *Doña Ana* 18 Dec (GE); noteworthy for an elevation of 2520 m were 7 at Eagle Nest 13 Dec (ph. DC). Chipping Sparrows n. for the season included 2 at Corrales 19 Dec (DK), 2 at Albuquerque 6 Jan (BN), and a remarkable 99 in the Conchas L. area 2 Jan (WW). Noteworthy were 2 Field Sparrows w. to Conchas Dam 2 & 4 Jan (WW, JO, MB). Late for the n. were 13 Sage Sparrows at Chaco Canyon 20 Dec (BS); surprising were 2 singing near Taos 26 Feb (JP). The 22 Grasshopper Sparrows in the middle Animas Valley 2 Jan (CR, MB, RB) represented a very high winter count. Grassland sparrow surveys found Baird's Sparrows, including some apparently wintering, in *Eddy*, *Otero*, and *Luna*, including 10 near Hope 15 Dec (RM), 3 on Otero Mesa 18 Jan (RM), and a high 16 there 6 Feb (RM). Very rare in New Mexico, single Le Conte's Sparrows were n. of B.L.N.W.R. 15 Jan (ph. JB) and on the McGregor Range portion of Otero Mesa 8 Feb (RM). A good season for Fox Sparrows found one to 3 at Maxwell (ph. DC), in the Conchas L. area (WW, JO), at Zuni (JT), at Ladder Ranch (WW), in the Peloncillo Mts. (RW), in the Organ Mts. (MS, JZ), at C.C.N.P. (m.ob.), and at Maddox L. (CR) Dec-Jan. In the rare-but-regular category were an ad. Golden-crowned Sparrow at Albuquerque 13 Dec-14 Jan (DM, m.ob.) and Harris's Sparrows near Cimarron 24 & 26 Feb (2 birds, ph. DC), at Farmington 18 Dec (AN), at Albuquerque 13 Dec-14 Jan (DM, m.ob.), at Belen 20-21 Jan (RB, JP), and near Cliff 16 Dec and 1 Jan (C. Fugagli).

Reports of White-winged Junco included 2 each at Clayton L. 4 Dec (BN) and Dawson 16 Dec (WH) and one at Valmora 14 Dec (DK). Of the three longspur species in New Mexico, Lapland is the rarest, but this season produced multiple reports from eight ne. locales in *Colfax*, *Union*, *Mora*, and *San Miguel* Dec-Feb, including highs of 30 at Stubblefield L. 29 Jan (JP) and 45 there 19 Feb (DC), 27 at Clayton 15 Dec (CR), 36 at L.V.N.W.R. 9 Jan (CR), and 15 at Conchas L. 1 Feb (WW); one was s. to Sevilleta N.W.R. 23 Dec (DK). High count for McCown's Longspur was 400 at a prairie dog town on Otero Mesa 18 Feb (RM); high for Chestnut-collared was 1015 in the s. Animas Valley 21 Feb (AC, NM-C). Northern Cardinals are now regular along the Canadian R. below Conchas Dam, where there were 2 on 2 Jan (WW) and sin-

gles 3 Jan (JO) and 1 Feb (WW); on the Pecos R., 2 were n. to Santa Rosa 19 Dec (WW).

Eastern Meadowlarks were singing on Albuquerque's West Mesa by 28 Jan (JP). Noteworthy Common Grackles were singles at Maxwell 4-26 Dec (ph. DC), near R.G.N.C. 25 Dec (SOW, P. Mehlhop), and Sandia Heights 5 Feb (F&RS), plus 3 at Virden 5 Feb (ph. JO) and up to 3 at Rodeo 1 Jan-4 Feb (m.ob.). Up to 6 Bronzed Cowbirds wintered at New Mexico State University stock pens 18 Dec (T. Lawton) through 20 Feb (m.ob.). Banding studies of wintering rosy-finches at Sandia Crest provided interesting insights, including recaptures of 4 Blacks banded there last winter; this season, from a flock of over 100, 89 were banded—48 Brown-capped, 28 Blacks, and 13 Gray-crowneds (NC, SC et al.). Elsewhere, a three-species rosy-finch flock of some 60 (primarily Brown-capped) was at Eagle Nest Dec-Feb (DC), a three-species flock of up to 100 (primarily Brown-capped) was at the Taos ski area 25-26 Feb (JO, JP), and about 60 were at Red River 25 Feb (JO). Noteworthy for the Sandia Mts was a Pine Grosbeak at Sandia Crest 16 Jan (NC), with 11 there 5 Feb (RB, NC). Well described was a female Purple Finch at Santa Fe 2 Dec (MH). Moderate numbers of Cassin's Finches were widespread in the n. and sw. and were reported on 17 C.B.C.s. Red Crossbills were less numerous and largely confined to the n., but a few ventured into the s. and se., including 11 at Radium Springs 20 Dec (MS, JZ), 3 in the Avalon-Brantley area 26 Dec (*vide* TH), and 14 at Clovis 9 Feb (JO). A possible White-winged Crossbill was at Farmington 22 Feb (F. Bowman, *vide* AN). A Lawrence's Goldfinch near Rodeo 4 Dec (PH) and 3 there 6 Jan (RW) provided the only reports. Evening Grosbeaks were conspicuous in the n. half of the state, including up to 400 in Russian Olive trees at Abiquiu 12 Feb (JB et al.).

Initialed observers: Pat Basham, Jonathan Batkin, Matt Baumann, Ryan Beaulieu, Sherry Bixler, Celestyn Brozek, David Cleary, Nancy Cox, Steve Cox, Alan Craig, Craig Cranston, Joan Day-Martin, Robert Doster, Deanna Einspahr, Gordon Ewing, Bernard Foy, Gary Froehlich, David Hawksworth, Tom Hines, John & Marty Hirth, William Howe, P. D. Hulce, David Krueper, Eugene Lewis, Carroll Littlefield, Larry Malone, David Mehlman, Ray Meyer, Narca Moore-Craig, Arnold Moorhouse, Alan Nelson, Bruce Neville, Jerry Oldenettel, John Parmeter, Andrew Rominger, Christopher Rustay, Hart Schwarz, Marcy Scott, Robert Shantz, Brad Shattuck, Frank & Rita Slown, Patricia Snider, John Trochet, Gordon Warrick, Mark Watson, Richard Webster, Steve West, William West, S. O. Williams, James Zabriskie, Barry Zimmer. ●