

Eastern Highlands & Upper Ohio River Valley



Victor W. Fazio, III

18722 Newell Street, Floor 2

Shaker Heights, Ohio 44122

(dromaius@bright.net)

Rick Wiltraut

Jacobsburg Environmental Education Center

835 Jacobsburg Road

Wind Gap, Pennsylvania 18091

(rwiltraut@state.pa.us)

The western portion of the Region experienced its fourth warmest summer on record; from the Allegheny Mountains eastward, however, temperatures were only slightly above average. Southern passerines continue to be noted with greater frequency north of range, particularly Blue Grosbeak and Summer Tanager. The initiation of the second Ohio Breeding Bird Atlas in 2006 comes at a time well-suited to documenting in

detail whether these sporadic reports represent real range expansions in the wake of what has amounted to a fifteen-year heat wave in the Region. With the summer heat came a July dry spell. Inland reservoirs that normally do not see mud exposure until well into the fall season were low enough in July to be attractive to shorebirds and birders alike. The first hurricane in 50 years to have a track through the state of Ohio (others have skirted along the Ohio-Pennsylvania line) produced a new state record in the form of a Sooty Tern.

It is with sadness that we report the passing of a fine fellow birder from Bucks County, Pennsylvania: Steve Farbotnik died this season at the age of 82. His humor, his enthusiasm, his knowledge of the natural world, and his contributions to this journal will be sorely missed.

Abbreviations: Conneaut (Conneaut Harbor, Ashtabula, OH); C.S. (Coalbed Swamp, Wyoming, PA); C.F. (Coneyhela Flats, Lancaster, PA); O.N.W.R. (Ottawa N.W.R., Lucas/Ottawa, OH); P.W.T. (Penn-Warner Tract, Bucks, PA); P.V.P. (Peace Valley Park, Bucks, PA); P.I.S.P. (Presque Isle S. P., Erie, PA); P.L. (Pymatuning L., Crawford, PA).

LOONS THROUGH IBIS

Only one summering Common Loon was reported, through mid-Jul at P.V.P. (AM), although one lingered until 21 Jun at Alum Creek Res., Delaware, OH (R. Schroeder), and one in breeding plumage at P.W.T. 31 Jul was unexpected (DF). A pair of Pied-billed Grebes with 2 chicks at Imperial, Allegheny, PA 17 Jun marked the first confirmed breeding for that county (MV); the count of 11 ads. and 5 juvs. at Glen Morgan L., Berks, PA was encouraging (K. Lebo). American White Pelicans are increasingly found summering in the Western Basin of L. Erie in Ohio. This season, sightings from Lorain 3 Jun (JP) to nearby Vermilion, Erie and farther w. to the Cedar Point Chausee, Erie 23-24 Jun (C. Coffman) may have involved only a single individual. Yet, by season's end, 2 were in residence at Medusa Marsh, Erie (m.ob.). Not surprisingly, another wandered into the Eastern Basin at P.I.S.P. 13 Jul (JM). Mid-summer records of White Pelicans away from L. Erie remain very rare. In Ohio, these included 2 at Mogadore Res., Portage 25-28 Jun (GB), one in Mahoning 15 Jul (B. Jones), and a first county record for Seneca, at the Garlo Nature Preserve 19 Jul (D. Mason, TB). In Pennsylvania, 2 were at P.L. 3-11 Jun and one was at the same location 23-25 Jul (MV, RCL, RFL, J. Christman, M. Filalkovich). A pair of Double-crested Cormorants was seen at a nest at P.V.P. 30 Jul (AM), but the nest failed.

Wandering imm. Little Blue Herons were recorded at Caesar Creek S.P., Warren, OH 22 Jul (SE) and at Black Swamp Nature Center 29 Jul (D. & M. Dunakin), a first county record for Paulding. Another wayward imm. Little Blue Heron appeared at Greenbottom




This Yellow-crowned Night-Heron at Kiwanis Park, York County, Pennsylvania could be one of the last nesters in the state; Kiwanis Park is Pennsylvania's last known location for this always uncommon but formerly regular bird. Photograph by Geoff Malosh.

W.M.A., Cabell, WV 27–28 Jul (WA, JB et al.). The rare but annual Tricolored Heron was documented by visiting Swedish birders at Conneaut (ph. AA et al.). The only extralimital Snowy Egret report came from Englewood Reserve, *Montgomery*, OH 13 Jun (E&BN). Post-breeding Great Egrets were especially numerous well away from nest sites on L. Erie, as evidenced by a flock of 9 at Greenbottom W.M.A., Cabell, WV 28 Jul (JB, m.ob.). Nesting Yellow-crowned Night-Herons in Columbus, OH were once again successful (*fide* BW). This remains the only active breeding locale in Ohio this decade. A juv. Yellow-crowned Night-Heron was unexpected in *Berkeley*, WV 16–18 Jul (B. Dean, M. Orsie). An ad. Black-crowned Night-Heron 21 Jun in Chillicothe, Ross, OH (D. Hess) was unexpected. The isolated colony in Cincinnati numbered seven nests 23 Jun (F. Renfrow). In the wake of two unverified reports of White Ibis flocks in the w. portion of the Region (possibly involving up to 30 birds) in May were four documented records in Ohio for that state's 8th, 9th, 10th, and 11th records. All imms., these birds were noted 9 Jul in C.V.N.P. (ph. K. Rado), 19 Jul along Little Walnut Creek (*fide* BW) 24 Jul along Big Darby Cr., *Franklin* (ph. A. Sasson), and 26 Jul at Cemex Reserve, *Green* (C. Barnett et al.). An adequate report of an imm. White Ibis at Beech Fork campground, WV 11 Jul (RT) fits within the pattern of this summer's incursion. None of these birds were detected after their initial observation. A flock of 22 Glossy Ibis at Landenburg, *Chester* 14 Jul was an excellent count for Pennsylvania (A. Leidig), and one at Green Pond, *Northampton*, PA 1–4 Jul (DD, RW et al.) was unusual for that locale. Three at O.N.W.R. 5 Jun were holdovers from the spring flight (AA et al.).

WATERFOWL THROUGH CRANES

Although summer records are known from the Eastern Basin of L. Erie, a Snow Goose at Conneaut 11–25 Jun (MV) and one summering in *Lucas* are only Ohio's 2nd and 3rd. In Pennsylvania, one was at P.W.T. 31 Jul (DF). There was little commentary regarding waterfowl this season. A male Gadwall lingered at P.L. 8 Jun–7 Jul (MV, RFL). The last known nesting in the state was in *Crawford* in 1964. Up to 6 Blue-winged Teal at S. Eaton, *Luzerne* in Jul were the only ones reported in Pennsylvania (WR). An ad. male Canvasback was found 18 Jun off Kelleys I., *Erie*, OH (TB), where casual in summer. Late

Ring-necked Ducks in Pennsylvania included one at Harvey's L., *Luzerne* 24 Jun (E. Johnson), one through Jul at Tincum Twp., *Bucks* (M. Muth), and 2 through Jul in Findlay Twp., *Allegheny* (MV). A Ring-necked



This apparent second-summer Parasitic Jaeger was a complete surprise at Gull Point, in Presque Isle State Park, Erie, Pennsylvania 17 July 2005. This is a plumage not often seen inland in North America. Photograph by Jerry McWilliams.

Duck apparently summered at Miami White-water Wetlands near Cincinnati (J. Lehman, m.ob.). Lingering scaup in Pennsylvania included a Greater at P.I.S.P. 17 Jul (BC) and a Lesser at Wild Creek Res., *Carbon* 26 Jun–11 Jul (S. Boyce et al.). A Bufflehead was present at Conneaut 11–25 Jun (MV). Common Mergansers reportedly nested in *Columbiana*, OH (*fide* BW). A hen Common Merganser with 9 young on the Schuykill R., *Berks*, PA 15 Jun provided a first breeding record for that county (M. Wlasniewski).

A Mississippi Kite was at Gilbertsville on the *Berks/Montgomery*, PA line 13 Jun (RK). A total of 13 Bald Eagles fledged in w. *Crawford* (Pennsylvania Game Commission). With the establishment of breeding Ospreys throughout the Region, individuals may appear anywhere mid-season, e.g., one at Blue-stone L., *Summers*, WV 1 Jul (J&JP). A pair of Sharp-shinned Hawks nesting in a mature Norway Spruce plantation in *Berks* was rare for the piedmont region of Pennsylvania (RK). A Northern Goshawk was seen taking an American Black Duck duckling in *Clin-*



Fish Crows returned to the colony discovered last year at Forest Hills, Allegheny County, Pennsylvania (here 26 June 2005). Photograph by Geoff Malosh.

ton, PA 1 Jul (NB). The Peregrine Falcons at the Martins Creek P.P.L. Power Plant, *Northampton*, PA successfully fledged 2 young, the first successful nesting in the county since the 1950s (J. Hahn, J. DePalma). Three ad. and 12 juv. Common Moorhens at New Beaver, *Lawrence*, PA 9 Jul was a nice count (MV), and 2 through 31 Jul+ in *Blair*, PA were unusual there (R. & H. Boyle, S. Kotala). Ohio King Rails were noted at Germantown Metropark, *Montgomery* 7–23 Jul (SE, N. Cade, J. Habig) and at Pickerel Creek W.A., *Sandusky* in Jun (a pair; ph. S. Zadar), and a returning pair was at Pickaway through the summer (m.ob.). The three pairs censused at O.N.W.R. in Jun were the first there since 1986 (ph. S. Cummings). A Sandhill Crane at Shady Water Campground, *Mason*, WV 17 Jun–8 Jul (WA, RT, m.ob.) was extraordinary in midsummer

in West Virginia.

SHOREBIRDS THROUGH TERNS

American Avocets arrived 17 Jul, with 10 at Conneaut (JP), and 29 Jul, with a flock of 6 at Hoover Res., *Franklin* (BW, m.ob.). One at West Branch Res., *Portage* (GB) 19 Jul was locally rare. The corresponding flight in Pennsylvania included one at P.I.S.P. 17 & 19 Jul and 3 there 27 Jul (JM, BC). One was also reported at C.F. 21 Jul (DH). A rare concentration of shorebirds in *Hardin*, OH, the consequence of a new wetland construction, included 600 Killdeer and 4 Willets 27 Jul (R. Counts). Summer Willets, once casual in Ohio, were found at Headlands Beach S.P., *Lake* 13 Jul (K. Metcalf) and at Conneaut 18 Jul (8 birds; L. Hays), where the species was first noted 24–25 Jun (BC, MV), an exceptionally early record for a southbound migrant. Typical fall migrants were one at P.I.S.P. 23–24 Jul and 3 there 26 Jul (JM, BC), plus one on the C.F. 28 Jul (DH). Four Whimbrels were at P.I.S.P. 14 Jul and 2 there 27 Jul (JM, BC). A Marbled Godwit at P.I.S.P. 5 Jun was the first Jun record ever for that locale (MV); one at Conneaut 24 Jun provided a very rare Jun record in the Central Basin. Although considered spring records, these Jun observations, quite distinct from the normal late Apr/early May passage of the Canadian prairie population, could represent the very small population of Marbled Godwits breeding on the shores of James Bay, Ontario (Bob Russell, U.S.F.&W.S., pers. comm.). A typical fall migrant was at P.I.S.P. 18 Jul (BC). A Hudsonian Godwit was rare at O.N.W.R. 14–16 Jun (P. Rodewald); a Dunlin and 7 Semi-

palmated Sandpipers also lingered there on that date. An 11 Jun count of 18 Semipalmated Sandpipers at Conneaut (MV) was greater than expected. The spring flight of White-rumped Sandpipers peaked with flocks of 9 at St. Mary's Fish Hatchery, Auglaize, OH 5 Jun (D. Dister) and a flock of 8 at Caesar Creek S.P., Warren, OH 3 Jun (L. Gara). An excellent count of 26 White-rumped Sandpipers came from Little Blue L., Beaver, PA 5 Jun (MV). A Baird's Sandpiper reported there the same day furnished a rare Jun record (MV). The ad. Baird's Sandpiper fall flight is rarely detected in the Region, so 3 at Miami Whitewater wetlands, Hamilton, OH 24 Jul were notable (J. Stenger). A flock of 26 Short-billed Dowitchers at P.L. 16 Jul was the best count reported (MV). The Ohio flight was equally weak, with no more than a flock of 40 reported on L. Erie at Conneaut 16 Jul (PL). Inland, a flock of 20 was noted at Englewood Reserve, Montgomery 14 Jul (E&BN). Red Knots bracketed the season with a single bird 6 Jun at O.N.W.R. (K. Kaufman) and a returning migrant at Conneaut 17 Jul (JP). An early Red-necked Phalarope was detected 13 Jul at West Branch S.P., Portage, OH (GB). Two juv. Wilson's Phalaropes 29 Jul at O.N.W.R. were seen in an area of past breeding attempts (BW); a migrant was found at Sandy Ridge, Lorain, OH 31 Jul (PL).

Any summer jaeger on L. Erie is extraordinary. Past reports suggest that the fall migration of Parasitic Jaeger may see birds within the Region by late Jul. Almost certainly a consequence of Hurricane *Dennis*, a second-summer Parasitic Jaeger was found at P.I.S.P. 17 Jul (ph. JM). This bird, or possibly another, was reported at nearby Conneaut the same day (JP). These represent the 3rd summer record for Pennsylvania and the 2nd summer report for Ohio, respectively. Four Laughing Gulls were reported from Ohio, all from L. Erie. Three imms. at Conneaut included 2 (one dead) in late Jun (MV). The only Western Basin report came from the islands 27 Jul (DHo). The only Franklin's Gull reported was one at P.I.S.P. 14 Jun (JM). Gathering Bonaparte's Gulls numbered 2200 at O.N.W.R. 29 Jul (BW et al.). A pair of Herring Gulls at a nest on the Allegheny R. at Freeport, *Armstrong* was a new locale for this species in Pennsylvania (MM), and 14 Lesser Black-backed Gulls were still present at P.V.P. 4 Jun (AM). Two rare terns were found in Pennsylvania during the season. A bird identified as a first-year Arctic Tern was studied at P.V.P. 4 Jun (AM, H. Eskin, C. & E. Crunkleton). Hurricane *Dennis* deposited 2 Sooty Terns in the Region. An ad. Sooty Tern discovered by E. Witmer at C.F. 24 Jul represented the 4th record for that location. Ohio's first Sooty Tern was discovered by D. Morse, Jr. at Eastfork Lake S.P., *Clermont* 13 Jul and generated much excitement through 19 Jul (TB). Two

ad. and a possible juv. Black Tern were seen sporadically at P.I.S.P. 18 Jun–4 Jul (MV, B. Gula). In the vicinity of the Western Basin marshes in Ohio, up to four breeding pairs barely hang on. A late spring migrant was detected 12 Jun at Englewood Reserve, *Montgomery*, OH (R. Asamoto). Two Caspian



Blue Grosbeak is a scarce breeder in the southern corners of Pennsylvania. This female was discovered feeding young in Peace Valley Park, Bucks County on 29 June 2005. Photograph by Howard B. Eskin.

Terns on Kelleys I., *Erie*, OH 18 Jun were likely non-breeding residents (TB).

CUCKOOS THROUGH WARBLERS

Both species of cuckoos were reported to be common during the season in w. Pennsylvania, despite no noticeable outbreak of tent caterpillars (PH, JF, JM). Eleven Northern Saw-whet Owls heard on a "toot route" in *McKean*, PA 5 Jun was an excellent count (JF). A Long-eared Owl was discovered 20 Jun in Concord Twp., *Lake*, OH (JP). Five Common Nighthawks were found, some displaying, in a barren wasteland created by a zinc smelting operation along the Appalachian Trail in *Carbon/Northampton*, PA 18 Jul (RW). A Chuck-will's-widow returned to *Centre*, PA, remaining through its 2nd summer (D. Thomson, m.ob.). A *Selasphorus* hummingbird that spent the winter in *Lebanon*, PA was last seen 14 Apr (E. Blauch, m.ob.). Scissor-tailed Flycatchers made yet another summer appearance within the Region, with 2 in Ohio. Both one-day wonders, one was discovered in *Crawford* 20 Jun (*vide* J. Little) and one near Amity, *Knox* 25 Jun (J. Nisley). A very late Olive-sided Flycatcher was seen along the Delaware R. below *Easton*, *Northampton*, PA 19 Jun (DD). Yellow-bellied Flycatchers were recorded during Jun in *McKean*, PA (JF) and C.S. (DG). A *Western Kingbird* near *McIntyre*, *Indiana*, PA 28–29 Jul provided only the 2nd summer record for Pennsylvania (MH, RH, m.ob.).

Loggerhead Shrike is reported from only three counties within the entire Region on a consistent basis. This summer's single report came from *Greenbrier*, WV 13 Jul (J&JP). A pair of Bell's Vireos returned to *Gilmore Ponds*, *Butler*, OH (MB), whereas the *Buck Creek S.P.*, *Clark*, OH pair was not found; a pair has been present there for the past 20 years (D. Overacker). One Bell's at *Twin Creek Metropark*, *Montgomery*, OH 23 Jul was unexpected (N. Cade). A total of 251 Red-eyed Vireos tallied on a B.B.S. route in *Mifflin*, *Centre*, and *Huntingdon*, PA was a record-high count (GG, NB). A Bank Swallow colony consisting of an estimated 400 burrows was in *Beaver*, PA during Jun (C. Rutt). Singing Sedge Wrens in Pennsylvania included one at *Rasselas*, *Elk* 30–31 Jul (JF) and in *Philadelphia* 30 Jun (*vide* AH). A bird present on *Middle I.*, *Pleasants*, WV 27–28 Jul (J. Benedetti, B. Bond) was noteworthy. A *Bicknell's Thrush* was photographed and audio-recorded near *Little Conestoga Creek*, *Lancaster*, PA 21 May (D. Lane). There are very few documented records for the state. *Swainson's Thrush* was found in C.S. during Jun (DG), and eight territories of *Hermit Thrush* on the *Kittatinny Ridge* in *Berks* were at the s. edge of the species' breeding range in e. Pennsylvania (KG). A *Bohemian Waxwing* was seen near *Millard Run*, *McKean*, PA 5 Mar (JF)

A singing male Golden-winged Warbler in the *Oak Openings*, *Lucas* 2 Jun (G. Cottier) was the only report from Ohio. Either an early migrant or a post-breeding wanderer, a *Nashville Warbler* in *Chillicothe*, *Ross*, OH 20 Jul was unexpected (D. Hess). A hybrid dubbed a "Parulean Warbler"—apparently a *Northern Parula* x *Cerulean Warbler* hybrid—returned for a 4th year along the *Lehigh R.*, *Northampton*, PA in Jun (RW). The bird looks like a *Northern Parula* but has white underparts and a dark breast band like a *Cerulean*, and lacks the olive wash on the back typical of *Northern Parula*. The bird sings a song reminiscent of both species. A very similar bird returned to the *Oak Openings*, *Lucas*, OH (R. Nirschl, m.ob.). A clearcut area on the *Kittatinny Ridge* in *Berks*, PA held 40 territories of *Chestnut-sided Warblers*, 80 of *Common Yellowthroats*, and 8 *Yellow-breasted Chats* (KG). *Scioto*, OH, long an isolated outpost for *Chestnut-sided Warbler*, held 2 singing males 5 Jun (B. Sparks). A *Black-throated Green Warbler* in the *Shawnee S.F.*, *Scioto* 3 Jul was pushing the range limits for the species in Ohio (J. McCormac). One in *Columbus* 18 Jun (J. Grabmeier) was likely a late migrant, but local nest failure of this early breeder could also account for mid-Jun records away from breeding sites. A pair of *Yellow-rumped Warblers* at a nest in *Prince Gallitzin S.P.* 18 Jun was apparently a first for

Cambria, PA (J. Salvetti). Blackpoll Warblers were found again in Jun at C.S. (DG), while a 14 Jun bird in *Cuyahoga*, OH was a very late migrant (SZ). Cerulean Warblers were reported as "numerous" along 3-5 km of the Allegheny Front in *Clinton*, PA 7 Jun (GG). A Blackburnian Warbler in the C.V.N.P. 20 Jun was a good find (F. Losi). Two Prothonotary Warblers present in Jun along Maiden Cr., *Berks*, PA were unusual for that location (*vide* RK), and they fledged young for the 2nd year in row near Minsi L., *Northampton*, PA (J. Mohlmann). Reid found singing Mourning Warblers during Jul in *Bradford* and *Wyoming*, PA, where he found none 20 years ago; they were also present in *Pike* (RW), their s. breeding limit in e. Pennsylvania. Kentucky Warblers continue to push into nw. Ohio, but none was more unexpected than a bird on Kelleys I., *Erie* 17 Jul (TB). One near Trunkeyville, *Forest* PA 10 Jul was unusual for the locale (M. Grishaver, T. Ashbaugh); none were found in that county during the first Breeding Bird Atlas. The B.B.S. route in *Mifflin/Centre/Huntingdon*, PA tallied 41 Hooded Warblers, well above the 14-year average of 22 (NB, GG), and the species was common in Jun along the Delaware R. in *Monroe* and *Pike*, PA (RW).

SPARROWS THROUGH FINCHES


A Clay-colored Sparrow near McGregor, *Armstrong* 9 Jun (C. Guba, MH) and 2-3 singing near Renovo, *Clinton* 9 Jun (L. Grove) were new locales for this species in Pennsylvania. Up to 2-3 were also present at their usual area in *Clarion*, PA 21 Jun (*vide* AH). One was singing in *Williams*, OH in mid-Jun (R. Nirschl), and one near East Brady, *Clarion* 5 Jul was at a new locale for that county (C. Willenpart). Hess reports that Vesper Sparrow "appears to be the most seriously declining grassland sparrow in sw. Pennsylvania." For a 2nd year, Henslow's Sparrows were found at Mehoopany, *Luzerne*, PA (R. Koval, J. DeMarco). Although common in reclaimed strip mines in w. Pennsylvania, they are still considered rare breeders in the e. part of the state. Surprising was an ad. White-crowned Sparrow at Cambridge Springs, *Crawford* 30 Jun-4 Jul (FZ, *vide* JM), the first mid-summer record for Pennsylvania. A White-throated Sparrow in *Hocking*, OH 13 Jun (DHo) was at a location where one was heard in song last summer. This adds to the growing number of Jun reports from s. Ohio. An extralimital Lark Sparrow was present near Hopetown, *Ross*, OH 31 May-1 Jun (B. Bosstic, J. MacMahon). An ad. Harris's Sparrow was present near Willow Bay, *McKean*, PA 16-19 May (A. Rutter, ph.).

Single Blue Grosbeaks were unusual in *Mercer*, PA 25 Jul (MH, L. Wagner) and Rothrock S.F., *Centre*, PA 16 Jul (C. Shelly). A pair was confirmed breeding in *Northamp-*

ton 27 Jul (D. Welch), the n. limit of their breeding range in e. Pennsylvania. The species drew comment from across the lower third of counties in Ohio. Dickcissels remain fairly widespread in Ohio, with 14 at Crown City W.A., *Lawrence/Gallia* in Jun (D. Patick), indicative of their density at the edge of Appalachia. A Dickcissel in Eaton Twp., *Luzerne*, PA provided an unusual summer record for that locale (WR). A female Yellow-headed Blackbird was unexpected at Gratz, *Dauphin*, PA 27 Jul (WR), the 5th summer record for the state. Pine Siskin reports in Pennsylvania were numerous; they were confirmed breeding in *Clinton* (W. Laubscher) and *Elk* (JF). A pair was present 12 Jun at Promised Land S.P., *Pike* (RW). A single bird was in *Crawford* 4 Jul (FZ), and a surprising juv. was near Easton, *Northampton* 6-7 Jul (A. Koch). One to 3 daily were feeder visitors in *Athens*, OH throughout Jun (J. Duerr), as were several birds at feeders near Pipestem S.P., *Summers*, WV throughout the period (J&JP).

Addenda: Investigation of recent White Ibis reports uncovered a photographic record from autumn 1988 near Fremont, *Sandusky*, OH (chronologically that state's 2nd); details will be published elsewhere. A female Yellow-headed Blackbird 3 May was in *Brown*, OH (ph. P. Fragassi), a possible first county record. Ohio's 2nd record of **Pink-sided Junco** was captured and banded 26 Mar at Springville Marsh State Nature Preserve, *Seneca* (ph. S. & L. Roberts). Ohio's first state record came 16 Apr 2000 at Magee Marsh W.A., *Lucas* (ph. M. Kohn). Two potential Ohio state records from this past spring, Dusky Flycatcher and Red-naped Sapsucker, are pending review.

Observers (subregional compilers in bold-face): OHIO: A. Aronsson (AA), Tom Bartlett (TB), Gregory Bennett (GB), Mike Busam, Shane Egleston (SE), Dave Horn (DHo), Paula Lozano (PL), Ed & Bev Neubauer (E&BN), John Pogacnik (JP), Bill Whan (BW), Sean Zadar (SZ) PENNSYLVANIA: Nick Bolgiano (NB), Ben Coulter (BC), Dave DeReamus (DD), Deuane Hoffman (DH), Devich Farbotnik (DF), John Fedak (JF), Kerry Grim (KG), Doug Gross (DG), Greg Grove (GG), Paul Hess (PH), Margaret Higbee (MH), Roger Higbee (RH), Armas Hill [Philadelphia Birdline] (AH), Rudy Keller (RK), Robert C. Leberman (RCL), Ronald F. Leberman (RFL), Mark McConaughy [Central Pennsylvania Birdline] (MM), Jerry McWilliams (JM), August Mirabella (AM), William Reid (WR), Mark Vass (MV), Rick Wiltraud (RW), Frank Zalik (FZ). WEST VIRGINIA: Wendell Argabrite (WA), Joe Browning (JB), Jeanette Esker, Jim & Judy Phillips (J&JP), Rennie Talbert (RT). ☺



CATS INDOORS!

THE CAMPAIGN FOR SAFER BIRDS & CATS

WHAT DO INDOOR CATS MISS?

- ★ Killing Birds
- ★ Getting Lost
- ★ Getting Stolen
- ★ Getting Hit By A Car
- ★ Fatal Feline Diseases
- ★ Dog Attacks
- ★ Abscesses
- ★ Worms
- ★ Fleas
- ★ Ticks

Protect cats, birds, and other wildlife by keeping cats indoors!

For more information, contact:

AMERICAN BIRD CONSERVANCY

Cats Indoors!

The Campaign for Safer Birds and Cats

1834 Jefferson Place, NW

Washington, DC 20036

Phone: 202-452-1535;

Fax: 202-452-1534;

E-mail: abc@abcbirds.org;

Web: www.abcbirds.org

