ILLINOIS & INDIANA

nois), John W. Lawrence, Daniel Lucynski, Clint & Dana Maddox, Donna McCarty, Travis A. Mahan, Walter J. Marcisz, William McCoy, Keith A. McMullen, Perry Miller, Chuck Mills, Don & Peg Mohar, Jim Mountjoy, Clint C. Murray, Randy Nyboer, Greg Oskay, Randy J. Pals, Larry Peavler, Rodger Rang, Phil Reyburn, Rhonda Rothrock (RRo), Jean Rudd, Sandy Schacht, Wesley S. Serafin, Robert E. Shelby, Cameron Shilling, Michele Simone, Jim Solum (JSo), Joseph Staigl, Lee W. Sterrenburg, Alan F. Stokie, Dan Stoltzfus, Douglas F. Stotz, Michael Topp, Jeffrey W. Walk, Eric W. Walters, Dan Wenny (DWe), Debbie Wesselmann (DWs), Fred Wooley, Dennis Workman, Vic Zerbi, Jim Ziebol.

James Hengeveld, 6354 Southshore Drive, Unionville, Indiana 47468, (jhengeve@indiana.edu); Keith A. McMullen, 1405 DeSoto, O'Fallon, Illinois 62269, (warbler7@sbcglobal.net); Geoffrey A. Williamson, 4046 North Clark Street, Unit K, Chicago, Illinois 60613, (geoffrey.williamson@comcast.net)

Western Great Lakes



Peder H. Svingen

Normal precipitation. Good habitat for shorebirds was found in western Minnesota and along the Lake Michigan shoreline of the Upper Peninsula.

Abbreviations: Agassiz (Agassiz N.W.R., Marshall, MN); Big Stone (Big Stone N.W.R., Lac Qui Parle, MN); C.G.I. (Coast Guard Impoundment, Milwaukee, WI); L.P. (Lower Peninsula of Michigan); Pte. Mouillee (Pointe Mouillee State Game Area, Monroe, MI); Shiawassee (Shiawassee N.W.R., Saginaw, MI); U.P. (Upper Peninsula of Michigan).

WATERFOWL THROUGH CRANES

Single Tundra Swans summered in each state. Wisconsin's was healthy in Ashland (RB), but the others were injured or unable to fly. Michigan reported a male White-winged Scoter in Houghton 14 Jun (JK). A female Spruce Grouse with 3 downy young in Ogemaw (HB, fide CP) provided a rare breeding record for Michigan's L.P. Wisconsin's only Spruce Grouse was in Vilas 21 Jun (JS). Unseasonable were summer Horned Grebes in Baraga and Alger in the U.P., and Wisconsin had one in Ozaukee, WI 29 Jul (JF). Rednecked Grebes nested in Delta, MI (SH) for the 2nd consecutive year. Clark's Grebe was found in four Minnesota locations, including one paired with a probable Western Grebe ×

Clark's Grebe hybrid at Thielke L. (ph. PBB). Unusual for ne. Minnesota was a Snowy Egret at Duluth 1-3 Jun (LWM, SLF). In the U.P., a juv. Little Blue Heron was a rare find at Elmwood Wildlife Area, *Menominee* 22 Jul (ph. SH); Michigan also had Little Blues in *Berrien* and *Mason*. In Minnesota, the ad. Lit-

tle Blue at Lubenow W.M.A. provided a first county record for Swift 27 Jul (BIU). Michigan reported a Tricolored Heron at Pte. Mouillee 12 Jun+ TP (p.a., BMu, ST, AMB, m.ob.). Small numbers of Cattle Egrets were in two Michigan and six Minnesota counties. A Yellow-crowned Night-Heron graced Jackson, MI for the 4th consecutive year 5-12 Jun (m.ob.). Minnesota had single ad. Yellow-crowneds in Murray 11 Jun (KJB) and Nicollet 17 Jun (BJU). A Glossy lbis visited Pte. Mouillee 4-12 Jun (p.a., ST, BMu, AMB).

Wisconsin reported an ad. Mis-

sissippi Kite soaring over the Rock River, Rock 4 Jun (QY). A Rough-legged Hawk lingered through 12 Jun on Manitou I. in *Keweenaw*, MI (JY, ZG). A Yellow Rail at Thunder Lake W.M.A., Oneida 15 Jun (RHo) inhabited a new Wisconsin location for this species; Michigan's only reports were from the traditional location at Seney N.W.R. King Rail was found in three Wisconsin locations: *Columbia* 13 Jun (TP), *Door* 5 Jul (CS), and *Dodge* 23 Jul (SCu). Common Moorhens in 12 Minnesota counties made that state's best showing in decades; unusually far n. was one in *Wexford*, MI 6 Jun (AVP).

SHOREBIRDS

Shorebird surveys in w. Minnesota (PCC, PHS) found good numbers and diversity attributable to scheduled drawdowns at Agassiz and at Big Stone N.W.R. The highlight was Chu and Svingen's discovery of an ad. male Snowy Plover at Big Stone 1 Jul, which led to



Long anticipated in the state but not predicted to arrive in July was Minnesota's first Slaty-backed Gull at Grand Marais, Cook County. Discovered by Molly and Ken Hoffman 21 (here 22) July 2006, this adult was subsequently seen and photographed by many. *Photograph by David A. Cahlander.*

the discovery of an ad. female on the 3rd (ph. DWK, JLO) and 2 recently hatched chicks on the 8th (DBz, CCB, ph. RLE). The chicks were faithfully attended by the male through at least 29 Jul, when both apparently fledged; at least one lingered at the refuge through 27 Aug. Michigan had 50 breeding pairs of Piping Plovers, down slightly from last year; an apparent migrant was in *Berrien* 23 Jul (TB). In Wisconsin, 5 nesting pairs on the Apostle Is. produced 5 chicks; 2 birds in *Manitowoc* 17 Jun (JH) showed no signs of nesting; and a loner lingered at Kohler Andrea S.P., *Sheboygan* 1–11 Jul (JF). In Minnesota, a Piping

SA For the first time in over 100 years, wild-hatched **Whooping Cranes** walked Wisconsin wetlands. Two Whooping Cranes pecked out of their shells 22 Jun. The parents are captive born four-year-old birds hatched at Patuxent, MD, which were then released at Necedah N.W.R. as part of the experimental flock. This pair lost their first eggs but nested again and hatched these avian vanquards.

Plover nest with four eggs was found on Garden I., Lake of the Woods (JEB, RBJ), and singles were at two Lac Qui Parle locations (PCC, BJU, m.ob.). Record high for Minnesota was the count of 1251 Killdeer in Lac Qui Parle 9 Jul (PCC, PHS). Michigan reported 2 American Avocets in Berrien 4 Jul (TG, WMB) and one at Shiawassee 25 Jul (DJP). Most unusual of three Wisconsin reports was an avocet in Milwaukee 22 Jun (JI).

Another record-high count for Minnesota was of 57 Solitary Sandpipers at St. John's University, Stearns 31 Jul (PCC). Michigan welcomed a Willet in Wayne 13 Jun (WGP), followed by three reports from Berrien. Wisconsin's only Willet was at C.G.I. 19-22 Jun (]1). Each state had at least one northbound Whimbrel: up to 8 in Cook, MN 2-5 Jun (RB], SC), plus singles at Milwaukee, WI 3 Jun (SL), Duluth, MN 22 Jun (KRE), and Alpena, MI 9 Jul (SS). Single Whimbrels in Sheboygan 15 Jul (GT) and Oconto 16 Jul (JS) were considered record-early fall migrants for Wisconsin. Unusual for Michigan was a Hudsonian Godwit in Delta from 16-18 Jul (SH). Michigan also had single Marbled Godwits in Berrien 8 Jul (BA) and Menominee 22 Jul (SH). Single Red Knots were at Milwaukee, WI 19-24 Jun (JF) and at Tawas Point S.P., MI 24 Jul (JSo). In Lac Qui Parle, MN, Semipalmated Sandpipers peaked at 1919 on 29 Jul, and Least Sandpipers peaked at 2316 on 9 Jul (PCC, PHS). Breeding of Wilson's Phalarope was confirmed at Portage Marsh, Delta, MI 11 Jul (SH). Five Red-necked Phalaropes at Pte. Mouilee 6 Jun (ATC) furnished an unusual spring record for Michigan; fall migrants appeared in all three states in late Jul.

GULLS THROUGH WOODPECKERS

Michigan had the only Laughing Gull at St. Joseph, Berrien 4 Jul (TB). Wisconsin had three reports of Franklin's Gull along L. Michigan between 18 Jun and 31 Jul. In Wisconsin, 3 ad. Little Gulls spent most of the summer in *Sheboygan* (KP), while an imm. was sporadic in Ashland (RB). Unzen photographed an ad. California Gull in Lac Qui Parle/Swift, MN 20 Jun. Long anticipated in Minnesota—but predicted by no one to appear in late Jul—was an ad. Slaty-backed Gull found by Ken and Molly Hoffman at Grand Marais 21 Jul (ph. DAC, †PCC, †KRE, †PHS, m.ob.). Its confiding behavior allowed close observation until it was found dead 14 Aug (RF, *Bell Museum of Nat-



This Sage Thrasher was discovered in Luce County, Michgan by Joyce Peterson on 28 June 2006 (here). It was seen by many during its 16-day stay as it sang persistently from a forest clearing growing up to young jack pines. This unexpected first summer record was Michigan's fifth overall. *Photograph by Skye Haas*.

ural History). Tardy was a third-cycle Glaucous Gull in Winnebago, WI 2 Jun (JM). Single ad. Least Terns transited Nobles 4 Jun (DBz, COB, m.ob.) and Olmsted 24 Jun (JWH, ph. CCB, ph. RLE). A cacophonous 1500 breeding pairs of Caspian Terns were recorded at Gravel and Pirate Is. in L. Michigan (SM). A new Wisconsin colony of Common Terns at a mitigation site on Lake Butte des Morts produced 9 chicks (SM).

Wisconsin's only Eurasian Collared-Dove of the season was recorded in Grant 2 Jun (JR). In Michigan, one or 2 continued from spring at Three Oaks, Berrien. Minnesota now has too many collared-doves to enumerate. Establishing the 3rd Wisconsin record was a White-winged Dove at Green Bay 23 Jun-4 Jul (EH, ph. DB). Minnesota's 10th Whitewinged Dove vacationed at Nelson's Resort on Crane L., St. Louis 2-24 Jun (ph. JBP, ph. DMK). Any Snowy Owl in the Region during summer is noteworthy and usually follows a significant irruption; this summer, each state reported this species! Michigan had 3 in the L.P.: Huron 10 Jun (ph. LH), Charlevoix 13-14 Jun (JA), and from spring through 17 Jun at Traverse City, Grand Traverse (DW, ph. EW).

SA For the 3rd consecutive year, record-high numbers of Kirtland's Warbler were tallied in Michigan; 1457 in 11 L.P. counties and 21 in four U.P. counties made the highest total—**1478**—since monitoring began in 1951. In Wisconsin, 3 Kirtland's were discovered 2 Jun in *Jackson* (JPo) and observed through 19 Jun by multiple observers. Intriguing was a brief sighting of a single Kirtland's there after a passing thunderstorm 29 Jul (RH); another was recorded 9 Jun in *Marinette* (KK). Wisconsin also had 3: Sheboygan 3-4 Jul (MBr), Brown 16-17 Jul (JG), and Ashland 28 Jul (RB), while Minnesota contributed one in Itasca through 2 Jun (SC). Although Northern Hawk Owl breeding was not confirmed in Minnesota following the 2004-2005 irruption, no fewer than nine nests were found this summer (DAG et al.). Also in Minnesota, a Burrowing Owl trumpeted at the Rochester airport through 24 Jun but was unable to attract a mate; a pair of owls mortgaged a badger hole in Stevens (ph. DO). The Chuck-will'swidow in Berrien, MI was last heard 13 Jul Wisconsin's Chuck-will's-widow in Jackson was rediscovered 11 Jun (AP) and called through 4 Jul (m.ob.); another was heard about 16 km away at Wazee L. 29 Jul (RH) Black-backed Woodpecker was reported from four Michigan counties in the U.P. Wisconsin birders found Black-backeds at a new location in Iron 4 Jun (RB) and the usual Nicolet N.F location 13-26 Jun (TP, KK).

FLYCATCHERS THROUGH FINCHES

Far from its usual Minnesota haunts were Acadian Flycatchers in Lyon 4 Jun and Lincoln 27 Jun (ph. KJB). Michigan's first summer Say's Phoebe visited Manitou I., Keweenaw 11 Jun (ZG, JY). All three states hosted Scissor-tailed Flycatcher this summer Door, WI 13-15 Jun (SLe, GP), Yellow Medicine, MN 1 Jul (AF), and Alpena, MI 6-7 Jul (KS). Except for 10 Minnesota counties, Log-

WESTERN GREAT LAKES

gerhead Shrike was unreported in the Region. Minnesota reported a Rock Wren in Rock 7 Jun (ph. MS). Michigan had Carolina Wrens in 17 L.P. counties, plus Marquette in the U.P. 28-29 Jul (ZG) and another 3 km away 30 Jul (SH). This species also showed well in Wisconsin, with 25 reports from nine s. counties. Northern Mockingbird was well represented in 12 Michigan counties, including Keweenaw in the U.P., where a pair built a nest at Eagle Harbor but later abandoned it (LB); also unusually far north were singles in Cook, MN 1 Jun (JW) and Bayfield, WI 7 Jun (TO). Another first summer occurrence for Michigan was a Sage Thrasher singing from young jack pines in an open forest clearing in Luce 28 Jun-13 Jul (JPe, m.ob.).

Two singing male Blue-winged Warblers plus a Brewster's Warbler in Menominee 9 Jun (SH) suggest expansion into the sw. U.P. Photographs documented a second-year female Virginia's Warbler banded in Kalamazoo, MI 25 Jun (RK), a remarkable occurrence at any season but truly extraordinary in midsummer. Spring stragglers in Wisconsin included a Northern Parula in Milwaukee 27 Jun (MB) and a Black-throated Blue Warbler in Kenosha 4 Jun (JD). Unusual for the s. L.P. were Blackthroated Blues in Oakland 22 Jun (ATC) and Berrien. Exceptionally early was a southbound Blackburnian Warbler in Waukesha 29 lul (TM). Wisconsin reported a Yellowthroated Warbler at Kettle Moraine S.F. Waukesha 1-2 Jun (DG, TP), in addition to the traditional location at Wyalusing S.P. Michigan's only Yellow-throateds were in Berrien.

Prairie Warbler surveys in Michigan found 8 males and one female at Warren Dunes S.P. Berrien (KM); at least six pairs were in Allegan (JP); and others were found in Luce, Mason, and Washtenaw. In Wisconsin, one sang at Kohler Andrea S.P., Sheboygan 3 Jun-11 Jul (MB, m.ob.). Prairie Warbler is still casual in Minnesota; a singing male in Nobles 4-5 Jun (DBz, COB) was unusually far sw. In Michigan, a total of 57 Cerulean Warblers at Allegan S.G.A., Allegan was fewer than last year's record-high 80 (RS). Unexpected in the U.P. was a Worm-eating Warbler at Peninsula Pt., Delta 23 Jul (ph. EE). Elsewhere in Michigan, a Worm-eating Warbler stayed at Warren Dunes S.P., Berrien 15 Jun-18 Jul (KM, m.ob.). Wisconsin also had an unusual report of Worm-eating Warbler from the Kettle Moraine S.F., Waukesha 30 Jun (TM); others were in traditional nesting areas in Sauk



This Virginia's Warbler was captured and banded at the Pitsfield Banding Station in Kalamazoo County, Michigan by Richard and Brenda Keith on 25 June 2006 (here) a surprising third state record. One of the previous records was also of a bird captured at a banding station, perhaps not surprising for a species whose subtle field marks make it easy to overlook. *Photograph by Brenda Keith*.

(CH). Northwesterly in Wisconsin was the Kentucky Warbler in *Douglas* 26 Jun (RJ). Significant for Michigan were singing male Wilson's Warblers near the Tahquamenon R. mouth, *Chippewa* 3-10 Jun (CP) and near Newberry, *Luce* 16 Jun (LD). Yellow-breasted Chat was found in four Michigan and four Wisconsin counties.



A Say's Phoebe at Manitou Island, Keweenaw County, Michigan 11 June 2006 (here) was the first of its species to be recorded in the state in the summer season. Photograph by Joe Youngman.

In Michigan, a pair of Summer Tanagers probably nested at Warren Dunes S.P. (JTW, m.ob.); one was in Berrien 7 Jun (AV). Also noteworthy were single Summer Tanagers in Lincoln, MN 5 Jun (SPS), Milwaukee, WI 19 Jun (MB), and at Sherburne N.W.R., MN 4-11 Jul (HW, m.ob.). A male Lark Bunting surprised Beneke during a B.B.S. in Beltrami, MN 14 Jun (BAB); another male was photographed at Seney N.W.R., MI 20-21 Jun (AG). Good numbers of Henslow's Sparrows were found in all three states, including a high count of 25 at the Sharonville S.G.A., MI (ATC). A Lazuli Bunting visited a feeder in Blue Earth, MN 10 Jun (SBP, ph. DWK, JLO). An irruption of Dickcissels was evident in all three states, especially in Wisconsin, where all but two of the state's 72 counties hosted this species. Michigan had Dickcissels in 33 counties, with nesting confirmed in three U.P. locations. Wisconsin's 2nd Hooded Oriole appeared briefly at a feeder in *Dodge* 19 Jul (ph. JW).

Addendum: Minnesota's 3rd Brewer's Sparrow sang in C.R.P. near Herman, *Grant* 22 Jun 2005 (LD1).

Cited observers (subregional editors in boldface): Brad Anderson, Jill Anderson, Tim Baerwald, Karl J. Bardon, Patrick B. Beauzay, Dan Belter, Betsy A. Beneke, Chris C. Benson, Dedrick Benz (DBz), Laurie Binford, Jerry E. Bonkoski, Marilyn Bontly, Walter M. Booth, Ryan Brady, Mar-

garet Brasser (MBr), Haley Breniser, Adam M. Byrne, David A. Cahlander, Allen T. Chartier, Philip C. Chu, Shawn Conrad, Seth Cutright (SCu), John Dixon, Louie Dombroski (Michigan), Kim R. Eckert, Robert L. Ekblad, Erik Enbody, Steven L. Falkowski, Angie Farrell, Jim Frank, Richard Franta, Zach Gayck, Neil Gilbert, Thelma Gilbert, Aaron Given, Joan Grant, David A. Grosshuesch, Dennis Gustafson, Skve Haas, Lauri Halifax, Chuck Heikkinen, John W. Hockema, Randy Hoffman (Wisconsin), Jim Holschbach, Ed Houston, Robert Howe (RHo), John Idzikowski, Lawrence D. Igl, Robert B. Janssen, Robbye Johnson, Joe Kaplan, Kay Kayanagh, Richard Keith, Doug W. Kieser, Dee M. Kuder, Susan Leeder (SLe), Steve Lubahn, Sumner Matteson, James P. Mattsson, Tom Mertins, Kip Miller, Jon Motquin, Brad Murphy (BMu), Chris O'Byrne, Donna Oglesby, Tim Oksiuta, James L. Otto, Andy Paulios, Walter G. Pawloski, David J. Peters, Glenda Peters, Joyce Peterson (JPe), Kurt Peterson, Sherry & Brian Pierson, Jerry & Brenda Pohlman, Janine Polk (JPo), James Ponshair, Annis V. Pratt, Tom Prestby, Caleb Putnam, John Romano, Steve Santner, Keith Saylor, Jon Schafenbuel, Russ Schipper, Carl Schwartz, Joe Soehnel (ISo), Mark Stensaas, Steven P. Stucker, Peder H. Svingen (Minnesota), Scott Terry, Gene Tiser, Bill J. Unzen, Alison Village, Helen Wang, Jan Wicklund, Doug Williams, Ellen Williams, JoAn Wolter, Jonathan T. Wuepper, Quentin Yoerger, Joe Youngman. We extend our sincere thanks to the hundreds of other contributors who could not be acknowledged individually. 😒

Peder H. Svingen, 2602 East 4th Street, Duluth, Minnesota 55812, (psvingen@d.umn.edu)