

# News, Notes, Comments

## House Wren with 14 Rectrices

An immature House Wren (*Troglodytes aedon*) with a total of 14 rectrices (photo below) was captured on 19 Aug 1999 in coastal scrub habitat at Point Reyes Bird Observatory, Palomarin Field Station in Point Reyes National Seashore, Marin County, California.

The bird was going through body molt, and all rectrices except RR-1 (which was 95% grown) were full length. The bird was unbanded at the time of capture. The occurrence of 13 rectrices has been recorded in Dark-eyed Junco (*Junco hyemalis*, Yunick 1977) and Western Meadowlark (*Sturnella neglecta*, Pyle 1997) and two extra rectrices have been reported in non-passerine species such as Mourning Dove (*Zenaidura macroura*) and Common Pauraque (*Nyctidromus albicollis*, Pyle 1997).

### LITERATURE CITED

- Pyle, P. 1997. Identification guide to North American birds, Part I. Slate Creek Press, Bolinas, CA.  
Yunick, R.P. 1977. Dark-eyed Junco with 13 rectrices. *N. Am. Bird Bander* 2:6.

This is PRBO contribution 850.

**Diana L. Humple**  
Point Reyes Bird Observatory  
4990 Shoreline Highway  
Stinson Beach, CA 94970



## Juvenile Gray Catbird Undergoes Complete Prebasic Molt

On 13 Jul 1999, a Gray Catbird (*Dumetella carolinensis*) was captured in Pavilion Twp., Kalamazoo Co., MI, at a Monitoring Avian Productivity and Survivorship banding station. The bird had incomplete skull ossification, gray iris, and fluffy, loose juvenile plumage; clearly a hatching-year bird (Pyle 1997).

On 20 Aug 1999 this bird was recaptured, at which time it showed symmetrical flight feather molt. Primaries 1 (P1) through P4 were contrastingly fresh and new, indicating they had already been replaced; P5 through P7 were emerging; and P8 was still entirely sheathed; P9 and P10 had not yet been molted. The secondaries also appeared fresh and replaced recently. Also of interest was that replaced P2 on both wings was entirely white.

Pyle (1997) states that hatching-year Gray Catbirds undergo only a partial first prebasic molt; "partial molt" is defined as involving body plumage, sometimes some wing coverts, occasionally one or two tertials, and/or one or two central rectrices. None of the other nine North American species of Mimidae in Pyle (1997) have a complete first prebasic molt (defined as involving all body and all flight feathers); although some species have an incomplete first prebasic molt (defined as involving all body feathers but only some flight feathers). In four species (Bendire's [*Toxostoma bendirei*], Curve-billed [*T. curvirostre*], Crissal [*T. crissale*] and LeConte's [*T. lecontei*] thrashers) some juveniles may molt some outer primaries, and in one other species (Northern Mockingbird [*Mimus polyglottos*]), some juveniles may molt some inner primaries. Two earlier works (Dwight 1900 and Roberts 1955) also describe fall molt in juvenile Gray Catbirds as partial, and both specify that this molt does not include flight feathers.

### LITERATURE CITED

- Dwight, J., Jr. 1900. The sequence of plumages and molts of the passerine birds of New York. *Ann. New York Acad. Sci.* 13:73-360.

Pyle, P. 1997. Identification guide to North American birds. Part 1, Columbidae to Ploceidae. Slate Creek Press, Bolinas, CA.  
Roberts, T. S. 1955. A manual for the identification of the birds of Minnesota and neighboring states. Univ. Minn., Press, Minneapolis, MN.

**Richard Keith and Brenda Keith**  
Kalamazoo Nature Center  
7000 North Westnedge Ave.  
Kalamazoo, MI 49004

**Julie A. Craves**  
Rouge River Bird Obser.  
Univ. of Michigan  
Dearborn, MI 48128



**MONITORING AVIAN PRODUCTIVITY AND SURVIVORSHIP (MAPS) PROJECT.** Many Field Biologist Interns (45) are needed to operate constant-effort mist-netting and banding (MAPS) stations in the Northwest region (Washington, Oregon, and California), the Midwest/South region (Texas, Kansas, and Missouri), and the Midwest/East region (Indiana, Kentucky, Maryland, and Virginia). Interns are accepted into a given region and, later, are assigned a specific location. Internships **begin 21 April or 1 May** (depending upon location) and **end 8 or 28 August**. Prior birding experience is preferred, although all internships include an intensive, two-week training course in mist-netting and banding. Applicants with good field vehicles are especially needed. A per diem ranging from approximately \$430 to \$610 per month for food and other out-of-pocket expenses (depending on location) and shared housing are provided. For application materials and further information, please contact **Danielle O'Grady**, The Institute for Bird Populations, PO Box 1346, Point Reyes Station, CA 94956; Fax (415) 663-9482, phone (415) 663-1436 or e-mail [dogrady@birdpop.org](mailto:dogrady@birdpop.org). Visit our website at [www.birdpop.org](http://www.birdpop.org).

**SIERRA MEADOWS PROJECT.** Field Biologist Interns (6) are needed **1 May through 31 August** to mist net birds, conduct point counts, and sample vegetation at meadows throughout the southern Sierra Nevada mountains in California. Must have prior birding experience and familiarity with (or ability to learn quickly) the songs and calls of western montane landbirds. Position requires excellent physical condition and willingness to backpack to remote sites and camp out frequently.

Shared housing and on-the-job mileage reimbursement are provided along with a \$24 per diem for food and living expenses (amounts to about \$600 per month). Applicants with sturdy vehicles are particularly needed. Send resume and cover letter addressing the skills and experience indicated, as well as the names, phone numbers, and email addresses of two references to **Hillary Smith**, The Institute for Bird Populations, PO Box 1346, Point Reyes Station, CA 94956; Fax (415) 663-9482, phone (415) 663-1436 or e-mail [hsmith@birdpop.org](mailto:hsmith@birdpop.org) for further information. Visit our website at [www.birdpop.org](http://www.birdpop.org)

**YOSEMITE INVENTORY PROJECT.** Field Biologist Interns (7) needed **1 May through 31 July** to census birds (point counts) and ground-truth GIS habitat data in Yosemite National Park. Must have prior birding experience and familiarity with (or ability to learn quickly) the songs and calls of western montane landbirds. Knowledge of Sierra flora also desired. Position requires excellent physical condition and willingness to backpack for up to a week at a time. Shared housing and on-the-job mileage reimbursement are provided along with a \$24 per diem for food and living expenses (amounts to about \$600 per month). Send resume and cover letter addressing the skills and experience indicated, as well as the names, phone numbers and email addresses of two references to **Hillary Smith**, The Institute for Bird Populations, PO Box 1346, Point Reyes Station, CA 94956; Fax (415) 663-9482, phone (415) 663-1436 or e-mail [hsmith@birdpop.org](mailto:hsmith@birdpop.org) for further information. Visit our website at [www.birdpop.org](http://www.birdpop.org).

**SIERRA NEST-MONITORING PROJECT.** Field Biologist Interns (5) needed **1 May through 31 July** to locate and monitor nests, conduct point counts, and sample vegetation on private timberlands in the Sierra Nevada mountains of northern California. Must have prior birding experience and familiarity with (or ability to learn quickly) the songs, calls and nesting habits of western montane landbirds. Shared housing is provided along with a \$24 per diem for food and living expenses (amounts to about \$600 per month). Send resume and cover letter addressing the skills and experience indicated, as well as the names, phone numbers and e-mail addresses of two references to **Hillary Smith**, The Institute for Bird Populations, PO Box 1346, Point Reyes Station, CA 94956; Fax (415) 663-9482, phone (415) 663-1436 or e-mail [hsmith@birdpop.org](mailto:hsmith@birdpop.org) for further information. Visit our website at [www.birdpop.org](http://www.birdpop.org)