

# **ORNITOLOGIA NEOTROPICAL**

UNA REVISTA INTERNACIONAL DE ORNITOLOGIA NEOTROPICAL  
UMA REVISTA INTERNACIONAL DE ORNITOLOGIA NEOTROPICAL  
AN INTERNATIONAL JOURNAL OF NEOTROPICAL ORNITHOLOGY

MANAGING EDITOR

RAYMOND McNEIL

## **INDEX TO VOLUME 10, 1999**

(Authors, key words, families, latin names)

PUBLISHED BY

THE NEOTROPICAL ORNITHOLOGICAL SOCIETY

- Abeillia abeillei*, 1–26  
 Abundance, 35–41, 151–178  
*Accipiter cooperi*, 1–26  
*Accipiter striatus*, 1–26  
*Adelomyia melanogenys*, 218  
*Aeronautes saxatalis*, 1–26  
*Agelaius thilius*, 164, 168, 175  
*Aglaioecetes kingi*, 218  
*Agriornis microptera*, 162, 168  
*Agriornis montana*, 162, 168, 173  
 Aguirre-Barrera, Oscar A., 239–240  
 Alimentación, 53–59  
 Alpers, Deryn, 129–144  
 Altiplano, 151–178  
*Amazilia beryllina*, 1–26  
*Amazilia candida*, 1–26  
*Amazilia fimbriata*, 218  
*Amazilia saucerrottei*, 218  
*Amazilia tobaci*, 218  
 Amazonia, 77–80  
 Amazonian Umbrellabird, 193–206  
 American Oystercatcher, 81–84  
*Anabacerthia striaticollis*, 218  
*Anabacerthia variegaticeps*, 1–26  
*Anairetes flavirostris*, 163, 168  
*Anas cyanoptera*, 159, 166, 174  
*Anas flavirostris*, 159, 166, 171, 174  
*Anas georgica*, 159, 166, 171, 175  
*Anas puna*, 159, 166, 171  
*Anisognathus flavirostris*, 218  
*Anisognathus igniventris*, 112  
 Antarctic, 105–106  
*Anthracothorax nigricollis*, 218  
*Anthus correndera*, 96  
*Anthus furcatus*, 163, 168  
 Antshrike, 91–94  
*Aphelocoma unicolor*, 1–26  
*Ara ararauna*, 116  
*Ara chloroptera*, 116  
*Ara macao*, 116  
*Ara severa*, 116  
*Aratinga holochlora*, 1–26  
*Archilochus colubris*, 1–26  
*Ardea alba*, 1–26  
 Argentina, 53–59, 81–84, 95–99  
*Arremon schlegeli*, 218  
*Arremonops conirostris*, 218  
*Asturina nitida*, 1–26  
*Atagis gayi*, 174  
*Atalotriccus pilaris*, 218  
*Athene cunicularia*, 162, 168  
*Atlapetes brunneinucha*, 218  
*Atlapetes schistaceus*, 112  
*Atthis ellioti*, 1–26  
*Aulacorhynchus prasinus*, 1–26  
*Aulacorhynchus sulcatus*, 218  
*Automolus rubiginosus*, 1–26  
 Avifauna, 1–26  
 Avifaunal inventory, 1–26  
 Bachmann, Silvina, 81–84  
 Baker, Aaron J., 239–240  
 Bare-necked Fruitcrow, 193–206  
 Bare-throated Tiger-Heron, 239–240  
 Barro Colorado Island, 105–106  
*Basileuterus belli*, 1–26  
*Basileuterus culicivorus*, 218  
*Basileuterus flaveolus*, 218  
*Basileuterus tristriatus*, 218  
 Bazartseren, Goldgiv, 129–144  
 Behavior, 115–117  
 Bergman' rule, 179–192  
 Berovides Alvarez, Vicente, 101–104  
 Bird community, 151–178  
 Black Flower-Piercer, 112  
 Black Swift, 179–192  
 Black-backed Bush-Tanager, 111–113  
 Black-capped Tyrannulet, 112  
 Black-necked Red Cotinga, 193–206  
 Blue-and-yellow Macaw, 116  
 Blue-backed Conebill, 112  
 Bó, María Susana, 95–99  
 Body mass, 207–209, 217–231  
 Boersma, Dee, 145–150  
*Bolborhynchus aurifrons*, 161, 168, 171  
*Bolborhynchus lineola*, 1–26  
 Bolivia, 151–178  
 Bolivian altiplano, 151–178  
*Bombycilla cedrorum*, 1–26  
 Book review, 123–127, 241–244  
 Borges, Sérgio Henrique, 77–80

- Bosque, Carlos, 85–90  
 Brasil, 35–41, 61–68, 69–75, 211–215  
 Breeding biology, 85–90  
 Breeding, 43–54, 211–215  
 Brooks, Daniel M., 193–206  
*Bubo virginianus*, 174  
*Bubulcus Ibis*, 1–26, 158, 165  
*Buteo brachyurus*, 1–26  
*Buteo jamaicensis*, 1–26  
*Buteo magnirostris*, 218  
*Buteo platypterus*, 1–26  
*Buteo polyosoma*, 159, 166, 175  
*Buteo*, 171  
*Buthraupis wetmorei*, 111–113  
 Cabo Virgenes, 145–150  
*Calidris bairdii*, 174  
*Camptostoma obsoletum*, 218  
*Campylopterus falcatus*, 219  
*Campylopterus hemileucurus*, 1–26  
*Campylopterus rufus*, 1–26  
*Campylorhamphus trochilirostris*, 219  
*Caprimulgus longirostris*, 174  
*Caprimulgus vociferus*, 1–26  
*Carduelis atrata*, 164, 168, 175  
*Carduelis magellanica*, 96  
*Carduelis psaltria*, 219  
 Casillas-Trejo, Martha Patricia, 1–26  
*Cathartes aura*, 1–26, 159, 166  
*Catharus aurantiirostris*, 219  
*Catharus dryas*, 1–26  
*Catharus frantzii*, 1–26  
*Catharus fuscescens*, 219  
*Catharus guttatus*, 1–26  
*Catharus minimus*, 219  
*Catharus ustulatus*, 1–26  
*Celens flavescens*, 61–68  
 Cenereous Conebill, 112  
 Centro montañoso Venezolano, 217–231  
*Cephalopterus ornatus*, 193–206  
 Cerrado, 211–215  
 Chachalaca, 27–34  
*Chaetura vauxi*, 1–26  
*Chalybura buffonii*, 219  
*Charadrius alticola*, 160, 167  
 Chesnut-fronted Macaw, 116  
 Chiapas, 1–26  
*Chinstrap Penguin*, 107  
 Chiripa archaeological site, 151–178  
*Chiroxiphia lanceolata*, 219  
*Chloephaga melanoptera*, 171–172, 174  
*Chloephaga*, 175  
*Chlorestes notatus*, 219  
*Chloroceryle americana*, 1–26  
*Chlorophonia occipitalis*, 1–26  
*Chlorospingus ophthalmicus*, 219  
*Chlorostilbon mellisugus*, 219  
*Chrysotilus malenochloros*, 61–68  
*Chrysuronia oenone*, 219  
 Chubut, 53–59  
*Ciccaba albifarsus*, 171–173, 175  
*Ciccaba virgata*, 1–26  
*Cinclodes fuscus*, 162, 168  
 Cinegética, 35–41  
 Cinnamon flycatcher, 233–237  
*Circus cinereus*, 159, 166  
*Claravis pretiosa*, 219  
 Cloud forest, 1–26  
 Clutch size, 85–90  
*Cnemotriccus fuscatus*, 220  
 Coastal lagoon, 81–84  
*Coccyzus erythrophthalmus*, 1–26  
*Coccyzus melacoryphus*, 220  
*Coeligena coeligena*, 220  
*Coereba flaveola*, 220  
*Colaptes rufigula*, 162, 168, 171, 175  
*Colibri cornutus*, 174  
*Colibri thalassinus*, 1–26  
 Collins, Charles T., 233–237  
 Colombia, 111–113  
*Columba fasciata*, 1–26  
*Columba flavirostris*, 1–26  
*Columba livia*, 96, 167  
*Columba maculosa*, 161, 167–168  
 Columbidae, 96  
*Columbina passerina*, 220  
*Columbina talpacoti*, 220  
*Columnaria picui*, 96  
 Colvée Nebot, Javier, 115–117  
 Comparative sociobiology, 193–206  
 Comunicación, 69–75

- Condorbierax uncinatus*, 1–26  
 Congreso internacional, 119–121  
*Conirostrum cinereum*, 112  
*Conirostrum sitticolor*, 112  
 Conservation, 27–34  
*Contopus cinereus*, 220  
*Contopus cooperi*, 1–26  
*Contopus sordidulus*, 1–26  
*Coragyps atratus*, 1–26  
 Cormorán Real, 53–59  
 Cormoranes, 53–59  
 Cormoranes, prey species, 53–59  
*Coryphospingus pileatus*, 220  
*Cotinga cayana*, 193–206  
*Cotinga maynana*, 193–206  
 Cotingas, 193–206  
 Cotingidae, 193–206  
 Cracid taxonomy, 129–144  
 Cracidae, 27–34, 77–80  
*Crax alberti*, 129–144  
*Crax alector*, 129–144  
*Crax alector*, 77–80  
*Crax blumenbachii*, 129–144  
*Crax daubentonii*, 129–144  
*Crax studilloni*, 129–144  
*Crax fasciolata*, 129–144  
*Crax globulosa*, 129–144  
*Crax rubra*, 129–144  
*Crax viridirostris*, 129–144  
*Crotaphaga sulcirostris*, 1–26  
 Cuba, 101–104  
 Cuban Bullfinch, 101–104  
*Cyanocompsa cyanea*, 220  
*Cyanocompsa cyanoides*, 221  
*Cyanolyca pumilo*, 1–26  
*Cyclarhis gujanensis*, 221  
*Cypseloides niger*, 1–26, 179–192  
*Dactylortyx thoracicus*, 1–26  
*Daption capense*, 107  
 de Silva G., Héctor Gómez, 1–26  
*Dencrocina fuliginosa*, 221  
*Dencrocina virens*, 1–26  
*Dendrocolaptes picumnus*, 221  
*Dendrocolaptes platyrostris*, 61–68  
 Dendrocolaptidae, 61–68  
*Dendroica coronata*, 1–26  
*Dendroica occidentalis*, 1–26  
*Dendroica pinus*, 43–54  
*Dendroica townsendi*, 1–26  
*Dendroica townsendi*, 1–26  
 Density, 27–34  
 Dieta, 53–59, 95–99  
 Dieta, composición orgánica, 53–59  
 Dieta, valor energético, 53–59  
*Diglossa humeralis*, 112  
*Diglossa sitoides*, 175  
 Dinámica poblacional, 101–104  
 Distribución, 217–231  
 Distribution, 105–106, 111–113, 115–117, 151–178, 217–231  
 DNA, 129–144  
 Dominican Republic, 43–54  
 dos Anjos, Luiz, 61–68  
 Double-broodedness, 85–90  
*Dryocopus lineatus*, 61–68  
 Durban, 119–121  
 Dyracz, Andrzej, 105–106  
*Dysithamnus mentalis*, 221  
 Ecology, 43–54  
*Egretta thula*, 158, 165, 174  
*Elaenia flavogaster*, 221  
*Elaenia parvirostris*, 221  
 Emberizidae, 96  
*Empidonax affinis*, 1–26  
*Empidonax flavescens*, 1–26  
*Empidonax hammondi*, 1–26  
*Empidonax minimus*, 1–26  
*Eucometis penicillata*, 221  
*Eugenes fulgens*, 1–26  
*Euphonia elegantissima*, 1–26  
*Euphonia xanthogaster*, 221  
*Falco femoralis*, 95–99, 160, 167, 175  
*Falco rufifigularis*, 1–26  
*Falco sparverius*, 1–26, 160, 166  
 Favero, Marco, 105–106  
 Feeding behavior, 81–84  
 Feeding tactics, 81–84  
 Fernández Badillo, Alberto, 217–231  
 Food, 53–59  
 Foraging strategies, 61–68, 81–84

- Foraging, 43–54  
 Forest fragmentation, 61–68  
 Forest habitat, 77–80  
 Forest patches, 61–68  
*Formicarius analis*, 222  
*Formicivora grisea*, 222  
*Forpus passerinus*, 222  
*Fregetta tropica*, 107  
 Frere, Esteban, 145–150  
 Fringillidae, 96  
*Fulica americana*, 172  
*Fulica ardesiaca*, 160, 167, 172, 176  
*Fulica gigantea*, 174  
*Fulica leucoptera*, 172  
*Fulica rufifrons*, 172  
*Fulica*, 171–172, 175  
 Furnariidae, 61–68  
 Furnariidae, 96  
 Furnarius rufus, 96  
*Galbula ruficauda*, 222  
*Gallinago andina*, 161, 167  
*Gallinula chloropus*, 160, 167  
 Gálvez Aguilera, Ziomara, 101–104  
 Game birds, 77–80  
 Gandini, Patricia, 145–150  
 Ganzáles-Garcia, Fernando, 1–26  
 Gentoo Penguin, 107  
*Geositta cunicularia*, 162, 168  
*Geositta tenuirostris*, 162, 168  
*Geotrygon albifacies*, 1–26  
*Geotrygon linearis*, 222  
*Geotrygon violacea*, 222  
 Gilbert, albert Earl, 129–144  
*Glaucis hirtura*, 222  
 Golden-fronted Redstart, 112  
 Gonzalez Miri, Leandro, 53–59  
*Grallaria guatimalensis*, 1–26  
*Grallaricula loricata*, 222  
 Ground nesting, 43–54  
 Growth rate, 179–192, 233–237  
 Growth, 179–192, 233–237  
 Guacharaca, 27–34  
 Guatemala, , 239–240  
*Guiraca caerulea*, 1–26  
*Gymnoderus foetidus*, 193–206  
 Habitat changes, 27–34  
 Habitat use, 77–80  
 Habitat, 77–80, 91–94, 95–99, 101–104  
 Habitat, alteration, 27–34  
 Habitat, man-induced, 27–34  
*Haematopus palliatus*, 81–84  
 Halcón Plomizo, 95–99  
*Heliodoxa leadbeateri*, 222  
*Helminthorus vermivorus*, 1–26  
*Hemipingus frontalis*, 222  
*Henicorhina leucophrys*, 1–26, 222  
*Himantopus mexicanus*, 160, 167, 171  
*Hirundo rustica*, 1–26, 163, 168  
 Hispaniola, 43–54  
 Hispanoamérica, 69–75  
 Home range, 43–54  
 Horned Guam, 1–26  
 Human exploitation of birds, 151–178  
 Hybridization, 129–144  
*Hylocharis cyanus*, 222  
*Hylocharis leucotis*, 1–26  
*Hylophilus aurantifrons*, 222  
*Hylophilus flaviges*, 222  
*Hypnelus ruficollis*, 223  
 Icteridae, 85–90  
 Icterus icterus, 85–90  
*Icterus nigrogularis*, 223  
*Icterus spurius*, 1–26  
*Ictinea mississippiensis*, 1–26  
*Idioptilon margaritaceiventer*, 223  
*Iodopleura isabellae*, 193–206  
 Johansson, Carl A., 211–215  
 Joseph, Leo, 129–144  
 Kent, Adam, M., 151–178  
*Klais guimeti*, 223  
 Kreft, Stefan, 111–113  
 Lake Titicaca, 151–178  
*Lamponnis amethystinus*, 1–26  
*Lamponnis viridipallens*, 1–26  
*Lamprolaima rham*, 1–26  
*Larus dominicanus*, 145–150  
*Larus serranus*, 161, 167, 171  
 Latta, Steven C., 43–54  
 Least Seedsnipe, 105–106  
*Lepicocolaptes souleyetti*, 223

- Lepidocolaptes affinis*, 1–26  
*Lepidocolaptes fuscus*, 61–68  
*Leptasthenura aegithaloides*, 174  
*Leptopogon superciliaris*, 223  
*Leptotila verreauxi*, 223  
*Lessonia oreas*, 163, 168  
*Leucippus fallax*, 223  
Lindell, Catherine, 85–90  
Linder, Eric T., 211–215  
*Lipangus vociferans*, 193–206  
López, Bermán, 35–41  
Lyra Fleury, Jose Carlos, 211–215  
*Macronectes giganteus*, 107  
Magellanic Penguin, 145–150  
Malacalza, Viviana, 53–59  
*Malacoptila mystacalis*, 223  
Mar Chiquita lagoon, 81–84  
Mar del Plata region, 95–99  
Marín, Manuel, 179–192  
Martínez, Mariano M., 81–84  
Masked Mountain-Tanager, 111–113  
*Megarhynchus pitangua*, 223  
*Melanerpes flavifrons*, 61–68  
*Melanerpes formicivorus*, 1–26  
*Melanerpes rubricapillus*, 223  
*Melanotis hypoleucus*, 1–26  
*Melopyrrha nigra*, 101–104  
*Melospiza lincolni*, 1–26  
*Metriopelia aymara*, 171–172, 175  
*Metriopelia ceciliae*, 161, 168, 171, 175  
*Metriopelia melanoptera*, 161, 168, 175  
*Metriopelia*, 171  
*Micrastur ruficollis*, 1–26, 223  
Microhabitat, 101–104  
Mil Cumbres, 101–104  
*Milvago chimachima*, 211–215  
*Mionectes olivaceus*, 223  
Mitochondrial DNA, 129–144  
*Mitrephanes phaeocercus*, 1–26  
*Mniotilla varia*, 1–26  
*Molothrus aeneus*, 1–26  
*Molothrus bonariensis*, 96, 223  
*Molothrus rufoaxillaris*, 96  
Monk Parakeet, 115  
Monogamy, 91–94  
Motacillidae, 96  
*Muscisaxicola alpina*, 173  
*Muscisaxicola capistrata*, 173  
*Muscisaxicola maculirostris*, 162, 168  
*Muscisaxicola rufivertex*, 173  
*Muscisaxicola*, 174  
*Myadestes ralloides*, 223  
*Myiarchus tuberculifer*, 1–26  
*Myiarchus tyrannulus*, 224  
*Myiarchus venezuelensis*, 224  
*Myioborus miniatus*, 1–26, 224  
*Myioborus ornatus*, 112  
*Myiodynastes luteiventris*, 1–26  
*Myiodynastes maculatus*, 224  
*Myiopagis gaimardi*, 224  
*Myiopagis viridicata*, 224  
*Myiophobus fasciatus*, 224  
*Myiophobus flavicans*, 224  
*Myiopsitta monachus*, 115  
*Myiotheretes rufipennis*, 174  
*Myiozetetes cayanensis*, 224  
*Myiozetetes similis*, 224  
*Myrmotherula schisticolor*, 224  
Nariño, 111–113  
Native species, 115–117  
Negrito, 101–104  
Neotropical birds, 207–209  
Nest concealment, 145–150  
Nest site, 85–90, 145–150, 239–240  
Nest, 105–106, 211–215  
Nesting behavior, 43–54  
Nesting, 43–54, 91–94, 105–106  
Nombres comunes, 69–75  
Nombres en castellano, 69–75  
Nombres en francés, 69–75  
Nombres en inglés, 69–75  
Nombres en portugués, 69–75  
Nombres técnicos, 69–75  
Nomenclatura vernacular, 69–75  
*Notharchus macrorhynchos*, 224  
*Nothoprocta ornata*, 158, 165, 172  
*Nothura darwinii*, 158, 165, 172  
*Nothura maculosa*, 35–41, 96  
*Notiocelidon cyanoleuca*, 163, 168, 175, 224  
*Notiocelidon pileata*, 1–26

- Nutrición, 53–59  
*Nycticorax nycticorax*, 158, 165, 171  
*Nyctidromus albicollis*, 224  
*Oceanites oceanicus*, 107  
*Ocmin-Petit*, Angel, 193–206  
*Ocreatus underwoodii*, 224  
*Oenanthea oenanthonoides*, 174  
 Oniki, Yoshika, 91–94  
*Oporornis tolmei*, 1–26  
*Oreophasis derbianus*, 1–26  
*Oreotrochilus estella*, 174  
*Ornalis motmot*, 77–80  
*Ornalis ruficauda*, 27–34  
*Ornalis vetula*, 137  
*Oryzoborus angolensis*, 224  
*Oxyura jamaicensis*, 159, 166, 171  
*Pachyramphus aglaiae*, 1–26  
*Pachyramphus cinnamomeus*, 224  
*Pachyramphus polychopterus*, 224  
 Pampa húmeda, 95–99  
 Panama, 105–106  
 Pando-Vasquez, Lucio, 193–206  
*Paphosia helena*, 1–26  
 Parasite, 233–237  
 Parque Nacional Henri Pittier, 217–231  
 Parulinae, , 43–54  
*Passer domesticus*, 96  
*Passerina cyanea*, 1–26  
*Patagona gigas*, 174  
*Penelope jacquacu*, 77–80  
*Penelope marail*, 77–80  
*Penolopina nigra*, 1–26  
 Pesos, 217–231  
*Petrochelidon pyrrhonota*, 1–26  
*Phacellodomus rufifrons*, 224  
*Phaeomyias murina*, 225  
*Phaethornis anthophilus*, 224  
*Phaethornis augusti*, 224  
*Phaethornis longuemareus*, 225  
 Phalacrocoracidae, 53–59  
*Phalacrocorax albiventer*, 53–59  
*Phalacrocorax brasiliensis*, 171–172, 174–175  
*Phalaropus tricolor*, 174  
*Phalcoboenus megalopterus*, 160, 166, 175  
*Pharomachrus fulgidus*, 225  
*Pharomachrus mocinno*, 1–26  
*Pheucticus chrysopæplus*, 1–26  
*Pheucticus ludovicianus*, 1–26  
*Philydor rufus*, 61–68  
*Phleocryptes melanops*, 162, 168, 175  
*Phoenicircus nigricollis*, 193–206  
*Phoenicopterus chilensis*, 159, 165  
*Phrygilus alaudinus*, 164, 168, 174  
*Phrygilus fruticeti*, 175  
*Phrygilus plebejus*, 164, 168, 174  
*Phrygilus punensis*, 163, 168  
*Phylomyias nigrocavillius*, 112  
*Phylomyias uropygialis*, 112  
*Piaya cayana*, 1–26, 225  
 Picidae, 61–68  
*Picoides villosus*, 1–26  
*Piculus rubiginosus*, 1–26  
*Picumnus squamulatus*, 225  
*Picumnus temminckii*, 61–68  
 Pimentel Pimentel, Omar, 101–104  
 Pinar del Río, 101–104  
 Pine Warbler, 43–54  
 Pinheiro, Renato T., 35–41  
 Pintado Petrel, 107  
*Pipile cumanensis*, 77–80  
*Pipra erythrocephala*, 225  
*Pipra filicauda*, 225  
*Pipreola formosa*, 225  
*Piranga rubra*, 1–26  
*Pitangus sulphuratus*, 225  
*Platycichla flavigipes*, 225  
*Platycichla leucops*, 225  
*Platyrinchus cancrominus*, 1–26  
*Platyrinchus mystaceus*, 225  
*Plegadis ridgwayi*, 159, 166  
 Ploceidae, 96  
 Plum-throated Cotinga, 193–206  
*Pluvialis dominica*, 174  
*Pluvialis squatarola*, 174  
*Podiceps occipitalis*, 174  
*Podiceps*, 171–172, 175  
*Polioptila plumbea*, 225  
 Population dynamic, 101–104  
*Porphyrolaema porphyrolaema*, 193–206  
 Postnatal development, 179–192

- Predation, 145–150  
*Premnoplex brunnescens*, 226  
 Presas, 53–59  
*Progne chalybea*, 226  
*Psarocolius angustifrons*, 226  
 Psittaciformes, 115–117  
*Psittacula krameri*, 115–117  
*Ptilogonys cinereus*, 1–26  
 Punta Léon, 53–59  
 Purple-throated Cotinga, 193–206  
 Purple-throated Fruitcrow, 193–206  
*Pygoscelis antarctica*, 107  
*Pygoscelis papua*, 107  
*Pyrrhomylia cinnamomea*, 233–237  
*Querula purpurata*, 193–206  
*Rallus sanguinolentus*, 160, 167  
*Rallus*, 171  
*Ramphocaenus melanurus*, 226  
*Ramphocelus carbo*, 226  
*Ramphotrigon megacephala*, 226  
 Range extension, 105–106, 111–113  
 Rankin-Raransky, Karen, 129–144  
 Red-and-green Macaw, 116  
 Reproductive success, 145–150  
 Republic of Panama, 105–106  
 Resource distribution, 193–206  
*Rhodinicichla rosea*, 226  
*Rhynchocyclus brevirostris*, 1–26  
*Rhynchocyclus olivaceus*, 226  
*Rhynchosciurus rifescens*, 35–41  
 Rio Grande do Sul, 35–41  
*Riparia riparia*, 1–26  
 Roadside clearing, 91–94  
*Rollandia microptera*, 158, 165, 171, 176  
*Rollandia rolland*, 158, 165, 171, 176  
 Roost sites, 85–90  
 Rose-ringed Parakeet, 115–117  
 Rufescent Tiger-heron, 105–106  
 Rufous-vented Chachalaca, 27–34  
 Ryan, Thomas P., 233–237  
*Sakesphorus melanotus*, 226  
*Saltator albicollis*, 226  
*Saltator caerulescens*, 226  
*Saltator maximus*, 226  
*Sarcoramphus papa*, 1–26  
*Sayornis nigricans*, 1–26  
*Scardafella squammata*, 226  
 Scarlet Macaw, 116  
 Scarlet-bellied Mountain-Tanager, 112  
*Schiffornis turdinus*, 226  
*Schistes geoffroyi*, 226  
 Schmidt-Ornés, Angela, 27–34  
*Sclerurus albicularis*, 226  
*Sclerurus mexicanus*, 1–26  
 Screaming Piha, 193–206  
 Secondary forest, 77–80  
*Seiurus aurocapillus*, 1–26, 226  
*Seiurus motacilla*, 1–26  
*Seiurus motacilla*, 1–26  
*Seiurus noveboracensis*, 226  
*Setophaga ruticilla*, 226  
*Sicalis flaveola*, 96, 226  
*Sicalis luteola*, 96  
*Sicalis uropygialis*, 164, 168, 175  
 Silva, Maria Patricia, 105–106  
 Site persistence, 43–54  
*Sittasomus griseicapillus*, 61–68, 227  
 Slaty Brush-Finch, 112  
 Solorzano, Alecio, 217–231  
 Sondreal, Marriah L., 43–54  
 Sotobosque, 217–231  
 South Shetland Islands, 105–106  
 Southern Giant Petrel, 107  
 Spangled Cotinga, 193–206  
*Spheniscus magellanicus*, 145–150  
*Sphyrapicus varius*, 1–26  
*Spizaetus ornatus*, 1–26  
*Spizaetus tyrannus*, 1–26  
*Sporophila intermedia*, 227  
*Sporophila lineola*, 227  
*Sporophila minuta*, 227  
*Sporophila nigricollis*, 227  
 Steadman, David W., 151–178  
*Stelgidopteryx ruficollis*, 227  
*Sternoclyta cyanopectus*, 227  
 Storm petrel, 107  
*Streptoprocne rutilus*, 1–26  
*Streptoprocne zonaris*, 1–26  
 Strewe, Ralf, 111–113  
 Strike Soares, Elisiário, 61–68

- Strix fulvescens*, 1–26  
*Sublegatus modestus*, 227  
*Synallaxis albescens*, 227  
*Syndactyla guttulata*, 227  
*Tachirius rubrigastra*, 163, 168, 175  
*Tachycineta thalassina*, 1–26  
*Tachyphonus rufus*, 228  
*Tamnophilus doliatus*, 1–26  
*Tangara arthus*, 227  
*Tangara cyana*, 227  
*Tangara gyrola*, 227  
*Tangara rufigenis*, 228  
 Taraco Peninsula, 151–178  
*Thamnomanes plumbbeus*, 228  
 Thamnophilidae, 91–94  
*Thamnophilus caerulescens*, 91–94  
*Thamnophilus doliatus*, 228  
*Theristicus melanopis*, 174  
*Thinocorus rumicivorus*, 105–106, 161, 167  
*Thinocorus*, 174  
 Thraupinae, 111–113  
*Thraupis episcopus*, 228  
*Thraupis glaucoptera*, 228  
*Thryothorus genibarbis*, 228  
*Thryothorus leucotis*, 228  
*Thryothorus maculippectus*, 1–26  
*Thryothorus rugalbus*, 228  
*Thryothorus rutilus*, 228  
*Tiaris bicolor*, 228  
*Tiaris fuliginosa*, 228  
*Tigrisoma lineatum*, 105–106  
*Tigrisoma mexicanum*, 239–240  
*Tilmatura dupontii*, 1–26  
 Tinamidae, 35–41, 96  
 Tinamú, 35–41  
*Tityra cayana*, 228  
*Todirostrum cinereum*, 228  
*Todirostrum sylvia*, 228  
*Tolmomyias flaviventris*, 228  
*Tolmomyias sulphurescens*, 228  
*Tringa flavipes*, 174  
*Tringa melanoleuca*, 161, 167, 174  
*Tringa solitaria*, 174  
 Triunfo, 1–26  
*Troglodytes aedon*, 175, 229  
*Troglodytes rufociliatus*, 1–26  
*Trigon collaris*, 1–26, 229  
*Trigon mexicanus*, 1–26  
*Trigon*, 171, 173  
 Troupial, 85–90  
 Trunk birds, 61–68  
*Turdus albicollis*, 229  
*Turdus assimilis*, 1–26  
*Turdus chiguanco*, 163, 168  
*Turdus fumigatus*, 229  
*Turdus grayi*, 1–26  
*Turdus infuscatus*, 1–26  
*Turdus leucomelas*, 229  
*Turdus nudigenis*, 229  
*Turdus olivater*, 229  
*Turdus plebejus*, 1–26  
*Turdus rufitorques*, 1–26  
*Turdus serranus*, 229  
 Twany-rumped Tyrannulet, 112  
 Twig birds, 61–68  
 Tyrannidae, 96  
*Tyrannus forficatus*, 1–26  
*Tyrannus melancholicus*, 96, 229  
*Tyrannus vociferus*, 1–26  
*Tyto alba*, 161, 168, 171  
*Upucerthia jelskii*, 162, 168, 173  
*Upucerthia*, 162, 174  
*Urothraupis stolzmanni*, 111–113  
*Vanellus resplendens*, 160, 167, 171  
 Variable Antshrike, 91–94  
*Veliniornis kirkii*, 229  
 Venezuela, 27–34, 85–90, 115–117, 217–231  
*Veniliornis spilogaster*, 61–68  
 Verea, Carlos, 217–231  
*Vermivora peregrina*, 1–26  
*Vermivora pinus*, 1–26  
*Vermivora ruficapilla*, 1–26  
*Vermivora superciliosa*, 1–26  
*Vermivora superciliosa*, 1–26  
*Vireo cassini*, 1–26  
*Vireo gilvus*, 1–26  
*Vireo leucophrys*, 1–26  
*Vireo olivaceus*, 229  
*Vireolanius melitophrys*, 1–26  
*Volatina jacarina*, 229

- Vuilleumier, François, 69–75, 119–121, 207–209, 241–244  
Vulnerability, 27–34  
Webber, Tom, 151–178  
Weight, 207–209, 217–231  
West Indies, 101–104  
White, Clayton M., 211–215, 239–240  
White-browed Purpletuft, 193–206  
Willis, Edwin O., 91–94  
*Wilsonia canadensis*, 1–26  
*Wilsonia pusilla*, 1–26  
Woodpeckers, 61–68  
*Xenops minutus*, 229  
*Xiphocolaptes albicollis*, 61–68  
*Xiphorhynchus erythropygius*, 1–26  
*Xiphorhynchus guttatus*, 229  
*Xiphorhynchus picus*, 229  
Yellow-headed Caracara, 211–215  
*Zenaida auriculata*, 96, 161, 168, 175  
*Zenaida macroura*, 1–26  
*Zimmerius vilissimus*, 1–26  
*Zonotrichia capensis*, 96, 163, 168, 175