

# **ORNITOLOGIA NEOTROPICAL**

UNA REVISTA INTERNACIONAL DE ORNITOLOGIA NEOTROPICAL  
UMA REVISTA INTERNACIONAL DE ORNITOLOGIA NEOTROPICAL  
AN INTERNATIONAL JOURNAL OF NEOTROPICAL ORNITHOLOGY

EDITOR

RAYMOND McNEIL

## **INDEX TO VOLUME 11, 2000**

(Authors, key words, families, latin names)

PUBLISHED BY

THE NEOTROPICAL ORNITHOLOGICAL SOCIETY

- Abundancia, 207–222  
*Accipiter bicolor*, 207–222  
*Accipiter striatus*, 197–205  
*Aegithalos caudatus*, 297–306  
*Agelaius thilius*, 292–296, 297–306  
*Aglaeactis cupripennis*, 155–163  
*Agriornis montana*, 155–163  
Aguilar, Thaís M., 223–229  
Aguirre-Barrera, Oscar A., 81–82  
Albertani, Felipe, 307–314  
*Alca torda*, 297–306  
*Amaçilia fimbriata*, 75–79  
*Amaçilia lactea*, 315–330  
*Amaçilia saucerrottei*, 75–79  
*Amaçilia tobaci*, 75–79  
*Amaçilia*, 143–154  
*Amazona aestiva*, 315–330  
*Amazona ochrocephala*, 307–314  
*Amazona vittata*, 13–63  
American Kestrel, 197–205  
*Ampelion rubrocristatus*, 155–163  
*Anairetes parulus*, 155–163  
*Anas flavirostris*, 297–306  
*Anas georgica*, 297–306  
*Anas versicolor*, 297–306  
Anderson, David L., 233–237  
Andes, 155–163  
*Anhinga anhinga*, 297–306  
*Anisognathus igniventris*, 155–163  
Anjos, Luiz dos, 315–330  
Antártida, 177–182  
*Anthracothorax nigricollis*, 315–330  
*Anthus bogotensis*, 155–163  
*Anthus correndera*, 292–296  
*Anthus hellmayri*, 297–306  
*Antillorvultur varonai*, 109–122  
*Anumbius annumbi*, 297–306  
*Apis mellifera*, 13–63  
Apodidae, 93–107  
*Apus apus*, 297–306  
Aquatic birds, 297–306  
*Ara macao*, 297–306  
Aragon Tapia, Alvaro, 231–232  
Aramburú, Rosana, 241–245  
*Aramides saracura*, 315–330  
*Aramides ypecaha*, 297–306  
*Aramus guarauna*, 297–306  
*Aratinga leucophthalmus*, 315–330  
Arendt, Wayne J., 13–63  
Argentina, 85–96, 207–222, 259–262, 331–339  
*Arremon schegeli*, 75–79  
*Arremonops conirostris*, 75–79  
*Asio flammeus*, 297–306  
*Asthenes flammulata*, 155–163  
*Asthenes wyatti*, 155–163  
*Atalotriccus pilaris*, 75–79  
*Athene cunicularia*, 297–306  
*Atlapetes rufigularis*, 155–163  
*Aulacorhynchus prasinus*, 253–257  
Austral Thrush, 349–352  
Avian mortality, 239–240  
Avifauna, 177–182  
Bait, 239–240  
Baker, Aaron J., 81–82  
Barred-Forest Falcon, 81–82  
Barrera de Hielos Filchner, 177–182  
*Baryphthengus ruficapillus*, 315–330  
*Basileuterus culicivorus*, 75–79, 315–330  
*Basileuterus flaveolus*, 75–79  
Bastida, Ricardo, 331–339  
Becker, Peter H., 165–168  
Behavior, 1–12, 189–195, 231–232, 341–348  
Bellati, Javier, 207–222  
Bildstein, Keith L., 197–205  
Biogeography, 93–107, 253–257  
Biological control, 13–63  
Bird communities, 315–330  
Black Rat, 13–63  
Black-tailed Leafcutter, 173–175  
Blue-Smith, Jason R., 173–175  
Body feathers, 165–168  
Book reviews, 275–283, 365–368  
Bosque deciduo, 65–79  
Bosque ribereño, 65–79  
Botfly, 13–63  
Bravo, Carlos A., 349–352  
Brazil, 169–172, 207–222, 249–251, 315–330  
Breeding behavior, 173–175  
Breeding biology, 1–12, 359–362

- Breeding, 169–172, 207–222, 341–348  
*Brillante Frentiverde*, 189–195  
 Broad-winged Hawk, 197–205  
*Bubo virginianus*, 297–306  
*Bubulcus ibis*, 297–306, 315–330  
 Buenos Aires Province, 259–262  
 Buenos Aires, 331–339  
*Buteo albicanatus*, 207–222  
*Buteo magnirostris*, 297–306, 315–330  
*Buteo platypterus*, 197–205  
*Buteo polyosoma*, 207–222  
*Buteo swainsoni*, 197–205  
*Buteo ventralis*, 349–352  
*Butorides striatus*, 315–330  
*Cacicus haemorrhouss*, 315–330  
 Cactus, 341–348  
*Cairina moschata*, 297–306  
*Calidris fuscicollis*, 297–306  
 Call, 3  
*Camptostoma obsoletum*, 75–79, 315–330  
*Campylopterus falcatus*, 75–79  
*Campylorhamphus trochilirostris*, 75–79  
*Caprimulgus* sp., 315–330  
*Capsiempis flaveola*, 315–330  
*Cardinalis cardinalis*, 297–306  
*Carduelis carduelis*, 249–251  
*Carduelis magellanicus*, 155–163, 297–306  
*Carduelis psaltria*, 75–79  
*Casmerodius albus*, 315–330  
 Castillo, José M., 1–12  
*Catamenia inornata*, 155–163  
*Catharacta antarctica*, 297–306  
*Catharacta maccormicki*, 177–182, 297–306  
*Cathartes aura*, 197–205, 207–222  
*Catharus aurantiirostris*, 75–79  
*Catharus minimus*, 75–79  
 Cavity, 81–82  
*Celeus flavescens*, 315–330  
 Central America, 233–237  
*Centurus*, 341–348  
*Ceryle torquata*, 315–330  
 Chaco, 239–240  
*Chaetura brachyura*, 93–107  
*Chaetura chapmani*, 93–107  
*Chaetura cinereiventris*, 93–107, 315–330  
*Chaetura egrebia*, 93–107  
*Chaetura fumosa*, 93–107  
*Chaetura martinica*, 93–107  
*Chaetura meridionalis*, 93–107  
*Chaetura pelagica*, 93–107  
*Chaetura spinicauda*, 93–107  
*Chaetura vauxi*, 93–107  
*Chaetura viridipennis*, 93–107  
*Chaetura*, 93–107  
*Chalybura buffoni*, 75–79  
*Chauna torquata*, 297–306  
 Chile, 165–168, 285–296  
 Chile, 349–352  
 Chilean Flicker, 349–352  
 Chilean Pigeon, 349–352  
*Chionis alba*, 297–306  
*Chloephaga picta*, 297–306  
*Chloroceryle amazona*, 315–330  
*Chloroceryle americana*, 297–306, 315–330  
*Chlorostilbon aureoventris*, 297–306, 315–330  
*Chlorostilbon mellisugus*, 75–79  
*Chordeiles pusillus*, 85–86  
*Ciconia ciconia*, 297–306  
*Ciconia maguari*, 297–306  
 Ciconiformes, 109–122  
*Cinclodes fuscus*, 155–163, 297–306  
*Circus buffoni*, 297–306  
*Circus cinereus*, 197–205, 207–222  
*Cistothorus platensis*, 155–163  
*Citrus* sp., 363–364  
 City parks, 315–330  
 Cliff pothole, 81–82  
 Clift, 81–82  
*Cnemotriccus fuscatus*, 75–79, 315–330  
*Coccyzus melacoryphus*, 75–79, 315–330  
*Coereba flaveola*, 75–79, 315–330  
*Colaptes campestris*, 315–330  
*Colaptes campstrodes*, 297–306  
*Colaptes melanolaimus*, 297–306  
*Colaptes pitius*, 349–352  
 Collared Forest-Falcon, 1–12  
 Collecting birds, 263–267, 269–274  
 Collection, 263–267, 269–274  
 Colombia, 143–154  
*Colonia colonus*, 315–330

- Colonización, 109–122  
*Columba arucana*, 349–352  
*Columba cayennensis*, 315–330  
*Columba flavirostris*, 231–232  
*Columba livia*, 297–306  
*Columba maculosa*, 297–306  
*Columba picazuro*, 297–306, 315–330  
*Columbina passerina*, 75–79  
*Columbina picui*, 297–306, 315–330  
*Columbina talpacoti*, 75–79, 315–330  
 Competition for nest sites, 13–63  
 Competitors, 13–63  
 Comportamiento, 207–222  
 Composición de comunidades, 65–79  
 Comunidad, 65–79  
 Cóndor extinto, 109–122  
*Conirostrum cinereum*, 155–163  
*Conirostrum speciosum*, 315–330  
*Conopophaga lineata*, 315–330  
 Conservation, 263–267, 269–274  
*Contopus cinereus*, 75–79  
*Coragyps atratus*, 207–222, 297–306, 315–330  
 Corales, Ema S., 349–352  
 Corbalán, Valeria, 241–245  
*Corvus corax*, 297–306  
*Corvus corone*, 297–306  
*Coryphospingus cucullatus*, 315–330  
*Coryphospingus pileatus*, 75–79  
*Coscoroba coscoroba*, 297–306  
 Costa Rica, 189–195, 197–205  
 Cotorra, 241–245  
 Cozumel Island, 183–184  
 Crimson-collared Grosbeak, 363–364  
*Crotophaga ani*, 315–330  
*Crotophaga sulcirostris*, 231–232  
*Crypturellus parvirostris*, 315–330  
 Cuaternario, 109–122  
 Cuba, 109–122  
*Cyanocitta cristata*, 297–306  
*Cyanocompsa cyanea*, 75–79  
*Cyanocompsa cyanoides*, 75–79  
*Cyanocorax chrysops*, 315–330  
*Cyanoliseus patagonus*, 297–306  
*Cyphclarbis gujanensis*, 75–79, 239–240, 315–330  
*Cygnus melanocorypha*, 297–306  
*Dacnis cayana*, 315–330  
*Daption capense*, 297–306  
 Darrieu, Carlos, 331–339  
*Dendrocincla fuliginosa*, 75–79  
*Dendrocopos picumnus*, 75–79  
*Dendrocygna viduata*, 297–306  
 Denton, Matthew D., 173–175  
 Dias, Rafael Antunes, 249–251  
 Diet, 259–262, 331–339, 349–352, 363–364  
 Dieta, 241–245, 331–339  
 Diffusion of publications, 185–187  
*Diglossa cyanea*, 155–163  
*Diglossa humeralis*, 155–163  
 Dispersion, 285–296  
 Distribución, 93–107, 109–122, 233–237, 249–251  
 Distribution, 93–107, 109–122, 233–237, 249–251  
*Diuca diuca*, 292–296  
 DNA-fingerprinting, 307–314  
*Donacobius albifrons*, 297–306  
 Donegan, Thomas M., 263–267  
 Down, 165–168  
*Dromococcyx pavoninus*, 315–330  
*Dryocopus lineatus*, 315–330  
 Dyrce, Andrzej, 83–84, 359–362  
*Dysithamnus mentalis*, 315–330  
 Ectoparasitism, 13–63  
 Ecuador, 155–163  
 Effect of fire, 155–163  
 Eggs, 169–172, 189–195, 233–237  
*Egretta alba*, 297–306  
*Egretta thula*, 297–306, 315–330  
 Eitniear, Jack Clinton, 231–232, 363–364  
*Elaenia albiceps*, 292–296  
*Elaenia flavogaster*, 75–79, 315–330  
*Elaenia parvirostris*, 75–79, 315–330  
*Elanoides forficatus*, 197–205, 315–330  
*Elanus leucurus*, 297–306  
*Embernagra platensis*, 297–306  
 Emerald Toucanet, 253–257  
*Empidonax euleri*, 315–330  
*Empidonax varius*, 315–330  
 Enkerlin-Hoeflich, Ernesto, 87–90  
 Erikson, Lena M., 239–240

- Escalante-Pliego, Patricia, 183–184  
*Estrilda astrild*, 315–330  
 Ethics, 263–267, 269–274  
*Eupetomena macroura*, 315–330  
*Euphonia chlorotica*, 315–330  
*Euphonia musica*, 315–330  
*Euphonia pectoralis*, 315–330  
*Euphonia violacea*, 315–330  
 European Goldfinch, 249–251  
*Euscarthmus meloryphus*, 315–330  
 Executive committee, i–iii  
 Extinción, 109–122  
*Falco columbarius*, 197–205  
*Falco femoralis*, 207–222  
*Falco peregrinus*, 197–205, 207–222  
*Falco sparverius*, 197–205, 207–222, 297–306  
 Falconiformes, 197–205, 207–222  
 Favero, Marco, 259–262  
 Fernández-Badillo, Alberto, 65–79  
 Fieldguides, 269–274  
 Figueroa, Ricardo, 349–352  
 Fine-barred Piculet, 247–248  
 Fire, 155–163  
 Fish prey, 259–262  
 Flycatching, 341–348  
 Fontana, Carla Suertegaray, 169–172  
 Forest fragmentation, 315–330  
 Forest remnants, 315–330  
*Formicivora grisea*, 75–79  
*Forpus passerinus*, 75–79  
*Fregata magnificens*, 297–306  
*Fregetta tropica*, 297–306  
*Fulica armillata*, 297–306  
*Fulica rufifrons*, 297–306  
 Furnariidae, 173–175  
*Furnarius rufus*, 297–306, 315–330  
*Galbulia ruficunda*, 75–79  
*Gallinago*, 155–163  
*Gallinula chloropus*, 297–306  
*Gallinula melanops*, 297–306  
*Gallus gallus*, 297–306  
*Gavia immer*, 297–306  
*Gavia stellata*, 297–306  
 Gaviota cocinera, 331–339  
 Genetic variability, 307–314  
 Geographical variation, 143–154  
*Geranoaetus melanoleucus*, 207–222  
*Glaucidium nanum*, 207–222  
*Glaucis hirsuta*, 75–79  
 Goelet Student Fund, 91–92, 188, 284  
 Golden-billed Saltator, 239–240  
*Grallaria quitensis*, 155–163  
 Grassland, 155–163  
 Gray-breasted Woodpecker, 341–348  
 Gray-hooded Flycatcher, 207–222  
 Great Antshrike, 239–240  
 Green-crowned Brilliant, 189–195  
*Grus canadensis*, 297–306  
 Guatemala, 1–12, 81–82  
*Guira guira*, 297–306, 315–330  
*Gymnogyps*, 109–122  
*Gymnopithys salvini*, 353–357  
*Habia rubica*, 315–330  
 Habitat, 155–163, 297–306  
 Hairy-crested Antbird, 353–357  
*Halobaena caerulea*, 297–306  
*Harpagus diodon*, 315–330  
*Heliodoxa jacula*, 189–195  
*Heliois fulica*, 315–330  
*Hemithraupis guira*, 315–330  
*Hemitriccus margaritaceiventris*, 75–79  
*Herpsilochmus rufimarginatus*, 315–330  
 High altitude, 155–163  
*Himantopus himantopus*, 297–306  
 Honduras, 233–237  
 Honeybee, 13–63  
 Hosts, 285–296  
 Hu, Da-Shih, 123–142  
 Hummingbird, 123–142, , 143–154, 189–195  
*Hylocharis chrysura*, 315–330  
*Hylophilus aurantifrons*, 75–79  
*Hylophilus flavipes*, 75–79  
*Hymenops perspicillata*, 292–296, 297–306  
*Hypnelus ruficollis*, 75–79  
*Icterus cayanensis*, 297–306  
*Icterus nigrogularis*, 75–79  
*Ictinia plumbea*, 315–330  
 Incubation, 189–195  
 Information, 185–187  
 International communication, 185–187

- International Ornithological Congress, 90–91  
 Introduced birds, 249–251  
 Introduction, 285–296  
*Jacana jacana*, 297–306, 315–330  
 Jiménez, Jaime E., 349–352  
 Joenck, Cristian Marcelo, 169–172  
 Koenen, Marcus T., 155–163  
 Koenen, Sarah Gale, 155–163  
 Krauczuk, Ernesto R., 85–86  
 Krügel, Marilise mendonça, 315–330  
 Language, 185–187  
*Larus cirrocephalus*, 297–306  
*Larus dominicanus*, 177–182  
*Larus dominicanus*, 297–306, 331–339  
*Larus maculipennis*, 297–306  
 Least Nighthawk, 85–86  
 Leonard, Jr., David L., 341–348  
*Lepidocolaptes souleyetii*, 75–79  
*Leptasthenura andicola*, 155–163  
*Leptopogon amaurocephalus*, 315–330  
*Leptopogon superciliaris*, 75–79  
*Leptotila rufaxilla*, 315–330  
*Leptotila verreauxi*, 75–79, 315–330  
*Lesbia victoriae*, 155–163  
 Lesser Kiskadee, 359–362  
*Lessonia rufa*, 297–306  
*Leuconerpes candidus*, 315–330  
 Life history, 341–348  
 Los Tuxtlas, 253–257  
 Louisiana Waterthrush, 183–184  
*Machetornis rixosus*, 297–306, 315–330  
*Mackenziaena severa*, 315–330  
 Macouzet, Tania, 183–184  
*Macronectes giganteus*, 297–306  
 Mähler Jr., Jan K. Felix, 169–172  
 Maldonado-Coelho, Marcos, 207–222  
 Mangrove Swallow, 83–84  
 Marajo Yellow-crowned Amazon, 307–314  
*Margarops fuscatus*, 13–63  
 Marín, Manuel, 93–107, 285–296  
 Maringá, 315–330  
 Marini, Miguel Â., 207–222  
 Martuscelli, Paulo, 307–314  
 Master, Terry L., 189–195  
 Mauco, Laura, 259–262  
*Megarhynchus pitangua*, 315–330  
*Melanerpes carolinus*, 297–306  
*Melanerpes flavifrons*, 315–330  
*Melanerpes hypopolius*, 341–348  
*Melanerpes rubricapillus*, 75–79  
*Melanotrochilus fuscus*, 315–330  
*Melopsittacus undulatus*, 297–306  
 Mercury levels, 165–168  
 Meritt, Dennis A., Jr., 239–240  
 Merlin, 197–205  
*Metallura tyrianthina*, 155–163  
 Métodos in vivo, 241–245  
*Metropelia melanoptera*, 292–296  
 México, 183–184, 231–232, 253–257, 341–348, 363–364  
*Micrastur ruficollis*, 81–82  
*Micrastur semitorquatus*, 1–12  
 Migration, 197–205  
*Milvago chimango*, 207–222, 297–306  
*Mimus saturninus*, 297–306  
*Mimus thenca*, 292–296  
*Mimus triurus*, 297–306  
*Mionectes olivaceus*, 75–79  
*Mionectes rufiventris*, 207–222  
 Misiones, 85–86  
 Mocha Island, 165–168  
*Molothrus badius*, 297–306  
*Molothrus bonariensis*, 75–79, 285–296, 297–306, 315–330  
*Molothrus rufoaxillaris*, 297–306  
 Molt, 269–274  
 Montalti, Diego, 297–306  
 Mulvihill, Robert S., 189–195  
*Muscipipra vetula*, 169–172  
*Muscisaxicola alpina*, 155–163  
*Muscisaxicola* group, 169–172  
*Muscivora tyrannus*, 315–330  
*Myiarchus swainsoni*, 315–330  
*Myiarchus tyrannulus*, 75–79  
*Myiodynastes maculatus*, 315–330  
*Myiopagis caniceps*, 315–330  
*Myiopagis viridicata*, 75–79, 315–330  
*Myiophobus fasciatus*, 75–79, 315–330  
*Myiopsitta monachus*, 241–245, 297–306  
*Myiornis auricularis*, 315–330

- Myiozetetes cayanensis*, 75–79  
*Myiozetetes similis*, 75–79, 83–84, 315–330  
*Myospiza humeralis*, 315–330  
*Myozetetes cayanensis*, 83–84  
*Nandayus nenday*, 297–306  
 National ornithological societies, 185–187  
 Need for collection, 263–267, 269–274  
*Nemosia pileata*, 315–330  
 Neotropical birds, 185–187  
 Neotropical Ornithological Congress, i–iii, 87–90, 92, 188  
 Neotropical Ornithological Society, i–iii  
 Neotropics, 269–274  
 Nest building, 189–195  
 Nest competition, 13–63  
 Nest predation, 13–63, 231–232  
 Nest, 189–195, 207–222, 233–237, 359–362  
 Nesting biology, 207–222, 353–357, 359–362  
 Nesting, 81–82, 83–84  
 Nestlings, 173–175  
 Nests, 1–12, 85–86, 169–172, 173–175  
*Netta peposaca*, 297–306  
 New World spine-tailed swifts, 93–107  
 Norte América, 109–122  
 Northern Harrier, 197–205  
*Nothura maculosa*, 297–306  
*Notiochelidon cyanoleuca*, 315–330  
*Notiochelidon cyanoleuca*, 75–79  
*Notophagus* forests, 349–352  
 Nunatak Bertrab, 177–182  
*Nyctibius griseus*, 315–330  
*Nycticorax nycticorax*, 297–306, 315–330  
*Nycticyphes semicollaris*, 297–306  
*Nyctidromus albicollis*, 75–79, 315–330  
*Nyctiphrynus ocellatus*, 233–237  
 Oaxaca, 341–348  
*Oceanites oceanicus*, 177–182, 297–306  
 Ocellated Poorwill, 233–237  
*Ochthoeca fumicolor*, 155–163  
*Oreotrochilus chimborazo*, 155–163  
 Orgeira, José Luis, 177–182  
 Osprey, 197–205  
 Otto, Paulo A., 307–314  
*Otus nudipes*, 13–63  
*Pachyramphus polychopterus*, 315–330  
*Padda oryzivora*, 297–306  
*Pagodroma nivea*, 177–182  
 Pajonal, 85–86  
 Panama, 359–362  
*Pandion haliaetus*, 197–205  
*Parabuteo unicinctus*, 207–222  
 Paraguay, 239–240  
 Paramo, 155–163  
 Paraná, 315–330  
*Pardirallus maculatus*, 297–306  
*Pardirallus sanguinolentus*, 297–306  
 Parental care, 173–175  
*Paroaria coronata*, 297–306  
 Parrot recovery, 13–63  
*Parula pitiayumi*, 315–330  
*Parus ater*, 297–306  
*Parus major*, 297–306  
*Passer domesticus*, 292–296, 297–306, 315–330  
*Patagona gigas*, 155–163  
 Patagonia, 207–222  
 Pearly-eyed Thrasher, 13–63  
*Pelecanus occidentalis*, 297–306  
*Penelope superciliaris*, 315–330  
 Perchas, 207–222  
 Peregrine Falcon, 197–205  
 Peru, 247–248  
*Phacellodomus rufifrons*, 75–79  
*Phacellodomus striaticollis*, 297–306  
*Phaeomyias murina*, 75–79  
*Phaeoprogne tapera*, 297–306  
*Phaethornis longuemareus*, 75–79  
*Phaethornis pretrei*, 315–330  
*Phalacrocorax bransfieldensis*, 297–306  
*Phalacrocorax brasiliensis*, 315–330  
*Phalacrocorax georgianus*, 297–306  
*Phalacrocorax olivaceus*, 297–306  
*Philohydor lictor*, 359–362  
*Philornis*, 13–63  
*Phoenicopterus chilensis*, 297–306  
*Phrygilus patagonicus*, 292–296  
*Phrygilus unicolor*, 155–163, 292–296  
*Phylomyias fasciatus*, 315–330  
*Phyllomystes ventralis*, 315–330  
*Phytotoma rutila*, 297–306  
*Piaya cayana*, 315–330

- Pica pica*, 297–306  
*Pichones*, 241–245  
*Picumnus subtilis*, 247–248  
*Picumnus temminckii*, 315–330  
 Pink-footed Shearwater, 165–168  
*Pionus maximilian*, 315–330  
*Pipra erythrocephala*, 75–79  
*Pipraeidea melanonota*, 315–330  
*Pitangus sulphuratus*, 75–79, 297–306, 315–330  
*Platalea ajaja*, 297–306  
*Platycichla flavigipes*, 75–79  
*Platyparis rufus*, 315–330  
*Plegadis chihi*, 297–306  
 Plumage, 123–142  
*Podiceps dominicus*, 315–330  
*Podilymbus podiceps*, 297–306  
*Polioptila dumicola*, 297–306  
*Polioptila plumbea*, 75–79  
*Polyborus plancus*, 207–222  
*Polyborus plancus*, 297–306  
*Polyborus plancus*, 315–330  
*Poospiza nigrorufa*, 297–306  
 Predation, 13–63, 231–232  
 President's page, i–iii  
 Prey, 349–352  
*Procnias nudicollis*, 315–330  
*Progne chalybea*, 315–330  
*Pseudattila phoenicurus*, 315–330  
*Pseudoleistes virescens*, 297–306  
 Psittaciformes, 241–245  
*Pterophanes cyanopterus*, 155–163  
 Publication, 185–187  
 Puerto Rican Parrot, 13–63  
 Puerto Rico, 13–63  
*Puffinus creatopus*, 165–168  
*Pygoscelis antarctica*, 297–306  
*Pygoscelis papua*, 297–306  
*Pygoscelis adeliae*, 297–306  
*Pyrocephalus rubinus*, 297–306, 315–330  
*Pyrope pyrope*, 292–296  
 Ramos, José D., 1–12  
 Ramphastidae, 253–257  
*Ramphastos toco*, 297–306  
*Ramphocelus carbo*, 75–79  
*Ramphomicron microrhynchum*, 155–163  
*Ramphotrigon megacephala*, 75–79  
 Range expansion, 249–251  
 Rapaces, 197–205, 207–222  
 Raptors, 197–205, 207–222  
 Red-billed Pigeon, 231–232  
 Red-breasted Meadowlark, 349–352  
 Reproductive success, 13–63, 207–222  
*Rhegmatorhina malenosticta*, 353–357  
*Rhodothraupis celaeno*, 363–364  
*Rhynchocyclus olivaceus*, 75–79  
*Rynchosops niger*, 297–306  
*Rhynchotus rufescens*, 297–306  
 Rio Grande do Sul, 169–172  
*Rollandia rolland*, 297–306  
*Rostrhamus sociabilis*, 297–306  
 Royal Tern, 259–262  
 Rufous-browed Peppershrike, 239–240  
 Rufous-tailed Hawk, 349–352  
 Rusty-margined Flycatcher, 83–84  
 Saborio, Marco, 197–205  
 Salibián, Alfredo, 297–306  
*Saltator albicollis*, 75–79  
*Saltator aurantirostris*, 239–240  
*Saltator coerulescens*, 75–79  
*Saltator similis*, 315–330  
 Sánchez, Julio E., 189–195  
 Sandwich Tern, 259–262  
*Satrapa icterophrys*, 297–306  
*Saucerottia cupreicauda cupreicauda*, 143–154  
*Saucerottia cupreicauda diuidae*, 143–154  
*Saucerottia cupreicauda laireti*, 143–154  
*Saucerottia cupreicauda pacaraimae*, 143–154  
*Saucerottia cupreicauda*, 143–154  
*Saucerottia viridigaster iodura*, 143–154  
*Saucerottia viridigaster viridigaster*, 143–154  
*Saucerottia viridigaster*, 143–154  
*Saucerottia*, 143–154  
*Scaphidura oryzivora*, 315–330  
*Scardafella squammata*, 75–79  
 Schifter, Herbert, 247–248  
*Schoeniophylax phryganophila*, 297–306  
*Sclerurus caudatus*, 173–175  
 Screech-Owl, 13–63  
*Sciurus motacilla*, 183–184  
*Sciurus noveboracensis*, 75–79

- Serinus canarius*, 297–306  
*Serpophaga nigricans*, 297–306  
*Serpophaga subcristata*, 297–306  
*Serpophaga subcristata*, 315–330  
*Setophaea ruficilla*, 75–79  
 Sex-ratio, 307–314  
 Sexual dimorphism, 123–142  
 Sharp-shinned Hawk, 197–205  
 Shear-tailed Gray-Tyrant, 169–172  
 Shiny Cowbird, 285–296  
*Sicalis flaveola*, 75–79, 297–306  
*Sicalis luteola*, 292–296  
 Sierra de Pacaraima, 143–154  
 Silva R., M. Patricia, 259–262  
 Silva, Maria Patricia, 331–339  
*Sittasomus griseicapillus*, 75–79, 315–330  
 Snap trap, 239–240  
 Social Flycatcher, 83–84  
 Solorzano, Alecio, 65–79  
 Song, 3  
 Sotobosque, 65–79  
 Southern Hemisphere Ornithological Congress, 91  
 Southern Lapwing, 349–352  
 Species limit, 93–107  
 Species richness, 315–330  
 Spectrogram, 3  
*Sporophila caerulescens*, 315–330  
*Sporophila intermedia*, 75–79  
*Sporophila lineola*, 75–79  
*Sporophila minuta*, 75–79  
*Sporophila nigriceps*, 75–79  
*Stelgidopteryx ruficollis*, 75–79, 315–330  
*Sterna paradisaea*, 177–182  
*Sterna trudeau*, 297–306  
*Sternoclyta cyanopectus*, 75–79  
*Sturnella loyca*, 292–296, 349–352  
*Sturnella supercilialis*, 297–306  
*Sturnus vulgaris*, 297–306  
 Suárez, William, 109–122  
*Sublegatus modestus*, 75–79  
 Subspecies, 253–257  
*Sula bassana*, 297–306  
 Swainson's Hawk, 197–205  
 Swallow-tailed Kite, 197–205  
 Swifts, 93–107  
*Synallaxis albescens*, 75–79  
*Synallaxis azarae*, 155–163  
*Synallaxis frontalis*, 315–330  
*Syrigma sibilatrix*, 297–306  
*Tachycineta albilinea*, 83–84  
*Tachycineta albiventer*, 315–330  
*Tachycineta leucorrhoa*, 297–306  
*Tachyphonus coronatus*, 315–330  
*Tachyphonus rufus*, 75–79  
*Tangara cayana*, 75–79  
*Tangara gyrola*, 75–79  
*Tapera naevia*, 315–330  
 Tapiá, Alvaro Aragón, 363–364  
*Taraba major*, 239–240  
 Taxonomia, 109–122  
 Taxonomy, 93–107, 123–142, 143–154, 233–237, 253–257  
 Terrestrial birds, 297–306  
*Tersina viridis*, 315–330  
*Thalasseus maximus*, 259–262  
*Thalasseus sandvicensis*, 259–262  
*Thalassioica antarctica*, 177–182  
*Thamnophilus caerulescens*, 315–330  
*Thamnophilus doliatus*, 75–79, 315–330  
 Thorstrom, Russell, 1–12  
*Thraupis bonariensis*, 315–330  
*Thraupis episcopus*, 75–79  
*Thraupis glaucocolpa*, 75–79  
*Thraupis sayaca*, 315–330  
*Thryothorus leucotis*, 75–79  
*Thryothorus rufalbus*, 75–79  
*Thryothorus rutilus*, 75–79  
*Tiaris bicolor*, 75–79  
 Tikal National Park, 1–12  
*Tityra cayana*, 315–330  
*Tityra inquisitor*, 315–330  
*Todirostrum cinereum*, 75–79, 315–330  
*Todirostrum plumbeiceps*, 315–330  
*Todirostrum sylvia*, 75–79  
*Tolmomyias flaviventris*, 75–79  
*Tolmomyias sulphurescens*, 75–79  
 Topaza hummingbirds, 123–142  
*Topaza pella microrhyncha*, 123–142  
*Topaza pella pella*, 123–142

- Topaza pella smaragdula*, 123–142  
*Topaza pella*, 123–142  
*Topaza pyra amaruni*, 123–142  
*Topaza pyra*, 123–142  
*Trichothraupis melanops*, 315–330  
*Tringa flavipes*, 297–306  
Trocchilidae, 123–142, 143–154  
*Troglodytes aedon*, 75–79, 292–296, 297–306, 315–330  
*Turdus albicollis*, 315–330  
*Turdus amaurochalinus*, 297–306  
*Turdus amaurochalinus*, 315–330  
*Turdus falklandii*, 349–352  
*Turdus fuscater*, 155–163  
*Turdus leucomelas*, 75–79, 315–330  
*Turdus migratorius*, 297–306  
*Turdus nigriceps*, 315–330  
*Turdus nudigenis*, 75–79  
*Turdus rufiventris*, 297–306, 315–330  
Turkey Vulture, 197–205  
Type specimens, 247–248, 269–274  
*Tyrannus melancholicus*, 297–306, 315–330  
*Tyrannus savana*, 297–306  
*Tyto alba*, 297–306  
*Uria algae*, 297–306  
Uropygial gland, 297–306  
*Vanellus chilensis*, 297–306, 315–330, 349–352  
Variation, 123–142  
Venezuela, 65–79, 143–154  
*Veniniornis kirkii*, 75–79  
*Veniliornis spilogaster*, 315–330  
Veracruz, 253–257  
Verea, Carlos, 65–79  
Vienna, 247–248  
*Vireo olivaceus*, 75–79, 315–330  
*Volatina jacarina*, 75–79, 315–330  
Vuilleumier, François, i–iii, 87–90, 185–187, 269–274, 275–283, 365–368  
*Vultur gryphus*, 207–222  
Vultures, 197–205  
Vulturidae, 109–122  
Wajntal, Anita, 307–314  
Weller, André-Alexander, 143–154  
Whitacre, David F., 81–82  
White, Clayton M., 81–82  
White-throated Antbird, 353–357  
Willson, Susan K., 353–357  
Winker, Kevin, 253–257  
*Xenops minutus*, 75–79  
*Xenops rutilans*, 315–330  
*Xiphocolaptes albicollis*, 315–330  
*Xiphorhynchus guttatus*, 75–79  
*Xolmis coronata*, 297–306  
Yamashita, Carlos, 307–314  
*Zenaida auriculata*, 297–306, 315–330  
*Zonotrichia capensis*, 292–296, 297–306, 315–330