

# ORNITOLOGIA NEOTROPICAL

EDITOR

RAYMOND McNEIL

## **INDEX TO VOLUME 12, 2001**

(Authors, key words, families, latin names)

An International Journal of Neotropical Ornithology  
published by

**THE NEOTROPICAL ORNITHOLOGICAL SOCIETY**

- Abeillia abeillei*, 297–317  
*Accipiter bicolor*, 109–140  
*Actitis macularia*, 109–140  
*Agamia agami*, 109–140  
*Agelaius thibilus*, 205–214, 345–354  
 Agudelo, M., 189–204  
*Alectrurus tricolor*, 57–73  
*Alopochehidon fucata*, 57–73  
 Altitudinal extension, 183–185  
*Amazilia beryllina*, 297–317  
*Amazilia candida*, 297–317  
*Amazilia cyanocephala*, 297–317  
*Amazilia fimbriata*, 11–27, 57–73, 109–140  
*Amazilia tobaci*, 235–253  
*Amazilia tzacatl*, 297–317  
*Amazilia versicolor*, 57–73, 109–140  
*Amazilia yucatanensis*, 297–317  
*Amazona aestiva*, 11–27, 57–73  
*Amazona amazonica*, 109–140  
*Amazona autumnalis*, 109–140  
*Amazona farinosa*, 109–140  
*Amazona festiva*, 109–140  
*Amazona leucocephala*, 141–152  
*Amazona xanthops*, 57–73  
 Amazonia, 109–140, 183–185  
*Ammodramus aurifrons*  
*Ammodramus humeralis*, 57–73  
*Anabacerthia amaurotis*, 11–27  
 Andes, 93–108  
 Angell, T., 357–359  
*Anhinga anhinga*, 109–140  
 Antarctic, 165–171, 173–179  
 Ant-following birds, 271–275  
*Anthracothorax nigricollis*, 11–27, 109–140  
*Anthracothorax prevostii*, 297–317  
*Anthus correndera*, 345–354  
*Anthus furcatus*, 345–354  
*Ara ararauna*, 109–140  
*Ara chloroptera*, 109–140  
*Ara macao*, 109–140  
*Aramides cajanea*, 11–27, 109–140  
*Aramides saracura*, 11–27  
*Aramus guarauna*, 109–140  
*Aratinga aurea*, 57–73  
*Aratinga leucophthalmus*, 11–27, 109–140  
*Aratinga pertinax*, 109–140, 235–253  
*Aratinga solstitialis*, 11–27  
 Araucaria forest, 215–223  
*Archilochus alexandri*, 297–317  
*Archilochus colubris*, 297–317  
*Ardea cocoi*, 109–140  
 Argentina, 29–44, 45–55, 75–81, 83–86, 205–214, 345–354  
 Army ant swarms, 271–275  
*Arremon flavirostris*, 11–27  
*Arremon taciturnus*, 109–140  
*Asio flammens*, 345–354  
*Asio stygius*, 109–140  
*Asthenes budsoni*, 345–354  
*Asturina nitida*, 109–140  
 Atlantic forest, 1–9, 255–263  
 Atlantic Petrel, 165–171  
*Atlapetes albinucha*, 271–275  
*Atthis beloisa*, 297–317  
*Atticora fasciata*, 109–140  
*Atticora melanoleuca*, 109–140  
*Attila cinnamomeus*, 109–140  
*Attila citriniventris*, 109–140  
*Attila spadiceus*, 109–140  
*Aulacorhynchus sulcatus*, 235–253  
*Automolus infuscatus*, 109–140  
*Automolus leucophthalmus*, 11–27  
*Automolus ochrolaemus*, 109–140  
*Automolus rubiginosus*, 109–140  
*Baillonius bailloni*, 11–27  
 Barred Forest-Falcon, 337–343  
*Baryphthengus ruficapillus*, 11–27  
 Barzotti Kohlrausch, A., 319–326  
*Basileuterus chrysogaster*, 265–269  
*Basileuterus culicivorus*, 271–275  
*Basileuterus culicivorus*, 11–27, 235–253  
*Basileuterus flaveolus*, 57–73, 235–253  
*Basileuterus hypoleucus*, 57–73  
*Basileuterus leucoblepharus*, 11–27  
*Basileuterus tristriatus*, 271–275  
 Baungarten, M. M., 319–326  
 Becker, P. H., 285–296  
 Bencke, G. L., 1–9  
*Berlepschia rikeri*, 109–140  
 Bertellotti, M., 83–86

- Biogeography, 93–108  
 Bird-habitat relationship, 57–73  
 Black-billed Peppershrike, 265–269  
 Black-capped Foliage-gleaner, 255–263  
 Blue Petrel, 355–356  
*Boissonneana flavescens*, 93–108  
*Boissonneana jardini*, 93–108  
*Boissonneana mathewsii*, 93–108  
 Bolivia, 181–182  
 Book reviews, 87–90, 279–282, 361–362  
 Borges, S. H., 109–140  
 Bosque deciduo tropical, 235–253  
 Brazil, 1–9, 11–27, 57–73, 109–140, 215–223, 355–356  
 Breeding biology, 265–269, 285–296  
 Breeding density, 337–343  
 Broad-billed Sapayoa, 327–336  
*Brotogeris chiriri*, 57–73  
*Brotogeris chrysopterus*, 109–140  
*Brotogeris sanctithomae*, 109–140  
*Brotogeris tirica*, 11–27  
 Brown Booby, 319–326  
 Brown Inca, 265–269  
 Brown-breasted Pygmy-tyrant, 1–9  
 Brown-hooded Gull, 285–296  
*Buarremon brunneinuchus*, 271–275  
*Bubulcus ibis*, 109–140  
*Bucco capensis*, 109–140  
*Bucco tamatia*, 109–140  
 Buenos Aires province, 205–214  
*Busarellus nigricollis*, 109–140  
*Buteo albicaudatus*, 57–73  
*Buteo leucorrhous*, 11–27  
*Buteo magnirostris*, 11–27, 57–73  
*Buteo nitidus*, 11–27  
*Buteo swainsoni*, 345–354  
*Buteogallus urubitinga*, 109–140  
*Butorides striatus*, 109–140  
*Cacicus cela*, 109–140  
*Cacicus haemorrhous*, 11–27, 109–140  
*Cairina moschata*, 109–140  
*Calidris alba*, 109–140  
*Calidris fuscicollis*, 109–140  
*Calidris melanotos*, 109–140  
*Calonectris diomedea*, 45–55  
*Calotborax lucifer*, 297–317  
*Calotborax pulcher*, 297–317  
*Campephilus melanoleucos*, 57–73, 109–140  
*Campephilus rubricollis*, 109–140  
 Camperi, A. R., 205–214  
*Camptostoma obsoletum*, 11–27, 57–73, 109–140  
*Campylopterus curvipennis*, 297–317  
*Campylopterus falcatus*, 235–253  
*Campylopterus hemileucurus*, 297–317  
*Campylopterus largipennis*, 109–140  
*Capito niger*, 109–140  
*Caprimulgus cayennensis*, 109–140  
*Caprimulgus nigrescens*, 109–140  
*Caprimulgus rufus*, 109–140  
*Capsiempis flaveola*, 11–27  
*Caracara plancus*, 57–73  
*Cariama cristata*, 57–73  
*Caryothraustes canadensis*, 109–140  
*Casiornis rufa*, 57–73  
*Casmerodius albus*, 109–140  
*Cathartes aura*, 109–140  
*Cathartes burrovianus*, 109–140  
*Cathartes melambrotos*, 109–140  
*Catharus aurantiirostris*, 271–275  
*Catharus frantzii*, 271–275  
*Catharus fuscater*, 271–275  
*Catharus fuscescens*, 235–253  
*Catharus minimus*, 235–253  
*Catharus ustulatus*, 271–275  
 Cavalcanti, R. B., 57–73  
*Celeus elegans*, 109–140  
*Celeus flavescens*, 11–27  
*Celeus flavus*, 109–140  
*Celeus grammicus*, 109–140  
*Celeus torquatus*, 109–140  
*Cercomacra cinerascens*, 109–140  
*Cercomacra tyrannina*, 109–140  
 Cerrado, 57–73  
*Ceryle torquata*, 109–140  
 Cevasco, C. M., 75–81  
*Chaetura brachyura*, 109–140  
*Chaetura chapmani*, 109–140  
*Chaetura cinereiventris*, 109–140  
*Chaetura spinicauda*, 109–140  
*Chalybura buffonii*, 235–253

- Chamaepetes goudotii*, 265–269  
*Chamaeza campanisona*, 11–27  
*Chauna torquata*, 345–354  
*Chelidoptera tenebrosa*, 109–140  
Chile, 285–296  
*Chionis alba*, 173–179  
*Chiroxiphia caudata*, 11–27  
*Chiroxiphia lanceolata*, 235–253  
*Chiroxiphia linearis*, 271–275  
*Chiroxiphia pareola*, 109–140  
*Chlorestes notatus*, 235–253  
*Chloroceryle aenea*, 109–140  
*Chloroceryle amazona*, 109–140  
*Chloroceryle americana*, 109–140  
*Chloroceryle inda*, 109–140  
*Chlorophanes spiza*, 109–140, 235–253  
*Chlorophonia flavirostris*, 265–269  
*Chloropipo holochlora*, 327–336  
*Chlorospingus ophthalmicus*, 271–275  
*Chlorospingus semifuscus*, 265–269  
*Chlorospingus tacarcunae*, 327–336  
*Chlorostilbon aureoventris*, 11–27, 57–73  
*Chlorostilbon canivetii*, 297–317  
*Chlorostilbon mellisugus*, 109–140  
Choco Tapaculo, 327–336  
*Chordeiles acutipennis*, 109–140  
*Chordeiles minor*, 109–140  
*Chordeiles pusillus*, 109–140  
Christian, D. G., 327–336  
*Chrysolampis mosquitus*, 109–140  
*Chrysoptilus melanochloros*, 11–27  
*Chrysuronia oenone*, 235–253  
*Ciccaba huhula*, 109–140  
*Ciccaba virgata*, 11–27  
Cicchino, A. C., 205–214  
*Ciconia maguari*, 345–354  
*Cinclodes fuscus*, 345–354  
*Circus buffoni*, 345–354  
*Circus cinereus*, 345–354  
*Cissopis leveriana*, 11–27, 109–140  
*Cistothorus platensis*, 57–73, 345–354  
*Claravis pretiosa*, 11–27, 235–253  
*Clibanornis dendrocolaptoides*, 11–27  
*Cnemotricus fuscatus*, 11–27, 109–140  
*Cnipodectes subbrunneus*, 109–140  
*Coccyzus americanus*, 109–140  
*Coccyzus euleri*, 109–140  
*Coccyzus melacoryphus*, 57–73  
*Cochlearius cochlearius*, 109–140  
*Coeligena wilsoni*, 265–269  
*Coereba flaveola*, 11–27, 109–140, 235–253  
Cohn-Haft, M., 109–140  
*Colaptes campestris*, 57–73  
*Colaptes punctigula*, 109–140  
*Colibri serrirostris*, 57–73  
*Colibri thalassinus*, 297–317  
Colibríes, 297–317  
Collared Forest-Falcon, 337–343  
Colombia, 189–204, 265–269  
Colombian Amazon, 189–204  
*Colonia colonus*, 11–27  
*Columba cayennensis*, 11–27, 109–140  
*Columba maculosa*, 11–27  
*Columba picazuro*, 11–27, 57–73  
*Columba plumbea*, 11–27, 109–140  
*Columba speciosa*, 11–27, 109–140  
*Columba subvinacea*, 109–140  
*Columbina minuta*, 11–27  
*Columbina passerina*, 109–140  
*Columbina picui*, 11–27  
*Columbina talpacoti*, 11–27, 109–140  
Community, 11–27, 57–73, 235–253  
*Conirostrum speciosum*, 11–27  
*Conopias parva*, 109–140  
*Conopias trivirgata*, 109–140  
*Conopophaga aurita*, 109–140  
*Conopophaga lineata*, 11–27  
Conservation, 11–27  
Continental platform, 45–55  
*Coragyps atratus*, 109–140  
*Coryphaspiza melanotis*, 57–73  
*Corybospingus cucullatus*, 57–73  
*Corythopsis delalandi*, 11–27  
*Corythopsis torquata*, 109–140  
Costa Rica, 271–275  
*Cotinga cayana*, 109–140  
*Cranioleuca obsoleta*, 11–27  
*Cranioleuca sulphurifera*, 345–354  
*Cranioleuca vulpina*, 109–140  
*Crax fasciolata*, 11–27

- Crotophaga ani*, 11–27, 109–140  
*Crotophaga major*, 109–140  
*Crypturellus cinereus*, 109–140  
*Crypturellus erythropus*, 109–140  
*Crypturellus obsoletus*, 11–27  
*Crypturellus parvirostris*, 11–27, 57–73  
*Crypturellus soui*, 109–140  
*Crypturellus tataupa*, 11–27  
*Crypturellus undulatus*, 11–27, 109–140  
*Crypturellus variegatus*, 109–140  
Cuban Parrot, 141–152  
*Culicivora caudacuta*, 57–73  
*Cyanerpes caeruleus*, 109–140  
*Cyanerpes cyaneus*, 109–140  
*Cyanerpes nitidus*, 109–140  
*Cyanocompsa cyanooides*, 235–253  
*Cyanocorax chrysops*, 11–27  
*Cyanocorax cristatellus*, 57–73  
*Cyanocorax morio*, 271–275  
*Cyanocorax yuca*, 235–253  
*Cyanolyca cucullata*, 271–275  
*Cyclarhis gujanensis*, 11–27, 57–73, 109–140  
*Cyclarhis nigrivirostris*, 265–269  
*Cymbilaimus lineatus*, 109–140  
*Cynanthus latirostris*, 297–317  
*Cypborhinus aradus*, 109–140  
*Cypsnagra hirundinacea*, 57–73  
da Silva Fonseca, V. S., 355–356  
*Dacnis cayana*, 57–73, 109–140, 235–253  
*Dacnis flaviventer*, 109–140  
*Daption capense*, 45–55  
*Daptrius americanus*, 109–140  
*Daptrius ater*, 109–140  
Dark-backed Wood-quail, 265–269  
Darrieu, C. A., 205–214  
de Souza Fonseca, F. L., 355–356  
Dead-leaf specialization, 255–263  
*Deconychura longicauda*, 109–140  
*Deconychura stictolaema*, 109–140  
*Dendrexetastes rufigula*, 109–140  
*Dendrocincla fuliginosa*, 109–140, 235–253  
*Dendrocincla homochroa*, 271–275  
*Dendrocincla merula*, 109–140  
*Dendrocincla turdina*, 11–27  
*Dendrocolaptes certibia*, 109–140  
*Dendrocolaptes picumnus*, 109–140, 235–253  
*Dendrocolaptes platyrostris*, 11–27  
*Dendrocoryna autumnalis*, 109–140  
*Dendroica fusca*, 109–140, 235–253  
Density compensation, 11–27  
*Deroptylus accipitrinus*, 109–140  
Díaz, R., 297–317  
Diet, 205–214, 215–223, 255–263  
Dimorphismo sexual, 173–179  
*Diomedea chlororhynchus*, 45–55  
*Diomedea exulans*, 45–55  
Distribution, 45–55, 165–171, 181–182, 183–185, 297–317  
Disturbance, 75–81  
DNA fingerprinting, 319–326  
Dobbs, R. C., 225–233  
*Dolospingus fringilloides*, 109–140  
*Doricha eliza*, 297–317  
dos Anjos, L., 11–27  
*Drymophila malura*, 11–27  
*Dryocopus lineatus*, 11–27, 57–73, 109–140, 235–253  
Dusky Bush-tanager, 265–269  
*Dysithamnus mentalis*, 11–27, 235–253, 271–275  
Eckelberry, Don R., 357–359  
Ecuador, 183–185  
Eggs, 225–233  
*Egretta thula*, 109–140  
*Elaenia chiriquensis*, 57–73  
*Elaenia cristata*, 57–73  
*Elaenia flavogaster*, 11–27, 57–73  
*Elaenia mesoleuca*, 11–27  
*Elaenia parvirostris*, 109–140  
*Elaenia ruficeps*, 109–140  
*Elaenia spectabilis*, 57–73  
*Elanoides forficatus*, 109–140  
*Elanus leucurus*, 57–73  
*Emberizoides herbicola*, 57–73, 109, 109–140  
*Embernagra platensis*, 345–354  
*Empidonax euleri*, 11–27  
*Empidonax flavescens*, 271–275  
*Empidonax varius*, 11–27, 57–73, 109–140  
*Eubucco richardsoni*, 109–140  
*Eucometis penicillata*, 235–253

- Eugenes fulgens*, 297–317  
*Eupetomena macroura*, 57–73  
*Eupherusa eximia*, 271–275, 297–317  
*Euphonia chlorotica*, 11–27, 57–73, 109–140  
*Euphonia chrysopasta*, 109–140  
*Euphonia minuta*, 109–140  
*Euphonia musica*, 11–27  
*Euphonia plumbea*, 109–140  
*Euphonia rufiventris*, 109–140  
*Euphonia saturata*, 265–269  
*Euphonia violacea*, 11–27  
*Euphonia xanthogaster*, 235–253  
*Eurypyga helias*, 109–140  
 Exchange agreements, ii–iii  
 Extinct species, 29–44  
*Falco columbarius*, 109–140  
*Falco femoralis*, 57–73, 345–354  
*Falco rufigularis*, 109–140  
*Falco sparverius*, 57–73  
 Favero, M., 173–179  
 Feeding behavior, 11–27, 215–223  
 Feeding ecology, 205–214  
 Feeding guilds, 235–253  
 Flocking behavior, 141–152  
*Florisuga mellivora*, 109–140, 235–253  
 Foraging ecology, 255–263, 271–275  
 Forest fragmentation, 11–27  
*Formicarius analis*, 109–140  
*Formicarius colma*, 109–140  
*Formicarius rufipectus*, 271–275  
*Formicivora grisea*, 109–140  
*Forpus xanthopterygius*, 11–27  
*Fregetta grallaria*, 45–55  
*Fregetta tropica*, 45–55  
 Freile, J. F., 183–185  
 Frere, E., 75–81  
 Fringillo Apizarrado, 153–163  
*Fulmarus glacialisoides*, 45–55  
 Fulvous-dotted Treerunner, 265–269  
 Furnariidae, 1–9, 29–44, 255–263  
*Furnarius rufus*, 11–27  
*Galbula albirostris*, 109–140  
*Galbula dea*, 109–140  
*Galbula leucogastra*, 109–140  
*Galbula ruficauda*, 235–253  
*Gallinago paraguaiæ*, 109–140  
 Gandini, P. A., 75–81  
 Genetic variability, 319–326  
 Geographic variation, 93–108  
*Geothlypis aequinoctialis*, 235–253  
*Geotrygon chiriquensis*, 271–275  
*Geotrygon montana*, 11–27, 109–140  
*Geotrygon violacea*, 235–253  
*Geranospiza caeruleascens*, 109–140  
*Glaucidium brasilianum*, 11–27, 109–140  
*Glaucis hirsuta*, 109–140, 235–253  
*Glyphorhynchus spirurus*, 109–140  
 Golet Student Fund, 91, 187, 283, 379  
 Golden-bellied Warbler, 265–269  
 Golden-collared Honeycreeper, 265–269  
 González Alonso, H., 141–152  
 González, O., 153–163  
*Grallaria guatemalensis*, 225–233  
*Grallaria varia*, 11–27, 109–140  
 Grassland birds, 57–73, 345–354  
 Green Manakin, 327–336  
 Green-naped Tanager, 327–336  
 Gregariousness, 141–152  
 Guano explotation, 83–86  
 Guatamala, 337–343  
*Gubernetes yetapa*, 57–73  
 Guicking, D., 285–296  
*Guirá guira*, 345–354  
*Gymnoderus foetidus*, 109–140  
*Gymnopithys leucaspis*, 109–140  
*Gymnopithys lunulata*, 183–185  
*Habia rubica*, 11–27, 109–140  
 Habitat, 153–163  
 Habitat selection, 189–204  
 Habitat structure relationship, 345–354  
*Halobaena caerulea*, 355–356  
*Harpagus diodon*, 11–27  
*Harpia harpyja*, 109–140  
*Heliactin bilophum*, 57–73  
*Heliobletus contaminatus*, 11–27  
*Heliodoxa leadbeateri*, 235–253  
*Heliomaster longirostris*, 109–140, 297–317  
*Heliornis fulca*, 109–140  
*Heliobryx aurita*, 109–140  
*Hemithraupis flavicollis*, 109–140

- Hemithraupis guira*, 11–27, 57–73  
*Hemitriccus minimus*, 109–140  
*Hemitriccus minor*, 109–140  
*Hemitriccus obsoletus*, 1–9, 11–27  
*Hemitriccus zosterops*, 109–140  
*Henicorbina leucophrys*, 271–275  
 Henri Pittier National Park, 235–253  
 Henriques, L. M., 109–140  
*Herpetotheres cachinnans*, 11–27, 57–73, 109–140  
*Herpsilochmus dorsimaculatus*, 109–140  
 Herrera, M., 181–182  
*Heterocercus flavivertex*, 109–140  
*Heterospizias meridionalis*, 57–73  
 Heynen, I., 93–108  
 Highlands, 271–275  
*Hirundo rustica*, 109–140  
 Home-range size, 189–204  
 Hormiguero Lunulado, 183–185  
 Human presence, 75–81  
 Hummingbirds, 297–317  
*Hydropsalis climacocerca*, 109–140  
*Hylexestastes stresemanni*, 109–140  
*Hylocharis cyanus*, 109–140, 235–253  
*Hylocharis leucotis*, 297–317  
*Hylocharis sapphirina*, 109–140  
*Hylocichla mustellina*, 271–275  
*Hyloctistes subulatus*, 109–140  
*Hylopezus macularius*, 109–140  
*Hylophilus brunneiceps*, 109–140  
*Hylophilus hypoxantha*, 109–140  
*Hylophilus ochraceiceps*, 109–140  
*Hylophilus poicilotis*, 11–27  
*Hylophilus semicinereus*, 109–140  
*Hylophilus thoracicus*, 109–140  
*Hylophylax naevia*, 109–140  
*Hylophylax poecilinota*, 109–140  
*Hylophylax punctulata*, 109–140  
*Hymenops perspicillata*, 345–354  
*Hypocnemis cantator*, 109–140  
*Hypocnemis hypoxantha*, 109–140  
*Hypocnemoides melanopogon*, 109–140  
*Hypoedaleus guttatus*, 11–27  
 Icteridae, 205–214  
*Icterus auricapillus*, 235–253  
*Icterus chryscephalus*, 109–140  
*Ictinia plumbea*, 11–27, 109–140  
*Idioptilon nidipendulum*, 11–27  
 Imeri refuge, 109–140  
*Inezia subflava*, 109–140  
*Iridophanes pulcherrima*, 265–269  
 Isaach, J. P., 345–354  
 Isla de los Pajaros, 75–81  
 Isla Quiroga, 75–81  
*Jabiru mycteria*, 109–140  
*Jacamerops aurea*, 109–140  
*Jacana jacana*, 109–140  
 Jaú National Park, 109–140  
 Joenck, C. M., 1–9  
 Kristosch, G. C., 215–223  
 Kuehn, M. J., 225–233  
 Kushlan, J. A., 277–278  
 La Torre-Cuadros, M. de los A., 153–163  
*Lampornis amethystinus*, 297–317  
*Lampornis clemenciae*, 297–317  
*Lamprolaima rhami*, 297–317  
*Lampropsar tanagrinus*, 109–140  
*Lanio fulvus*, 109–140  
*Laniocera hypopyrra*, 109–140  
*Larus dominicanus*, 45–55  
*Larus maculipennis*, 285–296  
*Laterallus melanophaius*, 109–140  
*Lathrotriccus euleri*, 109–140  
*Legatus leucophaius*, 109–140  
*Lepidocolaptes albolineatus*, 109–140  
*Lepidocolaptes angustirostris*, 11–27, 57–73  
*Lepidocolaptes fuscus*, 11–27  
*Lepidocolaptes souleyetii*, 235–253  
*Leptasthenura striolata*, 1–9  
*Leptodon cayanensis*, 109–140  
*Leptopogon amaurocephalus*, 11–27  
*Leptopogon superciliaris*, 235–253  
*Leptotila rufaxilla*, 11–27, 109–140  
*Leptotila verreauxi*, 11–27, 109–140, 235–253  
*Lessonia rufa*, 345–354  
*Leucochloris albicollis*, 11–27  
*Leuconerpes candidus*, 11–27  
 Limpa-folha-coroado, 255–263  
*Lipaugus vociferans*, 109–140  
 Londoño, G., 189–204

- Londrina, 11–27  
*Lophornis helena*, 297–317  
 Lunulated Antbird, 183–185  
*Lurocalis semitorquatus*, 11–27, 109–140  
*Lysurus crassirostris*, 271–275  
*Mackenziaena leachii*, 11–27  
*Mackenziaena severa*, 11–27  
*Macronectes giganteus*, 45–55  
 Magellanic Penguin, 75–81  
 Mähler Jr., J. K. F., 1–9  
 Malacalza, V. E., 83–86  
*Malacoptila fusca*, 109–140  
*Malacoptila mystacalis*, 235–253  
 Mallet-Rodrigues, F., 255–263  
*Manacus manacus*, 11–27  
 Marcondes-Machado, L. O., 215–223  
*Margarornis rubiginosus*, 271–275  
*Margarornis stellatus*, 265–269  
 Martin, P. R., 225–233  
 Martínez, M. M., 345–354  
 Masked Booby, 319–326  
 Measurements, 173–179  
*Megarhynchus pitangua*, 11–27, 57–73, 109–140  
*Megastictus margaritatus*, 109–140  
*Melanerpes candidus*, 57–73  
*Melanerpes cruentatus*, 109–140  
*Melanerpes flavifrons*, 11–27  
*Melanerpes rubricapillus*, 235–253  
*Melanopareia torquata*, 57–73  
 Mellender de Araújo, A., 319–326  
*Melospiza leucotis*, 271–275  
*Mesembrinibis cayennensis*, 109–140  
 Mexico, 297–317  
 Mickstein, S., 285–296  
*Micrastur gilvicolis*, 109–140  
*Micrastur mirandollei*, 109–140  
*Micrastur ruficollis*, 11–27, 109–140, 235–253, 337–343  
*Micrastur semitorquatus*, 11–27, 109–140, 337–343  
*Microbates collaris*, 109–140  
*Microcerculus bambla*, 109–140  
*Micromonacha lanceolata*, 109–140  
*Milvago chimachima*, 57–73, 109–140  
*Milvago chimango*, 345–354  
*Mimus saturninus*, 57–73  
*Mionectes macconnelli*, 109–140  
*Mionectes oleagineus*, 109–140  
*Mionectes olivaceus*, 235–253, 271–275  
*Mitu salvini*, 189–204  
*Mitu tomentosa*, 109–140  
*Mitu tuberosa*, 109–140  
*Mniotilta varia*, 271–275  
 Molina, Y., 189–204  
*Molothrus bonariensis*, 345–354  
*Momotus momota*, 109–140, 271–275  
*Monasa morphoeus*, 109–140  
*Monasa nigrifrons*, 109–140  
 Morphology, 173–179  
*Myadestes melanops*, 271–275  
*Mycteria americana*, 109–140  
*Myiarchus ferox*, 57–73, 109–140  
*Myiarchus swainsoni*, 11–27, 57–73, 109–140  
*Myiarchus tuberculifer*, 109–140  
*Myiarchus tyrannulus*, 57–73  
*Myiarchus venezuelensis*, 235–253  
*Myiobius barbatus*, 109–140  
*Myioborus miniatus*, 271–275  
*Myioborus torquatus*, 271–275  
*Myiodynastes maculatus*, 11–27, 57–73, 109–140, 235–253  
*Myiopagis caniceps*, 11–27, 109–140  
*Myiopagis gaimardii*, 109–140, 235–253  
*Myiopagis viridicata*, 11–27  
*Myiophobus fasciatus*, 11–27, 57–73  
*Myiornis auricularis*, 11–27  
*Myiornis ecaudatus*, 109–140  
*Myiozetetes cayanensis*, 109–140  
*Myiozetetes similis*, 11–27, 109–140  
*Myrmeciza atrothorax*, 109–140  
*Myrmeciza disjuncta*, 109–140  
*Myrmeciza immaculata*, 271–275  
*Myrmoborus myiotherinus*, 109–140  
*Myrmothera campanisona*, 109–140  
*Myrmotherula ambigua*, 109–140  
*Myrmotherula assimilis*, 109–140  
*Myrmotherula axillaris*, 109–140  
*Myrmotherula brachyura*, 109–140  
*Myrmotherula cherriei*, 109–140  
*Myrmotherula haematona*, 109–140



- Myrmotherula longipennis*, 109–140  
*Myrmotherula menetriesii*, 109–140  
*Myrmotherula schisticolor*, 235–253, 271–275  
*Myrmotherula surinamensis*, 109–140  
*Nasica longirostris*, 109–140  
*Neopelma chrysocephalum*, 109–140  
*Neopipo cinnamomea*, 109–140  
*Neothraupis fasciata*, 57–73  
 Nest site selection, 285–296, 337–343  
 Nest types, 285–296, 337–343  
 Nesting behavior, 225–233, 327–336  
 Nesting, 1–9, 327–336  
 Nestling development, 225–233  
 Nestlings, 225–233  
 Nests, 1–9, 225–233, 265–269, 327–336  
 Nidos, 265–269  
*Nonnula amaurocephala*, 109–140  
*Nonnula rubecula*, 109–140  
 Noriega, J. I., 29–44  
*Notharchus macrorhynchus*, 109–140, 235–253  
*Notharchus ordii*, 109–140  
*Notharchus tectus*, 109–140  
*Notharcus macrorhynchus*, 11–27  
*Nothocrax urumutum*, 109–140  
*Nothoprocta taczanowskii*, 181–182  
*Nothura maculosa*, 57–73, 345–354  
*Notiochelidon cyanoleuca*, 57–73  
*Nyctibius bracteatus*, 109–140  
*Nyctibius grandis*, 109–140  
*Nyctibius griseus*, 11–27, 109–140  
*Nyctibius leucopterus*, 109–140  
*Nycticorax nycticorax*, 109–140  
*Nyctidromus albicollis*, 109–140  
*Nyctiprogne leucopyga*, 109–140  
*Nystalus chacuru*, 57–73  
*Oceanites oceanicus*, 45–55  
 Océano Atlántico Sur, 165–171  
 Ochotorena de Freitas, T. R., 319–326  
*Odontophorus capneira*, 11–27  
*Odontophorus gujanensis*, 109–140  
*Odontophorus melonatus*, 265–269  
 Oil, 355–356  
 Olivera A., M. A., 181–182  
*Onychorhynchus coronatus*, 109–140  
 Open habitats, 57–73  
*Opisthocomus hoazin*, 109–140  
*Oporornis formosus*, 271–275  
 Orange-breasted Fruiteater, 265–269  
 Orange-crowned Euphonia, 265–269  
*Orchesticus abeillei*, 11–27  
 Orgeira, J. L., 45–55, 165–171  
*Ornithion inerme*, 109–140  
 Ornitología Neotropical, i–ii  
*Ortalis ruficauda*, 235–253  
*Orthopsittaca manilata*, 109–140  
 Ortiz-Pulido, R., 297–317  
*Oryzoborus angolensis*, 109–140, 235–253  
*Otus choliba*, 57–73, 109–140  
*Otus watsonii*, 109–140  
*Oxyruncus cristatus*, 11–27  
 Pacheco, J. F., 109–140  
*Pachyptila desolata*, 45–55  
*Pachyramphus castaneus*, 11–27, 109–140  
*Pachyramphus marginatus*, 109–140  
*Pachyramphus polychopterus*, 11–27, 57–73, 109–140  
*Pachyramphus rufus*, 109–140  
*Pachyramphus surinamus*, 109–140  
*Pachyramphus validus*, 11–27  
*Pachyramphus viridis*, 11–27  
 Pacific Tuftedcheek, 265–269  
 Paja colorada, 345–354  
 Pale-faced Sheatbill, 173–179  
 Paloma Antártica, 173–179  
 Panamá, 327–336  
*Pandion haliaetus*, 109–140  
*Panyptila cayannensis*, 109–140  
 Paraná, 11–27  
*Pardirallus sanguinolentus*, 345–354  
 Parentage, 319–  
 Parental care, 225–233  
*Paroaria gularis*, 109–140  
 Parra, J. L., 189–204  
*Parula pitiaiyumi*, 11–27, 57–73, 235–253  
*Paspalum quadrifarium*, 345–354  
*Passerina caeruleascens*, 57–73  
 Patagonia, 83–86  
 Paujil Camarano, 189–204  
*Pauxi pauxi*, 235–253  
*Penelope argyrotis*, 235–253

- Penelope jacquacu*, 109–140  
*Penelope superciliaris*, 11–27  
*Pernostola minor*, 109–140  
Pereira Carvalhaes, A. M., 109–140  
*Perissocephalus tricolor*, 109–140  
Perú, 153–163, 327–336  
Petrel Atlántico, 165–171  
Petrel-Azul, 355–356  
*Petrodroma incerta*, 165–171  
Petry, M. V., 355–356  
*Phacellodomus rufifrons*, 57–73  
*Phaeomyias murina*, 109–140  
*Phaeoprogne tapera*, 109–140, 345–354  
*Phaethriccus poecilocercus*, 109–140  
*Phaethornis anthophilus*, 235–253  
*Phaethornis bourcierii*, 109–140  
*Phaethornis eurynome*, 11–27  
*Phaethornis longuemareus*, 235–253, 297–317  
*Phaethornis ruber*, 109–140  
*Phaethornis superciliosus*, 109–140, 297–317  
*Phaetusa simplex*, 109–140  
*Phalacrocorax bougainvillii*, 83–86  
*Phalacrocorax albiventer*, 83–86  
*Phalacrocorax atriceps*, 45–55  
*Phalacrocorax brasiliensis*, 109–140  
*Phalacrocorax magellanicus*, 83–86  
*Phalacrocorax*, 83–86  
*Pharomachrus pavoninus*, 109–140  
*Philohydor lictor*, 109–140  
*Philohydor atricapillus*, 255–263  
*Philohydor lichtensteini*, 11–27  
*Philohydor pyrrhodes*, 109–140  
*Philohydor rufus*, 11–27  
*Phlegopsis erythroptera*, 109–140  
*Phleocryptes melanops*, 345–354  
*Phloeocastes melanoleucos*, 11–27  
*Phoebetria palpebrata*, 45–55  
*Phoenicircus nigricollis*, 109–140  
*Phyllomyias zeledoni*, 327–336  
*Phylloscartes eximius*, 11–27  
*Phylloscartes ventralis*, 11–27  
Phylogeny, 29–44  
*Piaya cayana*, 11–27, 57–73, 109–140  
*Piaya melanogaster*, 109–140  
*Piaya minuta*, 109–140  
*Picoides mixtus*, 57–73  
*Piculus aurulentus*, 11–27  
*Piculus chrysocloros*, 109–140  
*Piculus flavigula*, 109–140  
*Picumnus albosquamatus*, 11–27  
*Picumnus* cf. *pumillus*, 109–140  
*Picumnus cirratus*, 11–27  
*Picumnus temminckii*, 11–27  
*Pilherodius pileatus*, 109–140  
Pingüino de Magallanes, 75–81  
*Pionites melanocephala*, 109–140  
*Pionopsitta barrabandi*, 109–140  
*Pionopsitta pileata*, 11–27  
*Pionus fuscus*, 109–140  
*Pionus maximiliani*, 11–27  
*Pionus menstruus*, 109–140  
*Pionus sordidus*, 235–253  
*Pipile cumanensis*, 109–140  
*Pipile jacutinga*, 11–27  
*Pipra coronata*, 109–140  
*Pipra erythrocephala*, 109–140, 235–253  
*Pipra filicanda*, 109–140, 235–253  
*Pipra pipra*, 109–140  
*Pipreola jucunda*, 265–269  
*Piprites chloris*, 11–27, 109–140  
*Pipromorpha rufiventris*, 11–27  
*Piranga flava*, 57–73  
*Piranga leucoptera*, 235–253  
*Piranga rubra*, 235–253  
*Pitangus sulphuratus*, 11–27, 57–73, 109–140, 345–354  
*Pithys albifrons*, 109–140  
*Pitylus fuliginosus*, 11–27  
Plastic particle, 355–356  
*Platalea ajaja*, 109–140  
*Platycichla flavipes*, 235–253  
*Platyrinchus mystaceus*, 11–27, 235–253, 271–275  
*Platyrinchus platyrhynchos*, 109–140  
*Plegadis chivi*, 285–296  
Pleistocene, 29–44  
*Polioptila dumicola*, 57–73  
*Polioptila lactea*, 11–27  
*Polioptila plumbea*, 109–140  
*Polyborus plancus*, 345–354

- Polyplancta aurescens*, 109–140  
*Polytmus theresiae*, 109–140  
 Population changes, 83–86  
*Premnoplex brunnescens*, 271–275  
 President page, i–iii  
*Procellaria aequinoctialis*, 45–55  
*Procellaria cinerea*, 45–55  
*Procnias averano*, 235–253  
*Progne chalybea*, 109–140  
*Progne subis*, 109–140  
*Progne tapera*, 57–73  
 Protected area, 109–140  
*Psarocolius bifasciatus*, 109–140  
*Psarocolius decumanus*, 109–140, 235–253  
*Pselliophorus tibialis*, 271–275  
*Pseudocolaptes johnsoni*, 265–269  
*Pseudoleistes virescens*, 345–354  
*Pseudoseisura*, 29–44  
*Psilorhamphus guttatus*, 11–27  
*Psophia crepitans*, 109–140  
*Pterodroma incerta*, 45–55  
*Pterodroma mollis*, 45–55  
*Pteroglossus aracari*, 11–27  
*Pteroglossus azara*, 109–140  
*Pteroglossus castanotis*, 109–140  
*Puffinus gravis*, 45–55  
*Puffinus griseus*, 45–55  
*Puffinus puffinus*, 45–55  
*Pulsatrix koeniswaldiana*, 11–27  
*Pulsatrix perspicillata*, 11–27, 109–140  
 Punta Lobería, 83–86  
*Pygiptila stellaris*, 109–140  
*Pyriglena leucoptera*, 11–27  
*Pyrrhura frontalis*, 11–27, 215–223  
*Pyrrhura melanura*, 109–140  
 Ramos, Mario, i  
*Ramphastos dicolorus*, 11–27  
*Ramphastos toco*, 57–73  
*Ramphastos tucanus*, 109–140  
*Ramphastos vitellinus*, 109–140  
*Ramphocaenus melanurus*, 109–140  
*Ramphocelus carbo*, 109–140, 235–253  
*Ramphocelus nigrogularis*, 109–140  
*Ramphotrigon ruficauda*, 109–140  
 Reddish-bellied Parakeet, 215–223  
 Relative abundance, 297–317  
 Reproductive costs, 75–81  
 Reproductive success, 75–81  
 Resource availability, 255–263  
*Rbegmatorbina cristata*, 109–140  
*Rhynchocyclus olivaceus*, 235–253  
*Rhynchotus rufescens*, 57–73  
*Rhytipterna immunda*, 109–140  
*Rhytipterna simplex*, 109–140  
 Rio Grande do Sul, 1–9, 355–356  
 Rio Negro, 109–140  
*Riparia riparia*, 109–140  
 Riparian habitats, 205–214  
 Riparian vegetation, 153–163  
 Robertson Jr., W. B., 277–278  
*Rupornis magnirostris*, 109–140  
*Rynchops niger*, 109–140  
*Rynchotus rufescens*, 345–354  
*Sakespborus canadensis*, 109–140  
*Sakespborus melanonotus*, 235–253  
*Saltator atricollis*, 57–73  
*Saltator maximus*, 109–140, 235–253  
*Saltator similis*, 11–27  
 Salvin's Curassow, 189–204  
*Sapayoa aenigma*, 327–336  
*Sarcoramphus papa*, 109–140  
 Savanna, 57–73  
 Scaled Antipitta, 225–233  
*Scaphidura oryzivora*, 109–140  
*Scardafella squammata*, 11–27  
*Schiffornis major*, 109–140  
*Schiffornis turdinus*, 109–140, 235–253  
*Schiffornis virescens*, 11–27  
*Schistochlamys melanopsis*, 109–140  
*Schistocichla leucostigma*, 109–140  
 Schlatter, R., 285–296  
 Schuchmann, K.-L., 93–108  
*Sclateria naevia*, 109–140  
*Sclerurus albigularis*, 235–253  
*Sclerurus caudacutus*, 109–140  
*Sclerurus rufigularis*, 109–140  
*Sclerurus scansor*, 11–27  
*Scytalopus indigoticus*, 11–27  
*Scytalopus chocoensis*, 327–336  
 Seabirds, 45–55

- Seasonality, 345–354  
*Seiurus aurocapillus*, 271–275  
*Selasphorus platycercus*, 297–317  
*Selasphorus rufus*, 297–317  
*Selasphorus sasin*, 297–317  
*Selenidera maculirostris*, 11–27  
*Selenidera nattereri*, 109–140  
*Serpophaga nigricans*, 345–354  
*Serpophaga subcristata*, 11–27  
*Setophaga ruticilla*, 109–140  
 Sexual dimorphism, 173–179  
*Sicalis citrina*, 57–73  
*Sicalis columbiana*, 109–140  
*Sicalis luteola*, 57–73, 345–354  
 Sickie-winged Guan, 265–269  
*Sirystes sibilator*, 11–27, 57–73  
*Sittasomus griseicapillus*, 11–27, 109–140, 235–253, 271–275  
 Size dimorphism, 173–179  
 Slender-billed Finch, 153–163  
 Soave, G. E., 205–214  
 Solórzano, A., 235–253  
 Sonogram, 141–152  
 Sotobosque, 235–253  
 South Atlantic Ocean, 45–55, 165–171  
*Spartonoica maluroides*, 345–354  
 Speckled Antshrike, 327–336  
*Speotyto cunicularia*, 57–73  
*Spheniscus magellanicus*, 45–55, 75–81  
*Spizæetus ornatus*, 109–140  
*Spizæetus tyrannus*, 109–140  
*Sporophila americana*, 109–140  
*Sporophila bouvreuil*, 57–73  
*Sporophila caeruleescens*, 57–73  
*Sporophila castaneiventris*, 109–140  
*Sporophila lineola*, 109–140  
*Sporophila plumbea*, 57–73  
*Stelgidopteryx ruficollis*, 109–140  
*Stercorarius parasiticus*, 45–55  
*Sterna hirundinacea*, 45–55  
*Sterna paradisaea*, 45–55  
*Sterna superciliaris*, 109–140  
*Sterna trudeaui*, 285–296  
*Sternocytha cyanopectus*, 235–253  
 Strewé, R., 265–269  
 Striolated Tit-spinetail, 1–9  
 Stripe-throated Wren, 327–336  
*Strix hylophila*, 11–27  
*Sturnella loyca*, 345–354  
*Sturnella militaris*, 109–140  
 Suertagaray Fontana, C., 1–9  
*Suiriri suiriri*, 57–73  
*Sula dactylatra*, 319–326  
*Sula leucogaster*, 319–326  
*Synallaxis albescens*, 57–73  
*Synallaxis cinerascens*, 11–27  
*Synallaxis frontalis*, 11–27  
*Synallaxis ruficapilla*, 11–27  
*Synallaxis rutilans*, 109–140  
*Synallaxis spixi*, 11–27  
*Syndactyla rufosuperciliata*, 11–27  
*Syndactyla subalaris*, 271–275  
 Tacarcuna Bush-Tanager, 327–336  
*Tachornis squamata*, 109–140  
*Tachycineta albiventer*, 109–140  
*Tachycineta leucorroboa*, 57–73, 345–354  
*Tachyphonus coronatus*, 11–27  
*Tachyphonus cristatus*, 109–140  
*Tachyphonus luctuosus*, 109–140  
*Tachyphonus phoenicius*, 109–140  
*Tachyphonus rufus*, 235–253  
*Tachyphonus surinamus*, 109–140  
 Taczanowski's Tinamou, 181–182  
*Tangara cayana*, 11–27, 57–73, 109–140  
*Tangara chilensis*, 109–140  
*Tangara dowii*, 271–275  
*Tangara fucosa*, 327–336  
*Tangara gyrola*, 235–253  
*Tangara mexicana*, 109–140  
*Tangara punctata*, 109–140  
*Tangara velia*, 109–140  
*Taoniscus nanus*, 57–73  
*Tapera naevia*, 109–140  
*Taraba major*, 109–140  
 Tartar emetic, 255–263  
 Temporal variation, 189–204  
*Terentotriccus erythrurus*, 109–140  
*Terenura spodioptila*, 109–140  
*Tersina viridis*, 109–140, 235–253  
*Thalassarche chrysostoma*, 45–55

- Thalassarche melanophris*, 45–55  
*Thalurania furcata*, 109–140  
*Thamnomanes ardesiacus*, 109–140  
*Thamnomanes caesi*us, 109–140  
*Thamnophilus aethiops*, 109–140  
*Thamnophilus amazonicus*, 109–140  
*Thamnophilus caerulescens*, 11–27  
*Thamnophilus doliatus*, 11–27  
*Thamnophilus murinus*, 109–140  
*Thamnophilus nigrocinereus*, 109–140  
*Thamnophilus punctatus*, 57–73  
*Thamnophilus ruficapillus*, 11–27  
*Thamnophilus schistaceus*, 109–140  
*Thamnophilus torquatus*, 57–73  
*Thlypopsis sordida*, 57–73  
 Thorstrom, R., 337–343  
*Tbraupis episcopus*, 109–140, 235–253  
*Tbraupis palmarum*, 109–140, 235–253  
*Tbraupis sayaca*, 11–27, 57–73  
*Thripadectes ignobilis*, 265–269  
*Thripadectes rufobrunneus*, 271–275  
*Thryothorus coraya*, 109–140  
*Thryothorus leucopogon*, 327–336  
*Thryothorus leucotis*, 109–140, 235–253  
*Thryothorus modestus*, 271–275  
*Thryothorus rufalbus*, 235–253, 271–275  
*Tiaris bicolor*, 235–253  
*Tiaris fuliginosa*, 235–253  
*Tigrisoma lineatum*, 109–140  
*Tilmatura dupontii*, 297–317  
*Tinamus major*, 109–140  
*Tinamus solitarius*, 11–27  
*Tityra cayana*, 11–27, 109–140, 235–253  
*Tityra inquisitor*, 11–27, 109–140  
*Tityra semifasciata*, 109–140  
*Todirostrum chrysocrotaphum*, 109–140  
*Todirostrum cinereum*, 11–27  
*Todirostrum maculatum*, 109–140  
*Todirostrum plumbeiceps*, 11–27  
*Tolmomyias assimilis*, 109–140  
*Tolmomyias poliocephalus*, 109–140  
*Tolmomyias sulphurescens*, 11–27, 57–73, 109–140, 235–253  
 Tonni, E. P., 29–44  
*Topaza pyra*, 109–140  
*Touit huetii*, 109–140  
*Touit purpurata*, 109–140  
*Trichothraupis melanops*, 11–27  
*Trichilaria malachitacea*, 11–27  
*Tringa flavipes*, 109–140  
*Tringa melanoleuca*, 109–140  
*Tringa solitaria*, 109–140  
 Trochilidae, 93–108  
*Troglodytes aedon*, 11–27, 57–73, 109–140, 271–275, 345–354  
*Troglodytes ochraceus*, 271–275  
*Trogon collaris*, 235–253  
*Trogon curucui*, 109–140  
*Trogon melanurus*, 109–140  
*Trogon rufus*, 109–140  
*Trogon surrucura*, 11–27  
*Trogon violaceus*, 109–140  
*Trogon viridis*, 11–27, 109–140  
 Tropical deciduous forest, 235–253  
 Trudeau's Tern, 285–296  
 Tubelis, D. P., 57–73  
*Turdus albicollis*, 11–27, 109–140, 235–253  
*Turdus amaurochalinus*, 11–27, 57–73  
*Turdus assimilis*, 271–275  
*Turdus fumigatus*, 109–140, 235–253  
*Turdus grayi*, 271–275  
*Turdus leucomelas*, 11–27, 57–73, 109–140, 235–253  
*Turdus nigriceps*, 11–27  
*Turdus obsoletus*, 271–275  
*Turdus rufiventris*, 11–27  
*Tyrannetes stolzmanni*, 109–140  
*Tyrannopsis melancholicus*, 109–140  
*Tyrannopsis sulphurea*, 109–140  
*Tyrannulus elatus*, 109–140  
*Tyrannus albogularis*, 57–73  
*Tyrannus melancholicus*, 11–27, 57–73  
*Tyrannus savana*, 57–73, 109–140, 345–354  
*Tyto alba*, 57–73, 109–140  
 Understory, 235–253  
 Uniform Treehunter, 265–269  
 Vallely, A. C., 271–275  
*Vanellus chilensis*, 345–354  
 Vegetation cover, 153–163  
 Venezuela, 235–253

- Veniliornis affinis*, 109–140  
*Veniliornis passerinus*, 57–73  
*Veniliornis spilogaster*, 11–27  
 Veracruz, 297–317  
 Verea, C., 235–253  
*Vermivora chrysoptera*, 271–275  
*Vireo altiloquus*, 109–140  
*Vireo olivaceus*, 11–27, 57–73, 109–140, 235–253  
*Vireolanius leucotis*, 109–140  
 Visit intensity, 75–81  
 Vocalizations, 141–152  
 Vogel, C.J., 181–182  
*Volatinia jacarina*, 57–73, 109–140  
 Vuilleumier, F., i–iii, 87–90, 279–282, 361–362  
 Weller, A.-A., 93–108  
 Welty, J., 277–278  
 White-faced Ibis, 285–296  
 White-fronted Tyrannulet, 327–336  
 Wiley, J., 359–361  
*Wilsonia pusilla*, 271–275  
*Xenopipo atronitens*, 109–140  
*Xenops milleri*, 109–140  
*Xenops minutus*, 109–140, 235–253  
*Xenops rutilans*, 11–27  
*Xenornis setifrons*, 327–336  
*Xenospizus concolor*, 153–163  
*Xiphocolaptes albicollis*, 11–27  
*Xiphocolaptes promeropirhynchus*, 109–140  
*Xipholena punicea*, 109–140  
*Xiphorhynchus erythropygus*, 271–275  
*Xiphorhynchus guttatus*, 109–140, 235–253  
*Xiphorhynchus necopinus*, 109–140  
*Xiphorhynchus obsoletus*, 109–140  
*Xiphorhynchus ocellatus*, 109–140  
*Xiphorhynchus picus*, 109–140  
*Xolmis cinerea*, 57–73  
*Xolmis velata*, 57–73  
 Yellow-collared Chlorophonia, 265–269  
 Yellow-winged Blackbird, 205–214  
 Yumi Miyaki, C., 319–326  
*Zenaida auriculata*, 11–27  
*Zimmerius gracilipes*, 109–140  
*Zonotrichia capensis*, 345–354

## Reviewers for *Ornitología Neotropical*, Volume 12

Each manuscript submitted for publication in *Ornitología Neotropical* is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (\*) manuscripts for Volume 12: Bernard Anger, Richard Bierregaard, Allisson V. Andors\*, Wayne J. Arendt, John Bates, Joël Bried, Christian Érard, Esteban Frere\*, Mauro Galetti, Gary R. Graves, Leo Joseph, Miguel Angel Martinez Morales, Raymond McNeil\*, Erica Nol, Manuel Nores,

José Luis Orgeira, Brigitte Poulin\*, John H. Rappole, Kenneth V. Rosenberg, John Rotenberry, Jorge E. Salina, K.-L. Schuchmann, Thomas S. Schulenberg\*, Neil G. Smith, Douglas Stotz, José G. Tello, Jean-Marc Thiollay, Richard Veit, Jacques Vieillard, François Vuilleumier\*, D. A. Wiedenfeld, Jim Wiley, Kevin Winker.

The abstracts were kindly corrected by Cristina Yumi Miyaki for the Portuguese, and by Diego Montalti for the Spanish.