

INDEX, WESTERN BIRDS, VOLUME 10, 1979

Compiled by Mildred Comar

- Accipiter cooperii*, 3-15
 gentilis, 3, 4, 7, 11-14, 222
 striatus, 3-15
Actitis macularia, 207, 213
Adams, John K. and Virgil E. Scott,
 Timber harvest modification around an
 active Osprey nest, 157-158
Aechmophorus occidentalis, 14, 52, 53
Aegolius acadicus, 69
 funereus, 64
Aimophila cassinii, 163-164, 185
 ruficeps scottii, 45-46
Ainley, David G. and Bill Manolis, Occur-
 rence and distribution of the Mottled
 Petrel, 113-123
Aix sponsa, 221
Ajaia ajaja, 166, 221, 222
Akepa, 71-80
Albatross, Short-tailed, 172
 Wandering, 171
Amakihi, 71-80
Amazilia verticalis, 177
Ammodramus bairdii, 63
 savannarum, 69, 164
Ammospiza caudacuta, 69, 185
 leconteii, 63, 69, 184, 188
Anas cyanoptera, 96
 diasi, 58
 discors, 96
 fulvigula, 58
 penelope, 59
 querquedula, 173
 strepera, 221
Andrews, Robert, Colorado Field Or-
 nithologists Official Records Committee
 Report, 1976-1977, 57-70
Ani, Grove-billed, 58, 177
Anthus spinoletta, 203-206, 210, 211
 spragueii, 62, 180
Antrim, Brooke, S., see Baltz, D.
Aphelocoma coerulescens, 46
Aquila chrysaetos, 4-13, 205, 208
Ardea herodias, 221
Arenaria melanocephala, 207
Asio flammeus, 205, 208
Atwood, Jonathan L., Robbery of nesting
 materials by the Calliope Humming-
 bird, 43-44
Auklet, Cassin's, 52
 Parakeet, 189-200
 Rhinceros, 52, 193, 196
Aythya collaris, 221
 fuligula, 173
 valisineria, 221
Baltz, Donald M., G. Victor Morejohn and
 Brooke S. Antrim, Size selective preda-
 tion and food habits of two California
 terns, 17-24
Baptista, Luis F., see Wells, S.
Bartramia longicauda, 175
Binford, Laurence C., Fall migration of
 diurnal raptors at Pt. Diablo, California,
 1-16
Blackbird, Rusty, 184, 211
Bonasa umbellus, 58
Booby, Masked (Blue-faced), 172
 Red-footed, 172
Brachyramphus brevirostris, 186
Brant, 173
Branta bernicla hrota, 173
 canadensis, 159-162
Bubulcus ibis, 37-41, 59, 221
Bunting Lark, 164
 Painted, 184
 Snow, 185
 Varied, 184
Bushtit, 46
Buteo albonotatus, 174
 jamaicensis, 3-15
 lagopus, 4-14, 208, 209, 213
 lineatus, 3-15, 59
 platypterus, 4-15, 64, 174
 regalis, 4, 8, 12, 14
 swainsoni, 4-14
Butorides striatus, 59
Calamospiza melanocorys, 164
Calcarius lapponicus, 210, 211, 213
Calidris acuminata, 58, 86-91, 175
 ferruginea, 175
 fuscicollis, 175
 mauri, 213
 melanotos, 86-91
 minutilla, 207, 213
 pusilla, 175
Calonectris leucomelas, 172
Calypte costae, 143

- Campbell, R. Wayne, see Sealy, S.
 Canvasback, 221
 Capella gallinago, 207
 Cardellina rubrifrons, 183
 Cardiff, Steven, see Remsen, J.
 Carduelis flamma, 206, 211, 213
 pinus, 206, 211, 213
 Carpodacus purpureus, 63
 Castetter, Richard C. and Herbert O. Hill,
 Additions to the birds of the Nevada
 Test Site, 221-223
 Catbird, Gray, 179
 Cathartes aura, 3-15, 125-130
 Catharus fuscescens, 180
 guttatus, 205, 206, 208, 209, 213
 minimus, 61, 70, 206, 210
 Catherpes mexicanus, 61, 223
 Catoptrophorus semipalmatus, 222
 Cerorhinca monocerata, 52, 193, 196
 Charadrius alexandrinus, 69
 melodus, 60, 174, 175
 semipalmatus, 207, 213
 vociferus, 86, 91, 92
 Chaetura sp., 61
 Chen caerulescens, 221
 rossii, 59
 Chlidonias niger, 222
 Cinclus mexicanus, 215-216
 Circus cyaneus, 3-15
 Cistothorus platensis, 61
 Coccyzus erythrophthalmus, 177
 Colaptes auratus, 61, 224
 Conant, Sheila, see Scott, J.
 Conover, Michael R., Bruce C. Thomp-
 son, Richard E. Fitzner and Don E.
 Miller, Increasing populations of Ring-
 billed and California gulls in
 Washington State, 31-36
 Conry, Jeanne A., see Webb, B.
 Contopus pertinax, 179
 sordidulus, 206, 208
 virens, 179
 Cord, Bart and Joseph R. Jehl, Jr.,
 Distribution, biology, and status of a
 relict population of Brown Towhee
 (*Pipilo fuscus eremophilus*), 131-156
 Cormorant, Double-crested, 221
 Corvus corax, 203, 205, 208, 209
 Creeper, Hawaiian, 71-80
 Crossbill, Red, 223
 White-winged, 205, 206, 210, 211
 Crotophaga sulcirostris, 58, 177
 Cuckoo, Black-billed, 177
 Cyanocitta cristata, 179
 cristata x stelleri, 65
 Cyclorhynchus psittacula, 189-200
 Cygnus bewickii, 172
 columbianus, 172, 173
 Cynanthus latirostris, 178
 Danforth, Douglas W., Aztec Thrush in
 Arizona, An, 217-218
 Davis, Deborah, Morning and evening
 roosts of Turkey Vultures at Malheur
 Refuge, Oregon, 125-130
 Dendrocygna autumnalis, 173
 Dendroica castanea, 182
 cerulea, 181
 discolor, 62, 66
 dominica, 62, 181, 182
 fusca, 69
 graciae, 182
 nigrescens, 46
 occidentalis, 62
 pennsylvanica, 182
 petechia, 206, 210-213
 pinus, 62, 183
 tigrina, 62, 181
 virens, 181
 Dickcissel, 69
 Diomedea albatrus, 172
 exulans, 171
 Dipper, 215-216
 Dotterel, 92-94, 174
 Dove, White-winged, 60
 Dowitcher, Long-billed, 86
 Short-billed, 60
 Duck, Harlequin, 59, 64, 207
 Mexican, 58
 Mottled, 58
 Ring-necked, 221
 Tufted, 173
 Wood, 221
 Dumetella carolinensis, 179
 Dunn, Jon, see Luther, J.
 Eagle, Bald, 13, 205, 208, 209, 222
 Golden, 4-13, 205, 208
 Egret, Cattle, 37-41, 59, 221
 Snowy, 38
 Egretta thula, 38
 Eider, King, 174
 Spectacled, 186
 Elanus leucurus, 3-15, 165
 Ellis, David H. and Gale Monson, White-
 tailed Kite records for Arizona, 165
 Empidonax alnorum, 69
 minimus, 179
 traillii, 185

- Endomychura craveri*, 25
hypoleuca, 25, 28
h. hypoleuca, 81-82
h. scrippsi, 81-82
- Remophila alpestris*, 206, 208
- Eudocimus albus*, 172
- Eudromias morinellus*, 92-94, 174
- Euphagus carolinus*, 184, 211
- Faanes, Craig A., Bruce A. Hanson and Harold A. Kantrud, Cassin's Sparrow - first record for Wyoming and recent range extensions, 163-164
- Falco columbarius*, 13, 205, 209
mexicanus, 4, 5, 7, 13
peregrinus, 4-14, 203, 205, 208, 209, 222
sparverius, 3-15
- Falcon, Peregrine, 4-14, 203, 205, 208, 209, 222
 Prairie, 4, 5, 7, 13
- Finch, Black Rosy, 184
 Gray-crowned Rosy, 203, 204, 206, 210, 211
 Purple, 63
- Fitzner, Richard E., see Conover, M.
- Flicker, Common, 61, 224
- Florida caerulea*, 59
- Flycatcher, Alder, 69
 Coues', 179
 Great Crested, 178
 Least, 179
 Olivaceous, 178
 Scissor-tailed, 222
 Sulphur-bellied, 178
 Vermilion, 61, 69
 Willow, 185
- Fratercula corniculata*, 177, 196
- Fregata magnificens*, 172
- Frigatebird, Magnificent, 172
- Fulmar, Northern, 49-56, 121
- Fulmarus glacialis*, 49-56, 121
- Gadwall, 221
- Garganey, 173
- Gavia adamsii*, 96, 171
arctica, 52, 53, 59
stellata, 59
- Gnatcatcher, Black-tailed, 223
 Blue-gray, 43, 46
- Godwit, Bar-tailed, 176
 Hudsonian, 60
- Goose, Canada, 159-162
 Snow, 221
 Ross', 59
- Goshawk, 3, 4, 7, 11-14, 222
- Grackle, Common, 184
 Great-tailed, 63
- Grebe, Red-necked, 52
 Western, 14, 52, 53
- Grouse, Ruffed, 58
- Gull, Black-headed, 177
 Black-tailed, 186
 California, 14, 31-36
 Franklin's, 222
 Glaucous-winged, 52, 193, 207
 Herring, 55
 Iceland, 58
 Laughing, 60
 Lesser Black-backed, 58, 177
 Little, 60, 177
 Mew, 52, 207
 Ring-billed, 31-36, 42
 Thayer's, 60
 Western, 52, 53
- Haematopus bachmani*, 193, 208, 209
*palliatu*s, 174
- Haliaeetus leucocephalus*, 13, 205, 208, 209, 222
- Hanson, Bruce A., see Faanes, C.
- Harrington-Tweit, Bill, seabird die-off on the Washington coast in mid-winter, 1976, A, 49-56
- Hasenyager, Robert N., Jordan C. Pederson and Albert W. Heggen, Flammulated Owl nesting in a squirrel box, 224
- Hawk, Broad-winged, 4-15, 64, 174
 Cooper's, 3-15
 Ferruginous, 4, 8, 12, 14
 Marsh, 3-15
 Red-shouldered, 3-15, 59
 Red-tailed, 3-15
 Rough-legged, 4-14, 208, 209, 213
 Sharp-shinned, 3-15
 Swainson's, 4-14
 Zone-tailed, 174
- Hawthorne, Vernon M., Use of nest boxes by Dippers on Sagehen Creek, California, 215-216
- Heggen, Albert W., see Hasenyager, R.
- Helmitheros vermivorus*, 62, 181
- Henderson, Philip, Dotterel on Southeast Farallon Island, California, A, 92-94
- Heron, Black-crowned Night, 38
 Great Blue, 221
 Green, 59
 Little Blue, 59
 Louisiana, 59, 67
- Heteroscelus incanus*, 213


- Hill, Herbert O., see Castetter, R.
- Histrionicus histrionicus*, 59, 64, 207
- Hummingbird, Allen's, 83-85
- Blue-throated, 61, 177, 178
- Broad-billed, 178
- Calliope, 43-44, 69
- Costa's, 143
- Violet-crowned, 177
- Hydranassa tricolor*, 59, 67
- Ibis, White, 172
- Icterus galbula*, 69
- parisorum*, 63
- pustulatus*, 184
- Ictinia mississippiensis*, 3, 4, 12, 174
- Iridoprocne bicolor*, 205, 206, 208, 209
- Ixoreus naevius*, 61, 206, 208, 209
- Jaeger, Parasitic, 60
- sp., 60
- Jay, Blue, 179
- Blue x Steller's, 65
- Scrub, 46
- Jehl, Joseph R., Jr., Pine cones as granaries for Acorn Woodpeckers, 219-220; see Cord, B.
- Kantrud, Harold A., see Faanes, C.
- Kestrel, American, 3-15
- Killdeer, 86, 91, 92
- Kingbird, Thick-billed, 178
- Kingfisher, Belted, 205, 209
- Kinglet, Golden-crowned, 206, 211
- Ruby-crowned, 206, 211
- Kite, Mississippi, 3, 4, 12, 174
- White-tailed, 3-15, 165
- Kittiwake, Black-legged, 49-56, 60, 207
- Lampronetta fischeri*, 186
- Lampornis clemenciae*, 61, 177, 178
- Lark, Horned, 206, 208
- Larus argentatus*, 55
- atricilla*, 60
- californicus*, 14, 31-36
- canus*, 52, 207
- crassirostris*, 186
- delawarensis*, 31-36, 42
- fuscus*, 58, 177
- glaucescens*, 52, 55, 193, 207
- glaucoides*, 58
- minutus*, 60, 177
- occidentalis*, 52
- pipixcan*, 222
- ridibundus*, 177
- thayeri*, 60
- Lawson, C.S., Nevada records of Roseate Spoonbill, 166
- Leucosticte atrata*, 184
- tephrocotis*, 203, 204, 206, 210, 211
- Lidicker, W.Z., Jr. and F.C. McCollum, Canada Goose established as a breeding species in San Francisco Bay, 159-162
- Limnodynastes griseus*, 60
- scolopaceus*, 86
- Limosa haemastica*, 60
- lapponica*, 176
- Longspur, Lapland, 210, 211, 213
- Loon, Arctic, 52, 53, 59
- Red-throated, 59
- Yellow-billed, 96, 171
- Loxia curvirostris*, 223
- leucoptera*, 205, 206, 210, 211
- Loxops coccineus*,
- coccineus*, 71-80
- maculatus mana*, 71-80
- virens virens*, 71-80
- Lunda cirrhata*, 52, 196
- Luther, John S., Guy McCaskie and Jon Dunn, Third report of the California Bird Records Committee, 169-187
- Manolis, Bill, see Ainley, D.
- Manuwal, David A. and Naomi J. Manuwal, Habitat specific behavior of the Parakeet Auklet in the Barren Islands, Alaska, 189-200; Habitat utilization and migration of land birds on the Barren Islands, Alaska, 201-213
- Manuwal, Naomi J., see Manuwal, D.
- Martin, Purple, 61
- McCaskie, Guy, see Luther, J.
- McCollum, F.C., see Lidicker, W.
- Meadowlark, Eastern, 62
- Megaceryle alcyon*, 205, 209
- Melanerpes erythrocephalus*, 61
- formicivorus*, 219-220
- Melanitta deglandi*, 50-55, 59
- nigra*, 59
- perspicillata*, 52, 59
- Melospiza lincolnii*, 206, 211
- melodia*, 206, 210, 211
- Merganser, Common, 221
- Mergus merganser*, 221
- Merlin, 13, 205, 209
- Miller, Don E., see Conover, M.
- Miller, Gary C., and Ronald A. Ryder, Cattle Egret in Colorado, 37-41
- Monson, Gale, see Ellis, D.
- Morejohn, G. Victor, see Baltz, D.
- Murray, Kelvin G., see Winnett, K.

Murre, Common, 25, 28, 49-56, 196
 Thick-billed, 177
 Murrelet, Ancient, 25-30
 Craveri's, 25
 Kittlitz's, 186
 Xantus', 25, 28, 81-82
Muscivora forficata, 222
Myiarchus crinitus, 178
 tuberculifer, 178
Myioborus pictus, 183
Myiodynastes luteiventris, 178
 Nuthatch, Pygmy, 61, 77
 Red-breasted, 223
Nyctea scandiaca, 177
Nycticorax nycticorax, 38
Oceanites oceanicus, 172
Oceanodroma furcata, 51, 52
 leucorhoa, 52
Oenanthe oenanthe, 206, 210
Olor columbianus, 221
Oporornis agilis, 183
 formosus, 66, 183
 philadelphia, 183
 Oriole, Northern, 69
 Scott's, 63
 Streak-backed (Scarlet-headed), 184
 Osprey, 4-13, 157-158
Otus flammeolus, 224
 Owl, Boreal, 64
 Flammulated, 224
 Saw-whet, 69
 Short-eared, 205, 208
 Snowy, 177
 Spotted, 61, 67
 Oystercatcher, American, 174
 Black, 193, 208, 209
Pandion haliaetus, 4-13, 157-158
Parula americana, 69, 181
Parula, Northern, 69, 181
Parus inornatus, 46
Passerculus sandwichensis, 203, 204,
 206, 210, 211, 213
Passerella iliaca, 206, 210, 211, 213
Passerina ciris, 184
 versicolor, 184
 Pederson, Jordan C., see Hasenyager, R.
 Petrel, Mottled (Scaled), 51, 52, 113-124,
 170
 Pewee, Eastern Wood, 179
 Western Wood, 206, 208
Phalacrocorax auritus, 221
Phalaropus fulicarius, 60, 64
Phalarope, Red, 60, 64
Philomachus pugnax, 58, 176
Phoebe, Eastern, 61, 179
 Say's, 209
Picoides scalaris, 61
Pipilo chlorurus, 133
 erythrophthalmus, 150
 fuscus carolae, 131, 150, 153
 f. eremophilus, 131-156
 f. mesoleucus, 147
 f. petulans, 143
 f. senicula, 143
 Pipit, Sprague's, 62, 180
 Water, 203-206, 210, 211
Piranga olivacea, 63, 184
 rubra, 63, 69
Plectrophenax nivalis, 185
 Plover, Piping, 60, 174, 175
 Semipalmated, 207, 213
 Snowy, 69
Podiceps grisegena, 52
Polioptila caerulea, 43, 46
 melanura, 223
 Pratt, H. Douglas, see Scott, J.
Progne subis, 61
Protonotaria citrea, 62, 180
Psaltriparus minimus, 46
Pterodroma inexpectata, 51, 52, 113-124
Ptychoramphus aleuticus, 52
 Puffin, Horned, 177, 196
 Tufted, 52, 196
Puffinus griseus, 51, 55
 tenuirostris, 55, 172
Pyrocephalus rubinus, 61, 69
Pyrrhuloxia, 184
Pyrrhuloxia sinuata, 184
Quiscalus mexicanus, 63
 quiscula, 184
 Rail, King, 58, 65
Rallus elegans, 58, 65
 Raven, Common, 203, 205, 208, 209
 Redpoll, Common, 206, 211, 213
 Redstart, American, 223
 Painted, 183
Regulus calendula, 206, 211
 satrapa, 206, 211
 Remsen, J.V., Jr. and Steven Cardiff,
 First records of the race *scottii* of the
 Rufous-crowned Sparrow in California,
 45-46
Ridgwayia pinicola, 217-218
Riparia riparia, 206, 208, 209
Rissa tridactyla, 49-56, 60, 207
 Robin, American, 205, 209
 Rufous-backed, 180
 Ruff, 58, 176

- Ryder, Ronald A., see Miller, G.
- Sandpiper, Buff-breasted, 60, 176
- Curlew, 175
 - Least, 207, 213
 - Pectoral, 86-91
 - Semipalmated, 175
 - Sharp-tailed, 58, 86-91, 175
 - Solitary, 213
 - Spotted, 207, 213
 - Upland, 175
 - Western, 213
 - White-rumped, 175
- Sayornis phoebe*, 61, 179
- saya*, 209
- Scoter, Black, 59
- Surf, 52, 59
 - White-winged, 50-55, 59
- Scott, J. Michael, Sheila Conant and H. Douglas Pratt, Field identification of the Hawaiian Creeper on the island of Hawaii, 71-80
- Scott, Virgil E., see Adams, J.
- Sealy, Spencer G. and R. Wayne Campbell, Posthatching movements of young Ancient Murrelets, 25-30
- Seiurus motacilla*, 62, 182
- Selasphorus sasin sedentarius*, 83-85
- Setophaga ruticilla*, 223
- Shearwater, Short-tailed, 55, 172
- Sooty, 51, 55
 - Streaked, 172
- Siskin, Pine, 206, 211, 213
- Sitta canadensis*, 223
- pygmaea*, 61, 77
- Snipe, Common, 207
- Somateria spectabilis*, 174
- Sparrow, Baird's, 63
- Brewer's, 163-164
 - Cassin's, 163-164, 185
 - Fox, 206, 210, 211, 213
 - Golden-crowned, 203, 204, 206, 210, 211
 - Grasshopper, 69, 164
 - Le Conte's, 63, 69, 184, 188
 - Lincoln's, 206, 211
 - Rufous-crowned, 45-46
 - Savannah, 203, 204, 206, 210, 211, 213
 - Sharp-tailed, 69, 185
 - Song, 206, 210, 211
 - White-crowned, 206, 210
- Spiza americana*, 69
- Spizella breweri*, 163-164
- Spoonbill, Roseate, 166, 221, 222
- Stellula calliope*, 43-44, 69
- Stercorarius parasiticus*, 60
- sp., 60
- Sterna caspia*, 17-24, 68, 222
- forsteri*, 17-24, 222
- Storm-Petrel, Fork-tailed, 51, 52
- Leach's, 52
 - Wilson's, 172
- Strix occidentalis*, 61, 67
- Sturnella magna*, 62
- Sula dactylatra*, 172
- leucogaster*, 185
 - sula*, 172
- Swallow, Bank, 206, 208, 209
- Tree, 205, 206, 208, 209
 - Violet-green, 206, 208, 209
- Swan, Bewick's, 172
- Tundra, 173
 - Whistling, 172, 173, 221
- Swift sp., 61
- Synthliboramphus antiquus*, 25-30
- Tachycineta thalassina*, 206, 208, 209
- Tanager, Scarlet, 63, 184
- Summer, 63, 69
- Tattler, Wandering, 213
- Teal, Blue-winged, 96
- Cinnamon, 96
- Tern, Black, 222
- Caspian, 17-24, 68, 222
 - Forester's, 17-24, 222
- Thompson, Bruce C., see Conover, M.
- Thrasher, Brown, 223
- Curved-billed, 61, 179
- Thrush, Aztec, 217-218
- Gray-cheeked, 61, 206, 210
 - Hermit, 205-209, 213
 - Varied, 61, 206-209
- Thryomanes bewickii*, 45
- Titmouse, Plain, 46
- Towhee, Brown, Inyo, 131-156
- Green-tailed, 133
 - Rufous-sided, 150
- Toxostoma curvirostre*, 61, 179
- rufum*, 223
- Tringa solitaria*, 213
- Troglodytes aedon*, 61
- troglodytes*, 203-209
- Tryngites subruficollis*, 60, 176
- Turdus migratorius*, 205, 209
- rufopalliatius*, 180
- Turnstone, Black, 207
- Tyrannus crassirostris*, 178
- Uria aalge*, 25, 28, 49-56, 196
- lomvia*, 177

- Veery, 180
Vermivora celata, 83, 206, 210, 211, 213
 chrysoptera, 62, 69, 181
 pinus, 62
 sordida, 83
 Vireo, Gray, 46
 Philadelphia, 62, 180
 Red-eyed, 180
 White-eyed, 62
 Yellow-green, 180
 Yellow-throated, 62, 180
Vireo flavifrons, 62, 180
 flavoviridis, 180
 griseus, 62
 olivaceus, 180
 philadelphicus, 62, 180
 vicinior, 46
 Vulture, Turkey, 3-15, 125-130
 Warbler, Bay-breasted, 182
 Blackburnian, 69
 Black-throated Gray, 46
 Black-throated Green, 181
 Blue-winged, 62
 Canada, 62, 183
 Cape May, 62, 181
 Cerulean, 181
 Chestnut-sided, 182
 Connecticut, 183
 Golden-winged, 62, 69, 181
 Grace's, 182
 Hermit, 62
 Hooded, 183
 Kentucky, 66, 183
 Mourning, 183
 Orange-crowned, 83, 206, 210, 211, 213
 Pine, 62, 183
 Prairie, 62, 66
 Prothonotary, 62, 180
 Red-faced, 183
 Wilson's, 206, 210, 211
 Worm-eating, 62, 181
 Yellow, 206, 210-213
 Yellow-throated, 62, 181, 182
 Waterthrush, Louisiana, 62, 182
 Webb, Bruce E., and Jeanne A. Conry,
 Sharp-tailed Sandpiper in Colorado, with
 notes on plumage and behavior, A, 86-91
 Wells, Shirley and Luis F. Baptista,
 Breeding of Allen's Hummingbird
 (*Selasphorus sasin sedentarius*) on the
 southern California mainland, 83-85
 Wheatear, 206, 210
 Whistling-Duck, Black-bellied, 173
 White-eye, Japanese, 72, 73, 75, 78
 Wigeon, European, 59
 Willet, 222
Wilsonia canadensis, 62, 183
 citrina, 183
 pusilla, 206, 210, 211
 Wingfield, John C., see Winnett, K.
 Winnett, Kathy A., Kelvin G. Murray and
 John C. Wingfield, Southern race of Xan-
 tus' Murrelet breeding on Santa Barbara
 Island, California, 81-82
 Woodpecker, Acorn, 219-220
 Ladder-backed, 61
 Red-headed, 61
 Wren, Bewick's, 45
 Canyon, 61, 223
 House, 61
 Short-billed Marsh, 61
 Winter, 203-209
Zenaida asiatica, 60
Zonotrichia atricapilla, 203, 204, 206,
 210, 211
 leucophrys, 206, 210
Zosterops japonicus, 72, 73, 75, 78

This Publication is Available in MICROFORM



FOR INFORMATION
WRITE:

University Microfilms International

Dept. F.A.
300 North Zeeb Road
Ann Arbor, MI 48106
U.S.A.

Dept. F.A.
18 Bedford Row
London, WC1R 4EJ
England