

WESTERN BIRDS, INDEX, VOLUME 23, 1992

Compiled by Mildred Comar

- Actitis macularia*, 59, 63
Aechmophorus clarkii, 155–156
occidentalis, 18, 33–34, 155–156
Agelaius tricolor, 153, 161
Aimophila cassinii, 121
Alfaro, Lucia, see Palacios, E.
Amazilia violiceps, 113
Ammodramus leconteii, 121, 127
Anas acuta, 156
crecca, 122
cyanoptera, 156–157
discors, 122, 156
formosa, 104
platyrhynchos, 156
querquedula, 122
strepera, 157
Ani, Groove-billed, 113, 158
Anthus cervinus, 99, 116–117, 126
rubescens, 17, 159
spragueii, 117
Archilochus alexandri, 16
Ardea herodias, 14, 15, 18, 41, 179
Arenaria interpres, 16, 64
melanocephala, 16
Atwood, Jonathan L., A Maximum Estimate of the California Gnatcatcher's Population Size in the United States, 1–9
Auklet, Parakeet, 112
Avocet, American, 57–58, 76
Aythya americana, 157
ferina, 98
fuligula, 99, 104–105, 122
Baker, William S., see Hayes, F. E.
Bartramia longicauda, 59, 123
Bittern, American, 17
Least, 17, 156
Blackbird, Brewer's, 161
Tricolored, 153, 161
Yellow-headed, 153, 161
Bluetail, Red-flanked, 98
Booby, Brown, 101, 122
Red-footed, 101–103
Botaurus lentiginosus, 17
Brant, 15, 156
Branta bernicla, 15, 156
Browning, M. Ralph, Geographic Variation in *Hirundo pyrrhonota* (Cliff Swallow) of Northern North America, 21–29
Bubo virginianus, 17, 179–180
Bucephala albeola, 18
Bufflehead, 18
Bunting, Little, 98
Painted, 121, 128
Rustic, 121
Snow, 121
Buteo albonotatus, 105
jamaicensis, 179–180
regalis, 171, 179
swainsoni, 179
Butorides striatus, 14
Calcarius pictus, 98
Calidris alba, 64–65
alpina, 16, 69
bairdii, 68, 70, 76, 77
canutus, 64
ferruginea, 110
fuscicollis, 52, 110, 123
himantopus, 69
mauri, 16, 17, 65, 67, 69, 76
melanotos, 69, 71, 76, 77
minutilla, 16, 68, 77
pusilla, 65–66, 76, 77
ruficollis, 123
subminuta, 98, 109
Calypte anna, 159
Caprimulgus carolinensis, 113
vociferus, 159
Caracara, Crested, 98
Carduelis flammea, 127
pinus, 35, 171–172
psaltria, 171
sinica, 98
Casmerodius albus, 15, 153
Castellanos Vera, A., see Unitt, P.
Catbird, Gray, 115–116
Cathartes aura, 16
Catharus fuscescens, 115, 125–126
guttatus, 94, 159
minimus, 115
Catoptrophorus semipalmatus, 15, 59, 62, 77
Ceryle alcyon, 17
Charadrius alexandrinus, 15, 53
hiaticula, 123
mongolus, 105
montanus, 52
morinellus, 106
semipalmatus, 53–55

- vociferus*, 54, 56, 76, 77
wilsonia, 15
Chen canagica, 102
 Chickadee, Mountain, 87–89
Chloroceryle americana, 98
 Chuck-will's-widow, 113
Circus cyaneus, 17, 79–80
Coccyzus erythrophthalmus, 112–113
Columba fasciata, 157–158
Columbina passerina, 112, 158
talpacoti, 98, 107, 112, 124, 158
Contopus pertinax, 114
sordidulus, 124–125
virens, 124–125
 Contreras, Alan, Winter Status of the Sora in the Pacific Northwest, 137–142
 Contreras-Balderas, Armando J., Status of Clark's Nutcracker on Cerro El Potosí, Nuevo León, México, 181
 Coot, Caribbean, 98
 Cormorant, Brandt's, 14
 Double-crested, 13, 14, 15, 17, 18
 Neotropic, 102
Corvus corax, 17
Coturnicops noveboracensis, 105, 106, 123
 Cowbird, Brown-headed, 161–162
Creagrus furcatus, 98
 Crossbill, Red, 35, 36
 White-winged, 35–37
Crotophaga sulcirostris, 113, 158
 Cuckoo, Black-billed, 112–113
 Curlew, Long-billed, 15, 63, 153
Cyclorhynchus psittacula, 112
Cygnus buccinator, 102, 122
Cyanthus latirostris, 113, 124, 133, 159
 Danemann, Gustavo D., and Juan R. Guzman Poo, Notes on the Birds of San Ignacio Lagoon, Baja California Sur, Mexico, 11–19
Dendrocygna autumnalis, 102, 156
Dendroica cerulea, 119
dominica, 118
graciae, 118, 128
petechia castaneiceps, 17
pinus, 119
 Dotterel, Eurasian, 106
 Dove, Common Ground, 112, 158
 Oriental Turtle, 98
 Ruddy Ground, 98, 107, 112, 124, 158
 Spotted, 158
 Dowitcher, Long-billed, 71, 76
 Short-billed, 69, 153
 sp., 16, 72
 Duck, Black-bellied Whistling, 102, 156
 Tufted, 99, 104–105, 122
Dumetella carolinensis, 115–116
 Dunlin, 16, 69
 Eagle, Bald, 180
 White-tailed Sea, 179
 Egret, Great, 15, 153
 Reddish, 14, 15, 18, 102
 Snowy, 15, 41, 43
Egretta caerulea, 17
rufescens, 14, 15, 18, 102
thula, 15, 41, 43
tricolor, 15
 Eider, King, 105
Elanus caeruleus/leucurus, 81–83, 153, 157, 177–178
 Ellis, David H., Proximal Nesting by the Black-billed Magpie and Two Raptors, 179–180; see also La Rue, C. T.
Emberiza pusilla, 98
rustica, 121
Empidonax alnorum, 98, 125
difficilis, 114
flaviventris, 114
oberholseri, 159
occidentalis, 114
virescens, 114
Eremophila alpestris, 16
Eudocimus albus, 15
Euphagus cyanocephalus, 161
Falco peregrinus, 16, 179
rusticolus, 105
 Falcon, Peregrine, 16, 179
 Flycatcher, Acadian, 114
 Alder, 98, 125
 Cordilleran, 114
 Dusky, 159
 Dusky-capped, 114
 Great Crested, 115
 Pacific-slope, 114
 Scissor-tailed, 115, 125
 Yellow-bellied, 114
Fregata magnificens, 13, 156
 Frigatebird, Magnificent, 13, 156
Fulica caribaea, 98
 Gadwall, 157
Gallinago gallinago, 71

- Garganey, 122
- Gavia adamsii*, 100, 122, 128
- arctica*, 98
- immer*, 153
- pacifica*, 153
- Geothlypis beldingi*, 160
- trichas*, 160
- Gnatcatcher, Black-tailed, 1
- California, 1-9
- Godwit, Bar-tailed, 109
- Hudsonian, 32, 63, 107, 109
- Marbled, 15, 16, 63-64, 77
- Golden-Plover, Lesser, 52-54, 75-77
- Goldfinch, Lesser, 171
- Goose, Emperor, 102
- Grackle, Common, 84-86, 121, 127
- Grebe, Clark's, 155-156
- Least, 100, 153, 155
- Western, 18, 33-34, 155-156
- Greenfinch, Oriental, 98
- Grosbeak, Yellow, 127
- Groth, Jeffrey G., White-winged
- Crossbill Breeding in Southern
- Colorado, with Notes on Juveniles'
- Calls, 35-37
- Ground-Dove, Common, 112, 158
- Ruddy, 98, 107, 112, 124, 158
- Gull, Band-tailed, 98
- Black-tailed, 98
- California, 16, 153
- Common Black-headed, 112, 123
- Franklin's, 31, 39-40, 157
- Heermann's, 16, 157
- Herring, 16
- Iceland, 98
- Laughing, 31, 41-42, 157
- Lesser Black-backed, 31, 32, 112,
- 123-124
- Little, 111-112
- Ring-billed, 16
- Swallow-tailed, 98
- Western, 14, 16, 17, 18, 31-32
- Yellow-footed, 31-32
- Guzman Poo, Juan R., see Danemann,
- G. D.
- Gyrfalcon, 105
- Haematopus bachmani*, 15, 106
- palliatu*s, 15, 54, 106
- Hainebach, Kem, First Records of
- Xantus' Hummingbird in California,
- 133-136
- Haliaeetus albicilla*, 179
- leucocephalus*, 180
- Harrier, Northern, 17, 79-80
- Hawk, Ferruginous, 171, 179
- Harris', 179
- Red-tailed, 179-180
- Swainson's, 179
- Zone-tailed, 105
- Hayes, Floyd E., Williams S. Baker, and
- Earl W. Lathrop, Food Storage by
- Acorn Woodpeckers at the Santa
- Rosa Plateau Preserve, Santa Ana
- Mountains, California, 165-169
- Helmitheros vermivorus*, 119
- Heron, Black-crowned Night, 17, 41,
- 102
- Great Blue, 14, 15, 18, 41, 179
- Green-backed, 14
- Little Blue, 17
- Tricolored, 15
- Yellow-crowned Night, 14, 102
- Himantopus mexicanus*, 57
- Hirundo fulva*, 98
- pyrrhonota*, 21-29
- Howell, Steve N. G., and Sophie Webb,
- Southernmost Records of the
- Western and Yellow-footed Gulls,
- 31-32; and Sophie Webb, David
- A. Sibley, and Lina J. Prairie, First
- Record of a Melanistic Northern
- Harrier in North America, 79-80;
- and Sophie Webb, Noteworthy Bird
- Observations from Baja California,
- Mexico, 153-163
- Hummingbird, Anna's, 159
- Black-chinned, 16
- Broad-billed, 113, 124, 133, 159
- Violet-crowned, 113
- Xantus', 98, 113, 133-136
- Hylocharis xantusii*, 98, 113, 133-
- 136
- Ibis, White, 15
- White-faced, 156
- Ictinia mississippiensis*, 105, 122-
- 123
- Ireland, John, see Weber, W. C.; see
- Smith, D. W.
- Ixobrychus exilis*, 17, 156
- Jamison, Bryan, see Taylor, D. M.
- Jay, Gray, 35
- Killdeer, 54, 56, 76, 77
- Kingbird, Thick-billed, 115, 159, 164
- Tropical, 159
- Western, 179
- Kingfisher, Belted, 17
- Green, 98

- Kite, Black-shouldered/White-tailed, 81–83, 153, 157, 177–178
Mississippi, 105, 122–123
- Knot, Red, 64
- Lagopus leucurus*, 98
- Lanius ludovicianus*, 17
- Lark, Horned, 16
- LaRue, Charles T., and David H. Ellis, The Common Grackle in Arizona: First Specimen Record and Notes on Occurrence, 84–86
- Larus argentatus*, 16
atricilla, 31, 41–42, 157
belcheri, 98
californicus, 16, 153
crassirostris, 98
delawarensis, 16
fuscus, 31, 32, 112, 123–124
glaucoides, 98
heermanni, 16, 157
livens, 31–32
minutus, 111–112
occidentalis, 16, 17, 18, 31–32
pipixcan, 31, 39–40, 157
ridibundus, 112, 123
- Lathrop, Earl W., see Hayes, F. E.
- Limnodromus griseus*, 69, 153
scolopaceus, 71, 76
sp., 16, 72
- Limnolyptis swainsonii*, 126
- Limosa fedoa*, 15, 16, 63–64, 77
haemastica, 32, 63, 107, 109
lapponica, 109
- Longspur, Smith's, 98
- Loon, Arctic, 98
Common, 153
Pacific, 153
Yellow-billed, 100, 122, 128
- Loxia curvirostra*, 35, 36
leucoptera, 35–37
- Magpie, Black-billed, 180
- Mallard, 156
- McCaskie, Guy, Book Review (Birds of the Lower Colorado River Valley), 45–47; and Don Roberson, First Record of the Stejneger's Petrel in California, 145–152; see also Pyle, P.
- Meadowlark, Eastern, 98
Western, 153, 161
- Melanerpes erythrocephalus*, 113
formicivorus, 165–169
uropygialis, 16
- Melanitta perspicillata*, 18
- Mellink, Eric, see Palacios, E.
- Melospiza melodia*, 161
- Merganser, Red-breasted, 15
- Mergus serrator*, 15
- Mimus polyglottos*, 17
- Mockingbird, Northern, 17
- Molothrus ater*, 161–162
- Motacilla alba*, 116
cinerea, 98, 110, 116
flava, 109, 116
lugens, 116
- Myiarchus crinitus*, 115
tuberculifer, 114
- Night-Heron, Black-crowned, 17, 41, 102
Yellow-crowned, 14, 102
- Nucifraga columbiana*, 181
- Numenius americanus*, 15, 63, 153
phaeopus, 15, 59
- Nutcracker, Clark's, 181
- Nyctanassa violacea*, 14, 102
- Nycticorax nycticorax*, 17, 41, 102
- Oceanites oceanicus*, 101
- Oceanodroma tethys*, 122, 156
- Oenanthe oenanthe*, 108, 115
- Oporornis agilis*, 120
formosus, 120,
philadelphia, 120, 126–127
- Osprey, 11, 14, 15, 16, 17, 18
- Owl, Barred, 113
Great Horned, 17, 179–180
- Oystercatcher, American, 15, 54, 106
Black, 15, 106
- Palacios, Eduardo, and Eric Mellink, Breeding Bird Records from Montague Island, Northern of Gulf of California, 41–44; and Lucia Alfaro, First Breeding Records of the Caspian Tern in Baja California (Norte), Mexico, 143–144; and Lucia Alfaro, Occurrence of Black Skimmers in Baja California, 173–176
- Pandion haliaetus*, 11, 14, 15, 16, 17, 18
- Panza, Robin K., and Kenneth C. Parkes, Baja California Specimens of *Parus gambeli baileyae*, 87–89
- Parabuteo unicinctus*, 179
- Parkes, Kenneth C., see Panza, R. K.
- Parus gambeli*, 87–89
- Passer montanus*, 98
- Passerculus sandwichensis*, 17


- Passerina ciris*, 121, 128
Pelecanus erythrorhynchos, 13, 156
occidentalis, 13, 14, 15, 16, 17, 18
Pelican, American White, 13, 156
Brown, 13, 14, 15, 16, 17, 18
Penguin, Humboldt, 127
Jackass, 127
Perisoreus canadensis, 35
Petrel, Cook's, 145-151
Defilippe's, 150, 151
Mottled, 100
Murphy's, 98
Pycroft's, 146, 150, 151
Solander's, 98
Stejneger's, 145-152
White-winged, 146, 150, 151
Pewee, Eastern Wood, 124-125
Greater, 114
Western Wood, 124-125
Phalacrocorax auritus, 13, 14, 15, 17, 18
brasilianus, 102
penicillatus, 14
Phalarope, Red, 52, 146
Red-necked, 74-75, 77
Wilson's, 71, 73, 75, 77
Phalaropus fulicaria, 52, 146
lobatus, 74-75, 77
tricolor, 71, 73, 75, 77
Pheucticus chrysopleus, 127
Phylloscopus fuscatus, 108, 115
Pica pica, 180
Pigeon, Band-tailed, 157-158
Pintail, Northern, 156
Pipilo chlorurus, 161
Pipit, American (Water), 17, 159
Red-throated, 99, 116-117, 126
Sprague's, 117
Piranga ludoviciana, 161
olivacea, 120-121, 127
rubra, 160
Plectrophenax nivalis, 121
Plegadis chihi, 156
Plover, Black-bellied, 15, 52, 53, 77
Common Ringed, 123
Lesser Golden, 52-54, 75-77
Mongolian, 105
Semipalmated, 53-55
Snowy, 15, 53
Mountain, 52
Wilson's, 15
Pluvialis dominica, 52-54, 75-77
squatarola, 15, 52, 53, 77
Pochard, Common, 98
Polioptila californica, 1-9
melanura, 1
Polyborus plancus, 98
Porzana carolina, 137-142
Prairie, Lina J., see Howell, S. N. G.
Protonotaria citrea, 119
Ptarmigan, White-tailed, 98
Pterodroma cooki, 145-151
defilippiana, 150, 151
inexpectata, 100
leucoptera, 146, 150, 151
longirostris, 145-152
pycrofti, 146, 150, 151
solandri, 98
ultima, 98
Puffinus auricularis, 98
pacificus, 101, 122
Pyle, Peter, and Guy McCaskie, Thirteenth Report of the California Bird Records Committee, 97-132
Quiscalus quiscula, 84-86, 121, 127
Rail, Clapper, 17
Virginia, 138-141
Yellow, 105, 106, 123
Rallus limicola, 138-141
longirostris, 17
Raven, Common, 17
Recurvirostra americana, 57-58, 76
Redhead, 157
Redpoll, Common, 127
Redshank, Spotted, 106-107
Roberson, Don, see McCaskie, G.
Robin, American, 159
Rodriguez Estrella, R., see Unitt, P.
Rynchops niger, 157, 173-176
Sanderling, 64-65
Sandpiper, Baird's, 68, 70, 76, 77
Buff-breasted, 52, 99, 110-111
Curlew, 110
Least, 16, 68, 77
Pectoral, 69, 71, 76, 77
Semipalmated, 65-66, 76, 77
Solitary, 59, 62
Spotted, 59, 63
Stilt, 69
Terek, 98, 107
Upland, 59, 123
Western, 16, 17, 65, 67, 69, 76
White-rumped, 52, 110, 123
Scoter, Surf, 18
Sea-Eagle, White-tailed, 179
Shearwater, Townsend's, 98
Wedge-tailed, 101, 122

- Shrike, Loggerhead, 17
- Sibley, David A., see Howell, S. N. G.
- Siskin, Pine, 35, 171–172
- Skimmer, Black, 157, 173–176
- Smith, Dave W., and John Ireland, First Record of the Black-shouldered Kite for Canada, 177–178
- Snipe, Common, 71
- Somateria spectabilis*, 105
- Sora, 137–142
- Sparrow, Brewer's, 161
Cassin's, 121
Chipping, 161
Eurasian Tree, 98
Field, 127
Le Conte's, 121, 127
Savannah, 17
Song, 161
- Spheniscus demersus*, 127
humboldti, 127
- Spizella breweri*, 161
passerina, 161
pusilla, 127
- Starling, European, 160
- Sterna antillarum*, 43, 143
caspia, 14, 16, 18, 31, 143–144
elegans, 16, 42
forsteri 18, 143, 157
maxima, 16, 143
nilotica, 32, 157
sandvicensis, 32
- Stilt, Black-necked, 57
- Stint, Long-toed, 98, 109
Rufous-necked, 123
- Storm-Petrel, Wedge-rumped, 122, 156
Wilson's, 101
- Streptopelia chinensis*, 158
orientalis, 98
- Strix varia*, 113
- Sturnella magna*, 98
neglecta, 153, 161
- Sturnus vulgaris*, 160
- Sula leucogaster*, 101, 122
sula, 101–103
- Swallow, Cave, 98
Cliff, 21–29
- Swan, Trumpeter, 102, 122
- Tachybaptus dominicus*, 100, 153, 155
- Tanager, Scarlet, 120–121, 127
Summer, 160
Western, 161
- Tarsiger cyanurus*, 98
- Taylor, Daniel M., The Status of the Franklin's Gull in Idaho, 39–40; and Charles H. Trost, and Bryan Jamison, Abundance and Chronology of Migrant Shorebirds in Idaho, 49–78
- Teal, Baikal, 104
Blue-winged, 122, 156
Cinnamon, 156–157
Green-winged, 122
- Tern, Caspian, 14, 16, 18, 31, 143–144
Elegant, 16, 42
Forster's, 18, 143, 157
Gull-billed, 32, 157
Least, 43, 143
Royal, 16, 143
Sandwich, 32
- Thrasher, Gray, 136
- Thrush, Eyebrowed, 98, 126
Gray-cheeked, 115
Hermit, 94, 159
- Towhee, Green-tailed, 161
- Toxostoma cinereum*, 136
- Tringa erythropus*, 106–107
flavipes, 16, 59, 61, 75, 76, 77
melanoleuca, 16, 57, 59–60, 153
solitaria, 59, 62
- Trost, Charles H., see Taylor, D. M.
- Tryngites subruficollis*, 52, 99, 110–111
- Turdus migratorius*, 159
obscurus, 98, 126
- Turnstone, Black, 16
Ruddy, 16, 64
- Turtle-Dove, Oriental, 98
- Tyrannus crassirostris*, 115, 159, 164
forficatus, 115, 125
melancholicus, 159
verticalis, 179
- Unitt, Philip, Book Review (Known Birds of North and Middle America), 91–95; Corrigendum, 164; and Ricardo Rodriguez Estrella and Aradit Castellanos Vera, Ferruginous Hawk and Pine Siskin in the Sierra de La Laguna, Baja California Sur: Subspecies of the Pine Siskin in Baja California, 171–172
- Veery, 115, 125–126
- Vermivora celata*, 118
chrysoptera, 118
peregrina, 160

- pinus*, 118, 126
- ruficapilla*, 160
- Vireo, Philadelphia, 117, 126
 - Red-eyed, 160
 - Solitary, 160
 - Warbling, 160
 - White-eyed, 117, 126
 - Yellow-green, 111, 117–118
 - Yellow-throated, 117
- Vireo flavifrons*, 117
 - flavoviridis*, 111, 117–118
 - gilvus*, 160
 - griseus*, 117, 126
 - olivaceus*, 160
 - philadelphicus*, 117, 126
 - solitarius*, 160
- Vulture, Turkey, 16
- Wagtail, Black-backed, 116
 - Gray, 98, 110, 116
 - White, 116
 - Yellow, 109, 116
- Warbler, Blue-winged, 118, 126
 - Cerulean, 119
 - Connecticut, 120
 - Dusky, 108, 115
 - Golden-winged, 118
 - Grace's, 118
 - Kentucky, 120
 - Mangrove, 17
 - Mourning, 120, 126–127
 - Nashville, 160
 - Orange-crowned, 160
- Pine, 119
- Prothonotary, 119
- Swainson's, 126
- Tennessee, 160
- Worm-eating, 119
- Yellow-throated, 118
- Webb, Sophie, see Howell, S. N. G.
- Weber, Wayne C., and John Ireland,
 - Tidewater Breeding Records of the Western Grebe near Vancouver, British Columbia, 33–34
- Wheatear, Northern, 108, 115
- Whimbrel, 15, 59
- Whip-poor-will, 159
- Whistling-Duck, Black-bellied, 102, 156
- Whitt, Michael, Grappling in Black-shouldered Kites, 81–83
- Willet, 15, 59, 62, 77
- Woodpecker, Acorn, 165–169
 - Gila, 16
 - Red-headed, 113
- Wood-Pewee, Eastern, 124–125
- Western, 124–125
- Xanthocephalus xanthocephalus*, 153, 161
- Xenus cinereus*, 98, 107
- Yellowlegs, Greater, 16, 57, 59–60, 153
 - Lesser, 16, 59, 61, 75, 76, 77
- Yellowthroat, Belding's, 160
 - Common, 160

BIMONTHLY JOURNAL ON FIELD ORNITHOLOGY

DUTCH BIRDING



- Excellent papers on identification, distribution, occurrence, movements and behaviour of Palearctic birds
- Regular contributions on Asian-Pacific birds
- Latest news on rare and interesting birds in the Netherlands and the Western Palearctic
- Well produced with numerous high quality colour photographs
- Yearly report on rare birds in the Netherlands
- In English or with extensive English summaries

For information or a free sample issue, write to:
Dutch Birding, Postbus 75611, 1070 AP Amsterdam, Netherlands

Subscribers to Dutch Birding can claim 25% off a British Birds subscription