

WESTERN BIRDS, INDEX, VOLUME 26, 1995

Compiled by Jack W. Schlotte and Philip Unitt

- Accipiter cooperii*, 147
 striatus, 126
Aeronautus saxatalis, 148
Agelaius tricolor, 208
Aigner, Paul A., Jerry Tecklin, and
 Catherine E. Koehler. Probable
 Breeding Population of the Black
 Rail in Yuba County, California,
 157-160
Aimophila cassinii, 104-106
Ajaia ajaja, 100
Albatross, Black-footed, 67
 Laysan, 66-67
Alfaro, Lucia, see Unitt, P.
Allaback, Mark L., see Laabs, D. M.
Amador-S., Edgar, see Guillén-H., J.
Ammodramus bairdii, 26, 129
 lecontei, 17, 129
 savannarum, 106
Anas acuta, 69
 clypeata, 74, 146
 cyanoptera, 146
 diazi, 102
 falcata, 132
 querquedula, 7, 74, 117-118
Anous minutus, 73
 stolidus, 65, 73
Anser albifrons, 146
 indicus, 132
Anthus cervinus, 12-13, 126-127,
 136
 rubescens, 206
 spragueii, 24, 123, 127
Aphelocoma coerulescens, 61
Archilochus alexandri, 76-81, 168
 colubris, 23, 76
Ardea herodias, 99
Arenaria interpres, 71
Asio flammeus, 74
Auklet, Parakeet, 10, 121
Auriparus flaviceps, 149
Aythya ferina, 7
 fuligula, 7-8, 20, 118, 133

Baltosser, William H., see Elliston, E. P.
Bartramia longicauda, 8
Binford, Laurence C., and David B.
 Johnson, Range Expansion of the
 Glaucous-winged Gull into Interior
 United States and Canada, 169-
 188
Bittern, Least, 61, 165-166

Blackbird, Tricolored, 208
Black-Hawk, Common, 20, 134
Bobwhite, Northern, 46
Booby, Blue-footed, 19, 69
 Brown, 5-6, 65, 68-69, 117, 133
 Masked, 19, 66, 68, 200-202
 Red-footed, 65, 117
Brachyramphus brevirostris, 22
 marmoratus, 39-42, 44
Brampling, 15, 18, 131
Brant, 61
Branta bernicla, 61
 canadensis, 206
 leucopsis, 132
Bubulcus ibis, 55, 69, 100
Bunting, Indigo, 151
 Lark, 104, 106
 Lazuli, 151
 Little, 114, 124, 131
 McKay's, 114, 137
 Painted, 17, 28, 129, 137, 138
 Snow, 17, 26, 131, 137
Buteo albonotatus, 8, 20, 118, 134
 jamaicensis, 61
 nitidus, 51
Buteogallus anthracinus, 20, 134
Butorides virescens, 100

Calamospiza melanocorys, 104, 106
Calcarius pictus, 129
Calidris acuminata, 74
 alba, 74, 102
 alpina, 74, 206
 canutus, 147
 fuscicollis, 9-10, 21
 mauri, 102
 minuta, 4, 9, 21, 119
 ruficollis, 20, 21, 134
 subminuta, 134
Callipepla californica, 46
 gambelii, 46
 squamata, 46
Campbell, Kurt F., see Patten, M. A.
Campylorhynchus brunneicapillus,
 61, 149-150
Caracara, Crested, 132
Cardinalis sinuatus, 17
Carduelis flammea, 131
 sinica, 132
Casler, Bruce R., see Hallett, C. E.
Casmerodius albus, 99
Catbird, Gray, 12, 114, 126, 138

- Cathartes aura*, 146
Catharus fuscescens, 24, 126
 guttatus, 60
 minimus, 11, 135–136
 ustulatus, 60, 151
Catoptrophorus semipalmatus, 102
Charadrius alexandrinus, 82–98,
 100, 161, 162, 164, 206
 montanus, 147, 208
 pecuarius, 132
 semipalmatus, 161–164
 vociferus, 102, 162
 wilsonia, 8, 100, 147
Chen caerulescens, 146
 canagica, 7, 20, 133, 138
 rossii, 138
 Chickadee, Black-capped, 60
Chlidonias niger, 102
Chondestes grammacus, 106
Chordeiles acutipennis, 148
Circus cyaneus, 147
Cistothorus palustris, 151
 platensis, 126
Colinus virginianus, 46
Columba livia, 74
Columbina talpacoti, 10, 23, 121,
 135
Contopus pertinax, 11, 123
 sordidulus, 148
 virens, 135
 Coot, American, 147
 Corman, Troy, and Gale Monson, First
 United States Nesting Records of
 the Streak-backed Oriole, 49–53
 Cormorant, Brandt's, 144
 Double-crested, 200
Corvus brachyrhynchos, 149
 corax, 35, 36, 37
 Cota-C., F., and Gorgonio Ruiz-C.,
 First Records of the Gray Silky-
 Flycatcher from Baja California,
 Mexico, 197–199
Coturnicops noveboracensis, 134,
 138
 Cowbird, Brown-headed, 150
 Crane, Sandhill, 34–38
Creagrus furcatus, 1, 26–27, 132
 Crow, American, 149
 Curlew, Bristle-thighed, 71
 Long-billed, 102
Cyanocitta cristata, 114, 125–126
Cyanocorax beecheyi, 27–28, 132
Cyclorhynchus psittacula, 10, 121
Cygnus buccinator, 20, 133
 columbianus, 133, 146
Cyananthus latirostris, 10–11, 135
Cyrtonyx montezumae, 46
 Delehanty, David J., Incubation and
 Brood Rearing by a Wild Male
 Mountain Quail, 46–48
Dendrocopos pubescens, 151
 scalaris, 148
Dendrocygna autumnalis, 102
Dendroica cerulea, 25
 coronata, 61
 dominica, 16, 25, 60, 128, 136
 graciae, 16, 128
 petechia, 60
 pinus, 16, 25, 128, 136
Diomedea immutabilis, 66–67
 nigripes, 67
 Dorn, Robert D. and Jane L., Cassin's
 Sparrow Nesting in Wyoming,
 104–106
 Dove, Oriental Turtle, 1, 22–23
 Rock, 74
 Ruddy Ground, 10, 23, 121, 135
 White-winged, 102, 147–148
 Dowitcher sp., 102
 Duck, Black-bellied Whistling, 102
 Mexican, 102
 Ruddy, 146
 Tufted, 7–8, 20, 118, 133
Dumetella carolinensis, 12, 114, 126,
 138
 Dunlin, 74, 206
 Egret, Cattle, 55, 69, 100
 Great, 99
 Reddish, 6, 19, 100, 117
 Snowy, 99
Egretta caerulea, 99, 117
 rufescens, 6, 19, 100, 117
 thula, 99
 tricolor, 6, 19, 99, 117, 133
 Eider, King, 8, 118
 Spectacled, 132
 Steller's, 118, 119
 Elliston, Elizabeth P., and William H.
 Baltosser, Sex Ratios and Bill
 Growth in Nestling Black-chinned
 Hummingbirds, 76–81
Emberiza pusilla, 114, 124, 131
Empidonax alnorum, 1, 114, 122,
 123, 125, 135
 flaviventris, 23
 traillii, 122, 123, 206
 Erickson, Richard A., Robert A.
 Hamilton, Steve N. G. Howell,
 Peter Pyle, and Michael A. Patten,
 First Record of the Marbled
 Murrelet and Third Record of the
 Ancient Murrelet for Mexico, 39–

- 45; and Michael A. Patten,
Corrigendum, 112; see also Patten,
M. A.
- Eudocimus albus*, 100
- Falco peregrinus*, 147, 203–204
rusticolus, 8, 9
- Falcon, Peregrine, 147, 203–204
- Fitton, Sam. see Shuford, W. D.
- Flycatcher, Alder, 1. 114, 122, 123,
125, 135
- Dusky-capped, 125
- Fork-tailed, 1, 114
- Gray Silky, 132, 197–199
- Great Crested, 11, 23, 125, 135
- Scissor-tailed, 11, 24, 125, 135
- Sulphur-bellied, 11, 125
- Vermilion, 148–149
- Willow, 122, 123, 206
- Yellow-bellied, 23
- Fregata magnificens*, 200
minor, 1. 66, 69, 114
- Frigatebird, Great, 1. 66, 69, 114
Magnificent, 200
- Fringilla montifringilla*, 15, 18, 131
- Fulica americana*, 147
- Gallinago gallinago*, 74
- Gallinula chloropus*, 100
- Garganey, 7. 74, 117–118
- Garrett, Kimball L., see Heindel, M. T.
- Gavia adamsii*, 5, 18, 132
arctica, 114, 116, 132
pacifica, 116
- Gnatcatcher, California, 56, 61, 208
- Godwit, Bar-tailed, 119, 134
Hudsonian, 8–9, 118–119, 167
Marbled, 102
- Golden-Plover, Pacific, 71
- González, Salvador, see Unitt, P.
- Goose, Bar-headed, 132
Barnacle, 132
Cackling Canada, 206
Emperor, 7, 20, 133, 138
Ross', 138
Snow, 146
(Greater) White-fronted, 146
- Grackle, Common, 17, 130, 131, 137
Great-tailed, 55, 152
- Grebe, Horned, 144
Pied-billed, 144
- Greenfinch, Oriental, 132
- Grosbeak, Rose-breasted, 151
Yellow, 132
- Ground-Dove, Ruddy, 10, 23, 121, 135
- Grus canadensis*, 34–38
- Guillén-H., Javier, Eduardo Palacios,
and Edgar S. Amador-S., Further
Records of the Masked Booby from
Baja California, 200–202
- Gull, Band-tailed, 1, 21–22
Black-tailed, 1
Bonaparte's, 178, 180
California, 178
Common Black-headed, 21
Franklin's, 178
Glaucous, 30, 178, 203
Glaucous-winged, 169–188
Heermann's, 178, 180
Herring, 178
Iceland, 1, 28–30
Laughing, 102
Lesser Black-backed, 22, 178
Little, 10
Mew, 178
Ring-billed, 178
Sabine's, 178, 180, 203–204
Swallow-tailed, 1, 26–27, 132
Thayer's, 28
Western, 173, 178
- Gygis alba*, 74
- Gyrfalcon, 8, 9
- Haematopus palliatus*, 8, 102
- Hallett, Carol E., Bruce R. Casler, and
Mark A. Stern, Semipalmated
Plover Nesting on the Oregon
Coast, 161–164
- Hamilton, Robert A., see Erickson, R. A.
- Harrier, Northern, 147
- Hawk, Common Black, 20, 134
Cooper's, 147
Gray, 51
Harlan's, 61
Sharp-shinned, 126
Zone-tailed, 8, 20, 118, 134
- Heindel, Matthew T., and Kimball L.
Garrett, Sixteenth Report of the
California Bird Records Commit-
tee, 1–33
- Helminthos vermivorus*, 16, 25, 128
- Heron, Black-crowned Night, 100
Great Blue, 99
Green, 100
Little Blue, 99, 117
Tricolored, 6, 19, 99, 117, 133
Yellow-crowned Night, 6–7, 19–20,
100, 117
- Heteroscelus brevipes*, 71
incanus, 71
- Hickey, Catherine M., see Shuford,
W. D.

- Himantopus mexicanus*, 102
Hirundo rustica, 155–156
 Howell, Steve N. G., see Erickson, R. A.
 Hummingbird, Black-chinned, 76–81, 168
 Broad-billed, 10–11, 135
 Broad-tailed, 76
 Ruby-throated, 23, 76
 Rufous, 148
Hylocichla mustelina, 11, 24

 Ibis, White, 100
 White-faced, 144, 146
Icterus parisorum, 152
 , 49–53, 130, 131
Ictinia mississippiensis, 8, 133
Ixobrychus exilis, 61, 165–166

 Jaeger, Parasitic, 203
 Jay, Blue, 114, 125–126
 Purplish-backed, 27–28, 132
 Scrub, 61
 Johnson, David B., see Binford, L. C.
 Jones, H. Lee, Bird Observations on
 Wake Atoll, 65–75
 Junco, Gray-headed, 152
Junco hyemalis, 152

 Killdeer, 102, 162
 Kingbird, Thick-billed, 11, 51, 125
 Tropical, 51
 Western, 148
 Kinglet, Golden-crowned, 150
 Kirk, Andrew, First Confirmed
 Breeding of the Least Bittern in
 Inyo County, California, 165–166
 Kite, Black, 70
 Mississippi, 8, 133
 Kittiwake, Black-legged, 178, 180
 Knot, Red, 147
 Koehler, Catherine E., see Aigner, P. A.

 Laabs, David M., Mark L. Allaback, and
 Lawrence F. LaPré, Census of the
 Inyo California Towhee in the
 Eastern Third of Its Range, 189–
 196
Lanius ludovicianus, 61
 LaPré, Lawrence F., see Laabs, D. M.
Larus argentatus, 178, 180
 atricilla, 102
 belcheri, 1, 21–22
 californicus, 178
 canus, 178
 crassirostris, 1
 delawarensis, 178
 fuscus, 22, 178
 glaucescens, 169–188
 glaucoides, 1, 28–30
 heermanni, 178
 hyperboreus, 30, 178, 203
 minutus, 10
 occidentalis, 173, 178
 philadelphia, 178, 180
 pipixcan, 178
 ridibundus, 21
 thayeri, 28
Laterallus jamaicensis, 157–160, 206
 Laymon, Stephen A., see Shuford, W. D.
 Lee, Cin-Ty A., More Records of
 Breeding Barn Swallows in
 Riverside, California, 155–156
Limnodromus sp., 102
Limnothlypis swainsoni, 25
Limosa fedoa, 102
 haemastica, 8–9, 118–119, 167
 lapponica, 119, 134
 Littlefield, Carroll D., Greater Sandhill
 Crane Nesting and Production in
 Northeastern California, 1988,
 34–38
 Longspur, Smith's, 129
 Loon, Arctic, 114, 116, 132
 Pacific, 116
 Yellow-billed, 5, 18, 132
Lymnocyptes minimus, 120

 Mellink, Eric, see Palacios, E.; see
 Unitt, P.
Melospiza melodia, 61
 Merganser, Red-breasted, 146
Mergus serrator, 146
Milvus migrans, 70
Molothrus ater, 150
 Monson, Gale, see Corman, T.
 Moorhen, Common, 100
Motacilla alba, 12, 24
 flava, 12, 24, 126
 Murre, Thick-billed, 10, 22, 134
 Murrelet, Ancient, 39, 43–44, 112
 Kittlitz's, 22
 Marbled, 39–42, 44
Mycteria americana, 102
Myiarchus crinitus, 11, 23, 125, 135
 tuberculifer, 125
Myiodynastes luteiventris, 11, 125

 Nighthawk, Lesser, 148
 Night-Heron, Black-crowned, 100
 Yellow-crowned, 6–7, 19–20, 100,
 117

- Noddy, Black, 73
 Brown, 65, 73
- North, Michael R., Sabine's Gull Flock
 Response to Peregrine Falcon,
 203-204
- Numenius americanus*, 102
phaeopus, 102
tahitiensis, 71
- Nyctanassa violacea*, 6-7, 19-20,
 100, 117
- Nyctea scandiaca*, 121
- Nycticorax nycticorax*, 100
violaceus, 6-7, 19-20, 100, 117
- Oceanites oceanicus*, 5
- Oceanodroma castro*, 1, 18-19,
 132-133
leucorhoa, 133
- Oporornis agilis*, 17, 25, 128-129
formosus, 16, 113, 128
philadelphia, 16, 26, 129, 136
- Oreortyx pictus*, 46-48
- Oreoscoptes montanus*, 150
- Oriole, Scott's, 152
 Streak-backed, 49-53, 130, 131
- Osprey, 146-147
- Oxyura jamaicensis*, 146
- Owl, Barred, 10
 Burrowing, 208
 Short-eared, 74
 Snowy, 121
 Spotted, 56, 208
- Oystercatcher, American, 8, 102
- Pandion haliaetus*, 146-147
- Page, Gary W., see Shuford, W. D.
- Palacios, Eduardo, and Eric Mellink,
 Breeding Birds of Esteros Tóbari
 and San José, Southern Sonora,
 99-103; see also Unitt, P.; see also
 Guillén-H., J.
- Parus atricapillus*, 60
- Passer montanus*, 132, 137-138
- Passerculus sandwichensis*, 102,
 151-152
- Passerina amoena*, 151
ciris, 17, 28, 129, 137, 138
cyanea, 151
- Patten, Michael A., Philip Unitt,
 Richard A. Erickson, and Kurt F.
 Campbell, Fifty Years Since
 Grinnell and Miller: Where Is
 California Ornithology Headed?,
 54-64; see also Erickson, R. A.
- Pelecanus occidentalis*, 61, 200
- Pelican, Brown, 61, 200
- Penguin, Jackass, 132
- Petrel, Cook's, 55
 Dark-rumped, 1
 Mottled, 5, 117
 Murphy's, 55
 Stejneger's, 1, 5, 6, 117
- Pewee, Eastern Wood, 135
 Greater, 11, 123
 Western Wood, 148
- Phaethon lepturus*, 66, 67
rubricauda, 65, 68
- Phainopepla, 150
Phainopepla nitens, 150
- Phalacrocorax auritus*, 200
penicillatus, 144
- Pheucticus chrysopeplus*, 132
ludovicianus, 151
- Picoides pubescens*, 151
scalaris, 148
- Pigeon, Feral, 74
- Pintail, Northern, 69
- Pipilo crissalis*, 61, 189-196
fuscus, 114, 137
- Pipit, American, 206
 Red-throated, 12-13, 126-127, 136
 Sprague's, 24, 123, 127
- Piranga olivacea*, 17, 129, 136-137
- Plectrophenax hyperboreus*, 114, 137
nivalis, 17, 26, 131, 137
- Plegadis chihi*, 144, 146
- Plover, Black-bellied, 102
 Kittlitz's, 132
 Mountain, 147, 208
 Pacific Golden, 71
 Semipalmated, 161-164
 Snowy, 82-98, 100, 161, 162,
 164, 206
 Wilson's, 8, 100, 147
- Pluvialis fulva*, 71
squatarola, 102
- Pochard, Common, 7
- Podiceps auritus*, 144
- Podilymbus podiceps*, 144
- Polioptila californica*, 56, 61, 208
- Polyborus plancus*, 132
- Polysticta stelleri*, 118, 119
- Poocetes gramineus*, 104, 106
- Protonotaria citrea*, 25, 128, 136
- Pterodroma cookii*, 55
inexpectata, 5, 117
longirostris, 1, 5, 6, 117
phaeopygia, 1
ultima, 55
- Ptilogonys cinereus*, 132, 196-199
- Puffinus auricularis*, 1, 18, 114, 132
nativitatis, 74

- opisthomelas*, 132
pacificus, 18
puffinus, 1, 132
 Pyle, Peter, see Erickson, R. A.
Pyrocephalus rubinus, 148–149
 Pyrnhuloxia, 17
- Quail, California, 46
 Gambel's, 46
 Montezuma, 46
 Mountain, 46–48
 Scaled, 46
Quiscalus mexicanus, 55, 152
 quiscula, 17, 130, 131, 137
- Rail, Black, 157–160, 206
 Clapper, 102
 Wake, 66
 Yellow, 134, 138
Rallus longirostris, 102
 wakensis, 66
 Raven, Common, 35, 36, 37
 Rea, Amadeo M., see Unitt, P.
 Redpoll, Common, 131
 Redshank, Spotted, 134
Regulus satrapa, 150
Rissa tridactyla, 178, 180
 Ruiz-C., Gorgonio, see Cota-C., F.
Rynchops niger, 102
- Sanderling, 74, 102
 Sandpiper, Buff-breasted, 10, 21, 119–120
 Sharp-tailed, 74
 Terek, 134
 Upland, 8
 Western, 102
 White-rumped, 9–10, 21
 Seedeater, White-collared, 132
Seiurus motacilla, 15, 16
Selasphorus platycercus, 76
 rufus, 148
 Seppi, Bruce E., Hudsonian Godwit Migration at Carter Spit, Alaska, 167
 Shearwater, Black-vented, 132
 Christmas, 74
 Manx, 1, 132
 Townsend's, 1, 18, 114, 132
 Wedge-tailed, 18
 Shelduck, Ruddy, 132
 Shoveler, Northern, 74, 146
 Shrike, Loggerhead, 61
 Shuford, W. David, Gary W. Page, and Catherine M. Hickey, Distribution and Abundance of Snowy Plovers Wintering in the Interior of California and Adjacent States, 82–98; and Stephen A. Laymon, and Sam Fitton, Fifty Years after Grinnell and Miller: Organizing for a Better Future, 205–212
 Silky-Flycatcher, Gray, 132, 197–199
 Skimmer, Black, 102
 Snipe, Common, 74
 Jack, 120
Somateria fischeri, 132
 spectabilis, 8, 118
 Sparrow, Baird's, 26, 129
 Black-chinned, 61, 151
 Brewer's, 104
 Cassin's, 104–106
 Chipping, 104
 Clay-colored, 104
 Eurasian Tree, 132, 137–138
 Field, 59, 137
 Grasshopper, 106
 Lark, 106
 Le Conte's, 17, 129
 Savannah, 102, 151–152
 Song, 61
 Vesper, 104, 106
Speotyto cunicularia, 208
Spheniscus demersus, 132
Spizella atrogularis, 61, 151
 breweri, 104
 pallida, 104
 passerina, 104
 pusilla, 59, 137
 Spoonbill, Roseate, 100
Sporophila torqueola, 132
Stercorarius parasiticus, 203
 Stern, Mark A., see Hallett, C. E.
Sterna anaethetus, 22
 antillarum, 102
 fusca, 22, 65, 71–73
 lunata, 71
 paradisaea, 203, 204
 sandvicensis, 120
 Stilt, Black-necked, 102
 Stint, Little, 4, 9, 21, 119
 Long-toed, 134
 Rufous-necked, 20, 21, 134
 Stork, Wood, 102
 Storm-Petrel, Band-rumped, 1, 18–19, 132–133
 Leach's, 133
 Wilson's, 5
Streptopelia orientalis, 1, 22–23
Strix occidentalis, 56, 208
 varia, 10
Sula dactylatra, 19, 66, 68, 200–202

- leucogaster*, 5–6, 65, 68–69, 117, 133
nebouxii, 19
sula, 65, 69, 117
Swallow, Barn, 155–156
Tree, 107, 151
Violet-green, 149
Swan, Trumpeter, 20, 133
Whistling, 133, 146
Swift, White-throated, 148
Synthliboramphus antiquus, 39, 43–44, 112

Tachycineta bicolor, 107, 151
thalassina, 149
Tadorna ferruginea, 132
Tanager, Scarlet, 17, 129, 136–137
Tattler, Gray-tailed, 71
Siberian, 71
Wandering, 71
Teal, Cinnamon, 146
Falcated, 132
Tecklin, Jerry, *see* Aigner, P. A.
Tern, Arctic, 203, 204
Black, 102
Bridled, 22
Gray-backed, 71
Least, 102
Sandwich, 120
Sooty, 22, 65, 71–73
White, 74
Thrasher, Gray, 150
Sage, 150
Thrush, Eye-browed, 24
Gray-cheeked, 11, 135–136
Hermit, 60
Swainson's, 60, 151
Wood, 11, 24
Thryothorus ludovicianus, 107
Towhee, California, 61, 189–196
Canyon, 114, 137
Toxostoma cinereum, 150
Tringa brevipes, 71
erythropus, 134
flavipes, 147
incana, 71
melanoleuca, 147
Troglodytes aedon, 107–108
troglodytes, 107
Tropicbird, Red-tailed, 65, 68
White-tailed, 66, 67
Tryngites subruficollis, 10, 21, 118–119
Turdus obscurus, 24
Turnstone, Ruddy, 71
Turtle-Dove, Oriental, 1, 22–23

Tyrannus crassirostris, 11, 51, 125
forficatus, 11, 24, 125, 135
melancholicus, 51
savana, 1, 114
verticalis, 148

Unitt, Philip, Amadeo M. Rea, Eduardo Palacios, Eric Mellink, Lucia Alfaro, and Salvador González, Noteworthy Records of Birds in Northwestern Baja California, Mexico, 144–154; *see also* Patten, M. A.
Uria lomvia, 10, 22, 134

Veery, 24, 126
Verdin, 149
Vermivora celata, 151
chrysoptera, 13, 128
chrysoptera × *pinus*, 13, 14
pinus, 13
ruficapilla, 60
Vireo, Bell's, 60, 150–151
Philadelphia, 13, 24–25, 127
Solitary, 60
Warbling, 60
Yellow-green, 13, 25, 127–128, 136
Yellow-throated, 13, 124, 127
Vireo bellii, 60, 150–151
flavifrons, 13, 124, 127
flavoviridis, 13, 25, 127–128, 136
gilvus, 60
philadelphicus, 13, 24–25, 127
solitarius, 60
Vulture, Turkey, 146

Wagtail, White, 12, 24
Yellow, 12, 24, 126
Warbler, Blue-winged, 13
Blue-winged × Golden-winged, 13, 14
Brewster's, 13, 14
Cerulean, 25
Connecticut, 17, 25, 128–129
Golden-winged, 13, 128
Grace's, 16, 128
Kentucky, 16, 113, 128
Mourning, 16, 26, 129, 136
Myrtle, 61
Nashville, 60
Orange-crowned, 151
Pine, 16, 25, 128, 136
Prothonotary, 25, 128, 136
Swainson's, 25
Wilson's, 60
Worm-eating, 16, 25, 128
Yellow, 60

Yellow-rumped, 61
 Yellow-throated, 16, 25, 60, 128, 136
 Waterthrush, Louisiana, 15, 16
 Whimbrel, 102
 Whistling-Duck, Black-bellied, 102
 Willet, 102
 Williams, Tara Y., and David S.
 Pennock, House Wrens Feeding
 Fish to Their Nestlings, 107–108
Wilsonia pusilla, 60
 Woodpecker, Downy, 151
 Ladder-backed, 148
 Wood-Pewee, Eastern, 135
 Western, 148

Wren, Cactus, 61, 149–150
 Carolina, 107
 House, 107–108
 Marsh, 151
 Sedge, 126
 Winter, 107


Xema sabini, 178, 180, 203–204
Xenus cinereus, 134

Yellowlegs, Greater, 147
 Lesser, 147

Zenaida asiatica, 102, 147–148

BIMONTHLY JOURNAL ON FIELD ORNITHOLOGY

DUTCH
BIRDING



- Excellent papers on identification, distribution, occurrence, movements and behaviour of Palearctic birds
- Regular contributions on Asian-Pacific birds
- Latest news on rare and interesting birds in the Netherlands and the Western Palearctic
- Well produced with numerous high quality colour photographs
- Yearly report on rare birds in the Netherlands
- In English or with extensive English summaries

For information or a free sample issue, write to:
 Dutch Birding, Postbus 75611, 1070 AP Amsterdam, Netherlands

Subscribers to Dutch Birding can claim 25% off a British Birds subscription