

WESTERN BIRDS, INDEX, VOLUME 27, 1996

Compiled by Jack W. Schlotte and Philip Unitt

- Accipiter cooperii*, 49, 51
 gentilis, 50, 52
 striatus, 49, 50, 51
Aimophila cassinii, 115
Ajaia ajaja, 89–90
Alauda arvensis, 86–88
Albatross, Laysan, 70–76
 Light-mantled, 95
 Short-tailed, 115
Amador, Edgar, and Juan José
 Ramírez, A record of the Roseate
 Spoonbill on the Pacific coast of
 the peninsula of Baja California,
 89–90
Amazilia violiceps, 13, 23
Ammodramus leconteii, 20, 115
Anas strepera, 159
 querquedula, 7, 117–118
Ani, Groove-billed, 13, 93, 107
Anser indicus, 25
Anthus cervinus, 24, 111
 rubescens, 94
 spragueii, 24
Aquila chrysaetos, 50
Ardea herodias, 83
Auklet, Parakeet, 13, 106
Auriparus flaviceps, 79
Avocet, American, 159, 160, 205
Aythya ferina, 7
 fuligula, 22
Baicich, Paul J., Steven C. Heintl, and
 Mike Toochin, First documented
 breeding of the Eurasian Skylark in
 Alaska, 86–88
Bailey, Scott J., see Maender, G. J.
Bailey, Stephen F., see Wells, S.
Baptista, Luis F., see Wells, S.
Bartramia longicauda, 22, 103
Becerril, Felipe, see Carmona, R.
Bonasa umbellus, 43
Booby, Blue-footed, 81, 100
 Brown, 4, 81–82, 100–101
 Masked, 3–4, 5
 Red-footed, 4, 117
Brachyramphus marmoratus, 30, 31,
 35, 94
Brant, 94
Branta bernicla, 94
Bubulcus ibis, 154
Bulweria bulwerii, 95
Bunting, Painted, 20, 115
 Rustic, 93, 113, 115
 Snow, 20, 115, 121
Buteo albonotatus, 7, 22, 50, 93,
 101–102, 103, 118, 121
 jamaicensis, 49, 51
 regalis, 50
 swainsoni, 50
Calidris ferruginea, 22
 fuscicollis, 10
 minuta, 9, 10, 22–23, 119
 ruficollis, 22–23, 119
 subminuta, 23
Calonectris leucomelas, 20
Calypte anna, 78–80, 204–206
 costae, 206
Canachites canadensis, 41–47
Capitolo, Phil, see Hickey, C. M.
Caracara, Crested, 95
Caracara plancus, 95
Cardellina rubrifrons, 12, 19, 25
Carmona, Roberto, Saudiel Ramirez,
 Bulmara Zárata, and Felipe
 Becerril, Some nesting waterbirds
 from southern San José Island and
 adjacent islands, Gulf of California,
 Mexico, 81–85
Carpodacus mexicanus, 79
 purpureus, 94
Catbird, Gray, 1, 16
Cathartes aura, 48–53
Catharus fuscescens, 24, 120
 guttatus, 65–69, 94
 minimus, 15, 24
Chaetura vauxi, 30–40
Chaffinch, Common, 94, 121
Charadrius alexandrinus, 160, 164,
 202–203
 mongolus, 7–9
 morinellus, 9
 vociferus, 160, 203
 wilsonia, 8, 9
Circus cyaneus, 50
Collins, Charles T., and Kimball L.
 Garrett, The Black Skimmer in
 California: An overview, 127–135
Columbina talpacoti, 13, 106–107,
 119

INDEX

- Contopus pertinax*, 13, 24
Coragyps atratus, 95
 Cormorant, Neotropic, 4
Coturnicops noveboracensis, 7, 103
Creagrus furcatus, 95
Crotophaga sulcirostris, 13, 93, 107
 Curlew, Little, 93, 103, 105
 Long-billed, 105
Cyclorhynchus psittacula, 13, 106
Cygnus buccinator, 6–7, 21, 101, 102
 columbianus, 21, 94
Cyananthus latirostris, 13, 93, 107–108
- De la Cueva, Horacio, and Guillermo Fernández, Night feeding of Black Skimmers at Estero Punta Banda, Baja California, México, 162–163
Dendragapus canadensis, 41–47
 obscurus, 41, 42, 43
Dendrocygna autumnalis, 6
Dendroica cerulea, 18
 dominica, 17, 114
 graciae, 17–18, 114
 palmarum, 94
 pinus, 18, 114
 Dickerman, Robert W., and Jack Gustafson, The Prince of Wales Spruce Grouse: A new subspecies from southeastern Alaska, 41–47
Diomedea albatrus, 115
 immutabilis, 70–76
 Dotterel, Eurasian, 9
 Dove, Ruddy Ground, 13, 106–107, 119
Dryocopus pileatus, 30, 35
 Duck, Black-bellied Whistling, 6
 Tufted, 22
Dumetella carolinensis, 1, 16
- Eagle, Golden, 50
 Egret, Cattle, 154
 Reddish, 5–6, 101, 117, 121
 Snowy, 154
Egretta rufescens, 5–6, 101, 117, 121
 thula, 154
 tricolor, 5, 101
 Eider, King, 7, 101
Elanus leucurus, 164
Emberiza rustica, 93, 113, 115
Empidonax alnorum, 14, 119–120
 flaviventris, 120
Endomychura craveri, 167–168
Eremophila alpestris, 24
- Erickson, Richard A., and Scott B. Terrill, Nineteenth report of the California Bird Records Committee: 1993 records, 93–126
- Falci pennis canadensis*, 41–47
Falco mexicanus, 50
 peregrinus, 50
 rusticolus, 93, 102–103
 sparverius, 49, 50, 51
 Falcon, Peregrine, 50
 Prairie, 50
 Figueroa-Carranza, Ana-Luisa, see Gallo-R., J.-P.
 Finch, House, 79
 Purple, 94
 Flycatcher, Alder, 14, 119–120
 Dusky-capped, 14, 93, 108, 120
 Fork-tailed, 1, 11, 15
 Great Crested, 14, 108
 Scissor-tailed, 15, 108, 110
 Sulphur-bellied, 93, 108, 109
 Yellow-bellied, 120
Fregata minor, 1, 4–5
 Frigatebird, Great, 1, 4–5
Fringilla coelebs, 94, 121
 Fry, Adam J., Octavio R. Rojas-Soto, and Adolfo G. Navarro S., A winter record of the Gray Vireo from San Luis Potosí, Mexico, 54–55
- Gadwall, 159
 Gallion, Terri, see Rowe, S. P.
 Gallo-Reynoso, Juan-Pablo, and Ana-Luisa Figueroa-Carranza, The breeding colony of the Laysan Albatrosses on Isla de Guadalupe, Mexico, 70–76
 Garganey, 7, 117–118
 Garrett, Kimball L., see Collins, C. T.
Gavia adamsii, 3, 20, 115, 121
 Gazzaniga, Kathleen T., Overwintering of Black Skimmers in California: Site fidelity and intersite movements, 136–142
 Gnatcatcher, Black-tailed, 54
 Godwit, Bar-tailed, 10, 106, 119
 Hudsonian, 106
 González, Salvador, see Mellink, E.
 Goose, Bar-headed, 25
 Goshawk, Northern, 50, 52
 Grackle, Common, 20, 121
 Greenshank, Common, 93, 119
 Ground-Dove, Ruddy, 13, 106–107, 119

INDEX

- Grouse, Blue, 41, 42, 43
 Ruffed, 43
 Spruce, 41-47
- Gull, Black-headed, 106
 Black-tailed, 1, 10
 California, 159
 Common Black-headed, 10, 106
 Heermann's, 83, 164
 Ivory, 95
 Little, 10, 106
 Swallow-tailed, 95
 Western, 164
 Yellow-footed, 83
- Gustafson, Jack, *see* Dickerman, R. W.
- Gyrfalcon, 93, 102-103
- Haematopus bachmani*, 104-105
*palliatu*s, 103, 104-105, 118
- Harrier, Northern, 50
- Hawk, Cooper's, 49, 51
 Ferruginous, 50
 Harris, 95
 Red-tailed, 49, 51
 Sharp-shinned, 49, 50, 51
 Swainson's, 50
 Zone-tailed, 7, 22, 50, 93, 101-102, 103, 118, 121
- Heindel, Matthew T., and Michael A. Patten, Eighteenth report of the California Bird Records Committee: 1992 records, 1-29
- Heinl, Steven C., *see* Baicich, P. J.
- Helmitheros vermicivorus*, 18, 114
- Heron, Great Blue, 83
 Tricolored, 5, 101
 Yellow-crowned Night, 6, 101
- Heteroscelus brevipes*, 22
incanus, 22
- Hickey, Catherine M., Phil Capitulo, and Brett Walker, First Record of a Lanceolated Warbler in California, 197-201; *see also* Shuford, W. D.
- Hiett, Katherine L., *see* Maender, G. J.
- Himantopus mexicanus*, 159, 160, 202
- Horblit, Helen M., *see* Wells, F.
- Howell, Steve N. G., Sophie Webb, and Larry B. Spear, Identification at sea of Cook's, De Filippi's, and Pycroft's Petrels, 57-64
- Hummingbird, Anna's, 78-80, 204-206
 Blue-throated, 23
 Broad-billed, 13, 93, 107-108
 Costa's, 206
 Violet-crowned, 13, 23
- Hylocichla mustelina*, 15, 110
- Ibis, White-faced, 169-196
- Ictinia mississippiensis*, 1, 7
- Josselyn, Michael N., *see* Whelchel, A. W.
- Junco, White-winged, 94
Junco hyemalis, 94
- Keane, Kathy M., *see* Whelchel, A. W.
- Kestrel, American, 49, 50, 51
- Killdeer, 160, 203
- Kingbird, Thick-billed, 14-15, 108
- Kite, Mississippi, 1, 7
 White-tailed, 164
- Kittiwake, Red-legged, 95
- Lagopus leucurus*, 122
- Lampornis clemenciae*, 23
- Lark, Eurasian Sky, 86-88
 Horned, 24
- Larus californicus*, 159
crassirostris, 1, 10
heermanni, 83, 164
livens, 83
minutus, 10, 106
occidentalis, 164
ridibundus, 10, 106
- Layne, Valerie L., Robert J. Richmond, and Peter J. Metropulos, First nesting of Black Skimmers on San Francisco Bay, 159-162
- Limosa haemastica*, 106
lapponica, 10, 106, 119
- Locustella amnicola*, 199
certhiola, 199-200
fasciolata, 199
fluviatilis, 199
lanceolata, 95, 197-201
luscinioides, 199
naevia, 199-200
ochotensis, 199
pleskei, 199
pryeri, 200
- Loon, Yellow-billed, 3, 20, 115, 121

INDEX

- Maender, Gloria J., Katherine L. Hiett,
and Scott J. Bailey, Nesting Anna's
Hummingbirds in urban Tucson,
Arizona, 78–80
- Meadowlark, Eastern, 25
- Megalurus pryeri*, 200
- Mellink, Eric, Eduardo Palacios, and
Salvador González, Notes on
nesting birds of the Ciénega de
Santa Clara saltflat, northwestern
Sonora, Mexico, 202–203
- Metropulos, Peter J., see Layne, V. L.
- Mimus polyglottos*, 79
- Mockingbird, Northern, 79
- Molina, Kathy C., Population status
and breeding biology of Black
Skimmers at the Salton Sea,
California, 143–158
- Motacilla alba*, 24
flava, 16, 24, 201
lugens, 24, 201
- Murre, Thick-billed, 13, 106
- Murrelet, Craveri's, 167–168
Long-billed, 94
Marbled, 30, 31, 35, 94
Xantus', 74
- Myiarchus crinitus*, 14, 108
tuberculifer, 14, 93, 108, 120
- Myiodynastes luteiventris*, 93, 108, 109
- Navarro S., Adolfo G., see Fry, A. J.
- Night-Heron, Yellow-crowned, 6, 101
- Numenius americanus*, 105
minutus, 93, 103, 105
phaeopus, 94
- Nyctanassa violacea*, 6, 101
- Nycticorax violaceus*, 6, 101
- Oceanodroma castro*, 21, 117
sp., 83
tethys, 100
- Oenanthe oenanthe*, 15, 24, 201
- Olson, Storrs L., The name of the Craveri
Brothers' Murrelet, 167–168
- Oporornis agilis*, 19, 114
formosus, 11, 18–19, 114
philadelphia, 19, 25, 114
- Osprey, 50, 83
- Owl, Spotted, 30
- Oystercatcher, American, 103, 104–
105, 118
Black, 104–105
- Page, Gary W., see Shuford, W. D.
- Pagophila eburnea*, 95
- Palacios, Eduardo, see Mellink, E.
- Pandion haliaetus*, 50, 83
- Parabuteo unicinctus*, 95
- Passer domesticus*, 79
- Passerina ciris*, 20, 115
- Paton, Peter W. C., see Sterling, J.
- Patten, Michael A., see Heindel, M. T.
- Pelecanus occidentalis*, 149
- Pelican, Brown, 149
- Petrel, Band-rumped Storm, 21, 117
Black-winged, 60, 61, 63
Bulwer's, 95
Cook's, 57–64
Dark-rumped, 93, 116
De Filippi's, 57–64
Mottled, 3
Pycroft's, 57, 58, 62, 63
Stejneger's, 3, 60, 63
Wedge-rumped Storm, 100
- Pewee, Greater, 13, 24
- Phaethon rubricauda*, 3, 4, 93, 100
- Phalacrocorax brasilianus*, 4, 6
olivaceus, 4, 6
- Phoebastria palpebrata*, 95
- Phylloscopus borealis*, 95, 201
fuscatus, 93, 110, 201
- Picoides tridactylus*, 23–24
- Pipit, American, 94
Japanese, 94
Red-throated, 24, 111
Sprague's, 24
- Piranga olivacea*, 20, 115
- Plectrophenax nivalis*, 20, 115, 121
- Plegadis chihi*, 169–196
- Plover, Mongolian, 7–9
Snowy, 160, 164, 202–203
Wilson's, 8, 9
- Pochard, Common, 7
- Polioptila melanura*, 54
- Polyborus plancus*, 95
- Ptarmigan, White-tailed, 122
- Pterodroma cookii*, 57–64
defilippiana, 57–64
inexpectata, 3
longirostris, 3, 60, 63
nigripennis, 60, 61, 63
phaeopygia, 93, 116
pycroftii, 57, 58, 62, 63
- Puffinus gravis*, 93, 116–117
pacificus, 117
puffinus, 93, 98–99, 117
- Quiscalus quiscula*, 20, 121
- Rail, Clapper, 202

INDEX

- Yellow, 7, 103
Rallus longirostris, 202
 Ramírez, Juan José, see Amador, E.
 Ramírez, Saudiel, see Carmona, R.
Recurvirostra americana, 159, 160, 202
 Richmond, Robert J., see Layne, V. L.
Rissa brevirostris, 95
 Robin, Rufous-backed, 16
 Rodríguez Estrella, Ricardo, see Unitt, P.
 Rojas-Soto, Octavio R., see Fry, A. J.
 Rowe, Sean P., and Terri Gallion, Fall migration of Turkey Vultures and raptors through the southern Sierra Nevada, California, 48–53
Rynchops niger, 127–167
- Safran, Rebecca J., see Shuford, W. D.
 Sandpiper, Curlew, 22
 Upland, 22, 103
 White-rumped, 10
Seiurus motacilla, 18
 Shearwater, Greater, 93, 116–117
 Manx, 93, 98–99, 117
 Wedge-tailed, 117
 Shelduck, Ruddy, 25
 Shuford, W. David, Catherine M.
 Hickey, Rebecca J. Safran, and Gary W. Page, A review of the status of the White-faced Ibis in winter in California, 169–196
 Skimmer, Black, 127–167
 Skylark, Eurasian, 86–88
Somateria spectabilis, 7, 101
 Sparrow, Cassin's, 115
 Field, 12, 20
 House, 79
 Le Conte's, 20, 115
 Spear, Larry B., see Howell, S. N. G.
Spizella pusilla, 12, 20
 Spoonbill, Roseate, 89–90
 Sterling, John, and Peter W. C. Paton, Breeding distribution of Vaux's Swift in California, 30–40
Sterna anaethetus, 93–94, 119
 antillarum, 164, 203
 forsteri, 159, 160
 fuscata, 23
 hirundo, 94, 155
 lunata, 93–94, 119
 nilotica, 154
 Stilt, Black-necked, 159, 160, 202
 Stint, Little, 9, 10, 22–23, 119
 Long-toed, 23
 Red-necked, 22–23, 119
 Rufous-necked, 22–23, 119
 Storm-Petrel, Band-rumped, 21, 117
 sp., 83
 Wedge-rumped, 100
Strix occidentalis, 30
Sturnella magna, 25
Sula dactylatra, 3–4, 5
 leucogaster, 4, 81–82, 100–101
 neboxii, 81, 100
 sula, 4, 117
 Swan, Bewick's, 94
 Trumpeter, 6–7, 21, 101, 102
 Tundra, 21, 94
 Swift, Vaux's, 30–40
Synthliboramphus craveri, 167–168
 hypoleucus, 74
- Tadorna ferruginea*, 25
 Tanager, Scarlet, 20, 115
 Tattler, Gray-tailed, 22
 Wandering, 22
 Tern, Bridled, 93–94, 119
 Common, 94, 155
 Forster's, 159, 160
 Gray-backed, 93–94, 119
 Gull-billed, 154
 Least, 164, 203
 Sooty, 23
 Terrill, Scott B., see Erickson, R. A.
 Thrasher, Curve-billed, 16, 79
 Thrush, Gray-cheeked, 15, 24
 Hermit, 65–69, 94
 Wood, 15, 110
 Toochin, Mike, see Baicich, P. J.
Toxostoma curvirostre, 16, 79
Tringa nebularia, 93, 119
Troglodytes troglodytes, 94
 Tropicbird, Red-tailed, 3, 4, 93, 100
Turdus rufopalliatus, 16
Tyrannus crassirostris, 14–15, 108
 forficatus, 15, 108, 110
 savana, 1, 11, 15
- Unitt, Philip, and Ricardo Rodríguez Estrella, Winter distribution of Hermit Thrush subspecies in the Sierra de La Laguna, Baja California Sur, 65–69
Uria lomvia, 13, 106
- Veery, 24, 120
 Verdin, 79
Vermivora chrysoptera, 17
 pinus, 17, 93, 111, 113, 114
 Vireo, Bell's, 94
 Blue-headed, 94

INDEX

- Gray, 54–55
Philadelphia, 17, 25, 93, 111, 112
Solitary, 94
White-eyed, 16, 111
Yellow-green, 17, 111
Yellow-throated, 16–17, 111
- Vireo bellii*, 94
flavifrons, 16–17, 111
flavoviridis, 17, 111
griseus, 16, 111
philadelphicus, 17, 25, 93, 111, 112
solitarius, 94
vicinior, 54–55
- Vulture, Black, 95
Turkey, 48–53
- Wagtail, Black-backed, 24, 201
White, 24
Yellow, 16, 24, 201
- Walker, Brett, see Hickey, C. M.
- Warbler, Arctic, 95, 201
Blue-winged, 17, 93, 111, 113, 114
Cerulean, 18
Connecticut, 19, 114
Dusky, 93, 110, 201
Golden-winged, 17
Grace's, 17–18, 114
Grasshopper, 199–200
Gray's, 199
Japanese Marsh, 200
Kentucky, 11, 18–19, 114
Lanceolated, 95, 197–201
- Middendorff's, 199
Mourning, 19, 25, 114
Pallas', 199–200
Palm, 94
Pine, 18, 114
Pleske's, 199
Red-faced, 12, 19, 25
River, 199
Savi's, 199
Styan's, 199
Worm-eating, 18, 114
Yellow-throated, 17, 114
- Waterthrush, Louisiana, 18
- Webb, Sophie, see Howell, S. N. G.
- Wells, Shirley, Luis F. Baptista, Stephen F. Bailey, and Helen M. Horblit, Age and sex determination in Anna's Hummingbird by means of tail pattern, 204–206
- Wheatear, Northern, 15, 24, 201
- Whelchel, Adam W., Kathy M. Keane, and Michael N. Josselyn, Establishment of a new Black Skimmer breeding colony in southern California, 164–167
- Whimbrel, 94
- Whistling-Duck, Black-bellied, 6
- Woodpecker, Pileated, 30, 35
Three-toed, 23–24
- Wren, Winter, 94
- Zárate, Bulmara, see Carmona, R.

BULLETIN BOARD

"WINGS OVER WILLCOX" BEGINS 17 JANUARY 1997

The fourth annual Wings over Willcox Sandhill Crane celebration will take place 17–19 January 1997 in Willcox, Arizona, about 80 miles east of Tucson. Each year approximately 10,000 cranes return to Willcox in mid-January to feast on the corn stubble and head to Willcox Playa, their winter home. Guided tours to see the cranes will be offered with trips to the Willcox Playa, Cochise Lake, and the AEPPO Ash Pond. Seminars, workshops, and field trips are planned for both the novice and the expert birder. Field trip participation is limited, so early registration is encouraged. Registration forms may be obtained by calling the Willcox Chamber of Commerce, 1-800-200-2272 or 520-384-2272. The event coincides with Kokopelli Winery's second annual wine extravaganza and "celebrity chef" culinary superbowl; information also available from the Willcox Chamber of Commerce.