

WESTERN BIRDS, INDEX, VOLUME 29, 1998

Compiled by Jack W. Schlotte and Philip Unitt

- Accipiter cooperii*, 71, 90, 160
 gentilis, 71
 striatus, 71, 90, 160, 462
Actitis macularia, 72, 161
Aechmophorus clarkii, 69, 104, 110, 111, 116
 occidentalis, 69, 104, 109, 110, 111, 112, 116, 159
 sp., 88, 104
Aegolius acadicus, 7, 15–16, 17, 21–28, 74
Aeronautes saxatalis, 227
Aethia cristatella, 140, 148
Agelaius phoeniceus, 57, 80, 87, 94, 95, 96, 97, 98–99, 165
 tricolor, 80, 94, 97, 129, 462
Aimophila cassinii, 143
 ruficeps, 470
Aix sponsa, 38, 70, 167
Ajaia ajaja, 203
Albatross, Black-browed, 60
 Laysan, 199, 201, 218
 Shy, 60, 133
Amazilia beryllina, 211
 rutila, 199, 211
Ammodramus caudacutus, 131–132
 lecontei, 143
 nelsoni, 131–132, 132
 savannarum, 80
Amphispiza belli, 79–80, 264, 316
 bilineata, 79
Anas acuta, 38, 70, 104, 109
 americana, 70, 105, 110, 111, 112, 113, 116, 160
 clypeata, 70, 104, 129, 160
 crecca, 70, 104, 159
 cyanoptera, 38, 39, 70, 104, 159–160
 discors, 159
 penelope, 105, 204
 platyrhynchos, 36, 38, 39, 70, 104, 109, 159
 querquedula, 139, 199, 203–204, 220
 rubripes, 213
 strepera, 38, 39, 105
Anhinga, 146
Anhinga anhinga, 146
Ani, Groove-billed, 140, 210–211, 223
Anous stolidus, 125
Anser albifrons, 159
Anthus cervinus, 78, 142, 153
 rubescens, 78, 92, 164
 spragueii, 142
Aphelocoma californica, 76, 92, 311, 326
Aphriza virgata, 161
Aquila chrysaetos, 71, 90
Archilochus alexandri, 75, 217
Ardea alba, 69, 87, 88, 95, 96, 104
 herodias, 69, 87, 88, 95, 96, 104, 129, 159, 167
Arenaria interpres, 161, 207
 melanocephala, 161, 166
Asio flammeus, 7, 15, 17, 91, 122, 162–163
 otus, 7, 12–15, 16, 17, 74, 91, 129, 162, 462
Auklet, Cassin's, 105
 Crested, 140, 148
 Rhinoceros, 105, 161
Auriparus flaviceps, 34, 414, 415, 416, 417, 418
Athene cucularia, 74, 90, 95, 99, 100
Atwood, Jonathan L., Sophia H. Tsai, Carol A. Reynolds, James C. Luttrell, and Michael R. Fugagli, Factors affecting estimates of California Gnatcatcher territory size, 269–279; and Sophia H. Tsai, Carol A. Reynolds, and Michael R. Fugagli, Distribution and population size of California Gnatcatchers on the Palos Verdes Peninsula, 1993–1997, 340–350; and David R. Bontrager and Amy L. Gorospe, Use of refugia by California Gnatcatchers displaced by habitat loss, 406–412
Avocet, American, 89
Aythya americana, 38, 39, 70, 105, 113
 affinis, 70, 105
 collaris, 70, 105
 fuligula, 199, 204
 marila, 70, 105, 109, 110, 111, 115, 117, 160, 204, 213
 valisineria, 105
Baeolophus inornatus, 77, 92
Bailey, Eric A., and Patrick J. Mock, Dispersal capability of the California Gnatcatcher: A landscape analysis of distribution

- data, 351-360; see also Preston, K. L.
- Bailey, Stephen F., see Patten, M. A.
- Bartramia longicauda*, 207, 215
- Bishop, Orange, 231-232
- Bittern, American, 88, 130
Least, 88, 95, 130
- Blackbird, Brewer's, 80, 87, 94, 96, 97, 98, 166
Red-winged, 57, 80, 87, 94, 95, 96, 97, 98-99, 165
Tricolored, 80, 94, 97, 129, 462
Yellow-headed, 94, 97, 166
- Bluebird, Mountain, 78, 164
Western, 78, 129
- Bombycilla cedrorum*, 78, 92, 95, 164
- Bonasa umbellus*, 71-72
- Bontrager, David R., see Atwood, J. L.
- Booby, Blue-footed, 202, 218
Brown, 60, 137, 146, 202
Masked, 60
- Botaurus lentiginosus*, 88, 130
- Brachyramphus marmoratus*, 161
perdix, 134
- Brant, 104, 105, 110, 111, 112, 113, 114, 116, 117, 159, 203, 213
- Branta bernicla*, 104, 105, 110, 111, 112, 113, 114, 116, 117, 159, 203, 213
canadensis, 69, 159, 462
- Bubo virginianus*, 7, 10-12, 16, 17, 74, 90, 95, 99
- Bubulcus ibis*, 88, 95, 129
- Bucephala albeola*, 36-40, 70, 105, 109, 110, 111, 112, 113, 114, 117, 160
clangula, 70, 105, 110, 111, 112, 160
islandica, 70, 105, 160, 205
- Bufflehead, 36-40, 70, 105, 109, 110, 111, 112, 113, 114, 117, 160
- Bulweria bulwerii*, 144
- Bunting, Indigo, 80, 174, 178, 316
- Lark, 34
Lazuli, 80, 93, 174-179
Painted, 143, 154, 316
Snow, 143-144, 153
- Burhinus bistriatus*, 215
- Burns, James S., see Davis, L. H.
- Bushtit, 77, 92, 470, 475
- Buteo albicaudatus*, 214
albonotatus, 139
brachyurus, 214
jamaicensis, 71, 87, 90, 95, 98, 160
- lagopus*, 71, 90
lineatus, 71, 90, 205-206, 214, 462
platypterus, 206
regalis, 71, 462
swainsoni, 71, 90, 99, 214
- Butorides virescens*, 69, 88
- Calamospiza melanocorys*, 34
- Calcarius lapponicus*, 122
pictus, 143
- Calidris acuminata*, 207
alba, 161
alpina, 89, 161
canutus, 161, 207, 215
fuscicollis, 199, 207
mauri, 72, 89, 161, 167
melanotos, 73, 161
minuta, 147
minutilla, 73, 89, 161
ptilocnemis, 161
pusilla, 161, 207, 215
ruficollis, 147
temminckii, 215
- Callipepla californica*, 72, 91, 95, 100, 470
- Calonectris leucomelas*, 137
- Calothorax lucifer*, 212, 217
- Calypte anna*, 75, 91, 95
costae, 470
- Campbell, Kurt F., Richard A. Erickson, William E. Haas, and Michael A. Patten, California Gnatcatcher use of habitats other than coastal sage scrub: Conservation and management implications, 421-433; see also Patten, M. A.
- Campylorhynchus brunneicapillus*, 129, 130, 326, 340, 416, 461
- Canvasback, 105
- Caprimulgus ridgwayi*, 134, 216
- Caracara, Crested, 134, 147, 153-154, 206
- Caracara plancus*, 134, 147, 153-154, 206
- Cardinal, 29
- Cardinalis cardinalis*, 29
sinuatus, 143, 151
- Carduelis lawrencei*, 81
pinus, 81, 166
psaltria, 81, 94
tristis, 81, 94, 97, 166, 176, 316
- Carpodacus cassinii*, 81
mexicanus, 34, 81, 96, 166
purpureus, 80, 94, 97, 129, 166
- Catbird, Gray, 141, 153

- Catharacta chilensis*, 61
lonnbergi, 61
maccormicki, 61
skua, 61
- Cathartes aura*, 69, 90, 95, 160
- Catharus guttatus*, 78, 92, 164
ustulatus, 21, 78, 100, 164
- Catherpes mexicanus*, 77
- Catoptrophorus semipalmatus*, 89
- Cephus columba*, 157, 161
- Cerorhinca monocerata*, 105, 161
- Certhia americana*, 21, 77, 167
- Ceryle alcyon*, 75, 87, 91, 163, 166
- Chaetura pelagica*, 211, 217
vauxi, 75, 163, 227
- Chamaea fasciata*, 78, 296, 315, 316, 470
- Charadrius alexandrinus*, 129
mongolus, 139
montanus, 72
morinellus, 139
semipalmatus, 89, 160
vociferus, 72, 89, 95, 96, 160–161
- Chase, Mary K., John T. Rotenberry, and Michael D. Misenhelter, Is the California Gnatcatcher an indicator of bird-species richness in coastal sage scrub?, 468–474
- Chat, Yellow-breasted, 29, 34, 79, 316
- Chen caerulescens*, 159
canagica, 138
rossii, 203
- Chickadee, Chestnut-backed, 77, 164, 167
 Mountain, 77, 164
- Chlidonias leucopterus*, 133
niger, 90
- Chloroceryle americana*, 212, 219
- Chlorostilbon canivetii*, 217
- Chondestes grammacus*, 29, 79, 93, 97
- Chordeiles minor*, 74, 163
- Cinclus mexicanus*, 77
- Circus cyaneus*, 31, 90, 95, 160, 205
- Cistothorus palustris*, 87, 92, 95, 96, 97
- Clangula hyemalis*, 105, 160, 204
- Coccothraustes vespertinus*, 81, 166
- Coccyzus americanus*, 127
erythrophthalmus, 147–148, 210, 216
- Colaptes auratus*, 36, 39, 75, 91, 121–122, 163
- Collins, Charles T., and B. Moose Peterson, Nocturnal chick provisioning by Black Swifts, 227–228
- Columba fasciata*, 73, 91, 167
livia, 73, 162
- Columbina talpacoti*, 140, 147, 199, 210, 224
- Contopus borealis*, 31, 32, 75, 91, 95, 167
cooperi, 31, 32, 75, 91, 95, 167
pertinax, 32, 140, 148
sordidulus, 32, 76, 91, 163
virens, 32, 148, 152
- Coot, American, 72, 105, 110, 111, 112, 113, 114
- Coragyps atratus*, 133, 138
- Cormorant, Brandt's, 60, 104, 110, 111, 213
 Double-crested, 60, 69, 87, 88, 96, 104, 110, 111, 112, 159, 229
 Neotropical, 202
 Pelagic, 104, 110, 111, 159
- Corvus brachyrhynchos*, 76, 92, 96, 97, 98, 99, 326
caurinus, 157, 159, 160, 162, 163, 164
corax, 76, 92, 164, 326
- Cowbird, Brown-headed, 80, 94, 96, 97, 98, 166, 174–179, 239, 290–298, 311, 317, 318, 326, 331, 430, 441, 475
- Crane, Sandhill, 89
 Whooping, 215
- Creagrus furcatus*, 133
- Creeper, Brown, 21, 77, 167
- Crossbill, Red, 81, 166
- Crotophaga sulcirostris*, 140, 210–211, 223
- Crow, American, 76, 92, 96, 97, 98, 99, 326
 Northwestern, 157, 159, 160, 162, 163, 164
- Cruz, Alexander, see Ewell, H.
- Cuckoo, Black-billed, 147–148, 210, 216
 Common, 124–127
 Oriental, 124–127
 Yellow-billed, 127
- Cuculus canorus*, 124–127
saturatus, 124–127
- Curlew, Long-billed, 89, 95, 96, 161
- Cyanocitta stelleri*, 21, 76, 167
- Cygnus buccinator*, 146, 153
columbianus, 69
- Cypseloides niger*, 75, 163, 211, 216
- Davis, Liam H., Robert L. McKernan, and James S. Burns, History and status of the California Gnatcatcher

- in San Bernardino County, California, 361–365
- Dendragapus obscurus*, 72, 167, 214
- Dendrocynna autumnalis*, 138
- bicolor*, 203, 213
- Dendroica cerulea*, 143
- coronata*, 79, 93, 165
- dominica*, 142, 153
- graciae*, 142
- nigrescens*, 79, 165
- occidentalis*, 79
- petechia*, 78, 93, 99, 165, 176, 177
- pinus*, 143
- townsendi*, 79, 93, 95, 165
- Dezzani, Raymond J., see Minnich, R. A.
- Dickerman, Robert W., Kevin Winker, and Daniel D. Gibson, Sooty Tern reaches the Aleutian Islands, Alaska, 122–123
- Diomedea cauta*, 60, 133
- immutabilis*, 199, 201, 218
- melanophris*, 60
- Dipper, American, 77
- Doerr, Erik D., Veronica A. J. Doerr, and Peter B. Stacey, Two capture methods for Black-billed Magpies, 55–58
- Dotterel, Eurasian, 139
- Dove, Mourning, 73, 91, 95, 162, 470
- Rock, 73, 162
- Ruddy Ground, 140, 147, 199, 210, 224
- White-tipped, 216
- Dowitcher, Long-billed, 73, 89, 161
- Short-billed, 161
- Dryocopus pileatus*, 36, 75, 167
- Duck, American Black, 213
- Black-bellied Whistling, 138
- Fulvous Whistling, 203, 213
- Harlequin, 105, 160, 199, 204
- Masked, 213
- Ring-necked, 70, 105
- Ruddy, 38, 39, 105, 109, 110, 111, 112
- Tufted, 199, 204
- Wood, 38, 70, 167
- Dumetella carolinensis*, 141, 153
- Dunlin, 89, 161
- Eagle, Bald, 70, 90, 159, 160
- Golden, 71, 90
- Egret, Cattle, 88, 95, 129
- Great, 69, 87, 88, 95, 96, 104
- Reddish, 138, 203
- Snowy, 88, 95, 96, 104
- Egretta caerulea*, 202
- rufescens*, 138, 203
- thula*, 88, 95, 96, 104
- tricolor*, 137–138, 202–203
- Elanoides forficatus*, 199, 200, 205
- Elanus leucurus*, 90, 95, 205
- Emerald, Fork-tailed, 217
- Empidonax alnorum*, 32
- difficilis*, 32, 76, 91, 95, 97, 163
- flaviventris*, 31, 32
- fulvifrons*, 32
- hammondii*, 32, 76, 163
- minimus*, 32
- oberholseri*, 32, 76
- occidentalis*, 32
- traillii*, 31, 32, 76, 130, 163, 176
- virescens*, 32
- wrightii*, 32, 76
- Eremophila alpestris*, 77, 91, 163, 462
- Erickson, Richard A., Unmated male California Gnatcatcher feeds fledgling Bushtits, 475–476; and Karen L. Miner, Six years of synchronous California Gnatcatcher population fluctuations at two locations in coastal Orange County, California, 333–339; see also Campbell, K. F.; see O'Connell, M. W.
- Eudocimus albus*, 203
- Euphagus cyanocephalus*, 80, 87, 94, 96, 97, 98, 166
- Euplectes franciscanus*, 231–232
- Euptilotis neoxenus*, 199, 212, 217, 219
- Ewell, Heather, and Alexander Cruz, Foraging behavior of the Pygmy Nuthatch in Colorado Ponderosa Pine forests, 169–173
- Falco columbarius*, 71, 90, 160, 462
- femoralis*, 214
- mexicanus*, 71, 90, 130
- peregrinus*, 68, 71, 72, 73, 90, 160
- rusticolus*, 160
- sparverius*, 71, 90, 160
- Falcon, Aplomado, 214
- Peregrine, 68, 71, 72, 73, 90, 160
- Prairie, 71, 90, 130
- Famolaro, Peter, and Jeff Newman, Occurrence and management considerations of California

- Gnatcatchers along San Diego County highways, 447-452
- Finch, Cassin's, 81
- House, 34, 81, 94, 96, 97, 166
- Purple, 80, 129, 166
- Fitton, Sam D., see Shuford, W. D.
- Flcury, Scott A., Patrick J. Mock, and John F. O'Leary, Is the California Gnatcatcher a good umbrella species?, 453-467
- Flicker, Northern, 36, 39, 75, 91, 121-122, 163
- Flycatcher, Acadian, 32
- Alder, 32
- Ash-throated, 76, 91
- Buff-breasted, 32
- Cordilleran, 32
- Dusky, 32, 76
- Dusky-capped, 140, 152
- Gray, 32, 76
- Hammond's, 32, 76, 163
- Least, 32
- Olive-sided, 31, 32, 75, 91, 95, 167
- Pacific-slope, 32, 76, 91, 95, 97, 163
- Scissor-tailed, 31, 32, 33, 134, 140-141, 152
- Vermilion, 30, 31-32, 33
- Western, 32, 76, 91, 95, 97, 163
- Willow, 31, 32, 76, 130, 163, 176
- Yellow-bellied, 31, 32
- Fratercula cirrhata*, 161
- Fregata magnificens*, 59, 60, 202
- minor*, 60, 202
- Frigatebird, Great, 60, 202
- Magnificent, 59, 60, 202
- Fugagli, Michael R., see Atwood, J. L.
- Fulica americana*, 72, 105, 110, 111, 112, 113, 114
- Gadwall, 38, 39, 105
- Gallinago gallinago*, 73, 89, 161
- Gallinula chloropus*, 89
- Gallinule, Purple, 206
- Galvin, J. Paul, Breeding and dispersal biology of the California Gnatcatcher in central Orange County, 232-332
- Gardali, Thomas, Anne M. King, and Geoffrey R. Geupel, Cowbird parasitism and nest success of the Lazuli Bunting in the Sacramento Valley, 174-179
- Garganey, 139, 199, 203-204, 220
- Garrett, Kimball L., and Kathy C. Molina, First record of the Black-tailed Gull for Mexico, 49-54; and Daniel S. Singer, Report of the California Bird Records Committee: 1995 records, 133-156; President's message, 229-231; Field separation of bishops (*Euplectes*) from North American emberizids, 231-232
- Gavia adamsii*, 137, 158, 199, 201
- arctica*, 136-137
- immer*, 69, 104, 110, 111, 113, 115, 117, 158
- pacifica*, 104, 109, 110, 111, 112, 113, 158
- stellata*, 69, 104, 109, 110, 111, 112, 113, 117, 158, 201, 213
- Geococcyx californianus*, 73, 311, 326
- Geothlypis trichas*, 79, 93, 165, 177
- Geupel, Geoffrey R., see Gardali, T.
- Giant-Petrel, Northern, 60
- Southern, 60
- Gibson, Daniel D., see Dickerman, R. W.
- Gilmer, David S., Karen A. Gonzalez, Michael A. Wolder, and Noel R. Graves, Nongame and upland gamebird surveys on Sacramento Valley national wildlife refuges, 1986-1993, 83-102
- Glaucidium gnoma*, 7, 11, 12, 16, 17, 74, 162
- Gnatcatcher, Black-tailed, 237, 258, 280-289, 416, 476-479
- Blue-gray, 77, 287, 290, 315, 316, 462
- California, 129, 130, 237-479
- Tropical, 475
- Godwit, Bar-tailed, 139, 146
- Hudsonian, 139, 199, 207, 215
- Marbled, 89, 146, 161
- Goldeneye, Barrow's, 70, 105, 160, 205
- Common, 70, 105, 110, 111, 112, 160
- Golden-Plover, American, 160, 206, 215
- Lesser, 160
- Goldfinch, American, 81, 94, 97, 166, 176, 316
- Lawrence's, 81
- Lesser, 81, 94
- Gonzalez, Karen A., see Gilmer, D. S.
- Goose, Canada, 69, 159, 462
- Emperor, 138
- Greater White-fronted, 159
- Ross', 203

- Snow, 159
- Gorospa, Amy L., see Atwood, J. L.
- Goshawk, Northern, 71
- Grackle, Common, 153
- Graves, Noel R., see Gilmer, D. S.
- Grebe, Clark's, 69, 104, 110, 111, 116
- Eared, 69, 87, 88, 104, 109, 110, 111, 112, 113, 117, 229
- Horned, 69, 104, 109, 110, 111, 113, 117, 158-159, 201, 213
- Least, 201, 213
- Pied-billed, 69, 87, 88, 96, 104, 112, 167
- Red-necked, 69, 104, 109, 159, 199, 201, 217
- Western, 69, 104, 109, 110, 111, 112, 116, 159
- Western/Clark's, 88, 104
- Grishaver, Mary A., Patrick J. Mock, and Kristine L. Preston, Breeding behavior of the California Gnatcatcher in southwestern San Diego County, California; see also Preston, K. L.
- Grosbeak, Black-headed, 80, 93, 165
- Blue, 93
- Evening, 81, 166
- Pine, 21
- Ground-Dove, Ruddy, 140, 147, 199, 210, 224
- Grouse, Blue, 72, 167, 214
- Ruffed, 71-72
- Grus americana*, 215
- canadensis*, 89
- Guillemot, Pigeon, 157, 161
- Guiraca caerulea*, 93
- Gull, Black-headed, 139
- Black-tailed, 49-54
- Bonaparte's, 105, 112, 161
- California, 73, 161, 166, 167
- Franklin's, 161
- Glaucous, 53, 161, 199, 209, 222, 484, 485
- Glaucous-winged, 53, 157, 159, 160, 161, 209, 216, 484-485
- Heermann's, 49, 50, 51, 208, 215
- Herring, 63-64, 89, 95, 161, 215, 484, 485
- Ivory, 133
- Laughing, 208, 215
- Lesser Black-backed, 140
- Little, 139
- Mew, 161, 199, 208-209, 222
- Ring-billed, 50, 51, 73, 89, 95, 161
- Sabine's, 161, 209
- Slaty-backed, 134, 484
- Swallow-tailed, 133
- Thayer's, 63, 209, 484
- Western, 53, 215-216, 484, 485
- Yellow-footed, 49, 50, 51
- Gutiérrez, R. J., see Leskiw, T.
- Gyrfalcon, 160
- Haas, William E., see Campbell, K. F.
- Haematopus bachmani*, 161, 215
- Haliaeetus leucocephalus*, 70, 90, 159, 160
- Harrier, Northern, 71, 90, 95, 160, 205
- Hawk, Broad-winged, 206
- Cooper's, 71, 90, 160
- Harris', 154
- Ferruginous, 71, 462
- Red-shouldered, 71, 90, 205-206, 214, 462
- Red-tailed, 71, 87, 90, 95, 98, 160
- Rough-legged, 71, 90
- Sharp-shinned, 71, 90, 160, 462
- Short-tailed, 214
- Swainson's, 71, 90, 99, 214
- White-tailed, 214
- Zone-tailed, 139
- Hazard, Gjon C., see Hunter, J. E.
- Helimaster constantii*, 211, 217
- Helmitheros vermicivorus*, 143
- Heron, Black-crowned Night, 88, 104
- Great Blue, 69, 87, 88, 95, 96, 104, 129, 159, 167
- Green, 69, 88
- Little Blue, 202
- Tricolored, 137-138, 202-203
- Yellow-crowned Night, 138, 145, 203
- Heteroscelus incanus*, 72, 161, 206-207, 215
- Himantopus mexicanus*, 89, 95, 96
- Hirsch, Robb, see Miner, K. L.
- Hirundo pyrrhonota*, 77, 92, 121-122, 163
- rustica*, 77, 92, 96, 97, 163-164
- Histrionicus histrionicus*, 105, 160, 199, 204
- Howell, Steve N. G., Video review: The Large Gulls of North America, 480-481; and Jon R. King, Tail-pattern variation in first-year Herring Gulls, 63-64; and David A. Sibley, Variation in the Sharp-tailed Sparrows, 131-132; see also King, J. R.; see Sibley, D. A.
- Hummingbird, Allen's, 75, 129
- Anna's, 75, 91, 95
- Berylline, 211

- Black-chinned, 75, 217
 Calliope, 75, 212
 Cinnamon, 199, 211
 Costa's, 470
 Lucifer, 212, 217
 Rufous, 75, 163
 White-eared, 211, 217
 Hunter, John E., and Gjon C. Hazard,
 Birds of the Mad River Ranger
 District, Six Rivers National Forest,
 California, 65–82
Hylocharis leucotis, 211, 217

 Ibis, White, 203
 White-faced, 88, 95, 98, 229
Icteria virens, 29, 34, 79, 316
Icterus bullockii, 80, 94
Ictinia mississippiensis, 146, 205, 213
 liwi, 296
Ixobrychus exilis, 88, 95, 130
Ixoreus naevius, 21, 78, 164

 Jacana, Northern, 199, 206
Jacana spinosa, 199, 206
 Jaeger, Parasitic, 61, 208
 Pomarine, 61, 161, 208
 Long-tailed, 61, 62, 199, 208, 221
 Jay, Gray, 76
 Steller's, 21, 76, 167
 Western Scrub, 76, 92, 311, 326
 Johnson, Eric V., Flicker destroys
 vacant Cliff Swallow nests, 121–
 122
 Junco, Dark-eyed, 41–48, 80, 94, 165
 Slate-colored, 80
 White-winged, 41–48
Junco hyemalis, 80, 94, 165
 h. aikeni, 41–48

 Kelly, John P., and Sarah L. Tappen,
 Distribution, abundance, and
 implications for conservation of
 winter waterbirds on Tomales Bay,
 California, 103–120
 Kestrel, American, 71, 90, 160
 Killdeer, 72, 95, 96, 160–161
 King, Anne M., see Gardali, T.
 King, David F., see Preston, K. L.
 King, Jon R., and Steve N. G. Howell,
 Identification and molt of hybrid
 Glaucous-winged Gulls, 484–485;
 see also Howell, S. N. G.
 Kingbird, Cassin's, 31, 32, 33, 34
 Eastern, 32, 163
 Gray, 32
 Thick-billed, 32, 140
 Tropical, 31, 32, 33
 Western, 31, 32, 33, 76, 87, 91, 163
 Kingfisher, Belted, 75, 87, 91, 163, 166
 Green, 212, 219
 Kinglet, Golden-crowned, 78, 164
 Ruby-crowned, 78, 92, 164, 176
 Kite, Mississippi, 146, 205, 213
 Swallow-tailed, 199, 200, 205
 White-tailed, 90, 95, 205
 Kittiwake, Black-legged, 122, 209
 Red-legged, 133
 Knot, Red, 161, 207, 215

Lagopus leucurus, 214
Larus argentatus, 63–64, 89, 95,
 161, 215, 484, 485
 atricilla, 208, 215
 californicus, 73, 161, 166, 167
 canus, 161, 199, 208–209, 222
 crassirostris, 49–54
 delawarensis, 50, 51, 73, 89, 95, 161
 fuscus, 140
 glaucescens, 53, 157, 159, 160,
 161, 209, 216, 484–485
 heermanni, 49, 50, 51, 208, 215
 hyperboreus, 53, 161, 199, 209,
 222, 484, 485
 livens, 49, 50, 51
 minutus, 139
 occidentalis, 53, 215–216, 484,
 485
 philadelphia, 105, 112, 161
 pipixcan, 161
 ridibundus, 139
 schistisagus, 134, 484
 thayeri, 63, 209, 484
Lanius ludovicianus, 29, 34, 76, 92
 Lark, Horned, 77, 91, 163, 462
Laterallus jamaicensis, 206, 214, 430
Leptotila verreauxii, 216
 Leskiw, Tom, and R. J. Gutiérrez,
 Possible predation of a Spotted
 Owl by a Barred Owl, 225–226
Limnodromus griseus, 161
 scolopaceus, 73, 89, 161
Limosa fedoa, 89, 146, 161
 haemastica, 139, 199, 207, 215
 lapponica, 139, 146
Locustella lanceolata, 133, 141, 149
 Longspur, Lapland, 122
 Smith's, 143
 Loon, Arctic, 136–137
 Common, 69, 104, 110, 111, 113,
 115, 117, 158
 Pacific, 104, 109, 110, 111, 112,
 113, 158

- Red-throated, 69, 104, 109, 110, 111, 112, 113, 117, 158, 201, 213
 Yellow-billed, 137, 158, 199, 201
Lophodytes cucullatus, 70, 105, 167
Loxia curvirostra, 81, 166
 Luttrell, James C., see Atwood, J. L.
- Macronectes giganteus*, 60
halli, 60
 Magpie, Black-billed, 14, 55–59
 Yellow-billed, 92
 Mallard, 36, 38, 39, 70, 104, 109, 159
 Martin, Purple, 77, 130, 163
 McKernan, Robert L., see Davis, L. H.
 Meadowlark, Eastern, 152, 153
 Western, 80, 87, 94, 95, 96, 97, 99, 100, 152, 165–166
Melanerpes aurifrons, 219
erythrocephalus, 121, 212
formicivorus, 75, 121
lewis, 75
Melanitta fusca, 105, 110, 111, 112, 160, 205
nigra, 105, 109, 115, 117, 160, 199, 204
perspicillata, 105, 109, 110, 111, 112, 117, 160, 167, 204–205
Meleagris gallopavo, 72
Melospiza lincolni, 80, 93, 165
melodia, 43, 80, 93, 99, 165, 166, 176, 177, 296
Micrathene whitneyi, 216
Mimus polyglottos, 92, 316
 Miner, Karen L., Adrian Wolf, and Robb Hirsch, Use of restored coastal sage scrub habitat by California Gnatcatchers in a park setting, 439–446; see also Erickson, R. A.
 Minnich, Richard A., and Raymond J. Dezzani, Historical decline of coastal sage scrub in the Riverside–Perris Plain, California, 366–392
 Merganser, Common, 70, 105, 160
 Hooded, 70, 105, 167
 Red-breasted, 70, 105, 110, 111, 112, 160
Mergellus albellus, 146
Mergus merganser, 70, 105, 160
serrator, 70, 105, 110, 111, 112, 160
 Merlin, 71, 90, 160, 462
 Misenhelter, Michael D., see Chase, M. K.
 Mock, Patrick J., Energetic constraints to the distribution and abundance of the California Gnatcatcher, 413–420; see also Bailey, E. A.; see Fleury, S. A.; see Grishaver, M. A.; see Preston, K. L.
 Mockingbird, Northern, 92, 316
 Molina, Kathy C., see Garrett, K. L.
Molothrus ater, 80, 94, 96, 97, 98, 166, 174–179, 239, 290–298, 311, 317, 318, 326, 331, 430, 441, 475
 Moorhen, Common, 89
Motacilla alba, 180–198
cinerea, 181
flava, 142, 150, 181
lugens, 142, 151, 180–198
 Murre, Common, 105, 161
 Thick-billed, 140
 Murrelet, Ancient, 24, 25
 Craver's, 60
 Long-billed, 134
 Marbled, 161
 Xantus', 60
Myadestes townsendi, 78, 164
Mycteria americana, 203
Myiarchus cinerascens, 76, 91
tuberculifer, 140, 152
- Nestler, J., see Pyle, P.
 Newman, Jeff, see Famolaro, P.
 Nighthawk, Common, 74, 163
 Night-Heron, Black-crowned, 88, 104
 Yellow-crowned, 138, 145, 203
 Nightjar, Buff-collared, 134, 216
 Noddy, Brown, 125
Nomonyx dominicus, 213
Nucifraga columbiana, 76
Numenius americanus, 89, 95, 96, 161
phaeopus, 72, 89, 160, 161, 207
 Nutcracker, Clark's, 76
 Nuthatch, Pygmy, 169–173
 Red-breasted, 77, 164
 White-breasted, 77
Nyctanassa violacea, 138, 145, 203
Nyctea scandiaca, 74, 162
Nycticorax nycticorax, 88, 104
- Oceanodroma castro*, 133, 145
furcata, 122, 159
leucorhoa, 145
microsoma, 199, 200, 201
 O'Connell, M. W. (Bill), and Richard A. Erickson, An example of the California Gnatcatcher nesting in restored coastal sage scrub, 434–438
Oenanthe oenanthe, 141, 150

- Oldsquaw, 105, 160, 204
O'Leary, John F., see Fleury, S. A.
Oporornis agilis, 143
philadelphia, 153
tolmiei, 79, 93, 95, 165
Oreortyx pictus, 72
Oreoscoptes montanus, 316
Oriole, Bullock's, 80, 94
Osprey, 70, 130, 160
Otus flammeolus, 7, 8-10, 16, 17, 74
kennicottii, 7, 9-10, 16, 17, 18,
74
Ovenbird, 411
Owl, Barn, 7, 8, 9, 16, 17, 74, 90,
162
Barred, 74, 167, 225-226
Burrowing, 74, 90, 95, 99, 100
Elf, 216
Flammulated, 7, 8-10, 16, 17, 74
Great Horned, 7, 10-12, 16, 17,
74, 90, 95, 99
Long-eared, 7, 12-15, 16, 17, 74,
91, 129, 162, 462
Northern Pygmy, 7, 11, 12, 16, 17,
74, 162
Northern Saw-whet, 7, 15-16, 17,
21-28, 74
Short-eared, 7, 15, 17, 91, 122,
162-163
Snowy, 74
Spotted, 74, 225-226
Western Screech, 7, 9-10, 16, 17,
18, 74
Oxyura dominica, 213
jamaicensis, 38, 39, 70, 105, 109,
110, 111, 112
Oystercatcher, Black, 161, 215

Pagophila eburnea, 133
Pandion haliaetus, 70, 130, 160
Parabuteo unicinctus, 154
Parus gambeli, 77, 164
rufescens, 77, 164, 167
Passer domesticus, 81, 94, 475
Passerculus sandwichensis, 43, 80,
93, 96, 97, 99, 165
Passerella iliaca, 80, 93, 97, 165
Passerina amoena, 80, 93, 174-179
ciris, 143, 154, 316
cyanea, 80, 174, 178, 316
Patten, Michael A., Stephen F. Bailey,
and Rich Stallcup, First records of
the White-winged Junco for
California, 41-48; and Kurt F.
Campbell, Has brood parasitism
selected for earlier nesting in the
California Gnatcatcher?, 290-298;
see also Campbell, K. F.
Pelecanus erythrorhynchos, 87, 88,
96, 98, 104, 112, 229
occidentalis, 104, 112, 230
thagus, 59-60
Pelican, American White, 87, 88, 96,
98, 104, 112, 229
Brown, 104, 112, 230
Peruvian, 59-60
Perisoreus canadensis, 76
Peterson, B. Moose, see Collins, C. T.
Petrel, Band-rumped Storm, 133, 145
Bulwer's, 144
De Filippi's, 59, 60
Fork-tailed Storm, 122, 159
Great-winged, 133-134
Herald, 60
Juan Fernandez, 59, 60
Kermadec, 59
Leach's Storm, 145
Least Storm, 199, 200, 201
Murphy's, 144
Northern Giant, 60
Parkinson's, 133
Solander's, 144
Southern Giant, 60
Stejneger's, 144
White-necked, 59
Petrochelidon pyrrhonota, 77, 92,
121-122, 163
Pewee, Eastern Wood, 32, 148, 152
Greater, 32, 140, 148
Western Wood, 32, 76, 91, 163
Phaethon aethereus, 202
lepturus, 201-202
Phainopepla, 29, 78
Phainopepla nitens, 29, 78
Phalacrocorax auritus, 60, 69, 87,
88, 96, 104, 110, 111, 112, 159,
229
brasilianus, 202
pelagicus, 104, 110, 111, 159
penicillatus, 60, 104, 110, 111,
213
Phalaenoptilus nuttallii, 74
Phalarope, Red, 105, 208
Red-necked, 73, 89, 161
Wilson's, 89
Phalaropus fulicaria, 105, 208
lobatus, 73, 161
tricolor, 89
Phasianus colchicus, 87, 91, 95, 96,
98, 100
Pheasant, Ring-necked, 87, 91, 95,
96, 98, 100

- Pheucticus melanocephalus*, 80, 93, 165
Philomachus pugnax, 199, 207–208
Phoebastria immutabilis, 199, 201, 218
 Phoebe, Black, 76, 91
 Say's, 76, 91, 163
Phylloscopus borealis, 133, 141, 149
 fuscatus, 141
Pica nuttalli, 92
 pica, 14, 55–58
Picoides alborarvatus, 75, 219
 arcticus, 75
 nuttallii, 91, 219
 pubescens, 75, 91, 129, 163, 213
 scalaris, 39
 villosus, 21, 75, 167
 Pigeon, Band-tailed, 73, 91, 167
Pinicola enucleator, 21
 Pintail, Northern, 38, 70, 104, 109
Pipilo aberti, 316
 chlorurus, 79, 316
 crissalis, 79, 93, 470
 erythrophthalmus, 316
 maculatus, 79, 93, 165, 470
 Pipit, American, 78, 92, 164
 Red-throated, 78, 142, 153
 Sprague's, 142
Piranga ludoviciana, 79, 93, 165
 olivacea, 132
 rubra, 132
Plectrophenax nivalis, 143–144, 153
Plegadis chihi, 88, 95, 98, 229
 Plover, American Golden, 160, 206, 215
 Black-bellied, 89, 160
 Lesser Golden, 160
 Mongolian, 139
 Mountain, 72
 Semipalmated, 89, 160
 Snowy, 129
Pluvialis dominica, 160, 206, 215
 squatarola, 89, 160
Podiceps auritus, 69, 104, 109, 110, 111, 113, 117, 158–159, 201, 213
 griseogena, 69, 104, 109, 159, 199, 201, 217
 nigricollis, 69, 87, 88, 104, 109, 110, 111, 112, 113, 117, 229
Podilymbus podiceps, 69, 87, 88, 96, 104, 112, 167
Poecile gambeli, 77, 164
 rufescens, 77, 164, 167
Polioptila caerulea, 77, 287, 290, 315, 316, 462
 californica, 129, 130, 237–479
 melanura, 237, 258, 280–289, 416, 476–479
 plumbea, 475
Poecetes gramineus, 79
 Poor-will, Common, 74
Porphyryla martinica, 206
Porzana carolina, 72, 88
 Preston, Kristine L., Patrick J. Mock, Mary A. Grishaver, Eric A. Bailey, and David F. King, California Gnatcatcher territorial behavior, 242–257; and Mary A. Grishaver and Patrick J. Mock, California Gnatcatcher vocalization behavior, 258–268; see also Grishaver, M. A.
Procellaria parkinsoni, 133
Progne subis, 77, 130, 163
Psaltriparus minimus, 77, 92, 470, 475
 Ptarmigan, White-tailed, 214
Pterodroma arminjoniana, 60
 cervicalis, 59
 defilippiana, 59, 60
 externa, 59, 60
 longirostris, 144
 macroptera, 133–134
 neglecta, 59
 solandri, 144
 ultima, 144
Ptychoramphus aleuticus, 105
 Puffin, Tufted, 161
Puffinus griseus, 201
 herminieri, 59
 puffinus, 137
 tenuirostris, 122
 Pygmy-Owl, Northern, 7, 11, 12, 16, 74
 Pyle, Peter, Eccentric first-year molt patterns in certain tyrannid flycatchers, 29–35; and Jim Nestler, First record of a *Cuculus* cuckoo on Midway Atoll and the Hawaiian Islands, 124–127; and Philip Unitt, Molt and plumage variation by age and sex in the California and Black-tailed gnatcatchers, 280–289
Pyrocephalus rubinus, 30, 31–32, 33
 Pyrrhuloxia, 143, 151
 Quail, California, 72, 91, 95, 100, 470
 Mountain, 72
Quiscalus quiscula, 153

- Rail, Black, 206, 214, 430
 Clapper, 129
 Virginia, 88
- Rallus limicola*, 88
longirostris, 129
- Raven, Common, 76, 92, 164, 326
Recurvirostra americana, 89
- Redhead, 38, 39, 70, 105, 113
- Regulus calendula*, 78, 92, 164, 167
satrapa, 78, 164
- Reynolds, Carol A., see Atwood, J. L.
- Riparia riparia*, 91, 95, 163
- Rissa brevirostris*, 133
tridactyla, 122, 209
- Roadrunner, Greater, 73, 311, 326
- Robin, American, 78, 92, 164
- Rosenberg, Gary H., and Janet L. Witzeman, Arizona Bird Committee report, 1974–1996: Part 1 (nonpasserines), 199–224
- Rotenberry, John T., and Thomas A. Scott, Biology of the California Gnatcatcher: Filling in the gaps, 237–241; see also Chase, M. K.
- Ruff, 199, 207–208
- Rynchops niger*, 199, 210, 216, 224, 229
- Salpinctes obsoletus*, 77, 92
- Sanderling, 161
- Sandpiper, Least, 72, 89, 161
 Pectoral, 72, 161
 Rock, 161
 Semipalmated, 161, 207, 215
 Sharp-tailed, 207
 Solitary, 206
 Spotted, 72, 161
 Upland, 207, 215
 Western, 72, 89, 161, 166
 White-rumped, 199, 207
- San Miguel, Michael R., Extralimital breeding of the Bufflehead in California, 36–40
- Sapsucker, Red-breasted, 75, 167, 213
 Williamson's, 75
 Yellow-bellied, 212–213
- Sayornis nigricans*, 76, 91
saya, 76, 91, 163
- Scaup, Greater, 70, 105, 109, 110, 111, 115, 117, 160, 204, 213
 Lesser, 70, 105
- Scoter, Black, 105, 109, 115, 117, 160, 199, 204
 Surf, 105, 109, 110, 111, 112, 117, 160, 166, 204–205
- White-winged, 105, 110, 111, 112, 160, 205
- Scott, Thomas A., see Rotenberry, J. T.
- Screech-Owl, Western, 7, 9–10, 16, 17, 18, 74
- Scrub-Jay, Western, 76, 92, 311, 326
- Sealy, Spencer G., The subspecies of the Northern Saw-whet Owl on the Queen Charlotte Islands: An island endemic and a nonbreeding visitant, 21–28
- Seiurus aurocapillus*, 411
motacilla, 143
- Selasphorus rufus*, 75, 163
sasin, 75, 129
- Shearwater, Audubon's, 59
 Manx, 137
 Short-tailed, 122
 Sooty, 201
 Streaked, 137
- Shoveler, Northern, 70, 104, 129, 160
- Shrike, Loggerhead, 29, 34, 76, 92
- Shuford, W. David, and Sam D. Fitton, Status of owls in the Glass Mountain region, Mono County, California, 1–20
- Sialia currucoides*, 78, 164
mexicana, 78, 129
- Sibley, David A., and Steve N. G. Howell, Identification of White and Black-backed Wagtails in basic plumage, 180–198
- Singer, Daniel S., see Garrett, K. L.
- Siskin, Pine, 81, 166
- Sitta canadensis*, 77, 164
carolinensis, 77
pygmaea, 169–173
- Skimmer, Black, 199, 210, 216, 224, 229
- Skua, Brown, 61
 Chilean, 61
 Great, 61
 South Polar, 61
- Small, Stacy, Book review: A Guide to the Nests, Eggs, and Nestlings of North American Birds, 481–483
- Smew, 146
- Snipe, Common, 73, 89, 161
- Solitaire, Townsend's, 78, 164
- Sora, 72, 88
- Sparrow, Black-chinned, 79
 Black-throated, 79
 Brewer's, 264–265, 316
 Cassin's, 143
 Chipping, 79, 93, 97, 165
 Field, 34

- Fox, 80, 93, 97, 165
 Golden-crowned, 80, 93, 96, 97, 165
 Grasshopper, 80
 House, 81, 94, 475
 LeConte's, 143
 Lincoln's, 80, 93, 165
 Lark, 29, 79, 93, 97
 Nelson's Sharp-tailed, 131-132
 Rufous-crowned, 470
 Sage, 79-80, 264, 316
 Saltmarsh Sharp-tailed, 131-132
 Savannah, 43, 80, 93, 96, 97, 99, 165
 Song, 43, 80, 93, 99, 165, 166, 176, 177, 296
 Vesper, 79
 White-crowned, 43, 80, 94, 97, 165, 316
Speotyto cunicularia, 74, 90, 95, 99, 100
Sphyrapicus ruber, 75, 167, 213
 thyroideus, 75
 varius, 212-213
Spizella atrogularis, 79
 breweri, 264-265, 316
 passerina, 79, 93, 97, 165
 pusilla, 34
 Spoonbill, Roseate, 203
 Stacey, Peter B., see Doerr, E. D.
 Stallcup, R., see Patten, M. A.
 Starling, European, 57, 78, 93, 96, 97, 98, 164, 475
 Starthroat, Plain-capped, 211, 217
Stelgidopteryx serripennis, 77, 91, 163
Stellula calliope, 75, 212
Stercorarius longicaudus, 61, 62, 199, 208, 221
 parasiticus, 61, 208
 pomarinus, 61, 161, 208
Sterna antillarum, 129, 210, 216
 caspia, 73, 89, 161, 229
 elegans, 147, 199, 209, 216
 forsteri, 89, 105, 110, 111, 112
 fuscata, 122-123, 140, 147
 maxima, 129, 147
 nilotica, 216, 229
 paradisaea, 161, 209-210, 216
 Stilt, Black-necked, 89, 95, 96
 Stint, Little, 147
 Red-necked, 147
 Temminck's, 215
 Stork, Wood, 203
 Storm-Petrel, Band-rumped, 133, 145
 Fork-tailed, 122, 159
 Leach's, 145
 Least, 199, 200, 201
Strix occidentalis, 74, 225-226
 varia, 74, 167, 225-226
Sturnella magna, 152, 153
 neglecta, 80, 87, 94, 95, 96, 97, 99, 100, 152, 164, 165-166
Sturnus vulgaris, 57, 78, 93, 96, 97, 98, 475
Sula dactylatra, 60
 leucogaster, 60, 137, 146, 202
 neboxii, 202, 218
 Surfbird, 161
 Swallow, Bank, 91, 95, 163
 Barn, 77, 92, 96, 97, 163-164
 Cliff, 77, 92, 121-122, 163
 Northern Rough-winged, 77, 91, 163
 Tree, 77, 91, 129, 163
 Violet-green, 77, 91, 163
 Swan, Trumpeter, 146, 153
 Tundra, 69
 Swift, Black, 74, 163, 211, 216, 227-228
 Chimney, 211, 217
 Vaux's, 75, 163, 227
 White-throated, 227
Synthliboramphus antiquus, 24, 25
 craveri, 60
 hypoleucus, 60

Tachybaptus dominicus, 201, 213
Tachycineta bicolor, 77, 91, 129, 163
 thalassina, 77, 91, 163
 Tanager, Golden-hooded, 475
 Scarlet, 132
 Summer, 132
 Western, 79, 93, 165
Tangara larvata, 475
 Tappen, Sarah L., see Kelly, J. P.
 Tattler, Wandering, 72, 161, 206-207, 215
 Teal, Blue-winged, 159
 Cinnamon, 38, 39, 70, 104, 159-160
 Green-winged, 70, 104, 159
 Tern, Arctic, 161, 209-210, 216
 Black, 90
 Caspian, 73, 89, 161, 229
 Elegant, 147, 199, 209, 216
 Forster's, 89, 105, 110, 111, 112
 Gull-billed, 216, 229
 Least, 129, 210, 216
 Royal, 129, 147
 Sooty, 122-123, 140, 147
 White-winged, 133

- Thalassarche cauta*, 60, 133
melanophrys, 60
- Thick-knee, Double-striped, 215
- Thrasher, Brown, 316
 California, 78, 470
 Curve-billed, 316
 Sage, 316
- Thrush, Eyebrowed, 152-153
 Hermit, 78, 92, 164
 Swainson's, 21, 78, 100, 164
 Varied, 21, 78, 164
- Thryomanes bewickii*, 77, 92, 164, 470
- Thryothorus ludovicianus*, 266
- Titmouse, Oak, 77, 92
- Towhee, Abert's, 316
 California, 79, 93, 470
 Green-tailed, 79, 316
 Rufous-sided, 316
 Spotted, 79, 93, 470
- Toxostoma curvirostre*, 316
redivivum, 78, 470
rufum, 316
- Tringa flavipes*, 72, 89, 161
melanoleuca, 72, 89, 161
solitaria, 206
- Troglodytes aedon*, 77, 92, 167
troglodytes, 77, 164
- Trogon, Eared, 199, 212, 217, 219
 Elegant, 212
- Trogon *elegans*, 212
- Tropicbird, Red-billed, 202
 White-tailed, 201-202
- Tsai, Sophia H., see Atwood, J. L.
- Turdus migratorius*, 78, 92, 164
obscurus, 152-153
- Turkey, Wild, 72
- Turnstone, Black, 161, 166
 Ruddy, 161, 207
- Tyrannus crassirostris*, 32, 140
dominicensis, 32
forficatus, 31, 32, 33, 134, 140-141, 152
melancholicus, 31, 32, 33
tyrannus, 32, 163
verticalis, 31, 32, 33, 76, 87, 91, 163
vociferans, 31, 32, 33, 34
- Tyto alba*, 7, 8, 9, 16, 17, 74, 90, 162
- Unitt, Philip, see Pyle, P.
- Uria aalge*, 105, 161
lomvia, 140
- Verbeek, Nicolaas A. M., The status of spring and summer birds on Mitlenatch Island, British Columbia, 1981-1995, 157-168
- Verdin, 34, 414, 415, 416, 417, 418
- Vermivora celata*, 78, 93, 165
chrysoptera, 142
pinus, 142
ruficapilla, 78, 93
- Vestiaria coccinea*, 296
- Vireo bellii*, 129, 177, 178, 428, 431
cassinii, 76, 93, 97, 130, 164
flavifrons, 141
flavoviridis, 141
gilvus, 76, 93, 97, 99, 164-165, 177
griseus, 34
huttoni, 76, 93, 97, 168
philadelphicus, 141
solitarius, 134
- Vireo*, Bell's, 129, 177, 178, 428, 431
 Blue-headed, 134
 Cassin's, 76, 93, 97, 130, 164
 Hutton's, 76, 93, 97, 168
 Philadelphia, 141
 Warbling, 76, 93, 97, 99, 164-165, 177
 White-eyed, 34
 Yellow-green, 141
 Yellow-throated, 141
- Vulture, Black, 133, 138
 Turkey, 69, 90, 95, 160
- Wagtail, Black-backed, 142, 151, 180-198
 Gray, 181
 White, 180-198
 Yellow, 142, 150, 181
- Warbler, Arctic, 133, 141, 149
 Black-throated Gray, 79, 165
 Blue-winged, 142
 Cerulean, 143
 Connecticut, 143
 Dusky, 141
 Golden-winged, 142
 Grace's, 142
 Hermit, 79
 Lanceolated, 133, 141, 149
 MacGillivray's, 79, 93, 95, 165
 Mourning, 153
 Nashville, 78, 93
 Orange-crowned, 78, 93, 165
 Pine, 143
 Townsend's, 79, 93, 95, 165
 Wilson's, 79, 93, 165

- Worm-eating, 143
 Yellow, 78, 93, 99, 165, 176, 177
 Yellow-rumped, 79, 93, 165
 Yellow-throated, 142, 153
 Waterthrush, Louisiana, 143
 Waxwing, Cedar, 78, 92, 95, 164
 Weaver, Kenneth L., Coastal sage scrub variations of San Diego County and their influence on the distribution of the California Gnatcatcher, 392-405; A new site of sympatry of the California and Black-tailed Gnatcatchers in the United States, 476-479
 Wheatear, Northern, 141, 150
 Whimbrel, 72, 89, 160, 161, 207
 Whistling-Duck, Black-bellied, 138
 Fulvous, 203, 213
 Wigeon, American, 70, 105, 110, 111, 112, 113, 116, 160
 Eurasian, 105
 Willet, 89
Wilsonia pusilla, 79, 93, 165
 Winker, Kevin, see Dickerman, R. W.
 Witzeman, Janet L., see Rosenberg, G. H.
 Wolder, Michael A., see Gilmer, D. S.
 Wolf, Adrian, see Miner, K. L.
 Woodpecker, Acorn, 75, 121
 Black-backed, 75
 Downy, 75, 91, 129, 163, 213
 Golden-fronted, 219
 Hairy, 21, 75, 167
 Ladder-backed, 39
 Lewis', 75
 Nuttall's, 91, 219
 Pileated, 36, 75, 167
 Red-headed, 121, 212
 White-headed, 75, 219
 Wood-Pewee, Eastern, 32
 Western, 32, 76, 91, 163
 Wren, Bewick's, 77, 92, 164, 470
 Cactus, 129, 130, 326, 340, 416, 461
 Canyon, 77
 Carolina, 266
 House, 77, 92, 167
 Marsh, 87, 92, 95, 96, 97
 Rock, 77, 92
 Winter, 77, 164
 Wrentit, 78, 296, 315, 316, 470
Xanthocephalus xanthocephalus, 94, 97, 166
Xema sabini, 161, 209
 Yellowlegs, Greater, 72, 89, 161
 Lesser, 72, 89, 161
 Yellowthroat, Common, 79, 93, 165, 177
Zenaida macroura, 73, 91, 95, 162, 470
Zonotrichia atricapilla, 80, 93, 96, 97, 165
 leucophrys, 43, 80, 94, 97, 165, 316