

WESTERN BIRDS, INDEX, VOLUME 33, 2002

Compiled by Jack W. Schlotte and Philip Unitt

- Accipiter cooperii*, 38
 striatus, 38, 42
- Actitis macularia*, 75, 76, 78, 79, 80,
 82, 140, 141, 143, 144, 145,
 146, 149, 151, 156–172, 222,
 225, 226, 227, 228–229, 230,
 233, 234
- Aethia psittacula*, 1, 14
- Agelaius phoeniceus*, 40
- Aimophila cassinii*, 186
 ruficeps, 40
- Aix sponsa*, 38
- Ajaia ajaja*, 23
- Albatross, Short-tailed, 5, 176, 178,
 180
 Shy, 1, 4–5, 9, 176, 178, 179
- Alectoris chukar*, 21
- Amazilia violiceps*, 2, 15
- Amazona finschi*, 21
 viridigenalis, 1, 20–22
- Ammodramus bairdii*, 191
 leconteii, 19
 nelsoni, 19
- Anas falcata*, 2, 176
 platyrhynchos, 38 252
 querquedula, 8
- Anderson, Betty A., see Quakenbush,
 L. T.
- Anhinga, 23, 192, 199
- Anhinga anhinga*, 23, 192, 199
 melanogaster, 2, 175, 192, 199
- Anthropoides virgo*, 2, 176
- Anthus rubescens*, 39
 spragueii, 27, 185
- Aphelocoma californica*, 39, 42, 262–
 263
 coerulescens, 262
- Aphriza virgata*, 73, 75, 78, 140, 170
- Aquila chrysaetos*, 241, 244, 245,
 246
- Archilochus alexandri*, 38
 colubris, 26
- Ardea alba*, 38, 249–250
 herodias, 38, 249
- Arenaria interpres*, 73, 75, 77, 79,
 140, 141, 143, 144, 145, 147,
 156–170, 228–229, 234
 melanocephala, 73, 75, 77, 79,
 140, 162, 170
- Auklet, Parakeet, 1, 14
- Avocet, American, 75, 76, 78, 79, 80,
 82, 86, 88, 91, 134, 139, 140,
 141, 143, 144, 145, 147, 149,
 150, 151, 156–172, 222, 225,
 227, 228–229, 230, 231, 232,
 234, 235, 251
- Baeolophus inornatus*, 39, 42
- Bartramia longicauda*, 9–10, 188
- Bishop, Orange, 21
- Blackbird, Brewer's, 28, 40
 Red-winged, 40
 Yellow-headed, 40
- Black-Hawk, Common, 188
 Great, 188
- Bluebird, Eastern, 2, 27
 Mountain, 27
 Western, 27, 39, 42
- Bobwhite, Northern, 2, 24
- Bombycilla cedrorum*, 39
- Booby, Blue-footed, 256
 Brown, 2, 7, 180, 187, 255
 Masked, 3, 6–7, 176, 180, 187
 Nazca, 2, 3, 7, 175–176, 180, 187
 Red-footed, 181
- Brachyramphus brevirostris*, 190
 marmoratus, 190, 215
 perdix, 14, 176, 183, 190
- Brant, 114
- Branta bernicla*, 114
- Bubo virginianus*, 38, 241, 244, 246
- Bubulcus ibis*, 250–251
- Bunting, Lazuli, 40, 43
 McKay's, 27
 Painted, 2, 19–20, 28, 29, 176,
 186, 192, 196
 Snow, 16, 19, 27, 186
 Yellow-breasted, 2, 176
- Bush-tit, 39, 41, 42
- Buteo albonotatus*, 188
 jamaicensis, 38, 241, 244–245
 lineatus, 38
 swainsoni, 38
- Buteogallus anthracinus*, 188
 urubitinga, 188
- Calidris alba*, 25, 75, 77, 79, 80, 82,
 86, 92, 140, 141, 143, 144, 145,
 147, 149, 156–172, 228–229,
 234

INDEX

- alpina*, 73, 75, 77, 78, 80, 82, 85, 137, 140, 141, 143, 144, 145, 147, 156–172
- bairdii*, 75, 78, 140, 141, 143, 144, 145, 146, 156–169, 172, 228–229
- canutus*, 25, 75, 77, 79, 80, 81, 82, 86, 90, 140, 141, 143, 144, 145, 147, 156–170, 228–229
- ferruginea*, 10, 25, 140, 170, 182
- fuscicollis*, 25, 182, 183, 188–189
- himantopus*, 25, 75, 78, 140, 141, 143, 144, 145, 157–165, 170
- mauri*, 70, 73, 74, 75, 77, 78, 80, 82, 85, 134, 137, 139, 140, 141, 143, 144, 145, 147, 149, 150, 156–172, 222, 226, 227, 228–229, 230, 231, 232, 233, 234, 235
- melanotos*, 75, 78, 140, 141, 144, 146, 156–167, 172, 228–229, 234
- minutilla*, 25, 73, 75, 77, 78, 80, 82, 85, 134, 137, 140, 141, 143, 144, 145, 147, 149, 150, 156–172, 222, 225, 226, 227, 228–229, 230, 233, 234, 235
- pusilla*, 75, 78, 140, 141, 143, 144, 146, 156–164, 228–229, 234
- ruficollis*, 25, 188
- subminuta*, 25
- Callipepla californica*, 38, 123
- gambelii*, 123
- Calocitta colliei*, 29
- Calypte anna*, 26, 38
- Caracara*, Crested, 188
- Caracara cheriway*, 188
- Cardellina rubrifrons*, 18
- Cardinalis sinuatus*, 19
- Carduelis flammea*, 28
- pinus*, 40
- psaltria*, 40, 43, 48
- tristis*, 40, 41, 43
- Carmona, Roberto, Gorgonio Ruiz-Campos, José A. Castillo-Guerrero, and Efrén Hernández, Composition of Raptors on Espíritu Santo Island, Gulf of California, Mexico, 241–248
- Carpodacus mexicanus*, 40, 43
- purpureus*, 40
- Casmerodius albus*, 38, 249–250
- Castillo-Guerrero, José A., see Carmona, R.; see Mellink, E.
- Catbird, Gray, 17
- Cathartes aura*, 38, 241, 243, 244
- Catharus fuscescens*, 126, 127
- guttatus*, 39, 41, 42, 45, 47
- minimus*, 12, 17
- ustulatus*, 39, 42
- Catoptrophorus semipalmatus*, 70, 75, 76, 78, 79, 80, 82, 86, 88, 91, 140, 141, 143, 144, 145, 147, 149, 150, 151, 152, 156–172, 228–229
- Cephus columba*, 190
- Certhia americana*, 39, 42, 48
- Ceryle alcyon*, 38
- Chaetura vauxi*, 38
- Chamaea fasciata*, 39, 42
- Charadrius alexandrinus*, 75, 76, 79, 80, 82, 89, 91, 140, 141, 144, 147, 149, 151, 156–172, 215, 222, 223, 225, 226, 227, 228–229, 230, 231, 232, 235, 236
- leschenaultii*, 2, 24, 175
- mongolus*, 24
- montanus*, 228–229, 234
- morinellus*, 176, 182
- semipalmatus*, 75, 76, 79, 80, 82, 86, 89, 92, 140, 141, 144, 145, 147, 151, 156–172, 222, 227, 228–229, 230, 232, 234
- vociferus*, 38, 75, 76, 78, 79, 80, 82, 89, 134, 140, 141, 142, 143, 144, 145, 146, 149, 151, 156–172, 222, 225, 227, 228–229, 230, 232, 234
- wilsonia*, 176, 182
- Chat, Yellow-breasted, 40, 43, 48
- Chickadee, Chestnut-backed, 127
- Chlidonias leucopterus*, 2, 11, 14
- Chondestes grammacus*, 40, 43, 48
- Chordeiles acutipennis*, 38
- minor*, 38
- Chukar, 21
- Circus cyaneus*, 38, 241, 244, 246
- Cistothorus palustris*, 39, 42
- platensis*, 176, 185
- Coccyzus americanus*, 38
- erythrophthalmus*, 183, 190
- Colaptes auratus*, 38, 42, 124
- chrysoides*, 124
- Colinus virginianus*, 2, 24
- Collared-Dove, Eurasian, 2, 176
- Columba livia*, 21

INDEX

- Columbina talpacoti*, 14, 26, 183, 190
Contopus pertinax, 15, 184
 sordidulus, 26, 38, 42, 47
 virens, 26
 Coot, American, 38
 Cormorant, Brandt's, 180
 Double-crested, 23, 38, 256
 Neotropic, 7
Corvus brachyrhynchos, 39, 202–217, 260
 caurinus, 260
 corax, 114, 202–217, 258–261
Coturnicops noveboracensis, 8
 Cowbird, Brown-headed, 40, 43
 Crane, Demoiselle, 2, 176
 Sandhill, 38, 51–60
 Whooping, 176
 Creeper, Brown, 39, 42, 48
 Crow, American, 39, 202–217
 Northwestern, 260
 Cuckoo, Black-billed, 183, 190
 Yellow-billed, 38
 Curlew, Long-billed, 75, 76, 80, 81, 82, 89, 94, 140, 141, 143, 144, 145, 146, 147, 149, 150, 151, 152, 156–172, 228–229
Cyanocitta cristata, 62, 260
Cyanocorax morio, 260
Cygnus buccinator, 8, 23–24
 columbianus, 23–24
 cygnus, 8
Cyananthus latirostris, 14–15, 184

 Darter, 2, 175, 192, 199
 Day, Robert H., see Quakenbush, L. T.
 De la Cerda, Aimée, see Mellink, E.
Dendrocygna autumnalis, 7–8, 181
Dendroica castanea, 3
 coronata, 39, 41, 43, 47, 48
 dominica, 17–18
 graciae, 191
 nigrescens, 39, 43
 petechia, 37, 39, 41, 43, 45, 47
 pinus, 18, 185, 191
 tigrina, 3
 Dotterel, Eurasian, 176, 182
 Dove, Eurasian Collared, 2, 176
 Mourning, 38
 Rock, 21
 Ruddy Ground, 14, 26, 183, 190
 Spotted, 21
 Dowitcher, Long-billed, 25, 73, 75, 77, 134, 137, 138, 140, 141, 147, 148, 149, 159, 226
 Short-billed, 73, 75, 77, 137, 138, 140, 141, 159, 226
 sp., 78, 79, 80, 82, 83, 86, 87, 91, 143, 144, 145, 150, 157–172, 227, 228–229, 230, 233, 235
 Duck, Black-bellied Whistling, 7–8, 181
 Falcated, 2, 176
 Masked, 2, 175, 188
 Ruddy, 188
 Wood, 38
Dumetella carolinensis, 17
 Dunlin, 73, 75, 77, 78, 80, 82, 85, 137, 140, 141, 143, 144, 145, 147, 156–172
 Dunn, Jon L., see Hamilton, R. A.
 Eagle, Golden, 241, 244, 245, 246
 Solitary, 188
 Egret, Cattle, 250–251
 Great, 38, 249–250
 Reddish, 7, 176, 181, 250, 252
 Snowy, 38, 127, 250
Egretta caerulea, 187
 rufescens, 7, 176, 181, 250, 252
 thula, 38, 127, 250
 tricolor, 7, 181, 187, 250, 252
 Eider, King, 181
 Steller's, 99–120
Elanus leucurus, 38
 Ellstrand, Norman C., see Webb, W. C.
Emberiza aureola, 2, 176
Empidonax alnorum, 176, 184, 193
 difficilis, 39, 41, 42, 45, 47
 flaviventris, 15, 26, 190
 hammondii, 39
 oberholseri, 39, 42, 48
 traillii, 38, 41, 42, 45, 47, 184
 wrightii, 39, 42, 48
 Erickson, Richard A., see McKee, T.
 Etienne, Katherine L., see Kelly, J. P.
Eudocimus albus, 187
Euphagus cyanocephalus, 28, 40
Euplectes franciscanus, 21

Falco columbarius, 38
 peregrinus, 241, 244, 245
 sparverius, 38, 241, 244, 245
 Falcon, Peregrine, 241, 244, 245
 Finch, Black Rosy, 20
 House, 40, 43
 Purple, 40
 Flamingo, Chilean, 23
 Lesser, 23
 Flicker, Gilded, 124

INDEX

- Northern, 38, 42, 124
 Red-shafted, 38, 42
 Floyd, Ted, Book Review: Oregon Breeding Bird Atlas, 125–127
 Flycatcher, Alder, 176, 184, 193
 Ash-throated, 39, 42
 Dusky, 39, 42, 48
 Dusky-capped, 15, 26, 184
 Gray, 39, 42, 48
 Gray Silky, 28–29
 Great Crested, 15, 191
 Hammond's, 39
 Nutting's, 2, 175, 184–185, 193
 Pacific-slope, 39, 41, 42, 45, 47
 Scissor-tailed, 16
 Sulphur-bellied, 15
 Western, 39, 41, 42, 45, 47
 Willow, 38, 41, 42, 45, 47, 184
 Yellow-bellied, 15, 26, 190
 Fong-Mendoza, José R., see González-Bernal, M. A.
Fulica americana, 38
 Fulmar, Northern, 121
Fulmarus glacialis, 121

Gallinago delicata, 38, 75, 78, 140, 141, 143, 144, 145, 147, 149, 151, 157–172, 225, 226, 228–229, 235, 236
Gallinula chloropus, 38
 Garganey, 8
 Garrett, Kimball L., Featured Photo: Tree-Nesting Cliff Swallows in the San Bernardino Mountains, California, 65–66
Gavia adamsii, 178, 187
 arctica, 2, 4, 187
Geothlypis trichas, 39, 41, 43
 Geupel, Geoffrey R., see Humple, D. L.
 Gnatcatcher, Black-tailed, 123
 Blue-gray, 39, 42
 California, 123
 Godwit, Bar-tailed, 10, 182
 Hudsonian, 10, 140, 182
 Marbled, 70, 75, 76, 78, 79, 80, 82, 86, 87, 91, 134, 140, 141, 143, 144, 145, 147, 149, 150, 156–172, 228–229
 Golden-Plover, American, 78
 Pacific, 78
 Goldfinch, American, 40, 41, 43
 Lesser, 40, 43, 48
 González-Bernal, Marco A., Eric Mellink, and José R. Fong-Mendoza, Nesting Birds of Farallón de San Ignacio, Sinaloa, Mexico, 254–257
 Grackle, Common, 20, 28, 186, 191–192
 Great-tailed, 28
 Grebe, Eared, 223
 Pied-billed, 38
 Greenshank, Common, 2, 175
 Grosbeak, Black-headed, 40, 43, 48
 Blue, 40, 43
 Ground-Dove, Ruddy, 14, 26, 183, 190
Grus americana, 176
 canadensis, 38, 51–60
 Guillemot, Pigeon, 190
Guiraca caerulea, 40, 43
 Gull, Band-tailed, 189
 Bonaparte's, 245
 California, 223, 235
 Glaucous, 114, 189, 218, 219
 Glaucous-winged, 25, 218, 219
 Heermann's, 256
 Herring, 13, 25, 189, 218, 219
 Iceland, 25, 189, 218
 Kumlien's, 218, 219
 Laughing, 251
 Lesser Black-backed, 11, 12–13, 183, 189
 Little, 12, 25, 182
 Slaty-backed, 2, 25, 175, 189, 197, 218
 Thayer's, 25, 189, 218, 219
 Western, 218, 219
 Yellow-footed, 256
Gymnorhinus cyanocephalus, 260

Haematopus bachmani, 9, 24, 73, 75, 78
 *palliatu*s, 8–9, 24
 Hamilton, Robert A., and Dunn, J. L., Featured Photo: Red-naped and Red-breasted Sapsuckers, 128–130; and Steve N. G. Howell, Gnatcatcher Sympatry near San Felipe, Baja California, with Notes on Other Species, 123–124
Harpyhaliaetus solitarius, 188
 Harrier, Northern, 38, 241, 244, 246
 Hawk, Common Black, 188
 Cooper's, 38
 Great Black, 188
 Harris', 8, 28, 182, 241, 244, 245, 246
 Red-shouldered, 38

INDEX

- Red-tailed, 38, 241, 244–245
 Sharp-shinned, 38, 42
 Swainson's, 38
 Zone-tailed, 188
Helmitheros vermivorus, 18, 27, 186, 191
 Hernández, Efrén, *see* Carmona, R.
 Heron, Black-crowned Night, 38, 250, 251
 Great Blue, 38, 249
 Little Blue, 187
 Tricolored, 7, 181, 187, 250, 252
 Yellow-crowned Night, 181
Heteroscelus incanus, 73, 75, 78
 Hickey, Catherine M., *see* Stenzel, L. E.
Himantopus mexicanus, 75, 76, 79, 80, 82, 91, 134, 139, 140, 141, 142, 143, 144, 145, 146, 149, 150, 156–172, 225, 228–229
Hirundo pyrrhonota, 27, 39, 65–66
rustica, 27, 39
 Howell, Steve N. G., Featured Photo: Identification Problems with Large Gulls, 218–219; Book Review: A Complete Guide to Antarctic Wildlife, 265–267; Featured Photo: Ageing and Molt in Nonbreeding Black-bellied Plovers, 268–270; *see* Hamilton, R. A.
 Hummingbird, Anna's, 26, 38
 Black-chinned, 38
 Broad-billed, 14–15, 184
 Ruby-throated, 26
 Rufous, 38
 Violet-crowned, 2, 15
 Xantus', 184
 Humple, Diana L., and Geoffrey R. Geupel, Autumn Populations of Birds in Riparian Habitat of California's Central Valley, 34–50
Hylocharis xantusii, 184
Hylocichla mustelina, 17

 Ibis, Glossy, 2, 175, 181
 White, 187
 White-faced, 61, 181
Icteria virens, 40, 43, 48
Icterus abeillei, 2, 176
bullockii, 40, 43
Ictinia mississippiensis, 8, 182
Ixoreus naevius, 39

 Jaeger, Pomarine, 115
 Jaramillo, Alvaro, *see* Rogers, M. M.

 Jay, Black-throated Magpie, 29
 Blue, 62, 260
 Brown, 260
 Florida Scrub, 262
 Pinyon, 260
 Western Scrub, 39, 42, 262–263
 Junco, Dark-eyed, 40, 43
Junco hyemalis, 40, 43

 Kelly, John P., Katherine L. Etienne, and Jennifer E. Roth, Abundance and Distribution of the Common Raven and American Crow in the San Francisco Bay Area, California, 202–217
 Kestrel, American, 38, 241, 244, 245
 Killdeer, 38, 75, 76, 78, 79, 80, 82, 89, 134, 140, 141, 142, 143, 144, 145, 146, 149, 151, 156–172, 222, 225, 227, 228–229, 230, 232, 234
 Kingbird, Thick-billed, 15–16, 185
 Western, 39
 Kingfisher, Belted, 38
 Kinglet, Golden-crowned, 39, 42
 Ruby-crowned, 37, 39, 42, 44, 45
 Kite, Mississippi, 8, 182
 White-tailed, 38
 Kjølmyr, Janet E., *see* Stenzel, L. E.
 Knot, Red, 25, 75, 77, 79, 80, 81, 82, 86, 90, 140, 141, 143, 144, 145, 147, 156–170, 228–229

Lagopus leucurus, 21
Lanius ludovicianus, 39, 42
Larus argentatus, 13, 25, 189, 218, 219
 atricilla, 251
 belcheri, 189
 californicus, 223, 235
 fuscus, 11, 12–13, 183, 189
 glaucescens, 25, 218, 219
 glaucoides, 25, 189, 218, 219
 heermanni, 256
 hyperboreus, 114, 189, 218, 219
 livens, 256
 minutus, 12, 25, 182
 occidentalis, 218, 219
 philadelphia, 245
 schistisagus, 2, 25, 175, 189, 197, 218
 thayeri, 25, 189, 218, 219
Leucosticte atrata, 20
Limnodromus griseus, 73, 75, 77, 137, 138, 140, 141, 159, 226

INDEX

- scolopaceus*, 25, 73, 75, 77, 134,
 137, 138, 140, 141, 147, 148,
 149, 159, 226
 sp., 78, 79, 80, 82, 83, 86, 87, 91,
 143, 144, 145, 150, 157-172,
 227, 228-229, 230, 233, 235
Limosa fedoa, 70, 75, 76, 78, 79, 80,
 82, 86, 87, 91, 134, 140, 141,
 143, 144, 145, 147, 149, 150,
 156-172, 228-229
haemastica, 10, 140, 182
lapponica, 10, 182
 Littlefield, Carroll D., Winter Foraging
 Habitat of Greater Sandhill Cranes
 in Northern California, 51-60
Lonchura punctulata, 21, 29
 Loon, Arctic, 2, 4, 187
 Yellow-billed, 178, 187

 Magpie, Black-billed, 127
 Yellow-billed, 39
 Magpie-Jay, Black-throated, 29
 Mallard, 38, 252
 Mannikin, Nutmeg, 21, 29
 Martin, Purple, 245
 McCaffery, Brian J., see Quakenbush,
 L. T.
 McKee, Tristan, and Richard A.
 Erickson, Report of the California
 Bird Records Committee: 2000
 Records, 175-201
 Meadowlark, Western, 40, 188
Melanerpes erythrocephalus, 2, 15
 formicivorus, 38
Melanotis caerulescens, 2, 175, 192,
 200
Meleagris gallopavo, 21, 38
 Mellink, Eric, José A. Castillo-Guerrero,
 Aimée de la Cerda, Noteworthy
 Waterbird Records in the Delta of
 the Rio Colorado, Mexico, 249-
 253; see González-Bernal, M. A.
Melospiza lincolnii, 40, 41, 43, 44,
 46, 47
 melodia, 40, 43, 47
Mergellus albellus, 176, 181-182
 Merlin, 38
 Meyers, Martin, Book Review: Birds of
 the Lahontan Valley: A Guide to
 Nevada's Wetland Oasis, 61-62
Micrathene whitneyi, 241, 244, 246
Mimus polyglottos, 39, 43, 262
Mniotilta varia, 62
 Mockingbird, Blue, 2, 175, 192, 200
 Northern, 39, 43, 262

Molothrus ater, 40, 43
 Moorhen, Common, 38
Motacilla alba, 176
 lugens, 176, 185, 194
 Murre, Common, 215
 Thick-billed, 14
 Murrelet, Craveri's, 256
 Kittlitz's, 190
 Long-billed, 14, 176, 183, 190
 Marbled, 190, 215
Mycteria americana, 251-252
Myiarchus cinerascens, 39, 42
 crinitus, 15, 191
 nuttingi, 2, 175, 184-185, 193
 tuberculifer, 15, 26, 184
Myiodynastes luteiventris, 15
 Navarro-S., Adolfo G., see Puebla-
 Olivares, F.

 Nighthawk, Common, 38
 Lesser, 38
 Night-Heron, Black-crowned, 38, 250,
 251
 Yellow-crowned, 181
Nomonyx dominicus, 2, 175, 188
Numenius americanus, 75, 76, 80,
 81, 82, 89, 94, 140, 141, 143,
 144, 145, 146, 147, 149, 150,
 151, 152, 156-172, 228-229
 phaeopus, 75, 76, 78, 79, 80, 82,
 89, 140, 141, 143, 144, 145,
 146, 147, 148, 150, 156-170,
 228-229
 Nuthatch, Red-breasted, 39
 White-breasted, 39, 42
Nyctanassa violacea, 181
Nyctea scandiaca, 14, 115
Nycticorax nycticorax, 38, 250, 251

Oceanites oceanicus, 22, 23
Oceanodroma furcata, 121
 leucorhoa, 264
 markhami, 2, 175, 187
 melania, 187, 256
 tethys, 22-23, 24
 tristrami, 187
Oporornis agilis, 13, 18, 186, 191
 philadelphia, 3, 18, 27, 191
 tolmiei, 39, 43, 44, 48
 Oriole, Black-backed, 2, 176
 Bullock's, 40, 43
 Osprey, 38, 241, 243-244
 Owl, Barn, 38
 Elf, 241, 244, 246
 Great Horned, 38, 241, 244, 246

INDEX

- Snowy, 14, 115
- Oxyura jamaicensis*, 188
- Oystercatcher, American, 8–9, 24
Black, 9, 24, 73, 75, 78
- Page, Gary W., *see* Stenzel, L. E.; *see*
Shuford, W. D.
- Pandion haliaetus*, 38, 241, 243–244
- Parabuteo unicinctus*, 8, 28, 182,
241, 244, 245, 246
- Parrot, Lilac-crowned, 21
Red-crowned, 1, 20–22
- Passer domesticus*, 21, 40
- Passerculus sandwichensis*, 40, 43,
48, 191
- Passerella iliaca*, 40, 41, 43, 44, 46,
47
- Passerina amoena*, 40, 43
caerulea, 40, 43
ciris, 2, 19–20, 28, 29, 176, 186,
192, 196
- Paulson, Dennis R., Book Review: The
Birds of Yakima County, Washing-
ton, 63–64
- Pearce, John M., First Record of a
Greater Shearwater in Alaska,
121–122
- Pelecanus occidentalis*, 192
rufescens, 2, 175, 192, 198
- Pelican, Brown, 192
Pink-backed, 2, 175, 192, 198
- Petrel, Black Storm, 256
Dark-rumped, 176, 179–180
Fork-tailed Storm, 121
Galapagos, 176, 179
Great-winged, 2, 5, 10
Hawaiian, 176, 179
Leach's Storm, 264
Markham's Storm, 2, 175, 187
Murphy's, 5
Solander's, 5
Wedge-rumped Storm, 22–23, 24
Wilson's Storm, 22, 23
- Petrochelidon fulva*, 27
pyrrhonota, 27, 39, 65–66
- Pewee, Eastern Wood, 26
Greater, 15, 184
Western Wood, 26, 38, 42, 47
- Phaethon aethereus*, 255
rubricauda, 6
- Phalacrocorax auritus*, 23, 38, 256
brasilianus, 7
penicillatus, 180
- Phalaenoptilus nuttallii*, 38, 48
- Phalarope, Red, 75, 78, 140, 162,
170, 228–229, 234
- Red-necked, 73, 75, 77, 78, 137,
140, 141, 144, 145, 149, 157–
172, 222, 223, 226, 227, 228–
229, 231, 232, 235
- Wilson's, 73, 78, 137, 140, 141,
144, 145, 149, 150, 157–172,
222, 223, 225, 226, 227, 228–
229, 231, 232, 235
- Phalaropus fulicarius*, 75, 78, 140,
162, 170, 228–229, 234
lobatus, 73, 75, 77, 78, 137, 140,
141, 144, 145, 149, 157–172,
222, 223, 226, 227, 228–229,
231, 232, 235
tricolor, 73, 78, 137, 140, 141,
144, 145, 149, 150, 157–172,
222, 223, 225, 226, 227, 228–
229, 231, 232, 235
- Phasianus colchicus*, 21, 38
- Pheasant, Ring-necked, 21, 38
- Pheucticus melanocephalus*, 40, 43,
48
- Philomachus pugnax*, 75, 78, 140,
157, 170
- Phoebastria albatrus*, 5, 176, 178, 180
- Phoebe, Black, 39, 42
- Phoeniconaias minor*, 23
- Phoenicopterus chilensis*, 23
- Pica nuttalli*, 39
pica, 127
- Picoides nuttallii*, 38, 42
pubescens, 38, 42
tridactylus, 1, 2, 26
- Pigeon, Feral, 21
- Pipilo crissalis*, 40, 43
maculatus, 40, 43
- Pipit, American, 39
Sprague's, 27, 185
- Piranga ludoviciana*, 39, 43
olivacea, 3, 18–19, 27, 186, 191
rubra, 27
- Pitelka, Frank A., *see* Quakenbush, L.
T.
- Plectrophenax hyperboreus*, 27
nivalis, 16, 19, 27, 186
- Plegadis chihi*, 61, 181
falcinellus, 2, 175, 181
- Plover, American Golden, 78
Black-bellied, 75, 76, 78, 79, 80,
82, 86, 90, 91, 93, 140, 141,
143, 144, 145, 147, 156–172,
228–229, 268–270

INDEX

- Greater Sand, 2, 24, 175
 Mongolian, 24
 Mountain, 228–229, 234
 Pacific Golden, 78
 Semipalmated, 75, 76, 79, 80, 82,
 86, 89, 92, 140, 141, 144,
 145, 147, 151, 156–172, 222,
 227, 228–229, 230, 232, 234
 Snowy, 75, 76, 79, 80, 82, 89, 91,
 140, 141, 144, 147, 149, 151,
 156–172, 215, 222, 223, 225,
 226, 227, 228–229, 230, 231,
 232, 235, 236
 Wilson's, 176, 182
Pluvialis dominica, 78
 fulva, 78
 squatarola, 75, 76, 78, 79, 80, 82,
 86, 90, 91, 93, 140, 141, 143,
 144, 145, 147, 156–172, 228–
 229, 268–270
Podiceps nigricollis, 223
Podilymbus podiceps, 38
Poecile rufescens, 127
Polioptila caerulea, 39, 42
 californica, 123
 melanura, 123
Polysticta stelleri, 99–120
 Poor-will, Common, 38, 48
Porzana carolina, 38
Progne subis, 245
Psaltriparus minimus, 39, 41, 42
 Ptarmigan, White-tailed, 21
Pterodroma macroptera, 2, 5, 10
 phaeopygia, 176, 179–180
 sandwichensis, 176, 179
 solandri, 5
 ultima, 5
Ptilogonys cinereus, 2, 28–29
 Puebla-Olivares, Fernando, Octavio R.
 Rojas-Soto, and Adolfo G. Navarro-
 S., First Records of Leach's Storm-
 Petrel in the Gulf of California,
 Mexico, 264
Puffinus gravis, 121–122
 griseus, 121
 opisthomelas, 6
 pacificus, 2, 5–6
 puffinus, 1, 2, 6, 22, 178–179
 tenuirostris, 121
 Pyle, Peter, see Howell, S. N. G.
 Pyrrhuloxia, 19
 Quail, California, 38, 123
 Gambel's, 123
 Quakenbush, Lori T., Robert H. Day,
 Betty A. Anderson, Frank A.
 Pitelka, Brian J. McCaffery,
 Historical and Present Breeding-
 Season Distribution of Steller's
 Eiders in Alaska, 99–120
Quiscalus mexicanus, 28
 quiscula, 20, 28, 186, 191–192
 Rail, Yellow, 8
 Raven, Common, 114, 202–217,
 258–261
Recurvirostra americana, 75, 76, 78,
 79, 80, 82, 86, 88, 91, 134, 139,
 140, 141, 143, 144, 145, 147,
 149, 150, 151, 156–172, 222,
 225, 227, 228–229, 230, 231,
 232, 234, 235, 251
 Redpoll, Common, 28
 Redshank, Spotted, 24–25
Regulus calendula, 37, 39, 42, 44, 45
 satrapa, 39, 42
 Ribic, Christine A., see Strauss, E. A.
 Robin, American, 39, 42
 Rufous-backed, 17
 Rogers, Michael M., and Alvaro
 Jaramillo, Report of the California
 Bird Records Committee: 1999
 Records, 1–33
 Rojas-Soto, Octavio R., see Puebla-
 Olivares, F.
 Rosy-Finch, Black, 20
 Roth, Jennifer E., see Kelly, J. P.
 Ruff, 75, 78, 140, 157, 170
 Ruiz-Campos, Gorgonio, see Carmona,
 R.
Rynchops niger, 251
 Sanderling, 25, 75, 77, 79, 80, 82, 86,
 92, 140, 141, 143, 144, 145, 147,
 149, 156–172, 228–229, 234
 Sandpiper, Baird's, 75, 78, 140, 141,
 143, 144, 145, 146, 156–169,
 172, 228–229
 Buff-breasted, 75, 78
 Curlew, 10, 25, 140, 170, 182
 Least, 25, 73, 75, 77, 78, 80, 82,
 85, 134, 137, 140, 141, 143,
 144, 145, 147, 149, 150, 156–
 172, 222, 225, 226, 227, 228–
 229, 230, 233, 234, 235
 Pectoral, 75, 78, 140, 141, 144,
 146, 156–167, 172, 228–229,
 234

INDEX

- Semipalmated, 75, 78, 140, 141,
143, 144, 146, 156–164, 228–
229, 234
- Solitary, 75, 78, 140, 141, 143,
144, 146, 156–172, 228–229
- Spotted, 75, 76, 78, 79, 80, 82,
140, 141, 143, 144, 145, 146,
149, 151, 156–172, 222, 225,
226, 227, 228–229, 230, 233,
234
- Stilt, 25, 75, 78, 140, 141, 143,
144, 145, 157–165, 170
- Upland, 9–10, 188
- Western, 70, 73, 74, 75, 77, 78,
80, 82, 85, 134, 137, 139,
140, 141, 143, 144, 145, 147,
149, 150, 156–172, 222, 226,
227, 228–229, 230, 231, 232,
233, 234, 235
- White-rumped, 25, 182, 183, 188–
189
- Wood, 2, 175, 188
- Sandplover, Greater, 2, 24, 175
- Sapsucker, Red-breasted, 38, 128–130
- Red-naped, 128–130
- Yellow-bellied, 128
- Sayornis nigricans*, 39, 42
- Scrub-Jay, Florida, 262
- Western, 39, 42, 262–263
- Seedeater, White-collared, 29
- Seiurus motacilla*, 18, 176, 186, 191
- Selasphorus rufus*, 38
- Shearwater, Black-vented, 6
- Greater, 121–122
- Manx, 1, 2, 6, 22, 178–179
- Short-tailed, 121
- Sooty, 121
- Wedge-tailed, 2, 5–6
- Shrike, Loggerhead, 39, 42
- Shuford, W. David, Gary W. Page, and
Lynne E. Stenzel, Patterns of
Distribution and Abundance of
Migratory Shorebirds in the
Intermountain West of the United
States, 134–174; see Strauss, E. A.
- Sialia currucoides*, 27
- mexicana*, 27, 39, 42
- sialis*, 2, 27
- Silky-flycatcher, Gray, 2, 28–29
- Siskin, Pine, 40
- Sitta canadensis*, 39
- carolinensis*, 39, 42
- Skimmer, Black, 251
- Smew, 176, 181–182
- Snipe, Common/Wilson's, 38, 75, 78,
140, 141, 143, 144, 145, 147,
149, 151, 157–172, 225, 226,
228–229, 235, 236
- Somateria spectabilis*, 181
- Sora, 38
- Sparrow, Baird's, 191
- Brewer's, 40, 43, 48
- Cassin's, 186
- Chipping, 40, 43, 48
- Field, 176, 186
- Fox, 40, 41, 43, 44, 46, 47
- Golden-crowned, 40, 41, 43, 44,
46, 47
- House, 21, 40
- Lark, 40, 43, 48
- LeConte's, 19
- Lincoln's, 40, 41, 43, 44, 46, 47
- Nelson's Sharp-tailed, 19
- Rufous-crowned, 40
- Savannah, 40, 43, 48, 191
- Song, 40, 43, 47
- White-crowned, 40, 41, 43, 44, 46
- Sphyrapicus nuchalis*, 128–130
- ruber*, 38, 128–130
- varius*, 128
- Spizella breweri*, 40, 43, 48
- passerina*, 40, 43, 48
- pusilla*, 176, 186
- Spoonbill, Roseate, 23
- Sporophila torqueola*, 29
- Starling, European, 21, 39, 48, 262
- Stenzel, Lynne E., Catherine M.
Hickey, Janet E. Kjelson, Gary W.
Page, Abundance and Distribution
of Shorebirds in the San Francisco
Bay Area, 69–98; see Shuford, W.
D.
- Stercorarius pomarinus*, 115
- Sterna anaethetus*, 2, 190
- antillarum*, 215
- caspia*, 251, 252
- elegans*, 189
- fuscata*, 14
- lunata*, 190
- maxima*, 251
- nilotica*, 251
- sandvicensis*, 189
- Stilt, Black-necked, 75, 76, 79, 80,
82, 91, 134, 139, 140, 141, 142,
143, 144, 145, 146, 149, 150,
156–172, 225, 228–229
- Stint, Long-toed, 25
- Red-necked, 25, 188

INDEX

- Stork, Wood, 251–252
- Storm-Petrel, Black, 187, 256
- Fork-tailed, 121
- Leach's, 264
- Markham's, 2, 175, 187
- Tristram's, 187
- Wedge-rumped, 22–23, 24
- Wilson's, 22, 23
- Strauss, Emilie A., Christine A. Ribic, and W. David Shuford, Abundance and Distribution of Migratory Shorebirds at Mono Lake, California, 222–240
- Streptopelia chinensis*, 21
- decaocto*, 2, 176
- Sturnella neglecta*, 40, 188
- Sturnus vulgaris*, 21, 39, 48, 262
- Sula dactylatra*, 3, 6–7, 176, 180, 187
- granti*, 2, 3, 7, 175–176, 180, 187
- leucogaster*, 2, 7, 180, 187, 255
- nebouxii*, 256
- sula*, 181
- Surfbird, 73, 75, 78, 140, 170
- Swallow, Barn, 27, 39
- Cave, 27
- Cliff, 27, 39, 65–66
- Tree, 39
- Violet-green, 39
- Swan, Trumpeter, 8, 23–24
- Tundra, 23–24
- Whooper, 8
- Swift, Vaux's, 38
- Synthliboramphus craveri*, 256
- Tachycineta bicolor*, 39
- thalassina*, 39
- Tanager, Scarlet, 3, 18–19, 27, 186, 191
- Summer, 27
- Western, 39, 43
- Tattler, Wandering, 73, 75, 78
- Tern, Bridled, 2, 190
- Caspian, 251, 252
- Elegant, 189
- Gray-backed, 190
- Gull-billed, 251
- Least, 215
- Royal, 251
- Sandwich, 189
- Sooty, 14
- White-winged, 2, 11, 14
- Thalassarche cauta*, 1, 4–5, 9, 176, 178, 179
- Thrasher, California, 39, 43
- Thrush, Eyebrowed, 2, 175
- Gray-cheeked, 12, 17
- Hermit, 39, 41, 42, 45, 47
- Swainson's, 39, 42
- Varied, 39
- Wood, 17
- Thryomanes bewickii*, 39, 42
- Tinnin, David S., A Western Scrub-Jay Preying on Deer Mice, 262–263
- Titmouse, Oak, 39, 42
- Towhee, California, 40, 43
- Spotted, 40, 43
- Toxostoma redivivum*, 39, 43
- Tringa erythropus*, 25
- flavipes*, 73, 75, 76, 79, 80, 82, 89, 137, 140, 141, 143, 144, 145, 146, 151, 156–172, 188, 226, 228–229
- glareola*, 2, 175, 188
- melanoleuca*, 38, 73, 75, 76, 78, 80, 82, 89, 137, 140, 141, 143, 144, 145, 146, 151, 156–172, 226, 228–229
- nebularia*, 2, 175
- solitaria*, 75, 78, 140, 141, 143, 144, 146, 156–172, 228–229
- Troglodytes aedon*, 39, 42
- troglodytes*, 39, 42, 48
- Tropicbird, Red-billed, 255
- Red-tailed, 6
- Tryngites subruficollis*, 75, 78
- Turdus migratorius*, 39, 42
- obscurus*, 2, 175
- rufopalliatu*s, 17
- Turkey, Wild, 21, 38
- Turnstone, Black, 73, 75, 77, 79, 140, 162, 170
- Ruddy, 73, 75, 77, 79, 140, 141, 143, 144, 145, 147, 156–170, 228–229, 234
- Tyrannus crassirostris*, 15–16, 185
- forficatus*, 16
- verticalis*, 39
- Tyto alba*, 38
- Uria aalge*, 215
- lomvia*, 14
- Veery, 126, 127
- Vermivora celata*, 39, 41, 43, 44, 45, 47
- chrysoptera*, 185
- pinus*, 17, 191
- ruficapilla*, 39, 43, 44, 48

INDEX

- Vireo*, Blue-headed, 17, 26–27, 176, 185, 191
 Cassin's, 17, 27, 39, 42
 Hutton's, 39, 42, 48, 127
 Warbling, 39, 42, 48
 White-eyed, 16, 185
 Yellow-green, 17, 27, 185
 Yellow-throated, 2, 16–17, 191
Vireo cassinii, 17, 27, 39, 42
 flavifrons, 2, 16–17, 191
 flavoviridis, 17, 27, 185
 gilvus, 39, 42, 48
 griseus, 16, 185
 huttoni, 39, 42, 48, 127
 solitarius, 17, 26–27, 176, 185, 191
Vulture, Turkey, 38, 241, 243, 244

Wagtail, Black-backed, 176, 185, 194
 White, 176
Warbler, Audubon's, 39, 41, 43, 47
 Bay-breasted, 3
 Black-and-white, 62
 Black-throated Gray, 39, 43
 Blue-winged, 17, 191
 Cape May, 3
 Connecticut, 13, 18, 186, 191
 Golden-winged, 185
 Grace's, 191
 MacGillivray's, 39, 43, 44, 48
 Mourning, 3, 18, 27, 191
 Myrtle, 39, 41, 43, 47, 48
 Nashville, 39, 43, 44, 48
 Orange-crowned, 39, 41, 43, 44, 45, 47
 Pine, 18, 185, 191
 Red-faced, 18
 Wilson's, 39, 43, 46, 47
 Worm-eating, 18, 27, 186, 191
 Yellow, 37, 39, 41, 43, 45, 47
 Yellow-rumped, 39, 41, 43, 47, 48
 Yellow-throated, 17–18
Waterthrush, Louisiana, 18, 176, 186, 191

Waxwing, Cedar, 39
Webb, William C., and Norman C.
 Ellstrand, First Record of Double Brooding by the Common Raven, 258–261
Whimbrel, 75, 76, 78, 79, 80, 82, 89, 140, 141, 143, 144, 145, 146, 147, 148, 150, 156–170, 228–229
Whistling-Duck, Black-bellied, 7–8, 181
Willet, 70, 75, 76, 78, 79, 80, 82, 86, 88, 91, 140, 141, 143, 144, 145, 147, 149, 150, 151, 152, 156–172, 228–229
Wilsonia pusilla, 39, 43, 46, 47
Woodpecker, Acorn, 38
 Downy, 38, 42
 Nuttall's, 38, 42
 Red-headed, 2, 15
 Three-toed, 1, 2, 26
Wood-Pewee, Eastern, 26
 Western, 26, 38, 42, 47
Wren, Bewick's, 39, 42
 House, 39, 42
 Marsh, 39, 42
 Sedge, 176, 185
 Winter, 39, 42, 48
Wrentit, 39, 42

Xanthocephalus xanthocephalus, 40

Yellowlegs, Greater, 38, 73, 75, 76, 78, 80, 82, 89, 137, 140, 141, 143, 144, 145, 146, 151, 156–172, 226, 228–229
 Lesser, 73, 75, 76, 79, 80, 82, 89, 137, 140, 141, 143, 144, 145, 146, 151, 156–172, 188, 226, 228–229
Yellowthroat, Common, 39, 41, 43

Zenaida macroura, 38
Zonotrichia atricapilla, 40, 41, 43, 44, 46, 47
 leucophrys, 40, 41, 43, 44, 46

**Western Field Ornithologists
and
New Mexico Ornithological Society
Joint Meeting**

July 24–27, 2003

**Western New Mexico University
Silver City, New Mexico**

CONFERENCE INFORMATION

The 28th annual meeting of the Western Field Ornithologists and the 41st annual meeting of the New Mexico Ornithological Society will be held jointly at the campus of Western New Mexico University in Silver City, New Mexico, July 24–27, 2003. The theme of the meeting will be the birds of the Mexican Borderlands, and it will promote exchange of biological information with professional and amateur ornithologists from both sides of the international border. Situated in the Madrean oak woodland habitats of the Southwestern Borderland region, Silver City, New Mexico, affords unique birding and ornithological research opportunities for the casual birder as well as the professional biologist. Late July is prime time for hummingbird viewing in this region, and up to 10+ species can be found within two hours' driving distance from the site of the meetings. Furthermore, this area affords great opportunities for viewing many southwestern specialty species such as the Common Black-Hawk, Zone-tailed Hawk, Montezuma Quail, Yellow-billed Cuckoo, Flammulated and Spotted Owls, Greater Pewee, Brown-crested Flycatcher, Mexican Jay, Juniper Titmouse, Crissal Thrasher, Olive and Red-faced Warblers, Painted Redstart, and Abert's Towhee.

Activities: Several organized half-day field trips are available, including a representative sampling of birds and habitats of southwestern New Mexico and northwestern Chihuahua. Participants can explore the region's diverse habitats on their own as well, using the just published third edition of the *New Mexico Bird Finding Guide* (available for \$20, postage included, from New Mexico Ornithological Society, P. O. Box 3068, Albuquerque, NM 87190-3068). A field trip to the Sierra Madre Occidental in Chihuahua, Mexico, follows the meeting. As at previous WFO meetings, afternoon professional paper sessions and identification slide panels are planned. Social activities include a welcoming reception, a Friday evening social event, and the concluding banquet and evening program on Saturday. For those diverse individuals who are slightly less interested in the birding opportunities, there are also many other cultural and historical sites to visit in the immediate vicinity, such as Gila Cliff Dwelling National Monument.

Speakers: The featured speaker after the Saturday evening banquet is Dr. Noel Snyder from Portal, Arizona. Dr. Snyder is the co-author of *The California Condor: A Saga of Natural History and Conservation* and *Birds of Prey: Natural History and Conservation of North American Raptors*. His presentation is entitled "Conservation and Reintroduction of Thick-billed Parrots: Future Prospects."

On Friday night 25 July Dr. Dale Zimmerman from Silver City, New Mexico, will be making a presentation on the birds of the borderlands region. Dr. Zimmerman is a long-time resident of Silver City and a pioneer in many ornithological investigations within this bird-rich region.

Lodging: A block of 30 rooms has been reserved at the Silver City Holiday Inn Express (505-538-2525) for this meeting. Prices are set at \$60/night and are reserved under "WFO Meetings" with a confirmation number 68518772. These rooms are available on a first-come first-served basis until 15 June 2003. A wide variety of hotels, bed-and-breakfasts, and guest inns is also available in the greater Silver City area. This is a popular destination for summer visitors, so make reservations early. Please visit www.silvercity.org on the World Wide Web to view alternate accommodations, prices, and telephone numbers, as well as recreational activities for the area.

For additional information contact dave_krueper@fws.gov and watch WFO's website, www.wfo-cbrc.org, for updates.

Call for Papers and Poster Presentations

GUIDELINES: Oral and poster presentations should reflect original research, or summarize existing unpublished information, and be presented in a manner that will be of interest to serious amateur field ornithologists. Talks and posters relating to the following general themes are especially solicited for the current meeting.

Ecology, population biology, and conservation of birds in New Mexico, southern Arizona, western Texas, Sonora, and/or Chihuahua.

Systematics and biogeography of the birds of the Pacific Coast region, the North American interior (including Mexico), and the interface between the two.

New information on field identification problems relevant to the birds of western North America and the eastern Pacific Ocean.

Techniques for field study of birds, including censusing, monitoring, and other studies; results of studies resulting from the application of such techniques.

We expect to allot 20 minutes per oral presentation, which should include 5 minutes for questions and discussion; longer time slots (30 minutes) are negotiable.

Posters should fit within a width of 6 feet.

An abstract of your presentation or poster should be submitted to Ted Floyd (tedfloyd57@hotmail.com), electronically or on paper (Ted Floyd, P. O. Box 7974, Boulder, CO 80306-7974). All abstracts should be received by 1 June 2003, and should be submitted in the following format:

YOUR LAST NAME, YOUR FIRST NAME. Your affiliation (if any), complete mailing address, e-mail address (optional). Title of Your Talk. Brief (300 word maximum) summary of the goals, results, and conclusions of your study.

For more information about the meeting, contact David Krueper (U.S. Fish & Wildlife Service, P. O. Box 1306, Albuquerque NM 87103; 505-248-6877; dave_krueper@fws.gov).

We look forward to seeing you in Silver City!

WESTERN BIRDS

World Wide Web site:
www.wfo-cbrc.org

Quarterly Journal of Western Field Ornithologists

President: Mike San Miguel, 2132 Highland Oaks Dr., Arcadia, CA 91006;
sanmigbird@aol.com

Vice-President: Daniel D. Gibson, University of Alaska Museum, 907 Yukon Dr.,
Fairbanks, AK 99775-6960

Treasurer/Membership Secretary: Robbie Fischer, 1359 Solano Drive, Pacifica, CA
94044; robbie22@pacbell.net

Recording Secretary: Kei Sochi, The Nature Conservancy, Western Regional Of-
fice, 2060 Broadway, Suite 230, Boulder, CO 80302; ksochi@tnc.org

Directors: Ted Floyd, Kimball L. Garrett, Daniel D. Gibson, Bob Gill, Gjon Hazard,
Dave Krueper, Mike San Miguel, Thomas Ryan, W. David Shuford, Catherine
Waters, David Yee

Editor: Philip Unitt, San Diego Natural History Museum, P. O. Box 121390, San
Diego, CA 92112-1390; birds@sdnhm.org

Associate Editors: Daniel D. Gibson, Robert A. Hamilton, Ronald R. LeValley,
Tim Manolis, Kathy Molina, Michael A. Patten

Graphics Manager: Virginia P. Johnson, 4637 Del Mar Ave., San Diego, CA 92107

Photo Editor: Peter La Tourrette, 1019 Loma Prieta Ct., Los Altos, CA 92024

Featured Photo: Robert A. Hamilton, 34 Rivo Alto Canal, Long Beach, CA 90803

Book Reviews: Steve N. G. Howell, Point Reyes Bird Observatory, 4990 Shoreline
Highway, Stinson Beach, CA 94970

Secretary, California Bird Records Committee: Guy McCaskie, P. O. Box 275,
Imperial Beach, CA 91933-0275; guymcc@pacbell.net

Chairman, California Bird Records Committee: Richard A. Erickson, LSA Associates,
1 Park Plaza, Suite 500, Irvine, CA 92614; richard.erickson@lsa-assoc.com

Membership dues, for individuals and institutions, including subscription to *Western Birds*: Patron, \$1000.00; Life, \$400 (payable in four equal annual installments); Supporting, \$60 annually; Contributing, \$34 annually; Family \$30; Regular U.S. \$25 for one year, \$46 for two years, \$70 for three years. Dues and contributions are tax-deductible to the extent allowed by law.

Send membership dues, changes of address, correspondence regarding missing issues, and orders for back issues and special publications to the Treasurer. Make checks payable to Western Field Ornithologists.

Back issues of *Western Birds* within U.S. \$28 per volume, \$7.50 for single issues, plus \$1 per issue for postage. Outside the U.S. \$34 per volume, \$9 for single issues plus \$2 per issue shipping.

The California Bird Records Committee of Western Field Ornithologists revised its 10-column Field List of California Birds in February 2002. The last list covered 613 accepted species; the new list covers 619 species. Please send orders to WFO, c/o Robbie Fischer, Treasurer, 1359 Solano Drive, Pacifica, CA 94044. California addresses please add 8.25% sales tax.

Quantity: 1-9, \$1.50 each, includes shipping and handling; 10-39, \$1.30 each, add \$2.00 for shipping and handling; 40 or more, \$1.15 each, add \$4.00 for shipping and handling.