

WESTERN BIRDS, INDEX, VOLUME 36, 2005

Compiled by Philip Unitt

- Accentor, Siberian, 38, 40, 50–51
Accipiter cooperii, 259
 striatus, 196
Actitis hypoleucos, 49
 macularius, 207
Aechmophorus clarkii, 144–145, 180, 192
 occidentalis, 144, 145, 180
Aegolius acadicus, 30, 303–309
 funereus, 30
Aeronautes saxatalis, 218
Aethia cristatella, 29
 psittacula, 28
 pusilla, 28
Agelaius phoeniceus, 251–252
 tricolor, 252
Aimophila cassinii, 244
 ruficeps, 160
Alauda arvensis, 31, 51
 Albatross, Black-footed, 83, 104, 135, 180
 Laysan, 83, 135, 180
 Short-tailed, 16, 83, 104, 169, 170, 263
 Shy, 83, 135–137
Alectoris chukar, 178
Alle alle, 26
Ammodramus bairdii, 79, 100, 102
 leconteii, 102, 107
 savannarum, 107, 158, 247
Amphispiza belli, 158, 160, 171, 172, 246–247, 253
 bilineata, 246
Anas acuta, 13, 177
 americana, 176
 clypeata, 12, 177
 crecca, 13, 103, 177
 cyanoptera, 177
 discors, 176–177
 falcata, 78, 79, 82–83, 85
 penelope, 12
 platyrhynchos, 12, 176
 querquedula, 103
 strepera, 176
 Anhinga, 88
Anhinga anhinga, 88
Anous stolidus, 59, 62
Anser albifrons, 11, 175, 190
 fabalis, 11
Anthropoides virgo, 79, 109
Anthus cervinus, 7, 8, 40, 233, 238
 gustavi, 40, 41
 hodgsoni, 39
 rubescens, 40, 42, 233
 spragueii, 100–101
 trivialis, 39, 51
Aphelocoma californica, 287, 292
 insularis, 160
Aphriza virgata, 123, 125, 208
Apus pacificus, 30
Aquila chrysaetos, 261
Archilochus alexandri, 106, 218
 colubris, 106, 262
Ardea alba, 187
 herodias, 187
Arenaria interpres, 20, 121–130, 208
 melanocephala, 20–21, 122, 125, 127, 208
Asio flammeus, 30, 217
 otus, 217
Athene cucularia, 217
 Auklet, Cassin's, 169, 170, 215
 Crested, 29
 Least, 29
 Parakeet, 29
 Rhinoceros, 170, 215
 Avocet, American, 206
Aythya affinis, 177
 americana, 258
 collaris, 177, 191
 marila, 13
 valisineria, 258–259
 Barry, Jessie H., and Cameron D. Cox,
 Book review: Birds of Washington:
 Status and Distribution, 333–335
Bartramia longicauda, 94
 Benson, Thomas A., Breeding Vermilion
 Flycatchers in cismontane San
 Bernardino County, California,
 56–58
 Benter, R. Bradley, Heather M. Renner,
 and Martin Renner, First record
 of a Shy Albatross in Alaska,
 135–137
 Billings, Mark J., and Guy McCaskie,
 Hudsonian Godwit in Baja Califor-
 nia, 138–140
 Blackbird, Brewer's, 108, 252
 Red-winged, 251–252
 Rusty, 47, 252, 260
 Tricolored, 252

INDEX

- Yellow-headed, 252
 Bluebird, Mountain, 231
 Western, 263
 Bluethroat, 7, 8, 37
 Bobolink, 251, 260
Bombycilla cedrorum, 234
 garrulus, 42
 Booby, Blue-footed, 79, 87, 186, 325, 327, 328
 Brown, 59, 60–61, 87–88, 109, 187, 195, 325, 326, 327, 328
 Masked, 87, 104, 186, 194, 325, 327, 328
 Nazca, 104
 Red-footed, 88
 Brabata, Georgina, *see* Sauma, L.
Brachyramphus brevirostris, 28
 marmoratus, 28, 106
 perdix, 106
 Brambling, 47
 Brant, 12, 176
Branta bernicla, 12, 176
 canadensis, 12, 176
 hutchinsii, 12, 78, 79, 175–176, 190
Bubo scandiacus, 30, 78, 79, 80, 97
Bubulcus ibis, 187–188
Bucephala clangula, 178
 islandica, 259
 Bunting, Indigo, 251, 314
 Lark, 247, 254
 Lazuli, 158, 172, 251
 Little, 45, 46, 51
 McKay's, 47
 Painted, 80, 103, 108, 251
 Reed, 46, 51
 Snow, 46–47, 50, 102–103, 250, 257
 Bushtit, 131, 287
Buteo albonotatus, 90
 jamaicensis, 169, 170, 197, 198–199
 lagopus, 17
 platypterus, 196, 197, 314
 regalis, 261
 swainsoni, 259, 261
Butorides virescens, 188–189

Calamospiza melanocorys, 247, 254
Calcarius lapponicus, 45–46, 50, 250, 256
 mccownii, 250, 256
 ornatus, 250
Calidris acuminata, 22, 33, 49
 alba, 21, 208
 alpina, 22, 105, 209
 bairdii, 21–22, 209
 canutus, 21, 208
 ferruginea, 94, 105
 fuscicollis, 79, 94
 himantopus, 105
 mauri, 21, 209
 melanotos, 22, 209
 minutilla, 21, 49, 105, 209
 ptilocnemis, 22, 33
 pusilla, 261
 ruficollis, 21, 32
 subminuta, 21, 105
 temminckii, 21, 49
 tenuirostris, 21, 49
Callipepla californica, 160, 178
 gambelii, 178
Calonectris diomedea, 78, 79, 84–85, 86, 104
 leucomelas, 104, 259
Calypte anna, 218
 costae, 218–219
Campylorhynchus brunneicapillus, 263
 Canvasback, 258–259
Caracara cheriway, 78, 79, 89, 90–91, 93, 105, 108
Caracara, Crested, 78, 79, 89, 90–91, 93, 105, 108
Cardellina rubrifrons, 102
Carduelis carduelis, 78, 108, 263
 flammea, 46, 48, 78, 79, 80, 93, 103
 hornemanni, 46, 48
 lawrencei, 258
 pinus, 48, 258
 psaltria, 258
 tristis, 48, 258
 Carmona, Roberto, *see* Sauma, L.
Carpodacus erythrinus, 47
 mexicanus, 160, 170, 255, 257
 purpureus, 47–48, 255
 Castillo-Guerrero, José Alfredo, Eric Mellink, Erik Peñaloza-Padilla, and Miguel Prado-López, Anomalously pigmented Brown Boobies in the Gulf of California: Leucism and possible hybridization with the Blue-footed Booby, 325–328
 Catbird, Gray, 232, 311
Cathartes aura, 191
Catharus fuscescens, 311
 guttatus, 38, 232

INDEX

- minimus*, 7, 38, 107
ustulatus, 38, 107, 232
Catherpes mexicanus, 263
Catoptrophorus semipalmatus, 207
Cephus columba, 9, 27, 214
grylle, 27, 50
Cerorhinca monocerata, 170, 215
Ceryle alcyon, 219
Chaetura pelagica, 218
vauxi, 218
Charadrius alexandrinus, 141–143.
 172, 200, 205
hiaticula, 18–19
leschenaultii, 94
mongolus, 18, 94
montanus, 105, 206
morinellus, 19, 49, 105
semipalmatus, 19, 205–206
vociferus, 206
 Chat, Yellow-breasted, 242
Chen caerulescens, 11–12
canagica, 9, 11, 50, 82
rossii, 175
Chlidonias niger, 145, 214
Chondestes grammacus, 246
Chordeiles acutipennis, 262
minor, 262
 Chukar, 178
Circus cyaneus, 195–196, 197
Cistothorus palustris, 231
Clangula hyemalis, 14–15
Coccyzus americanus, 216
Colaptes auratus, 220
 Collared-Dove, Eurasian, 216
Columba livia, 29, 216
Columbina talpacoti, 96–97
Contopus cooperi, 30, 220
pertinax, 98
sordidulus, 98, 106, 221–222, 287
virens, 98, 106
 Coot, American, 205
Coragyps atratus, 79, 90
 Cormorant, Brandt's, 187
 Double-crested, 170, 187
 Pelagic, 9, 17, 187
Corvus brachyrhynchos, 170, 262
corax, 31, 50, 169, 170, 228
Coturnicops noveboracensis, 78, 79,
 80, 90, 93–94
 Cox, Cameron D., see Barry, J. H.
 Cowbird, Bronzed, 252
 Brown-headed, 47, 65, 131, 252,
 287, 293
 Crane, Demoiselle, 79, 109
 Sandhill, 18
 Crossbill, Red, 48
 White-winged, 48
 Crow, American, 170, 262
 Cuckoo, Common, 29–30, 35
 Oriental, 29–30, 35, 50, 51
 Yellow-billed, 216
Cuculus canorus, 29
saturatus, 29, 50, 51
 Curlew, Bristle-thighed, 20, 105
 Long-billed, 208
 Curson, David R., see Goguen, C. B.
Cyanocitta cristata, 314
stelleri, 292
Cygnus buccinator, 82
columbianus, 12
Cynanthus latirostris, 97

Dendrocygna autumnalis, 108,
 317–321
Dendroica caerulescens, 235
castanea, 101, 238
coronata, 42, 235–236
discolor, 236, 238, 241
dominica, 101, 236
fusca, 107, 236
graciae, 101, 107
magnolia, 42, 235
nigrescens, 236
occidentalis, 236, 241
palmarum, 238
pennsylvanica, 235
petechia, 42, 235
pinus, 96, 101
striata, 43, 238
tigrina, 235, 240
townsendi, 43, 236
virens, 236, 240
 Dexter, Coen, see Faulkner, D.
 Dickcissel, 251
 Dickerman, R. W., *Sayornis saya*
yukonensis is valid, 329–330
Dolichonyx oryzivorus, 251, 260
 Dotterel, Eurasian, 19, 49, 105
 Dove, Diamond, 263
 Eurasian Collared, 216
 Mourning, 216
 Oriental Turtle, 78, 79, 96
 Ruddy Ground, 96–97
 Spotted, 261
 White-winged, 216
 Dovekie, 26
 Dowitcher, Long-billed, 22–23,
 209–210

INDEX

- Short-billed, 138, 209
 Duck, Black-bellied Whistling, 108,
 317–321
 Falcated, 78, 79, 82–83, 85
 Harlequin, 9, 14
 Long-tailed, 14–15
 Ring-necked, 177, 191
 Ruddy, 178
Dumetella carolinensis, 232, 311
 Dunlin, 22, 105
 Dunn, Jonathan J., see Sullivan, B. L.
- Eagle, Bald, 194–195
 Golden, 261
 Egret, Cattle, 187–188
 Great, 187
 Snowy, 187
Egretta thula, 187
 tricolor, 89
 Eider, Common, 14, 78, 79
 King, 13–14, 83
 Spectacled, 13, 50
 Steller's, 13
Elanus leucurus, 192–193, 196
Emberiza pusilla, 45, 46, 51
 schoeniclus, 46, 51
Empidonax alnorum, 106
 difficilis, 31, 106, 160, 221–222
 flaviventris, 92, 98, 106
 hammondii, 106, 221
 minimus, 30, 221, 310–316
 oberholseri, 203, 221, 292
 occidentalis, 31, 106
 traillii, 221, 292
 virescens, 292
 wrightii, 221, 286–395
Eremophila alpestris, 31, 160, 170,
 228
Eugenes fulgens, 78, 79, 92, 97–98
Euphagus carolinus, 47, 252, 260
 cianocephalus, 108, 252
- Falco columbarius*, 200, 202
 mexicanus, 203
 peregrinus, 18, 94, 128, 169,
 202–203
 rusticolus, 17–18, 93
 sparverius, 199
 Falcon, Gyr, 17–18, 93
 Peregrine, 18, 94, 128, 169,
 202–203
 Prairie, 203
 Faulkner, Doug, Coen Dexter, Rich
 Levad, and Tony Leukering, Black
 Phoebe breeding range expansion
 into Colorado, 114–120
Ficedula parva, 37
 Finch, House, 160, 170, 255, 257
 Purple, 47–48, 255
 Flicker, Northern, 220
 Flycatcher, Acadian, 292
 Alder, 106
 Ash-throated, 106–107, 222
 Cordilleran, 30
 Dusky, 203, 221, 292
 Dusky-capped, 98
 Gray, 221, 286–295
 Hammond's, 106, 221
 Least, 30, 221, 310–316
 Nutting's, 106–107, 108
 Olive-sided, 30, 220
 Pacific-slope, 30, 160, 221–222
 Red-breasted, 37
 Scissor-tailed, 223
 Spotted, 37, 50, 51
 Sulphur-bellied, 262
 Vermilion, 56–58, 204, 222
 Western, 30, 106, 160
 Willow, 221, 292
 Yellow-bellied, 92, 98, 106
Fratercula cirrhata, 29, 216
 corniculata, 7, 9, 29
Fringilla montifringilla, 47
Fulica americana, 205
 Fulmar, Northern, 9, 16, 170, 180
Fulmarus glacialis, 9, 16, 170, 180
- Gadwall, 176
 Gaede, Peter A., see Hamilton, R. A.
Gallinago delicata, 210
Gavia adamsii, 16, 50, 83, 103–104,
 322
 arctica, 15
 immer, 15, 104, 170, 179, 322,
 323
 pacifica, 15, 179, 322–324
 stellata, 15, 178–179
Gallinago delicata, 23
 gallinago, 23
 Garganey, 103
Geopelia cuneata, 263
Geothlypis trichas, 239, 242
 Gnatcatcher, Blue-gray, 231, 287, 293
 California, 131–134
 Godwit, Bar-tailed, 20, 105, 108, 139
 Black-tailed, 20
 Hudsonian, 20, 94, 138–140
 Marbled, 105, 139, 208

INDEX

- Goguen, Christopher B., David R. Curson, and Nancy E. Mathews, Breeding ecology of the Gray Flycatcher in pinyon-junipers woodlands in New Mexico, 286–295
- Goldeneye, Barrow's, 259
Common, 178
- Golden-Plover, American, 18, 49, 205
Pacific, 18, 205
- Goldfinch, American, 48, 258
European, 78, 108, 263
Lawrence's, 258
Lesser, 258
- Goose, Bean, 11
Cackling, 12, 78, 79, 175–176, 190
Canada, 12, 176
Emperor, 9, 11, 50, 82
Greater White-fronted, 11, 175, 190
Ross's, 175
Snow, 11–12
- Grackle, Common, 103, 108
Great-tailed, 108
- Grasshopper-Warbler, Middendorff's, 32, 35, 36, 51
- Grebe, Clark's, 144–145, 180, 192
Eared, 179
Horned, 16, 179
Pied-billed, 179
Red-necked, 16, 170, 259
Western, 144, 145, 180
- Greenshank, Common, 49
- Grosbeak, Black-headed, 172, 250–251
Blue, 251
Rose-breasted, 250, 257, 314
- Ground-Dove, Ruddy, 96–97
- Grus canadensis*, 18
- Guillemot, Black, 27, 50
Pigeon, 9, 27, 214
- Gull, Belcher's, 105–106
Black-headed, 24, 95
Black-tailed, 106
Bonaparte's, 105, 211
California, 170, 212
Franklin's, 211, 296
Glaucous, 25, 34, 261
Glaucous-winged, 25, 34, 212, 296, 297–299, 300
Heermann's, 170, 211
Herring, 24, 34, 212
Iceland, 261
Ivory, 26
Kelp, 296–297, 300
- Laughing, 211, 296, 299–300
Lava, 296
Lesser Black-backed, 95
Little, 91, 94–95, 105
Mew, 24, 261
Ring-billed, 201, 212, 296
Ross's, 26, 34
Sabine's, 25, 212–213
Slaty-backed, 25, 34, 78, 79
Thayer's, 25, 34, 212
Western, 106, 212
- Gymnorhinus cyanocephalus*, 293
- Gyr Falcon, 17–18, 93
- Haematopus bachmani*, 105, 122–123, 125, 206, 261, 336–337
*palliatu*s, 105, 206, 261, 336–337
- Haliaeetus leucocephalus*, 194–195
- Hamilton, Robert A., and Peter A. Gaede, Featured photo: Pink-sided × Gray-headed Juncos, 150–152
- Harrier, Northern, 195–196, 197
- Hawk, Broad-winged, 196, 197, 314
Cooper's, 259
Ferruginous, 261
Red-tailed, 169, 170, 197, 198–199
Rough-legged, 17
Sharp-shinned, 196
Zone-tailed, 90
- Helmericks, James W., see Pandolfino, E. R.
- Helmitheros vermivorus*, 101–102
- Heron, Black-crowned Night, 189
Great Blue, 187
Green, 188–189
Tricolored, 89
- Heteroscelus brevipes*, 20, 49
incanus, 19–20, 121, 123, 125, 127, 207
- Himantopus mexicanus*, 145, 206
- Hirundo rustica*, 31–32, 229
- Histrionicus histrionicus*, 9, 14
- Howell, Steve N. G., Book reviews:
San Diego County Bird Atlas;
Oklahoma Breeding Bird Atlas, 67–70; Gulls of North America, Europe and Asia; Hummingbirds of North America, 146–149; Featured photo: Revisiting an old question: How many species of skua occur in the North Pacific?, 71–73
- Hummingbird, Allen's, 160, 219
Anna's, 218
Black-chinned, 106, 218

INDEX

- Broad-billed, 97
 Calliope, 219
 Costa's, 218–219
 Magnificent, 78, 79, 92, 97–98
 Ruby-throated, 106, 262
 Rufous, 30, 219
Hylocichla mustelina, 99
- Ibis, Glossy, 88, 89, 105, 189
 White-faced, 89, 145, 189, 195
Icteria virens, 242
Icterus bullockii, 47, 50, 172, 254
 cucullatus, 254
 galbula, 254, 314
 parisorum, 255
 pustulatus, 79, 103
 spurius, 252, 254
Ictinia mississippiensis, 90
Ixoreus naevius, 232
- Jaeger, Long-tailed, 24, 211
 Parasitic, 24, 211
 Pomarine, 23–24, 210–211
 Jay, Blue, 314
 Island Scrub, 160
 Pinyon, 293
 Steller's, 292
 Western Scrub, 287, 292
 Jones, H. Lee, see Rauzon, M. J.
 Junco, Dark-eyed, 45, 150–152, 250
Junco hyemalis, 45, 150–152, 250
Jynx torquilla, 30
- Kaler, Robb S. A., see Sullivan, B. L.
 Kershner, Eric L., see Sullivan, B. L.
 Kestrel, American, 199
 Killdeer, 206
 Kingbird, Cassin's, 223
 Eastern, 223
 Tropical, 222
 Western, 223
 Kingfisher, Belted, 219
 Kinglet, Golden-crowned, 231
 Ruby-crowned, 32, 231
 Kite, Mississippi, 90
 White-tailed, 192–193, 196
 Kittiwake, Black-legged, 9, 25–26, 213
 Knot, Great, 21, 49
 Red, 21, 208
 Kus, Barbara E., see Sharp, B. L.
- Lagopus muta*, 15
Lanius excubitor, 31
 ludovicianus, 103, 158, 160, 171,
 172, 204, 223–226
 Lark, Horned, 31, 160, 170, 228
 Sky, 31, 51
Larus argentatus, 24, 34, 212
 atricilla, 211, 296, 299–300
 belcheri, 105–106
 californicus, 170, 212
 canus, 24, 261
 crassirostris, 106
 delawarensis, 201, 212, 296
 dominicanus, 296–297, 300
 fuliginosus, 296
 fuscus, 95
 glaucescens, 25, 34, 212, 296,
 297–299, 300
 glaucoides, 261
 heermanni, 170, 211
 hyperboreus, 25, 34, 261
 minutus, 91, 94–95, 105
 occidentalis, 106, 212
 philadelphia, 105, 211
 pipixcan, 211, 296
 ridibundus, 24, 95
 schistisagus, 25, 34, 78, 79
 thayeri, 25, 34, 212
 Lehman, Paul E., Fall bird migration
 at Gambell, St. Lawrence Island,
 Alaska, 2–55
 Leukering, Tony, see Faulkner, D.
 Levad, Rich, see Faulkner, D.
Limnodromus griseus, 138, 209
 scolopaceus, 22–23, 209–210
Limosa fedoa, 105, 138, 208
 haemastica, 20, 94, 138–140
 lapponica, 20, 105, 108, 139
 limosa, 20
Locustella ochotensis, 32, 35, 36, 51
 Longspur, Chestnut-collared, 250
 Lapland, 45–46, 50, 250, 256
 McCown's, 250, 256
 Loon, Arctic, 15
 Common, 15, 104, 170, 179, 322,
 323
 Pacific, 15, 179, 322–324
 Red-throated, 15, 178–179
 Yellow-billed, 16, 50, 83, 103–104,
 322
Loxia curvirostra, 48
 leucoptera, 48
 Lukas, David, Book review: Atlas of
 the Breeding Birds of Humboldt
 County, California, 331–335
Lunda cirrhata, 29, 216
Luscinia calliope, 37

INDEX

- suecica*, 7, 8, 37
 Lynn, Suellen, see Sullivan, B. L.
- Mallard, 12, 176
 Martin, Purple, 228–229
 Mathews, Nancy E., see Goguen, C. B.
 McCaskie, Guy, see Billings, M. J.
 McGrath, Todd, see San Miguel, M.
 Meadowlark, Western, 252
Melanerpes formicivorus, 220
 lewis, 219–220
Melanitta fusca, 14, 259
 nigra, 14, 259
 perspicillata, 177–178
Melospiza lincolni, 43, 249
 melodia, 160, 170, 248–249
 Mellink, Eric, and Mónica Riojas-López,
 Breeding seabirds of Morros el
 Potosí, Guerrero, Mexico, 59–63;
 New breeding localities for the
 Snowy Plover in western Mexico,
 141–143; see Castillo-Guerrero,
 J. A.
 Merganser, Red-breasted, 15, 178
Mergus serrator, 15, 178
 Merlin, 200, 202
 Mlodinow, Steven G., Clark's Grebe
 in western Washington, 144–145;
 Least Flycatcher range expansion
 into Washington state, 310–316
Mniotilta varia, 238
 Mockingbird, Northern, 232
Molothrus aeneus, 252
 ater, 47, 65, 131, 252, 287, 293
Motacilla alba, 7, 39, 100
 lugens, 39, 100
 tschutschensis, 7, 8, 39, 49
 Munkwitz, Nicole M., see Sullivan, B. L.
 Murre, Common, 9, 26–27, 214
 Thick-billed, 9, 27, 95–96, 106
 Murrelet, Ancient, 28, 215
 Craveri's, 215
 Kittlitz's, 28
 Long-billed, 106
 Marbled, 28, 106
 Xantus', 202, 214–215
Muscicapa striata, 37, 50, 51
Myadestes townsendi, 232
Myiarchus cinerascens, 106–107, 222
 nuttingi, 106–107, 108
 tuberculifer, 98
Myiodynastes luteiventris, 262
- Nighthawk, Common, 262
 Lesser, 262
 Night-Heron, Black-crowned, 189
 Noddy, Brown, 59, 62
Numenius americanus, 208
 phaeopus, 20, 105, 123, 125, 127,
 207
 tahitiensis, 20, 105
 Nuthatch, Red-breasted, 32, 230
Nycticorax nycticorax, 189
- Oceanites oceanicus*, 183
Oceanodroma furcata, 17
 homochroa, 183
 leucorhoa, 183, 192
 melania, 183–184
 microsoma, 184
Oenanthe oenanthe, 7, 8, 37–38, 49
Oporornis agilis, 102
 philadelphia, 97, 102, 107, 263
 tolmiei, 43, 107, 239
Oreoscoptes montanus, 233, 237
 Oriole, Baltimore, 254, 314
 Bullock's, 47, 50, 172, 254
 Hooded, 254
 Orchard, 252, 254
 Scott's, 255
 Streak-backed, 79, 103
 Osprey, 191–192
 Ovenbird, 239
 Owl, Barred, 314
 Boreal, 30
 Burrowing, 217
 Long-eared, 217
 Northern Saw-whet, 30, 303–309
 Short-eared, 30, 217
 Snowy, 30, 78, 79, 80, 97
Oxyura jamaicensis, 178
 Oystercatcher, American, 105, 206,
 261, 336–337
 Black, 105, 122–123, 125, 206,
 261, 336–337
- Pagophila eburnea*, 26
Pandion haliaetus, 191–192
 Pandolfino, Edward R., and James W.
 Helmericks, Changes in winter
 abundance of the Ruddy Turnstone
 along the coast of California,
 121–130
Parula americana, 235
 Parula, Northern, 235
Passer domesticus, 258
Passerculus sandwichensis, 43, 247,
 255
Passerella iliaca, 43, 247–248
Passerina amoena, 158, 172, 251

INDEX

- ciris*, 80, 103, 108, 251
cyanea, 251, 314
Patagioenas fasciata, 216
Pelecanus crispus, 105
erythrorhynchos, 105, 145, 259
occidentalis, 187
onocrotalus, 105
rufescens, 78, 104–105, 108, 259
 Pelican, American White, 105, 145, 259
 Brown, 187
 Dalmatian, 105
 Great White, 105
 Pink-backed, 78, 104–105, 108, 259
 Peñaloza-Padilla, Erik, see Castillo-Guerrero, J. A.
 Peterson, Bonnie L., see Sharp, B. L.
 Petrel, Ashy Storm, 183
 Black-capped, 78, 104
 Black Storm, 183–184
 Fork-tailed Storm, 17
 Juan Fernandez, 85, 104
 Leach's Storm, 183, 192
 Least Storm, 184
 Mottled, 83–84, 108
 Murphy's, 180
 White-necked, 104
 Wilson's Storm, 183
Petrochelidon pyrrhonota, 229
 Pewee, Eastern Wood, 98, 106
 Greater, 98
 Western Wood, 98, 106, 220–221, 287
Phaethon aethereus, 59–60, 184, 186, 193
 rubricauda, 79, 87
 Phainopepla, 234
Phainopepla nitens, 234
Phalacrocorax auritus, 170, 187
 pelagicus, 9, 17, 187
 penicillatus, 187
Phalaenoptilus nuttallii, 217–218
 Phalarope, Red, 23, 210
 Red-necked, 23, 210
 Wilson's, 145, 201, 210
Phalaropus fulicarius, 23, 210
 lobatus, 23, 210
 tricolor, 145, 201, 210
Phaeiticus ludovicianus, 250, 257, 314
 melanocephalus, 172, 250–251
Philomachus pugnax, 22, 49
Phoebastria albatrus, 16, 83, 104, 169, 170, 263
 immutabilis, 83, 135, 180
 nigripes, 83, 104, 135, 180
 Phoebe, Black, 114–120, 222
 Eastern, 262, 314
 Say's, 222, 329–330
Phylloscopus borealis, 7, 8, 36, 49
 fuscatus, 35, 51
 inornatus, 35–36, 51
 trochilus, 35, 37, 51
 Pigeon, Band-tailed, 216
 Rock, 29, 216
 Pintail, Northern, 13, 177
Pipilo chlorurus, 243
 maculatus, 160, 170, 243, 245, 287
 Pipit, American, 40, 42, 233
 Olive-backed, 39
 Pechora, 40, 41
 Red-throated, 7, 8, 40, 233, 238
 Sprague's, 100–101
 Tree, 39, 51
Piranga ludoviciana, 172, 242–243, 293
 olivacea, 102, 107, 242
 rubra, 242
Platalea ajaja, 80, 90
Plectrophenax hyperboreus, 47
 nivalis, 46–47, 50, 102–103, 250, 257
Plegadis chihi, 89, 145, 189, 195
 falcinellus, 88, 39, 105, 189
 Plissner, Jonathan H., see Sullivan, B. L.
 Plover, American Golden, 18, 49, 205
 Black-bellied, 18, 205
 Common Ringed, 18–19
 Greater Sand, 94
 Lesser Sand, 18, 94
 Mongolian, 18, 94
 Mountain, 105, 206
 Pacific Golden, 18, 205
 Semipalmated, 19, 205–206
 Snowy, 141–143, 172, 200, 205
Pluvialis dominica, 18, 49, 205
 fulva, 18, 205
 squatarola, 18, 205
Podiceps auritus, 16, 179
 griseogena, 16, 170, 259
 nigricollis, 179
Podilymbus podiceps, 179
Polioptila caerulea, 231, 287, 293
 californica, 131–134
Polysticta stelleri, 13
Pooecetes gramineus, 245
 Poorwill, Common, 217–218

INDEX

- Porzana carolina*, 205
- Prado-López, Miguel, *see* Castillo-Guerrero, J. A.
- Priestley, Chuck, and Lisa Priestley, Results of a pilot study monitoring Northern Saw-whet Owl migration in central Alberta, Canada, 303–309
- Priestley, Lisa, *see* Priestley, C.
- Progne subis*, 228–229
- Protonotaria citrea*, 101, 239
- Prunella montanella*, 38, 40, 50–51
- Psaltriparus minimus*, 131, 287
- Ptarmigan, Rock, 15
- Pterodroma cervicalis*, 104
externa, 85, 104
hasitata, 78, 104
inexpectata, 83–84, 108
ultima, 180
- Ptychoramphus aleuticus*, 169, 170, 215
- Puffin, Horned, 7, 9, 29
 Tufted, 29, 216
- Puffinus assimilis*, 78, 79, 86–87
auricularis, 86, 87
bulleri, 84, 170, 182
carneipes, 182
creatopus, 84, 170, 182
gravis, 85
griseus, 84, 182
herminieri, 86, 87
opisthomelas, 104, 182–183
pacificus, 104
puffinus, 85–86, 104, 182
tenuirostris, 9, 17, 50, 170, 182
- Pyrocephalus rubinus*, 56–58, 204, 222
- Quail, California, 160, 178
 Gambel's, 178
- Quiscalus mexicanus*, 108
quiscula, 103, 108
- Rail, Virginia, 204–205
 Yellow, 78, 79, 80, 90, 93–94
- Rallus limicola*, 204–205
- Rauzon, Mark J., and H. Lee Jones, First record of the Kelp Gull and significant records of the Glaucous-winged and Laughing Gulls for the central Pacific, 296–302
- Raven, Common, 31, 50, 169, 170, 228
- Recurvirostra americana*, 206
- Redhead, 258
- Redpoll, Common, 46, 48, 78, 79, 80, 93, 103
 Hoary, 46, 48
- Redstart, American, 43, 239, 311
- Regulus calendula*, 32, 231
satrapa, 231
- Renner, Heather M., *see* Benter, R. B.
- Renner, Martin, *see* Benter, R. B.
- Rhodostethia rosea*, 26, 34
- Riojas-López, Mónica, *see* Mellink, E.
- Riparia riparia*, 31, 229
- Rissa tridactyla*, 9, 25–26, 213
- Robin, American, 38, 232
- Rosefinch, Common, 47
- Rosenberg, Gary H., *see* Tobish, T. G.
- Rubythroat, Siberian, 37
- Ruff, 22, 49
- Rynchops niger*, 202, 214
- Salpinctes obsoletus*, 230
- Sanderling, 21, 208
- Sandpiper, Baird's, 21–22, 209
 Buff-breasted, 22, 94, 200, 209
 Common, 49
 Curlew, 94, 105
 Least, 21, 49, 105, 209
 Pectoral, 22, 209
 Rock, 22, 33
 Semipalmated, 261
 Sharp-tailed, 22, 33, 49
 Solitary, 207
 Spotted, 207
 Stilt, 105
 Terek, 20
 Upland, 94
 Western, 21, 209
 White-rumped, 79, 94
 Wood, 19, 49
- Sand-Plover, Greater, 94
 Lesser, 18, 94
- San Miguel, Mike, and Todd McGrath, Report of the California Bird Records Committee: 2003 records, 78–113
- Sapsucker, Red-breasted, 220
 Red-naped, 220
 Yellow-bellied, 314
- Sauma, Luis, Roberto Carmona, and Georgina Brabata, First nesting record of the Black-bellied Whistling-Duck on the Baja California Peninsula, Mexico, 317–321
- Saxicola torquatus*, 38, 78, 79, 231,

INDEX

- 237
Sayornis nigricans, 114–120, 222
phoebe, 262, 314
saya, 222, 329–330
Scaup, Greater, 13
Lesser, 177
Scoter, Black, 14, 259
Surf, 177–178
White-winged, 14, 259
Scrub-Jay, Island, 160
Western, 287, 292
Seiurus aurocapillus, 239
motacilla, 102
noveboracensis, 43, 239, 311
Selasphorus rufus, 30, 219
sasin, 160, 219
Setophaga ruticilla, 43, 239, 311
Sharp, Bryan L., Bonnie L. Peterson,
and Barbara E. Kus, Puncture-ejec-
tion of own egg by Least Bell's
Vireo and potential implications for
anti-parasitism defense, 64–66
Shearwater, Audubon's, 86, 87
Black-vented, 104, 182–183
Buller's, 84, 170, 182
Cory's, 78, 79, 84–85, 86, 104
Flesh-footed, 182
Greater, 85
Little, 78, 79, 86–87
Manx, 85–86, 104, 182
Newell's, 86, 87
Pink-footed, 84, 170, 182
Short-tailed, 9, 17, 50, 170, 182
Sooty, 84, 182
Streaked, 104, 259
Townsend's, 86, 87
Wedge-tailed, 104
Shoveler, Northern, 12, 177
Shrike, Loggerhead, 103, 158, 160,
171, 172, 204, 223–226
Northern, 31
Sialia currucoides, 231
mexicana, 263
Siskin, Pine, 48, 258
Sitta canadensis, 32, 230
Skimmer, Black, 202, 214
Skua, Brown, 71, 72, 73
Great, 71
Chilean, 71
South Polar, 71, 72, 73, 210
Snipe, Common, 23
Wilson's, 23, 210
Solitaire, Townsend's, 232
Somateria fischeri, 13, 50
mollissima, 14, 78, 79
spectabilis, 13–14, 83
Sora, 205
Sparrow, American Tree, 43, 245
Baird's, 79, 100, 102
Black-chinned, 245
Black-throated, 246
Brewer's, 245
Cassin's, 244, 245
Chipping, 43, 245, 247, 248, 287
Clay-colored, 43, 50, 245, 248
Fox, 44, 247–248
Golden-crowned, 45, 249
Grasshopper, 107, 158, 247
Harris', 249
House, 258
Lark, 246
Le Conte's, 102, 107
Lincoln's, 44, 249
Rufous-crowned, 160
Sage, 158, 160, 171, 172,
246–247, 253
Savannah, 43, 247, 255
Song, 160, 170, 248–249
Vesper, 245
White-crowned, 44–45, 249
White-throated, 249, 314
Sphyrapicus nuchalis, 220
ruber, 200
varius, 314
Spiza americana, 251
Spizella arborea, 43, 245
atrogularis, 245
breweri, 245
pallida, 43, 50, 245, 248
passerina, 43, 245, 247, 248, 287
Spoonbill, Roseate, 80, 90
Starling, European, 233
Stelgidopteryx serripennis, 229
Stellula calliope, 219
Stercorarius chilensis, 71
longicaudus, 24, 211
lonnbergi, 71, 72, 73
maccormicki, 71, 72, 73, 210
parasiticus, 24, 211
pomarinus, 23–24, 210–211
skua, 71
Sterna anaethetus, 59, 61, 62
antillarum, 141
caspia, 213
elegans, 213
forsteri, 214
hirundo, 213
maxima, 213

INDEX

- nilotica*, 141
paradisaea, 26, 213–214
 Stilt, Black-necked, 145, 206
 Stint, Long-toed, 21, 105
 Red-necked, 21, 32
 Temminck's, 21, 49
 Stonechat, 38, 78, 79, 231, 237
 Storm-Petrel, Ashy, 183
 Black, 183–184
 Fork-tailed, 17
 Leach's, 183, 192
 Least, 184
 Wilson's, 183
Streptopelia chinensis, 261
 decaocto, 216
 orientalis, 78, 79, 96
Strix varia, 314
Sturnella neglecta, 252
Sturnus vulgaris, 233
Sula dactylatra, 87, 104, 186, 194,
 325, 327, 328
 granti, 104
 leucogaster, 59, 60–61, 87–88,
 109, 187, 195, 325, 326, 327,
 328
 neboxii, 79, 87, 186, 325, 327,
 328
 sula, 88
 Sullivan, Brian L., and Kershner, Eric
 L., with Jonathan J. Dunn, Robb
 S. A. Kaler, Suellen Lynn, Nicole
 M. Munkwitz, and Jonathan H.
 Plissner, The birds of San Clemente
 Island, 158–273
 Surfbird, 123, 125, 208
 Swallow, Bank, 31, 229
 Barn, 31–31, 229
 Cliff, 229
 Northern Rough-winged, 229
 Tree, 31, 229
 Violet-green, 229
 Swan, Bewick's, 12
 Trumpeter, 82
 Tundra, 12
 Whistling, 12
 Swift, Chimney, 218
 Fork-tailed, 30
 Vaux's, 218
 White-throated, 218
Sylvia curruca, 35, 50, 51
Synthliboramphus antiquus, 28, 215
 craveri, 215
 hypoleucus, 202, 214–215
Tachycineta bicolor, 31, 229
 thalassina, 229
 Tanager, Scarlet, 102, 107, 242
 Summer, 242
 Western, 172, 242–243, 293
 Tattler, Gray-tailed, 20, 49
 Wandering, 19–20, 121, 123, 125,
 127, 207
 Teal, Blue-winged, 176–177
 Cinnamon, 177
 Green-winged, 13, 103, 177
 Tern, Arctic, 26, 213–214
 Black, 145, 214
 Bridled, 59, 61–62
 Caspian, 213
 Common, 213
 Elegant, 213
 Forster's, 214
 Gull-billed, 141
 Least, 141
 Royal, 213
Thalassarche cauta, 83, 135–137
 Thrasher, Bendire's, 233
 Brown, 233
 Curve-billed, 99
 Sage, 233, 237
 Thrush, Eyebrowed, 38
 Gray-cheeked, 7, 38, 107
 Hermit, 38, 232
 Swainson's, 38, 107, 232
 Varied, 232
 Wood, 99
Thryomanes bewickii, 131–134, 160,
 170, 230
 Tobish, Theodore G., Jr., and Gary H.
 Rosenberg, An unusual high count
 of Pacific Loons from a freshwater
 lake in British Columbia, 322–324
Toxostoma bendirei, 233
 curvirostre, 99
 rufum, 233
 Towhee, Green-tailed, 243
 Spotted, 160, 170, 243, 245, 287
Tringa flavipes, 207
 glareola, 19, 49
 melanoleuca, 207
 nebularia, 49
 solitaria, 207
Troglodytes aedon, 230–231
 Tropicbird, Red-billed, 59–60, 184,
 186, 193
 Red-tailed, 79, 87
Tryngites subruficollis, 22, 94, 200,
 209
Turdus migratorius, 38, 232
 obscurus, 38

INDEX

- Turnstone, Black, 20–21, 122, 125, 127, 208
 Ruddy, 20, 121–130, 208
- Turtle-Dove, Oriental, 78, 79, 96
- Tyrannus forficatus*, 223
melancholicus, 222
tyrannus, 223
verticalis, 223
vociferans, 223
- Tyto alba*, 217
- Uria aalge*, 9, 26–27, 214
lomvia, 9, 27, 95–96, 106
- Veery, 311
- Vermivora celata*, 42, 160, 170, 234
luciae, 235, 239
peregrina, 42, 234
pinus, 101, 263
ruficapilla, 42, 50, 235
virginiae, 235
- Vireo, Bell's, 64–66, 226
 Blue-headed, 78, 79, 80, 93, 98–99, 107
 Cassin's, 99, 107, 226
 Gray, 262
 Hutton's, 107, 160, 226–227
 Philadelphia, 227
 Plumbeous, 293
 Red-eyed, 227, 311, 313
 Warbling, 31, 65, 227
 White-eyed, 98
 Yellow-green, 99, 227, 237
 Yellow-throated, 98, 226
- Vireo bellii*, 64–66, 226
cassinii, 99, 107, 226
flavifrons, 98, 226
flavoviridis, 99, 227, 237
gilvus, 31, 65, 227
griseus, 98
huttoni, 107, 160, 226
olivaceus, 227, 311, 313
philadelphicus, 227
plumbeus, 293
solitarius, 78, 79, 80, 93, 98–99, 107
vicinior, 262
- Vulture, Black, 79, 90
 Turkey, 191
- Wagtail, Black-backed, 39, 100
 Eastern Yellow, 7, 8, 39, 49
 White, 7, 39, 100
- Warbler, Arctic, 7, 8, 36, 49
 Bay-breasted, 101, 238
 Black-and-white, 238
 Blackburnian, 107, 236
 Blackpoll, 43, 238
 Black-throated Blue, 235
 Black-throated Gray, 236
 Black-throated Green, 236, 240
 Blue-winged, 101, 263
 Canada, 242, 243
 Cape May, 235, 240
 Chestnut-sided, 235
 Connecticut, 102
 Dusky, 35, 51
 Grace's, 101, 107
 Hermit, 236, 241
 Lucy's, 235, 239
 MacGillivray's, 43, 107, 239
 Magnolia, 42, 235
 Middendorff's Grasshopper, 32, 35, 36, 51
 Mourning, 97, 102, 107, 263
 Nashville, 42, 50, 235
 Orange-crowned, 42, 160, 170, 234
 Palm, 238
 Pine, 96, 101
 Prairie, 236, 238, 241
 Prothonotary, 101, 239
 Red-faced, 102
 Tennessee, 42, 234
 Townsend's, 43, 236
 Virginia's, 235
 Willow, 35, 37, 51
 Wilson's, 43, 172, 242
 Worm-eating, 101–102
 Yellow, 42, 235
 Yellow-browed, 35–36, 51
 Yellow-rumped, 42, 235–236
 Yellow-throated, 101, 236
- Waterthrush, Louisiana, 102
 Northern, 43, 239, 311
- Waxwing, Bohemian, 42
 Cedar, 234
- Wehtje, Walter, Featured photo:
 Identifying hybrid oystercatchers in southern California, 336–337
- Wheatear, Northern, 7, 37–38, 49
- Whimbrel, 20, 105, 123, 125, 127, 207
- Whistling-Duck, Black-bellied, 108, 317–321
- Whitethroat, Lesser, 35, 50, 51
- Wigeon, American, 176
 Eurasian, 12
- Wilsonia canadensis*, 242, 243
pusilla, 43, 172

INDEX

- Woodpecker, Acorn, 220
 Lewis's, 219–220
- Wood-Pewee, Eastern, 98, 106
 Western, 98, 106, 220–221, 287
- Wren, Bewick's, 131–134, 160, 170, 230
 Cactus, 263
 Canyon, 263
 House, 230–231
 Marsh, 231
 Rock, 230
- Wryneck, Eurasian, 30
- Xanthocephalus xanthocephalus*, 252
- Xema sabini*, 25, 212–213
- Xenus cinereus*, 20
- Yellowlegs, Greater, 207
 Lesser, 207
- Yellowthroat, Common, 239, 242
- Zenaida asiatica*, 216
 macroura, 216
- Zonotrichia albicollis*, 249, 314
 atricapilla, 45, 249
 leucophrys, 44–45, 249
 querula, 249