

Mniotilta varia (L.) BLACK AND WHITE WARBLER.

	T. V.	S. R.	1892.	1893.	GENERAL NOTES.
Starke, Fla.	common				
Jackson Co., Mo.					reported
Garden City, Kan.			one	5	
Grinnell, Iowa.	common	rare			firsts 4-16 to 5-9
Rockford, Ill.	common	rare	5-1	5-4	
Hamilton Co., O.	common			4-27	
Oberlin, O.	common	rare	5-8	5-8	4-28-94
Green Co., Pa.		rare			
Berwyn, Pa.	abundant	rare		4-30	
Pereineville, N. J.		common		6-1	
St. Paul, Minn.	common				
Mt. Sterling, Wis.	rare				
Delavan, Wis.	common	rare			
Meridian, Wis.		common			
Palmer, Mich.		rare		5-6	
Miller's Cor's, N. Y.	not com.			5-12	
Cortland Co., N. Y.	common		5-4	5-7	
Gretna, N. Y.	common	rare			5-29-'94
Oswego City, N. Y.	abundant	rare			
Portland, Conn.	common	not com.			
Bangor, Me.		common			
Phillips, Me.		not com.			
Toronto, Can.		common		5-3	

At first glance this warbler may be mistaken for the nuthatches from its manner of feeding.

Protonotaria citrea (Bodd.) PROTONOTARY WARBLER.

Reports from Jackson Co., Mo. and Salem, Iowa, where it is not uncommon. In 1894 it arrived on May 10. Mr. Frank L. Burns reports a nest taken in Goodhue Co., Minn., June 13, 1893. There is little doubt that a sharper lookout will reveal this species in localities where it is not now supposed to be.

Helinaia swainsonii Aud. SWAINSON'S WARBLER.

Mr. Burns describes a set collected by Troup D. Perry, in Catham Co., Ga., on June 2, 1890.