

Prof. Kumlein says: "Very rare. I have never taken it but once (May 14, 1870, male), my father once, and Dr. Hoy but once or twice." I have found it in considerable numbers for two years in swampy woods, and heard males singing in several timber lots all summer.

*Dendroica pennsylvanica* (Linn.) CHESTNUT-SIDED WARBLER.

	T. V.	S. R.	1893.	GENERAL NOTES.
Grinnell, Iowa, . . . .	common			record of one nest
Winnebago Co., Ill.:	common	rare	5-9	L. 9-3-'93
Delavan, Wis. . . . .	common			
Milton, Wis. . . . .		common		
Meridian, Wis. . . . .	irregular			
Palmer, Mich. . . . .		abundant	6-4	
Lorain Co., O. . . . .	common			4-28-'94 L. 5-14-'94
Berwyn, Pa. . . . .	abundant		5-8	8-13 to 10-8-'93
Miller's Cor's N. Y.		common		
Cortland Co., N. Y.		common	5-10	5-9-'92
Gretna, N. Y. . . . .		common	5-13	5-13-'94
Oswego City, N. Y.		common		
Portland, Conn. . . . .		common		5-10-'94
Belcherstown, Mass.		common		
Bangor, Me. . . . .		common		
Phillips, Me. . . . .		abundant		
Toronto, Can. . . . .		common	5-26	

Prof. Kumlein says that it is a common breeder and is very plenty during autumnal migrations, in Wisconsin. It seems probable that this species may be found nesting in many localities where it is now regarded as a migrant.

*Dendroica castanea* (Wils.) BAY-BREASTED WARBLER.

	T. V.	GENERAL NOTES.
Grinnell, Iowa, . . . .	rare	
Winnebago Co., Ill.	rare	5-3-'87 5-18-'89 L. 5-30-'85
Meridian, Wis. . . . .	few	5-3-'93
Lorain Co., O. . . . .	common	4-28-'94 L. 5-14-'94
Berwyn, Pa. . . . .	not com.	5-20-'93 9-15-'91
Oswego City, N. Y.	common	
Portland, Conn. . . . .	occasional	

Prof. Kumlein thinks this species breeds in Wisconsin. He says:

"Common, especially in autumn. Some years the young are very common during the first 10 days of September." This species is so generally distributed that it must certainly occur at every station in its range. A little more careful and extended search will reveal it.

*Dendroica striata* (Forst.) BLACK-POLL WARBLER.

T. V. 1893.		GENERAL NOTES.
Garden City, Kan. . . . .	common	
Jackson Co., Mo. . . . .	common	
Salem, Iowa. . . . .	common	
Grinnell, Iowa. . . . .	abundant	
St. Paul, Minn. . . . .	5-13	one taken
Winnebago Co., Ill. . . . .	5-30	9-9-'93 5-17-'88
Milton, Wis. . . . .	common	
Meridian, Wis. . . . .	common	
Lorain Co., O. . . . .	5-23	one female
Berwyn, Pa. . . . .	rare	young male 10-8-'91
Cortland Co., N. Y. . . . .	5-25	L. 5-27-'93
Gretna, N. Y. . . . .	abundant	
Oswego City, N. Y. . . . .	abundant	
Portland, Conn. . . . .	common	
Phillips, Me. . . . .		two nests in 1891

It thus appears that this species is somewhat restricted locally. Prof. Kumlein reports it as "very common in spring. A few undoubtedly nest in the state. Less plenty in September." Mr. David L. Savage has sent me the skin of a female taken May 20, 1894, with its nest and eggs, in Dallas Co., Iowa, by Fred Hamlin. This is the first state record of a nest.

*Dendroica blackburnie* (Gmel.) BLACKBURNIAN WARBLER.

T. V. 1893.		GENERAL NOTES.
Grinnell, Iowa. . . . .	tol. com.	
Winnebago Co. Ill. . . . .	5-16	tol. com.
Milton, Wis. . . . .	common	
Meridian, Wis. . . . .	few	
Palmer, Mich. . . . .	5-27	
Lorain Co., O. . . . .	5-11	5-2-'94 L. 5-12-'94
Berwyn, Pa. . . . .	5-20	L. 10-19
Miller's Cor's, N. Y. . . . .	5-12	
Cortland Co., N. Y. . . . .	5-14	L. 5-19-'93 10-12-'93 5-18-'92