

INDEX FOR VOLUME XXXVII, 1925

- Bailey, Harold H., The Scissor-tailed Flycatcher in Florida, 94
 Bailey, Mary L., The snake and the Bittern, 220
 Baldwin, S. Prentiss, Notes from S. Prentiss Baldwin, 98-100
 Bennett, Walter W., The Rock Wren in Iowa, 93
 Blincoe, Ben J., The Egret in the Great Miami Valley, 220
 Byrens, O. M., Some notes on the nesting material of the Cedar Waxwing, 94
 —Statistics on the House Wren, 157-159
 —Some additional observations made at my feeding station, 223
 Christy, Bayard H., The Arkansas Kingbird and Evening Grosbeak in northern Michigan in summer, 173
 —Summer birds at Huron Mountain, Michigan, 208-216
 Clay, Marcia B., The odd behavior of a stunned Ruffed Grouse, 43
 —The Prothonotary Warbler at North Bristol, Trumbull County, Ohio, 225
 Commons, Mrs. Marie A., Report of the Tanager Hill bird banding station, 1923-24, 48-51
 —The trap habit, 232
 Crosby, Maunsell S., May bird censuses in Dutchess County, New York, during 1925, 220
 —Ten all day bird censuses from Dutchess County, N. Y., 150-157
 Dales, Mrs. Marie A., Another record of the Mockingbird at Sioux City, Iowa, 93
 —Some experiences in bird banding, 177-179
 —A marauding Bluejay, 224
 Danforth, Stuart T., Birds seen between Porto Rico and New York, 76-77
 Felton, W. R., The nest of the Magpie, 42
 Gabrielson, Ira N., Three bird records from Crystal Lake, Hancock County, Iowa, 226
 Ganier, A. F., The Starling breeding in Tennessee, North Carolina, and Virginia, 174
 —Leconte's Sparrow at Nashville, Tennessee, 227
 Gifford, H., Occurrence of the Wood Ibis near Omaha, Nebraska, 219
 Gloyd, Howard K., Field studies of the diurnal raptors of eastern and central Kansas, 133-149
 Hempel, Kathleen M., Adventures in bird banding, 95-98
 Hoffman, E. C., Bluejay notes, 101
 —House Wrens and arsenate-dusted currant bushes, 224
 Knechtel, G. W., Some bird notes from Ontario for the year 1924, 176
 Lancaster, L. Y., Some bird notes from Bowling Green, Warren County, Kentucky, 44
 Larson, Adrian, The birds of Sioux Falls, South Dakota, and vicinity, 18-38, 72-76
 Lewis, John B., Some notes on the song of the Whip-poor-will, 44
 —The Cedar Waxwing feeding on apple petals, 91
 —Local variation in the song of the Maryland Yellow-throat, 94
 Lewis, Walter E., Large flocks of wintering blackbirds at Gate, Oklahoma, 91
 Lincoln, Frederick C., Mystery bands, 100.
 —Mystery bands numbers 1 and 2—season 1925, 231
 Morse, Etta M., Some experiences with Yellow Warblers, 222
 Mounts, Beryl T., Further notes on the food of the Logger-head Shrike, 221
 Mousley, Henry, The Robin nesting on the ground, 91
 Murdock, T. M. and Walter W. Bennett, The Lark Bunting at Sioux City, Iowa, 172
 Musselman, T. E., Banding ducks at Scobey Lake, Missouri, 227-231
 Nauman, E. D., The Whip-poor-will: Its prospects of survival in southern Iowa, 203-206
 Nice, Margaret M., Observations on shorebirds in central Oklahoma in 1924, 199-203
 Pindar, L. Otley, The Scissor-tailed Flycatcher in Kentucky, 41
 —An explanation regarding the season of activity of snakes in Arkansas, 45

- Birds of Fulton County, Kentucky, 77-88, 163-169
 —Some notes on the birds of Versailles, Woodford Co., Kentucky, 173
 Roads, Katie M., Some bird notes from Hillsboro, Highland Co., Ohio, 92
 —The House Wren vs. Bewick's Wren, 92
 Rosen, W. M., The Arkansas Kingbird in central Iowa, 172
 —Notes on the shore birds of central Iowa, 206-208
 Sherman, Althea R., Down with the House Wren boxes, 1-13
 —Additional evidence against the House Wren, 129-132
 Spiker, Chas. J., The Mockingbird at Sioux City, Iowa, 93
 —The Blue-gray Gnatcatcher at Sioux City, Iowa, 219
 Starry, A. C., Nesting habits of the Magpie, 42
 Stephens, T. C., The Pine Grosbeak at Sioux City, Iowa, 41
 Stoner, Dayton, Bird banding at the Iowa Lakeside Laboratory during the summers of 1923 and 1924, 15-17
 Sutton, George Miksch, Notes on the nesting of the Goshawk in Potter County, Pennsylvania, 193-199
 Wallace, Chas. R., Owl notes from Ohio, 13-15
 —The Great Blue Heron in Delaware County, Ohio, 226
 Wayne, Arthur T., A late autumnal record for the Bachman's Warbler, 41
 Weeks, Leroy Titus, White herons on the upper Mississippi River, 219
 Weigle, Mrs. Charles F., Bad Habits of the House Wren, 160-163
 Whitney, T. H., Martins and martin houses, 65-72
 —An observation on the behavior of the Chimney Swift under unusual circumstances, 224
 Wilson, Gordon, Some Kentucky bird notes, 44
 —Some notes on the summer birds of Warren County, Kentucky, 173
 Wolden, B. O., The Egret in Emmett County, Iowa, 220
 Worley, Loenard G., Some records of Nebraska birds for the spring of 1925, 175

- | | |
|---|--|
| Acanthis l. linaria, 33, 163 | Astur a. atricapillus, 28, 85, 193-199 |
| Accipiter cooperi, 28, 85, 210 | Avocet, 25 |
| velox, 28, 85, 210 | |
| Actitis macularia, 27, 83, 203, 210 | Baelophus bicolor, 168 |
| Aechmophorus occidentalis, 13 | Baldpate, 21, 80 |
| Aegialitis semipalmatus, 27. See Char- | Bartramia longicauda, 27, 83 |
| adrius | Bent, A. C., review of, 190 |
| Agelaius p. arctolegus, 32 | Bird Banding, 15, 46, 95, 177, 227 |
| p. phoeniceus, 88, 191, 213 | Bittern, 24, 81, 206, 209, 220 |
| p. predatorius, 32 | Least, 24, 81, 176, 209 |
| Aix sponsa, 22, 80, 173, 226 | Blackbird, Brewer's, 33, 91 |
| Alabama, 103 | Northern Red-wing, 32 |
| Anmodramus savannarum australis, 34, | Red-winged, 32, 88, 91, 213 |
| 163 | Rusty, 33, 88, 177 |
| Anas platyrhynchos, 21, 79 | Yellow-headed, 32, 206 |
| rubripes, 21, 79, 209 | Bluebird, 76, 169, 216 |
| Anhinga anhinga, 79 | Blue-gray Gnatcatcher, 169, 219 |
| Anser albifrons gambeli, 23, 80 | Blue Jay, 31, 88, 212, 224 |
| Anthus rubescens, 74, 168 | Bobolink, 32, 88 |
| spraguei, 74 | Bob-white, 27, 83, 213 |
| Antrostomus carolinensis, 87 | Bombycilla cedrorum, 38, 91, 94, 165, |
| v. vociferus, 44 | 214 |
| Aquila chrysaetos, 28 | garrula, 38 |
| Archibuteo lagopus sancti-johannis, 28, | Bonassa u. togata, 210 |
| 85 | umbellus, 43 |
| Archilochus colubris, 30, 87, 212 | Botaurus lentiginosus, 24, 81, 209 |
| Ardea h. herodias, 24, 81, 209, 225 | Brant, 81 |
| Arenaria interpres morinella, 27 | Branta bernicla glaucogastra, 81 |
| Asio flammeus, 29, 86 | c. canadensis, 23, 81 |
| wilsonianus, 29, 86, 211 | c. hutchinsi, 23, 81 |
| Astragalinus t. tristis, 34, 163, 213 | c. minima, 24 |

- Brown Creeper, 75, 168, 216, 220
 Brown Thrasher, 74, 168, 174, 216
 Bubo v. virginianus, 29, 86, 211
 v. subarcticus, 29
 Buffle-head, 22, 80, 175
 Bunting, Indigo, 37, 164
 Lark, 37, 172
 Lazuli, 176
 Painted, 164
 Snow, 34, 177
 Buteo b. borealis, 28, 85, 210
 latissimus, 85
 lineatus, 85
 platypterus, 210
 swainsoni, 28, 85
 Butorides v. virescens, 24, 81

 Calcaeus l. lapponicus, 34, 163
 ornatus, 34
 Calamospiza melanocorys, 37, 172
 Campephilus principalis, 86
 Canachites canadensis canace, 210
 Canada Ruffed Grouse, 210
 Canada Spruce Partridge, 210
 Canvas-back, 22, 80
 Cardinal, 164, 173, 176
 Cardinalis c. cardinalis, 164
 Carpodacus p. purpureus, 33, 77, 163,
 213
 Carolina Paroquet, 86
 Casmerodius egretta, 81, 219, 220
 Catbird, 74, 168, 174, 216
 Cathartes aura septentrionalis, 28, 44,
 85
 Catoptrophorus s. inornatus, 27
 s. semipalmatus, 82, 203
 Centurus carolinus, 87
 Cerchneis s. sparveria, 86, 211. *See*
 Falco
 Certhia familiaris americana, 75, 168,
 216
 Ceryle a. alcyon, 30, 86, 211
 Charadrius melodus, 83
 semipalmatus, 83, 203. *See* Aegial-
 itis
 Chaetura pelagica, 30, 87, 212, 224
 Charitonetta albeola, 22, 80
 Chat, Long-tailed, 74
 Yellow-breasted, 167
 Chauleasmus streperus, 21, 80
 Chen caerulescens, 23
 h. hyperboreus, 23, 80
 h. nivalis, 23
 Chickadee, 168, 174, 216
 Carolina, 168
 Long-tailed, 75
 Chimney Swift, 30, 87, 212, 224
 Chlidonias nigra surinamensis, 79. *See*
 Hydrochelidon
 Chuck-will's widow, 87
 Chondestes g. grammacus, 34, 163

 Chordeiles v. virginianus, 30, 87, 92, 212
 Circus hudsonius, 28, 85, 210
 Cistothorus stellaris, 75, 168
 Clangula c. americana, 22. *See* Glau-
 cionetta
 Coccyzus a. americana, 29, 86
 erythrophthalmus, 29, 86, 211
 Colaptes auratus auratus, 87
 a. luteus, 30, 212
 cafer collaris, 30
 Colinus v. virginianus, 27, 83
 Colymbus auritus, 19
 holboelli, 19
 nigricollis californicus, 19
 Compsophlypis americana, 166
 a. pusilla, 214
 Conuropsis carolinensis, 86
 Cooke, May Thacher, review of, 111
 Coot, 25, 82
 Coturnicops noveboracensis, 82
 Coragyps urubu, 85
 Cormorant, Double-crested, 20, 79
 Florida, 79
 Corvus b. brachyrhynchus, 32, 88, 213
 corax principalis, 213
 corax sinuatus, 88
 Cowbird, 32, 88, 91, 213
 Crane, Little Brown, 24
 Sandhill, 24, 82
 Whooping, 24, 82
 Crossbill, 33, 213
 White-winged, 33
 Crow, 32, 88, 91, 213
 Cryptoglaux a. acadica, 29, 211
 Cuckoo, Black-billed, 29, 86, 211
 Yellow-billed, 29, 86, 173
 Curlew, Eskimo, 83
 Hudsonian, 126
 Long-billed, 83
 Cyanocitta c. cristata, 31, 88, 212

 Dafila acuta americana, 22, 80
 Dendroica ae. aestiva, 73, 166, 215
 c. caerulescens, 73, 166, 215
 castanea, 167, 215
 cerulea, 166
 coronata, 73, 77, 166, 215
 discolor, 76, 167
 dominica albilora, 167
 fusca, 73, 167, 215
 magnolia, 73, 166, 215
 p. palmarum, 167
 pennsylvanica, 73, 77, 215
 striata, 73, 77, 167, 215
 tigrina, 166, 214
 vigorsii, 167, 215
 virens, 167, 215
 Dickcissel, 37, 164, 176
 Dolichonyx oryzivorus, 32, 88, 213
 Dowitcher, 176

- Dryobates borealis*, 86
 p. medianus, 30, 86
 p. pubescens, 44, 86
 v. auduboni, 86
 v. leucomelas, 211
 v. villosus, 30, 86, 211
 Duck, Black, 21, 79, 209
 Lesser Scaup, 22, 80, 209
 Ring-necked, 22, 80
 Ruddy, 23, 80
 Scaup, 22, 80
 Wood, 22, 80, 173, 176, 226
Dumetella carolinensis, 74, 168, 216
 Eagle, Bald, 28, 85, 211
 Golden, 28
Ectopistes migratorius, 83
 Egret, 81, 219, 220
 Snowy, 81
Egretta c. candidissima, 81
 Eider, Northern, 23
Elanoides forficatus, 85
Empidonax flaviventris, 31, 87
 minimus, 31, 87, 212
 t. alnorum, 212
 t. trailli, 31, 87
 virescens, 87
 English Sparrow, 33
Ereunetes pusillus, 26, 82, 202, 210
Erismatura jamaicensis, 23, 80
Euphagus carolinus, 33, 88
 cyaniceps, 33, 91
Falco c. columbarius, 29, 85, 211
 mexicanus, 29
 peregrinus anatum, 85, 211
 s. sparverius, 29. *See Cerchneis*
 Flicker, 87, 173
 Northern, 30, 212
 Red-shafted, 30
 Florida, 94
 Florida caerulea, 81
 Flycatcher, Acadian, 87
 Alder, 212
 Least, 31, 87, 212
 Olive-sided, 31, 87, 212, 226
 Scissor-tailed, 41, 94, 174
 Traill's, 31, 87, 175
 Yellow-bellied, 31, 87
 Gabrielson, Ira N., review of, 63
 Gadwall, 21, 80
Gallinago delicata, 25, 82, 201, 210
Gallinula chloropus cachinnans, 82
 galeata, 25
Gallinule, Florida, 25, 82, 176
 Purple, 82
Gavia immer, 20, 77, 208
Gelochelidon nilotica aranea, 79
 Georgia, 41, 221
Geothlypis t. trichas, 74, 94, 167, 215
Glaucionetta clangula americana, 80.
 See Clangula
 islandica, 80
 Godwit, Hudsonian, 26, 202
 Golden-eye, 22, 80, 175
 Barrow's, 80
 Goose, Blue, 23, 175
 Canada, 23, 81, 175, 206
 Greater Snow, 23
 Hutchin's, 23, 81, 175
 Snow, 23, 80
 White-fronted, 23, 81, 175
 Goldfinch, 34, 163, 213
 Goshawk, 28, 85, 193-199
 Grackle, Bronzed, 33, 88, 173, 213
 Purple, 88
 Greater Yellow-legs, 26, 82, 203, 206
 Grebe, Eared, 19
 Holboell's, 19, 78
 Horned, 19
 Pied-billed, 20, 78
 Western, 19
 Grosbeak, Black-headed, 175
 Blue, 164
 Evening, 88, 173, 213, 223
 Pine, 45, 163
 Rose-breasted, 37, 164, 175, 214
 Grouse, Canada Ruffed, 210
 Ruffed, 43
Grus americana, 24, 82
 canadensis, 24
 mexicana, 24, 82
Guiraca c. coerulea, 164
 Gull, Bonaparte's, 79, 175
 Franklin's, 20, 78, 175
 Herring, 20, 78, 209
 Laughing, 78
 Ring-billed, 20, 78
 Hawk, Broad-winged, 85, 210
 Cooper's, 28, 85, 210
 Duck, 85, 175, 210, 220
 Marsh, 28, 85, 176, 210
 Pigeon, 28, 85, 175, 210
 Red-tailed, 28, 85, 210
 Rough-legged, 28, 85
 Sharp-shinned, 28, 85, 210
 Sparrow, 28, 210
 Swainson's, 28, 85
Haliaeetus l. leucocephalus, 28, 85, 211
Hedymeles ludovicianus, 164, 214. *See*
 Zamelodia
Helodromas s. solitarius, 27
Helminthos vermivorus, 13, 166
 Heron, Black-crowned Night, 24, 82, 176
 Green, 24, 81, 206
 Great Blue, 24, 81, 209, 225
 Little Blue, 81
 Yellow-crowned Night, 82
Hesperiphona v. vespertina, 88, 173, 213
Hirundo erythrogaster, 37, 165, 214

- House Wren, 1-13, 92, 129-132, 157-163
 Hydrochelidon nigra surinamensis, 20.
 See Chlidonias
 Hummingbird, Ruby-throated, 30, 87, 212
 Hyclocichla a. aliciae, 76, 169, 216
 f. fuscescens, 169, 216
 f. salicicola, 76
 guttata pallasi, 44, 76, 169, 216
 mustelina, 75, 169, 216
 ustulata swainsoni, 76, 169, 216
 Ibis, Wood, 81, 219
 Icteria virens longicauda, 74
 Icterus bullocki, 33
 galbula, 33, 88
 spurius, 33, 88
 Ictinia mississippiensis, 85
 Illinois, 102
 Indiana, 160
 Ionornis martinicus, 82
 Iowa, 14, 41, 93, 95, 172, 177, 206, 219, 220, 224, 226
 Iridoprocne bicolor, 37, 165, 214
 Ixobrychus exilis, 24, 81, 209
 Junco h. hyemalis, 36, 77, 164, 214
 Junco, Slate-colored, 36, 77, 174, 214
 Shufeldt's, 175
 Kansas, 133-149
 Kentucky, 41, 44, 77, 163, 173, 174
 Kildeer, 27, 83, 203, 210
 Kingbird, 30, 87, 173, 212
 Arkansas, 31, 172, 173, 212
 Kingfisher, Belted, 30, 86, 211
 Kinglet, Golden-crowned, 75, 168, 216
 Ruby-crowned, 75, 169, 216
 Kite, Mississippi, 85
 Swallow-tailed, 85
 Knot, 176
 Lanivireo flavifrons, 72, 165
 s. solitarius, 72, 165, 214
 Lanius borealis, 38, 165
 ludovicianus excubitorides, 38
 l. ludovicianus, 165, 221
 l. migrans, 165
 Lark, Horned, 31, 88
 Hoyt's, 31
 Prairie Horned, 31, 88
 Saskatchewan, 31
 Larus argentatus, 20, 78, 209
 atricilla, 78
 delawarensis, 20, 78
 franklini, 20, 78
 philadelphia, 79
 Lesser Yellow-legs, 26, 82, 203, 206
 Limosa haemastica, 26, 202
 Lobipes lobatus, 25
 Long-billed Dowitcher, 82, 201
 Longspur, Chestnut-collared, 34
 Lapland, 34, 163
 Smith's, 175
 Loon, 20, 77, 78, 208
 Lophodytes cucullatus, 21, 79
 Loxia curvirostra minor, 33, 213
 leucoptera, 33
 Lymnodromus griseus scolopaceus, 82, 201
 Lymnolthypis swainsoni, 166
 Magpie, 31, 42
 Mallard, 21, 79
 Mareca americana, 21, 80
 Marila affinis, 22, 80, 209
 americana, 22, 80
 collaris, 22, 80
 marila, 22, 80
 valisineria, 22, 80
 Maryland Yellow-throat, 74, 94, 167, 215
 Meadowlark, 32, 88, 213
 Western, 32
 Melanerpes erythrocephalus, 30, 87
 Meleagris gallopavo silvestris, 83
 Melospiza georgiana, 36, 164, 214
 lincolni, 36, 164
 melodia, 36, 164, 214
 Membership roll, 112-128
 Merganser, American, 21, 79, 209
 Hooded, 21, 79
 Red-breasted, 21, 79
 Mergus americanus, 21, 79, 209
 serrator, 21, 79
 Micropalama himantopus, 26, 201
 Michigan, 94, 157, 173, 208-216, 223
 Mimus polyglottos, 92, 93, 168
 Minnesota, 48
 Mniotilta varia, 72, 166, 214
 Mockingbird, 92, 93, 166, 174
 Molothrus a. ater, 32, 88, 91, 213
 Montana, 42
 Mourning Dove, 85, 210
 Western, 32
 Muscivora forficata, 41, 94
 Mycteria americana, 81, 219
 Myiarchus crinitus, 87, 212
 Myiochanes virens, 31, 87, 212
 Nannus h. hiemalis, 75, 168, 216
 Nebraska, 175, 219, 220
 Nelson, E. W., review of, 111
 Nettion carolinense, 21, 80
 New York, 150-157, 220
 Nice, Mrs. Margaret M., review of, 108
 Nighthawk, 30, 87, 92, 212
 North Carolina, 174
 Numenius americanus, 83
 borealis, 83
 Nuthatch, Red-breasted, 75, 168, 216
 White-breasted, 75, 168

- Nuttallornis borealis, 31, 87, 212, 226
 Nutting, C. C., review of, 110
 Nyctanassa violacea, 82
 Nyctea nyctea, 29, 86
 Nycticorax n. naevius, 24

 Ohio, 13, 43, 92, 225
 Oidemia deglandi, 23
 Oklahoma, 91, 199-203
 Olor columbianus, 24. *See* Cygnus
 Ontario, 176
 Oporornis agilis, 167
 formosa, 167
 philadelphia, 74, 215
 Oriole, Baltimore, 33, 175
 Bullock's, 33
 Orchard, 33, 176
 Osprey, 177, 211
 Otocoris a. alpestris, 88
 a. *enthymia*, 31
 hoyti, 31
 praticola, 31, 88
 Otus a. *asio*, 29, 86
 Oven-bird, 73, 167, 215
 Owl, Arctic Horned, 29
 Barn, 86
 Barred, 29, 86, 211
 Burrowing, 29
 Great Horned, 14, 29, 86, 211
 Long-eared, 13, 29, 86, 211
 Saw-whet, 29, 211
 Screech, 29, 86
 Short-eared, 29, 86
 Snowy, 29, 86
 Oxyechus vociferus, 27, 83, 203, 210

 Pandion h. *carolinensis*, 211
 Partridge, Canada Spruce, 210
 Passenger Pigeon, 83
 Passer domesticus, 33, 169, 213
 montanus, 169
 Passerculus sandwichensis savanna, 34,
 163, 213
 Passerella i. *iliaca*, 36, 164
 Passerherbulus henslowi, 34, 163
 lecontei, 34, 227
 Passerina ciris, 164
 cyanea, 37, 164
 Pelecanus erythrorhynchus, 20, 79
 occidentalis, 76
 Pelican, Brown, 76
 White, 20, 79
 Pelidna alpina sakhalina, 202
 Pennsylvania, 193-199
 Penthestes atricapillus, 168, 216
 a. *septentrionalis*, 75
 c. *carolinensis*, 168
 Petrochelidon l. *lunifrons*, 37, 165, 214
 Peucaea aestivalis *bachmani*, 164
 Phalacrocorax a. *auritus*, 20, 79
 a. *floridanus*, 79

 Phalarope, Northern, 25, 207
 Wilson's, 25, 82, 201, 207
 Phasianus torquatus, 28
 Philohela minor, 25. *See* Rubicola
 Phloeotomus p. *pileatus*, 87
 Phoebe, 31, 87, 212
 Pica p. *hudsonia*, 31, 42
 Picoides arcticus, 211
 Pine Siskin, 44, 163, 213
 Pinicola enucleator *leucura*, 41
 Pintail, 22, 80, 220
 Pipilo e. *erythrophthalmus*, 36, 164
 maculatus arcticus, 37
 Pipit, 74, 168
 Piranga erythromelas, 37, 164, 214
 rubra, 92, 164
 Pisobia bairdi, 26
 fusicollis, 26, 202
 maculata, 26, 82, 201
 minutilla, 26, 82, 202, 210
 Planesticus m. *migratorius*, 76, 169, 216
 Plectrophenax n. *nivalis*, 34
 Plover, Black-bellied, 27, 83, 44, 176
 Golden, 27, 83
 Piping, 176
 Semipalmated, 27, 83, 203, 207
 Upland, 27, 83
 Pluvialis d. *dominica*. *See* Charadrius
 Polioptila c. *caerulea*, 169, 219
 Poecetes g. *gramineus*, 34, 163, 213
 Porzana carolina, 25, 82
 Prairie Chicken, 28
 Prairie Falcon, 29
 Proceedings, 46-48, 53-58, 186-190, 239
 Progne subis, 37, 165, 214
 Protonotaria citrea, 166, 173, 225
 Purdy, James Britton, obituary, 248
 Purple Finch, 33, 77, 163, 213
 Purple Martin, 37, 65-72, 165, 173, 214

 Quebec, 91
 Querquedula discors, 21, 80
 cyanoptera, 21, 80
 Quiscalus quiscula *aeneus*, 33, 88, 213
 q. *quiscala*, 88

 Rail, Carolina, 25, 82, 175, 176, 206
 King, 25, 82, 220
 Virginia, 25, 82, 209
 Yellow, 82
 Rallus elegans, 25, 82
 virginianus, 25, 82, 209
 Raven, 88
 Northern, 213
 Recurvirostra americana, 25
 Redpoll, 33, 163
 Redstart, 74, 168, 215
 Reed, C. I. and B. P., review of, 110
 Regulus c. *calendula*, 75, 169, 216
 s. *satrapa*, 75, 168, 216
 Ring-necked Pheasant, 28

- Riparia riparia*, 38, 165
 Robin, 76, 91, 169, 216
Rubicola minor, 82, 210. *See* *Philohela*
 Ruddy Turnstone, 27
 Ruffed Grouse, 43

 Sage, John Hall, obituary, 248
Salpinctes o. obsoletus, 93
 Sandpiper, Baird's, 26, 177
 Bartramian, 206, 207, 208
 Buff-breasted, 27, 83
 Least, 26, 82, 202, 206, 207, 210
 Pectoral, 26, 82, 175, 177, 201, 206, 207
 Red-backed, 202, 207
 Semipalmated, 26, 82, 202, 206, 207, 210
 Solitary, 27, 82, 175, 210
 Spotted, 27, 83, 175, 203, 206, 210
 Stilt, 26, 201, 207
 White-rumped, 26, 175, 177, 202
 Sapsucker, Yellow-bellied, 30, 87, 175, 212
Sayornis phoebe, 31, 87, 212
 Scoter, White-winged, 23
Seiurus aurocapillus, 73, 167, 215
 motacilla, 74, 167, 173
 noveboracensis, 167
 n. notabilis, 74, 167
Setophaga ruticilla, 74, 168, 215
 Shoveller, 22, 80
 Shrike, Loggerhead, 165, 221
 Migrant, 165
 Northern, 38, 165
 White-rumped, 38
Sialia s. sialis, 76, 169, 216
Sitta canadensis, 75, 168, 216
 c. carolinensis, 75, 168
 Skinner, M. P., review of, 192
 Slate-colored Junco, 36, 77, 164
 Snakes, 220
 Snow Bunting, 34
 Snowy Egret, 81
Somateria mollissima borealis, 23
 Sora. *See* Carolina Rail
 South Dakota, 18-38, 72-76
 Sparrow, Bachman's, 164
 Chipping, 35, 164, 213
 Clay-colored, 35, 175
 English, 169, 173. *See* House Sparrow
 Field, 35, 164
 Fox, 36, 164
 Grasshopper, 34, 163, 176
 Harris's, 35
 Henslow's, 34, 163, 175, 176
 House, 213. *See* English Sparrow
 Lark, 34
 Leconte's, 34, 163, 207, 227
 Lincoln's, 36, 164, 176
 Mountain, 169
 Savannah, 34, 163, 213
 Song, 36, 164, 214
 Swamp, 36, 164, 176
 Tree, 34, 163, 213
 Vesper, 34, 163, 213
 White-crowned, 35, 163
 White-throated, 35, 164, 216
Spatula clypeata, 22, 80
Speotyto cunicularia hypogaea, 29
Sphyrapicus v. varius, 30, 87, 212
Spinus pinus, 44, 163, 213
Spiza americana, 37, 164
Spizella m. monticola, 36, 164
 pallida, 36
 p. arenacea, 36
 p. passerina, 36, 164, 213
 p. pusilla, 36, 164
 Spoonbill, 22
Squatarola squatarola, 44
Squatarola s. cynosurae, 27, 83
 Starling, 174, 176
Steganopus tricolor, 25, 82, 201
Stelgidopteryx serripennis, 38, 165
Sterna antillarum, 20, 79
 caspia imperator, 79
 forsteri, 20, 79
 hirundo, 79
Strix v. varia, 29, 86, 211
Sturnella m. magna, 32, 88, 213
 neglecta, 32
Sturnus vulgaris, 174
 Swallow, Bank, 38, 165
 Barn, 37, 165, 207, 214
 Cliff, 37, 165, 214
 Rough-winged, 38, 165, 176
 Tree, 38, 165, 214
 Swan, Trumpeter, 81
 Whistling, 24, 81

Tanager, Scarlet, 37, 164, 214
 Summer, 92, 164, 173
Teal, Blue-winged, 21, 80, 206
 Cinnamon, 21, 80
 Green-winged, 21, 80
Telmatodytes p. iliacus, 75
 p. palustris, 168, 216
 Tennessee, 174
 Tern, American Gull-billed, 79
 Black, 20, 79
 Caspian, 175, 226
 Common, 79
 Coues' Caspian, 79
 Forster's, 20, 79
 Least, 20, 79
 Texas, 100
Thrush, Gray-cheeked, 76, 169
 Hermit, 44, 76, 169, 220
 Olive-backed, 76, 169
 Willow, 76
 Wood, 75, 169, 174, 216
Thryomanes b. bewicki, 92, 168

- Thyrothorus l. ludovicianus, 168
 Totanus flavipes, 26, 82, 203, 210
 melanoleucus, 26, 82, 203
 Towhee, 36, 164
 Arctic, 37
 Toxostoma rufum, 74, 168, 216
 Tringa s. solitaria, 82, 210. *See* Helodromas
 Troglodytes aedon aedon, 92, 168, 216
 a. parkmani, 75
 Tryngites subruficollis, 27, 83
 Turkey Vulture, 28, 85
 Turnstone, Ruddy, 176
 Tympanuchus a. americanus, 28
 Tyrannus tyrannus, 30, 87, 212
 verticalis, 31, 172, 173, 212
 Tyto alba pratincola, 86

 Van Tyne, Josselyn, review of, 110
 Veery, 169, 176, 216
 Vermivora bachmani, 41
 c. celata, 73, 166
 chrysoptera, 166
 peregrina, 73, 166
 pinus, 166
 r. ruficapilla, 73, 166, 214
 Vireo b. belli, 72, 165
 Vireo, Bell's, 72, 165, 176
 Blue-headed, 72, 165, 214
 Philadelphia, 38, 165
 Red-eyed, 38, 165, 174, 214
 Warbling, 72, 165
 White-eyed, 165
 Yellow-throated, 72, 165, 176
 Vireo g. griseus, 165
 Vireosylva g. gilva, 72, 165
 olivacea, 38, 165, 214
 philadelphica, 38, 165
 Virginia, 44, 74, 91, 94
 Vulture, Black, 85
 Turkey, 28, 44, 85

 Warbler, Bachman's, 41
 Bay-breasted, 167, 215
 Blackburnian, 73, 167, 215
 Black-throated Blue, 73, 166, 215
 Black-poll, 73, 77, 167, 215
 Black-throated Green, 167, 215
 Black and White, 72, 166, 176, 214
 Blue-winged, 166
 Canada, 167, 215
 Cape May, 166, 214
 Cerulean, 166
 Connecticut, 167
 Chestnut-sided, 73, 167, 215
 Golden-winged, 166, 176
 Hooded, 167
 Kentucky, 167
 Magnolia, 73, 166, 215
 Mourning, 74, 167, 215
 Myrtle, 73, 77, 166, 215
 Nashville, 73, 166, 214
 Orange-crowned, 73, 166, 220
 Palm, 167, 220
 Parula, 166, 176
 Pine, 167, 215
 Prairie, 76, 176
 Prothonotary, 166, 173, 225
 Swainson's, 166
 Sycamore, 167
 Tennessee, 73, 166
 Wilson's, 74, 167, 215
 Worm-eating, 13, 166
 Yellow, 73, 166, 174, 215, 222
 Washington, 42
 Water-Thrush, 167, 215
 Grinnell's, 74, 167
 Louisiana, 74, 167, 173
 Water-Turkey, 79
 Waxwing, Bohemian, 38
 Cedar, 38, 91, 93, 165, 176, 214
 Whip-poor-will, 44, 203-206
 Wild Turkey, 83
 Willet, 82, 176, 203
 Western, 27
 Wilsonia canadensis, 167, 215
 citrina, 167
 p. pusilla, 74, 167, 215
 Wilson's Snipe, 25, 82, 201, 206, 210
 Woodcock, 25, 82, 210
 Wood Ibis, 81, 219
 Woodpecker, Arctic Three-toed, 211
 Downy, 30, 86, 173, 211
 Hairy, 30, 86, 211
 Ivory-billed, 86
 Northern Hairy, 211
 Northern Pileated, 212
 Pileated, 87
 Red-bellied, 87
 Red-cockaded, 86
 Red-headed, 30, 87, 173, 175
 Southern Hairy, 86
 Wood Pewee, 31, 87
 Wren, Bewick's, 92, 168, 174
 House, 92, 168, 216, 223
 Long-billed, 168, 176, 207, 216
 Prairie Marsh, 75, 207
 Rock, 93
 Short-billed, 75, 168
 Western House, 75, 176
 Winter, 75, 168, 216, 220
 Xanthocephalus xanthocephalus, 32
 Yellow-legs, Greater, 26, 82, 203, 206
 Lesser, 26, 82, 203, 206
 Zamelodia ludovicianus, 37. *See* Hedy-meles
 Zenaidura macroura carolinensis, 85, 210
 m. marginella, 28
 Zonotrichia albicollis, 35, 164, 213
 l. leucophrys, 35, 163
 querula, 35