

INDEX FOR VOLUME L, 1938

Compiled by Chas. J. Spiker

- Abbott, Cyril E., The skulls of ducks, 249-253
- Aitken, W. W., Records of the Woodcock in Iowa, 64
- Allen, Durward L., Some observations on fall and winter food patches for birds in southern Michigan, 42-46
- Bailey, Alfred M., Eastern Warbling Vireo in Colorado, 57
- Bailey, Alfred M., and Robert J. Niedrach, The Chestnut-collared Longspur in Colorado, 243-246
- Baumgartner, Frederick M., Courtship and nesting of the Great Horned Owls, 274-285
- Bellrose, Frank, Jr., Duck Hawks nesting in western Tennessee, 139
- Bennett, Walter W., A Prairie Falcon and American Rough-legged Hawk fight, 57
- Bennitt, Rudolf, Whooping Cranes in southwestern Missouri, 1937, 61
- Beyer, Leonard K., Nest life of the Bank Swallow, 122-137
- Bond, Richard M., An albinistic Townsend's Solitaire, 145
- Brooks, Maurice, Bachman's Sparrow in the north-central portion of its range, 86-109
—A new device for studying Chimney Swifts, 139
- Campbell, Louis W., The Canada Warbler breeding near Toledo, Ohio, 61
—Interrupted egg-laying of a Marsh Hawk, 64
- Chapman, Floyd B., An unusual nesting site of the Rough-winged Swallow, 203
- Cottam, Clarence, Coot swallowed by fish, 60
—A fatal combat between heron and snake, 140
- Crabb, Wilfred D., Fall records of Golden Plover in Iowa, 139
—Mockingbirds in western Iowa, 59
- Deaderick, William H., A preliminary list of the birds of Hot Springs National Park and vicinity, 257-273
- Emlen, John T., Jr., A plucking experiment with White-crowned Sparrows, 57
- Errington, Paul L., and W. J. Breckenridge, Food habits of Buteo hawks in north-central United States, 113-121
- Fox, Adrian C., Association of Marsh Hawk and game-bird nests, 142
- Friley, Charles E., Jr., Logan J. Bennett, and George O. Hendrickson, The American Coot in Iowa, 81-86
- Furniss, O. C., The 1937 waterfowl season in the Prince Albert District, central Saskatchewan, 17-27
- Grater, Russell K., Song Sparrow records from the Grand Canyon in northern Arizona, 60
- Hamerstrom, F. N., Jr., Central Wisconsin Crane study, 175-184
- Hicks, Lawrence E., Piping Plover taken in central Ohio, 141
—A unique population of water birds in northern Ohio, 1937, 197-200
—Western Henslow's Sparrow taken in Virginia, 291
- Johnson, Archibald, Nest building behavior of the Loggerhead Shrike group, 246-248
- Johnson, R. A., Predation of Gulls in Murre colonies, 161-170
- Lay, Daniel W., How valuable are woodland clearings to birdlife? 254-256
- Main, John S., Relation of temperature to early migrants, 190-193
- Moseley, E. L., Shore birds attracted to streams polluted by sewage, 204-205
- Mousley, Henry, A study of the home life of the Eastern Belted Kingfisher, 3-12
- Munro, J. A., The Northern Bald Eagle in British Columbia, 28-35
—Lesser Scaup Duck defending nest, 288
- Ovinger, Robert, The 1937 fall migration at the Washington Monument, 146
- Perkins, S. E. III, The Alexander Wilson Memorial in Indiana, 13-17
—The Black and White Warbler in Europe, 286
- Petrides, George A., A life-history study of the Yellow-breasted Chat, 184-189
- Pierce, Fred J., E. B. Webster, pioneer ornithological publisher, 47
- Pinckney, A. J., A hand-reared Arkansas Kingbird, 290-291
- Pitelka, Frank A., Red Phalarope in northeastern Illinois, 287

- Pitelka, Frank A., and Frank C. Bellrose, The White-rumped Sandpiper in Illinois, 59
- Poland, J. Lloyd, Unusual shore birds in Jefferson County, West Virginia, 59
- Reider, Charles H., Canada Geese nesting in Indiana, 139
- Roads, Katie M., Four Ohio records of Golden Eagle, 64
 —The Golden Eagle again noted in Ohio, 202
 —Change of route in the fall migration of Nighthawks, 286
 —The sexes in migration, 286
- Russell, Henry N., Jr., and Dean Amadon, A note on highway mortality, 205-206
- Scott, Thos. G., Some Saw-whet Owls in central Iowa, 239-242
- Skaggs, M. B., Red-throated Loon and Herring Gull in western Pennsylvania, 202
- Smyth, J. Adger, Audubon's Shearwater nesting on Mona Island, Puerto Rico, 203-204
- Snyder, L. L., and C. E. Hope, A predator-prey relationship between the Short-eared Owl and the Meadow Mouse, 110-112
- Spiker, Chas. J., Blue Goose in Western New York, 144
- Starrett, William Charles, Highway casualties in central Illinois during 1937, 193-196
- Stevenson, Henry M., Jr., Bachman's Warbler in Alabama, 36-41
- Stiles, Bruce F., Nesting of the Least Tern in Iowa, 61
 —Breeding of the Mockingbird in northwestern Iowa, 202-203
- Stoner, Dayton, and Lillian C. Stoner, The English Sparrow and highway mortality, 63-64
- Sutton, George Miksch, and Olin Sewall Pettingill, Jr., Good lantern slides of birds, 170-175
- Taylor, Mrs. H. J., Lynds Jones, 225-238
- Thomas, Edward S., Barrow's Golden-eye: a correction, 202
- Wade, Douglas E., How do Crows carry eggs? 203
- Walkinshaw, Lawrence H., A local nesting habit of the Towhee, 287
- Whedon, A. D., Nesting behavior of Kingbirds, 288-290
- Wing, Leonard, Female Grouse at drumming log, 286
- Wood, Harold B., Nesting of Red-winged Blackbirds, 143
- Yeatter, Ralph E., and David H. Thompson, Carrier Pigeon with Blue-winged Teal, 206

Numbers in *italics* indicate pages on which the species is the subject of a major article or field note.

- Accipiter cooperi, 262
 v. velox, 262
- Aeronautes s. saxitalis, 205, 266
- Agelaius, 118
- Agelaius p. phoeniceus, 37, 143, 271
- Aimophila a. aestivalis, 91, 99
 a. bachmani, 86
- Aix sponsa, 205, 262
- Ammodromus savannarum australis, 272
- Anas p. platyrhynchos, 261
 rubripes tristis, 3, 261
- Anhinga anhinga, 260
- Anthus spinoletta rubescens, 269
- Antrostomus carolinensis, 266
 v. vociferus, 266
- Aquila chrysaetos, 64
 chrysaetos canadensis, 202
- Archilocus colubris, 266
- Ardea herodias, 140
 h. herodias, 260
 h. wardi, 261
- Asio flammeus, 110
 f. flammeus, 266
- Auk, 164
- Baeolophus bicolor, 37, 268
- Baldpate, 22, 26, 34, 200, 261
- Bartramia longicauda, 264
- Bittern, American, 85, 143, 200, 261
 Least, 85, 200
- Blackbird, Red-winged, 47, 85, 118
 143, 195, 255, 271
 Rusty, 195, 272
 Yellow-headed, 85
- Bluebird, 269
- Bobolink, 50, 271
- Bob-white, 59, 106, 115, 116, 195
 Eastern, 263
- Bombycilla cedrorum, 269
- Botaurus lentiginosus, 261
- Branta c. canadensis, 261
- Bubo virginianus, 274
 v. virginianus, 266
- Bufflehead, 22, 24, 25, 26, 262
- Bunting, Indigo, 146, 272
 Lark, 243
 Snow, 112

- Buteo borealis*, 114
 b. borealis, 262
 lagopus sancti-johannis, 57, 120
 lineatus, 118
 l. lineatus, 262
 platypterus, 118
 swainsoni, 119
Butorides v. virescens, 261
Calcarius ornatus, 243
Canvas-back, 18, 20, 22, 23, 24, 25, 26,
 27, 200, 262
Capella delicata, 264
Cardinal, 255
 Eastern, 272
Carpodacus p. purpureus, 272
Casmerodius albus egretta, 261
Cathird, 59, 146, 195, 268
Cathartes aura septentrionalis, 262
Catoptrophorus semipalmatus inornatus,
 264
Centurus carolinus, 37, 267
Certhia f. familiaris, 268
Chaetura pelagica, 139, 205, 266
Charadrius melodus, 141, 263
 semipalmatus, 263
Charitonetta albeola, 262
Chat, Yellow-breasted, 146, 184, 271
Chaulelasmus streperus, 261
Chen caerulescens, 144, 261
 h. hyperborea, 261
Chewink, 103
Chickadee, 44, 255
 Black-capped, 240
 Carolina, 268
Chicken, Greater Prairie, 142
Chlidonias nigra surinamensis, 266
Chondestes g. grammacus, 273
Chordeiles minor, 205, 286
 m. minor, 266
Chuck-will's-widow, 266
Circus hudsonius, 64, 142, 263
Clangula islandica, 35
Coccyzus a. americanus, 266
 erythrophthalmus, 9, 266
Collaptes a. auratus, 267
Colinus v. virginianus, 263
Colymbus auratus, 260
Compsothlypis a. americana, 37, 267
Coragyps a. atratus, 262
Cormorant, Double-crested, 260
Corthylio c. calandula, 269
Corvus b. brachyrhynchos, 268
Cowbird, 100, 106, 140, 143, 287
 Eastern, 272
Crane, Sandhill, 175
 Whooping, 61
Creepers, Brown, 146, 268
Crocethia alba, 265
Crow, 24, 25, 27, 47, 203, 260
 Eastern, 195, 268
Cryptoglaux a. acadica, 239
Cuckoo, Black-billed, 9, 266
 Yellow-billed, 255, 266
Cyanocitta c. cristata, 268
 c. florincola, 37
Dafila acuta tzitzihua, 261
Dendroica a. aestiva, 270
 caerulea, 37
 castanea, 270
 coronata, 270
 d. discolor, 270
 fusca, 37, 270
 pensylvanica, 270
 p. pinus, 270
 striata, 270
 v. virens, 37, 270
Dickcissel, 195, 272
Dolichonyx oryzivorus, 271
Dove, Mourning, 59, 117, 191, 205, 255
 Eastern, 195, 266
Dowitcher, Eastern, 59, 200
 Long-billed, 200
Dryobates pubescens medianus, 240
 p. pubescens, 37, 267
 v. villosus, 240, 267
Duck, Black, 3, 200, 249, 250, 253, 261
 Lesser Scaup, 200, 288
 Ring-necked, 22, 24, 25, 26, 249,
 250, 262
 Ruddy, 21, 22, 23, 24, 25, 26, 85,
 200, 262
 Wood, 200, 205, 262
Dumetilla carolinensis, 37, 268
Eagle, Golden, 64, 202
 Northern Bald, 28
 Southern Bald, 263
Egret, American, 200, 261
 Snowy, 200
Empidonax minimus, 267
 virescens, 37
Ereunetes parsillus, 265
Erimaturus jamaicensis rubida, 262
Euphagus carolinus, 272
Falco mexicanus, 57
 peregrinus, 139
 s. sparverius, 263
Falcon, Prairie, 57
Finch, Hepburn's Rosy, 54
 Purple, 54
 Eastern Purple, 272
Flicker, 116
 Northern, 146, 195
 Southern, 267
Florida c. caerulea, 261
Flycatcher, Least, 267
 Northern Crested, 195, 267
 Scissor-tailed, 255
Fulica a. americana, 81, 263
Gadwall, 22, 200, 261
Gallinule, Florida, 85, 114, 200

- Gavia i. immer*, 260
stellata, 202
Geothlypis trichas brachydactyla, 271
t. trichas, 271
 Gnatcatcher, Blue-gray, 255, 269
 Godwit, Hudsonian, 200
 Golden-eye, American, 22, 24, 26, 29, 202
 Barrow's, 202
 Goldfinch, 44, 240
 Eastern, 272
 Goose, Blue, 144, 249, 250, 261
 Canada, 139, 261
 Lesser Snow, 261
 Grackle, 43, 205
 Bronzed, 141, 195, 272
 Grebe, Eared, 85, 86
 Grebe, Horned, 260
 Pied-billed, 85, 200, 260
 Western, 34
 Grosbeak, Blue, 255
 Rose-breasted, 272
 Grouse, Ruffed, 35, 286
 Sitka, 29
Grus canadensis tabida, 175
 Guillemot, California, 164
 Gull, Bonaparte's, 200, 265
 Franklin's, 265
 Glaucous-winged, 28, 29
 Great Black-backed, 161
 Herring, 200, 202, 265
 Ring-billed, 200, 265
 Western, 161
Haliaeetus leucocephalus alascanus, 28
 l. leucocephalus, 263
 Hawk, American Rough-legged, 57, 120, 195
 Broad-winged, 118
 Cooper's, 262
 Eastern Red-tailed, 262
 Eastern Sparrow, 195, 263
 Duck, 139, 200
 Marsh, 25, 27, 64, 142, 200, 263
 Northern Red-shouldered, 262
 Red-shouldered, 118
 Red-tailed, 114
 Sharp-shinned, 262
 Sparrow, 255
 Swainson's, 119
Hedymeles ludovicianus, 272
Helmitheros vermivorus, 37
 Heron, Black-crowned Night, 199, 200
 Eastern Green, 200, 261
 Great Blue, 140, 199, 200, 260
 Little Blue, 200, 261
 Louisiana, 261
 Ward's, 261
Hirundo erythrogaster, 267
 Hummingbird, Ruby-throated, 255, 266
Hydranassa tricolor ruficollis, 261
Hydroprogne caspia imperator, 265
Hylocichla guttata faxoni, 269
 minima aliciae, 267
 mustelina, 37, 269
 ustulata swainsoni, 269
Icteria v. virens, 184, 271
Icterus galbula, 271
 spurius, 271
Iridoprocne bicolor, 267
 Jay, 47
 Blue, 59, 255, 260
 Northern Blue, 268
 Junco, 44, 45, 91, 103
 h. hyemalis, 240, 273
 Slate-colored, 146, 240, 241, 273
 Killdeer, 101, 172, 200, 204, 263
 Kingbird, Arkansas, 288, 290
 Eastern, 195, 205, 267, 288
 Kingfisher, Eastern Belted, 3, 200, 266
 Kinglet, Eastern Golden-crowned, 146, 269
 Eastern Ruby-crowned, 146, 174, 269
 Kite, Swallow-tailed, 54
 Knot, 200
Lanius ludovicianus, 205, 246
 l. excubitorides, 246
 l. migrans, 246, 269
Lophodytes cucullatus, 262
 Lark, Desert Horned, 243
 Horned, 112, 114, 205
 Prairie, 195
 Prairie Horned, 267
Larus argentatus smithsonianus, 265
 delawarensis, 265
 marinus, 161
 occidentalis, 161
 pipixcan, 265
 philadelphia, 265
Limnodromus griseus, 59
Limnothlypis swainsoni, 40
Lomvia troile californica, 164
 Longspur, Chestnut-collared, 243
 McCown's, 243, 244
 Loon, Common, 260
 Red-throated, 202
 Mallard, 21, 22, 23, 24, 25, 26, 27, 29, 34, 200, 203, 249, 250, 253, 261
Marila affinis, 288
Mareca americana, 261
 Martin, Purple, 268
 Meadowlark, 47, 98, 119, 205
 Eastern, 195
 Southern, 271
 Western, 271
Megaceryle a. alcyon, 3, 266
Melanerpes erythrocephalus, 267
Meleagris gallopavo silvestris, 263

- Melospiza georgiana*, 273
 lincolni, 273
 melodia beata, 273
 m. fallax, 60
 m. juddi, 273
 m. saltonis, 61
Merganser, American, 23, 30, 32, 262
 Hooded, 195, 262
 Red-breasted, 23, 34, 250, 262
Mergus merganser americanus, 262
 serrator, 262
Micropalama hemantopus, 265
Mimus polyglottos, 59, 202
 p. polyglottos, 268
Mniotilta varia, 270
Mockingbird, 59, 189, 202, 255
 Eastern, 268
Molothrus ater, 140
 a. ater, 272
Murre, Atlantic, 161
Myiarchus crinitus boreas, 267
Myiochanus virens, 267
Nannus h. hyemalis, 268
Nettion carolinense, 261
Nighthawk, 205
 Eastern, 266, 286
Nuthatch, Brown-headed, 255
 Red-breasted, 91, 268
 White-breasted, 240, 255, 268
Nyroca affinis, 262
 americana, 262
 collaris, 262
 marila, 262
 valisneria, 262
Oporornis agilis, 271
 formosus, 37, 271
 philadelphia, 271
Oriole, Baltimore, 271, 288
 Orchard, 255, 271
Osprey, 200, 263
Otocoris alpestris, 205
 a. leucolaema, 243
 a. praticola, 267
Otus asio, 205
 a. asio, 266
Oven-bird, 146
Owl, Arctic Horned, 279
 Barn, 266
 Barred, 255
 Great Horned, 47, 85, 266, 274
 Montana Horned, 278
 Northern Barred, 195, 266
Owl, Pacific Horned, 279, 281
 Saw-whet, 239
 Screech, 205
 Short-eared, 110, 266
 Snowy, 51
 Southern Screech, 266
Oxyechus v. vociferus, 263
Pandion haliaetus carolinensis, 263
Partridge, Hungarian, 116
Passer domesticus, 63, 205, 271
Passerculus sandwichensis savanna, 272
Passerella i. iliaca, 273
Passerherbulus h. henslowi, 291
 h. susurrans, 291
Passerina cyanea, 272
Pelidna alpina sakhalina, 59, 264
Penthestes atricapillus, 240
 c. carolinensis, 268
Perdix perdix, 116
Petrochelidon a. albifrons, 268
Pewee, Eastern Wood, 267
Phalacrocorax a. auritus, 260
Phalarope, Northern, 200
 Red, 287
 Wilson's, 59, 265
Phasianus colchicus torquatus, 115, 263
Pheasant, 44, 45, 116
 Mongolian, 29
 Ring-necked, 63, 115, 116, 117, 120,
 142, 195, 263
Philohela minor, 264
Phoebe, Eastern, 185, 267
Pigeon, Carrier, 206
 Domestic, 63, 114
Pintail, 21, 22, 23, 24, 25, 26, 29, 200,
 250, 253, 261
Pipilo erythrophthalmus, 37, 286
 e. erythrophthalmus, 272, 287
Pipit, American, 269
Piranga erythromelas, 272
 r. rubra, 37, 272
Pisobia bairdi, 264
 fuscicollis, 59, 264
 melanotos, 59, 264
 minutilla, 264
Plover, Black-bellied, 200, 263
 Golden, 139, 200, 263
 Mountain, 243, 244
 Piping, 141, 200, 263
 Semipalmated, 200, 204, 263
 Upland, 264
Pluvialis dominica, 139
 d. dominica, 263
Podilymbus p. podiceps, 260
Polioptila c. caerulea, 269
Poocetes g. gramineus, 272
Progne s. subis, 268
Protonotaria citrea, 37
Puffin, 164
Puffinus lherminieri, 203
Quail, 44, 45, 106, 115
Querquedula discors, 262
Quiscalus quiscula, 205
 q. aeneus, 272
Rail, King, 85, 200, 263
 Sora, 85, 200
 Virginia, 85, 143, 200
Rallus e. elegans, 263

- Raven, 28
 Redhead, 20, 22, 23, 24, 25, 85, 200,
 249, 250, 262
 Redpoll, 44, 175
 Redstart, 146, 271
 Redwing, Eastern, 271
Regulus s. satrapa, 269
Rhynchophanes mccowni, 243
Richmondia c. cardinalis, 37, 272
Riparia riparia, 122
 r. riparia, 267
 Robin, 143, 205, 288
 Eastern, 195, 269
 Sanderling, 200, 204, 265
 Sandpiper, Baird's, 200, 204, 264
 Buff-breasted, 200, 265
 Eastern Solitary, 264
 Least, 59, 200, 204, 265
 Pectoral, 59, 200, 204, 264
 Red-backed, 59, 200, 264
 Semipalmated, 59, 200, 264
 Solitary, 200, 204
 Spotted, 6, 195, 200, 204, 264
 Stilt, 200, 204, 265
 Western, 200
 White-rumped, 59, 200, 264
 Sapsucker, Yellow-bellied, 195-267
 Sayornis phoebe, 267
 Scaup, 249
 Greater, 23, 262
 Lesser, 22, 23, 24, 25, 26, 27, 249,
 250, 262
 Scoter, White-winged, 21, 23
Seiurus motacilla, 271
Setophaga ruticilla, 37, 271
 Shearwater, Audubon's, 203
 Shoveller, 21, 22, 24, 25, 26, 200, 262
 Shrike, Loggerhead, 246
 Migrant, 195, 205, 255, 269
Sialia s. sialis, 269
 Siskin, 44
 Northern Pine, 272
Sitta canadensis, 268
 c. carolinensis, 240, 268
 Snipe, Wilson's, 200, 264
 Solitaire, Townsend's, 145
 Sora, 85, 200
 Sparrow, Bachman's, 86, 273
 Chipping, 37, 40
 Dakota Song, 273
 Desert Song, 61
 Eastern Chipping, 273
 Eastern Field, 273
 Eastern Fox, 273
 Eastern Grasshopper, 272
 Eastern Lark, 273
 Eastern Savannah, 272
 Sparrow, Eastern Tree, 273
 English, 63, 112, 195, 205, 260, 271
 Field, 98, 103, 104, 105, 146, 195
 Grasshopper, 59, 98, 101, 146
 Henslow's, 146
 Lark, 101
 Lincoln's, 273
 Mississippi Song, 273
 Mountain Song, 60
 Pine Woods, 91, 99, 102
 Savannah, 98
 Song, 45, 47, 60, 98, 99, 117, 143
 Swamp, 85, 146, 273
 Tree, 44, 45, 240
 Vesper, 98, 101, 272
 Western Henslow's, 291
 White-crowned, 57, 273
 White-throated, 273
 Spinus *p. pinus*, 272
 t. tristis, 37, 240, 272
 Spatula *clypeata*, 262
 Sphyrapicus *v. varius*, 267
 Spiza *americana*, 272
 Spizella *arborea*, 240
 a. arborea, 273
 passerina, 37
 p. passerina, 273
 p. pusilla, 273
 Squatarola *squatarola*, 263
 Starling, 115, 140, 195, 205, 269
 Steganopus *tricolor*, 59, 265
 Stelgidopteryx *ruficollis serripennis*, 203
 Sterna *antillarum*, 61
 a. antillarum, 265
 forsteri, 265
 h. hirundo, 265
 Strix *v. varia*, 266
 Sturnella, 119, 205
 magna argutala, 271
 neglecta, 271
 Sturnus *vulgaris*, 140
 v. vulgaris, 269
 Swallow, Bank, 122, 200, 267
 Barn, 195, 267
 Northern Cliff, 268
 Rough-winged, 195, 203, 267
 Tree, 267
 Swan, Trumpeter, 29
 Swift, Chimney, 139, 205, 266
 White-throated, 205, 266
 Tanager, Scarlet, 146, 272
 Summer, 272
 Teal, Blue-winged, 21, 22, 24, 25, 26,
 200, 206, 262
 Green-winged, 22, 24, 26, 200, 249,
 250, 253, 261
 Tern, Black, 85, 200, 266
 Caspian, 200, 265
 Common, 200, 265
 Forster's, 85, 86, 200, 265
 Least, 61, 265

- Thrasher, Brown, 195, 205, 268, 285
 Thrush, Eastern Hermit, 268
 Gray-cheeked, 268
 Hermit, 102
 Olive-backed, 146, 268
 Wood, 269
 Thryomanes b. bewicki, 268
 Thryothorus l. ludivicianus, 268
 Titmouse, Tufted, 255, 268
 Totanus flavipes, 69, 264
 Totanus melanoleucus, 265
 Towhee, 103, 195
 Red-eyed, 272, 286, 287
 Toxostoma rufum, 205, 268, 286
 Troglodytes aedon parkmani, 268
 Tryngites subruficollis, 265
 Turdus migratorius, 205
 m. migratorius, 269
 Turkey, Eastern, 263
 Turnstone, Ruddy, 200
 Tympanuchus cupido americanus, 142
 Tyrannus tyrannus, 205, 267, 288
 verticalis, 288
 Tyto alba pratincola, 266
 Uria aalga, 161
 Veery, 91
 Vermivora bachmani, 36
 c. celata, 270
 peregrina, 37, 270
 pinus, 37
 Vireo, Blue-headed, 146, 269
 Eastern Warbling, 57, 270
 flavifrons, 37, 39, 269
 g. gilvus, 57, 270
 g. griseus, 37, 39, 269
 olivaceus, 37, 270
 Philadelphia, 146, 270
 philadelphicus, 270
 Red-eyed, 146, 255, 270
 s. solitarius, 269
 White-eyed, 38, 39, 146, 269
 Yellow-throated, 39, 146, 269
 Vulture, Black, 262
 Turkey, 35, 255, 262
 Warbler, Bachman's, 36
 Bay-breasted, 146, 270
 Black and White, 146, 270, 286
 Blackburnian, 146, 270
 Black-poll, 146, 270
 Black-throated Blue, 146
 Black-throated Green, 146, 270
 Blue-winged, 40, 146
 Cairn's, 91
 Canada, 61
 Cape May, 146
 Chestnut-sided, 146, 270
 Connecticut, 146, 271
 Eastern Yellow, 270
 Hooded, 271
 Kentucky, 271
 Magnolia, 91, 146, 270
 Mourning, 271
 Myrtle, 146, 259, 270
 Nashville, 146
 Northern Parula, 270
 Northern Pine, 270
 Northern Prairie, 270
 Orange-crowned, 38, 270
 Palm, 146
 Parula, 37, 38, 146
 Pine, 38, 146, 255
 Swainson's, 40
 Sycamore, 255
 Tennessee, 38, 146, 270
 Wilson's, 271
 Worm-eating, 38
 Water-thrush, Louisiana, 271
 Water-turkey, 260
 Waxwing, Cedar, 146, 269
 Whip-poor-will, 146, 266
 Widgeon, 22, 26
 Willet, Western, 264
 Wilsonia canadensis, 61
 citrina, 37, 271
 p. pusilla, 271
 Woodcock, 64, 200
 American, 264
 Woodpecker, Downy, 240
 Eastern Hairy, 267
 Hairy, 240
 Northern Downy, 195
 Red-bellied, 255, 267
 Red-cockaded, 255
 Red-headed, 59, 195, 255
 Southern Downy, 267
 Southern Pileated, 267
 Wren, Bewick's, 268
 Carolina, 255, 268
 Eastern House, 146
 Eastern Winter, 268
 Prairie Marsh, 85
 Short-billed Marsh, 85, 146
 Western House, 268
 Winter, 91
 Yellowlegs, Greater, 200, 204, 264
 Lesser, 59, 200, 204, 264
 Yellowthroat, 146
 Maryland, 271
 Northern, 271
 Zenaidura, 117
 carolinensis, 205
 macroura carolinensis, 266
 Zonotrichia albicollis, 37, 273
 leucophrys, 57
 l. gambeli, 57
 l. leucophrys, 273
 l. pugetensis, 57