

## INDEX TO VOLUME 88, 1976

BY D. JEAN TATE

- Abundance, seasonal, of migrants, 446–447  
winter, 483–485
- Acanthis flammea, 42
- Accipiter, 117  
*cooperii*, 322, 496  
*fasciatus*, 149–150  
*gentilis*, 669–670  
*nisus*, 463  
*striatus*, 150
- Actitis macularia, 438
- Activity day length, 41–55  
versus daylength, 41–42  
versus light intensity, 42–44, 46, 47  
versus temperature, 44–49  
versus sky cover, 49–50  
versus solar radiation, 50–51  
versus precipitation, 51–52  
versus wind, 52–53  
versus interrelated environmental factors, 53, 54–55  
versus amount of feeding, 55–56
- Activity patterns in Alaskan winter, 36–61  
correlation with environmental variables, 38–39, 40–58
- Activity, seasonal pattern of diurnal cycle, 39–41  
relative to Civil Twilight, 39–41
- Adaptiveness of foraging, 145–148
- Adkisson, Curtis S., see Conner, Richard N., Orson K. Miller, Jr., and ———; see Prather, Irvine D., Richard N. Conner, and ———
- Adult mortality, 25–26
- Aegolius acadicus, 505
- Aeronautes saxatalis, 675
- African migrants, 442–444
- Age, Composition of breeding colony, 122–126, 133–134  
Determination, 100
- Agelaius phoeniceus, 556, 559–561, 563, 627, 674
- Agonistic behavior, 267–268
- Aggression, 146–147, 231, 240–246, 350–351, 507–508
- Aggressive behavior, 37
- Ainley, David G., T. James Lewis, and Steve Morrell, Molt in Leach's and Ashy storm-petrels, 76–95
- Aix sponsa, 148–149, 494, 655, 656
- Albatross, 190  
Black-browed, see *Diomedea melanophris*  
Black-footed, see *Diomedea nigripes*  
Gray-headed, see *Diomedea chrysostoma*  
Laysan, see *Diomedea immutabilis*  
Royal, see *Diomedea epomophora*  
Wandering, see *Diomedea exulans*  
Waved, see *Diomedea irrorata*  
Yellow-nosed, see *Diomedea chlororhynchos*
- Alden, Stephen M., and G. Scott Mills, White-throated Swifts following farm machinery, 675
- Alexander, Peter J., see Caccamise, Donald F., and ———
- Alison, Robert M., Breeding Biology and Behavior of the Oldsquaw (*Clangula hyemalis* L.) reviewed, 513–514
- Alldredge, A. William, see Stahlecker, Dale W., and ———
- Altricial young, 478–482
- Ameiva, 667
- Ammodramus savannarum, 555, 556, 558–561, 564
- Amphispiza belli, 166
- Anas, 346, 508  
*acuta*, 655  
*americana*, 655  
*crecca*, 346, 504, 655  
*discors*, 494, 655  
*platyrhynchos*, 468, 470, 494, 504, 507, 514–517, 654, 655  
*ruripes*, 463  
*strepera*, 503, 655
- Anderson, D. R., and C. J. Henny, Population Ecology of the Mallard. I. A Review of Previous Studies and the Distribution and Migration from Breeding Areas, reviewed, 514–515; ———, P. A. Skaptason, K. G. Fahey, and C. J. Henny, Population Ecology of the Mal-

- lard. III. Bibliography of Published Research and Management Findings, reviewed, 517; see *Pospahala*, R. S., —, and C. J. Henny
- Anoles, green, see *Anolis carolinensis*
- Anolis carolinensis*, 354
- Anser*, *fabalis*, 49  
hyperborea, see *Chen caerulescens*
- Antilocapra americana*, 166
- Antshrike*, Barred, see *Thamnophilus doliatus*
- A.O.U. Research Fund, 360
- Aphelocoma coerulescens*, 112, 114  
coerulescens coerulescens, 529, 543  
coerulescens woodhouseii, 114  
ultramarina, 111, 509, 529, 543, 545
- Aptenodytes forsteri*, 528
- Aquila chrysaetos*, 151–154, 166, 511, 523
- Ardea*, 194, 205, 206  
*cinernea*, 185, 186, 189, 190, 192, 196, 203, 205, 212, 217, 219, 224  
*cocoi*, 205, 206  
*herodias*, 185–230, 660–662  
*melanocephala*, 203, 217  
*purpurea*, 189, 217
- Argentina, 357–358
- Attendants at the nest, 106–107, 110–113
- Atthis heloisa*, 280–299
- Attila cinnamomeus*, 488
- Aulocorhynchus prasinus*, 116
- Avifauna, fossil, 345–347  
of sagebrush communities, 165–171
- Avocet, American, see *Recurvirostra americana*
- Award, Aaron M. Bagg Student Membership, 510  
Louis Agassiz Fuertes, 510  
Margaret Morse Nice, 510
- Aythya*, 508  
*americana*, 571, 655  
*collaris*, 494, 507–508  
*valisineria*, 571
- Baker, Maurice F., see *Braun*, Clait E., —, Robert L. Eng, Jay S. Gashwiler, and Max H. Schroeder
- Balgooyen, Thomas G., Behavior and Ecology of the American Kestrel (*Falco sparverius* L.) in the Sierra Nevada of California, reviewed, 681–682
- Balph, Martha Hatch, New Life Member, 3
- Banding, in Asia, 164  
journal merger, 164
- Baptista, Luis F., Autumnal breeding in Chinese Spotted Doves, 158
- Barr, J. F., see *Prevett*, J. P. and —
- Bartramia longicauda*, 435, 438
- Basiliscus basiliscus*, 414
- Bat, red, see *Lasiurus borealis*
- Beaver, see *Castor canadensis*
- Bédard, J., see *Gauthier*, J., —, and A. Reed
- Behavior, captive cormorants, 143–145  
evolution of communal, 550–552  
feeding, 314–332  
hatching period, 640–643  
hummingbird, 283–292  
lek, 500–503  
migratory, 337–340  
roost, 607–609  
social, 538–539  
toward dead young, 666
- Behavioral ecology, 529–554  
interactions, 231–254  
signals, 185–225
- Berger, Andrew J., see *Van Tyne*, Josselyn, and —
- Bill, cleaning, 671  
color change, 377–389  
morphology, 65, 70, 71, 73–74
- Binford, Laurence C., review by, 178–180
- Bison, see *Bison bison*
- Bison bison*, 555
- Bittern, Least, see *Ixobrychus exilis*
- Bitterns, 671
- Blackbird, Brewer's, see *Euphagus cyanocephalus*  
control, 159–160
- European, see *Turdus merula*
- Melodious, see *Dives dives*
- Red-winged, see *Agelaius phoeniceus*
- Bluebird, Eastern, see *Sialia sialis*  
Mountain, see *Sialia currucoides*
- Boa constrictor, 413
- Bobwhite, see *Colinus virginianus*
- Bock, Carl E., see *Lepthien*, Larry W., and —
- Body size, 136, 137, 566–567
- Bolen, Eric G., review by, 677–678; see *Del-*

- nicki, Don, ——— and Clarence Cottam  
Bolivia, 492–493  
*Bombycilla cedrorum*, 157–158, 508–509,  
673, 674  
*Bonasa umbellus*, 669, 670  
*Botaurus*, 208  
Bourne, W. R. P., see Cramp, Stanley,  
———, and David Saunders  
Brackbill, Hervey, Mourning Dove, Common  
Grackle cleaning bills, 671; Yellow-crowned  
Night Herons defecate, disgorge pellets,  
670–671  
Brandon-Cox, Hugh, Summer of a Million  
Wings. Arctic Quest for the Sea Eagle,  
reviewed, 523–524  
*Branta canadensis*, 49  
Braun, Clait E., Maurice F. Baker, Robert  
L. Eng, Jay S. Gashwiler, and Max H.  
Schroeder, Conservation Committee report  
on effects of alteration of sagebrush  
communities on the associated  
avifauna, 165–171  
Breeders, first-time, 126, 134–135  
Breeding, autumnal, 158  
behavior, jays, 96–120  
biology, 566–574, 632–653  
chronology, 186–187, 493–495, 500–501,  
566–568  
colony, 121–142  
densities, 635–636  
distribution, 582–587  
ecology, comparative, 255–271  
flocks, 534–539  
frequency, 126–129, 135–140  
patterns, 129–131, 135–140  
population, 304–305, 308  
range record, 671–672  
season, timing, 646–649  
success, 495–497, 546–547  
systems, 649  
Briggs, Charlie, see Collett, Rosemary K.,  
with ———  
Briggs, Shirley A., Landscaping for Birds,  
reviewed, 178  
British Columbia, 611–620  
Brood, renest, 353  
size and homeothermy, 478–482  
Brooding, 542–543  
Brown, Charles R., Minimum temperature  
for feeding by Purple Martins, 672–673  
Brown, R. G. B., D. N. Nettleship, P. Germain,  
C. E. Tull, and T. Davis, Atlas  
of Eastern Canadian Seabirds, reviewed,  
521–522  
*Bubo virginianus*, 658  
*Bucephala albeola*, 612, 613  
  *clangula*, 348–349, 494, 495  
  *islandica*, 348–349, 612, 613  
Bufflehead, see *Bucephala albeola*  
*Bulbulcus ibis*, 145–148, 189, 193, 196, 197,  
199, 203, 212, 217–219, 222, 225, 671  
Bull, John, Birds of New York State, reviewed,  
362–363  
Bunting, Indigo, see *Passerina cyanea*  
Lark, see *Calamospiza melanocorys*  
Lazuli, see *Passerina amoena*  
Snow, see *Plectrophenax nivalis*  
Burger, Joanna, House Sparrows usurp Hornero  
nests in Argentina, 357–358; reviews by,  
514–517  
Burtt, Edward H., Jr., B. Dennis Sustare,  
and Jack P. Hailman, Cedar Waxwing  
feeding from spider web, 157–158  
*Buteo galapagoensis*, 670  
  *jamaicensis*, 151–154, 511, 658  
  *lineatus*, 322  
  *magnirostris*, 488  
  *platypterus*, 438  
  *regalis*, 166  
  *swainsonii*, 438, 658–659  
*Butorides*, 345, 346  
  *striatus*, 345  
  *sundevalli*, 345  
  *validipes*, 345  
  *virescens*, 197, 203, 217, 345  
Caccamise, Donald F., and Peter J. Alexander,  
Growth rate in the Monk Parakeet, 495–497  
*Calamospiza melanocorys*, 555, 556, 558–  
559, 560, 561, 563–564  
*Calcarius lapponicus*, 636  
*Calidris alba*, 649, 651  
  *alpina*, 349  
  *fuscicollis*, 651  
  *melanotos*, 438, 502  
  *minutilla*, 61  
  *pusillus*, 61, 651  
  *temminckii*, 649

- Calocitta formosa, 414  
 Caluromys derbianus, 414  
 Calypte anna, 272–279  
 Campbell, Kenneth E., Jr., An early Pleistocene avifauna from Haile XVA, Florida, 345–347  
*Campostoma* obsoletum, 488  
*Campylorhynchus* zonatus, 116  
 Canvasback, see *Aythya valisineria*  
*Capella gallinago*, 438, 669  
 Capercaillie, see *Tetrao urogallus*  
*Caprimulgus carolinensis*, 351–353  
 Capuchin, White-throated, see *Cebus capucinus*  
 Caracara, see *Caracara cheriway*  
 Caracara cheriway, 667  
 Cardinal, see *Cardinalis cardinalis*  
*Cardinalis cardinalis*, 556, 563, 674  
*Carpodacus mexicanus*, 47, 261  
 Carrion, feeding on, 356  
*Casmerodus*, 346  
 albus, 189, 194, 197–200, 202, 203, 212, 217, 220, 222, 225, 345  
*Castor canadensis*, 493  
 Cat, house, see *Felis domestica*  
 Catbird, Gray, see *Dumetella carolinensis*  
*Cathartes aura*, 313, 667–668  
*Catharus*, 669  
 fuscescens, 439  
 minima, 439  
 mustelina, 497, 504, 674  
 ustulata, 439  
*Catoptrophorus semipalmatus*, 314–332  
*Cebus capucinus*, 414  
*Centrocercus urophasianus*, 166  
*Centurus carolinus*, 575, 579  
*Certhia familiaris*, 607  
*Cervus canadensis*, 167  
 Chaffinch, see *Fringilla coelebs*  
 Chalif, Edward L., see Peterson, Roger Tory, and ———  
 Chappuis, Claude (commentator), *Alauda, Supplément Sonore*, 1974. Disque No. 1, "Les Oiseaux de l'Ouest Africain," reviewed, 366–368  
*Charadrius*, 649, 650  
 dubius, 651  
 hiaticula, 650, 651  
 melodus, 650, 651  
 montanus, 358–359, 649, 651  
 semipalmatus, 651  
 vociferus, 557  
 wilsonia, 438  
 Chat, Yellow-breasted, see *Icteria virens*  
 Chemical residues, 421–426  
 and nesting success, 422–424  
*Chen caerulescens*, 504  
 caerulescens hyperborea, 524  
 Chickadee, Black-capped, see *Parus atricapillus*  
 Carolina, see *Parus carolinensis*  
 Chestnut-backed, see *Parus rufescens*  
 Chicken, see *Gallus gallus*  
 Chipmunk, eastern, see *Tamias striatus*  
*Chiroxiphia*, 417–418  
 caudata, 417–418  
 lanceolata, 401, 417–418  
 linearis, 400–420  
 pareola, 417–418  
*Chlorura chlorura*, 166  
*Chondestes grammacus*, 168, 555–561, 564  
*Chordeiles minor*, 166, 557  
 Chuck-will's-widow, see *Caprimulgus carolinensis*  
*Ciccaba virgata*, 113  
*Ciconia ciconia*, 190  
*Cincloramphus cruralis*, 149–150  
*Circus cyaneus*, 322, 438  
*Cissolopha*, 104, 529, 539, 540, 550  
*Clamator levaillantii*, 443  
*Clangula hyemalis*, 513–514  
 Clapp, Roger B., Gray-backed Terns eat lizards, 354  
 Clench, Mary H., review by, 366, 526–527  
 Cleptoparasitism, 349–351  
 Cliff-nesting raptors, 151–154  
 Climate, 114–116  
 and kinglet abundance, 483–485  
 Clutch, 104  
 eggless, 148–149  
 size, 20–23, 497, 615  
 size and bill color, 382  
 size, unusual, 347–348  
 Coati, see *Nasua nasua*  
 Cobb, Robert G., see Pierson, Thomas A., ——— and Patrick F. Scanlon  
*Coccyzus americanus*, 557  
*Cochlearius*, 208, 225  
 cochlearius, 190, 194, 198, 199, 217, 225  
*Colaptes auratus*, 575, 578–579, 669

- auratus cafer, 611, 612–619  
*campstroides*, 357  
*Colibri thalassinus*, 280–299  
*Colinus hibbardi*, 346  
 cf. *suilium*, 346  
*virginianus*, 662  
 Collett, Rosemary K., with Charlie Briggs,  
*My Orphans of the Wild*, reviewed,  
 526–527  
 Collins, Charles T., and Michael H. Kemp,  
*Natal pterylosis of Sporophila finches*,  
 154–157  
 Collins, M., 35  
 Colonial bird register, 163  
 Colony, albatross, 121–142  
 Gannet, 302–303  
 status, 491–492  
 Color, bill, 377–389  
 marking, 511  
 phases, 1–3  
 plumage, analysis, 7–11  
*Columba livia*, 489–490  
 picazuro, 357  
*Columbina picua*, 357  
 Comfort movements, 145  
 Communal, behavior, evolution of, 550–552  
 flocks, 112, 113–114  
 social structure, 117–118  
 Competition, for nest cavities, 616–619  
 reduction of, 272–279  
 Coniferous forest, relative use of, 583–586  
 Conner, Richard N., Orson K. Miller, Jr.,  
 and Curtis S. Adkisson, Woodpecker  
 dependence on trees infected by fun-  
 gal heart rots, 575–581; see Prather,  
 Irvine D., ———, and Curtis S. Ad-  
 kisson  
 Conservation, 455  
 committee report, 165–171  
*Contopus cinereus*, 486  
 virens, 439  
 Coot, 349  
 American, see *Fulica americana*  
 Copulation, 223, 634–635  
*Coragyps atratus*, 313, 667–668  
 Cormons, Grace Donaldson, Roseate Tern  
 bill color change in relation to nest-  
 ing status and food supply, 377–389  
 Cormorant, Double-crested, see *Phalacro-  
 corax auritus*
- Great, see *Phalacrocorax carbo carbo*  
*Corvus brachyrhynchos*, 429–430, 496, 669  
*corax*, 429, 430, 511  
*Coscoroba coscoroba*, 4  
 Cottam, Clarence, see Delniecki, Don, Eric  
 G. Bolen, and ———  
*Coturnix coturnix*, 674  
 Courtship Flight, 195  
 Cowbird, 190  
 Brown-headed, see *Molothrus ater*  
 Cox, James A., *The Endangered Ones*, re-  
 viewed, 527–528  
 Cramp, Stanley, W. R. P. Bourne, and  
 David Saunders, *The Seabirds of Brit-  
 ain and Ireland*, reviewed, 372–373  
 Crane, Sandhill, see *Grus canadensis*  
 Creeper, Brown, see *Certhia familiaris*  
 Cronin, Edward W., Jr., see Lekagul, Boon-  
 song, and ———  
 Crop contents, 489–490  
*Crotophaga ani*, 488  
 Crow, Common, see *Corvus brachyrhynchos*  
*Cryptolepharus boutoni*, 354  
*Ctenosaura similis*, 414, 667  
 Cuckoo, Yellow-billed, see *Coccyzus ameri-  
 canus*  
 Curlew, Long-billed, see *Numenius ameri-  
 canus*  
*Cyanocitta cristata*, 20, 114, 508, 509, 557,  
 669  
 stelleri, 114, 509  
*Cyanocorax beecheii*, 118  
*melanocyanea*, 96–120, 529, 541–545, 550–  
 552  
*sanblasiana*, 529, 539, 542, 543, 550–552  
*sanblasiana nelsoni*, 96–120, 529, 541  
*yucatanica*, 104, 117, 118, 529–554  
*yucatanica rivularis*, 530  
*yucatanica yucatanica*, 530  
 Cycle, annual, 532–548  
 control of, 550  
 Cygnet, see Swan  
*Cygnus*, 4, 5, 7–8, 12  
 atratus, 5, 7, 11, 15  
*melancoryphus*, 5–8, 11, 15  
 olor, 1–3, 6–8, 11, 15  
 Dakota, North, 390–399  
 Davis, T., see Brown, R. G. B., D. N. Nettle-  
 ship, P. Germain, C. E. Tull, and  
 ———

- Daylength versus activity day length, 41–42  
 DDE-Contaminated terns, 459–477  
 Deciduous forest, relative use of, 583–586  
 Deer, mule, see *Odocoileus hemionus*  
 Defecation, 670–671  
 Deguine, Jean-Claude, Emperor Penguin,  
     Bird of the Antarctic, reviewed, 528  
 De La Ronde Wilde, Deann, see Keir,  
     James R. and ———  
 Delnicki, Don, Eric G. Bolen, and Clar-  
     ence Cottam, An unusual clutch size  
     of the Black-bellied Whistling Duck,  
     347–348  
*Dendrocosops borealis*, 35, 182, 491–492, 575,  
     662–665  
     pubescens, 575, 577–578, 605, 607, 609  
     villosum, 575, 578  
*Dendrocygna*, 347  
     autumnalis, 347–348  
     bicolor, 659–660  
*Dendroica castanea*, 440  
     cerulea, 242, 246  
     coronata, 437, 440, 509  
     kirtlandii, 247, 249  
     magnolia, 246  
     pensylvanica, 246, 440  
     petechia, 440  
     tigrina, 454  
*Dichromonassa rufescens*, 197, 203, 217  
*Dickcissel*, see *Spiza americana*  
 Dickerman, Robert W., and Allan R.  
     Phillips, review by, 174–177  
*Didelphis marsupialis*, 414  
     virginianus, 414  
 Diet, 319, 322, 324, 627–629  
 Dimorphism, sexual in size, 149–150  
*Diomedea chlororhynchos*, 136  
     chrysostoma, 135, 137  
     epomophora, 135, 136  
     exulans, 135, 136, 138  
     immutabilis, 121–142  
     irrorata, 135, 136, 138–139  
     melanophris, 135, 136  
     nigripes, 135  
 Dispersion, 113–114  
 Display, 187–222  
     Aerial bill clapping, 213  
     Aggressive display, 204  
     Aggressive pose, 202  
     Aggressive upright display, 202, 204  
     Alighting display, 197  
     Allopreening, 213  
     Arched neck, 204–206  
     Arched-neck greeting display, 204  
     Back-biting, 213  
     Bill clapping, 213–219  
     Bill duel, 210–212  
     Bill nibbling, 213  
     Bill-snapping, 213  
     Bill-snapping and threat display, 206  
     Bill-sparring, 210  
     Bitterning, 187  
     Bow-snap, 190  
     Circle flight, 195–197  
     Circling nuptial flight, 195  
     Contact bill clapping, 213  
     Crest raising, 199–202  
     Erect stance, 202  
     Feather-nibbling, 213  
     Fluffed neck, 202  
     Forward, 206–208  
     Forward display, 206  
     Full forward display, 206  
     Greeting call, 197  
     Greeting ceremony, 220  
     Greeting display, 197  
     Hard contact bill clapping, 213  
     Howling, 187  
     Inhibited mutual bill fighting, 210  
     La menace, 206  
     L'Attaque, 209  
     Lissage des plumes, 193  
     Mordillage, 213  
     Reckbewegung, 187  
     Rick-rack, 197  
     Schnappbewegung, 190  
     Shoulder nibble, 222  
     Snap, 190–193  
     Stab-and-counterstab, 210  
     Stick transfer, 220  
     Stiff-necked upright display, 202  
     Stossbewegung, 206  
     Stretch, 187–190  
     Supplanting, 209–210  
     Supplanting run, 209  
     Tall alert, 221–222  
     Threat display, 206  
     Treadling, 222  
     Twig quivering, 198  
     Twig shake, 198–199

- Upright, 202–203  
 Upward snap, 206  
 Wing preen, 193–195  
 Wing-stroke, 193  
 Wing touch, 193  
 Displays, pair-formation, 185–230  
 Distribution, phoebe, 256–258  
     seasonal, migrants, 435–437  
 Disturbance, human, 427–432  
 Dives dives, 151  
 Dixon, Keith L., review by, 370–371  
 Dolichonyx, 437  
     *oryzivorus*, 440  
 Dominance, 285  
 Dotterel, see *Eudromias morinellus*  
 Dove, Chinese Spotted, see *Streptopelia chinensis*  
 Mourning, see *Zenaida macroura*  
 Ringed Turtle, see *Streptopelia risoria*  
 Rock, see *Columba livia*  
 Drymarchon corais, 413  
 Dryocopus pileatus, 575, 576–577, 579  
 Duck, 190, 349  
     Black, see *Anas rubripes*  
     Black-bellied Whistling, see *Dendrocygna autumnalis*  
     Fulvous Whistling (Tree), see *Dendrocygna bicolor*  
     Pekin, see *Anas platyrhynchos*  
     Ring-necked, see *Aythya collaris*  
     Ruddy, see *Oxyura jamaicensis*  
     Wood, see *Aix sponsa*  
 Ducks, storm injured, 654–656  
 Duffin, Kathleen E., review by, 369–370  
 Dumetella carolinensis, 504, 557  
 Dunlin, see *Calidris alpina*  
 Dunn, Erica H., The relationship between brood size and age of effective homeothermy in nestling House Wrens, 478–482  
 Dwight, Jonathan, Jr., The Sequences of Plumages and Moults of the Passerine Birds of New York, reviewed, 528  
 Eagle, Bald, see *Haliaeetus leucocephalus*  
     Golden, see *Aquila chrysaetos*  
     White-tailed Sea, see *Haliaeetus albicilla*  
 Earthworm, 26, 28, 29, 31  
 Eaton, Stephen W., see Grzybowski, Joseph A., and —————  
 Eckert, Allan W., see Karalus, Karl E. and —————  
     Ecological, competition, 231, 247–249  
       overlap, 231, 247–249  
       significance, eggshell quality, 459–477  
     Ecology, behavioral, 529–554  
       comparative breeding, 255–271  
       jays, 96–120  
     Editorial policy, 332  
     Egg, laying, 104  
       mortality, 20–23  
       pesticide levels, 30, 32  
       size, 649  
     Eggs, 104  
       and laying, 407–410, 416, 540  
       chemical residues of, 421–426  
     Eggshell characteristics, 463–470  
       chemistry, 464–465, 466  
       pore area and gaseous exchange, 470  
       quality and behavior, 471–472  
       quality and embryonic failure, 463–470  
       quality and nesting success, 463, 464  
       structure, 465–470  
       thickness, 422, 423, 463–464, 465, 466  
     Eglajs, Gustavs E., see Stanley, Willard F., Beverly S. Ridgely, and —————  
     Egret, Cattle, see *Bulbulcus ibis*  
       Great, see *Casmerodius albus*  
       Little, see *Egretta garzetta*  
       Reddish, see *Dichromonassa rufescens*  
       Snowy, see *Egretta thula*  
       Yellow-billed, see *Egretta intermedia*  
     Egretta, 345, 346  
       caerulea, 345  
       garzetta, 194, 197, 217, 671  
       intermedia, 194, 197, 217  
       thula, 194, 197, 198, 203, 217, 345  
     Eider, Common, see *Somateria mollissima*  
     El Salvador bird records, 150–151  
     Elevational distribution of migrants, 452–453  
     Elk, see *Cervus canadensis*  
     Embernagra platensis, 357  
     Embryonic failure and eggshell quality, 463–470  
     Empidonax traillii, 439, 442  
       virescens, 439  
     Enderson, James H., review by, 481–482  
     Endogenous rhythms, 39

- Endothermy, physiological versus effective, 478-482  
versus age and weight, 480-481
- Energetics, and homeothermy, 481-482  
of behavior, 350-351
- Energy, and breeding frequency, 136-137,  
138-139  
behavioral conservation of, 575  
budget, 93-94  
demanding activities, 76, 93-94  
requirements, 497
- Eng, Robert L., see Braun, Clait E., Maurice F. Baker, ———, Jay S. Gashwiler, and Max H. Schroeder
- Environmental, factors, interrelated versus activity day length, 53, 54-55  
Policy Act, circumvention, 159-160  
use, species divergence in, 280
- Eremophila alpestris, 166, 555, 556, 558-562
- Erskine, Anthony J., and William D. McLaren, Comparative nesting biology of some hole-nesting birds in the cariboo parklands, British Columbia, 611-620
- Estuary, St. Lawrence, 333-344
- Eudocimus albus, 190, 656-658
- Eudromias morinellus, 649
- Eugenes fulgens, 280-299
- Eumomota superciliosa, 414, 415
- Euphagus cyanocephalus, 166
- Euphonia, Thick-billed, see Euphonia lanirostris  
Violaceous, see Euphonia violacea
- Euphonia chlorotica, 487  
laniirostris, 485-487, 487-488  
minuta, 487  
rufiventris, 487  
violacea, 485, 487  
xanthogaster, 487
- Evolution of communal behavior, 550-552
- Evolutionary, divergence, 280  
independence, 231  
origin, behavioral signals, 189-190, 193, 197-202, 205-206, 208, 217-219
- Faaborg, John, Habitat selection and territorial behavior of the small grebes of North Dakota, 390-399
- Fahey, K. G., see Anderson, D. R., P. A. Skaptason, ———, and C. J. Henny
- Falco mexicanus, 166, 511  
peregrinus, 151, 438, 471  
sparverius, 357, 438, 470, 670
- Falcon, Peregrine, see Falco peregrinus
- Prairie, see Falco mexicanus
- Farner, Donald S., and James R. King, Avian Biology, Vol. 4, reviewed, 172-174
- Feather growth rates, 90-91
- Feduccia, Alan, New bird records for El Salvador, 150-151
- Feeding, 356, 503-504  
behavior, 143-145, 283-288, 289-292, 318-319, 321-322  
behind machinery, 675  
distribution, 317, 319-321  
from spider web, 157-158  
incubating adult, 541-542  
intensity, 55-56  
methods, 316, 318, 321-322  
nestlings, 543-545, 667  
opportunism, 675-676  
pattern, 56-58  
phoebe, 262-267  
rates, 318, 323  
rhythm, 656-658  
sites, 264-265  
territories, 272-279  
versus environmental factors, 55-58  
winter, 508-509
- Felis domestica, 21
- Fighting, 222-223, 507-508
- Finch, 154-157  
House, see Carpodacus mexicanus
- Fisher, Harvey I., Some dynamics of a breeding colony of Laysan Albatrosses, 121-142
- Fishing, aerial, 356-357
- Fledging, 643-646, 651  
hatching through, 542-546  
post-, 545, 546
- Fledgling survival, 24-25
- Fleet, Robert R., The Red-tailed Tropic bird on Kure Atoll, reviewed, 371-372
- Flicker, Common, see Colaptes auratus  
Common (Red-shafted), see Colaptes auratus cafer
- Flight, molt impaired, 351-353
- Flocks, breeding, 534-539  
winter, 547-548

- Florida, 671–672  
 fossil avifauna, 345–347
- Florida caerulea, 194, 217, 356
- Flycatcher, Ash-throated, see *Myiarchus cinerascens*  
 Scissor-tailed, see *Muscivora forficata*  
 Social, see *Myiozetetes similis*  
 Vermilion, see *Pyrocephalus rubinus*
- Food, 114–116, 353, 548–550  
 availability, 138–139  
 dove, 489–490  
 duck, 659–660  
 habits, 621–631  
 items, 27, 262–267, 354, 622–627, 667  
 phoebe, 262–267  
 resources, 584–586  
 resources of migrants, 453–454  
 robbing, 349–351  
 sample composition, 622–629  
 source, 63–68, 71–72, 73, 74  
 source phenology, 282–283  
 supply and bill color, 377–389
- Forage, variability with habitat, 584–586
- Foraging, 114–116, 548, 550  
 adaptiveness, 145–148  
 areas, 26, 31, 33  
 behavior, 62–67, 71–72, 74, 354–356, 640–643  
 methods, 497–499  
 temperature, 672–673  
 territory, 662–665
- Fossil avifauna, 345–347
- Foster, Mercedes S., Nesting biology of the Long-tailed Manakin, 400–420
- Fox, Glen A., Eggshell quality: its ecological and physiological significance in a DDE-contaminated Common Tern population, 459–477
- Fox, gray, see *Urocyon cinereoargenteus*
- Fratercula arctica, 349
- Freeland, David B. (ed.), Where to find Birds in Western Pennsylvania, reviewed, 184
- Fringilla coelebs, 47, 601
- Fulica americana, 397, 494, 507, 571
- Fulmar, see *Fulmarus glacialis*
- Fulmarus glacialis, 135
- Fund: Robert F. and Judy H. Mason, 511
- Fungal associates of nest cavities, 575–581
- Furnarius rufus, 357–358
- Gadwall, see *Anas strepera*
- Galbula cyanocephala leucotis, 488
- Gallus gallus, 470
- Ganis, G. Robert, American Kestrel eating carrion, 357
- Gannet, see *Morus bassanus*
- Gashwiler, Jay S., see Braun, Clait E., Maurice F. Baker, Robert L. Eng, —, and Max H. Schroeder
- Gathering ground dance, 223
- Gauthier, J., J. Bédard, and A. Reed, Overland migration by Common Eiders of the St. Lawrence Estuary, 333–344
- Gauthreaux, Sidney A., Jr., review by, 374–375
- Gavia immer, 427–432
- Gecko, mourning, see *Lepidodactylus lugubris*
- Gelochelidon nilotica, 354, 356, 675
- Genetic isolation, 132
- Geothlypis trichas, 246
- Germain, P., see Brown, R. G. B., D. N. Nettleship, —, C. E. Tull, and T. Davis
- Gill, Frank B., see Murray, Bertram G., Jr. and —
- Glaucomys sabrinus, 616  
 volans, 608
- Cochfeld, Michael, Aerial fishing by Pied Herons, 356–357; — and Guy Tudor, An apparent hybrid goldeneye from Maine, 348–349
- Godwit, Hudsonian, see *Limosa haemastica*
- Marbled, see *Limosa fedoa*
- Goldeneye, Barrow's, see *Bucephala islandica*  
 Common, see *Bucephala clangula*  
 hybrid, 348–349
- Goldfinch, American, see *Spinus tristis*
- Gooders, John, The Great Book of Birds, reviewed, 519–521
- Goose, Bean, see *Anser fabalis*
- Canada, see *Branta canadensis*
- Lesser Snow, see *Chen caerulescens hyperborea*
- Snow, see *Chen caerulescens*
- Goshawk, see *Accipiter gentilis*  
 Australian, see *Accipiter fasciatus*
- Gottfried, Bradley M., see Thompson, Charles F. and —

- Gackle, 190  
 Common, see *Quiscalus quiscula*
- Graf, Rudolph L., and Frederick Greeley,  
 The nesting site of the Northern Oriole  
 in Amherst, Massachusetts, 359-360
- Grassland, relative use of, 583-586
- Grassquit, Black-faced, see *Tiaris bicolor*  
 Blue-black, see *Volatinea jacarina*  
 Cuban, see *Tiaris canora*  
 Yellow-faced, see *Tiaris olivacea*
- Great Lakes Region, 621-631
- Grebe, 349  
 Eared, see *Podiceps nigricollis*  
 habitat selection, 391-393
- Horned, see *Podiceps auritus*  
 nest dispersion, 393-395
- Pied-billed, see *Podilymbus podiceps*  
 territorial behavior, 393-395
- Greeley, Frederick, see Graf, Rudolph L.  
 and —
- Grouse, Ruffed, see *Bonasa umbellus*  
 Sage, see *Centrocercus urophasianus*  
 Sharp-tailed, see *Pediocetes phasianellus*
- Growth, of young, 643-646  
 rate, 495-497, 650-651
- Grubb, Thomas C., Jr., Adaptiveness of foraging in the Cattle Egret, 145-148
- Grus canadensis, 164, 503-504  
 canadensis canadensis, 504
- Grzybowski, Joseph A., and Stephen W. Eaton, Prey items of Goshawks in southwestern New York, 669-670
- Guira guira, 357
- Gull, 190  
 Black-headed, see *Larus ridibundus*  
 Bonaparte's, see *Larus philadelphia*  
 cleptoparasitism, 349-351  
 Glaucous, see *Larus hyperboreus*  
 Glaucous-winged, see *Larus glaucescens*  
 Great Black-backed, see *Larus marinus*  
 Herring, see *Larus argentatus*  
 Laughing, see *Larus atricilla*  
 Ring-billed, see *Larus delawarensis*
- Gyrfalcon, 120
- Habitat, choice, 63, 65, 67-69, 72-73  
 differentiation, 63  
 feeding, 315-316, 323, 325  
 hummingbird, 282-283, 292-298  
 jay, 96-98, 530-532  
 mainland versus island, 454-455
- manakin, 401-403  
 phoebe, 256-258  
 prairie, 555-565  
 selection, grebe, 391-393
- Habitats, tropical, 433-458  
 Use by migrants, 438-441, 442-443, 443-446
- Hailman, Jack P., Leaf-scratching in White-crowned Sparrows and Fox Sparrows: test of a model, 354-356; see Burtt, Edward H., Jr., B. Dennis Sustare, and
- 
- Haliaeetus albicilla, 523-524  
 leucocephalus, 151
- Halliday, Nancy, see frontispiece facing 529
- Hamilton, Robert Bruce, Comparative Behavior of the American Avocet and the Black-necked Stilt (Recurvirostridae), reviewed, 517-519
- Hanssen, Ingolf, and Howard Parker, Throat obstruction as a mortality factor among Willow Ptarmigan chicks, 353
- Hardy, John William, Comparative breeding behavior and ecology of the Bushy-crested and Nelson San Blas jays, 96-120; Voices of Neotropical Birds, Record #Ara-1, reviewed, 525-526; see Raitt, Ralph J., and —
- Harpagus bidentatus, 492  
 diodon, 492
- Hatching, 106, 109-110, 636-639  
 behavior during, 640-643  
 synchrony of, 649-650  
 through fledging, 542-546
- Hawk, Cooper's, see *Accipiter cooperii*  
 Ferruginous, see *Buteo regalis*  
 Galapagos, see *Buteo galapagoensis*  
 Marsh, see *Circus cyaneus*  
 migration conference, 162  
 Red-shouldered, see *Buteo lineatus*  
 Red-tailed, see *Buteo jamaicensis*  
 Swainson's, see *Buteo swainsonii*
- Hay, John, Spirit of Survival/A Natural and Personal History of Terns, reviewed, 369-370
- Heckenlively, Donald B., Variation in cadence of Field Sparrow songs, 588-602
- Heintzelman, Donald S., Autumn Hawk

- Flights, reviewed, 374–375; review by 523
- Helicolestes hamatus*, 488
- Helmitheros vermivora*, 442
- Henny, C. J., see Anderson, D. R., and ———; see Anderson, D. R., D. A. Skaptason, K. G. Fahey, and ———; see Pospahala, R. S., D. R. Anderson, and ———
- Henty, C. J., Foraging methods of the Song Thrush, 497–499
- Heron, Black-crowned Night, see *Nycticorax nycticorax*
- Black-headed, see *Ardea melanocephala*
- Boat-billed, see *Cochlearius cochlearius*
- Great Blue, see *Ardea herodias*
- Green, see *Butorides virescens*
- Grey, see *Ardea cinerea*
- Little Blue, see *Florida caerulea*
- Louisiana, see *Hydranassa tricolor*
- night, 193
- Pied, see *Notophoxys picata*
- Purple, see *Ardea purpurea*
- Yellow-crowned Night, see *Nyctanassa violacea*
- Heronry, 660–662
- Heusmann, H. W., and Peter R. Pekkala, Wood Duck incubates eggless clutch, 148–149
- Hill, Richard A., Host-parasite relationships of the Brown-headed Cowbird in a prairie habitat of west-central Kansas, 555–565
- Himantopus mexicanus*, 517–519
- Hirundo rustica*, 259, 436, 439, 557, 613
- Hole-nesting birds, 611–620
- Home range, 98–100, 113–114
- Homeothermy and brood size, 478–482 and energetics, 481–482
- Hornero, see *Furnarius rufus*
- Host-parasite relationships, 555–565 adaptations to, 555–565 success of, 558–561 host species, 558–564
- Houston, C. Stuart (ed.), To the Arctic by Canoe 1819–1821. The Journal and Paintings of Robert Hood, Midshipman with Franklin, reviewed, 368–369
- Howe, Henry F., see Payne, Robert B., and ———
- Howell, Thomas R., review by, 517–519
- Huber, Harriet R., see Stenzel, Lynne E., ———, and Gary W. Page
- Human disturbance, 427–432, 660–662
- Hummingbird, 272–279, 280–299
- Allen's, see *Selasphorus sasin sedentarius*
- Amethyst-throated, see *Lampornis amethystinus*
- Anna's, see *Calypte anna*
- Blue-throated, see *Lampornis clemenciae*
- Bumblebee, see *Athis heloisa*
- Fiery-throated, see *Panterpe insignis*
- measurements, 293
- Rivoli's, see *Eugenes fulgens*
- Violet-eared, see *Colibri thalassinus*
- weights, 283
- White-eared, see *Hylocharis leucotis*
- Hussell, David J. T., and Gary W. Page, Observations on the breeding biology of Black-bellied Plovers on Devon Island, N. W. T., Canada, 632–653
- Hybrid, goldeneye, 348–349 warbler, 490–491
- Hybridization, 231, 245, 249–252
- Hydranassa tricolor*, 194, 197, 198, 203, 217
- Hydrobates pelagicus*, 76, 93
- Hydroprogne caspia*, 462
- Hylocharis leucotis*, 280–299
- Ibis, 217
- White, see *Eudocimus albus*
- Icteria virens, 674
- Icterus galbula*, 359–360, 440, 557
- icterus croconotus*, 488
- spurius*, 556, 559–561, 563
- Ictinia mississippiensis*, 438
- plumbea*, 438
- Iguana*, see *Iguana iguana*
- Iguana iguana*, 116, 667
- Illinois, 658–659
- Inbreeding, 132
- Incubation, 148–149, 347–348, 540–542, 636–639
- and associated activities, 104–106, 107–108
- manakin, 407–410
- Individual recognition, 100
- Indomalaysian migrants, 443–446
- International Ornithological Congress, XVII, 163

- Interspecific aggression, 231, 243–246, 247–249  
competition, 272–279  
food robbing, 349–351  
reactions, vireos, 63, 69–71, 73, 74  
relations, 493–495  
territoriality, 288–292
- Intraspecific aggression, 231, 241–243  
territoriality, 290
- Invertebrate pesticide levels, 28, 29, 32  
populations, 27–28
- Iridoprocne bicolor, 505, 509, 611, 612–619
- Island, Anticosti, 302, 308  
Bonaventure, 302, 305–308, 309  
Santa Cruz, 272–279  
versus mainland habitat, 454–455
- Islands, Magdalen, 303, 308, 309
- Ixobrychus exilis, 217
- Jacana spinosa, 667
- Jackson, Jerome A., Editorial—Blackbirds, scare tactics, and irresponsible legislation, 159–160; Request for Assistance—Black and Turkey vultures, 313; Request for Assistance—Red-cockaded Woodpecker, 35; review by, 682–683
- Jaeger, Long-tailed, see *Stercorarius longicaudus*
- Parasitic, see *Stercorarius parasiticus*
- James, Ross D., Foraging behavior and habitat selection of three species of vireos in southern Ontario, 62–75
- Jarvis, William L., and William E. Southern, Food habits of Ring-billed Gulls breeding in the Great Lakes Region, 621–631
- Jay, Blue, see *Cyanocitta cristata*
- Bushy-crested, see *Cyanocorax melanocyanea*
- Magpie, see *Calocitta formosa*
- Mexican, see *Aphelocoma ultramarina*
- Nelson San Blas, see *Cyanocorax sanblasiana nelsoni*
- San Blas, see *Cyanocorax sanblasiana*
- Scrub, see *Aphelocoma coerulescens*
- Steller's, see *Cyanocitta stelleri*
- Yucatan, see *Cyanocorax yucatanica*
- Jehl, J. R., Jr., review by, 364–365
- Joensen, Anders Holm, Waterfowl Populations in Denmark 1965–1973, reviewed, 528
- Johnsgard, Paul, Waterfowl of North America, reviewed, 677–678
- Johnson, A. Sydney, see Landers, J. Larry and —
- Johnson, A. W., Supplement to the Birds of Chile, reviewed, 528
- Johnson, Eric V., Guilford L. Mack, and Daniel Q. Thompson, The effects of orchard pesticide applications on breeding robins, 16–35
- Johnson, Joyce E., see Johnson, Kenneth W., and —
- Johnson, Kenneth W., and Joyce E. Johnson, An incident of Blue Jay predation on a Yellow-rumped Warbler, 509
- Johnston, William F., Jr., and Heinz Meng, review by, 375–376
- Junco, Dark-eyed, see *Junco hyemalis*
- Junco *hyemalis*, 354
- Kansas, west-central, 555–565
- Karalus, Karl E., and Allan W. Eckert, The Owls of North America, reviewed, 181–183
- Karr, James R., On the relative abundance of migrants from the north temperate zone in tropical habitats, 433–458
- Kear, Janet, and Nicole Duplaix-Hall (eds.), Flamingos, reviewed, 682–683
- Keir, James R., and Deann De La Ronde Wilde, Observations of Swainson's Hawk nesting in northeastern Illinois, 658–659
- Keith, G. Stuart, review by, 525–526
- Keith, Stuart, review by, 366–368
- Kemp, Michael H., see Collins, Charles T., and —
- Kepler, Cameron B., review by, 372–373
- Kerbes, Richard H., The Nesting Population of Lesser Snow Geese in the Canadian Arctic: A Photographic Inventory of June 1973, reviewed, 524
- Kermott, L. Henry, review by, 680–681
- Kessel, Brina, Winter activity patterns of Black-capped Chickadees in interior Alaska, 36–61
- Kestrel, American, see *Falco sparverius*
- Killdeer, see *Charadrius vociferus*
- King, Ben, review by, 512
- King, James R., see Farner, Donald S., and —

- King, Warren B. (ed.), Pelagic Studies of Seabirds in the Central and Eastern Pacific Ocean, reviewed, 373-374
- Kingbird, Eastern, see *Tyrannus tyrannus*
- Cassin's, see *Tyrannus vociferans*
- Tropical, see *Tyrannus melancholicus*
- Western, see *Tyrannus verticalis*
- Kinglet, Golden-crowned, see *Regulus satrapa*
- Ruby-crowned, see *Regulus calendula*
- Kinkajou, see *Potos flavus*
- Kirby, Ronald E., Breeding chronology and interspecific relations of Pied-billed Grebes in northern Minnesota, 493-495
- Kite, Double-toothed, see *Harpagus bidentatus*
- Rufous-thighed, see *Harpagus diodon*
- Klaas, Erwin E., and Douglas M. Swineford, Chemical residue content and hatchability of Screech Owl eggs, 421-426
- Kushlan, James A., Feeding rhythm in nesting White Ibis, 656-658
- Lacerta agilis, 354  
vivipara, 354
- Lagopus, 353  
*lagopus*, 353, 504
- Lamponnis amethystinus, 280-299  
*clemenciae*, 280-299
- Landers, J. Larry, and A. Sydney Johnson, Foods of 6 Fulvous Whistling Ducks in coastal South Carolina, 659-660
- Lanius ludovicianus, 557
- Lapwing, see *Vanellus vanellus*
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus, 621  
*atricilla*, 202  
*canus*, 349  
*delawarensis*, 319, 349, 621-631  
*glaucus*, 349  
*hyperboreus*, 641  
*marinus*, 349  
*philadelphia*, 349  
*ridibundus*, 349, 386
- Lasiurus borealis, 509
- Laughrin, Lyndall, see Yeaton, Richard I., and —
- Laying, 636-639
- Leck, Charles, Birds of New Jersey: Their Habits and Habitats, reviewed, 177
- Legislation, irresponsible, 159-160
- Leitschuh, Mary, see Werschkul, David F., Ellen McMahon, and —
- Lek behavior, 500-503
- Lekagul, Boonsong, and Edward W. Cronin, Jr., Bird Guide of Thailand, 2nd (revised) edition, reviewed, 177
- Lepidodactylus lugubris, 354
- Lepthien, Larry W., and Carl E. Bock, Winter abundance patterns of North American kinglets, 483-485
- Leptophis mexicanus, 413
- Lewis, T. James, see Ainley, David G., —, and Steve Morrell
- Life history, petrels, 76-78
- Light intensity versus activity day length, 42-44, 46, 47
- Limosa fedoa, 320, 321  
*haemastica*, 650
- Littlefield, Carroll D., Sandhill Cranes feeding on ducklings, 503-504
- Lizard, 354
- Longspur, Lapland, see *Calcarius lapponicus*
- Loon, 349  
Common, see *Gavia immer*
- Lophodytes cucullatus, 494
- Lowery, George H., Jr., Louisiana Birds, 3rd Edition, reviewed, 370-371
- Lumbricidae, 18, 26, 27-28, 29, 31
- Lumsden, Harry G., Choice of nest boxes by Starlings, 665-666
- Lutra canadensis, 430
- Lyon, David L., A montane hummingbird territorial system in Oaxaca, Mexico, 280-299
- Lyrebirds, 487
- MacArthur (1959), a critique of, 582-587
- Mack, Guilford L., see Johnson, Eric V., —, and Daniel Q. Thompson
- Maddox, Walter D., new life member, 399
- Magpie, Black-billed, see *Pica pica*
- Mahan, Harold D., see Wallace, George J., and —
- Maher, William J., Ecology of Pomarine,

- Parasitic, and Long-tailed Jaegers in Northern Alaska, reviewed, 364-365
- Maine, hybrid, 348-349
- Mainland versus island habitat, 454-455
- Mallard, see *Anas platyrhynchos*
- Management practices on wildlife refuges, 162
- Manakin, Blue-backed, see *Chiroxiphia pareola*
- Lance-tailed, see *Chiroxiphia lanceolata*
- Long-tailed, see *Chiroxiphia linearis*
- Swallow-tailed, see *Chiroxiphia caudata*
- Mares, Michael A., review by, 527-528
- Markus, Miles B., review by, 363-364
- Martin, Dennis J., review by, 181-183, 183-184
- Martin, Purple, see *Progne subis*
- Massachusetts, Amherst, 359-360
- Mastigodryas melanolomus, 413
- Maxwell, George R., II, Jean M. Nocilly, and Robert I. Shearer, Observations at a cavity nest of the Common Grackle and an analysis of grackle nest sites, 505-507
- McFarlane, R. W., see Skorupa, J. P. and \_\_\_\_\_
- McLaren, William D., see Erskine, Anthony J., and \_\_\_\_\_
- McMahon, Ellen, see Werschkul, David F., \_\_\_\_\_, and Mary Leitschuh
- McNicholl, Martin K., new life member, 389
- Mead, Chris, Bird Ringing, reviewed, 366
- Meadowlark, Eastern, see *Sturnella magna*
- Western, see *Sturnella neglecta*
- Meeting, Pacific Seabird Group, 510
- Megarhynchus pitangus, 488
- Melanerpes cruentatus, 488
- erythrocephalus, 585
- Melanitta f. fusca, 508
- Meleagris gallopavo, 346, 347, 662
- Melospiza melodia, 607
- Meng, Heinz, see Johnston, William F., Jr., and \_\_\_\_\_
- Mengel, Robert M., Rapid tail molt and temporarily impaired flight in the Chuck-will's-widow, 351-353
- Merura, 487
- Merganser, Hooded, see *Lophodytes cucullatus*
- Micrastur, 117
- Microhabitat use, 323, 325
- Micropalama himantopus, 650
- Microtus, 505, 627, 670
- Migrant, breeding distribution, 582-587
- species, 437, 438-441
- Migrants, abundance, 433-458
- African, 442-443, 444
- elevational distribution, 452-453
- food resources used, 453-454
- Indomalaysian, 443-446
- Panamanian, 435-442
- use of tropical habitats, 438-446
- use of vegetation types, 447-452
- versus residents, 437, 442
- Migration, and weather, 339-340
- historical basis, 333-336
- overland, 333-344
- sexual variation in, 337, 341
- Migratory, behavior, 337-340
- numbers, 335-338
- pathways, choice of, 342-343
- Miller, Orson K., Jr., see Conner, Richard N., \_\_\_\_\_, and Curtis S. Adkisson
- Mills, G. Scott, see Alden, Stephen M., and \_\_\_\_\_
- Mimicry, vocal, 485-487, 487-488
- Mimus polyglottos, 557, 607, 666
- Minnesota, 427-432, 493-495
- Mirounga leonina, 150
- Mniotilla varia, 440
- Mock, Douglas W., Pair-formation displays of the Great Blue Heron, 185-230
- Mockingbird, see *Mimus polyglottos*
- Model, predictive, 354-356
- Mollhoff, Wayne J., Avian tuberculosis in a Saw-whet Owl, 505
- Molothrus ater, 51, 261, 504, 555-565, 673-675
- bonoriensis, 357
- Molt, 351-353
- immature storm-petrels, 92
- petrels, 76-95
- sequences, petrels, 87-90
- scores, 77, 78-87
- timing and intensity in adult petrels, 77-87
- Montane territorial system, 280-299
- Morlion, Maria, Vergelijkende Studie van de Pterylosis in Enkele Afrikaanse

- Genera van de Ploceidae. Bijdrage tot de Morfologie en de Systematik van de Passeriformes. (Comparative Study of Pterylosis in certain African Genera of the Ploceidae. Contribution to the Morphology and Systematics of the Passeriformes), reviewed, 363-364
- Morphology of vireo bills, 65, 70, 71
- Morrell, Steve, see Ainley, David G., T. James Lewis, and —
- Morrison, R. I. G., Requests for assistance —shorebirds, 61, 120
- Mortality, adult robin, 25-26, 32-33  
chick, 353  
earthworm, 26, 27-28, 32-33  
egg, 20-23  
nestling, 20-23
- Morton, Eugene S., Vocal mimicry in the Thick-billed Euphonia, 485-487
- Morus bassanus, 190, 300-313
- Motmot, Turquois-browed, see Eumomota superciliosa
- Mouse, deer, see *Peromyscus leucopus*
- Mueller, Helmut C., Common Terns feed on mole crabs, 675-676
- Murray, Bertram G., Jr., and Frank B. Gill, Behavioral interactions of Blue-winged and Golden-winged warblers, 231-254
- Murton, R. K., Man and Birds, reviewed, 528
- Muscivora forficata, 557  
tyrannus, 357, 438
- Museum, U.S. National, fumigation schedule, 511
- Muskrat, 430
- Mutual preening, 213
- Myers, Mary Louise, see Patti, Sebastian T., and —
- Myiarchus cinerascens, 166, 268  
crinitus, 439  
ferox, 488  
tuberculifer, 488
- Myiodynastes luteiventris, 439
- Myiopsitta monachus, 495-497
- Myiozetetes similis, 486, 488
- Myrmoborus lugubris, 488
- Nasica longirostris, 488
- Nasua nasua, 414, 415
- Natal pterylosis, 154-157
- Nectar resource, 282-283
- Nelson, Colleen Helgeson, Color plate by, facing p. 1; The color phases of downy Mute Swans, 1-3; A key to downy cygnets with analysis of plumage characters, 4-15
- Neotropical migrant habitat use, 583-586
- Nest, attendants, 106-107, 110-113, 670  
boxes, 665-666  
cavity, 505-507, 575-581, 611-620  
construction, 102-104, 404-407, 415-416, 539-540  
defense, 357-358  
distribution, 25, 26, 393-395  
dump, 347  
failure, 461-463, 546-547  
finding success, 23-24  
fungal associates of cavities, 575-581  
natural cavities versus boxes, 612-613  
parasitism, 673-675  
relief, 220  
site, 64, 67, 68, 72, 122, 131-132, 246, 359-360, 401-403, 414-415, 506-507, 635-636  
temperature, 506  
tree species, 359-360  
usurped, 357-358  
visits, 110-112
- Nesting, 19-20, 258-262, 658-659, 660-662  
biology, comparative, 611-620  
biology, manakin, 400-420  
chronology, 613-615  
habitat, 568-570  
impact of nuclear detonation, 152-154  
late, 499-500  
period, manakin, 403-404  
pre-, activities, 634-635  
status and bill color, 377-389  
success, 22-24, 413-414, 639
- Nestling, care, 106, 109-110  
feeding rhythm, 656-658  
manakin, 410-413  
mortality, 20-23  
pesticide levels, 30-31
- Nettleship, David N., Gannets in North America: Present numbers and recent population changes, 300-313; see Brown, R. G. B., —, P. Germain, C. E. Tull, and T. Davis
- Newfoundland, Gannet, 303, 309, 310-311
- Nighthawk, Common, see Chordeiles minor

- Nocilly, Jean M., see Maxwell, George R.  
 II, —, and Robert I. Shearer
- North America, 300–313  
 American migrants, 582–587
- Notharchus macrorhynchos*, 414
- Notophoxys picata*, 356–357
- Nucifraga columbiana*, 499–500
- Nuclear fracturing experiment, 151–154
- Numenius americanus*, 314–332  
 phaeopus, 650
- Nutcracker, Clark's, see *Nucifraga columbiana*
- Nuthatch, White-breasted, see *Sitta carolinensis*
- N.W.T., Canada, Devon Island, 632–653
- Nyctanassa violacea*, 217, 670–671
- Nycticorax nycticorax*, 194, 199, 203, 217,  
 222, 671
- Oaxaca, Mexico, 280–299
- Oceanites oceanicus*, 76, 93
- Oceanodroma castro*, 76, 93  
 homochroa, 76–95  
 leucorhoa, 76–95  
 leucorhoa beali, 92  
 leucorhoa leucorhoa, 92  
 tethys, 76, 93
- Odocoileus hemionus*, 166
- Oenanthe oenanthe*, 450
- Ohlendorf, Harry M., Comparative breeding  
 ecology of phoebe in Trans-Pecos  
 Texas, 255–271; new life member, 432
- Oldsquaw, see *Clangula hyemalis*
- Oendorff, Richard R., Golden Eagle  
 Country, reviewed, 523
- Olor, 4, 5, 7–8, 12  
 buccinator, 6, 10, 11, 15  
*columbianus bewickii*, 6, 11, 13, 15  
*columbianus columbianus*, 6, 11, 12, 15  
*cygnus*, 6, 9, 11, 15
- Olson, Storrs L., new life member, 171
- Ondatra zibethica*, 430
- O'Neill, John P., Notes on two species of  
 Bolivian birds, 492–493
- Oporornis formosus*, 440, 442  
 philadelphia, 440, 490–491  
 tolmiei, 490–491
- Orchards, robins and pesticides in, 16–35
- Oreoscoptes montanus*, 166
- Organochlorine residues, 421–426, 470–471  
 and reproductive success, 473
- Oring, Lewis W., review by, 513–514
- Oriole, Northern, see *Icterus galbula*
- Orchard, see *Icterus spurius*
- Ornithology, workshop on a national plan,  
 163
- Otter, 430
- Otus asio*, 357, 421–426, 608
- Ovenbird, see *Seiurus aurocapillus*
- Rufous, see *Furnarius rufus*
- Owl, Burrowing, see *Speotyto cunicularia*
- Great Gray, see *Strix nebulosa*
- Great Horned, see *Bubo virginianus*
- Saw-whet, see *Aegolius acadicus*
- Screech, see *Otus asio*
- Wood, see *Cicca virgata*
- Oxybelis aeneus*, 413
- Oxyura jamaicensis*, 151, 566–574
- Page, Gary W., see Stenzel, Lynne E., Harriet R. Huber, and —
- Pair, bond, 127–129, 131  
 formation displays, 185–230
- Palmer, Ralph S., reviews by, 368–369,  
 521–522
- Panamanian migrants, 435–442
- Panterpe insignis*, 284
- Parakeet, Monk, see *Myiopsitta monachus*
- Parasite-host relationships, 555–565  
 adaptations to, 555–565  
 success of, 558–561  
 host species, 558–564
- Parasites on nestlings, 261
- Parasitism, 566–574  
 adaptations to, 555–565  
 cowbird, 555–565  
 host species, 558–564  
 nest, 504  
 success of, 558–561
- Parental, extra-, assistance, 670
- Parker, Howard, see Hanssen, Ingolf and —
- Parkes, Kenneth C., reviews by, 519–521,  
 679–680
- Parula, Northern, see *Parula americana*
- Parula americana*, 246
- Parulid habitat use, 586
- Parus, 603  
 atricapillus, 36–61  
 bicolor, 607, 608  
 carolinensis, 603–610

- major, 42, 52, 53, 608  
rufescens, 52
- Passer domesticus*, 47, 357–358, 386, 557, 609, 671, 673, 674
- Passerella iliaca*, 354–356
- Passerina*, 252  
amoena, 252  
cyanea, 246, 599, 674
- Paternal care, 137
- Patti, Sebastian T., and Mary Louise Myers, A probable Mourning  $\times$  MacGillivray's warbler hybrid, 490–491
- Payne, Robert B., and Henry F. Howe, Cleptoparasitism by gulls of migrating shorebirds, 349–351
- Paynter, Raymond A., Melvin A. Traylor, Jr., and Blair Winter, Ornithological Gazetteer of Bolivia, reviewed, 679–680
- Peccary, see *Tayassu pecari*
- Pedioecetes phasianellus*, 166
- Pekkala, Peter R., see Heusmann, H. W. and —
- Pelagodroma marina*, 76, 93
- Pelecanus occidentalis*, 349, 469
- Pelican, Brown, see *Pelecanus occidentalis*
- Pellet, analysis, 328–330  
disgorging, 670–671
- Penguin, 190  
Emperor, see *Aptenodytes forsteri*
- Peromyscus leucopus*, 658
- Pesticide residues, 421–426, 427–432
- Pesticides, and Gannets, 311–312  
in earthworms, 26, 31  
in invertebrates, 28, 29, 32  
in orchards, 16–35  
in robins, 29–32  
in soils, 28–29, 31  
in sprayed and unsprayed areas, 31–32
- Peterson, Roger Tory, and Edward L. Chalif, A Field Guide to Mexican Birds. Field Marks of all Species Found in Mexico, Guatemala, Belize (British Honduras), El Salvador, reviewed, 174–177
- Petrochelidon pyrrhonota*, 258, 259, 439, 671–672
- Pettingill, Olin Sewall, Jr., Another Penguin Summer, reviewed, 522–523
- Pewee, Tropical Wood, see *Contopus cinerinus*
- Phaeoprogne*, 437  
taperata, 437, 439
- Phalacrocorax auritus*, 496  
carbo carbo, 143–145
- Phasianus colchicus*, 472
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Phenology of food source, 282–283, 284, 287, 292–298
- Pheucticus ludovicianus*, 440
- Philander opossum*, 414
- Phillips, Allan R., see Dickerman, Robert W., and —
- Philohela minor*, 669
- Philomachus pugnax*, 502
- Phoebe, Black, see *Sayornis nigricans*  
Eastern, see *Sayornis phoebe*  
Say's, see *Sayornis saya*
- Physiological significance, eggshell quality, 459–477
- Pica pica*, 557
- Pierson, Thomas A., Robert G. Cobb, and Patrick F. Scanlon, Crop contents of Rock Doves in Virginia, 489–490
- Pinkowski, Benedict C., Cedar Waxwings and Eastern Bluebirds feeding on winter stoneflies, 508–509
- Pintail, see *Anas acuta*
- Pipilo*, 356  
erythrophthalmus, 607
- Piranga rubra*, 440
- Pitangus lictor*, 488  
sulphuratus, 357, 488
- Pitts, T. David, Fall and winter roosting habits of Carolina Chickadees, 603–610
- Platt, Joseph B., Request for assistance—Gyrfalcon, 120
- Plectrophenax nivalis*, 636
- Pleistocene avifauna, 345–347
- Plover, American Golden, see *Pluvialis dominica*  
Black-bellied, see *Pluvialis squatarola*  
Eurasian Golden, see *Pluvialis apricaria*  
Little Ringed, see *Charadrius dubius*  
Mountain, see *Chadrius montanus*  
Piping, see *Charadrius melanotos*  
Ringed, see *Charadrius hiaticula*  
Semipalmated, see *Charadrius semipalmatus*
- Plumage, basis of key, 4–15

- color analysis, 7–11  
color phases, 1–3  
development, 643–646  
genetics of color phases, 1–2
- Pluvialis*, 649, 650  
    apricaria, 649, 651  
    dominica, 649  
    squatarola, 320, 321, 349, 632–653
- Podiceps*, 390, 397  
    auritus, 390–399  
    nigricollis, 390–399
- Podilymbus*, 346  
    *podiceps*, 345, 390–399, 493–495, 507
- Pooecetes gramineus*, 166
- Poospiza nigrorufa*, 357
- Population, changes, 305–311, 621, 629  
    size, 304–305, 308
- Pospahala, R. S., D. R. Anderson, and C. J. Henny, Population Ecology of the Mallard. II. Breeding Habitat Conditions, Size of the Breeding Populations and Production Indices, reviewed, 515–517
- Potos flavus*, 414
- Prairie habitat, 555–565
- Prather, Irvine D., Richard N. Conner, and Curtis S. Adkisson, Unusually large vulture roost in Virginia, 667–668
- Precipitation versus activity day length, 51–52
- Predation, 116–117, 509  
    nest, 413–414
- Preening, 145
- Prevett, J. P. and J. F. Barr, Lek behavior of the Buff-breasted Sandpiper, 500–503
- Prey, items, 319, 322, 324, 325–327, 329, 669–670  
    seasonal variation, 326–327  
    unusual, 675–676
- Procyon lotor*, 579
- Productivity, loon, 427–432
- Progne subis*, 672–673
- Pronghorn, see *Antilocapra americana*
- Ptarmigan, Willow, see *Lagopus lagopus*
- Pteroglossus castanotis*, 488  
    *torquatus*, 414
- Pterylosis, 154–157
- Puffbird, White-necked, see *Notharchus macrorhynchos*
- Puffin, Common, see *Fratercula arctica*
- Pyrocephalus rubinus*, 268
- Pyrrhuloxia*, see *Pyrrhuloxia sinuata*
- Pyrrhuloxia sinuata*, 268
- Quail, Japanese, see *Coturnix coturnix*
- Quiscalus quiscula*, 20, 505–507, 557, 671
- Raccoon, see *Procyon lotor*
- Raikow, Robert J., reviews by, 172–174, 177, 178, 184, 373–374, 512–513, 524–525, 528
- Raitt, Ralph J., and John William Hardy, Behavioral ecology of the Yucatan Jay, 529–554
- Ralls, Katherine, Extremes of sexual dimorphism in size in birds, 149–150
- Ramphastos sulfuratus*, 414
- Ramphocelus nigrogularis*, 488
- Range, expansion, 164, 358–359  
    jay, 530–532  
    record, 671–672
- Raptors versus nuclear detonation, 151–154
- Rat, cotton, see *Sigmodon hispidus*
- Raven, see *Corvus corax*
- Ream, Catherine H., Loon productivity, human disturbance, and pesticide residues in northern Minnesota, 427–432
- Recurvirostra americana*, 320, 321, 517–519
- Redhead, see *Aythya americana*
- Redpoll, see *Acanthis flammea*
- Reed, A., see Gauthier, J., J. Bedard, and \_\_\_\_\_
- Regulus calendula*, 483–485  
    *satrapa*, 483–485
- Remsen, J. V., Jr., Observations of social mimicry in the Thick-billed Euphonia, 487–488
- Renaud, Wayne E., and Don H. Renaud, Birds of the Rosetown-Biggar District, Saskatchewan, reviewed, 524
- Reproduction, jay, 96–120
- Reproductive, behavior, 246  
    period, pre-, 533–534  
    success and organochlorines, 473
- Research fund, 360
- Residents, tropical, 434  
    versus migrants, 437, 442
- Residue, chemical, 421–426  
    and nesting success, 422–424  
    pesticide, 427–432
- Resource, division, 272–279  
    partitioning, 280–299

- Return rates of adults, 247
- Richmond, Ann Reller, Feeding of nestlings by the Caracara in Costa Rica, 667
- Ridgely, Beverly S., see Stanley, Willard F., —, and Gustavus E. Eglajs
- Riparia riparia*, 439
- Robin, American, see *Turdus migratorius*  
Clay-colored, see *Turdus grayi*
- Roost, availability, 605–606  
description, 604–606  
fidelity, 605  
vulture, 667–668
- Roosting habits, 603–610
- Ross, R. Kenyon, Notes on the behavior of captive Great Cormorants, 143–145
- Roth, Roland R., Effects of a severe thunderstorm on airborne ducks, 654–656
- Ruff, see *Philomachus pugnax*
- Sagebrush communities, 165–171
- Saltator coerulescens*, 488
- Sanderling, see *Calidris alba*
- Sandpiper, Buff-breasted, see *Tryngites subruficollis*  
Least, see *Calidris minutilla*  
Pectoral, see *Calidris melanotos*  
Semipalmated, see *Calidris pusillus*  
Stilt, see *Micropalama himantopus*  
Upland, see *Bartramia longicauda*  
White-rumped, see *Calidris fuscicollis*
- Sanitation, 670–671
- Sapsucker, Yellow-bellied, see *Sphyrapicus varius*
- Saunders, David, see Cramp, Stanley, W. R. P. Bourne, and —
- Saxicola rubetra*, 450
- Sayornis nigricans*, 255–271  
phoebe, 256, 509, 556, 559–561  
saya, 255–271, 556, 559–562
- Scanlon, Patrick F., see Pierson, Thomas A., Robert G. Cobb, and —
- Schlegel, Hermann, and A. H. Verster de Wulverhorst, *Traite de Fauconnerie*, reviewed, 375–376
- Schroeder, Max H., see Braun, Clait E., Maurice F. Baker, Robert L. Eng, Jay S. Gashwiler, and —
- Sciurus*, 546  
*carolinensis*, 20–21, 669  
*niger*, 579
- Scratching, leaf, 354–356
- Seal, elephant, see *Mirounga leonina*
- Search image, 676
- Seasonal, abundance, migrants, 446–447  
distribution, migrants, 435–437
- Seedeater, Dull-colored, see *Sporophila obscura*  
Gray, see *Sporophila intermedia*  
Ruddy-breasted, see *Sporophila minuta*  
Variable, see *Sporophila americana*  
Variable, see *Sporophila aurita*  
Yellow-bellied, see *Sporophila nigriceps*
- Seiurus aurocapillus*, 440, 601  
noveboracensis, 440, 442
- Selasphorus sasin* sasin, 278  
sasin sedentarius, 272–279
- Sensory modalities, 225
- Setophaga ruticilla*, 440
- Sex determination, 100  
ratio, 112
- Sexual dimorphism in size, 149–150
- Seymour, Norman R., see Titman, Rodger D., and —
- Shearer, Robert I., see Maxwell, George R., II, Jean M. Nocilly, and —
- Shorebird, request for assistance, 61, 120
- Shorebirds, cleptoparasitism of, 349–351
- Shrike, Loggerhead, see *Lanius ludovicianus*
- Sialia currucoides*, 611, 612–619  
sialis, 508, 674
- Sicalis flaveola*, 357
- Siegfried, W. Roy, Breeding biology and parasitism in the Ruddy Duck, 566–574
- Sigmodon hispidus*, 667
- Signals, social, 185–225
- Siskin, Pine, see *Spinus pinus*
- Site faithfulness, 455
- Sitta carolinensis*, 609
- Sittasomus griseicapillus*, 488
- Size dimorphism, 149–150
- Skaptason, P. A., see Anderson, D. R., —, K. G. Fahey, and C. J. Henny
- Skink, snake-eyed, see *Cryptoblepharus boutoni*
- Skorupa, J. P., and R. W. McFarlane, Seasonal variation in foraging territory of Red-cockaded Woodpeckers, 662–665
- Sky cover versus activity day length, 49–50

- Small, Arnold, The Birds of California, reviewed, 178–180
- Snipe, Common, see *Capella gallinago*
- Social, behavior, 538–539
- reproduction, 96, 106–107, 110–114, 117–118
  - signals, 185–225
- Solar radiation versus activity day length, 50–51
- Somateria mollissima*, 333–344
- Song-lark, Brown, see *Cincloramphus cruralis*
- Song, acceleration, 592–595
- cadence, 595–599
  - morphology, 589–595
  - ontogeny, 252
  - variation in, 588–602
- Sound, analysis laboratory, 161
- recording survey, 162
- South Carolina, 659–660
- Southern, William E., see Jarvis, William L., and ———
- Spaans, A. L., Request for assistance—Semipalmated and Least Sandpipers, 61
- Sparrow, Brewer's, see *Spizella breweri*
- Field, see *Spizella pusilla*
  - Fox, see *Passerella iliaca*
- Grasshopper, see *Ammodramus savannarum*
- House, see *Passer domesticus*
- Lark, see *Chondestes grammacus*
- Sage, see *Amphispiza belli*
- Song, see *Melospiza melodia*
- Vesper, see *Pooecetes gramineus*
- White-crowned, see *Zonotrichia leucophrys*
- White-throated, see *Zonotrichia albicollis*
- Sparrowhawk, European, see *Accipiter nisus*
- Spatial relationships, 239–240
- Species, discrimination, 231, 243–245, 249–252
- migrant, 437, 438–441
  - song recognition, 599–601
- Speotyto cunicularia*, 166
- Sphyrapicus varius*, 575, 579, 612
- Spider web, 157–158
- Spinus pinus*, 556, 559–561, 563
- tristis*, 246
- Spiza americana*, 555, 556, 558–561, 563
- Spizella breweri*, 166
- pusilla*, 246, 588–602, 674
- Spofford, Walter R., review by, 523–524
- Sporophila*, 154–157
- americana*, 154, 155
  - aurita*, 486
  - intermedia*, 154–157
  - minuta*, 154–157
  - nigriceps*, 154–157
  - obscura*, 154–157
- Squatarola squatarola*, see *Pluvialis squatarola*
- Squirrel, fox, see *Sciurus niger*
- gray, see *Sciurus carolinensis*
  - red, see *Tamiasciurus hudsonicus*
  - southern flying, see *Glaucomys volans*
- St. Lawrence Estuary, 333–344
- Stahlecker, Dale W., and A. William Allredge, The impact of an underground nuclear fracturing experiment on cliff-nesting raptors, 151–154
- Stanley, Willard F., Beverly S. Ridgely, and Gustav E. Aglais, Birds of the World on Stamps, reviewed, 178
- Starling, see *Sturnus vulgaris*
- Static-optic advertising, 222
- Stelgidopteryx ruficollis*, 436, 439
- Stenzel, Lynne E., Harriet R. Huber, and Gary W. Page, Feeding behavior and diet of the Long-billed Curlew and Willet, 314–332
- Stercorarius longicaudus*, 641, 642
- parasiticus*, 642
- Sterna albifrons*, 151, 675, 676
- dougalii*, 377–389
  - hirundo*, 349, 387, 459–477, 675–676
  - lunata*, 354
  - paradisaea*, 349, 387, 462
  - sandvicensis*, see *Thalasseus sandvicensis*
- Stewart, Paul A., Swimming by Bobwhite chicks, 662
- Stewart, Robert E., Breeding Birds of North Dakota, reviewed, 680–681
- Stilt, Black-necked, see *Himantopus mexicanus*
- Stint, Temminck's, see *Calidris temminckii*
- Stomach versus pellet analysis, 328–330
- Stork, 194, 217
- White, see *Ciconia ciconia*

- Storm-petrel, Ashy, see *Oceanodroma homochroa*  
 British, see *Hydrobates pelagicus*  
 Galapagos, see *Oceanodroma tethys*  
 Harcourt's, see *Oceanodroma castro*  
 Leach's, see *Oceanodroma leuconota*  
 White-faced, see *Pelagodroma marina*  
 Wilson's, see *Oceanites oceanicus*
- Storm versus ducks, 654–656
- Streptopelia chinensis*, 158  
 risoria, 470, 471
- Strix nebulosa*, 35
- Sturnella magna*, 669  
 neglecta, 166, 555–557, 559–561, 563
- Sturnus vulgaris*, 33, 351, 386, 611–619, 655, 665–666, 669
- Sustare, B. Dennis, see Burtt, Edward H., Jr., ———, and Jack P. Hailman
- Sutton, George M., A Check-list of Oklahoma Birds, reviewed, 178
- Swallow, Barn, see *Hirundo rustica*  
 Cliff, see *Petrochelidon pyrrhonota*  
 Rough-winged, see *Stelgidopteryx ruficollis*  
 Tree, see *Iridoprocne bicolor*
- Swan, 4–15  
 Bewick's, see *Olor columbianus bewickii*  
 Black, see *Cygnus atratus*  
 Black-necked, see *Cygnus melanocoryphus*  
 Mute, see *Cygnus olor*  
 Trumpeter, see *Olor buccinator*  
 Whistling, see *Olor columbianus columbianus*  
 Whooper, see *Olor cygnus*
- Swift, White-throated, see *Aeronautes saxatalis*  
 Swimming, 143–144  
 Bobwhite, 662
- Swineford, Douglas M., see Klaas, Erwin E., and ———
- Sykes, Paul W., Jr., Cliff Swallow breeding in south-central Florida, 671–672
- Sylvia*, 454
- Sympatric phoebes, 255–271
- Sympathy in vireos, 62–75
- Synallaxis albogularis*, 488
- Tamias striatus*, 669
- Tamiasciurus hudsonicus*, 20–21, 616, 669
- Tanager, 190
- Taxonomy, downy plumage comparisons, 7–12  
 downy plumage key, 5–6
- Tayassu pecari*, 667
- Taylor, Walter Kingsley, Wing-flashing and other behavior of a Mockingbird toward its dead young, 666
- Teal, Blue-winged, see *Anas discors*  
 Green-winged, see *Anas crecca*
- Temperate zone migrants, 433–458
- Temperature, foraging, 672–673  
 versus activity day length, 44–49
- Tern, 190  
 Arctic, see *Sterna paradisaea*  
 Caspian, see *Hydroprogne caspia*  
 Common, see *Sterna hirundo*  
 Gray-backed, see *Sterna lunata*  
 Gull-billed, see *Gelochelidon nilotica*  
 Least, see *Sterna albifrons*  
 Roseate, see *Sterna dougallii*  
 Royal, see *Thalasseus maximus*  
 Sandwich, see *Thalasseus sandvicensis*
- Territorial, aggression, 240–246  
 behavior, grebe, 393–395  
 dynamics, 292–298  
 establishment, 235–239  
 system, hummingbird, 280–299
- Territoriality, 114, 283–292, 501–502  
 interspecific, 268–270
- Territory, foraging, 272–279, 662–665  
 size, 239–240, 247–249, 286, 287
- Tetrao urogallus*, 149, 150
- Texas, Trans-Pecos, 255–271
- Thalasseus maximus*, 675  
 sandvicensis, 349, 675
- Thamnophilus dolliatus*, 416
- Thompson, Charles F., and Bradley M. Gottfried, How do cowbirds find and select nests to parasitize?, 673–675
- Thompson, Daniel Q., see Johnson, Eric V., Guilford L. Mack, and ———
- Thompson, Ernest S., The Birds of Manitoba, reviewed, 525
- Thompson, Richard L., Change in status of Red-cockaded Woodpecker colonies, 491–492
- Thompson, William L., review by, 361–362
- Thrasher, Brown, see *Toxostoma rufum*  
 Sage, see *Oreoscoptes montanus*
- Thraupis episcopus*, 488

- Thrush, Song, see *Turdus ericetorum*  
 Song, see *Turdus philomelos*  
 Unicolored, see *Turdus haplochrous*  
 Wood, see *Catharus ustulina*
- Thryothorus ludovicianus*, 607
- Tiaris*, 156–157  
 bicolor, 156  
 canora, 156  
 olivacea, 156
- Time budget, 93–94
- Tit*, 190  
 Great, see *Parus major*
- Titman*, Rodger D., and Norman R. Seymour, Unusual intensity of fighting in Ring-necked Ducks, 507–508
- Titmouse*, Tufted, see *Parus bicolor*
- Tolle*, Duane A., A westward extension in the breeding range of the Mountain Plover, 358–359
- Tomback*, Diana F., A late nesting attempt by Clark's Nutcracker, 499–500
- Toucanet*, Emerald, see *Aulocorynchus prasinus*
- Towhee*, Green-tailed, see *Chlorura chlorura*  
 Rufous-sided, see *Pipilo erythrorthalimus*
- Toxostoma curvirostre*, 496  
 rufum, 556, 559–562, 674
- Transients, 434
- Trimble*, Steve, Non-game Birds of the West, reviewed, 524
- Trimorphodon biscutatus*, 413
- Tringa melanoleuca*, 320, 321, 438  
*solitaria*, 438
- Troglodytes aedon*, 20, 478–482
- Tropical habitats, 433–458
- Tryngites subruficollis*, 500–503
- Tuberculosis, avian, 505
- Tudor*, Guy, see Gochfeld, Michael, and \_\_\_\_\_
- Tull*, C. E., see Brown, R. G. B., D. N. Netleship, P. Germain, \_\_\_\_\_, and T. Davis
- Turdus*, 487, 499  
 ericetorum, 30  
 grayi, 487  
 haplochrous, 492–493  
 merula, 497, 499  
 migratorius, 16–35, 351, 497, 557, 669, 674  
 philomelos, 30, 497–499
- Turkey, see *Meleagris gallopavo*
- Tyranniscus gracilipes*, 488  
 vilissimus, 486
- Tyrannulet*, Paltry, see *Tyranniscus vilissimus*
- Tyrannulus elatus*, 488
- Tyrannus dominicensis*, 439  
 melanocholicus, 486, 667  
 tyrannus, 439, 557  
 verticalis, 268–269, 557  
 vociferans, 268–269
- Urocyon cinereoargenteus*, 117
- Van Tets, Gerard F., review by, 371–372
- Van Tyne, Josselyn, and Andrew J. Berger, Fundamentals of Ornithology, 2nd edition, reviewed, 512–513
- Vanellus vanellus*, 651
- Vegetation types and migrants, 447–452
- Vermivora*, 249, 252  
 chrysoptera, 231–254  
 chrysoptera × V. pinus, 234, 239, 245, 248, 251  
 peregrina, 440, 454  
 pinus, 231–254
- Verster de Wulverhorst, A. H., see Schlegel, Hermann, and \_\_\_\_\_
- Vireo*, Bell's, see *Vireo bellii*  
 food sources, 63–68, 71–72  
 Red-eyed, see *Vireo olivaceus*  
 Solitary, see *Vireo solitarius*  
 Warbling, see *Vireo gilvus*  
 Yellow-green, see *Vireo flavoviridis*  
 Yellow-throated, see *Vireo flavifrons*
- Vireo bellii*, 72, 556, 559–563  
 flavifrons, 62–75, 440  
 flavoviridis, 486  
 gilvus, 62–75  
 olivaceus, 62–75, 246, 439, 488  
 solitarius, 62, 72, 508
- Virginia, 489–490, 667–668
- Visitors, winter, 434
- Vocal mimicry, 485–488
- Vocalization  
 Advertising call, 219–220  
 Landing call, 197–198
- Volatinia jacarina*, 156
- Vulture, Black, see *Coragyps atratus*  
 Turkey, see *Cathartes aura*
- Wading bird conference, 162

- Walker, Lewis Wayne, *The Book of Owls*, reviewed, 183-184
- Wallace, George J., and Harold D. Mahan, *An Introduction to Ornithology*, 3rd Edition, reviewed, 361-362
- Warbler, Blue-winged, see *Vermivora pinus*
- Brewster's, see *Vermivora chrysoptera* × *V. pinus*
- Cape May, see *Dendroica tigrina*
- Cerulean, see *Dendroica cerulea*
- Chestnut-sided, see *Dendroica pensylvanica*
- Golden-winged, see *Vermivora chrysoptera*
- Kentucky, see *Oporornis formosus*
- Kirtland's, see *Dendroica kirtlandii*
- Lawrence's, see *Vermivora chrysoptera* × *V. pinus*
- MacGillivray's, see *Oporornis tolmiei*
- Magnolia, see *Dendroica magnolia*
- Mourning, see *Oporornis philadelphica*
- Tennessee, see *Vermivora peregrina*
- Yellow-rumped, see *Dendroica coronata*
- Waxwing, Cedar, see *Bombycilla cedrorum*
- Weather, and migration, 339-340  
in interior Alaska, 36  
mortality factor, 21, 23, 654-656
- Wegner, William A., Extra-parental assistance by male American Kestrel, 670
- Weight, and bill color change, 382  
tern, 382
- Welty, Joel Carl, *The Life of Birds*, 2nd Edition, reviewed, 361-362
- Werschkul, David F., Ellen McMahon, and Mary Leitschuh, Some effects of human activities on the Great Blue Heron in Oregon, 660-662
- Wetmore, Alexander, research fund, 360
- Whimbrel, see *Numenius phaeopus*
- Wigeon, American, see *Anas americana*
- Willet, see *Catoptrophorus semipalmatus*
- Willson, Mary F., The breeding distribution of North American migrant birds: A critique of MacArthur (1959), 582-587
- Wilson Bulletin referees, 686-687
- Wilson Ornithological Society, Annual Meeting, 161, 688-698  
Student membership awards, 161  
Symposium on avian vocalization, 161
- Wilsonia canadensis, 440
- Wind versus activity day length, 52-53
- Wing-flashing, 666
- Winter site faithfulness, 455
- Wintering area conservation, 455
- Wood, Merrill, Birds of Central Pennsylvania, reviewed, 524-525
- Woodcock, American, see *Philohela minor*
- Woodpecker, Downy, see *Dendrocopos pubescens*  
fungal associates of nest cavities, 575-581
- Hairy, see *Dendrocopos villosus*
- Pileated, see *Dryocopus pileatus*
- Red-bellied, see *Centurus carolinus*
- Red-cockaded, see *Dendrocopos borealis*
- Red-headed, see *Melanerpes erythrocephalus*
- Woodward, Joan C., Successful parasitism of the Gray Catbird by the Brown-headed Cowbird, 504
- Wren, Carolina, see *Thryothorus ludovicianus*  
House, see *Troglodytes aedon*
- Xanthocephalus xanthocephalus, 496
- Yamashina, Yoshimaro, Birds in Japan: A Field Guide, 2nd printing, reviewed, 512
- Yeaton, Richard I., and Lyndall Laughrin, Fall resource division in Santa Cruz Island hummingbirds, 272-279
- Yellowlegs, Greater, see *Tringa melanoleuca*
- Yellowthroat, see *Geothlypis trichas*
- Young, development of, 643-646
- Yunick, Robert P., review by, 362-363
- Zeitgeber, 39
- Zenaida macroura, 166, 557
- Zonotrichia albicollis, 354, 599, 600, 601  
capensis, 357-358  
leucophrys, 51, 354-356
- Zusi, Richard L., review by, 522-523