

INDEX TO VOLUME 104, 1992

BY KATHLEEN G. BEAL

This index includes references to genera, species, authors, and key words or terms. In addition to avian species, references are made to the scientific names of all vertebrates mentioned within the volume and other taxa mentioned prominently in the text. Common names are as they appear in the volume unless otherwise specified. Reference is made to books reviewed, and announcements as they appear in the volume.

- abundance
 - of birds of the Sierra de Los Tuxtlas, Mexico, 699–718
 - of wintering *Seiurus noveboracensis*, *Protonotaria citrea*, and *Setophaga ruticilla*, 400–412
- Accipiter cooperii*, 182–184, 447–461
 - gentilis*, 333, 449, 577
 - nisus*, 182
 - striatus*, 363, 447–461, 577, 695
 - superciliosus*, 368
- Acrocephalus luscinius*, 44–54
 - orientalis*, 430
 - rimitarum*, 38, 39
 - taiti*, 32–43
 - vaughani*, 39
- Actitis macularia*, 220–243, 674–697
 - spp., 190
- activity budget
 - of *Aythya collaris* ducklings in northcentral Minnesota, 472–484
 - of *Corvus corax* in southwestern Idaho, 462–471
- Actophilornis africanus*, 190
- Adams, Raymond J., Jr., see Brewer, Richard, Gail A. McPeck and ———
- Aegolius acadicus*, 312–320
- Aeronautes saxatalis*, 62
- Agapornis* spp., 79, 80
- Agelaius phoeniceus*, 85–94, 148–155, 166, 349, 485–500, 521, 524, 552–553
- Agriornis livida*, 368–369
- Ahumada, Jorge A., see Harms, Kyle E., and ———
- Ainley, David G., and Robert J. Boekelheide, Seabirds of the Farallon Islands: ecology, dynamics, and structure of an upwelling-system community, reviewed, 194–195
- Aix sponsa*, 299, 306, 473
- Ajaia ajaja*, 501–515, 674–697
- Alldredge, J. Richard, see Douglas, David C., John T. Ratti, R. Allen Black, and ———
- Alle alle, 653
- alligator, American, see Alligator mississippiensis
- Alligator mississippiensis, 26
- Alsop, Fred J., III, Birds of the Smokies, reviewed, 202
- Alvo, Robert, and Michael Berrill, Adult Common Loon feeding behavior is related to food fed to chicks, 184–185
- Amazon, White-fronted, see *Amazona albifrons*
- Amazona albifrons*, 79, 80, 81
 - leucocephala*, 220–243
 - vittata*, 79, 81, 82
- Ammodramus caudacuta*, 295–311
 - henslowii*, 85–94
 - maritima*, 295–311
 - savannarum*, 85–94, 697, 699–718
- Ammodytes hexapterus*, 740, 742
- Anas acuta*, 529–536, 674–697
 - americana*, 220–243, 529–536, 674–697, 699–718
 - bahamensis*, 220–243, 656–669, 674–697
 - clypeata*, 529–536, 674–697
 - crecca*, 220–243, 307
 - discors*, 220–243, 307, 473, 480, 529–536, 674–697
 - fulvigula*, 480
 - platyrhynchos*, 51, 366, 473, 480
- Anderson, Bertin W., see Rosenberg, Kenneth V., Robert D. Ohmart, William C. Hunter, and ———
- Anguilla anguilla*, 702
- Anhinga anhinga, 501–515

- Anhinga, see *Anhinga anhinga*
 Ani, Smooth-billed, see *Crotophaga ani*
 announcements
 international shrike symposium, 388
 records wanted of vagrant birds in Seychelles, 243
 Southern African Ornithological Society thematic symposium, 386
Anous stolidus, 220–243, 674–697
Anser albifrons, 699–718
 indicus, 352
Ant-Tanager, Red-crowned, see *Habia rubica*
Antbird, Dusky, see *Cercomacra tyrannina*
Anthus spinoletta, 699–718
Antilophia galeata, 168–173
Antpitta, Chestnut-crowned, see *Grallaria ruficapilla*
 Cundinamarca, see *Grallaria kaestneri*, sp. nov.
 Rufous, see *Grallaria rufula*
 Santa Marta, see *Grallaria bangsi*
Antshrike, Great, see *Taraba major*
Antwren, Ashy, see *Myrmotherula grisea*
 Gray, see *Myrmotherula menetriesii*
 Plain-winged, see *Myrmotherula behni*
 Slaty, see *Myrmotherula schisticolor*
 White-flanked, see *Myrmotherula axillaris*
Aphelocoma coerulescens, 62
Aquila chrysaetos, 115, 449
Ara militaris, 63
Aramus guarauna, 699–718
Archilochus colubris, 580–598
Ardea herodias, 220–243, 501–515, 656–669, 674–697
 herodias occidentalis, 509, 513
Arenaria interpres, 220–243, 674–697
 melanocephala, 122–135
Arroyo-Vasquez, Bryan, Observations of the breeding biology of the Elfín Woods Warbler, 362–365
Asio capensis, 330
 flammeus, 192, 326–333
 otus, 192–193, 312–320
Athene cunicularia, 183, 220–243, 674–697
Atlapetes brunneinucha, 62
 brunneinucha apertus, 699
Auk, Little, see *Alle alle*
Avocet, American, see *Recurvirostra americana*
 awards and grants
 North American Bluebird Society research grants, 387
Aythya collaris, 220–243, 472–484, 674–697
Babbler, Jungle, see *Turdoides striatus*
Bagna, E. M., see Curtis, D. J., ———, and M. A. Curtis
Baker, Alan J., review by, 376–379
Baldassarre, Guy A., see Thompson, John D., and ———
Bananaquit, see *Coereba flaveola*
Banks, Richard C., see Clark, William S., and ———
Barbthroat, Band-tailed, see *Threnetes ruckeri*
Barclay, John S., see Craig, Robert J., and ———
Bartramia longicuda, 85–94, 674–697, 699–718
Basileuterus culicivorus, 174, 207
Bates, John M., see Parker, T. A., III, ———, and Guy Cox
Bates, John M., Winter territorial behavior of Gray Vireos, 425–433
Batten, Leo A., see Group, Paul D., ———, and John A. Norton
Beal, Kathleen G., see Craig, Robert J., and ———
Bédard, Jean, see Cloutier, Sylvie, and ———
Beehler, Bruce M., A naturalist in New Guinea, reviewed, 563–564
 behavior
 activity budget
 of *Corvus corax* in southwestern Idaho, 462–471
 of polygynous and monogamous *Lanius ludovicianus*, 747–749
 anti-predator
 in *Parus atricapillus*, 749–756
 breeding
 annual variation in timing of *Myiopsitta monachus* in relation to climatic factors, 545–549
 frequency and timing of copulations in *Falco mexicanus*, 333–338
 of *Forpus passerinus*, 65–84

- of *Picoides borealis* in central Florida, 285–294
 - of a subadult female *Tachycineta bicolor*, 756–759
 - pairbond persistence and “divorce” in *Parus atricapillus*, 338–342
 - display
 - in *Parus atricapillus* at the nest site, 749–756
 - dominance
 - relationships among wintering dabbling ducks in Yucatan, Mexico, 529–536
 - helping
 - in a subadult female *Tachycineta bicolor*, 756–759
 - lek
 - attendance and stability in *Tympanuchus cupido*, 273–284
 - movement caused by snowfall in *Tympanuchus phasianellus*, 188–189
 - parental
 - Asio otus* ingests nestlings’ feces, 192–193
 - chick carrying by *Eupodotis ruficrista*, 190
 - Corvus brachyrhynchos* move nestling, 185–187
 - food fed to chicks affects adult feeding in *Gavia immer*, 184–185
 - peculiar
 - of a subadult female *Tachycineta bicolor*, 756–759
 - roosting
 - of *Corvus corax*, 105–121
 - site fidelity
 - of wintering *Lagopus leucurus*, 263–272
 - social
 - family size and individual behavior in *Chen caerulescens atlantica*, 352–356
 - territorial
 - of wintering *Vireo vicinior*, 425–433
 - vigilance
 - during drinking in *Leptotila verreauxi* and *Columbina passerina*, 357–359
- Behle, William H., Utah birds: historical perspectives and bibliography, reviewed, 561–562
- Beissinger, Steven R., see Waltman, James R., and ———
- Beltrán, William, First description of the nest and eggs of the Black Solitaire, 551–552
- Benitez D., Hesiquio, see Navarro S., G. Adolfo, A. Townsend Peterson, B. Patricia Escalante P., and ———
- Berrill, Michael, see Alvo, Robert, and ———
- Bickart, K. Jeffrey, Recent advances in the study of Neocene fossil birds. I. The birds of the late Miocene-early Pliocene Big Sandy Formation, Mohave County, Arizona, reviewed, 384–386
- Bielefeldt, John, see Rosenfield, Robert N., and ———
- Bildstein, K. L., see Frederick, Peter C., and ———
- Bittern, American, see *Botaurus lentiginosus* Least, see *Ixobrychus exilis*
- Pinnated, see *Botarus pinnatus*
- Black, R. Allen, see Douglas, David C., John T. Ratti, ———, and J. Richard All-dredge
- Blackbird, Red-breasted, see *Leistes militaris*
- Red-winged, see *Agelaius phoeniceus*
- White-browed, see *Leistes supercilii*
- Blem, C. R., reviews by, 561, 770–771
- Blockstein, David E., reviews by, 566–567, 767–768
- Bluebird, Eastern, see *Sialia sialis*
- bobcat, see *Lynx rufus*
- Bobolink, see *Dolichonyx oryzivorus*
- Bobwhite, Northern, see *Colinus virginianus*
- body composition
 - of *Morus capensis* chicks, 644–655
- Boekelheide, Robert J., see Ainley, David G., and ———
- Boiga irregularis, 44, 48, 51
- Bombycilla cedrorum, 148–155, 549–551, 580–598
- Bonasa umbellus, 162
- Bonta, Marcia, Appalachian spring, reviewed, 195
- Booby, Abbott’s, see *Sula abbotti*
- Brown, see *Sula leucogaster*
- Peruvian, see *Sula variegata*
- Bosakowski, Thomas, Dwight G. Smith, and

- Robert Speiser, Status, nesting density, and macrohabitat selection of Red-shouldered Hawks in northern New Jersey, 434-446
- Botaurus lentiginosus*, 306, 697
 pinnatus, 511
- Bowman, Reed, review by, 383-384
- Boyd, Roger L., review by, 562-563
- Brachyramphus marmoratus*, 738-743
- Branta canadensis*, 150, 307, 469
- Braun, Clait E., see Giesen, Kenneth M., and ———
- Braun, Clait E., see Schroeder, Michael A., and ———
- Brazil, Mark A., The birds of Japan, reviewed, 556-558
- breeding
 biology
 in relation to climatic factors in *Myiopsitta monachus*, 545-549
 of *Antilophia galeata*, 168-173
 of *Dendroica angelae*, 362-365
 of *Forpus passerinus*, 65-84
 of *Myiopsitta monachus*, 413-424
 of *Oceanodroma tristrami*, 719-731
 of *Picoides borealis* in central Florida, 285-294
 season
 of *Grallaria kaestneri*, sp. nov., 389-399
 of *Myiopsitta monachus*, 413-424
 success
 of *Grus canadensis pratensis*, 22-31
- Brett, James J., The mountain and the migration: a guide to Hawk Mountain, reviewed, 768-769
- Brewer, Richard, Gail A. McPeck, and Raymond J. Adams, Jr., The atlas of breeding birds of Michigan, reviewed, 561
- Brink, Karen L., see Roby, Daniel D., ———, and Karin Wittmann
- Brinkley, Christie, see Duffy, David Cameron, Randall Downer, and ———
- Bristle-Tyrant, Marble-faced, see *Phylloscartes ophthalmicus*
- Brown, Richard G. B., review by, 381-382
- Brush-Finch, Chestnut-capped, see *Atlapetes brunneinucha*
- Bub, Hans, Bird trapping and bird banding, reviewed, 199-200
- Bubo bubo*, 330
 virginianus, 26, 159, 330, 444
- Bubulcus ibis*, 142-148, 220-243, 501-515, 656-669, 674-697, 699-718
- Bucephala clangula*, 473
- Bucher, Enrique, see Navarro, Joaquín, and ———
- Bucher, Enrique, see Navarro, Joaquín, Mónica B. Martella, and ———
- Buckley, P. A., see Cooke, F., and ———
- Buden, Donald W., The birds of the Exumas, Bahamas Islands, 674-697
- Buden, Donald W., The birds of Long Island, Bahamas, 220-243
- Budgerigar, see *Melopsittacus undulatus*
- Buehler, David A., Sheri K. Chandler, Timothy J. Mersmann, James D. Fraser, and Janis K. D. Seegar, Nonbreeding Bald Eagle perch habitat on the northern Chesapeake Bay, 540-545
- Bullfinch, Greater Antillean, see *Loxigilla violacea*
 Puerto Rican, see *Loxigilla portoricensis grandis*
- Bunting, Indigo, see *Passerina cyanea*
- Lark, see *Calamospiza melanocorys*
- Burger, Alan E., see Mahon, Todd E., Gary W. Kaiser, and ———
- Burger, Joanna, and Michael Gochfeld, Vulnerability and mortality of young Australian Magpies on roads, 365-367
- Burger, Joanna, Drinking, vigilance, and group size in White-tipped Doves and Common Ground-Doves in Costa Rica, 357-359
- Burns, Robert D., review by, 771-772
- Busarellus nigricollis*, 699-718
- Bush-Tanager, Common, see *Chlorospingus ophthalmicus*
- Bustard, Buff-crested, see *Eupodotis ruficrista*
 Great Indian, see *Choriotis nigriceps*
- Hartlaub's, see *Eupodotis hartlaubi*
- Houbara, see *Chlamydotis undulata*
- Buteo albicaudatus*, 699-718
 albonotatus, 699-718
 brachyurus, 699-718
 jamaicensis, 26, 115, 434-446, 447-461, 656-669
 lagopus, 449

- lineatus*, 434–446, 449
magnirostris, 357
nitidus, 357
platypterus, 449, 458, 699–718
regalis, 115, 449
swainsoni, 449
Butorides striatus, 220–243, 511, 656–669, 674–697
Cacicus cela, 349
Cacique, Yellow-rumped, see *Cacicus cela*
Calamospiza melanocorys, 521
 Calhoun, Stuart W., see Thompson, Bruce C., Maureen E. Schmidt, ———, Donald C. Morizot, and R. Douglas Slack
Calidris alba, 220–243, 674–697
 bairdii, 699–718
 canutus, 220–243
 himantopus, 220–243
 mauri, 699–718
 melanotos, 220–243, 699–718
 minutilla, 220–243, 674–697
 pusilla, 220–243, 674–697, 699–718
Calliphlox evelynae, 220–243, 674–697
Calocitta collicie, 62
Calyptorhynchus funereus latirostris, 79–82, 421
 magnificus, 421
 Campbell, R. Wayne, Neil K. Dawe, Ian McTaggart-Cowan, John M. Cooper, Gary Kaiser, and Michael C. E. McNall, *The birds of British Columbia*, reviewed, 559–561
Campylopterus excellens, 699
Campylorhynchus brunneicapillus, 520
Canis latrans, 147
Caprimulgus carolinensis, 674–697
 salvini, 699–718
Caracara, Crested, see *Polyborus plancus*
Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 85–94, 580–598, 732–738
Carduelis pinus, 485–500, 580–598
 tristis, 85–94, 148–155, 580–598
Carib, Green-throated, see *Eulampis holose-riceus*
 Purple-throated, see *Eulampis jugularis*
Carpodacus mexicanus, 349, 549–551
 purpureus, 580–598
Casmerodius albus, 143, 220–243, 501–515, 656–669, 674–697
 Cassin, John, *Illustrations of the birds of California, Texas, Oregon, British and Russian America*, reviewed, 772
cat, domestic, see *Felix domesticus*
Catbird, Black, see *Melanoptila glabrirostris*
 Gray, see *Dumetella carolinensis*
Cathartes aura, 449
 burrovianus, 699–718
Catharus fuscescens, 580–598, 699–718
 guttatus, 580–598, 699–718
 minimus, 580–598
 ustulatus, 580–598
 Caton, Elaine L., B. Riley McClelland, David A. Patterson, and Richard E. Yates, *Characteristics of foraging perches used by breeding Bald Eagles in Montana*, 136–142
Catoptrophorus semipalmatus, 220–243, 306, 307, 674–697
Centrocercus urophasianus, 273
Centropus spp., 190
Cephus columba, 740
Cercibis oxycerca, 1–21 (Frontispiece)
Cercomacra tyrannina, 699–718
Certhia americana, 580–598
Ceryle alcyon, 220–243, 674–697
Chachalaca, Plain, see *Ortalis vetula*
Chaetura vauxi, 62
 Chandler, Robert M., *Recent advances in the study of Neocene fossil birds. I. Fossil birds of the San Diego Formation, Late Pliocene, Blancan, San Diego, California*, reviewed, 384–386
 Chandler, Sheri K., see Buehler, David A., ———, Timothy J. Mersmann, James D. Fraser, and Janis K. D. Seegar
Charadrius alexandrinus, 220–243, 674–697, 704
 melodus, 155–161, 699–718
 semipalmatus, 220–243, 674–697, 699–718
 vociferus, 85–94, 220–243, 656–669, 674–697
 wilsonia, 220–243, 674–697, 704
 Chat, Red-breasted, see *Granatellus venustus*
 Rose-breasted, see *Granatellus pelzelni*

- Chavez-Ramierz, Felipe, and McAlister Dowd, Arthropod feeding by two Dominican hummingbird species, 743–747
- Chen caerulescens, 220–243
caerulescens atlantica, 352–356
- Chickadee, Black-capped, see *Parus atricapillus*
Carolina, see *Parus carolinensis*
Mountain, see *Parus gambeli*
- chipmunk, eastern, see *Tamias striatus*
- Chiroxiphia caudata, 172
linearis, 171, 172
- Chlamydotis undulata, 190
- Chlorophanes spiza, 361
- Chlorophonia, Blue-crowned, see *Chlorophonia occipitalis*
- Chlorophonia occipitalis, 699–718
- Chlorospingus ophthalmicus, 62
ophthalmicus wetmorei, 699
- Chlorothraupis carmioli, 177
- Chondestes grammacus, 85–94, 699–718
- Chondrohierax uncinatus, 699–718
- Chordeiles gundlachii, 220–243, 674–697
minor, 85–94, 699–718
- Choriotis nigriceps, 190
- Chrysoptilus punctigula, 67
- Chuck-will's-widow, see *Caprimulgus carolinensis*
- Ciccaba nigrolineata, 699–718
- Circus cyanea, 298, 307, 366, 449, 522, 674–697
- Cistothorus palustris, 520, 699–718
platensis, 520
- Clark, Larry, see Norman, Donald M., J. Russell Mason, and ———
- Clark, William S., and Richard C. Banks, The taxonomic status of the White-tailed Kite, 571–579
- Clemmons, Janine R., and Marcel M. Lambrechts, The waving display and other nest site anti-predator behavior of the Black-capped Chickadee, 749–756
- Cloutier, Sylvie, and Jean Bédard, Social organization in Snow Geese: family size and individual behavior, 352–356
- Clupea harengus, 740
- coati, see *Nasica nasua*
- Coccyzus americanus, 85–94, 674–697
erythrophthalmus, 163
minor, 220–243, 656–669, 674–697, 699–718
- Cochlearius cochlearius, 501–515
- Cockatoo, Carnaby's, see *Calyptorhynchus funereus latirostris*
Red-tailed Black, see *Calyptorhynchus magnificus*
White-tailed Black, see *Calyptorhynchus funereus latirostris*
- Coereba flaveola, 220–243, 656–669, 674–697
- Colaptes auratus, 85–94
auratus auratus, 580–598
- Colinus virginianus, 85–94
- Columba leucocephala, 220–243, 656–669, 674–698
livia, 220–243, 549, 550, 656–669, 674–697
palumbus, 547
squamosa, 656–669, 695
- Columbina minuta, 699–718
- passerina, 220–243, 357–359, 656–669, 674–697, 699–718
- community
influence of habitat variables on, 295–311
seasonal dynamics of wetland populations, 148–155
- conservation
of endemic land birds of Henderson Island, 32–43
- Contopus borealis, 580–598, 699–718
virens, 580–598, 674–697
- Contreras-Balderas, Armando Jesus, Second record of the Flammulated Owl in Nuevo Leon, Mexico, 375
- Cook, F., and P. A. Buckley, eds., Avian genetics: a population and ecological approach, reviewed, 376–379
- Cooper, John M., see Campbell, R. Wayne, Neil K. Dawe, Ian McTaggart-Cowan, ———, Gary Kaiser, and Michael C. E. McNall
- Coot, American, see *Fulica americana*
- Coquette, Rufous-crested, see *Lophornis delattrei*
Short-crested, see *Lophornis brachylopha*
- Cormorant, Double-crested, see *Phalacrocorax auritus*

- Olivaceous, see *Phalacrocorax brasilianus* [olivaceus]
 Pelagic, see *Phalacrocorax pelagicus*
Corvus brachyrhynchos, 159, 160, 165, 166, 185–187, 732–738
corax, 105–121, 462–471, 522
corone, 186
leucognaphalus, 363
nasicus, 695
ossifragus, 26, 186, 306
Cotinga amabilis, 699–718
Cotinga, Lovely, see *Cotinga amabilis*
Coturnix coturnix, 162, 166, 521
 Cowbird, Brown-headed, see *Molothrus ater*
 Cox, Guy, see Parker, T. A., III, John Bates, and ———
 coyote, see *Canis latrans*
 Craig, Robert J., and John S. Barclay, Seasonal dynamics of bird populations in small New England wetlands, 148–155
 Craig, Robert J., and Kathleen G. Beal, The influence of habitat variables on marsh bird communities of the Connecticut River estuary, 295–311
 Crake, Henderson Island, see *Porzana atra*
Ruddy, *Laterallus ruber*
White-browed, see *Poliolimnas cinereus*
Yellow-breasted, see *Prozana flaviventer*
 Crane, Florida Sandhill, see *Grus canadensis pratensis*
Greater Sandhill, see *Grus canadensis tabida*
 Creeper, Brown, see *Certhia americana*
Crotophaga ani, 220–243, 656–669, 674–697
 Croxall, J. P., ed., Seabird status and conservation: a supplement, reviewed, 770
 Crow, American, see *Corvus brachyrhynchos*
Carrion, see *Corvus corone*
Cuban, see *Corvus nasicus*
Fish, see *Corvus ossifragus*
White-necked, see *Corvus leucognaphalus*
Crypturellus boucardi, 373
 Cuckoo, Black-billed, see *Coccyzus erythrophthalmus*
Mangrove, see *Coccyzus minor*
Pheasant, see *Dromococcyx phasianellus*
Squirrel, see *Piaya cayana*
Yellow-billed, see *Coccyzus americanus*
 cuckoo, see *Centropus* spp.
 Curassow, Horned, see *Pauxi unicornis*
 Curlew, Long-billed, see *Numenius americanus*
 Curnutt, John L., Dynamics of a year-round communal roost of Bald Eagles, 536–540
 Curtis, D. J., E. M. Bagna, and M. A. Curtis, eds., Birds and pastoral agriculture in Europe, reviewed, 569
 Curtis, M. A., see Curtis, D. J., E. M. Bagna, and ———
 Cuthbert, Francesca, see Powell, Abby N., and ———
Cyanerpes cyaneus, 699–718
Cyanocitta cristata, 85–94, 165, 166, 186, 580–598, 732–738, 750, 754
Cyanocorax dickeyi, 207
mystacalis, 207
Cyanolyca argentigula, 63, 207
mirabilis, 62, 63, 207
Cygnus olor, 307
Cymatogaster aggregata, 740
Cypseloides cherriei, 56–60
cryptus, 56–61, 207
fumigatus, 56–61
major, 58, 59
niger, 55–64
rutilus, 56–62
senex, 58–60
storeri, sp. nov., 55–64, 207
 Dacnis, Black-faced, see *Dacnis lineata*
Blue, see *Dacnis cayana*
Dacnis cayana, 361
lineata, 361
 Davis, William E., Jr., reviews by, 563–564, 565–566
 Dawe, Neil K., see Campbell, R. Wayne, ———, Ian McTaggart-Cowan, John M. Cooper, Gary Kaiser, and Michael C. E. McNall
 Day, Nicolas, see Simpson, Ken, and ———
 De Cruz, Justine B., review by, 770
 deer, white-tailed, see *Odocoileus virginianus*
 Del Rio, Carlos Martinez, Great Shrike-Tyrant predation on a Green-backed Firecrown, 368–369
 DeLong, Colleen A., see Yahner, Richard H., and ———
 DeLotelle, Roy S., and Robert J. Epting, Re-

- production of the Red-cockaded Woodpecker in central Florida, 285–294
- Deltarhynchus flammulatus*, 62
- de Montes, Barbara M., see Howell, Steve N. G., Sophie Webb, and ———
- Dendragapus canadensis*, 268
- obscurus, 268, 280
- Dendrocincla anabatina*, 699–718
- Dendrocolaptes platyrostris*, 373
- Dendrocygna arborea*, 220–243, 674–697
- bicolor, 674–697, 699–718
- viduata, 16
- Dendroica angelae*, 362–365
- caerulescens, 363, 580–598, 674–697, 699–718
- castanea, 220–243, 580–598, 699–718
- cerulea, 699–718
- coronata, 485–500, 674–697, 732–738
- coronata coronata, 580–598
- discolor, 220–243, 370, 674–697, 699–718
- dominica, 674–697
- fusca, 580–598, 699–718
- magnolia, 580–598, 674–697
- palmarum, 220–243, 674–697, 699–718
- palmarum palmarum, 580–598
- petechia, 85–94, 220–243, 485–500, 580–598, 656–669, 674–697
- pensylvanica, 163, 580–598, 699–718
- striata, 220–243, 580–598, 674–697
- tigrina, 580–598, 674–697, 699–718
- virens, 580–598
- Dickcissel, see *Spiza americana*
- Didelphis albiventris*, 419–420
- diet
 - arthropod feeding by *Eulampis jugularis* and *Eulampis holosericeus*, 743–747
 - capsaicin effects on consumption of food by *Bombycilla cedrorum* and *Cardacus mexicanus*, 549–551
 - of *Strix occidentalis lucida* in Arizona, 321–326
- Dinsmore, James J., see Schaefer, Joseph M., and ———
- disease control
 - use of *Numida meleagris* for deer tick, the vector of Lyme disease, 342–345
- dispersal
 - in *Accipiter cooperii*, 182–184
- distribution
 - avian diversity of tallgrass prairie community, 85–94
 - of birds of the Exumas, Bahamas Islands, 674–697
 - of birds of Long Island, Bahamas, 220–243
 - of birds of the Sierra de Los Tuxtlas, Mexico, 699–718
 - of breeding *Arenaria melanocephala*, 122–135
 - of colonial waterbirds in the Sian Ka'an Biosphere Reserve, Mexico, 501–515
 - of middle American *Thaluranina* spp., 205–219
- Dittman, Donna L., review by, 764–767
- diversity
 - density independent factors in tallgrass prairie communities, 85–94
- Dolichonyx oryzivorus*, 349, 524
- Donahue, Paul K., see Wood, Teresa M., Frank Gallo, and ———
- Douglas, David C., John T. Ratti, R. Allen Black, and J. Richard Alldredge, Avian habitat associations in riparian zones of Idaho's Centennial Mountains, 485–500
- Dove, Mourning, see *Zenaida macroura*
- Rock, see *Columba livia*
- White-tipped, see *Leptotila verreauxi*
- White-winged, see *Zenaida asiatica*
- Zenaida*, see *Zenaida aurita*
- Dowd, McAlister, see Chavez-Ramirez, Felipe, and ———
- dowitcher, see *Limnodromus* sp.
- Dowitcher, Short-billed, see *Limnodromus griseus*
- Downer, Randall, see Duffy, David Cameron, ———, and Christie Brinkley
- Dromococcyx phasianellus*, 699–718
- Dryocopus pileatus*, 732–738
- Duck, Mottled, see *Anas fulvigula*
- Ring-necked, see *Aythya collaris*
- Ruddy, see *Oxyura jamaicensis*
- Wood, see *Aix sponsa*
- Ducula* sp., 32, 40
- Duffy, David Cameron, Randall Downer, and Christie Brinkley, The effectiveness of Helmeted Guineafowl in the control of the deer tick, the vector of Lyme disease, 342–345

- Duffy, Katharine, and Paul Kerlinger, Autumn owl migration at Cape May Point, New Jersey, 312–320
- Dumetella carolinensis*, 85–94, 148–155, 163, 220–243, 520, 580–598, 674–697
- Dwyer, Nancy C., and George W. Tanner, Nesting success in Florida Sandhill Cranes, 22–31
- Eagle, Bald, see *Haliaeetus leucocephalus*
- Black-and-chestnut, see *Oroaetus isidori*
- Golden, see *Aquila chrysaetos*
- Solitary, see *Harpyhaliaetus solitarius*
- Eagle-Owl, Northern, see *Bubo bubo*
- ecology
of wintering *Seiurus noveboracensis*, *Protonotaria citrea*, and *Setophaga ruticilla*, 400–412
- eel, common, see *Anguilla anguilla*
- egg
destruction by *Sturnella magna*, 520–525
of *Entomodestes coracinus*, 551–552
of *Grallaria rufula*, 759–760
- Egret, Cattle, see *Bulbulcus ibis*
- Great, see *Casmerodius albus*
- Reddish, see *Egretta rufescens*
- Snowy, see *Egretta thula*
- Egretta caerulea*, 220–243, 501–515, 656–669, 674–697
rufescens, 220–243, 501–515, 674–697
thula, 143, 220–243, 501–515, 674–697
tricolor, 220–243, 501–515, 674–697
- Eira varma*, 357
- Elaenia*, Caribbean, see *Elaenia martinica*
- Elaenia martinica*, 656–669
- Elanus axillaris* [notatus], 571–579
caeruleus, 449, 571–579 (Frontispiece)
hypoleucus, 575
leucurus, 571–579 (Frontispiece)
scriptus, 571–579
- Empidonax albigularis*, 699–718
alnorum, 699–718
flaviventris, 580–598
flavescens imperturbatus, 699–718
minimus, 580–598
traillii, 485–500, 699–718
“*traillii*” spp., 580–598
virescens, 696, 699–718, 732–738
- endangered species
*Acrocephalus luscini*a, 44–54
- Engel, Kathleen A., and Leonard S. Young, Daily and seasonal activity patterns of Common Ravens in southwestern Idaho, 462–471
- Engel, Kathleen A., Leonard S. Young, Karen Steenhof, Jerry A. Roppe, and Michael N. Kochert, Communal roosting of Common Ravens in southwestern Idaho, 105–121
- Ens, B. J., T. Piersma, W. J. Wolff, and L. Zwarts, eds., Homeward bound: problems waders face when migrating from Banc D’Arguin, Mauritania, to their northern breeding grounds in spring, reviewed, 761–772
- Entomodestes coracinus*, 551–552
- Epting, Robert J., see DeLotelle, Roy S., and ———
- Érard, Christian, Écologie et comportement des gobe-mouches (Aves: Muscicapinae, Platysteirinae, Monarchinae) du nord-est du Gabon, 197–199, reviewed
- Eremophila alpestris*, 521
- Erinaceus europaeus*, 366
- Escalante, P., B. Patricia, see Navarro S., Adolfo G., A. Townsend Peterson, ———, and Hesiquio Benitez D.
- Escalante-Pliego, Patricia, and A. Townsend Peterson, Geographic variation and species limits in middle American woodnymphs (Thalaurania), 205–219
- Eudocimus albus*, 1–21 (Frontispiece), 501–515
ruber, 1–21 (Frontispiece)
- Eulampis holosericeus*, 656–669, 743–747
jugularis, 743–747
- Eupherusa poliocerca*, 62
- Eupodotis hartlaubi*, 190
ruficrista, 190–192
- Euthlypis lachrymosa*, 699–718
- Falco columbarius*, 183, 220–243, 333, 334, 449, 674–697
deiroleucus, 699–718
femoralis, 78–79
mexicanus, 115, 333–338, 449
peregrinus, 220–243, 449, 577, 674–697, 699–718
rufigularis, 368

- sparverius, 220–243, 334, 449, 656–669, 674–697
- tinnunculus, 334
- Falcon, Aplomado, see *Falco femoralis*
- Bat, see *Falco rufigularis*
- Orange-breasted, see *Falco deiroleucus*
- Peregrine, see *Falco peregrinus*
- Prairie, see *Falco mexicanus*
- Falzone, Celia K., First observations of chick carrying behavior by the Buff-crested Bustard, 190–192
- fat reserves
 - of *Morus capensis* chicks, 644–655
- Felix domesticus, 102, 754
- ferret, see *Mustelo furo*
- Finch, Darwin's Medium Ground, see *Geospiza fortis*
 - House, see *Carpodacus mexicanus*
 - Laysan, see *Telespyza cantans*
 - Nihoa, see *Telespyza ultima*
 - Purple, see *Carpodacus purpureus*
 - Saffron, see *Sicalis flaveola*
- Fire-eye, White-shouldered, see *Pyrglena leucoptera*
- Firecrown, Green-backed, see *Sephanoides sephanoides*
- Fish, Allen M., see Hall, Linnea S., ———, and Michael L. Morrison
- Flamingo, Greater, see *Phoenicopterus ruber*
- Flicker, Northern, see *Colaptes auratus*
 - Yellow-shafted, see *Colaptes auratus auratus*
- Florisuga mellivora, 699–718
- Flycatcher, Acadian, see *Empidonax virescens*
 - Alder, see *Empidonax alnorum*
 - Dusky-capped, see *Myiarchus tuberculifer*
 - Flammulated, see *Deltarhynchus flammulatus*
 - Great Crested, see *Myiarchus crinitus*
 - La Sagra's, see *Myiarchus sagrae*
 - Least, see *Empidonax minimus*
 - Ochre-bellied, see *Mionectes oleagineus*
 - Olive-sided, see *Contopus borealis*
 - Pileated, see *Xenotriccus mexicanus*
 - Scissor-tailed, see *Tyrannus forficatus* [*Muscivora forficata*]
 - Sepia-capped, see *Leptopogon amaurocephalus*
 - Slaty-capped, see *Leptopogon superciliosus*
 - Sulphur-rumped, see *Myiobius sulphureipygius*
 - White-throated, see *Empidonax albigularis*
 - Willow, see *Empidonax trailii*
 - Yellow-bellied, see *Empidonax flaviventris*
 - Yellowish, see *Empidonax flavescens imperturbatus*
- flycatcher, "Traill's," see *Empidonax traillii* spp.
- Foliage-gleaner, Rufous-rumped, see *Phylodorus erythrocercus*
- foraging
 - behavior
 - of *Brachyramphus marmoratus* in mixed-species feeding flocks, 738–743
 - of *Bulbulcus ibis*, 142–148
 - of *Eulampis jugularis* and *Eulampis holosericeus*, 743–747
 - of *Frallaria kaestneri*, sp. nov., 389–399
 - of *Gavia immer* as related to feeding of chicks, 184–185
 - of wintering *Seiurus noveboracensis*, *Protonotaria citrea*, and *Setophaga ruticilla*, 400–412
 - Saltator maximus* eats army ants, 373–374
 - ecology
 - of neotropical ibises in Venezuela, 1–21
- Forest-Falcon, Collared, see *Micrastur semitorquatus*
- Forpus passerinus, 65–84
- Fraser, James D., see Buehler, David A., Sheri K. Chandler, Timothy J. Mersmann, ———, and Janis K. D. Seegar
- Frederick, Peter C., and Keith L. Bildstein, Foraging ecology of seven species of Neotropical ibises (*Threskiornithidae*) during the dry season in Llanos Venezuela, 1–21
- Fregata magnificens, 220–243, 501–515, 656–669, 674–697
- Fregetta tropica, 727

- Frigatebird, Magnificent, see *Fregata magnificens*
- Fruit-Dove, Henderson Island, see *Ptilonopus insularis*
- Fulica americana, 220–243, 552–553, 674–697
- Gallicolumba sp., 32
- Gallinago gallinago, 485–500, 699–718
- Gallinula chloropus, 51, 656–669, 674–697, 699–718
- spp., 190
- Gallinule, Purple, see *Porphyryla martinica*
- gallinule, see *Gallinula* spp.
- Gallo, Frank, see Wood, Teresa M., ———, and Paul K. Donahue
- Ganey, Joseph L., Food habits of Mexican Spotted Owls in Arizona, 321–326
- Gannet, Cape, see *Morus capensis*
- Northern, see *Sula bassanus*
- Gavia actica, 185
- adamsii, 185
- immer, 184–185, 740
- pacifica, 185, 740
- stellata, 185
- Gentry, Alwyn H., ed., Four Neotropical rainforests, reviewed, 195–197
- geographic variation
- of middle American *Thaluranina* spp., 205–219
- of *Sitta carolinensis*, 599–611
- of *Tyrannus tyrannus*, 612–629
- Geospiza fortis, 519
- Geothlypis rostrata, 241
- trichas, 85–94, 148–155, 163, 220–243, 485–500, 580–598, 674–697
- Geotrygon chrysis, 220–243, 674–697
- lawrencii carrikeri, 699
- montana, 666, 667
- mystacea, 656–669
- Giesen, Kenneth M., and Clait E. Braun, Winter home range and habitat characteristics of White-tailed Ptarmigan in Colorado, 263–272
- Gill, Robert E., Jr., see Handel, Colleen M., and ———
- Glass, Phil O., see Reichel, James D., Gary J. Wiles, and ———
- Glaucidium jadinii, 176
- minutissimum, 699–718
- nanum, 368
- Glaucornis sabrinus, 324
- Glyphorhynchus spirurus, 699–718
- Gnatcatcher, Blue-gray, see *Poliophtila caerulea*
- Tropical, see *Poliophtila plumbea*
- Gochfeld, Michael, see Burger, Joanna, and ———
- Goldeneye, Common, see *Bucephala clangula*
- Goldentail, Blue-throated, see *Hylocharis eliciae*
- Goldfish, American, see *Carduelis tristis*
- Goose, Bar-headed, see *Anser indicus*
- Canada, see *Branta canadensis*
- Greater Snow, see *Chen caerulescens atlantica*
- Greater White-fronted, see *Anser albifrons*
- Snow, see *Chen caerulescens*
- gopher, pocket, see *Thomomys* spp.
- Goshawk, Northern, see *Accipiter gentilis*
- Grackle, Common, see *Quiscalus quiscula*
- grackle, see *Quiscalus mexicanus* and *Quiscalus quiscula*
- Grallaria alleni, 393, 398
- bangsi, 389–399
- blakei, 398
- carrikeri, 398
- eludens, 398
- flavotincta, 398
- guatemalensis, 393
- hypoleuca, 398
- kaestneri, sp. nov., 389–399 (Frontispiece)
- milleri, 398
- quitensis, 398
- ruficapilla, 393, 396, 397
- rufula, 398, 759–760
- squamigera, 393
- Granatellus pelzelni, 63, 207
- venustus, 63, 207
- Grassquit, Black-faced, see *Tiaris bicolor*
- Graves, Gary R., A case of aggregated nest placement and probable polygyny in the Swainson's Warbler, 370–373
- Graves, Gary R., The endemic land birds of Henderson Island, southeastern Polynesia: notes on natural history and conservation, 32–43

- Grebe, Least, see *Tachybaptus dominicus*
 Pied-billed, see *Podilymbus podiceps*
 Greenlet, Tawny-crowned, see *Hylophilus ochraceiceps*
 Groiup, Paul D., Leo A. Batten, and John A. Norton, eds., *The conservation of lowland dry grassland birds in Europe*, reviewed, 569
 Grosbeak, Blue, see *Guiraca caerulea*
 Rose-breasted, see *Pheucticus ludovicianus*
 Ground-Dove, Common, see *Columbina passerina*
 Plain-breasted, see *Columbina minuta*
 Grouse, Blue, see *Dendragapus obscurus*
 Ruffed, see *Bonasa umbellus*
 Sage, see *Centrocercus urophasianus*
 Sharp-tailed, see *Tympanachus phasianellus*
 Spruce, see *Dendragapus canadensis*
 Grouse *canadensis pratensis*, 22–31
canadensis tabida, 25, 28
 Guillemot, Pigeon, see *Cephus columba*
 Guineafowl, Helmeted, see *Numida meleagris*
Guiraca caerulea, 85–94
 Gull, Bonaparte's, see *Larus philadelphia*
 California, see *Larus californicus*
 Franklin's, see *Larus pipixcan*
 Glaucous-winged, see *Larus glaucescens*
 Herring, see *Larus argentatus*
 Laughing, see *Larus atricilla*
 Mew, see *Larus canus*
 Ring-billed, see *Larus delawarensis*
Gymnorhina tibicen, 365–367
Gymnorhinus cyanocephalus, 185
Habia rubica, 174
 habitat
 associations in riparian zones of Idaho's Centennial Mountains, 485–500
 of nesting *Charadrius melodus*, 155–161
 of wintering *Lagopus leucurus*, 263–272
 perches of nonbreeding *Haliaeetus leucocephalus* on the northern Chesapeake Bay, 540–545
 selection influenced by nest cover in *Sizula pallida*, 525–529
 urban riparian strip corridors, 732–738
 use by *Aythya collaris* ducklings, 472–484
 use by foraging *Bulbulcus ibis*, 142–148
 variables influencing marsh bird communities, 295–311
Haematopus ostralegus, 366
palliatius, 220–243, 674–697
Haliaeetus leucocephalus, 136–142, 449, 536–540, 540–545
 Hall, George, reviews by, 199–202, 556, 772
 Hall, Linnea S., Allen M. Fish, and Michael L. Morrison, *The influence of weather on hawk movements in coastal northern California*, 447–461
 Hamel, Paul B., review by, 382
 Handel, Colleen M., and Robert E. Gill, Jr., *Breeding distribution of the Black Turnstone*, 122–135
 Harms, Kyle E., and Jorge A. Ahumada, *Observations of an adult hummingbird provisioning an incubating adult*, 369–370
Harpagus bidentatus, 699–718
 Harrier, Northern, see *Circus cyaneus*
 Harrington, Brian A., review by, 761–764
Haryphaliaetus solitarius, 699–718
 Hawk, Black-collared, see *Busarellus nigricollis*
 Broad-winged, see *Buteo platypterus*
 Cooper's, see *Accipiter cooperii*
 Ferruginous, see *Buteo regalis*
 Gray, see *Buteo nitidus*
 Red-shouldered, see *Buteo lineatus*
 Red-tailed, see *Buteo jamaicensis*
 Roadside, see *Buteo magnirostris*
 Rough-legged, see *Buteo lagopus*
 Savanna, see *Heterospizias mericionalis*
 Sharp-shinned, see *Accipiter striatus*
 Short-tailed, see *Buteo brachyurus*
 Swainson's, see *Buteo swainsoni*
 Tiny, see *Accipiter superciliosus*
 White-tailed, see *Buteo albicaudatus*
 Zone-tailed, see *Buteo albonotatus*
 Hawk-Eagle, Black, see *Spizaetus tyrannus*
 hedgehog, see *Erinaceus europaeus*
 Helleiner, Frederick M., review by, 558–559
Helmitheros vermivorus, 674–697
 Heron, Boat-billed, see *Cochlearius cochlearius*
 Great Blue, see *Ardea herodias*
 Great White, see *Ardea herodias occidentalis*
 Green-backed, see *Butorides striatus*

- Little Blue, see *Egretta caerulea*
 Tricolored, see *Egretta tricolor*
Herpestes auropunctatus, 364
 herring, Pacific, see *Clupea harengus*
Heterospizias meridionalis, 15
Himantopus mexicanus, 220–243, 656–669, 674–697
Hirundo pyrrhonota, 186, 639, 699–718
 rustica, 220–243, 639, 674–697, 699–718
 Holt, Denver W., Scott M. Melvin, and Brian Steele, Nestling growth rates of Short-eared Owls, 326–333
 Holthuijzen, Anthonie M. A., Frequency and timing of copulations in the Prairie Falcon, 333–338
 home range
 of wintering *Lagopus leucurus*, 263–272
 Honeycreeper, Green, see *Chlorophanes spiza*
 Red-legged, see *Cyanerpes cyaneus*
 Hötter, Hermann, ed., Waders breeding on wet grasslands, reviewed, 569
 Houle, Marcy Cottrell, Wings for my flight, reviewed, 199
 Howard, Richard, and Alick Moore, A complete checklist of the birds of the world, reviewed, 556
 Howell, Steven N. G., Sophie Webb, and Barbara M. de Montes, Colonial nesting of the Orange Oriole, 189–190
 Hummingbird, Antillean Crested, see *Orthorhynchus cristatus*
 Blue-throated, see *Lampornis clemenciae*
 Guerrero, see *Eupherusa poliocerca*
 Ruby-throated, see *Archilochus colubris*
 Hunter, William C., see Rosenberg, Kenneth V., Robert D. Ohmart, ———, and Bertin W. Anderson
 Hurd, Peter L., American Coot kills Yellow-headed Blackbird nestlings, 552–553
 hybridization
 Tyrannus forficatus × *Tyrannus verticalis* specimen from southwestern Oklahoma, 178–181
Hydrobates pelagicus, 727
Hylocharis eliciae, 699–718
Hylocichla mustelina, 163, 431, 516–520, 580–598, 674–697, 699–718
Hylophilus ochraceiceps, 174
 Ibis, Bare-faced, see *Phimosus infuscatus* (Frontispiece)
 Buff-necked, see *Theristicus caudatus* (Frontispiece)
 Glossy, see *Plegadis falcinellus* (Frontispiece)
 Green, see *Mesembrinibis cayennensis* (Frontispiece)
 White, see *Eudocimus albus* (Frontispiece)
 Scarlet, see *Eudocimus ruber* (Frontispiece)
 Sharp-tailed, see *Cercibis oxycerca* (Frontispiece)
Icterus auratus, 189–190
 cucullatus, 189, 699–718
 dominicensis, 189
 galbula, 85–94, 220–243, 674–697
 galbula galbula, 580–598
 spurius, 85–94, 190
 inbreeding
 in *Accipiter cooperii*, 182–184
 information for authors, 203–204
Irediparra gallinacea, 190
Ixobrychus exilis, 511
Jabiru mycteria, 507, 511
Jacana, African, see *Actophilornis africana*
 Jacobin, White-necked, see *Florisuga mellivora*
 Jaeger, parasitic, see *Stercorarius parasiticus*
 James, Ross D., Annotated checklist of the Birds of Ontario, reviewed, 558–559
 Jay, Blue, see *Cyanocitta cristata*
 Piñon, see *Gymnorhinus cyanocephalus*
 Scrub, see *Aphelocoma coerulescens*
 Silver-throated, see *Cyanolyca argentigula*
 Tufted, see *Cyanocorax dickeyi*
 White-tailed, see *Cyanocorax mystacalis*
 White-throated, see *Cyanolyca mirabilis*
 Jehl, J. R., Jr., review by, 194–195
Junco hyemalis, 485–500, 699–718
 phaeonorhynchus, 470
Junco, Dark-eyed, see *Junco hyemalis*
 Yellow-eyed, see *Junco phaeonorhynchus*
 Kaiser, Gary, see Campbell, R. Wayne, Neil K. Dawe, Ian McTaggart-Cowan, John M. Cooper, ———, and Michael C. McNall
 Kaiser, Gary W., see Mahon, Todd E., ———, and Alan E. Burger
 Kerlinger, Paul, see Duffy, Katharine, and ———

- Kestrel, American, see *Falco sparverius*
 Eurasian, see *Falco tinnunculus*
 Killdeer, see *Charadrius vociferus*
 Kingbird, Cassin's, see *Tyrannus vociferans*
 Couch's, see *Tyrannus couchii*
 Eastern, see *Tyrannus tyrannus*
 Gray, see *Tyrannus dominicensis*
 Loggerhead, see *Tyrannus caudifasciatus*
 Tropical, see *Tyrannus melancholicus*
 Western, see *Tyrannus verticalis*, 178
 Kingfisher, Belted, see *Ceryle alcyon*
 Kinglet, Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
 Kite, Australian Black-shouldered, see *Elanus axillaris*
 Black-shouldered, see *Elanus caeruleus*
 Double-toothed, see *Harpagus bidentatus*
 Hook-billed, see *Chondrohierax uncinatus*
 Letter-winged, see *Elanus scriptus*
 Snail, see *Rostrhamus sociabilis*
 White-tailed, see *Elanus leucurus*
 Kittiwake, Black-legged, see *Rissa tridactyla*
 Knot, Red, see *Callidris canutus*
 Kochert, Michael N., see Engel, Kathleen A.,
 Leonard S. Young, Karen Steenhof,
 Jerry A. Roppe, and ———
 Kricher, John C., review by, 195–197
 Lagopus leucurus, 263–272
 Lambrechts, Marcel M., see Clemmons, Ja-
 nine R., and ———
 Lampornis clemenciae, 369
 lance, sand, see *Ammodytes hexapterus*
 Lanius excubitor, 747–749
 ludovicianus, 85–94, 95–104, 696, 699–
 718, 747–749
 Lapwing, Spur-winged, see *Vanellus spinosa*
 Lark, Horned, see *Eremophila alpestris*
 Larus argentatus, 156, 159, 220–243, 674–
 697
 atricilla, 220–243, 656–669, 674–697
 californicus, 258, 740
 canus, 740
 delawarensis, 156, 220–243
 glaucescens, 738–743
 philadelphia, 220–243, 740
 pipixcan, 699–718
 Laterallus jamaicensis, 296
 ruber, 699–718
 Leasure, Shawne M., see Marks, Jeffrey S.,
 and ———
 Lefebvre, Gaetan, Brigitte Poulin, and Ray-
 mond McNeil, Abundance, feeding
 behavior, and body condition of Ne-
 arctic warblers wintering in Venezu-
 elan mangroves, 400–412
 Leistes militaris, 345, 349
 superciliaris, 345–352
 Leptopogon amaurocephalus, 699–718
 superciliaris, 174, 177
 Leptotila verreauxi, 357–359
 Limnodramus griseus, 220–243, 674–697,
 705
 sp., 699–718
 Limnithlypis swainsonii, 370–373, 699–718
 Limpkin, see *Aramus guarauna*
 Littlefield, Carroll D., Birds of Malheur Na-
 tional Wildlife Refuge, Oregon, re-
 viewed, 381–382
 Loon, Arctic, see *Gavia arctica*
 Common, see *Gavia immer*
 Pacific, see *Gavia pacifica*
 Red-throated, see *Gavia stellata*
 Yellow-billed, see *Gavia adamsii*
 Lopez-Ornat, Arturo, and Cristina Ramo,
 Colonial waterbird populations in the
 Sian Ka'an biosphere reserve (Quin-
 tana Roo, Mexico), 501–515
 Lophornis brachylopha, 63
 delattrei, 63
 Lophostrix cristata, 699–718
 Lorikeet, Stephen's, see *Vini stepheni*
 Lotus-bird, see *Irediparra gallinacea*
 Loxigilla violacea, 220–243, 674–697
 portoricensis grandis, 667
 Lutra canadensis, 26
 Lynx rufus, 26
 Macaw, Military, see *Ara militaris*
 MacKenzie, David I., see Van Wynsberghe,
 Nicole R., James D. Rising, and
 ———
 Magpie, Australian, see *Gymnorhina tibicen*
 Black-billed, see *Pica pica*
 Magpie-Jay, Black-throated, see *Calocitta
 collei*
 Mahon, Todd E., Gary W. Kaiser, and Alan
 E. Burger, The role of Marbled
 Murrelets in mixed-species feeding
 flocks in British Columbia, 738–743

- Mallard, see *Anas platyrhynchos*
- Manacus candei*, 172
 manacus, 172
 vitellinus, 171
- Manakin, Blue-crowned, see *Pipra coronata*
- Golden-collared, see *Manacus vitellinus*
- Helmeted, see *Antilophia galeata*
- Long-tailed, see *Chiroxiphia linearis*
- Red-capped, see *Pipra mentalis*
- Thrush-like, see *Schiffornis turdinus*
- Swallow-tailed, see *Chiroxiphia caudata*
- White-bearded, see *Manacus manacus*
- White-collared, see *Manacus candei*
- Margarops fuscatus*, 220–243, 363, 656–669, 674–697
- Marini, Miguel Â., Notes on the breeding and reproductive biology of the Helmeted Manakin, 168–173
- Marks, Jeffrey S., and Shawne M. Leasure, Breeding biology of Tristram's Storm-Petrel of Laysan Island, 719–731
- Marmosa robinsoni*, 77
- Marmota monax*, 522
- Martella, Mónica, see Navarro, Joaquín, ———, and Enrique H. Bucher
- Martin, Purple, see *Progne subis*
- Mason, J. Russell, see Norman, Donald M., ———, and Larry Clark
- Maxson, Stephen J., and Richard M. Pace, III, Diurnal time-activity budgets and habitat use of Ring-necked Duck ducklings in northcentral Minnesota, 472–484
- McClland, B. Riley, see Caton, Elaine L., ———, David A. Patterson, and Richard E. Yates
- McNall, Michael C. E., see Campbell, R. Wayne, Neil K. Dawe, Ian McTaggart-Cowan, John M. Cooper, Gary Kaiser, and ———
- McNeil, Raymond, see Lefebvre, Gaetan, Brigitte Poulin, and ———
- McPeck, Gail A., see Brewer, Richard, ———, and Raymond J. Adams, Jr.
- McTaggart-Cowan, Ian, see Campbell, R. Wayne, Neil K. Dawe, ———, John M. Cooper, Gary Kaiser, and Michael C. E. McNall
- Meadowlark, Eastern, see *Sturnella magna*
- Lesser Red-breasted, see *Sturnella defilippi*
- Long-tailed, see *Sturnella loyca*
- Peruvian Red-breasted, see *Sturnella bellicosus*
- Western, see *Sturnella neglecta*
- Melanerpes carolinus*, 85–94, 290, 580–598, 732–738
 erythrocephalus, 85–94
 superciliaris, 695
- Melanitta perspicillata*, 740
- Melanoptila glabrirostris*, 189
- Melospiza undulatus*, 67, 79, 81
- Melospiza georgiana*, 148–155, 580–598
 lincolnii, 485–500, 580–598
 melodia, 148–155, 485–500, 580–598
- Melvin, Scott M., see Holt, Denver W., ———, and Brian Steele
- Mephitis mephitis*, 522
- Merganser, Common, see *Mergus merganser*
- Red-breasted, see *Mergus serrator*
- Mergus merganser*, 740
 serrator, 674–697
- Merlin, see *Falco columbarius*
- Mersmann, Timothy J., see Buehler, David A., Sheri K. Chandler, ———, James D. Fraser, and Janis K. D. Seegar
- Mesembrinibis cayennensis*, 1–21 (Frontispiece)
- Micrastur semitorquatus*, 357, 358
- Microtus longicaudus*, 324
 mexicanus, 324
 spp., 322, 323
 migration
 of owls at Cape May Point, New Jersey during autumn, 312–320
 of woodland birds at a fragmented inland site, 580–598
- Mimus gundlachii*, 220–243, 674–697
 polyglottus, 220–243, 656–669, 674–697, 699–718
- Mionectes oleagineus*, 699–718
- Mitchell, Andrew, The fragile South Pacific: an ecological odyssey, reviewed, 565–566
- Mitchell, Donna, review by, 199
- Mniotilta varia*, 220–243, 580–598, 674–697
- Mockingbird, Bahama, see *Mimus gundlachii*
- Northern, see *Mimus polyglottus*
- mockingbird, Galapagos, see *Nesomimus spp.*

- Molothrus ater*, 85–94, 162, 166, 349, 485–500, 521, 580–598, 699–718
- mongoose, small Indian, see *Herpestes erpunctatus*
- Monroe, Burt L., Jr., see Sibley, Charles G., and ———
- Moore, Alick, see Howard, Richard, and ———
- Moorhen, Common, see *Gallinula chloropus*
- Mora, Miguel A., Habitat use by foraging Cattle Egrets in the Mexicali Valley, Baja California, 142–148
- Morizot, Donald C., see Thompson, Bruce C., Maureen E. Schmidt, Stuart W. Calhoun, ———, and R. Douglas Slack
- Morrison, Michael L., see Hall, Linnea S., Allen M. Fish, and ———
- mortality
 of young *Gymnorhina tibicen* on roads, 365–367
- Morus capensis*, 644–655
- mouse, deer, see *Peromyscus maniculatus*
 house, see *Mus musculus*
 white-footed, see *Peromyscus* spp.
- Munson, Erik S., Influence of nest cover on habitat selection in Clay-colored Sparrows, 525–529
- Murphy, Robert K., Long-eared Owl ingests nestlings' feces, 192–193
- Murrelet, Marbled, see *Brachyramphus marmoratus*
- Mus musculus*, 550
- Mustela furo*, 366
- Myadestes melanops*, 552
 ralloides, 552
- Mycteria americana*, 501–515
- Myiarchus crinitus*, 85–94, 580–598
 sagrae, 674–697
 tuberculifer, 67
- Myiobius sulphureipygius*, 699–718
- Myioborus miniatus molochinus*, 699
- Myiopsitta monachus*, 413–424, 545–549
- Myrmotherula axillaris*, 175
 behni, 176
 grisea, 173–178
 menetriesii, 175
 schisticolor, 176
- Nasica nasua*, 357
- natural history
 of endemic land birds of Henderson Island, 32–43
- Navarro S., Adolfo G., A. Townsend Peterson, B. Patricia Escalante P., and He-siquio Benítez D., *Cypseloides storeri*, a new species of swift from Mexico, 55–64
- Navarro, Joaquín, and Enrique H. Bucher, Annual variation in the timing of breeding of the Monk Parakeet in relation to climatic factors, 545–549
- Navarro, Joaquín, Mónica B. Martella, and Enrique H. Bucher, Breeding season and productivity of Monk Parakeets in Cordoba, Argentina, 413–424
- Navarro, René A., Body composition, fat reserves, and fasting capability of Cape Gannet chicks, 644–655
- Neotoma albigula*, 324
 mexicana, 324
 spp., 321–326
- Nesomimus* spp., 520
- nest
 aggregated placement in *Limnodynastes swainsonii*, 370–373
 of *Entomolestes coracinus*, 551–552
 of *Grallaria rufula*, 759–760
 of *Tangara chilensis*, 360–362
- nesting
 colonial
 of *Icterus auratus*, 189–190
- ecology
 of *Lanius ludovicianus*, 95–102
- provisioning
 of incubating *Threnetes ruckeri* by another adult, 369–370
- success
 of *Grus canadensis pratensis*, 22–31
- nestling
 growth rates of *Asio flammeus*, 326–333
 movement by *Corvus brachyrhynchos*, 185–187
- new journal
 Bird Conservation International, 202
- niche separation
 of seven species of ibises in Venezuela, 1–21
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*
 Yellow-crowned, see *Nycticorax violaceus*

- Nighthawk, Antillean, see *Chordeiles gundlachi*
 Common, see *Chordeiles minor*
 Nightjar, Lyre-tailed, see *Uropsalis lyra*
 Tawny-collared, see *Caprimulgus salavini*
 Noddy, Brown, see *Anous stolidus*
 Noreen, Eric W., Computer intensive methods for testing hypotheses, reviewed, 567–569
 Norman, Donald M., J. Russell Mason, and Larry Clark, Capsaicin effects on consumption of food by Cedar Waxwings and House Finches, 549–551
 Norton, John A., see Groiup, Paul D., Leo A. Batten, and ———
 Numenius americanus, 699–718
 phaeopus, 220–243
 Numida meleagris, 342–345, 656–669
 Nuthatch, Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
 Nycticorax nycticorax, 501–515
 violaceus, 220–243, 501–515, 674–697
 Nyctea scandiaca, 192, 330, 469
 Nyctiphrynus mcleodii, 62
 Oceanites oceanicus, 674–697, 727
 Oceanodroma castro, 726, 727, 729
 furcata, 726, 727
 homochroa, 727
 leucorhoa, 653, 729
 monorhis, 724
 tethys, 726, 727, 729
 tristrami, 719–731
 Odocoileus virginianus, 342
 Oehlenschläger, Richard J., see Winker, Kevin, ———, Mario A. Ramos, Robert M. Zink, John H. Rappole, and Dwain W. Warner
 Ohmart, Robert D., see Rosenberg, Kenneth V., ———, William C. Hunter, and Bertin W. Anderson
 Oporornis agilis, 580–598
 philadelphia, 580–598, 699–718
 tolmiei, 485–500, 699–718
 opossum, white-eared, see *Didelphis albiventris*
 Oraetus isidori, 176
 Oriole, Baltimore, see *Icterus galbula galbula*
 Black-cowled, see *Icterus dominicensis*
 Hooded, see *Icterus cucullatus*
 Northern, see *Icterus galbula*
 Orange, see *Icterus auratus*
 Orchard, see *Icterus spurius*
 Oropendola, Chestnut-headed, see *Psarocolius wagleri*
 Oropezus flavotincta, 393
 hypoleuca, 393
 rufula, 393
 rufocinerea, 393
 quitensis, 393
 Ortalis vetula, 699–718
 Orthorhynchus cristatus, 656–669, 745
 Oryctolagus cuniculus, 366
 Osprey, see *Pandion haliaetus*
 otter, river, see *Lutra canadensis*
 Otus asio, 750
 flammeolus, 375
 Ovenbird, see *Seiurus aurocapillus*
 Owl, Band-bellied, see *Pulsatrix melanota*
 Barn, see *Tyto alba*
 Black-and-white, see *Ciccaba nigrolineata*
 Burrowing, see *Athene cunicularia*
 Crested, see *Lophotrix cristata*
 Eastern Screech, see *Atus asio*
 Flammulated, see *Otus flammeolus*
 Great Gray, see *Strix nebulosa*
 Great Horned, see *Bubo virginianus*
 Long-eared, see *Asio otus*
 Marsh, see *Asio capensis*
 Mexican Spotted, see *Strix occidentalis lucida*
 Saw-whet, see *Aegolius acadicus*
 Short-eared, see *Asio flammeus*
 Snowy, see *Nyctea scandiaca*
 Spectacled, see *Pulsatrix perspicillata*
 Spotted, see *Strix occidentalis*
 Oxyura jamaicensis, 480, 674–697
 Oystercatcher, American, see *Haematopus palliatus*
 South Island Pied, see *Haematopus ostralegus*
 Pace, Richard M., III, see Maxson, Stephen J., and ———
 pairbond
 persistence and “divorce” in *Parus atricapillus*, 338–342
 Pandion haliaetus, 220–243, 296, 306, 307, 333, 334, 449, 674–697

- Panyptila sanctihieronymi*, 62
 Parakeet, Monk, see *Myiopsitta monachus*
 parasitism
 of artificial nests, 162–168
 of *Protocalliphora* larvae on *Sialia sialis*
 and *Tachycineta bicolor* nestlings,
 630–643
 Parker, T. A., III, John M. Bates, and Guy
 Cox, Rediscovery of the Bolivian Re-
 curvebill with notes on other little-
 known species of the Bolivian Andes,
 173–178
 Parkes, Kenneth C., review by, 195
 Parkes, Kenneth C., see Tyler, Jack D., and
 ———
 Parrot, Cuban, see *Amazona leucocephala*
 Brown-headed, see *Pionopsitta haemato-*
 tis
 Puerto Rican, see *Amazona vittata*
 Thick-billed, see *Rhynchospitta pachy-*
 rhyncha
 Parrotlet, Green-rumped, see *Forpus pas-*
 serinus
Parula americana, 220–243, 580–598, 674–
 697
Parula, Northern, see *Parula americana*
Parus atricapillus, 85–94, 338–342, 580–598,
 749–756
 bicolor, 85–94, 755
 caeruleus, 755
 carolinensis, 338, 755
 gambeli, 338, 485–500
 inornatus, 338
 major, 338, 754, 755
 montanus, 341
 palustris, 755
 spp., 547
Passer domesticus, 166
Passerculus sandwichensis, 220–243, 524,
 699–718
Passerina ciris, 674–697
 cyanea, 163, 220–243, 580–598, 674–697
 Patterson, David A., see Caton, Elaine L., B.
 Riley McClelland, ———, and Rich-
 ard E. Yates
 Paulson, Dennis R., review by, 556–558
Pauxi unicornis, 173
Pavo cristatus, 674–697
 Peafowl, Common, see *Pavo cristatus*
 Pelican, Brown, see *Pelecanus occidentalis*
Pelecanus occidentalis, 501–515, 656–669,
 674–697
 perch, shiner, see *Cymatogaster aggregata*
Peromyscus maniculatus, 550
 spp., 321–326
 Peterjohn, Bruce G., and Daniel L. Rice, The
 Ohio breeding bird atlas, reviewed,
 202
 Peterson, A. Townsend, see Escalante-Plie-
 go, Patricia, and ———
 Peterson, A. Townsend, see Navarro S.,
 Adolfo G., ———, B. Patricia Esca-
 lante P., and Hesiquio Benítez D.
Phacochoerus aethiopicus, 342
Phaethon lepturus, 220–243, 674–697
Phaethornis symmatophorus, 398
Phalacrocorax auritus, 220–243, 501–515,
 674–697
 brasilianus [*olivaceus*], 220–243, 501–515,
 674–697
 pelagicus, 740
Phalarope, Wilson's, see *Phalaropus tricolor*
Phalaropus tricolor, 696, 699–718
Phasianus colchicus, 85–94
 Pheasant, Ring-necked, see *Phasianus col-*
 chicus
Pheucticus ludovicianus, 580–598
Philetairus socius, 413
 Phillips, Allan R., The known birds of North
 and Middle America, reviewed, 764–
 767
Philodryas patagoniensis, 419–420
Philohela spp., 190
Philydor dimidiatus, 176
 erythrocercus, 174, 176
 lichtensteini, 176
 pyrrhodes, 176
Phimosus infuscatus, 1–21 (Frontispiece)
Phoca vitulina, 740
 Phoebe, Eastern, see *Sayornis phoebe*
 Say's, see *Sayornis saya*
Phoenicopterus ruber, 220–243, 501–515,
 674–697
Phoeniculus purpureus, 293
Phylloscartes ophthalmicus, 174, 176–177
Phylloscopus trochiloides, 430, 431
Piaya cayana, 373
Pica pica, 185–187

- Picman, Jaroslav, Egg destruction by Eastern Meadowlarks, 520–525
- Picoides borealis, 285–294
pubescens, 580–598
villosus, 580–598
- Piculus leucolaemus, 174
- Piersma, T., see Ens, B. J., ———, W. J. Wolff, and L. Zwarts
- pig, feral, see *Sus scrofa*
- Pigeon, Scaly-naped, see *Columba squamosa*
White-crowned, see *Columba leucocephala*
- Pintail, Northern, see *Anas acuta*
White-cheeked, see *Anas bahamensis*
- Pionopsitta haematotis, 699–718
- Pipilo erythrophthalmus, 85–94, 163
- Pipit, American, see *Anthus spinoletta*
- Pipra coronata, 171, 172
mentalis, 171, 172
- Piranga ludoviciana, 485–500
olivacea, 580–598
rubra, 220–243, 732–738
- Plegadis falcinellus, 1–21 (Frontispiece), 307, 511, 674–697
- Plover, Black-bellied, see *Pluvialis squatarola*
Lesser Golden, see *Pluvialis dominica*
Piping, see *Charadrius melodus*
Semipalmated, see *Charadrius semipalmatus*
Snowy, see *Charadrius alexandrinus*
Wilson's, see *Charadrius wilsonia*
- Pluvialis dominica, 220–243, 696
squatarola, 220–243, 674–697
- Podilymbus podiceps, 307, 656–669, 674–697
- Poliolimnas cinereus, 51
- Poliophtila caerulea, 220–243, 580–598
plumbea, 699–718
- Polyborus plancus, 15
- polygyny
in *Lanius ludovicianus*, 747–749
in *Limnithlypis swainsonii*, 370–373
- Poorwill, Eared, see *Nyctiphrynus mcleodii*
population
impact of Hurricane Hugo on St. Croix, U.S. Virgin Islands, 656–669
of colonial waterbirds in Sian Ka'an Biosphere Reserve, Mexico, 501–515
- Porphyryula martinica, 674–697
- Porzana atra, 32–43
carolina, 306
flaviventer, 699–718
- possum, brush-tailed, see *Trichosurus vulpecula*
- Poulin, Brigitte, see Lefebvre, Gactan, ———, and Raymond McNeil
- Powell, Abby N., and Francesca J. Cuthbert, Habitat and reproductive success of Piping Plovers nesting on Great Lakes islands, 155–161
- Power, Dennis M., ed., Current ornithology, Vol. 8, reviewed, 201–202
- Prairie-Chicken, Greater, see *Tympanuchus cupido*
Lesser, see *Tympanuchus pallidicinctus*
- predation
of *Agriornis livida* on *Sephaanoides sephaanoides*, 368–369
of *Fulica americana* on *Agelaius phoeniceus*, 552–553
on artificial nests and eggs, 162–168
- proceedings
seventy-third annual meeting, 773–789
- Procyon lotor, 26, 165, 522, 754
- Progne subis, 220–243, 307, 674–697
- Protonotaria citrea, 400–412, 674–697, 699–718
- Psarocolius wagleri, 699–718
- Ptarmigan, White-tailed, see *Lagopus leucurus*
- Pterodroma hypoleuca, 722, 728
- Ptilonopus insularis, 32–43
- Puffinus lherminieri, 220–243, 674–697
pacificus, 728
- Pulsatrix melanota, 176
perspicillata, 699–718
- Pygmy-Owl, Andean, see *Glaucidium jarrovi*
Austral, see *Glaucidium nanum*
Least, see *Glaucidium minutissimum*
- Pyrgilema leucoptera, 737
- Quail, Japanese, see *Coturnix coturnix*
- Quail-Dove, Bridled, see *Geotrygon mystacea*
Key West, see *Geotrygon chrysia*
Ruddy, see *Geotrygon montana*
- Quiscalus mexicanus, 102
quiscula, 85–94, 102, 118, 148–155

- rabbit, cottontail, see *Sylvilagus* spp.
 European, see *Oryctolagus cuniculus*
- raccoon, see *Procyon lotor*
- Rail, Black, see *Laterallus jamaicensis*
 Clapper, see *Rallus longirostris*
 King, see *Rallus elegans*
 Virginia, see *Rallus limicola*
- Rallus elegans*, 306, 307
limicola, 190
longirostris, 190, 220–243, 306, 307, 674–697
- Ramo, Christina, see Lopez-Ornat, Arturo, and ———
- Ramos, Mario A., see Winker, Kevin, Richard J. Oehlenschläger, ———, Robert M. Zink, John H. Rappole, and Dwain W. Warner
- Rappole, John H., see Winker, Kevin, Richard J. Oehlenschläger, Mario A. Ramos, Robert M. Zink, ———, and Dwain W. Warner
- rat, black, see *Rattus rattus*
 Norway, see *Rattus norvegicus*
 Pacific, see *Rattus exulans*
 roof, see *Rattus rattus*
- Ratti, John T., see Douglas, David C., ———, R. Allen Black, and J. Richard Alldredge
- Rattus exulans*, 41
norvegicus, 550
rattus, 41, 364
- Raven, Common, see *Corvus corax*
- records
 of little-known species of the Bolivian Andes, 173–178
- Recurvebill, Bolivian, see *Simoxenops striatus*
 Peruvian, see *Simoxenops ucayalae*
- Recurvirostra americana*, 699–718
- Redstart, American, see *Setophaga ruticilla*
- Reed-Warbler, Henderson Island, see *Acrocephalus taita*
 Nightingale, see *Acrocephalus luscinioides*
- Regulus calendula*, 580–598, 699–718
satrapa, 580–598
- Reichel, James D., Gary J. Wiles, and Phil O. Glass, Island extinctions: the case of the endangered Nightingale Reed-Warbler, 44–54
- Rendell, Wallace B., Peculiar behavior of a subadult female Tree Swallow, 756–759
- reproductive success
 of *Charadrius melodus* on Great Lakes islands, 155–161
- Rhodinocichla rosea*, 63
- Rhynchopsitta pachyrhyncha*, 79
- Rice, Daniel L., see Peterjohn, Bruce G., and ———
- Riparia riparia*, 696, 699–718
- Rising, James D., see Van Wynsberghe, Nicole R., ———, and David I. MacKenzie
- Rissa tridactyla*, 742
- Robbins, Samuel D., Jr., Wisconsin birdlife, population & distribution past & present, reviewed, 200–201
- Robin, American, see *Turdus migratorius*
- Robinson, John C., An annotated checklist of the birds of Tennessee, reviewed, 382
- Roby, Daniel D., Karen L. Brink, and Karin Wittmann, Effects of bird blowfly parasitism on Eastern Bluebird and Tree Swallow nestlings, 630–643
- roosting
 of *Corvus corax*, 105–121
 year-round in *Haliaeetus leucocephalus*, 536–540
- Roppe, Jerry A., see Engel, Kathleen A., Leonard S. Young, Karen Steenhof, ———, and Michael N. Kochert
- Rosenberg, Kenneth V., Robert D. Ohmart, William C. Hunter, and Bertin W. Anderson, Birds of the lower Colorado River Valley, reviewed, 379–381
- Rosenfield, Robert N., and John Bielefeldt, Natal dispersal and inbreeding in the Cooper's Hawk, 182–184
- Rostrhamus sociabilis*, 699–718
- Sabrewing, Long-tailed, see *Campylopterus curvipennis*
- Saltator, Buff-throated, see *Saltator maximus*
- Saltator maximus*, 373–374
- Salathé, T., ed., Conserving migratory birds, reviewed, 767–768
- Sanderling, see *Calidris alba*
- Sandpiper, Baird's, see *Calidris bairdii*
 Least, see *Calidris minutilla*

- Pectoral, see *Calidris melanotos*
 Semipalmated, see *Calidris pusilla*
 Solitary, see *Tringa solitaria*
 Spotted, see *Actitis macularia*
 Stilt, see *Calidris himantopus*
 Upland, see *Bartramia longicauda*
 Western, see *Calidris mauri*
 sandpiper, see *Actitis* spp.
 Sapsucker, Red-naped, see *Sphyrapicus nuchalis*
 Yellow-bellied, see *Sphyrapicus varius*
 Sayornis phoebe, 85–94, 580–598, 699–718
 saya, 699–718
 Schaefer, Joseph M., and James J. Dinsmore, Movement of a nestling between American Crow nests, 185–187
 Schaefer, Joseph M., see Smith, Ruthie J., and ———
 Schiffornis turdinus, 699–718
 Schmidt, Maureen E., see Thompson, Bruce C., ———, Stuart W. Calhoun, Donald C. Morizot, and R. Douglas Slack
 Schroeder, Michael A., and Clait E. Braun, Greater Prairie-Chicken attendance at leks and stability of leks in Colorado, 273–284
 Sciurus carolinensis, 749–756
 Scolopax minor, 580–598
 spp., 190
 Scoter, Surf, see *Melanitta perspicillata*
 seal, harbor, see *Phoca vitulina*
 Sealy, Spencer, G., ed., Auks at sea, reviewed, 382–383
 seasonal change
 in dynamics of wetland populations, 148–155
 Seegar, Janis K. D., see Buehler, David A., Sheri K. Chandler, Timothy J. Mersmann, James D. Fraser, and ———
 Seiurus aurocapillus, 220–243, 580–598, 674–697
 motacilla, 674–697
 noveboracensis, 400–412, 430, 580–598, 667, 674–697
 Sephanoides sephanoides, 368–369
 Setophaga ruticilla, 220–243, 400–412, 430, 580–598, 674–697
 sexing
 of *Sitta carolinensis*, 599–611
 Shearwater, Audubon's, see *Puffinus lherminieri*
 Wedge-tailed, see *Puffinus pacificus*
 Shoveler, Northern, see *Anas clypeata*
 Shrike, Loggerhead, see *Lanius ludovicianus*
 Northern, see *Lanius excubitor*
 Shrike-Tyrant, Great, see *Agriornis livida*
 Shrike-Vireo, Green, see *Vireolanius pulchellus*
 Sialia sialis, 85–94, 290, 630–643
 Sibley, Charles G., and Burt L. Monroe, Jr., Distribution and taxonomy of birds of the world, reviewed, 554–556
 Sicalis flaveola, 67
 Simoxenops striatus, 173–178
 ucayalae, 174
 Simpson, Ken, and Nicolas Day, The birds of Australia: a book of identification, reviewed, 771–772
 Simpson, Marcus B., Jr., Birds of the Blue Ridge Mountains, reviewed, 770–771
 Siskin, Pine, see *Carduelis pinus*
 Sitta canadensis, 580–598
 carolinensis, 580–598, 599–611
 Sittasomus griseicapillus, 207
 skunk, striped, see *Mephitis mephitis*
 Skutch, Alexander F., Life of the pigeon, reviewed, 566–567
 Slack, R. Douglas, see Thompson, Bruce C., Maureen E. Schmidt, Stuart W. Calhoun, Donald C. Morizot, and ———
 Smith, Dwight G., see Bosakowski, Thomas, ———, and Robert Speiser
 Smith, Ruthie J., and Joseph M. Schaefer, Avian characteristics of an urban riparian strip corridor, 732–738
 Smith, Susan M., Pairbond persistence and “divorce” in Black-capped Chickadees, 338–342
 snake, brown tree, see *Boiga irregularis*
 grass, see *Philodryas patagoniensis*
 Snipe, Common, see *Gallinago gallinago*
 Solitaire, Andean, see *Myadestes ralloides*
 Black, see *Entomodestes coracinus*
 Black-faced, see *Myadestes melanops*
 song
 repertoire of *Leistes supercilialis*, 345–352
 temporal stability in a local population of *Hylocichla mustelina*, 516–520
 Sora, see *Porzana carolina*
 Sparrow, Chipping, see *Spizella passerina*
 Clay-colored, see *Spizella pallida*

- Field, see *Spizella pusilla*
 Grasshopper, see *Ammodramus savan-*
narum
 House, see *Passer domesticus*
 Lark, see *Chondestes grammacus*
 Lincoln's, see *Melospiza lincolni*
 Savannah, see *Passerculus sandwichensis*
 Seaside, see *Ammodramus maritima*
 Sharp, see *Ammodramus caudacuta*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*
 White-crowned, see *Zonotrichia leuco-*
phrys
 White-throated, see *Zonotrichia albicollis*
 Sparrowhawk, European, see *Accipiter nisus*
species nova
 Cypseloides storeri, 55–64
 Grallaria kaestneri, 389–399
 Speiser, Robert, see Bosakowski, Thomas,
 Dwight G. Smith, and ———
Sphyrapicus nuchalis, 485–500
 varius, 220–243, 674–697
Spindalis zena, 220–243, 674–697
Spiza americana, 85–94
Spizaetus tyrannus, 699–718
Spizella pallida, 525–529, 699–718
 passerina, 580–598
 pusilla, 85–94, 163, 165, 580–598
 Spofford, Walter R., review by, 567
 Spoonbill, Roseate, see *Ajaia ajaja*
 squirrel, flying, see *Glaucomys sabrinus*
 gray, see *Sciurus carolinensis*
 Starling, European, see *Sturnus vulgaris*
status
 of *Acrocephalus luscini*a, 44–54
 Steadman, David W., review by, 384–386
 Stedman, Stephen J., review by, 768–769
 Steele, Brian, see Holt, Denver W., Scott M.
 Melvin, and ———
 Steenhoff, Karen, see Engel, Kathleen A.,
 Leonard S. Young, ———, Jerry A.
 Roppe, and Michael N. Kochert
Stercorarius parasiticus, 674–697
Sterna anaethetus, 220–243, 674–697
 antillarum, 220–243, 244–262, 656–669,
 674–697
 caspia, 156
 dougallii, 220–243, 674–697
 forsteri, 258, 696, 697
 fuscata, 220–243, 653, 674–697, 699–718
 hirundo, 156, 697
 maxima, 220–243, 656–669, 674–697
 nilotica, 220–243, 674–697
 sandvicensis, 220–243, 674–697
 Steyn, Peter, Hunters of the African sky, re-
 viewed, 567
 Stiehl, Richard B., review by, 381–382
 Stiles, F. Gary, A new species of antpita (For-
 micariidae: Grallaria) from the east-
 ern Andes of Colombia, 389–399
 Stilt, Black-necked, see *Himantopus mexi-*
canus
 Stinson, Christopher H., review by, 567–569
 Storer, Robert W., review by, 554–556
 Storm-Petrel, Band-rumped, see *Oceano-*
droma castro
 Black-bellied, see *Fregetta tropica*
 British, see *Hydrobates pelagicus*
 Leach's, see *Oceanodroma leucorhoa*
 Swinhoe's, see *Oceanodroma monorhis*
 Tristram's, see *Oceanodroma tristrami*
 Wedge-rumped, see *Oceanodroma tethys*
 Wilson's, see *Oceanites oceanicus*
 Stotz, Douglas F., Buff-throated Saltator eats
 army ants, 373–374
Streptoprocne semicollaris, 62
Strix nebulosa, 192
 occidentalis, 321–326
 occidentalis lucida, 321–326
Sturnella bellicosa, 349
 defilippi, 349
 loyca, 349
 magna, 85–94, 349, 520–525, 699–718
 neglecta, 349, 521
Sturnus vulgaris, 85–94, 118, 549, 550, 699–
 718
Sula abbotti, 645
 bassanus, 645
 leucogaster, 220–243, 501–515, 699–718
 variegata, 645
Sus scrofa, 26
 Swallow, Bahama, see *Tachycineta cyaneo-*
viridis
 Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Cliff, see *Hirundo pyrrhonota*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
 Swan, Mute, see *Cygnus olor*
 Swift, Black, see *Cypseloides niger*
 Chestnut-collared, see *Cypseloides rutilus*

- Great Swallow-tailed, see *Panyptila sanctihieronymi*
 Sooty, see *Cypseloides fumigatus*
 White-fronted, see *Cypseloides storeri* sp. nov.
 White-naped, see *Streptoprocne semicollaris*
 White-throated, see *Aeronautes saxatalis*
 Vaux's, see *Chaetura vauxi*
Sylvilagus spp., 321–326
Tachybaptus dominicus, 220–243, 674–697
thalassina, 699–718
Tachycineta bicolor, 485–500, 630–643, 696, 756–759
cyaneoviridis, 696
Tachyphonus luctuosus, 174
Tamias striatus, 749–756
 Tanager, Bay-headed, see *Tangara gyrola*
 Carmiol's, see *Chlorothraupis carmioli*
 Green-and-gold, see *Tangara schrankii*
 Opal-crowned, see *Tangara callophrys*
 Paradise, see *Tangara chilensis*
 Scarlet, see *Piranga olivacea*
 Stripe-headed, see *Spindalis zena*
 Summer, see *Piranga rubra*
 Turquoise, see *Tangara mexicana*
 Western, see *Piranga ludoviciana*
 White-shouldered, see *Tachyphonus luctuosus*
Tangara callophrys, 361
chilensis, 174, 360–362
gyrola, 174
mexicana, 361
schrunkii, 174, 361
 Tanner, George W., see Dwyer, Nancy C., and ———
Taraba major, 699–718
 taxonomy
 of *Cypseloides storeri*, sp. nov., 55–64
 of *Elanus leucurus*, 571–579
 of *Sitta carolinensis carolinensis*, 599–611
 of subspecific *Sterna antillarum*, 244–262
 tayra, see *Eira varma*
 Teal, Blue-winged, see *Anas discors*
 Green-winged, see *Anas crecca*
Telespyza cantans, 722, 726, 728
ultima, 728
 Tern, Bridled, see *Sterna anaethetus*
 Caspian, see *Sterna caspia*
 Common, see *Sterna hirundo*
 Forster's, see *Sterna forsteri*
 Gull-billed, see *Sterna nilotica*
 Least, see *Sterna antillarum*
 Roseate, see *Sterna dougallii*
 Royal, see *Sterna maxima*
 Sandwich, see *Sterna sandvicensis*
 Sooty, see *Sterna fuscata*
Thalaurania colombica, 63, 205–219 (Frontispiece)
fannyi, 205–219 (Frontispiece)
furcata, 206, 207, 215
glaucoptis, 207, 215
ridgwayi, 63, 205–219 (Frontispiece)
watertonii, 207, 215
Theristicus caudatus, 1–21 (Frontispiece)
Thomomys spp., 321–326
 Thompson, Bruce C., Maureen E. Schmidt, Stuart W. Calhoun, Donald C. Morizot, and R. Douglas Slack, Subspecific status of Least Tern populations in Texas: North American implications, 244–262
 Thompson, John D., and Guy A. Baldassarre, Dominance relationships of dabbling ducks wintering in Yucatan, Mexico, 529–536
 Thrasher, Brown, see *Toxostoma rufum*
 Long-billed, see *Toxostoma longirostre*
 Pearly-eyed, see *Margarops fuscatus*
Threnetes ruckeri, 369–370
 Thrush, Cocoa, see *Turdus fumigatus*
 Gray-cheeked, see *Catharus minimus*
 Hermit, see *Catharus guttatus*
 Red-legged, see *Turdus [Mimocichla] plumbeus*
 Swainson's, see *Catharus ustulatus*
 Wood, see *Hylocichla mustelina*
 Thrush-Tanager, Rosy, see *Rhodinocichla rosea*
Thryomanes bewickii, 520
Thryothorus ludovicianus, 732–738
Tiaris bicolor, 220–243, 656–669, 674–697
 Tiger-Heron, Bare-throated, see *Tigrisoma mexicanum*
Tigrisoma mexicanum, 511, 699–718
 Tinamou, Slaty-breasted, see *Crypturellus boucardi*
 tit, Eurasian, see *Parus* sp.

- Tit, Blue, see *Parus caeruleus*
 Great, see *Parus major*
 Marsh, see *Parus palustris*
 Willow, see *Parus montanus*
Titanohierax gloveralleni, 695
 Titmouse, Plain, see *Parus inornatus*
 Tufted, see *Parus bicolor*
Toxostoma longirostre, 699–718
 rufum, 85–94
 Towhee, Rufous-sided, see *Pipilo erythrophthalmus*
Trichosurus vulpecula, 366
Tringa flavipes, 220–243, 674–697
 melanoleuca, 220–243, 674–697, 699–718
 solitaria, 699–718
Troglodytes aedon, 85–94, 520, 580–598,
 674–697, 750
 troglodytes, 580–598
 Tropicbird, White-tailed, see *Phaethon lepturus*
 Tsuji, Leonard J. S., Snowfall causes lek
 movement in the Sharp-tailed Grouse,
 188–189
 Tubaro, Pablo Luis, Song repertoires of the
 White-browed Blackbird, 345–352
Turdoides striatus, 293
turdus fumigatus, 373
 migratorius, 85–94, 485–500, 580–598,
 732–738, 759
 plumbeus, 241, 674–697
 Turnstone, Black, see *Arenaria melanocephala*
 Ruddy, see *Arenaria interpres*
 Tyler, Jack D., and Kenneth C. Parkes, A
 hybrid Scissor-tailed Flycatcher ×
 Western Kingbird specimen from
 southwestern Oklahoma, 178–181
 Tyler, Jack D., Nesting ecology of the Log-
 gerhead Shrike in southwestern Okla-
 homa, 95–104
Tympanuchus cupido, 86, 268, 273–284, 526
 pallidicinctus, 273
 phasianellus, 188–189, 273
Tyrannus caudifasciatus, 220–243
 couchii, 180, 699–718
 dominicensis, 220–243, 656–669, 674–697
 forficatus, 178–181, 612–629
 melancholicus, 699–718
 tyrannus, 85–94, 612–629, 674–697
 verticalis, 178–181, 612–629, 699–718
 vociferans, 180, 612–629
Tyto alba, 192, 220–243, 312–320, 330, 674–
 697
 pollens, 695
 Unitt, Philip, review by, 379–381
Uropsalis lyra, 176
 Van Wynsberghe, Nicole R., James D. Ris-
 ing, and David I. MacKenzie, Geo-
 graphic variation in size of the East-
 ern Kingbird, 612–629
Vanellus spinosa, 191
 Veery, see *Catharus fuscescens*
 Verbeek, N. A. M., review by, 559–561
Vermivora celata, 580–598
 chrysoptera, 163, 580–598, 699–718
 peregrina, 580–598, 699–718
 pinus, 580–598
 ruficapilla, 580–598, 696, 699–718
 Village, Andrew, The kestrel, reviewed, 383–
 384
Vini stepheni, 32–43
Vireo altiloquus, 220–243, 656–669, 674–
 697
 bellii, 85–94, 699–718
 crassirostris, 220–243, 674–697
 flavifrons, 220–243, 580–598
 flavoviridis, 699–718
 gilvus, 85–94, 485–500, 580–598, 699–718
 griseus, 699–718
 olivaceus, 580–598, 699–718, 732–738
 philadelphicus, 580–598, 699–718
 solitarius, 580–598
 vicinior, 425–433
Vireo, Bell's, see *Vireo bellii*
 Black-whiskered, see *Vireo altiloquus*
 Gray, see *Vireo vicinior*
 Philadelphia, see *Vireo philadelphicus*
 Red-eyed, see *Vireo olivaceus*
 Solitary, see *Vireo solitarius*
 Thick-billed, see *Vireo crassirostris*
 Warbling, see *Vireo gilvus*
 White-eyed, see *Vireo griseus*
 Yellow-green, see *Vireo flavoviridis*
 Yellow-throated, see *Vireo flavifrons*
Vireolanius pulchellus, 699–718
 pulchellus ramosi, 699, 712
 vocalization

- of *Grallaria kaestneri*, sp. nov., 389–399
of *Leistes superciliaris*, 345–352
vole, see *Microtus* spp.
long-tailed, see *Microtus longicaudus*
Mexican, see *Microtus mexicanus*
Vuilleumier, Francois, review by, 197–199
Vulture, Lesser Yellow-headed, see *Cathartes burrovianus*
Turkey, see *Cathartes aura*
Waltman, James R., and Steven R. Beissinger, Breeding behavior of the Green-rumped Parrotlet, 65–84
Warbler, Bay-breasted, see *Dendroica castanea*
Black-and-white, see *Mniotilta varia*
Black-throated Blue, see *Dendroica caerulescens*
Black-throated Green, see *Dendroica virens*
Blackburnian, see *Dendroica fusca*
Blackpoll, see *Dendroica striata*
Blue-winged, see *Vermivora pinus*
Canada, see *Wilsonia canadensis*
Cape May, see *Dendroica tigrina*
Cerulean, see *Dendroica cerulea*
Chestnut-sided, see *Dendroica pensylvanica*
Connecticut, see *Oporornis agilis*
Eastern Great Reed, see *Acrocephalus orientalis*
Elfin Woods, see *Dendroica angelae*
Fan-tailed, see *Euthlypis lachrymose*
Golden-crowned, see *Basileuterus culicivorus*
Golden-winged, see *Vermivora chrysoptera*
Greenish, see *Phylloscopus trochiloides*
Hooded, see *Wilsonia citrina*
Magnolia, see *Dendroica magnolia*
McGillivray's, see *Oporornis tolmiei*
Mourning, see *Oporornis philadelphia*
Myrtle, see *Dendroica coronata coronata*
Nashville, see *Vermivora ruficapilla*
Orange-crowned, see *Vermivora celata*
Palm, see *Dendroica palmarum*
Prairie, see *Dendroica discolor*
Prothonotary, see *Protonotaria citrea*
Swainson's, see *Limnothlypis swainsonii*
Tennessee, see *Vermivora peregrina*
Western Palm, see *Dendroica palmarum palmarum*
Wilson's, see *Wilsonia pusilla*
Worm-eating, see *Helmitheros vermivorus*
Yellow, see *Dendroica petechia*
Yellow-throated, see *Dendroica dominica*
Yellow-rumped, see *Dendroica coronata*
Warner, Dwain W., see Winker, Kevin, ———, and A. R. Weisbrod
Warner, Dwain W., see Winker, Kevin, Richard J. Oehlenschlaeger, Mario A. Ramos, Robert M. Zink, John H. Rappole, and ———
warthog, see *Phacochoerus aethiopicus*
Waterthrush, Louisiana, see *Seiurus motacilla*
Northern, see *Seiurus noveboracensis*
Wauer, Roland H., and Joseph M. Wunderle, Jr., The effect of Hurricane Hugo on bird populations on St. Croix, U.S. Virgin Islands, 656–669
Waxwing, Cedar, see *Bombicilla cedrorum*
weather
effect of Hurricane Hugo on bird populations on St. Croix, U.S. Virgin Islands, 656–669
influence on hawk movements in coastal northern California, 447–461
Weaver, Sociable, see *Philetairus socius*
Webb, Sophie, see Howell, Steven N. G., ———, and Barbara M. de Montes
Weisbrod, A. R., see Winker, Kevin, Dwain W. Warner, and ———
Whimbrel, see *Numenius phaeopus*
Whistling-Duck, Fulvous, see *Dendrocygna bicolor*
West Indian, see *Dendrocygna arborea*
White-faced, see *Dendrocygna viduata*
Whitmore, Robert C., review by, 561–562
Whitney, Bret M., A nest and egg of the Rufous Antpitta in Ecuador, 759–760
Whitney, Carl L., Temporal stability of song in a local population of Wood Thrushes, 516–520
Wigeon, American, see *Anas americana*
Wiles, Gary J., see Reichel, James D., ———, and Phil O. Glass
Willet, see *Catoptrophorus semipalmatus*

- Wilsonia canadensis*, 580–598, 696, 699–718
citrina, 163, 430, 431, 732–738
pusilla, 485–500, 580–598
Winker, Kevin, Dwain W. Warner, and A. R. Weisbrod, Migration of woodland birds at a fragmented inland stopover site, 580–598
Winker, Kevin, Richard J. Oehlenschlaeger, Mario A. Ramos, Robert M. Zink, John H. Rappole, and Dwain W. Warner, Avian distribution and abundance records for the Sierra de Los Tuxtlas, Veracruz, Mexico, 699–718
Wittmann, Karin, see Roby, Daniel D., Karen L. Brink, and ———
Wolff, W. J., see Ens, B. J., T. Piersma, ———, and L. Zwarts
Wood, D. Scott, Color and size variation in eastern White-breasted Nuthatches, 599–611
Wood, Teresa M., Frank Gallo, and Paul K. Donahue, Observations at a Paradise Tanager nest, 360–362
Wood-Pewee, Eastern, see *Contopus virens*
Wood-Pigeon, see *Columba palumbus*
woodchuck, see *Marmota monax*
woodcock, see *Scolopax* spp. and *Philohela* spp.
Woodcreeper, Ocellated, see *Xiphorhynchus ocellatus*
Olivaceous, see *Sittasomus griseicapillus*
Planalto, see *Dendrocolaptes platyrostris*
Straight-billed, see *Xiphorhynchus picus*
Tawny-winged, see *Dendrocincla anabatina*
Wedge-billed, see *Glyphorhynchus spirurus*
Woodhoopoe, see *Phoeniculus purpureus*
Woodnymph, Crowned, see *Thalurania colombica* (Frontispiece)
Fork-tailed, see *Thalurania furcata*
Mexican, see *Thalurania ridgwayi*
Woodpecker, Downy, see *Picoides pubescens*
Hairy, see *Picoides villosus*
Pileated, see *Dryocopus pileatus*
Red-bellied, see *Melanerpes carolinus*
Red-cockaded, see *Picoides borealis*
Red-headed, see *Melanerpes erythrocephalus*
Spot-breasted, see *Chrysoptilus punctigula*
West Indian, see *Melanerpes supercilialis*
White-throated, see *Piculus keycikaenys*
woodrat, see *Neotoma* spp.
Mexican, see *Neotoma mexicana*
white-throated, see *Neotoma albigula*
Woodstar, Bahama, see *Calliphlox evelynae*
Woodstork, see *Mycteria americana*
Wren, Bewick's, see *Thryomanes bewickii*
Cactus, see *Campylorhynchus brunnei-capillus*
Carolina, see *Thryothorus lucovicianus*
House, see *Troglodytes aedon*
Marsh, see *Cistothorus palustris*
Sedge, see *Cistothorus platensis*
Winter, see *Troglodytes troglodytes*
Wunderle, Joseph M., Jr., see Wauer, Roland H., and ———
Xenotriccus mexicanus, 62
Xiphorhynchus ocellatus, 174
picus, 67
Yahner, Richard H., and Colleen A. DeLong, Avian predation and parasitism on artificial nests and eggs in two fragmented landscapes, 162–168
Yates, Richard E., see Caton, Elaine L., B. Riley McClelland, David A. Patterson, and ———
Yellowlegs, Greater, see *Tringa melanoleuca*
Lesser, see *Tringa flavipes*
Yellowthroat, Bahama, see *Geothlypis rostrata*
Common, see *Geothlypis trichas*
Yosef, Reuven, Behavior of polygynous and monogamous Loggerhead Shrikes and a comparison with Northern Shrikes, 747–749
Young, Leonard S., see Engel, Kathleen A., and ———
Young, Leonard S., see Engel, Kathleen A., ———, Karen Steenhof, Jerry A. Roppe, and Michael N. Kochert
Zenaida asiatica, 220–243, 674–697, 699–718
aurita, 220–243, 656–669, 674–697
macroura, 85–94, 220–243, 674–697

- Zimmerman, John L., Cheyenne Bottoms, wetlands in jeopardy, reviewed, 562–563
- Zimmerman, John L., Density-independent factors affecting the avian diversity of the tallgrass prairie community, 85–94
- Zink, Robert M., review by, 764–767
- Zink, Robert M., see Winker, Kevin, Richard J. Oehlenschläger, Mario A. Ramos, ———, John H. Rappole, and Dwain W. Warner
- Zonotrichia albicollis, 580–598
- leucophrys, 469, 485–500
- Zwarts, L., see Ens, B. J., T. Piersma, W. J. Wolff, and ———