

## INDEX TO VOLUME 105, 1993

BY KATHLEEN G. BEAL

This index includes references to genera, species, authors, and key words or terms. In addition to avian species, references are made to the scientific names of all vertebrates mentioned within the volume and other taxa mentioned prominently in the text. Common names are as they appear in the volume unless otherwise specified. Reference is made to books reviewed, and announcements as they appear in the volume.

- abundance
  - of avifauna in Aspen Parklands, 256–264
- Accipiter bicolor*, 128, 136
  - cooperii*, 7, 8, 278
  - fasciatus*, 164
  - nisus*, 74, 164
  - striatus*, 136, 278, 362
- Actitis macularia*, 6, 17, 38, 515
- adaptive significance
  - of scopate tomia, 316–324
- Aegolius acadicus*, 278, 356–359
  - harrisi*, 137
- Aeronautes saxatilis*, 7, 8, 41
- Aethia cristatella*, 525–529
- age
  - related to sex and size in *Sayornis phoebe*, 597–603
- Agelaius phoeniceus*, 46, 159–166, 284, 373, 406, 492
  - ruficapillus*, 141
- Agriornis microptera*, 139
  - murina*, 139
- Aimophila aestivalis*, 20
  - carpalis*, 20
  - cassinii*, 20
  - ruficeps*, 20
  - strigiceps*, 114, 123, 124, 133, 140
- Ajaia ajaia*, 36
- Akepa, Kauai, see *Loxops coccineus caeruleirostris*
- Akiapolaau, see *Hemignathus munroi*
- Albatross, Laysan, see *Diomedea immutabilis*
- Alcedo atthis*, 7
- Alle alle, 17, 40
- Alopex lagopus*, 460
- Amakihi, Common, see *Hemignathus virens* (*virens*)
  - Kauai, see *Hemignathus virens stejnegeri*
- Amazona aestiva*, 137
- Ammodramus bairdii*, 20, 283
  - caudacutus*, 20
  - henslowii*, 20, 283
  - humeralis*, 140
  - leconteii*, 20
  - maritimus*, 20, 399
  - savannarum*, 20, 45
- Amphispiza belli*, 20
  - bilineata*, 20, 45
- Anas acuta*, 36, 151
  - americana*, 36
  - clypeata*, 36, 151, 680, 683
  - crecca*, 4, 36, 683
  - discors*, 36
  - penelope*, 17
  - platyrhynchos*, 36, 144, 151, 152, 330
  - rubripes*, 151
  - strepera*, 36
  - superciliosa*, 151
  - wyvilliana*, 142–158
- Anastomus lamelligera*, 321
  - oscitans*, 321
- Anderson, Rusty N., see Cassirer, E. Frances, Greg Schirato, Fred Sharpe, Craig R. Groves, and ———
- Andrews, Robert, and Robert Righter, Colorado birds, reviewed, 200
- Andropadus latirostris*, 13
- Ani, Smooth-billed, see *Crotophaga ani*
- Anianiau, see *Hemignathus parvus*
- Anous stolidus*, 516
- Antbird, Bicolored, see *Gymnopithys leucaspis*
- Black-faced, see *Myrmoborus myotherinus*
- Hairy-crested, see *Rhegmatorhina melanosticta*
- Lunulated, see *Gymnopithys lunulata*

- Rufous-throated, see *Gymnopathys rufigula*  
 Sooty, *Myrmeciza fortis*  
 Stripe-backed, see *Myrmorchilus strigilatus*  
 White-plumed, see *Pithys albifrons*  
 White-throated, see *Gymnopathys salvini*  
*Anthus lutescens*, 140  
*rubescens*, 43  
 Antshrike, Barred, see *Thamnophilus dolia-*  
*tus*  
 Giant, see *Batara cinerea*  
 Great, see *Taraba major*  
 Variable, see *Thamnophilus caerulescens*  
 Antwren, Black-bellied, see *Formicivora*  
*melanogaster*  
 Apapane, see *Himatione sanguinea sangui-*  
*nea*  
*Aphelocoma* spp., 391  
*Aquila chrysaetos*, 5, 17  
*Ara auricollis*, 137  
*chloropterus*, 695  
*glaucogularis*, 694–695  
*Aramus guarauna*, 137, 321  
*Aratinga acuticauda*, 129, 137  
*Archilochus colubris*, 261, 278  
*Ardea herodias*, 4, 35, 514, 573–586, 698–  
 699  
*Arenaria interpres*, 39, 362  
*melanocephala*, 6, 39  
 armadillo, see *Priodontes maximus* and  
*Dasyus* spp.  
 Armstrong, Allison Rippin, and Erica Nol,  
 Spacing behavior and reproductive  
 ecology of the Semipalmated Plover  
 at Churchill, Manitoba, 455–464  
 Arnold, Todd W., Fledgling success in ex-  
 perimentally manipulated broods of  
 House Wrens, 448–454  
*Asio capensis*  
*flammeus*, 7, 40, 137, 490–496, 497–503  
*otus*, 501  
*Asthenes baeri*, 119–120, 124, 131, 138  
*Astyanax fasciatus*, 578, 580, 581, 582  
*Atherinomorus stipes*, 578, 581, 582  
*Atlapetes brunneinucha*, 99, 100  
 Auklet, Cassin's, see *Ptychoramphus aleu-*  
*ticus*  
 Crested, see *Aethia cristatella*  
*Auriparus flaviceps*, 9, 446  
 Avery, Michael L., Kelly J. Goocher, and  
 Marcia A. Cone, Handling efficiency  
 and berry size preferences of Cedar  
 Waxwings, 604–611  
 avifauna  
 of the Chaco region of Bolivia, 114–141  
 Avocet, American, see *Recurvirostra amer-*  
*icana*  
 awards and grants  
 Leslie Brown Memorial Grant, 113  
 North American Bluebird Society re-  
 search grants, 387  
 North American Loon Fund grants, 544  
*Aythya affinis*, 36  
*fuligula*, 696  
 Baccetti, Nicola, see Brichetti, Pierandrea,  
 Paolo De Franceschi, and ———  
 Balda, Russell P., see Ganey, Joseph L.,  
 ———, and Rudy M. King  
 Balda, Russell P., see Marzluff, John M., and  
 ———  
 Bananaquit, see *Coereba flaveola*  
 Banko, Paul C., and Julia Williams, Eggs,  
 nests, and nesting behavior of *Akia-*  
*polaau* (Drepanidinae), 427–435  
 Barn-Owl, Common, see *Tyto alba*  
 bat, big brown, see *Eptesicus fuscus*  
*Batara cinerea*, 121, 131, 138  
 Baumgartner, A. M., see Baumgartner, F.  
 M., and ———  
 Baumgartner, F. M., and A. M. Baumgart-  
 ner, Oklahoma bird life, reviewed,  
 708–710  
 Beardless-Tyrannulet, Southern, see *Camp-*  
*tostoma obsoletum*  
 Beavers, Randell A., The birds of Tikal, re-  
 viewed, 711  
 Becard, Green-backed, see *Pachyramphus*  
*viridis*  
 White-winged, see *Pachyramphus poly-*  
*chopterus*  
 Beebe, William, A monograph of the pheas-  
 ants, reviewed, 384  
 behavior  
 breeding  
 mate and site retention in *Pluvialis ful-*  
*va*, 60–67  
 feeding  
 use of nectar by *Sturnus vulgaris*, 194  
 handling time

- of *Bombycilla cedrorum* for berries, 604–611
- killing  
of *Somateria mollissima* duckling by *Gavia pacifica*, 534–535
- nesting  
changing placement in *Hemignathus virens*, 436–447  
of *Hemignathus munroi*, 427–435
- nestling  
in *Agelaius phoeniceus*, 159–166
- parental care  
fledgling *Lanius ludovicianus* induced to fledge, 531–532  
morph-specific in *Zonotrichia albicollis*, 48–59
- response  
of *Passer domesticus* to monofilament lines, 504–513  
of *Sterna hirundo* and *Larus atricilla* to flyovers of *Larus marinus* and *Larus argentatus*, 333–338  
to clothing color, 628–636
- reverse mounting  
in *Dendroica caerulescens*, 359–361
- roosting  
critique of diurnal activity center concept, 368–372, 372–378
- site tenacity  
of *Loxioides bailleui*, 587–596
- spacing  
of breeding *Charadrius semipalmatus*, 455–464
- territorial  
effect of observation posts, 180–183
- vocal  
duetting in *Otus asio*, 483–489
- Beissinger, Steven R., and Noel F. R. Snyder, eds., *New World parrots in crisis: solutions from conservation biology*, reviewed, 381–382
- Belonesox beliznus, 578
- Belton, William, review by, 383–384
- Benítez D., Hesiquio, see Navarro S., Adolfo G., ———, Víctor Sánchez B., Salvador García R., and Eduardo Santana C.
- Benito-Espinal, E., see Benito-Espinal, F. Pagney, and ———
- Benito-Espinal, F. Pagney, and E. Benito-Espinal, eds., *L'Ouragan Hugo: genèse, incidences géographiques et écologiques sur la Guadeloupe*, reviewed, 705
- Bent, A. C., *Life histories of North American woodpeckers*, reviewed, 195
- Bibby, C. J., N. J. Collar, M. J. Crosby, M. F. Heath, C. Imboden, T. H. Johnson, A. J. Long, A. J. Stattersfield, and S. J. Thirgood, *Putting biodiversity on the map*, reviewed, 386
- Bildstein, Keith L., 702–704
- biogeography  
of the genus *Gymnophis*, 301–315
- Birkhead, Tim, *The magpies*, reviewed, 208–209
- Birkhead, T. R., and A. P. Moller, *Sperm competition in birds: evolutionary causes and consequences*, reviewed, 195–197
- Bittern, American, see *Botaurus lentiginosus*
- Least, see *Ixobrychus exilis*
- Black-Hawk, Great, see *Buteogallus urubitinga*
- Black-Tyrant, Hudson's, see *Knipolegus hudsoni*
- White-winged, see *Knipolegus aterrimus*
- Blackbird, Chestnut-capped, see *Agelaius phoeniceus*
- Chopi, see *Gnorimopsar chopi*
- Red-winged, see *Agelaius phoeniceus*
- White-browed, see *Leistes superciliosus*
- Blarina brevicauda, 492
- Blem, C. R., reviews by, 195, 200, 206–207
- bluebird, see *Sialia* spp.
- Bluebird, Eastern, see *Sialia sialis*
- Mountain, see *Sialia currucoides*
- Bobolink, see *Dolichonyx oryzivorus*
- Bobwhite, Northern, see *Colinus virginianus*
- Bocetti, Carol I., *Hatching year Kirtland's Warbler captured in unusual habitat*, 532–533
- Bocetti, Carol I., see Sykes, Paul W., Jr., ———, and Laurel A. Moore
- Bombycilla cedrorum*, 9, 44, 249, 252, 261, 262, 280, 296, 604–611
- garrulus, 10
- Bonasa umbellus*, 5, 14, 37, 172–179, 239–255, 257, 278, 521–524
- Botaurus lentiginosus*, 35

- Botton, Mark L., and Robert E. Loveland,  
 Predation by Herring Gulls and Great  
 Black-backed Gulls on horseshoe  
 crabs, 518–521
- Brambling, see *Fringilla montifringilla*
- Branta brenicla hrota, 5  
 leucopsis, 5
- Brauning, Daniel W., see Santner, Steven J.,  
 ———, Glenna Schwalbe, and Saul  
 W. Schwalbe
- breeding biology  
 Diet of *Asio flammeus*, 490–496  
 egg laying intervals in *Chen caerulescens*  
*caerulescens*, 414–426  
 fledging success in manipulated Troglo-  
 dytes aedon broods, 448–454  
 incubation patch on male *Dendroica kirt-*  
*landii*, 354–356  
 mate retention in *Pluvialis fulva*, 60–67  
 of *Empidonax oberholseri*, 84–92  
 of *Euphonia hirundinacea*, 285–300  
 of *Sitta europaea* in northeastern Siberia,  
 475–482  
 reproductive success of *Falco sparverius*  
 in nesting boxes, 465–474  
 site retention in *Pluvialis fulva*, 60–67
- Brichetti, Pierandrea, Paolo De Franceschi,  
 and Nicola Baccetti, eds., Uccelli, I,  
 reviewed, 711
- Brittingham, Margaret C., see Hoover, Jef-  
 frey P., and ———
- Bromley, Robert G., see Shank, Christopher  
 C., ———, and Kim G. Poole
- Brunner, Phillip L., see Johnson, Oscar W.,  
 Peter G. Connors, ———, and John  
 L. Maron
- Brush-finch, Chestnut-capped, see *Atleptes*  
*brunneinucha*
- Brushrunner, Lark-like, see *Coryphistera*  
*alaudina*  
*virginianus*, 69, 137, 186, 337, 645–656
- Bubulcus ibis, 35, 124, 128, 136, 515
- Bucephala albeola, 37  
 clangula, 36, 680–685  
 islandica, 683
- Buchheister, Carl W., see Graham, Frank,  
 Jr., and ———
- Buden, Donald W., and Alexander Sprunt  
 IV, Additional observations on the  
 birds of the Exumas, Bahama Islands,  
 514–518
- Bufflehead, see *Bucephala albeola*
- Bulbul, Asian Brown-eared, see *Ixos amauro-*  
*rotis*  
 Red-vented, see *Pycnonotus cafer*  
 bulbul, see *Pycnonotus barabatus*, *Andro-*  
*padus latirostris*
- Bunting, Blue, see *Passerina parellina*  
 Indigo, see *Passerina cyanea*  
 Lark, see *Calamospiza melanocorys*  
 Lazuli, see *Passerina amoena*  
 McKay's, see *Plectrophenax hyperboreus*  
 Orange-breasted, see *Passerina leclanch-*  
*erii*  
 Painted, see *Passerina ciris*  
 Rose-bellied, see *Passerina rositae*  
 Snow, see *Plectrophenax nivalis*  
 Varied, see *Passerina versicolor*
- Burnett, C. J., see Weisbrod, A. R., ———,  
 J. G. Turner, and Dwain W. Warner
- Bushtit, see *Psaltiriparus minimus*
- Busto, Benjamin, see Ramo, Chistina, and  
 ———
- Buteo albicaudatus, 128, 136  
 jamaicensis, 278, 614, 629  
 lagopus, 460  
 lineatus, 278, 614, 629  
 magnirostris, 128, 136  
 playpterus, 278  
 polyosoma, 136  
 swainsoni, 365–366
- Buteogallus meridionalis, 136  
 urubitinga, 136
- Butorides striatus, 35, 136, 362, 515
- Buzzard-Eagle, Black-chested, see *Gera-*  
*noetus melanoleucus*
- Caccamise, Donald F., The “patch-sitting  
 hypothesis”: a parsimonious view of  
 communal roosting behavior, 372–  
 378
- Cacholote, Brown, see *Pseudoseisura lo-*  
*photes*
- Cacicus chrysoterpis, 141  
 solitarius, 141
- Cacique, Golden-winged, see *Cacicus chry-*  
*soterpis*  
 Solitary, see *Cacicus solitarius*
- Calamospiza melanocorys, 15, 20, 24, 25,  
 45

- Calcarius lapponicus*, 20, 46  
     *mccownii*, 20  
     *ornatus*, 20, 45  
     *pictus*, 20  
*Calidris alba*, 39, 491  
     *alpina*, 5–6, 39, 515  
     *canutus*, 39  
     *fuscicollis*, 137  
     *mauri*, 39, 64  
     *melanotos*, 6, 39, 137  
     *minutilla*, 39, 491  
     *pusilla*, 39, 64, 491, 495  
*Callipepla californica*, 15, 38  
     *gambelii*, 37  
*Calliphlox evelynae*, 362, 516  
*Callonetta leucophrys*, 136  
*Calypte costae*, 7, 40  
*Campostoma obsoletum*, 132, 139  
*Campylorhamphus trochilirostris*, 120, 131, 138  
     *zonatus*, 294  
*Campylorhynchus brunneicapillus*, 43, 164, 446  
*Canachites canadensis*, 176  
*Canastero*, Short-billed, see *Asthenes baeri*  
*Caprimulgus carolinensis*, 516  
     *longirostris*, 137  
     *parvulus*, 130, 137  
     *vociferus*, 278  
*Capsiempis flaveola*, 534  
*Caracara*, Carunculated, see *Phalcoboenus carunculatus*  
     *Chimango*, see *Milvago chimango*  
     Crested, see *Polyborus plancus*  
     Mountain, see *Phalcoboenus megalopterus*  
*Cardinal*, Northern, see *Cardinalis cardinalis*  
     Red-crested, see *Paroaria coronata*  
*Cardinalis cardinalis*, 10, 45, 244, 249, 251, 282, 612–627, 628–636, 696  
     *sinuatus*, 10, 45, 93–113  
*Carduelis flammea*, 46  
     *magellanica*, 124, 135, 141  
     *pinus*, 11, 25, 284  
     *tristis*, 11, 47, 248, 261, 284, 612–627, 628–636  
*Cariama cristata*, 129, 136  
*Carpenter*, Arthur L., see *Carpenter*, Thomas W., and ———  
*Carpenter*, Thomas W., and Arthur L. Carpenter, Temporal differences in size of Northern Saw-whet Owls during spring migration, 356–359  
*Carpodacus mexicanus*, 46, 194  
     *purpureus*, 284  
     *rhodochrous*, 696  
*Caryothraustes canadensis*, 103, 104, 107  
     *humeralis*, 93–113  
*Casiornis rufa*, 139  
*Casiornis*, Rufous, see *Casiornis rufa*  
*Casmerodius albus*, 35, 514, 573–586  
*Cassirer*, E. Frances, Greg Schirato, Fred Sharpe, Craig R. Groves, and Rusty N. Anderson, Cavity nesting by Harlequin Ducks in the Pacific Northwest, 691–694  
*Castellanos*, Aradit, and Ricardo Rodriguez-Estrella, Current status of the Socorro Mockingbird, 167–171  
*Castillo*, Abel, see Kratter, Andrew W., T. Scott Sillett, R. Terry Chesser, John P. O'Neill, Theodore A. Parker III, and ———  
     cat, domestic, see *Felis domesticus*  
*Catagonus* spp., 115  
*Catamblyrhynchus diadema*, 94, 95, 99, 100  
*Catbird*, Gray, see *Dumetella carolinensis*  
*Cathartes aura*, 125, 128, 136, 614, 629  
*Catharus fuscescens*, 193, 260, 261, 262, 280  
     *guttatus*, 260, 262, 271, 280  
     [Turdus] *minimus*, 271, 280, 545–572  
     *minimus aliciae*, 545–572  
     *minimus bicknelli*, 545–572  
     *ustulatus*, 193  
*Catoptrophorus semipalmatus*, 362, 491  
*Cavanagh*, Paul M., and Curtice R. Griffin, Responses of nesting Common Terns and Laughing Gulls to flyovers by large gulls, 333–338  
     census method  
         refined use of point counts for winter studies, 612–627  
*Centrocercus urophasianus*, 37  
*Cephus columba*, 6, 40  
*Certhia americana*, 9, 43, 244, 280  
*Ceryle alcyon*, 7, 40, 278, 362  
     *torquata*, 317  
*Ceyx lecontei*, 316  
*Chachalaca*, Chaco, see *Ortalis canicollis*  
*Chacholote*, Brown, see *Pseudoseisura lophotes*

- Chaco-Finch, Many-colored, see *Saltatricula multicolor*
- Chaetura pelagica*, 516
- characin, see *Astyanax fasciatus*
- Charadrius alexandrinus*, 461, 515
- collaris*, 137
- hiaticula*, 63
- melodus*, 63, 515
- semipalmatus*, 455–464
- vociferus*, 61, 62, 362
- wilsonia*, 515
- Chelidoptera tenebrosa*, 320
- Chen caerulescens*, 36
- caerulescens caerulescens*, 414–426, 680
- Chesser, R. Terry, see Kratter, Andrew W., T. Scott Sillett, ———, John P. O'Neill, Theodore A. Parker III, and Abel Castillo
- Chickadee, Black-capped, see *Parus atricapillus*
- Carolina, see *Parus carolinensis*
- Chiroxiphia pareola*, 305, 311
- Chlidonias niger*, 698
- Chlorophanes spiza*, 696
- Chlorostilbon aureoventris*, 130, 137–138
- Chondestes grammacus*, 20
- Chondrohierax uncinatus*, 136
- Chordeiles minor*, 137, 278, 516
- Chunga burmeisteri*, 129, 137
- Cichlasoma friedrichsthalii*, 578
- meeki*, 578, 582
- octofasciatum*, 578, 582
- salvini*, 578, 582
- sp.*, 578
- urophthalmus*, 578
- Cinclus mexicanus*, 9, 698–699
- Circus cyaneus*, 490
- Cissa chinensis*, 396
- Cistothorus palustris*, 280
- platensis*, 280
- Clytoceyx rex*, 320
- Cnemotriccus fuscatus*, 132, 139
- Coccothraustes vespertinus*, 11, 25, 284, 696
- Coccyzus americanus*, 137, 249, 362, 516
- cinereus*, 137
- erythrophthalmus*, 137, 249, 261, 262, 278
- melacoryphus*, 137
- minor*, 362
- Cochlearius cochlearius*, 573–586
- Coereba flaveola*, 363, 517
- Coffey, Ben B., Jr., see Hardy, J. W., Theodore A. Parker, and ———
- Colaptes auratus*, 40, 261, 279, 612–627, 628–636
- campestris*, 138
- melanochloros*, 130, 138
- spp.*, 318, 396
- Colias striatus*, 13
- colonization
- of human-made wetland by *Gallinula chloropus*, 685–687
- Colinus virginianus*, 37
- Collar, N. J., see Bibby, C. J., ———, M. J. Crosby, M. F. Heath, C. Imboden, T. H. Johnson, A. J. Long, A. J. Stattersfield, and S. J. Thirgood
- Collins, Charles T., reviews by, 380–381, 710–711
- Columba cayennensis*, 137
- livia*, 6–7, 11, 40
- maculosa*, 137
- picazuro*, 137
- Columbina passerina*, 362
- picui*, 120, 124, 129, 137
- squammata*, 137
- talpacoti*, 137
- community
- effect of forest clearing on wintering and breeding birds, 239–255
- Condor, Andean, see *Vultur gryphus*
- Connors, Peter G., see Johnson, Oscar W., ———, Phillip L. Brunner, and John L. Maron
- Conrad, Kelvin F., and Raleigh J. Robertson, Relationship of age and sex to size and color of Eastern Phoebe, 597–603
- Contopus borealis*, 193–194, 223, 279
- caribaeus* [*Myiobius pallidus*, *Contopus pallidus*, *Contopus hispaniolensis*, *Blacicus hispaniolensis*, *Tyrannula cariboea*, *Blacicus caribaeus*], 217–227 (Frontispiece)
- cinereus*, 223
- latirostris*, 223, 224
- lugubris*, 223
- perixan*, 223
- sordidulus*, 223
- virens*, 220, 223, 248, 252, 279

- Cooke, Fred, see Schubert, Claudia A., and ———
- Coot, American, see *Fulica americana*  
White-winged, see *Fulica leucoptera*
- Coragyps atratus*, 128, 136, 614, 629  
correction, 83
- Corvus brachyrhynchos*, 8, 42, 173, 175–179, 249, 373, 614, 629  
caurinus, 359, 360  
corax, 8, 42, 460, 524–525  
frugilegus, 359  
spp., 391
- Coryphistera alaudina*, 120, 124, 131, 138
- Coryphospingus cucullatus*, 124, 134, 141
- cottontail, eastern, see *Sylvilagus floridanus*
- Cowbird, Bay-winged, see *Molothrus badius*  
Brown-headed, see *Molothrus ater*  
Screaming, see *Molothrus rufoaxillaris*  
Shining, see *Molothrus bonariensis*
- Crake, Paint-billed, see *Neocrex erythrops*
- Cranioleuca pyrrhophia*, 131, 138
- Creepers, Brown, see *Certhia americana*  
Hawaii, see *Oreomystis mana*  
Kauai, see *Oreomystis bairdi*  
Oahu, see *Parereomyza maculata*
- Crescent-chest, Olive-crowned, see *Melanopareia maximiliani*
- Crested-Tinamou, Quebracho, see *Eudromia formosa*
- Crosby, M. J., see Bibby, C. J., N. J. Collar, ———, M. F. Heath, C. Imboden, T. H. Johnson, A. J. Long, A. J. Statersfield, and S. J. Thirgood
- Crossbill, Red, see *Loxia curvirostra*  
White-winged, see *Loxia leucoptera*
- Crotophaga ani*, 137
- Crow, American, see *Corvus brachyrhynchos*  
Northwestern, see *Corvus caurinus*
- Crypturellus parvirostris*, 128, 136  
tataupa, 128, 136
- Cuckoo, Ash-colored, see *Coccyzus cinereus*  
Black-billed, see *Coccyzus erythrophthalmus*  
Dark-billed, see *Coccyzus melacoryphus*  
Guira, see *Guira guira*  
Mangrove, see *Coccyzus minor*  
Squirrel, see *Piaya cayana*  
Striped, see *Tapera naevia*  
Yellow-billed, see *Coccyzus americanus*
- Cuthbert, Francesca J., and Mei-Yao Louis, The Forster's Tern in Minnesota: status, distribution, and reproductive success, 184–187
- Cyanocitta cristata*, 42, 173, 175–179, 244, 248, 279, 612–627, 628–636  
stelleri, 42
- Cyanocompsa [Passerina] brissoni*, 93–113, 134, 141  
cyanea, 124  
[Passerina] cyanoides, 93–113  
[Passerina] parellina, 104, 106, 107, 108, 109
- Cyanocorax chrysops*, 125, 133, 140  
[Xanthoura] yncas, 389–398 (Frontis-piece)
- Cyanoloxia [Passerina] glaucocaeerulea*, 93–113
- Cyclarhis gujanensis*, 133, 140
- Cyprinodon variegatus*, 578, 580, 581, 582, 584
- Cypseloides storeri*, 366–367
- Dacela novaeguineae*, 317
- Daily, Gretchen C., Heartwood decay and vertical distribution of Red-naped Sapsucker nest cavities, 674–679
- Dasyus* spp., 115
- deer, see *Odocoileus* spp.  
gray brocket, see *Mazama gouazoubira*
- De Franceschi, Paolo, see Brichetti, Pierandrea, ———, and Nicola Baccetti
- Delichon urbica*, 74, 75
- DeLong, Colleen A., see Yahner, Richard H., Carolyn G. Mahan, and ———
- Demastes, James W., see Tamplin, Jeffrey W., ———, and J. V. Remsen, Jr.
- Dendrocolaptes picumnus*, 138
- Dendrocopos major*, 476
- Dendroica caerulescens*, 281, 359–361, 363, 517, 695–698  
castanea, 269, 273, 282  
cerulea, 193, 194, 269, 282  
coronata, 44, 281, 363, 492, 612–627, 628–636  
discolor, 354, 359, 363, 517  
dominica, 44, 363, 517  
fusca, 193, 282, 354  
kirtlandii, 228, 351–353, 354–356, 532–533  
magnolia, 281

- palmarum, 271, 282, 363, 517
- pensylvanica, 246, 247, 248, 281
- petechia, 261, 269, 272, 274, 281, 362, 529–531
- pinus, 44, 249, 282, 354
- striata, 269, 282, 517
- tigrina, 269, 281, 362, 517
- virens, 269, 273, 281, 354, 363
- density
  - of *Dryocopus pileatus* in Missouri, 77–83
- Dickcissel, see *Spiza americana*
- Dickinson, Edward C., Robert S. Kennedy, and Kenneth C. Parkes, The birds of the Philippines: an annotated checklist, reviewed, 205–206
- Didelphis virginiana*, 173
- diet
  - of breeding *Asio flammeus*, 490–496
  - of herons breeding in a Yucatan wetland, 573–586
  - of Nearctic *Asio flammeus*, 497–503
- Diomedea immutabilis*, 657–665
- Dipper, American, see *Cinclus mexicanus*
- distribution
  - of birds of the Chaco region of Bolivia, 114–141
  - of birds of the Exumas, Bahama Islands, 514–518
  - of birds of Rum Cay, Bahamas, 361–364
  - of *Catharus minimus bicknelli*, 554–572
  - of *Sterna forsteri* in Minnesota, 184–187
- Dittmann, Donna L., see Zink, Robert M., and ———
- Dolichonyx oryzivorus*, 74, 141, 517–518
- Doradito, Subtropical, see *Pseudocolopteryx actipennis*
- Dove, Eared, see *Zenaida auriculata*
- Mourning, see *Zenaida macroura*
- Rock, see *Columba livia*
- Scaled, see *Columbina squammata*
- White-tipped, see *Leptotila verreauxi*
- White-winged, see *Zenaida asiatica*
- Dovekie, see *Alle alle*
- Dowitcher, Short-billed, see *Limnodromus griseus*
- Dromas ardeola*, 321
- Drymornis bridgesii*, 114, 118, 130, 138
- Dryocopus pileatus*, 7–8, 40, 77–83, 279
- schulzi, 138
- Dubs, Balthasar, Birds of southwestern Bra-
- zil—catalogue and guide to the birds of the Pantanal of Mato Grosso and its border areas, reviewed, 383–384
- Duck, American Black, see *Anas rubripes*
- Australian Black, see *Anas superciliosa*
- Harlequin, see *Histrionicus histrionicus*
- Hawaiian, see *Anas wyvilliana*
- Masked, see *Oxyura dominica*
- Ruddy, see *Oxyura jamaicensis*
- Tufted, see *Aythya fuligula*
- Dujardin, J.-L., see Tostain, O., ———, Ch. Erard, and J.-M. Thiollay
- Dumetella carolinensis*, 246, 247, 248, 252, 261, 280, 362, 492
- Dunlin, see *Calidris alpina*
- Eagle, Bald, see *Haliaeetus leucocephalus*
- Crowned, see *Harpyhaliaetus coronatus*
- Golden, see *Aquila chrysaetos*
- Earthcreeper, Chaco, see *Upucerthia certhioides*
- ecology
  - of breeding *Charadrius semipalmatus* at Churchill, Manitoba, 455–464
  - of breeding *Empidonax oberholseri*, 84–92
- egg
  - laying intervals in *Chen caerulescens caerulescens*, 414–426
  - of *Hemignathus munroi*, 427–435
- Egret, Cattle, see *Bubulcus ibis*
- Great, see *Casmerodius albus*
- Reddish, see *Egretta rufescens*
- Snowy, see *Egretta thula*
- Egretta caerulea*, 35, 362, 515
- rufescens, 573–586
- thula, 35, 136, 515, 573–586
- tricolor, 35, 362, 573–586
- Eider, Common, *Somateria mollissima*
- Elaenia albiceps*, 122, 132, 139
- parvirostris, 122, 139
- spectabilis, 139
- Elaenia*, Large, see *Elaenia spectabilis*
- Small-billed, see *Elaenia parvirostris*
- White-crested, see *Elaenia albiceps*
- Elanus caeruleus*, 136
- Ely, Charles, see Thompson, Max C., and ———
- Emberizoides herbicola*, 124, 134, 140
- Embernagra platensis*, 140
- Empidonax alnorum*, 85, 90
- difficilis, 87, 88, 89, 90, 91

- flaviventris, 90, 271, 273, 279  
 hammondii, 85, 88, 89, 90  
 minimus, 85, 88, 90, 249, 260, 261, 262, 279  
 oberholseri, 84–92  
 traillii, 85, 88, 89, 90, 91  
 “traillii” spp., 279  
 virescens, 90, 269, 279  
 wrightii, 89, 90  
 Engilis, Andrew, Jr., and Thane K. Pratt, Status and population trends of Hawaii’s native waterbirds, 1977–1987, 142–158  
 Eptesicus fuscus, 493, 494  
 Erard, Ch., see Tostain, O., J.-L. Dujardin, ———, and J.-M. Thiollay  
 Eremophila alpestris, 42, 492  
 Erethizon dorsatum, 524–525  
 ermine, see Mustela erminea  
 Eskridge, Kent M., see Pochop, Patricia A., Ron J. Johnson, and ———  
 Eucinostomus argenteus, 578, 581, 582  
   gula, 578, 581  
 Eudocimus albus, 576, 577  
 Eudromia formosa, 136  
 Euphonia, Blue-hooded, see Euphonia elegantissima  
   Purple-throated, see Euphonia chlorotica  
   Spot-crowned, see Euphonia imitans  
   Thick-billed, see Euphonia laniirostris  
   White-vented, see Euphonia minuta  
   Yellow-throated, see Euphonia hirundinacea  
 Euphonia chlorotica, 134, 141  
   elegantissima, 298  
   hirundinacea, 285–300  
   imitans, 298  
   laniirostris, 298  
   minuta, 298  
 Euscarthmus meloryphus, 132, 139  
 evaporative water loss  
   in *Strix occidentalis lucida* and *Bubo virginianus*, 645–656  
 Falco columbarius, 37, 68–76, 362  
   femoralis, 129, 136  
   mexicanus, 460  
   peregrinus, 4, 136, 164  
   peregrinus tundrius, 188–190  
   ruficularis, 136  
   rusticolis, 188–189  
   sparverius, 37, 128, 136, 362, 465–474, 696  
   subbuteo, 8  
   tinnunculus, 74, 472  
 Falcon, Aplomado, see *Falco femoralis*  
   Bat, see *Falco ruficularis*  
   Peregrine, see *Falco peregrinus*  
   Prairie, see *Falco mexicanus*  
   Tundra Peregrine, see *Falco peregrinus tundrius*  
 Falconet, Spot-winged, see *Spizapteryx circumcinctus*  
 Falls, J. Bruce, see *Kopachena*, Jeffrey G., and ———  
 Fancy, Steven G., Robert T. Sugihara, John J. Jeffrey, and James D. Jacobi, Site tenacity of the endangered Palila  
 Farrand, John, Jr. see Pasquier, Roger F., and ———  
 Feare, Christopher J., Nectar feeding by European Starlings, 194  
 Felis domesticus, 591  
 French, Richard, A guide to the birds of Trinidad and Tobago, reviewed, 380–381  
 Ficedula hypoleuca, 75  
 Field, Rebecca, Michael R. North, and Judith Wells, Nesting activity of Yellow-billed Loons on the Colville River Delta, Alaska, after the Exxon Valdez oil spill, 325–332  
 Finch, Black-crested, see *Lophospingus pusillus*  
   Blue, see *Porphyrospiza* [Passerina] caerulea  
   House, see *Carpodacus mexicanus*  
   Laysan, see *Telespyza cantans*  
   Nihoa, see *Telespyza ultima*  
   Plush-capped, see *Catamblyrhynchus diadema*  
   Purple, see *Carpodacus purpureus*  
   Red-crested, see *Coryphospingus cucullatus*  
   Rosy, see *Leucosticte arctoa*  
   Saffron, see *Sicalis flaveola*  
   Zebra, see *Poephila guttata*  
 Finlayson, Clive, Birds of the Strait of Gibraltar, reviewed, 200–201  
 Fisher, Charles D., see Rudolph, D. Craig, and ———

- Fleskes, Joseph P., and Erwin E. Klaas, Dabbling duck recruitment in relation to habitat and predators in Union Slough National Wildlife Refuge, Iowa, reviewed, 213
- Flicker, Campo, see *Colaptes campestris*  
Northern, see *Colaptes auratus*  
flicker, see *Colaptes* spp.
- Flint, Peter R., and Peter R. Stewart, The birds of Cyprus, reviewed, 538–540
- Floridichthys carpio, 576, 580, 581
- Fluvicola pica, 139
- Flycatcher, Acadian, see *Empidonax virescens*  
Alder, see *Empidonax alnorum*  
Boat-billed, see *Megarynchus pitangua*  
Bran-colored, see *Myiophobus fasciatus*  
Brown-crested, see *Myiarchus tyrannulus*  
Crowned Slaty, see *Griseotyrannus auran-tioatrocristatus*  
Coue's, see *Contopus pertinax*  
Dusky, see *Empidonax oberholseri*  
Euler's, see *Lathrotriccus euleri*  
Fork-tailed, see *Tyrannus savana*  
Fuscous, see *Cnemotriccus fuscatus*  
Gray, see *Empidonax wrightii*  
Great Crested, see *Myiarchus crinitus*  
Least, see *Empidonax minimus*  
Ochre-bellied, see *Mionectes oleagineus*  
Olive-sided, see *Contopus borealis*  
Pied, see *Ficedula hypoleuca*  
Scissor-tailed, see *Tyrannus forficatus*  
Streaked, see *Myiodynastes maculatus*  
Swainson's, see *Myiarchus swainsoni*  
Vermilion, see *Pyrocephalus rubinus*  
Western, see *Empidonax difficilis*  
Willow, see *Empidonax traillii*  
Yellow-bellied, see *Empidonax flaviventris*
- foraging behavior  
of breeding *Falco columbarius* 68–76
- Formicivora melanogaster, 138
- fox, Arctic, see *Alopex lagopus*  
gray, see *Urocyon cinereoargenteus*  
red, see *Vulpes vulpes*
- Fratercula arctica, 333, 525
- Fregata magnificens, 514
- Frigatebird, Magnificent, see *Fregata magnificens*
- Fringilla montifringilla, 11
- frog, neotropical green, see *Rana vaillanti*
- Fruitcrow, Crimson, see *Haematoderus militaris*  
Purple-throated, see *Querula purpurata*
- Fulica americana, 38, 142–158  
leucoptera, 136
- Furnarius cristatus, 138  
rufus, 116–117, 131, 138
- Gadwall, see *Anas strepera*
- Gallinula chloropus, 38, 136, 142–158, 685–687
- Gallinule, Purple, see *Porphyryla martinica*  
Spot-flanked, see *Prophyriops melanops*
- Gallito, Crested, see *Rhinocrypta lanceolata*
- Gallus domesticus, 522
- Gambusia yucatana, 578, 582
- Gampsonyx swainsonii, 136
- Ganey, Joseph L., Russell P. Balda, and Rudy M. King, Metabolic rate and evaporative water loss of Mexican Spotted and Great Horned owls, 645–656
- Gannet, Northern, see *Morus bassanus*
- García R., Salvador, see Navarro S., Adolfo G., Hesiquio Benítez D., Víctor Sánchez B., ———, and Eduardo Santana C.
- Garmanella pulchra, 578, 581, 582
- Garrido, Orlando H., see Reynard, George B., ———, and Robert L. Sutton
- Gavia adamsii, 325–332  
arctica, 329  
immer, 329, 330  
pacifica, 534–535  
stellata, 329, 330
- Gehring, Thomas M., Potential predatory attack by Common Ravens on porcupines, 524–525
- geographic variation  
among subspecies of *Spizella passerina*, 399–413
- Geothlypis aequinoctialis, 141  
trichas, 242, 246, 247, 248, 252, 363
- Geranoaetus melanoleucus, 136
- Geranoospiza caerulescens, 128, 136
- Gibbs, James P., Jerry R. Longcore, Daniel G. McAuley, and James K. Ringelman, Use of wetland habitats by selected nongame water birds in Maine, reviewed, 213
- Glaucidium brasilianum, 129, 137

- Glyphorynchus spirurus, 311  
 Gnatcatcher, Blue-gray, see *Poliophtila caerulea*  
     Masked, see *Poliophtila dumicola*  
 Gnorimopsar chois, 141  
 Gobionellus lyricus, 582  
 Godwit, Marbled, see *Limosa fedora*  
 Golden-Plover, American, see *Pluvialis dominica*  
     Eurasian, see *Pluvialis apricaria*  
     Pacific, see *Pluvialis fulva*  
 Goldeneye, Barrow's, see *Bucephala islandica*  
     Common, see *Bucephala clangula*  
 Goldfinch, American, see *Carduelis tristis*  
 Goocher, Kelly J., see Avery, Michael L., ———, and Marcia A. Cone  
 Goose, Barnacle, see *Branta leucopsis*  
     Brent, see *Branta bernicla hrota*  
     Lesser Snow, see *Chen caerulescens caerulescens*  
     Snow, see *Chen caerulescens*  
 Goshawk, Brown, see *Accipiter fasciatus*  
 Gosner, Kenneth L., *Scopate tomia*: an adaptation for handling hard-shelled prey?, 316–324  
 Gowaty, Patricia Adair, review by, 195–197  
 Grackle, Boat-tailed, see *Quiscalus major*  
     Common, see *Quiscalus quiscula*  
     Great-tailed, see *Quiscalus mexicanus*  
 Graham, Frank, Jr., and Carl W. Buchheister, *The Audubon ark: a history of the National Audubon Society*, reviewed, 707–708  
 grants  
     see awards and grants  
 Grass-Finch, Wedge-tailed, see *Emberizoides herbicola*  
 Grassquit, Blue-black, see *Volatinia jacarina*  
 Grebe, Least, see *Podiceps dominicus*  
     Pied-billed, see *Podilymbus podiceps*  
     White-tufted, see *Podiceps rolland*  
 Greenshank, Common, see *Tringa nebularia*  
 Gretton, Adam, *Conservation of the Slender-billed Curlew*, reviewed, 386  
 Griffin, Curtice R., see Cavanagh, Paul M., and ———  
 Griseotyrannus aurantioatrocristatus, 132, 139  
 Grosbeak, Black-backed, see *Pheucticus aureoventris*  
     Black-headed, see *Pheucticus melanocephalus*  
     Blue, see *Guiraca [Passerina] caerulea*  
     Blue-black, see *Cyanocompsa [Passerina] cyanoides*  
     Crimson-collared, see *Rhodothraupis celano*  
     Evening, see *Coccothraustes vespertinus*  
     Indigo, see *Cyanoloxia [Passerina] glaucocaeulea*  
     Rose-breasted, see *Pheucticus ludovicianus*  
     Slate-colored, see *Pitylus grossus*  
     Ultramarine, see *Cyanocompsa [Passerina] brissoni* and *Cyanocompsa cyanea*  
     Yellow, see *Pheucticus aureoventris* and *Pheucticus chrysopleus*  
     Yellow-bellied, see *Pheucticus chrysogaster*  
     Yellow-green, see *Caryothraustes canadensis*  
     Yellow-shouldered, see *Caryothraustes humeralis*  
 Ground-Dove, Common, see *Columbina passerina*  
     Picui, see *Columbina picui*  
 Ground-Tyrant, Cinnamon-bellied, see *Muscisaxicola capistrata*  
 Grouse, Ruffed, see *Bonasa umbellus*  
     Sage, see *Centrocercus urophasianus*  
     Spruce, see *Canachites canadensis*  
 Groves, Craig R., see Cassirer, E. Frances, Greg Schirato, Fred Sharpe, ———, and Rusty N. Anderson  
 growth  
     of organs in embryonic *Diomedea immutabilis*, 657–665  
 Guillemot, Pigeon, see *Cephus columba*  
 Guiraca, 137  
 Guiraca [Passerina] caerulea, 93–113  
 Gull, Black-backed, see *Larus marinus*  
     Bonaparte's, see *Larus philadelphia*  
     California, see *Larus californicus*  
     Franklin's, see *Larus pipixcan*  
     Glaucous, see *Larus hyperboreus*  
     Glaucous-winged, see *Larus glaucescens*

- Herring, see *Larus argentatus*  
 Laughing, see *Larus atricilla*  
 Ring-billed, see *Larus delawarensis*
- Gutzwiller, Kevin J., and Heidi A. Marcum,  
     Avian responses to observer clothing  
     color: caveats from winter point  
     counts, 628–636
- Gutzwiller, Kevin J., Refining the use of point  
     counts for winter studies of individual  
     species, 612–627
- Gymnophthys leucaspis, 301–315  
     *lunulata*, 301–315  
     *rufigula*, 301–315  
     *salvini*, 301–315
- gynandromorphism  
     in *Dendroica caerulescens*, 695–698
- Gyrffalcon, see *Falco rusticolus*
- habitat  
     of migrating birds through the Saint Croix  
     River Valley, 265–284  
     related to *Dryocopus pileatus* densities in  
     Missouri, 77–83  
     unusual use by a hatching year *Dendroica*  
     *kirtlandii*, 532–533  
     use by breeding herons in a Yucatan wet-  
     land, 573–586
- Hackett, Shannon, Phylegenetic and biogeo-  
     graphic relationships in the neotropi-  
     cal genus *Gymnophthys* (Formicari-  
     idae), 301–315
- Haematoderus militaris*, 317, 322
- Haematopus palliatus*, 362, 515
- Hagan, John M., III, and David W. John-  
     ston, eds., Ecology and conservation  
     of Neotropical migrant landbirds, re-  
     viewed, 206–207
- Hailman, Jack P., review by, 197–199
- Haliaeetus leucocephalus*, 17
- Halcyon chloris*, 323  
     *cinnamomina*, 323  
     *gambieri*, 323  
     *pileata*, 323  
     *saurophaga*, 323  
     *smyrnensis*, 323  
     *tuta*, 323  
     *venerata*, 323
- Hall, George A., reviews by, 211–212, 213,  
     385–386, 543–544, 711
- Hancock, James A., James A. Kushlan, and  
     M. Philip Kahl, Storks, ibises, and  
     spoonbills of the world, reviewed,  
     702–704
- Hardy, J. W., Theodore A. Parker, and Ben  
     B. Coffey, Jr., Voices of the Wood-  
     peckers (Neotropical family Dendro-  
     colaptidae), reviewed, 207–208
- Harpyhaliaetus coronatus*, 114, 116, 136
- Harrier, Cinereous, see *Circus cinereus*  
     Northern, see *Circus cyaneus*
- Hartshorne, Charles, Born to sing, reviewed,  
     544
- Hawk, Bicolored, see *Accipiter bicolor*  
     Broad-winged, see *Buteo platypterus*  
     Cooper's, see *Accipiter cooperii*
- Crane, see *Geranospiza caerulescens*
- Harris', see *Parabuteo unicinctus*
- Red-backed, see *Buteo polyosoma*
- Red-shouldered, see *Buteo lineatus*
- Roadside, see *Buteo magnirostris*
- Rough-legged, see *Buteo lagopus*
- Savanna, see *Buteogallus meridionalis*
- Sharp-shinned, see *Accipiter striatus*
- Swainson's, see *Buteo swainsoni*
- White-tailed, see *Buteo albicaudatus*
- Heath, M. F., see Bibby, C. J., N. J. Collar,  
     M. J. Crosby, ———, C. Imboden, T.  
     H. Johnson, A. J. Long, A. J. Stat-  
     tersfield, and S. J. Thirgood
- Heliomaster furcifer*, 130, 138
- Helmitheros vermivorus*, 249, 363, 517
- Hemignathus munroi*, 427–435  
     *parvus*, 430, 431  
     *virens*, 436–447  
     *virens stejnegeri*, 430, 431, 433  
     *virens virens*, 427–435
- Hemitriccus margaritaceiventer*, 132, 139
- Hennes, Steven K., see Zicus, Michael C.,  
     and ———
- Heron, Boat-billed, see *Cochlearius cochle-  
     arius*  
     Great Blue, see *Ardea herodias*  
     Green-backed, see *Butorides striatus*  
     Little Blue, see *Egretta caerulea*  
     Tricolored, see *Egretta tricolor*
- Heterandria bimaculata*, 578
- Hewitt, David G., and Roy L. Kirkpatrick,  
     Ground nest predation and Ruffed

- Grouse densities in southwest Virginia, 521–524
- Himantopus mexicanus, 137, 142–158, 515
- Himatione sanguinea sanguinea, 430, 433
- Hirundo pyrrhonota, 511
- rustica, 42, 279, 511, 696
- Histrionicus histrionicus, 691–694
- Hobbie, see *Falco subbuteo*
- Holt, Denver W., Breeding season diet of Short-eared Owls in Massachusetts, 490–496
- Holt, Denver W., Trophic niche of Nearctic Short-eared Owls, 497–503
- Honeycreeper, Green, see *Chlorophanes spiza*
- Hoover, Jeffrey P., and Margaret C. Brintingham, Regional variation in cowbird parasitism of Wood Thrushes, 228–238
- Hornero, Crested, see *Furnarius cristatus*
- Rufous, see *Furnarius rufus*
- Hubbard, John P., reviews by, 200–201, 538–540
- Hummingbird, Costa's, see *Calypte costae*
- Gilded, see *Hylocharis chrysura*
- Glittering-bellied, see *Chlorostilbon aureoventris*
- Ruby-throated, see *Archilochus colubris*
- hybridization
- of *Phalcoboenus megalopterus* and *Phalcoboenus carunculatus*, 688–691
- of *Pipra serena* × *Pipra coronata* from Roraima, Brazil, 348–351
- Hydropsalis brasiliana, 25, 130, 137
- Hylocharis chrysura, 138
- Hylocichla mustelina, 228–238, 248, 253, 280
- Hymenops perspicillata, 139
- Ibis, Snowy, see *Eudocimus albus*
- Icterus cayanensis, 134, 141
- galbula, 248, 252, 260, 261, 262, 284
- jamacaii, 135, 141
- spurius, 696
- Ictinia mississippiensis, 136
- Iiwi, see *Vestiaria coccinea coccinea*
- Imboden, C., see Bibby, C. J., N. J. Collar, M. J. Crosby, M. F. Heath, ———, T. H. Johnson, A. J. Long, A. J. Statersfield, and S. J. Thirgood
- Inezia inornata, 132, 139
- information for authors, 214–215, 725–726
- Ixobrychus exilis, 35
- Ixos amaurotis, 13
- Jacana jacana, 137
- Jacana, Wattled, see *Jacana jacana*
- Jacobi, James D., see Fancy, Steven G., Robert T. Sugihara, John J. Jeffrey, and ———
- Jaeger, Parasitic, see *Stercorarius parasiticus*
- javeliña, see *Catagonus* and *Tayassu* spp.
- Jay, Blue, see *Cyanocitta cristata*
- Green, see *Cyanocorax [Xanthoura] yncas*
- Plush-crested, see *Cyanocorax chrysops*
- Steller's, see *Cyanocitta stelleri*
- Jeffrey, John J., see Fancy, Steven G., Robert T. Sugihara, ———, and James D. Jacobi
- Johns, Brian W. The influence of grove size on bird species richness in Aspen Parklands, 256–264
- Johnson, Ned K., and Robert E. Jones, The Green Jay turns blue in Peru: inter-related aspects of the annual cycle in the arid tropical zone, 389–398
- Johnson, Ned K., review by, 541–542
- Johnson, Oscar W., Peter G. Connors, Philip L. Brunner, and John L. Maron, Breeding ground fidelity and mate retention in the Pacific Golden-Plover, 60–67
- Johnson, Ron J., see Pochop, Patricia A., ———, and Kent M. Eskridge
- Johnson, T. H., see Bibby, C. J., N. J. Collar, M. J. Crosby, M. F. Heath, C. Imboden, ———, A. J. Long, A. J. Statersfield, and S. J. Thirgood
- Johnston, David W., see Hagan, John M., III, and ———
- Jones, Ian L., Sexual differences in bill shape and external measurements of Crested Auklets, 525–529
- Jones, Robert E., see Johnson, Ned K., and ———
- Jordan, Otto Carlos, and Charles A. Munn, First observation of the Blue-throated Macaw in Bolivia, 694–695
- Junco, Dark-eyed, see *Junco hyemalis*
- Yellow-eyed, see *Junco phaeonotus*
- Junco hyemalis*, 20, 46, 284, 403, 405, 408, 495
- phaeonotus*, 20, 46

- Kahl, M. Philip, see Hancock, James A., James A. Kushlan, and ———
- Kautz, J. Edward, and Richard A. Malecki, Effects of harvest on feral Rock Dove survival, nest success, and population size, reviewed, 213
- Kennedy, Robert S., see Dickinson, Edward C., ———, and Kenneth C. Parkes
- Kern, M. D., see Riper, Charles van, III, ———, and M. K. Sogge
- Kestrel, American, see *Falco sparverius*
- Eurasian, see *Falco tinnunculus*
- Killdeer, see *Charadrius vociferus*
- killfish, see *Garmanella pulchra*
- goldspotted, see *Floridichthys carpio*
- King, Rudy M., see Ganey, Joseph L., Russell P. Balda, and ———
- Kingbird, Eastern, see *Tyrannus tyrannus*
- Tropical, see *Tyrannus melancholicus*
- Kingfisher, African Dwarf, see *Ceyx lecontei*
- Beach, see *Halcyon saurophaga*
- Belted, see *Ceryle alcyon*
- Black-capped, see *Halcyon pileata*
- European, see *Alcedo atthis*
- Micronesian, see *Halcyon cinnamomina*
- Pacific, see *Halcyon tuta*
- Ringed, see *Ceryl torquata*
- Shovel-billed, see *Clytoceyx rex*
- Tahiti, see *Halcyon venerata*
- Tuamotu, see *Halcyon gambieri*
- White-collared, see *Halcyon chloris*
- White-throated, see *Halcyon smyrnensis*
- Kinglet, Golden-crowned, see *Regulus satrapa*
- Ruby-crowned, see *Regulus calendula*
- Kirkpatrick, Roy L., see Hewitt, David G., and ———
- Kiskadee, Great, see *Pitangus sulphuratus*
- Kite, Black-shouldered, see *Elanus caeruleus*
- Hook-billed, see *Chondrohierax uncinatus*
- Mississippi, see *Ictinia mississippiensis*
- Pearl, see *Gampsonyx swainsonii*
- Klaas, Erwin E., see Fleskes, Joseph P., and ———
- Klatt, Paul H., and Gary Ritchison, The duetting behavior of Eastern Screech-Owls, 483–489
- Knipolegus atterimus, 132, 139
- hudsoni, 123, 124, 132, 139
- striaticeps, 139
- Knot, Red, see *Calidris canutus*
- Knox, A. G., Checklist of the birds of Britain and Ireland, reviewed, 385
- Kookaburra, Laughing, see *Dacela novaguineae*
- Kopachena, Jeffrey G., and J. Bruce Falls, Re-evaluation of morph-specific variations in parental behavior of the White-throated Sparrow, 48–59
- Kratter, Andrew W., T. Scott Sillett, R. Terry Chesser, John P. O'Neill, Theodore A. Parker III, and Abel Castillo, Avifauna of a Chaco Locality in Bolivia, 114–141
- Kushlan, James A., see Hancock, James A., ———, and M. Philip Kahl
- Lagopus lagopus, 37
- mutus, 37
- Lambourne, Maureen, The art of bird illustration: a visual tribute to the lives and achievements of the classic bird illustrators, reviewed, 202–205
- Lanius excubitor, 44, 180–183, 532
- ludovicianus, 44, 531–532
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus, 333–338, 460, 518–521
- atricilla, 333–338, 491, 516
- californicus, 40
- delawarensis, 40, 511, 516
- glaucescens, 40, 526
- hyperboreus, 6, 40
- marinus, 333–338, 518–521
- philadelphia, 6, 40
- pipixcan, 6, 40
- Laterallus jamaicensis, 38, 696–699
- Lathrotriccus euleri, 139
- Leistes superciliiaris, 141
- Lepidocolaptes angustirostris, 130, 138
- Leptasthenura platensis, 138
- Leptotila verreauxi, 124, 129, 137
- Leucosticte arctoa, 46
- Lima, Steven L., Ecological and evolutionary perspectives on escape from predatory attack: a survey of North American Birds, 1–47
- Limnodromus griseus, 6, 39, 515–516
- Limosa fedora, 39
- Limpkin, see *Aramus guarauna*
- livebearer, see *Poecilia orri*
- lizard, see *Urosaurus auriculatus*
- Long, A. J., see Bibby, C. J., N. J. Collar, M.

- J. Crosby, M. F. Heath, C. Imboden, T. H. Johnson, ———, A. J. Stattersfield, and S. J. Thirgood
- Longcore, Jerry R., see Gibbs, James P., ———, Daniel G. McAuley, and James K. Ringelman
- Longspur, Chestnut-collared, see *Calcarius ornatus*
- Lapland, see *Calcarius lapponicus*
- McCown's, see *Calcarius mccownii*
- Smith's, see *Calcarius pictus*
- Loon, Arctic, see *Gavia arctica*
- Common, see *Gavia immer*
- Pacific, see *Gavia pacifica*
- Red-throated, see *Gavia stellata*
- Yellow-billed, see *Gavia adamsii*
- Lophiogobius cyprinoides, 578
- Lophospingus pusillus, 134, 140
- Loughin, Thomas M., see Varland, Daniel E., and ———
- Louis, Mei-Yao, see Cuthbert, Francesca J., and ———
- Loveland, Robert E., see Botton, Mark L., and ———
- Loxia curvirostra, 46
- leucoptera, 46, 284
- Loxioides bailleui, 427–435, 587–596
- Loxops coccineus caeruleirostris, 430
- Macaw, Blue-throated, see *Ara glaucogularis*
- Red-and-green, see *Ara chloropterus*
- Yellow-collared, see *Ara auricollis*
- Machetornis rixosus, 124, 132, 139
- Maggie, Green, see *Cissa chiensis*
- Mahan, Carolyn G., see Yahner, Richard H., ———, and Colleen A. DeLong
- Malecki, Richard A., see Kautz, J. Edward, and ———
- Mallard, see *Anas platyrhynchos*
- Manakin, Blue-crowned, see *Pipra coronata*
- Dwarf, see *Tyrannetes stolzmanni*
- Golden-headed, see *Pipra erythrocephala*
- Thrush-like, see *Schiffornis turdinus*
- White-fronted, see *Pipra serena*
- Mannan, R. William, see Morrison, Michael, Bruce G. Marcot, and ———
- Marcot, Bruce G., see Morrison, Michael, ———, and R. William Mannan
- Marcum, Heidi A., see Gutzwiller, Kevin J., and ———
- Margarops fuscatus, 362
- Marin, Manuel, A., and F. Gary Stiles, On the biology of five species of swifts (Apodidae, Cupseloidinae) in Costa Rica, reviewed, 710–711
- Maron, John L., see Johnson, Oscar W., Peter G. Connors, Phillip L. Brunner, and ———
- Marra, Peter P., Reverse mounting in the Black-throated Blue Warbler, 359–361
- Martin, Brian, Birds of prey of the British Isles, reviewed, 542–543
- Martin, Brown-chested, see *Phaeoprogne tapera*
- Gray-breasted, see *Progne chalybea*
- House, see *Delichon urbica*
- Purple, see *Progne subis*
- Southern, see *Progne modesta*
- Marzluff, John M., and Russell P. Balda, The Pinyon Jay: behavioral ecology of a colonial and cooperative corvid, reviewed, 379–380
- Mayfield, Harold F., Kirtland's Warblers benefit from large forest tracts, 351–353
- Mazama gouazoubira, 115
- McAuley, Daniel G., see Gibbs, James P., Jerry R. Longcore, ———, and James K. Ringelman
- McCabe, Robert A., The little green bird, ecology of the Willow Flycatcher, reviewed, 209–210
- McFarlane, Robert W., A stillness in the pines: the ecology of the Red-Cockaded Woodpecker, reviewed, 210–211
- Mearns, Barbara and Richard Mearns, Audubon to Xanthus: the lives of those commemorated in North American bird names, reviewed, 700–702
- Mearns, Richard, see Mearns, Barbara, and ———
- meetings
- Wilson Ornithological Society, 59
- Megarynchus pitangua, 139
- Melanerpes cactorum, 130, 138
- candidus, 130, 138
- carolinus, 40, 278, 612–627, 628–636
- erythrocephalus, 278, 677
- formicivorus, 1 (Frontispiece)
- uropygialis, 40
- Melanocorypha calandra, 8, 42

- Melanopareia maximiliani*, 139  
*Meleagris gallopavo*, 37, 173  
*Melospiza georgiana*, 20, 271, 283, 517  
     *lincolnii*, 20, 271, 283  
     *melodia*, 20, 45, 164, 283, 400, 406  
*Mephitis mephitis*, 173  
 Merlin, see *Falco columbarius*  
 metabolic rate  
     in *Diomedea immutabilis*, 657–665  
     of *Strix occidentalis lucida* and *Bubo virginianus*, 645–656  
*Microtus californicus*, 499, 500  
     *pennsylvanicus*, 490–496, 499, 500  
 migration  
     of birds through the Saint Croix River Valley, 265–284  
     temporal differences in size of *Aegolius acadicus*, 356–359  
*Milvago chimango*, 136  
*Mimodes graysoni*, 167–171  
*Mimus gundlachi*, 362  
     *polyglottos*, 167, 169, 612–627, 628–636  
     *saturninus*, 133, 140  
     *triurus*, 133, 140  
 mink, see *Mustela vison*  
 minnow, sheephead, see *Cyprinodon variegatus*  
*Mionectes oleagineus*, 294  
*Mniotilta varia*, 44, 248, 282, 354, 363  
 Mockingbird, Bahama, see *Mimus gundlachi*  
     Chalk-browed, see *Mimus saturninus*  
     Northern, see *Mimus polyglottos*  
     Socorro, see *Mimodes graysoni*  
     White-banded, see *Mimus triurus*  
 Moller, A. P., see Birkhead, T. R., and ———  
*Molothrus ater*, 45, 90, 191, 228–238, 248, 261, 262, 284, 352  
     *badius*, 135, 141  
     *bonariensis*, 135, 141  
     *rufoaxillaris*, 141  
 Monjita, Black-crowned, see *Xolmis coronata*  
     Gray, see *Xolmis cinerea*  
     White, see *Xolmis irupero*  
 Moore, Laurel A., see Sykes, Paul W., Jr., Carol I. Bocetti, and ———  
 Moorhen, Common, see *Gallinula chloropus*  
 morphology  
     adaptive significance of scopate tomtia, 316–324  
 morphometric relationships  
     among *Cardinalinae*, 93–113  
 Morrison, Michael, Bruce G. Marcot, and R. William Mannan, Wildlife habitat relationship concepts and application, reviewed, 540–541  
*Morus bassanus*, 514  
 mouse, deer, see *Peromyscus maniculatus*  
     meadow jumping, see *Zapus hudsonius*  
     white-footed, see *Peromyscus leucopus*  
 Mousebird, Speckled, see *Colias striatus*  
*Mugil curema*, 576, 578  
 Muller, Yves, Bibliographie d'ornithologie Francaise 1945–1965, reviewed, 711  
 mullet, see *Mugil curema*  
 Munn, Charles A., see Jordan, Otto Carlos, and ———  
 Murrelet, Ancient, see *Synthliboramphus antiquus*  
*Muscisaxixia capistrata*, 122–123, 124, 132, 139  
 muskrat, see *Ondatra sibethica*  
*Mustela erminea*, 460  
     *ivalis*, 480  
     spp., 173, 677  
     *vison*, 186  
*Myadestes obscurus*, 589  
*Myiarchus crinitus*, 249, 261, 262, 279, 492  
     *swainsoni*, 139  
     *tyrannulus*, 132, 139  
*Myiodynastes maculatus*, 139  
*Myiophobus fasciatus*, 139  
*Myiopsitta monachus*, 129, 137  
*Myrmeciza fortis*, 301–315  
*Myrmoborus myotherinus*, 311  
*Myrmorchilus strigilatus*, 125, 131, 138  
*Nandayus nenday*, 114, 117, 129, 137  
 Navarro S., Adolfo G., Hesiquio Benítez D., Víctor Sánchez B., Salvador García R., and Eduardo Santana C., The White-faced Swift in Jalisco, Mexico, 366–367  
 needlefish, redfin, see *Strongilura notata*  
*Neocrex erythrops*, 136  
 nest  
     changing placement in *Hemignathus virens*, 436–447

- heterospecific use by *Setophaga ruticilla* and *Dendroica petechia*, 529–531  
of *Hemignathus munroi*, 427–435  
parasitism of *Hylocichla mustelina* by *Molothrus ater*, 228–238  
predation related to *Bonasa umbellus* densities, 521–524  
response of *Passer domesticus* to monofilament lines at boxes, 504–513
- nest cavity  
excavation in decayed heartwood by *Sphyrapicus nuchalis*, 674–679  
use by *Histrionicus histrionicus*, 691–694
- nesting  
activity  
of *Gavia adamsii* in Alaska after the Exxon Valdez spill, 325–332  
biology  
of *Euphonia hirundinacea*, 285–300  
response  
of *Sterna hirundo* and *Larus atricilla* to flyovers of *Larus marinus* and *Larus argentatus*, 333–338
- nestling  
induced to fledge by parent *Lanius ludovicianus*, 531–532
- niche  
of Nearctic *Asio flammeus*, 497–503
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*  
Yellow-crowned, see *Nycticorax violacea*
- Nighthawk, Common, see *Chordeiles minor*  
Nacunda, see *Podager nacunda*
- Nightjar, Band-winged, see *Caprimulgus longirostris*  
Little, see *Caprimulgus parvulus*  
Scissor-tailed, see *Hydropsalis brasiliensis*
- Niven, Daniel K., Male-male nesting behavior in Hooded Warblers, 190–193
- Noddy, Brown, see *Anous stolidus*
- Nol, Erica, see Armstrong, Allison Rippin, and ———
- Norton, Robert L., First Autumnal report of birds from Rum Cay, Bahamas, 361–364
- Nothoprocta cinerascens, 124, 128, 136
- Nothura boraquira, 136  
maculosa, 136
- Nothura, Spotted, see *Nothura maculosa*  
White-bellied, see *Nothura boraquira*
- Notiochelidon cyanoleuca, 133, 140
- Nuthatch, European, see *Sitta europaea*  
Red-breasted, see *Sitta canadensis*  
White-breasted, see *Sitta carolinensis*
- Nyctea scandiaca, 501
- Nycticorax nycticorax, 142–158, 186, 335  
violaceus, 321, 515
- Nyctobois griseus, 137
- Nystalus maculatus, 130, 138
- Oceanites oceanicus, 491
- Oceanodroma leucorhoa, 491, 494
- Odocoileus spp., 87
- Omao, see *Myadestes obscurus*
- Ondatra zibethica, 493, 500
- O'Neill, John P., see Kratter, Andrew W., T. Scott Sillett, R. Terry Chesser, ———, Theodore A. Parker III, and Abel Castillo
- Openbill, African, see *Anastomus lamelligera*  
Asian, see *Anastomus oscitans*
- Oporornis agilis, 260, 261, 262, 282  
philadelphia, 282
- opossum, Virginia, see *Didelphis virginiana*
- Opsanus beta, 582
- Oreomystis bairdi, 430  
mana, 430
- Oriole, Campo, see *Icterus jamacaii*  
Epaulet, see *Icterus cayanensis*  
Northern, see *Icterus galbula*
- Orr, Oliver H., Jr., Saving American birds, T. Gilbert Pearson and the founding of the Audubon movement, reviewed, 211–212
- Ortalis canicollis, 115, 129, 136
- Oryzoborus crassirostris, 696
- Osprey, see *Pandion haliaetus*
- Otus asio, 483–489  
atricapillus, 117, 124  
choliba, 129, 137  
hoyi, 117
- Ouellet, Henri, Bicknell's Thrush: taxonomic status and distribution, 545–572
- Ouellet, Henri, reviews by, 704–705
- Ovenbird, see *Seiurus aurocapillus*
- Owl, Barred, see *Strix varia*  
Buff-fronted, see *Aegolius harrisii*  
Burrowing, see *Speotyto cunicularia*  
Great Horned, see *Bubo virginianus*  
Long-eared, see *Asio otus*

- Mexican Spotted, see *Strix occidentalis lucida*  
 Northern Saw-whet, see *Aegolius acadicus*  
 Rufous-legged, see *Strix rufipes*  
 Short-eared, see *Asio flammeus*  
 Snowy, see *Nyctea scandiaca*  
*Oxyura dominica*, 136  
*jamaicensis*, 680, 683  
 Oystercatcher, American, see *Haematopus palliatus*  
*Pachyrhamphus polychropterus*, 140  
*viridis*, 140  
 Painted-Snipe, American, see *Rostratula semicollaris*  
 Palila, see *Loxioides bailleui*  
 Pampa-Finch, Great, see *Embernagra platensis*  
*Pandion haliaetus*, 362, 515  
*Parabuteo unicinctus*, 136  
 Parakeet, Black-hooded, see *Nandayus nenday*  
     Blue-crowned, see *Aratinga acuticauda*  
     Green-cheeked, see *Pyrrhura molinae*  
     Monk, see *Myiopsitta monachus*  
*Pardirallus maculatus*, 136  
*Parereomyza maculata*, 430  
 Parker, T. A., III, see Willis, Edwin O., David W. Snow, Douglas F. Stotz, and ———  
 Parker, Michael S., Opportunistic predation by a Great Blue Heron on an American Dipper, 698–699  
 Parker, Theodore A., see Hardy, J. W., ———, and Ben B. Coffey, Jr.  
 Parker, Theodore A., III, see Kratter, Andrew W., T. Scott Sillett, R. Terry Chesser, John P. O'Neill, ———, and Abel Castillo  
 Parkes, Kenneth C., reviews by, 202–205, 536–537, 700–702  
 Parkes, Kenneth C., see Dickinson, Edward C., Robert S. Kennedy, and ———  
 Parmelee, David Freeland, review by, 382–383  
*Paroaria coronata*, 124, 134, 141  
 Parrot, Blue-fronted, see *Amazona aestiva*  
 Partridge, Gray, see *Perdix perdix*  
*Parula americana*, 281, 354, 516–517  
*pitiayumi*, 134, 141  
*Parula*, Tropical, see *Parula pitayumi*  
*Parus atricapillus*, 42, 239–255, 261, 262, 279, 492, 637–644  
*bicolor*, 42, 244, 246, 248, 251, 612–627, 628–636  
*carolinensis*, 42, 612–627, 628–636  
*major*, 481  
*palustris*, 480  
 Pasquier, Roger F., and John Farrand, Jr., Masterpieces of bird art: 700 years of ornithological illustration, reviewed, 202–205  
*Passer domesticus*, 11, 47, 68, 69, 141, 504–513  
*Passerculus sandwichensis*, 15, 20, 45, 283, 363  
*Passerella iliaca*, 20, 96, 283, 400, 407  
*Passerina amoena*, 104, 106, 107, 108, 109  
*ciris*, 93–113, 359, 360  
*cyanea*, 93–113, 248, 269, 271, 283, 363, 517  
*leclancherii*, 105, 107, 108  
*rositae*, 96, 103, 105, 107, 108  
*versicolor*, 96, 103, 105, 107, 108  
 Patten, Michael A., A probable bilateral gynecandromorphic Black-throated Blue Warbler, 695–698  
*Pelecanus occidentalis*, 514  
 Pelican, Brown, see *Pelecanus occidentalis*  
 Peppershrike, Rufous-browed, see *Cyclarhis gujanensis*  
*Perdix perdix*, 37  
*Peromyscus leucopus*, 493, 495  
*maniculatus*, 499, 500  
*Petenia splendida*, 578  
 Pettingill, Olin Sewall, Jr., My way to ornithology, reviewed, 384–385  
 Pewee, Dark, see *Contopus lugubris*  
     Greater Antillean, see *Contopus caribaeus*  
     Lesser Antillean, see *Contopus latirostris*  
     Tropical, see *Contopus cinereus*  
*Phacellodomus rufifrons*, 131, 138  
*sibilatrix*, 114, 120, 124, 131, 138  
*Phaeoprogne tapera*, 140  
*Phalarope*, Red-necked, see *Phalaropus lobatus*  
     Wilson's, see *Phalaropus tricolor*  
*Phalaropus lobatus*, 39  
*tricolor*, 61  
*Phalcoboenus carunculatus*, 688–691  
*megalopterus*, 688–691

- Phasianus colchicus*, 37  
 Pheasant, Ring-necked, see *Phasianus colchicus*  
 phenetic classification  
     of *Cardinalinae*, 93–113  
*Pheucticus aureoventris*, 93–113, 134, 141  
     *chrysogaster*, 93–113  
     *chrysopheplus*, 102, 103, 105, 107, 108  
     *ludovicianus*, 93–113, 248, 283, 492  
     *melanocephalus*, 93–113, 602  
*Phloeocastus leucopogon*, 130, 138  
 Phoebe, Eastern, see *Sayornis phoebe*  
 phylogeny  
     of the genus *Gymnopathys*, 301–315  
     of the genus *Spizella*, 399–413  
     perspective on hybridization for *Pipra* spp., 348–351  
*Phytotoma rutila*, 133, 140  
*Piaya cayana*, 129, 137  
*Picoides albolarvatus*, 677  
     *borealis*, 40  
     *mixtus*, 117–118, 124, 130, 138  
     *pubescens*, 12, 40, 244, 248, 250, 261, 262, 279  
     *tridactylus*, 476  
     *villosus*, 244, 249, 260, 261, 262, 279  
 Piculet, White-barred, see *Picumnus cirratus*  
*Piculus chrysochlorus*, 138  
*Picumnus cirratus*, 125, 130, 138  
 pig, feral, see *Sus scrofa*  
 Pigeon, Pale-vented, see *Columba cayennensis*  
     *Picazuro*, see *Columba picazuro*  
     Spot-winged, see *Columba maculosa*  
 Pintail, Northern, see *Anas acuta*  
*Pipilo aberti*, 20  
     *chlorurus*, 20, 45  
     *crissalis*, 20, 45  
     *erythrophthalmus*, 20, 44, 93–113, 173, 246, 248, 251, 261, 262, 283, 492, 495, 696  
     *fuscus*, 20, 44  
 Pipit, Water, see *Anthus rubescens*  
     Yellowish, see *Anthus lutescens*  
*Pipra aureola*, 350  
     *coronata*, 311, 348–351  
     *erythrocephala*, 311, 350  
     *serena*, 348–351  
*Piranga flava*, 134, 141  
     *olivacea*, 248, 253, 282  
*Pitangus sulphuratus*, 139  
*Pithys albifrons*, 301–315  
*Pitylus grossus*, 93–113  
 Plantcutter, White-tipped, see *Phytotoma rutila*  
*Plectrophenax hyperboreus*, 20  
     *nivalis*, 20, 25, 45  
 Plover, Black-bellied, see *Pluvialis squatarola*  
     Collared, see *Charadrius collaris*  
     Crab, see *Dromas ardeola*  
     Piping, see *Charadrius melodus*  
     Ringed, see *Charadrius hiaticula*  
     Semipalmated, see *Charadrius semipalmatus*  
     Snowy, see *Charadrius alexandrinus*  
     Wilson's, see *Charadrius wilsonia*  
 plumage  
     green-blue color changes in *Cyanocorax yncas*, 389–398  
     gynandromorphic *Dendroica caerulescens*, 695–698  
*Pluvialis apricaria*, 60, 61, 64, 65  
     *dominica*, 60  
     *fulva*, 60–67  
     *squatarola*, 362, 491, 495  
 Pochop, Patricia A., Ron J. Johnson, and Kent M. Eskridge, House Sparrow response to monofilament lines at nest boxes and adjacent feeding sites, 504–513  
*Podager nacunda*, 137  
*Podiceps dominicus*, 136  
     *rolland*, 136  
*Podilymbus podiceps*, 136  
*Poecilia orri*, 578, 581  
*Poephila guttata*, 359  
*Polioptila caerulea*, 249, 272, 518  
     *dumicola*, 122, 133, 140  
*Polyborus plancus*, 125, 128, 136  
*Polystictus pectoralis*, 132, 139  
*Pooecetes gramineus*, 15, 20, 261, 262, 283  
 Poole, Kim G., see Shank, Christopher C., Robert G. Bromley, and ———  
*Pospiza melanoleuca*, 134, 140  
     *ornata*, 140  
     *torquata*, 134, 140  
 population  
     *Dendroica kirtlandii* benefit from large forest tracts, 351–353

- gene flow in *Spizella passerina*, 399–413  
size increases in breeding *Falco peregrinus tundrius*, 188–190  
trends of Hawaii's native waterbirds, 142–158
- porcupine, see *Erethizon dorsatus*
- Porphyriops melanops, 136
- Porphyrospiza [Passerina] caerulescens, 109
- Porphyryla martinica, 136
- Porzana carolina, 38, 278
- Potoo, Gray, see *Nyctibius griseus*
- Poulsen, Bent Otto, A contact zone between Mountain and Carunculated Caracaras in Ecuador, 688–691
- Power, Dennis M., ed., Current ornithology, Vol. 9, reviewed, 385
- Poyser, A. D., see Vaughn, Richard, T. Poyser, and ———
- Poyser, T., see Vaughn, Richard, ———, and A. D. Poyser
- Pratt, Thane K., see Engilis, Andrew, Jr., and ———
- Pravosudov, Vladimir V., Breeding biology of the Eurasian Nuthatch in northeastern Siberia, 475–482
- predation  
by *Ardea herodias* on *Cinclus mexicanus*, 698–699  
by *Larus argentatus* and *Larus marinus* on *Limulus polyphemus*, 518–521  
escape from attack, 1–47  
of *Bonasa umbellus* nests in southwestern Virginia, 521–524  
of *Buteo swainsoni* on dragonflies, 365–366  
of *Rana vaillanti* on *Wilsonia citrina*, 533  
on artificial *Bonasa umbellus* nests, 172–179  
possible attack on *Erethizon dorsatum*, 524–525
- Priodontes maximus, 115
- proceedings  
seventy-fourth annual meeting, 712–725
- Procyon lotor, 173, 177, 472
- Progne chalybea, 294  
modesta, 140  
subis, 516
- Protonotaria citrea, 190, 282
- Psaltiriparus minimus, 43
- Psammomys obesus, 181
- Pseudocolopteryx acutipennis, 139
- Pseudoseisura lophotes, 120, 121, 124, 131, 138
- Ptarmigan, Rock, see *Lagopus mutus*  
Willow, see *Lagopus lagopus*
- Ptychoramphus aleuticus, 6, 40, 525, 528
- Puffbird, Spot-backed, see *Nystalus maculatus*  
Swallow-winged, see *Chelidoptera tenebrosa*
- Puffin, Atlantic, see *Fratercula arctica*
- Puffinus lherminieri, 514  
pacificus, 656
- Pycnonotus barabatus, 13  
cafer, 608
- Pygmy-Owl, Ferruginous, see *Glaucidium brasilianum*
- Pygmy-Tyrant, Pearly-vented, see *Hemitricus margaritaceiventer*  
Tawny-crowned, see *Euscarthmus meloryphus*
- Pyrhura molinae, 137
- Pyrocephalus rubinus, 132, 139
- Pyrrhuloxia, see *Cardinalis sinuatus*
- Quail, California, see *Callipepla californica*  
Gambel's, see *Callipepla gambelii*
- Quelea quelea, 369
- Quelea, Red-billed, see *quelea quelea*
- Querula purpurata, 93–113
- Quiscalus major, 159  
mexicanus, 159, 696  
quiscula, 46, 372
- raccoon, see *Procyon lotor*
- Rail, Black, see *Laterallus jamaicensis*  
Clapper, see *Rallus longirostris*  
King, see *Rallus elegans*  
Spotted, see *Pardirallus maculatus*  
Virginia, see *Rallus limicola*
- Rallus elegans, 38  
limicola, 38  
longirostris, 38, 362
- Ramirez, Jesus, see Vogt, Richard C., ———, and Jose Luis Villareal B.
- Ramo, Chistina, and Benjamin Busto, Resource use by herons in a Yucatan wetland during the breeding season, 573–586
- Ramphastos toco, 138
- Rana vaillanti, 533
- rat, see *Rattus* spp.

- fat-tailed sand, see *Psammomys obesus*  
 Norway, see *Rattus norvegicus*  
 Ratcliffe, L., see Shackleton, S. A., and —  
*Rattus norvegicus*, 493  
 spp., 591  
 Raven, Common, see *Corvus corax*  
 record  
   *Ara glaucogularis* in Bolivia, 694–695  
   *Capsiempis flaveola* in Peru, 534  
   *Cypseloides storeri* in Jalisco, Mexico, 366–367  
   *Sterna paradisaea* on the Pacific Coast of Mexico, 364–365  
*Recurvirostra americana*, 38  
 Redpoll, Common, see *Carduelis flammea*  
 Redstart, American, see *Setophaga ruticilla*  
 Reed, J. Michael, review by, 210–211  
*Regulus calendula*, 43, 280, 612–627, 628–636  
   satrapa, 43, 243, 244, 250, 280  
 Remsen, J. V., Jr., see Tamplin, Jeffrey W., James W. Demastes, and —  
 Renken, Rochelle B., and Ernie P. Wiggers, Habitat characteristics related to Pileated Woodpecker densities in Missouri, 77–83  
 reproductive success  
   of *Falco sparverius* nesting along an interstate highway, 465–474  
 Reynard, George B., Orlando H. Garrido, and Robert L. Sutton, Taxonomic revision of the Greater Antillean Pewee, 217–227  
*Rhamdia guatemalensis*, 578  
*Rhea americana*, 128, 136  
 Rhea, Greater, see *Rhea americana*  
*Rhegmatorhina melanosticta*, 301–315  
*Rhinocrypta lanceolata*, 120, 121, 125, 132, 138  
*Rhodothraupis celaeno*, 96, 104, 106, 107  
 Righter, Robert, see Andrews, Robert, and —  
 Ringelman, James K., see Gibbs, James P., Jerry R. Longcore, Daniel G. McAuley, and —  
 Riper, Charles van, III, M. D. Kern, and M. K. Sogge, Changing nest placement of Hawaiian Common Amakihi during the breeding cycle, 436–447  
 Ritchison, Gary, see Klatt, Paul H., and —  
 Ritter, Michael W., and Thomas M. Sweet, Rapid colonization of a human-made wetland by Mariana Common Moorhen on Guam, 685–687  
 Robbins, Mark B., review by, 207–208  
 Robertson, Gregory J., Interspecific killing in the Pacific Loon, 534–535  
 Robertson, Raleigh J., see Conrad, Kelvin F., and —  
 Robin, American, see *Turdus migratorius*  
 Rodriguez-Estrella, Ricardo, see Castellanos, Aradit, and —  
 Rook, see *Corvus frugilegus*  
 roosting  
   critique of “patch sitting hypothesis”, 368–372, 372–378  
 Rosefinch, Pink-browed, see *Carpodacus rhodochrous*  
*Rostratula semicollaris*, 137  
 Ross, Charles A., review by, 205–206  
 Rudolph, D. Craig, and Charles D. Fisher, Swainson’s Hawk predation on dragonflies in Argentina, 365–366  
*Saltator albicollis*, 93–113  
   altricollis, 103, 107, 108  
   aurantiiostris, 93–113, 134, 141  
   cinctus, 104, 106, 107, 108  
   coerulescens, 93–113, 141  
   maximus, 93–113  
   nigriceps, 93–113  
   rufiventris, 103, 107, 108  
   similis, 103, 107, 108  
*Saltator*, Black-cowled, see *Saltator nigriceps*  
   Black-throated, see *Saltator atricollis*  
   Buff-throated, see *Saltator maximus*  
   Golden-billed, see *Saltator aurantiiostris*  
   Grayish, see *Saltator coerulescens*  
   Green-winged, see *Saltator similis*  
   Masked, see *Saltator cinctus*  
   Rufous-bellied, see *Saltator rufiventris*  
   Streaked, see *Saltator albicollis*  
*Saltatricula multicolor*, 124, 134, 141  
 Sánchez B., Víctor, see Navarro S., Adolfo G., Hesiquio Benítez D., —, Salvador García R., and Eduardo Santana C.  
 Sanderling, see *Calidris alba*

- Sandpiper, Buff-breasted, see *Tryngites sub-ruficollis*  
Least, see *Calidris minutilla*  
Pectoral, see *Calidris melanotos*  
Semipalmated, see *Calidris pusilla*  
Solitary, see *Tringa solitaria*  
Spotted, see *Actitis macularia*  
Western, see *Calidris mauri*  
White-rumped, see *Calidris fuscicollis*  
Santana C., Eduardo, see Navarro S., Adolfo G., Hesiquio Benítez D., Víctor Sánchez B., Salvador García R., and ———  
Santner, Steven J., Daniel W. Brauning, Glenna Schwalbe, and Saul W. Schwalbe, Annotated list of the birds of Pennsylvania, reviewed, 543–544  
Sapsucker, Red-naped, see *Sphyrapicus nuchalis*  
Yellow-bellied, see *Sphyrapicus varius*  
Sargent, Sarah, Nesting biology of the Yellow-throated Euphonia: large clutch size in a neotropical frugivore, 285–300  
Satrapa icterophrys, 139  
Sayornis phoebe, 42, 279, 597–603  
Scaup, Lesser, see *Aythya affinis*  
Schiffornis turdinus, 348  
Schirato, Greg, see Cassirer, E. Frances, ———, Fred Sharpe, Craig R. Groves, and Rusty N. Anderson  
Schorniphylax phryganophila, 138  
Schubert, Claudia A., and Fred Cooke, Egg-laying intervals in the Lesser Snow Goose, 414–426  
Schwalbe, Glenna, see Santner, Steven J., Daniel W. Brauning, ———, and Saul W. Schwalbe  
Schwalbe, Saul, see Santner, Steven J., Daniel W. Brauning, Glenna Schwalbe, and ———  
Scolopax minor, 173, 278  
Screech-Owl, Eastern, see *Otus asio*  
Hoy's, see *Otus hoyi*  
Tropical, see *Otus choliba*  
Variable, see *Otus atricapillus*  
Scrub-Flycatcher, Southern, see *Sublegatus modestus*  
Scythebill, Red-billed, see *Campylorhamphus trochilirostris*  
Sedgwick, James A., Reproductive ecology of Dusky Flycatchers in western Montana, 84–92  
Sedgwick, James A., review by, 209–210  
Seed-Finch, Large-billed, see *Oryzoborus crassirostris*  
Seedeater, Double-collared, see *Sporophila caerulescens*  
Lined, see *Sporophila lineola*  
Tawny-bellied, see *Sporophila hypoxantha*  
Seiurus aurocapillus, 173, 239–255, 260, 261, 262, 282, 363, 517  
motacilla, 269, 272, 274, 282  
noveboracensis, 282, 363, 517  
Seriema, Black-legged, see *Chunga burmeisteri*  
Red-legged, see *Cariama cristata*  
Serpophaga minda, 139  
subcristata, 132, 139  
Servat, Grace P., First records of the Yellow Tyrannulet (*Capsiempis flaveola*) in Peru, 534  
Setophaga ruticilla, 164, 261, 262, 282, 359, 363, 529–531  
sexual dimorphism  
in bill shape and external measurements of *Aethia cristatella*, 525–529  
in *Sayornis phoebe*, 597–603  
Shackleton, S. A., and L. Ratcliffe, Development of song in hand-reared Black-capped Chickadees, 637–644  
Shank, Christopher C., Robert G. Bromley, and Kim G. Poole, Increase in breeding population of Tundra Peregrine Falcons in the central Canadian Arctic, 188–190  
Sharpe, Fred, see Cassirer, E. Frances, Greg Schirato, ———, Craig R. Groves, and Rusty N. Anderson  
Shearwater, Audubon's, see *Puffinus lherminieri*  
Wedge-tailed, see *Puffinus pacificus*  
Sheppard, Jay M., review by, 705–707  
Shoveler, Norther, see *Anas clypeata*  
shrew, masked, see *Sorex cinereus*  
northern short-tailed, see *Blarina brevicauda*  
spp., see *Sorex* spp.

- Shrike, Loggerhead, see *Lanius ludovicianus*  
 Northern, see *Lanius excubitor*
- Shrike-Tyrant, Gray-bellied, see *Agriornis microptera*  
 Lesser, see *Agriornis murina*
- Sialia currucoides*, 261  
*sialis*, 164, 280, 612–627, 628–636  
 spp., 9
- Sicalis flaveola*, 140  
*luteola*, 140
- Sillett, T. Scott, see Kratter, Andrew W.,  
 ———, R. Terry Chesser, John P.  
 O'Neill, Theodore A. Parker III, and  
 Abel Castillo
- Siskin, Hooded, see *Carduelis magellanica*  
 Pine, see *Carduelis pinus*
- site tenacity  
 of *Loxioides bailleui*, 587–596
- Sitta canadensis*, 279  
*carolinensis*, 244, 249, 250, 280  
*europaea*, 9, 475–482
- Sittasomus griseicapillus*, 138
- skunk, striped, see *Mephitis mephitis*
- Skutch, Alexander F., The imperial call, re-  
 viewed, 544
- Skutch, Alexander F., A naturalist in Costa  
 Rica, reviewed, 544
- Skylark, Eurasian [Calandra], see *Melanocorypha calandra*
- Smith, Susan M., The Black-capped Chick-  
 adee: behavioral ecology and natural  
 history, reviewed, 197–199
- Snow, David, ed., Birds, discovery and con-  
 servation, 100 years of the British Or-  
 nithologists' Club, reviewed, 385
- Snow, David W., see Willis, Edwin O.,  
 ———, Douglas F. Stotz, and T. A.  
 Parker III
- Snowcock, Himalayan, see *Tetraogallus himalayensis*
- Snyder, Noel F. R., see Beissinger, Steven  
 R., and ———
- Sodhi, Navjot S., Proximate determinants of  
 foraging effort in breeding male Mer-  
 lins, 68–76
- Sogge, M. K., see Riper, Charles van, III, M.  
 D. Kern, and ———
- Somateria mollissima*, 4, 36, 534–535, 680
- Sora, see *Prozana carolina*
- Sorex cinereus*, 492  
 spp., 493
- Sparrow, American Tree, see *Spizella ar-  
 borea*
- Bachman's, see *Aimophila aestivalis*  
 Baird's, see *Ammodramus bairdii*  
 Black-chinned, see *Spizella atrogularis*  
 Black-throated, see *Amphispiza bilineata*  
 Brewer's, see *Spizella breweri*  
 Cassin's, see *Aimophila cassinii*  
 Chipping, see *Spizella passerina*  
 Clay-colored, see *Spizella pallida*  
 Field, see *Spizella pusilla*  
 Fox, see *Passerella iliaca*  
 Golden-crowned, see *Zonotrichia atrica-  
 pilla*  
 Grasshopper, *Ammodramus savannarum*  
 Grassland, see *Ammodramus humeralis*  
 Harris', see *Zonotrichia querula*  
 Henslow's, see *Ammodramus henslowii*  
 House, see *Passer domesticus*  
 Lark, see *Chondestes grammacus*  
 LeConte's, see *Ammodramus leconteii*  
 Lincoln's, see *Melospiza lincolni*  
 Rufous-collared, see *Zonotrichia capensis*  
 Rufous-crowned, see *Aimophila ruficeps*  
 Rufous-winged, see *Aimophila carpalis*  
 Sage, see *Amphispiza belli*  
 Savannah, see *Passerculus sandwichensis*  
 Seaside, see *Ammodramus maritimus*  
 Sharp-tailed, see *Ammodramus cauda-  
 cutus*  
 Song, see *Melospiza melodia*  
 Striped-capped, see *Aimophila strigiceps*  
 Swamp, see *Melospiza georgiana*  
 Timberline, see *Spizella taverneri*  
 Vesper, see *Poocetes gramineus*  
 White-crowned, see *Zonotrichia leuco-  
 phrys*  
 White-throated, see *Zonotrichia albicollis*  
 Worthen's, see *Spizella vortheni*
- Sparrowhawk, Eurasian, see *Accipiter nisus*  
 species richness  
 of avifauna in Aspen parklands, 256–264
- Speotyto cunicularia*, 137, 653
- Sphyrapicus nuchalis*, 674–679  
*varius*, 261, 278, 516
- Spindalis zena*, 517
- Spinetail, Chotoy, see *Schoeniophylax phry-  
 ganophila*

- Pale-breasted, see *Synallaxis albescentis*  
 Sooty-fronted, see *Synallaxis frontalis*  
 Stripe-crowned, see *Cranioleuca pyrrhophia*  
*Spiza americana*, 10, 93–113  
*Spizella arborea*, 20, 45, 243, 244, 250, 399–413  
     *atrogularis*, 20, 399–413  
     *breweri*, 20, 404, 406  
     *pallida*, 20, 260, 261, 262, 283, 399–413  
     *passerina*, 20, 93–113, 249, 273, 283, 399–413  
     *pusilla*, 20, 45, 173, 246, 247, 248, 252, 272, 283, 399–413  
     *taverneri*, 399, 400  
     *wortheni*, 399, 400, 408  
*Spiziateryx circumcinctus*, 116, 125, 128, 136  
 Spoonbill, Roseate, see *Ajaia ajaia*  
*Sporophila caerulescens*, 140, 696  
     *hypoxantha*, 141  
     *lineola*, 140  
 Sprunt, Alexander, IV, see Buden, Donald W., and ———  
 Starling, Brahminy, see *Sturnus pagodarum*  
     European, see *Sturnus vulgaris*  
     Spotless, see *Sturnus unicolor*  
 Starthroat, Blue-tufted, see *Heliomaster furcifer*  
 Stattersfield, A. J., see Bibby, C. J., N. J. Collar, M. J. Crosby, M. F. Heath, C. Imboden, T. H. Johnson, A. J. Long, ———, and S. J. Thirgood  
 status  
     of *Contopus borealis* in southeastern Brazil, 193–194  
     of Hawaii's native waterbirds, 142–158  
     of *Mimodes graysoni*, 167–171  
     of *Sterna fosteri* in Minnesota, 184–187  
*Stelgidopteryx fucata*, 140  
     *serripennis*, 279, 294  
*Stercorarius parasiticus*, 460  
*Sterna anaethetus*, 516  
     *dougallii*, 333, 516  
     *fosteri*, 184–187  
     *fusca*, 516  
     *hirundo*, 333–338, 364, 492, 494  
     *paradisaea*, 333, 364–365  
 Stewart, Peter R., see Flint, Peter R., and ———  
*Stigmatura budytoides*, 122, 132, 139  
 Stiles, F. Gary, see Marin, Manuel, A., and ———  
 Stilt, Black-necked, see *Himantopus mexicanus*  
 Storm-Petrel, Leach's, see *Oceanodroma leucorhoa*  
     Wilson's, see *Oceanites oceanicus*  
 Stotz, Douglas F., A hybrid manakin (Pipra) from Roraima, Brazil, and a phylogenetic perspective on hybridization in the Pipridae, 348–351  
 Stotz, Douglas F., see Willis, Edwin O., David W. Snow, ———, and T. A. Parker III  
*Streptoprocne semicollaris*, 367  
     *zonaris*, 124, 130, 137  
*Strix occidentalis*, 645  
     *occidentalis lucida*, 645–656  
     *rufipes*, 114, 117, 129, 137  
     *varia*, 278  
*Strongilura notata*, 576, 578, 581, 582  
*Sturnella* spp., 46  
*Sturnus pagodarum*, 194  
     spp., 9  
     *unicolor*, 194  
     *vulgaris*, 9, 14, 44, 194, 261, 359, 360, 372, 374, 377, 465–474  
*Sublegatus modestus*, 132, 139  
 Sugihara, Robert T., see Fancy, Steven G., ———, John J. Jeffrey, and James D. Jacobi  
 Suiriri, Chaco, see *Suiriri suiriri*  
*Suiriri suiriri*, 132, 139y  
 Summers-Smith, J. Denis, In search of sparrows, reviewed, 212  
*Sus scrofa*, 591  
 Sutton, Robert L., see Reynard, George B., Orlando H. Garrido, and ———  
 Svensson, Lars, Identification guide to European passerines, reviewed, 544  
 Swallow, Barn, see *Hirundo rustica*  
     Blue-and-white, see *Notiochelidon cyano-leuca*  
     Chilean, see *Tachycineta meyeni*  
     Cliff, see *Hirundo pyrrhonota*  
     Northern Rough-winged, see *Stelgidopteryx serripennis*  
     Tawny-headed, see *Stelgidopteryx fucata*

- White-rumped, see *Tachycineta leucorrhoa*
- Sweet, Thomas M., see Ritter, Michael W., and ———
- Swift, Chimney, see *Chaetura pelagica*
- White-collared, see *Streptoprocne zonaris*
- White-faced, see *Cypseloides storeri*
- White-napped, see *Streptoprocne semicollaris*
- White-throated, see *Aeronautes saxatilis*
- Sykes, Paul W., Jr., Carol I. Bocetti, and Laurel A. Moore, Male Kirtland's Warbler with incubation patch, 354–356
- Sylvilagus floridanus*, 500
- Synallaxis albescentis*, 138
- frontalis*, 124, 125, 131, 138
- Synthliboramphus antiquus*, 525
- Tachuri, Bearded, see *Polystictus pectoralis*
- Tachycineta leucorrhoa*, 140
- meyeni*, 140
- Tamplin, Jeffrey W., James W. Demastes, and J. V. Remsen, Jr., Biochemical and morphometric relationships among some members of the *Cardinalinae*, 93–113
- Tanager, Blue-and-yellow, see *Thraupis bonariensis*
- Hepatic, see *Piranga flava*
- Sayaca, see *Thraupis sayaca*
- Scarlet, see *Piranga olivacea*
- Stripe-headed, see *Spindalis zena*
- Swallow, see *Tersina viridis*
- Tapera naevia*, 137
- Taraba major*, 131, 138
- taxonomy
- of *Catharus minimus bicknelli*, 545–572
- of *Contopus caribaeus*, 217–227
- Tayassu* spp., 115
- Teal, Blue-winged, see *Anas discors*
- Green-winged, see *Anas crecca*
- Ringed, see *Callonetta leucophrys*
- Teather, Kevin L., Behavioral development of male and female Red-winged, Blackbirds, 159–166
- Telespyza cantans*, 430, 431
- ultima*, 430
- Tern, Arctic, see *Sterna paradisaea*
- Black, see *Chlidonias niger*
- Bridled, see *Sterna anaethetus*
- Common, see *Sterna hirundo*
- Forster's, see *Sterna forsteri*
- Roseate, see *Sterna dougallii*
- Sooty, see *Sterna fuscata*
- territory
- as affected by observation posts in *Lanius excubitor*, 180–183
- Tersina viridis*, 141
- Tetraogallus himalayensis*, 5, 17, 38
- Thamnophilus caerulescens*, 120, 131, 138
- doliatus*, 117, 131, 138
- Thiollay, J.-M., see Tostain, O., J.-L. Dujardin, Ch. Erard, and ———
- Thirgood, S. J., see Bibby, C. J., N. J. Collar, M. J. Crosby, M. F. Heath, C. Imboden, T. H. Johnson, A. J. Long, A. J. Stattersfield, and ———
- Thompson, Max C., and Charles Ely, Birds in Kansas, Vol. II, reviewed, 537–538
- Thompson, Max C., review by, 199–200
- Thornbird, Little, see *Phacellodomus sibilatrix*
- Plain, see *Phacellodomus rufifrons*
- Thrasher, Curve-billed, see *Toxostoma curvirostre*
- Pearly-eyed, see *Margarops fuscatus*
- Thraupis bonariensis*, 134, 141
- sayaca*, 134, 141
- Thrush, Bicknell's, see *Catharus minimus bicknelli*
- Creamy-bellied, see *Turdus amaurochalinus*
- Gray-cheeked, see *Catharus minimus*, *Catharus minimus aliciae*
- Hermit, see *Catharus guttatus*
- Swainson's, see *Catharus ustulatus*
- Wood, see *Hylocichla mustelina*
- Thryothorus guarayanus*, 140
- ludovicianus*, 280, 612–627, 628–636
- time budget
- of breeding *Bucephala clangula*, 680–685
- Tinamou, Brushland, see *Nothoprocta cinerascens*
- Small-billed, see *Crypturellus parvirostris*
- Tataupa, see *Crypturellus tataupa*
- Tit, Great, see *Parus major*
- Marsh, see *Parus palustris*
- Tit-Spinetail, Tufted, see *Leptasthenura platensis*
- Titmouse, Tufted, see *Parus bicolor*
- Tostain, O., J.-L. Dujardin, Ch. Erard, and J.-M. Thiollay, Oiseaux de Guyane, reviewed, 704–705

- Toucan, Toco, see *Ramphastos toco*
- Towhee, Abert's, see *Pipilo aberti*  
     California, see *Pipilo crissalis*  
     Canyon, see *Pipilo fuscus*  
     Green-tailed, see *Pipilo chlorurus*  
     Rufous-sided, see *Pipilo erythrophthalmus*
- Toxostoma curvirostre, 7, 9, 43, 164  
     rufum, 261, 280
- Trapnell, David, Nature in art: a celebration of 300 years of wildlife painting, reviewed, 536–537
- Tringa flavipes, 38  
     melanoleuca, 362  
     nebularia, 64  
     solitaria, 137, 515
- Troglodytes aedon, 43, 133, 140, 249, 261, 280, 287, 294, 448–454  
     troglodytes, 280
- Trogon, Blue-crowned, see *Trogon curucui*
- Trogon curucui, 138
- Tropidurus hispidus, 121
- Tryngites subruficollis, 39
- Turdus amaurochalinus, 133, 140  
     grayi, 291  
     migratorius, 9, 43, 261, 280, 373, 609, 612–627, 628–636  
     spp., 369
- Turkey, Wild, see *Meleagris gallopavo*
- Turner, J. G., see Weisbrod, A. R., C. J. Burnett, ———, and Dwain W. Warner
- Turnstone, Black, see *Arenaria melanocephala*  
     Ruddy, see *Arenaria interpres*
- Tye, Alan, “Diurnal activity centers” and “information centers”: a need for more critical study, 368–372
- Tyler, Jack D., reviews, 707–710
- Tyranneutes stolzmanni, 348
- Tyrannulet, Plain, see *Inezia inornata*  
     White-bellied, see *Serpophaga munda*  
     White-crested, see *Serpophaga subcristata*  
     Yellow, see *Capsiempis flaveola*
- Tyrannus forficatus, 602  
     melancholicus, 140  
     savanna, 139  
     tyrannus, 42
- Tyrant, Cattle, see *Machetornis rixosus*  
     Cinereous, see *Kniplegus striaticeps*  
     Spectacled, see *Hymenops perspicillata*
- Yellow-browed, see *Satrapa icterophrys*
- Tyto alba, 137, 500, 501, 516
- Upucerthia albigula, 199  
     certhioides, 14, 118–119, 131, 138  
     estebani, 119  
     harterti, 118–119  
     jelskii, 119
- Urocyon cinereoargenteus, 173
- Urosaurus auriculatus, 169
- Varland, Daniel E., and Thomas M. Loughin, Reproductive success of American Kestrels nesting along an interstate highway in central Iowa, 465–474
- Vaughn, Richard, T. Poyser, and A. D. Poyser, In search of Arctic birds, reviewed, 382–383
- Veery, see *Catharus fuscescens*
- Verbeek, Nicolaas A. M., review by, 208–209
- Verdin, see *Auriparus flaviceps*
- Vermivora celata, 44, 271, 281  
     chrysoptera, 246, 248, 252, 269, 271, 281  
     peregrina, 269, 273, 281, 516  
     pinus, 272, 281  
     pinus × chrysoptera, 281  
     ruficapilla, 249, 281, 354
- Vestiaria coccinea coccinea, 430, 433
- Villareal, Jose Luis, B., see Vogt, Richard C., Jesus Ramirez, and ———
- Villaseñor, Jose Fernando, First documented records of the Arctic Tern on the Pacific Coast of Mexico, 364–365
- Vireo crassirostris, 362  
     flavifrons, 249, 281, 530  
     gilvus, 261, 262, 272, 281  
     olivaceus, 140, 239–255, 261, 262, 281, 530  
     philadelphicus, 281  
     solitarius, 10, 44, 280, 492
- Vireo, Philadelphia, see *Vireo philadelphicus*  
     Red-eyed, see *Vireo olivaceus*  
     Solitary, see *Vireo solitarius*  
     Thick-billed, see *Vireo crassirostris*  
     Warbling, see *Vireo gilvus*  
     Yellow-throated, see *Vireo flavifrons*
- vocalization  
     duetting behavior of *Otus asio*, 483–489  
     song development in hand-reared *Parus atricapillus*, 637–644
- Vogt, Richard C., Jesus Ramirez, and Jose

- Luis Villareal B., Migrant Hooded Warblers as prey of Neotropical Frogs, 533
- Volatinia jacarina, 134, 140
- vole, California, see *Microtus californicus*
- meadow, see *Microtus pennsylvanicus*
- Vulpes vulpes, 173, 460
- vultur gryphus, 116, 124, 128, 136
- Vulture, Black, see *Coragyps atratus*
- Turkey, see *Cathartes aura*
- Wagtail-Tyrant, Greater, see *Stigmatura budytoides*
- Wall, Stephen B. Vander, review by, 379–380
- Walley, Harlan D., review by, 384
- Warbler, Bay-breasted, see *Dendroica castanea*
- Black-and-white, see *Mniotilta varia*
- Black-throated Blue, see *Dendroica caerulescens*
- Black-throated Green, see *Dendroica virens*
- Blackburnian, see *Dendroica fusca*
- Blackpoll, see *Dendroica striata*
- Blue-winged, see *Vermivora pinus*
- Brewster's, see *Vermivora pinus* × *Vermivora chrysoptera*
- Canada, see *Wilsonia canadensis*
- Cape May, see *tigrina*
- Cerulean, see *Dendroica cerulea*
- Chestnut-sided, see *Dendroica pensylvanica*
- Connecticut, see *Oporornis agilis*
- Golden-winged, see *Vermivora chrysoptera*
- Hooded, see *Wilsonia citrina*, 190–193
- Kirtland's, see *Dendroica kirtlandii*
- Magnolia, see *Dendroica magnolia*
- Mourning, see *Oporornis philadelphia*
- Nashville, see *Vermivora ruficapilla*
- Orange-crowned, see *Vermivora celata*
- Palm, see *Dendroica palmarum*
- Pine, see *Dendroica pinus*
- Prairie, see *Dendroica discolor*
- Prothonotary, see *Protonotaria citrea*
- Tennessee, see *Vermivora peregrina*
- Wilson's, see *Wilsonia pusilla*
- Worm-eating, see *Helmitheros vermivorus*
- Yellow, see *Dendroica petechia*
- Yellow-rumped, see *Dendroica coronata*
- Yellow-throated, see *Dendroica dominica*
- Warbling-Finch, Black-capped, see *Poospiza melanoleuca*
- Cinnamon, see *Poospiza ornata*
- Ringed, see *Poospiza torquata*
- Warner, Dwain W., see Weisbrod, A. R., C. J. Burnett, J. G. Turner, and ———
- Water-Tyrant, Pied, see *Fluvicola pica*
- Waterthrush, Louisiana, see *Seiurus motacilla*
- Northern, see *Seiurus noveboracensis*
- Waxwing, Bohemian, see *Bombycilla garrulus*
- Cedar, see *Bombycilla cedrorum*
- weasel, see *Mustela* spp., *Mustela nivalis*
- Weisbrod, A. R., C. J. Burnett, J. G. Turner, and Dwain W. Warner, Migrating birds at a stopover site in the Saint Croix River Valley, 265–284
- wetland
- colonization by *Gallinula chloropus*, 685–687
- use by breeding herons, 573–586
- Whip-poor-will, see *Caprimulgus vociferus*
- White, Clayton, review by, 542–543
- Whitmore, Robert C., review by, 540–541
- Whittow, G. C., see Zhang, Q., and ———
- Wigeon, American, see *Anas americana*
- Eurasian, see *Anas penelope*
- Wiggers, Ernie P., see Renken, Rochelle B., and ———
- Wilds, Claudia, Find birds in the National Capital area, reviewed, 705–706
- Willet, see *Catoptrophorus semipalmatus*
- Williams, Julia, see Banko, Paul C., and ———
- Willis, Edwin O., David W. Snow, Douglas F. Stotz, and T. A. Parker III, Olive-sided Flycatchers in southeastern Brazil, 193–194
- Willoughby, Ernest J., Mold of the genus *Spizella* (Passeriformes, Emberizidae) in relation to ecological factors affecting plumage wear, reviewed, 541–542
- Wilsonia canadensis*, 271, 282
- citrina*, 190–193, 354, 533
- pusilla*, 282
- Wood, D. Scott, review by, 384–385

- Wood-Pewee, Eastern, see *Contopus virens*  
 Western, see *Contopus cordidulus*  
 Woodcock, American, see *Scolopax minor*  
 Woodcreeper, Black-banded, see *Dendrocolaptes picumnus*  
     Great Rufous, see *Xiphocolaptes major*  
     Narrow-billed, see *Lepidocolaptes angustirostris*  
     Olivaceous, see *Sittasomus griseicapillus*  
     Scimitar-billed, see *Drymornis bridgesii*  
     Wedge-billed, see *Glyphorhynchus spirurus*  
 Woodpecker, Acorn, see *Melanerpes formicivorus*  
     Black-bodied, see *Dryocopus schulzi*  
     Checkered, see *Picoides mixtus*  
     Cream-backed, see *Phloeocastes leucopogon*  
     Downy, see *Picoides pubescens*  
     Gila, see *Melanerpes uropygialis*  
     Golden-green, see *Piculus chrysocloros*  
     Great Spotted, see *Dendrocopos major*  
     Green-barred, see *Colaptes melanochloros*  
     Hairy, see *Picoides villosus*  
     Pileated, see *Dryocopus pileatus*  
     Red-bellied, see *Melanerpes carolinus*  
     Red-cockaded, see *Picoides borealis*  
     Red-headed, see *Melanerpes erythrocephalus*  
     Three-toed, see *Picoides tridactylus*  
     White, see *Melanerpes candidus*  
     White-fronted, see *Melanerpes cactorum*  
     White-headed, see *Picoides albolarvatus*  
 Woods, Christopher P., Parent Loggerhead Shrikes induce nestlings to fledge, 531–532  
 Woodstar, Bahama, see *Calliphlox evelynae*  
 Woolfenden, Glen E., review by, 381–382  
 Wren, Band-backed, see *Campylorhynchus zonatus*  
     Cactus, see *Campylorhynchus brunnei-capillus*  
     Carolina, see *Thryothorus ludovicianus*  
     Fawn-breasted, see *Thryothorus guarayanus*  
     House, see *Troglodytes aedon*  
     Marsh, see *Cistothorus palustris*  
     Sedge, see *Cistothorus plantensis*  
     Winter, see *Troglodytes troglodytes*  
*Xenopsaris albinucha*, 140  
*Xenopsaris*, White-naped, see *Xenopsaris albinucha*  
*Xiphocolaptes major*, 130, 138  
*Xiphophorus maculatus*, 578  
*Xolmis cinerea*, 139  
     *coronata*, 139  
     *irupero*, 139  
 Yahner, Richard H., Effects of long-term forest clear-cutting on wintering and breeding birds, 239–255  
 Yahner, Richard H., Carolyn G. Mahan, and Colleen A. DeLong, Dynamics of depredation on artificial ground nests in habitat managed for Ruffed Grouse, 172–179  
 Yellow-Finch, Grassland, see *Sicalis luteola*  
 Yellowlegs, Greater, see *Tringa melanoleuca*  
     Lesser, see *Tringa flavipes*  
 Yellowthroat, Common, see *Geothlypis trichas*  
     Masked, see *Geothlypis aequinoctialis*  
 Yezerinac, Stephen M., American Redstarts using Yellow Warblers' nest, 529–531  
 Yosef, Reuven, Influence of observation posts on territory size of Northern Shrikes, 180–183  
*Zapus hudsonius*, 493, 495  
*Zenaida asiatica*, 40  
     *auriculata*, 137  
     *macroura*, 7, 14, 40, 261, 262, 278  
 Zhang, Q., and G. C. Whittow, Organ growth and oxygen consumption in Laysan Albatross embryos, 657–665  
 Zicus, Michael C., and Steven K. Hennes, Diurnal time budgets of breeding Common Goldeneyes, 680–685  
 Zimmerman, John L., review by, 537–538  
 Zink, Robert M., and Donna L. Dittmann, Population structure and gene flow in the Chipping Sparrow and a hypothesis for evolution in the genus *Spizella*, 399–413  
*Zonotrichia albicollis*, 20, 45, 48–59, 251, 283  
     *atricapilla*, 20, 45  
     *capensis*, 133, 140  
     *leucophrys*, 15, 20, 45, 283  
     *querula*, 20

This issue of *The Wilson Bulletin* was published on 29 December 1993.