

INDEX TO VOLUME 107, 1995

BY KATHLEEN G. BEAL

This index includes references to genera, species, authors, and key words or terms. In addition to avian species, references are made to the scientific names of all vertebrates mentioned within the volume and other taxa mentioned prominently in the text. Common names are as they appear in the volume unless otherwise specified. Reference is made to books reviewed, and announcements as they appear in the volume.

- abundance
 - of *Columba squamosa* after Hurricane Hugo, 727–733
 - of *Myiopsitta monachus* in Chicago, 510–517
 - of Neotropical migrants in Jamaica, 577–589
 - of overwintering passerines in hardwood forests, 698–708
 - of raptors in Puerto Rico, 452–462
- Accipiter cooperii*, 720
- gentilis*, 720
- sp., 536
- spp., 100, 553
- striatus*, 452–462, 544, 566
- Aceros* spp., 103
- Actitis macularia*, 286
- activity budget
 - of pre-nesting *Grus canadensis* in arctic Canada, 752–756
- adaptive advantage
 - of delayed plumage maturation in female *Tachycineta bicolor*, 153–164
- Aegolius acadicus*, 21, 721
- ridgwayi*, 21
- Aegotheles* spp., 95
- Aeronautes* spp., 103
- Agelaius phoeniceus*, 127, 129, 165, 378, 479, 540, 709–718
- Aimophila ruficeps*, 721
- Ainley, Marianne G., *Restless energy, a biography of William Rowan*, reviewed, 185–186
- Aix sponsa*, 108
- Akodon* sp., 679
- Alauda gulgula*, 97
- spp., 103
- Albatross, Laysan, see *Diomedea immutabilis*
- Alca torda*, 397–412
- spp., 102
- Alectoris* spp., 111
- Alectura* spp., 101
- Alopex lagopus*, 397–412 (Frontispiece)
- Alopochen aegyptiacus*, 108
- Amadon, Dean, review by, 773
- Amaurornis* spp., 101
- Amazona leucocephala bahamensis*, 526
- spp., 165
- vittata*, 518–529
- Ammodramus bairdii*, 709–718
- savannarum*, 709–718
- spp., 248
- Amphispiza bilineata*, 650
- Anas acuta*, 239, 363
- americana*, 354, 363
- clypeata*, 108
- crecca*, 262
- cyanoptera*, 64–72, 262
- discors*, 69
- fulvigula maculosa*, 548–551
- platyrhynchos*, 55–63, 69, 107, 262, 354, 355, 359–365, 548–551
- rubripes*, 548–551
- spp., 93, 100, 261
- strepera*, 70, 108, 353, 363
- Anastomus* spp., 100
- anatomy
 - of avian cecum, 93–121
- Anderson, Bruce H., see Stevenson, Henry M., and ———
- Anhima* spp., 95, 100
- Anhinga* spp., 100
- Anianiau, see *Hemignathus parvus*
- Anolis* spp., 566
- Anous* spp., 102
- Anser albifrons*, 246, 752–756
- Anseranas* spp., 100, 217

- ant, red imported fire, see *Solenopsis invicta*
- Anthony, Robert G., see Marr, N. Vern, W.
Daniel Edge, ———, and Ray Val-
bur
- Anthus rubescens*, 180
- Anumbius annumbi*, 734–738
- Apanius, Victor, see Seutin, Gilles, and
—————
- Aphelocoma coerulescens*, 44, 127, 129, 721
 coerulescens coerulescens, 41, 50
 ultramarina, 721
- Aptenodytes patagonicus*, 323
 spp., 98
- Apteryx* spp., 98
- Apus* spp., 103
- Aquila chrysaetos*, 256, 271, 682, 683
- Ara* spp., 102
- Aramides* spp., 101
- Aramus* spp., 101
- Archilochus alexandri*, 721
 colubris, 194, 566
- Ardea herodias*, 434, 446
 spp., 100
- Ardeola* spp., 100
- Arenaria interpres*, 432
- Argusianus* spp., 101
- artwork
 of students of Alexander Wilson, 193–213
- Asch, Andreas, and Daniel D. Roby, Some
 factors affecting precision of the total
 body electrical conductivity tech-
 nique for measuring body composi-
 tion in live birds, 306–316
- Asio flammeus*, 452, 455, 765
 spp., 103
- Astrapia nigra*, 372
- Athene brama*, 97
 noctua, 14
 spp., 103
- Avocet, Red-necked, see *Recurvirostra no-
 vaehollandiae*
- Aythya affinis*, 108, 354
 americana, 108, 338–358
 collaris, 108, 354
 marila, 108, 353, 363
 spp., 108
 valisineria, 108, 346, 351, 338–358
- Baldassarre, Guy A., see Losito, Michael P.,
 and ———
- Bananaquit, see *Coereba flaveola*
- Bartella, Mónica B., see Navarro, Joaquín
 L., ———, and Enrique H. Bucher
- Bartramia longicauda*, 709–718
- bass, see *Micropterus* spp.
 smallmouth, see *Micropterus dolomieu*
 yellow, see *Morone mississippiensis*
- Bassariscus astutus*, 262
- Bawa, Jamaljit, see McDade, Lucinda A.,
 —————, Henry A. Hespenderheide,
 and Gary S. Hartshorn
- Beardsell, C. M., see Emison, W. B., ———,
 and I. D. Temby
- beaver, see *Castor canadensis*
- behavior
 aggressive
 in *Larus delawarensis* due to investiga-
 tor disturbance, 140–152
- breeding
 calls of *Lagopus lagopus*, 496–509
 nesting of *Amazona vittata*, 518–529
- copulation
 food delivery and food holding in *La-
 nius ludovicianus*, 762–764
- feeding
 effect on insect community structure,
 746–752
 kleptoparasitism of *Lophodytes cucul-
 latus* by *Larus delawarensis*,
 379–382
 of breeding *Anas cyanoptera*, 64–72
 of breeding *Haliaeetus leucocephalus*,
 258–274
 of *Haematopus longirostris* and *Hae-
 matopus fuliginosus*, 629–640
 of *Haliaeetus leucocephalus* on *Ovis* ar-
 cies carcasses, 251–257
 predator-prey relationship between *Cha-
 radrius wilsonia* and *Uca cumu-
 lanta*, 73–80
- flocking
 effect of food supplementation and
 predator simulation on mixed
 species, 542–547
- foraging
 sociability of nesting wading birds,
 437–451
 within-season trends in *Parus gambeli*,
 655–666
- mate guarding
 tactics in *Myiarchus crinitus*, 757–761

- philopatry
 record in *Grus canadensis tabida*, 766
 roosting
 of *Vermivora citrea* in non-breeding season, 374–376
- Beidleman, Richard G., review by, 185–186
- Bell, Ross, see Heinrich, Bernd, and ———
- Bellrose, Frank C., and Daniel J. Holm,
 Ecology and management of the
 Wood Duck, reviewed, 569–571
- Benkman, Craig W., see Hill, Geoffrey E.,
 and ———
- bias
 in Christmas Bird Counts for feeder species, 122–130
- Bildstein, Keith L., review by, 770–771
- Bildstein, Keith L., White Ibis: wetland wanderer, reviewed, 190
- bird of paradise, see *Ptiloris* sp. and *Parotia* sp.
- Bird of Paradise, Standardwing, see *Semiop-
 tera wallacii*
- Birkhead, T. R., and D. N. Nettleship, Arctic
 fox influence on a seabird community
 in Labrador: a natural experiment,
 397–412
- Biziura lobata, 214–234
- Blackbird, Brewer's, see *Euphagus cyano-
 cephalus*
 Red-winged, see *Agelaius phoeniceus*
 Yellow-headed, see *Xanthocephalus xan-
 thocephalus*
- Blackwell, Rachelle C., see Dodge, Anthony
 G., Adam J. Fry, ———, and Robert
 M. Zink
- Blem, Charles R., reviews by, 189–190, 192,
 572–573, 573, 574
- Bluebird, Eastern, see *Sialia sialis*
 Western, see *Sialia mexicana*
- boa, Puerto Rican, see *Epicrates inornatus*
- Bobolink, see *Dolichonyx oryzivorus*
- Bobwhite, Crested, see *Colinus cristatus*
 Northern, see *Colinus virginianus*
- body fat
 use of total body electrical conductivity
 technique, 306–316
- body mass
 of migrating *Calidris minutilla* in British
 Columbia, 413–422
 seasonal and diurnal variation in *Parus*
 atricapillus and *Zonotrichia albi-
 collis*, 723–727
- Bolen, Eric G., and Dan Flores, The Missis-
 sippi Kite, reviewed, 188–198
- Bollinger, Eric K., see Linder, Eric T., and
 ———
- Bombycilla cedrorum*, 125, 127, 129, 165,
 701, 702
 garrulus, 125, 127, 129
- Bonasa umbellus*, 738
- Bos taurus*, 262
- botfly, see *Philornis pici* and *Philornis se-
 guyi*
- Boyd, Hugh, see Fox, Anthony D., ———
 , and Robert G. Bromley
- Brachyramphus brevirostris*, 235–250
 marmoratus, 178–179, 235–250
- Bradshaw, Dana S., see Watts, Bryan D.,
 and ———
- Brant, see *Branta bernicla*
- Branta bernicla*, 246
 canadensis, 112, 246, 432, 752–756
- breeding
 biology
 effect of exogenous testosterone on *Mi-
 mus polyglottos*, 538–542
 of *Charadrius alexandrinus* at Great Salt
 Lake, Utah, 275–288
 of *Dendroica discolor paludicola* and
 Dendroica petechia gundlachi,
 475–484
 of *Geranoaetus milanoleucus* in Pata-
 gonia, 675–685
 of *Myiopsitta monachus* in Chicago,
 510–517
- success
 of communally nesting *Myiopsitta*
 monachus, 742–746
 of *Sterna hirundo* on navigational aids
 and natural islands, 423–436
- Bromley, Robert G., see Fox, Anthony D.,
 Hugh Boyd, and ———
- Brown, Kevin M., and Ralph D. Morris, In-
 vestigator disturbance, chick move-
 ment, and aggressive behavior in
 Ring-billed Gulls, 140–152
- Brown, Mike, see Ford, Cheri, and ———
- Bubo* spp., 103
 virginianus, 111, 431, 432, 434, 615–628

- Bubulcus ibis*, 97
spp., 100
Bucco tamiata, 103
Bucher, Enrique H., see Navarro, Joaquín L.,
Mónica B. Bartella, and ———
Bunting, Indigo, see *Passerina cyanea*
Burt, Edward H., Jr., and William E. Davis,
Jr., Historic and taxonomic implica-
tions of recently found artwork in
arithmetic books of students of Al-
exander Wilson, 193–213
Bustamante, Javier, see Hiraldo, Fernando,
José A. Donázar, Olga Ceballos, Ale-
jandro Travani, ———, and Martín
Funes
Butchart, Duncan, see Mundy, Peter, ———,
John Ledger, and Steven Piper
Buteo albonotatus, 720
jamaicensis, 271, 452–462, 525, 553,
615–628, 720
lagopus, 682
platypterus, 452–462
Butler, Robert W., and Gary W. Kaiser, Mi-
gration chronology, sex ratio, and
body mass of Least Sandpipers in
British Columbia, 413–422
Buzzard, Rough-legged, see *Buteo lagopus*
Buzzard-Eagle, Gery, see *Geranoaetus me-
lanoleucus*
Cacholote, Brown, see *Pseudoseisura lophotes*
Calamospiza melanocorys, 709–718
Calcarius ornatus, 709–718
Calidris alpina, 131–139
mauri, 131, 413–422
minutilla, 131, 413–422
ruficollis, 132
spp., 102
Callipepla californica, 107, 679
gambelii, 262
spp., 101
Calypte anna, 566
Calyptorhynchus baudinii latirostris, 526
Campbell, R. Wayne, see Maples, Michael
T., Denver W. Holt, and ———
Campylorhynchus brunneicapillus, 262, 763
Canachites canadensis, 107
Canis familiaris, 170, 592, 598, 600
latrans, 254, 255, 667–674
Canvasback, see *Aythya valisineria*
Capercaille, Eurasian, see *Tetrao urogallus*
Caprimulgus carolinensis, 566
vociferus, 262, 720
Caracara, Crested, see *Polyborus plancus*
Cardellina rubrifrons, 721
Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 45, 122–130, 367, 368,
701, 702
Carduelis flammea, 127, 128, 129
pinus, 122–130, 469, 720, 721
tristis, 122–130, 368, 701, 703
Carib, Green-throated, see *Eulampis holo-
sericeus*
Purple-throated, see *Eulampis jugularis*
caribou, see *Rangifer tarandus*
Carmona, Roberto, Juan Guzmán, and Juan
F. Elorduy, Hatching, growth, and
mortality of Magnificent Frigatebird
chicks in southern Baja California,
328–337
carp, see *Cyprinus carpio*
Carpococcyx spp., 102
Carpodacus mexicanus, 122–130, 165, 556
purpureus, 122–130
Casmerodius albus, 437–451
Castor canadensis, 262
Casuaris spp., 98
cat, domestic, see *Felis silvestris*
Catbird, Gray, see *Dumetella carolinensis*
catfish, channel, see *Ictalurus punctatus*
flathead, see *Pylodictis olivaris*
Catharacta maccormicki, 321, 323, 326
lonnbergi, 317–327
Cathartes aura, 42, 455, 720
spp., 100
Catharus guttatus, 701, 702, 720
ustulatus, 26–39
Catherpes mexicanus, 721
Catoptrophorus semipalmatus, 74
Catostomus clarki, 258, 261, 262
insignis, 258, 261, 262
Ceballos, Olga, see Hiraldo, Fernando, José
A. Donázar, ———, Alejandro Tra-
vani, Javier Bustamante, and Martín
Funes
censusing methods
bias in Christmas Bird Counts for feeder
species, 122–130
Centrocerus urophasianus, 112, 113
Centropus spp., 102
Cephus columba,

- grylle, 398–403
Certhia americana, 127, 129, 195, 468, 702, 720
Cervus canadensis, 464
 elaphus, 679
Chaetophractus villosus, 679
 Chancellor, R. D., see Meyburg, B.-U., and —
 Chapman, Robert A., see Gibbons, David
 Wingfield, James B. Reid, and —
Charadrius alexandrinus, 275–288
 melodus, 287, 767–768, 768–769
 vociferus, 131, 174–178, 709–718
 wilsonia, 73–80
Chauna spp., 95, 100, 102
 Chavez-Ramirez, Felipe, Sex-biased Kleptoparasitism of Hooded Mergansers by Ring-billed Gulls, 379–382
 Chat, Yellow-breasted, see *Icteria virens*
 chemoreception
 in *Sturnus vulgaris*, 165–169
Chen caerulescens, 246, 382, 752–756
 Chickadee, Black-capped, see *Parus atricapillus*
 Carolina, see *Parus carolinensis*
 Mountain, see *Parus gambeli*
 chicken, see *Gallus gallus*
Chionis spp., 102
 chipmunk, eastern, see *Tamias striatus*
Chlorostilbon auriceps, 19
 canivetti, 19
Chordeiles minor, 42
Choriotis spp., 101
 Chuck-will's-widow, see *Caprimulgus carolinensis*
Ciconia spp., 100
Cinclus mexicanus, 721, 722
Circus cyaneus, 452, 455
 spp., 100
Cistothorus platensis, 709–718
Cladorhynchus leucocephalus, 132
Clamator spp., 102
Clangula hyemalis, 359
 Clark, Larry, see Mason, J. Russell, and —
 Clench, Mary H., and John R. Mathias, The avian cecum: a review, 93–121
Clevelandia ios, 137
 clutch size
 in *Myiopsitta monachus*, 742–746
Cnemophilus loriae, 372
 macgregorii, 372
Coccythraustes vespertinus, 127, 129
Cochlearius spp., 100
 Cockatoos, White-tailed Black, see *Calyptrorhynchus baudinii latirostris*
 Coe, James, Eastern birds, reviewed, 388–389
Coereba laeveola, 592
Colaptes auratus, 44, 126, 128, 129, 262, 469, 471, 720
 pitius, 679
Colinus cristatus, 101
 spp., 111
 virginianus, 170, 312, 313, 761
Colius spp., 103
 Collazo, Jaime A., see Zeller, Nanette S., and —
Coluber constrictor, 262
 spp., 619
Columba fasciata, 720
 leucocephala, 479
 livia, 112, 113, 115, 126, 128, 129, 165, 300
 spp., 102
 squamosa, 460, 727–733
 Combs, Daniel L., and Leigh H. Fredrickson, Molt chronology of male Mallards wintering in Missouri, 359–365
 community
 comparison of forested and disturbed Florida pine scrub, 40–54
 effect of *Alopex lagopus* on seabirds in Labrador, 397–412
 Condor, California, see *Gymnogyps californianus*
Conepatus chinga, 678, 679
 Confer, John L., and Richard T. Holmes, Neotropical migrants in undisturbed and human-altered forests of Jamaica, 577–589
 Connor, Richard N., and D. Craig Rudolph, Losses of Red-cockaded Woodpecker cavity trees to southern pine beetles, 81–92
 conservation
 of breeding bird habitat in North Dakota, 709–718
Contopus borealis, 468, 471

- pertinax, 721, 722
- sordidulus, 468, 471, 721
- Contreras-Balderas, Armando J., Juan A. García-Salas, and Jose I. González-Rojas, Additional records of owls and wood warblers from Mexico, 765
- Coot, American, see *Fulica americana*
- Eurasian, see *Fulica atra*
- Copsychus malabaricus, 311–328
- Coracias benghalensis, 97
- spp., 103
- Coracina caeruleogrisea, 526
- Coragyps atratus, 363, 751
- Coriotis spp., 101
- Cormorant, Brandt's, see *Phalacrocorax penicillata*
- Double-crested, see *Phalacrocorax auritus*
- Little, see *Phalacrocorax niger*
- Corvus brachyrhynchos, 122–130, 170
- corax, 125, 126, 128, 255, 285, 667–674, 720
- spp., 103, 110
- cottontail, see *Sylvilagus audubonii*
- Coturnix coturnix, 97, 300, 592
- spp., 101
- Coulter, Malcolm C., review by, 190
- cow, hereford, see *Bos taurus*
- Cowbird, Brown-headed, see *Molothrus ater*
- Shiny, see *Molothrus bonariensis*
- coyote, see *Canis latrans*
- crab, ghost, see *Ocypode quadrata*
- Crane, Greater Sandhill, see *Grus canadensis tabida*
- Sandhill, see *Grus canadensis*
- Crax spp., 101
- Creeper, Brown, see *Certhia americana*
- Crex spp., 101
- Cronin, Matthew A., see Pitocchelli, Jay, John Piatt, and ———
- Crossbill, Red, see *Loxia curvirostra*
- Crow, American, see *Corvus brachyrhynchos*
- Cruz, Alexander, see Prather, John W., and ———
- Crypturellus parvirostris, 98
- spp., 98
- Ctenomys sp., 679
- Curlew, Eurasian, see *Numenius arquata*
- Curry, Robert L., see Gómez, Juan E. Martínez, and ———
- Cuthbert, Francesca, see Rissler, Leslie J., David N. Karowe, ———, and Brian Scholtens
- Cyanocitta cristata, 44, 122–130, 170, 702
- stelleri diademata, 720
- Cyanocompsa parellina, 19
- Cyanoliseus patagonus, 679
- Cygnus spp., 100
- Cyprinus carpio, 258, 261, 262
- Dacelo spp., 103
- Dahlsten, Donald L., see Kleintjes, Paula K., and ———
- daily rhythm
 - of plasma corticosterone in *Zonotrichia albicollis* and *Zonotrichia leucophrys*, 296–305
- Davidson, Nick, and Phil Rothwell (eds.), Disturbance to waterfowl on estuaries, reviewed, 774–775
- Davis, William E., Jr., Dean of the bird-watchers, a biography of Ludlow Griscom, reviewed, 394–396
- Davis, William E., Jr., reviews by, 773–774, 774–775, 775
- Davis, William E., Jr., see Burt, Edward H., Jr., and ———
- deer, black-tailed, see *Odocoileus hemionus*
- mule, see *Odocoileus hemionus*
- Delichon urbica, 413
- Dendragapus obscurus, 109
- Dendrocygna spp., 217
- Dendroica adelaidae, 482
- caerulescens, 577–589, 765
- coronata, 45, 51, 127, 129, 468, 701, 702, 704, 706, 720
- discolor, 475–484, 577–589
- graciae, 721
- kirtlandii, 604
- magnolia, 26–39, 580
- nigrescens, 721
- palmarum, 45, 51, 580, 587
- petechia, 475–484, 765
- pharetra, 482
- pinus, 45, 48
- pityophila, 482
- plumbea, 482
- tigrina, 580
- vitellina, 482
- detectability

- of *Columba squamosa* after Hurricane Hugo, 727–733
- Dickcissel, see *Spiza americana*
- Dickinson, Vanessa M., Red imported fire ant predation on Crested Caracara nestlings in south Texas, 761–762
- Didelphis virginianus*, 170
- diet
- Buteo jamaicensis* and *Bubo virginianus* as nocturnal-diurnal counterparts, 615–628
- of breeding *Anas cyanoptera* in Arizona, 64–72
- of breeding *Haliaeetus leucocephalus*, 258–274
- of *Geranoaetus melanoleucus* in Patagonia, 675–685
- of *Myiopsitta monachus* in Chicago, 510–517
- of nesting *Charadrius vociferous*, 174–178
- of *Todus mexicanus*, 181–182
- Ovis aries* carcass availability and use by *Haliaeetus leucocephalus*, 251–257
- response by female *Loxia curvirostra* to carotenoid supplement, 555–557
- winter food of *Regulus satrapa*, 558–561
- Diomedea immutabilis*, 384
- spp., 100
- Dipper, American, see *Cinclus mexicanus*
- distribution
- new species for Mexico, 765
- of autumn migrants on the Isthmus of Tehuantepec, 26–39
- of overwintering passerines in hardwood forests, 698–708
- of raptors in Puerto Rico, 452–462
- DNA sequencing
- comparison of *Pipilo* and *Spizella* genera, 641–654
- Dobkin, David S., Conservation and management of Neotropical migrant landbirds in the northern Rockies and Great Plains, reviewed, 773–774
- Dodge, Anthony G., Adam J. Fry, Rachelle C. Blackwell, and Robert M. Zink, Comparison of phylogenies derived from two molecular data sets in the avian genera *Pipilo* and *Spizella*, 641–654
- dog, domestic, see *Canis familiaris*
- Dolichonyx oryzivorus*, 709–718
- Donazar, José A., see Hiraldo, Fernando, ———, Olga Ceballos, Alejandro Trvani, Javier Bustamante, and Martín Funes
- Dorosoma* sp., 446
- Dotterel, Red-kneed, see *Erythrogonys cinctus*
- Dove, Collared, see *Streptopelia decaocto*
- Mourning, see *Zenaida macroura*
- Rock, see *Columba livia*
- White-winged, see *Zenaida asiatica*
- Zenaida*, see *Zenaida aurita*
- dowitcher, see *Limnodromus* spp.
- Drobney, Ronald D., see Thompson, Jonathan E., and ———
- Dromaius* spp., 109, 110
- Dryocopus pileatus*, 127, 129
- Duck, American Black, see *Anas rubripes*
- Argentinian Ruddy, see *Oxyura vittata*
- Black-headed, see *Heteronettathalassornis atricapilla*
- Blue-billed, see *Oxyura australis*
- Freckled, see *Stictonetta naevosa*
- Maccoa, see *Oxyura maccoa*
- Masked, see *Oxyura dominica*
- Mexican, see *Anas diazi*, 548–551
- Mottled, see *Anas fulvigula maculosa*
- Musk, see *Biziura lobata*
- Northern Ruddy, see *Oxyura jamaicensis*
- Peruvian Ruddy, see *Oxyura ferruginea*
- Ring-necked, see *Aythya collaris*
- White-backed, see *Thalassornis leuconotus*
- White-headed, see *Oxyura leucocephala*
- Wood, see *Aix sponsa*
- Dumetella carolinensis*, 26–39, 368, 369, 378
- Dunlin, see *Calidris alpina*
- Dunn, Erica H., Bias in Christmas Bird Counts for species that visit feeders, 122–130
- Dusicyon culpaeus*, 681
- Eagle, Bald, see *Haliaeetus leucocephalus*
- Crested Serpent, see *Spilornis cheela*
- Golden, see *Aquila chrysaetos*
- ecology
- Buteo jamaicensis* and *Bubo virginianus* as dietary counterparts, 615–628

- effect of *Sphyrapicus varius* on insect communities, 746–752
- of *Otus flammeolus* in marginal habitat, 530–537
- of stiff-tailed ducks (Anatidae: Oxyurini), 214–234
- ectoparasitism
 - of *Pseudoseisura lophotes* and *Anumbius annumbi* by *Philornis pici* and *Philornis seguyi*, 734–738
- Edge, W. Daniel, see Marr, N. Vern, ———, Robert G. Anthony, and Ray Valburg
- editor's note
 - change in review editor, 396
- egg
 - description for *Mimodes graysoni*, 551–555
 - predation on *Charadrius melodus* by *Ocyropsode quadrata*, 767–768
- egg composition
 - intraspecific variation, 382–387
- egg laying
 - effect of date on reproductive success in *Myiopsitta monachus*, 742–746
 - time of day in *Sialia sialis*, 377–379
- Egret, Cattle, see *Bubulcus ibis*
- Great, see *Casmerodius albus*
- Snowy, see *Egretta thula*
- Egretta* spp., 100
- thula, 437–451
- tricolor, 7, 437–451
- Elaphe obsoleta*, 90
- Eligmodontia typus*, 679
- elk, see *Cervus canadensis*
- Elorduy, Juan F., see Carmona, Roberto, Juan Guzmán, and ———
- Emison, W. B., C. M. Beardsell, and I. D. Temby, The biology and status of the Long-billed Corella in Australia, reviewed, 775
- Empidonax minimus*, 26–39
- occidentalis, 720, 721
- spp., 468
- “traillii”, 26–39
- Emslie, Steven D., Nina Karnovsky, and Wayne Trivelpiece, Avian predation at penguin colonies on King George Island, Antarctica, 317–327
- emu, see *Dromaius* spp.
- Eolophus roseicapillus*, 110
- Epicrates inornatus*, 525, 592, 600
- Eremophila alpestris*, 180, 709–718
- Erythronys cinctus*, 132
- estimation procedure
 - total body electrical conductivity technique, 306–316
- Eudocimus albus*, 437–451
- Eudromia elegans*, 96, 98, 99, 114
- spp., 98
- Eudynamis scolopacea*, 97
- spp., 102
- Eudytes* spp., 98
- Eugenes fulgens*, 721
- Eulampis holosericeus*, 566
- jugularis, 566
- Euphagus cyanocephalus*, 126, 128, 129, 469, 471
- Euphonia luteicapilla*, 374
- Euphonia*, Yellow-crowned, see *Euphonia luteicapilla*
- Eupodotis* spp., 101
- Eurynorhynchus* spp., 101
- Eurypyga helias*, 101
- spp., 95
- Fair, Jeanne M., and Clinton K. Miller, The parasitic blow fly, *Protocalliphora spatulata*, in two new host species, 179–181
- Fair, Jeanne M., Patricia L. Kennedy, and Lowell C. McEwen, Diet of nesting Killdeer in North Dakota, 174–178
- Falco columbarius*, 452–462, 566
- mexicanus, 271
- peregrinus, 452–462
- sparverius, 452–462
- spp., 95, 100
- Falcon, Peregrine, see *Falco peregrinus*
- Prairie, see *Falco mexicanus*
- Fairly, Rob, ed., Blackburn's birds: the bird painting of Jemima Blackburn, reviewed, 568–569
- Fedynich, Alan M., and Olin E. Rhodes, Jr., Mallard-like ducks in the Playa Lakes Region, 548–551
- Felis silvestris*, 170, 592, 598, 600
- Fernandez, Renato, see Peterson, A. Townsend, Nina Ingle, and ———
- Field, Rebecca, see Wilson, Karen A., ———, and Marcia H. Wilson
- Finch, House, see *Carpodacus mexicanus*

- Purple, see *Carpodacus purpureus*
 Rosy, see *Leucosticte arctoa*
 Zebra, see *Taeniopygia guttata*
- Firewood-gatherer, see *Anumbius annumbi*
 Flicker, Northern, see *Colaptes auratus*
 Flores, Dan, see Bolen, Eric G., and ———
 Flycatcher, Ash-throated, see *Myiarchus cinerascens*
 Brown-crested, see *Myiarchus tyrannulus*
 Cordilleran, see *Empidonax occidentalis*
 Dusky-capped, see *Myiarchus tuberculifer*
 Gray, see *Tyrannus dominicensis*
 Great Crested, see *Myiarchus crinitus*
 Least, see *Empidonax minimus*
 Olive-sided, see *Contopus borealis*
 Sulphur-bellied, see *Myiodynastes luteiventris*
 "Trail's", see *Empidonax "traillii"*
 Ford, Cheri, and Mike Brown, Unusual Marbled Murrelet nest, 178–179
 Forpus passerinus, 742, 744
 Fowl, Domestic, see *Gallus domesticus*
 Fox, Anthony D., Hugh Boyd, and Robert G. Bromley, Diurnal activity budgets of pre-nesting Sandhill Cranes in arctic Canada, 752–756
 fox, arctic, see *Alopex lagopus*
 Culpeo, see *Dusicyon culpaeus*
 gray, see *Urocyon cinereoargenteus*
 red, see *Vulpes vulpes*
 Franzreb, Kathleen E., see Hanula, James L., and ———
 Fraser, James D., see Loegering, John P., ———, and Lisa L. Loegering
Fratercula arctica, 397–412 (Frontispiece) spp., 102
 Fredrickson, Leigh H., see Combs, Daniel L., and ———
Fregata magnificens, 328–337 spp., 100
 Frigatebird, Magnificent, see *Fregata magnificens*
 Fry, Adam J., see Dodge, Anthony G., ———, Rachelle C. Blackwell, and Robert M. Zink
 Fry, C. Hilary, see Keith, Stuart, Emil K. Urban, and ———
Fulica americana, 261, 262
 atra, 107, 386
 spp., 101
 Fulmar, Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 398, 403
 spp., 100
 Funes, Martín, see Hiraldo, Fernando, José A. Donázar, Olga Ceballos, Alejandro Travani, Javier Bustamante, and ———
 Gadwall, see *Anas strepera*
 Galah, see *Eophus roseicapillus*
Galictis cuja, 678, 679
Gallus domesticus, 301
 gallus, 643
 spp., 93, 101
Gambusia holbrooki, 448
 Gammonley, James H., Spring feeding ecology of Cinnamon Teal in Arizona, 64–72
 García-Salas, Juan A., see Contreras-Balderas, Armando J., ———, and Jose I. Gonzáles-Rojas
 Gates, J. Edward, see Karwowski, Kenneth, ———, and Lee H. Harper
Gavia spp., 98
 Gehlbach, Frederick R., see McCallum, D. Archibald, ———, and Sophie W. Webb
 genetics
 divergence among Alaskan populations of *Brachyramphus murrelets*, 235–250
Geococcyx californianus, 262
 spp., 102
Geothlypis trichas, 45, 368, 369, 577–589, 709–718
Geranoaetus melanoleucus, 675–685
 Gibbons, David Wingfield, James B. Reid, and Robert A. Chapman, The new atlas of breeding birds in Britain and Ireland; 1988–1991, reviewed, 191
Glareola spp., 102
Glaucidium brasilianum, 5, 7, 9, 12, 19, 21
 gnoma, 7, 20, 721 (Frontispiece)
 griseiceps, 2, 3, 4 (Frontispiece), 7–25
 hardyi, 1–6 (Frontispiece), 7–25
 jardini, 1, 5, 7, 8
 minutissimum, 1–6 (Frontispiece), 7–25
 palmarum, 1–6 (Frontispiece), 7–25
 parkeri sp. nov., 1–6 (Frontispiece), 7–25
 passerinum, 9
 peruanum, 5

- sanchezi, 2, 3, 4 (Frontispiece), 7–25
 spp., 103
- Gnatcatcher, Blue-gray, see *Polioptila caerulea*
- White-lored, see *Polioptila albiloris*
- Godwit, Marbled, see *Limosa fedoa*
- Goldcrest, see *Regulus regulus*
- Golden-Plover, Greater, see *Pluvialis apricaria*
- Goldfinch, American, see *Carduelis tristis*
- Gómez, Juan E. Martínez, and Robert L. Curry, First description of the nest and eggs of the Socorro Mockingbird, 551–555
- González-Rojas, Jose I., see Contreras-Balderas, Armando J., Juan A. García-Salas, and ———
- Goose, Canada, see *Branta canadensis*
- Egyptian, see *Alopochen aegyptiacus*
- Snow, see *Chen caerulescens*
- Spurwinged, see *Plectropterus gambensis*
- White-fronted, see *Anser albifrons*
- Goshawk, Northern, see *Accipiter gentilis*
- Gowaty, Patricia Adair, see Plissner, Jonathan H., and ———
- Grackle, Common, see *Quiscalus quiscula*
- Great-tailed, see *Quiscalus mexicanus*
- Graedel, Susannah K., and Robert E. Loveland, Seasonal and diurnal mass variation in Black-capped Chickadees and White-throated Sparrows, 723–727
- Graves, Gary R., Sequence of plumage evolution in the Standardwing Bird of Paradise, 371–373
- Grebe, Little, see *Tachybaptus ruficollis*
- Greenberg, Cathryn H., Lawrence D. Harris, and Daniel G. Neary, A comparison of bird communities in burned and salvage-logged, clearcut, and forested Florida sand pine scrub, 40–54
- Greenshank, see *Tringa nebularia*
- grison, see *Galictis cuja*
- Grosbeak, Black-headed, see *Pheucticus melanocephalus*
- Evening, see *Coccothraustes vespertinus*
- Pine, see *Pinicola enucleator*
- Groth, Jeffrey G., Evolutionary differentiation in morphology, vocalization, and allozymes among nomadic sibling species in the North American Red Crossbill (*Loxia curvirostra*) complex, reviewed, 389–391
- Grouse, Alberta Spruce, see *Canachites canadensis*
- Blue, see *Dendragapus obscurus*
- Red, see *Lagopus lagopus scoticus*
- Ruffed, see *Bonasa umbellus*
- Sage, see *Centrocercus urophasianus*
- Willow, see *Lagopus lagopus lagopus*
- growth
- of *Fregata magnificens* chicks, 328–337
- Grubb, Teryl, Food habits of Bald Eagles breeding in the Arizona desert, 258–274
- Grus canadensis, 752–756
- canadensis tabida, 667–674, 766
- spp., 101
- Guillemot, Black, see *Cephus grylle*
- Gull, California, see *Larus californicus*
- Glaucous-winged, see *Larus glaucescens*
- Great Black-backed, see *Larus marinus*
- Herring, see *Larus argentatus*
- Kelp, see *Larus dominicanus*
- Ring-billed, see *Larus delawarensis*
- Slaty-backed, see *Larus schistisagus*
- Western, see *Larus occidentalis*
- Guzmán, Juan, see Carmona, Roberto, ———, and Juan F. Elorduy
- Gygis spp., 102
- Gymnogyps californianus, 256
- Gymnorhina spp., 103
- Gyps spp., 100
- Gypohierax spp., 100
- habitat
- breeding
- loss of *Picoides borealis* cavity trees to *Dendroctonus frontalis*, 81–92
- conservation
- for breeding birds in North Dakota, 709–718
- human-altered
- use by Neotropical migrants in Jamaica, 577–589
- selection
- in Nearctic-Neotropic autumn migrants, 26–39
- species richness
- in relation to isolation in stands of aspen, 463–474

- use
 by wintering *Scolopax minor*, 686–697
 in relation to edge in an irrigated forest, 365–371
 of disturbed Florida pine scrub by breeding and wintering birds, 40–45
 of wetlands by breeding and postbreeding *Anas platyrhynchos*, 55–63
- Haematopus fuliginosus*, 629–640
longirostris, 629–640
moquini, 637
ostralegus, 637
- Haliaeetus leucocephalus*, 251–257, 258–274
 spp., 100
- Hall, George A., reviews by, 191, 394–396
- Halliday, Tim, ed., *Animal behavior*, reviewed, 393–394
- Handford, Paul T., see Lozano, George A., and ———
- Hannon, Susan J., see Martin, Kathy, Andrew G. Horn, and ———
- Hanula, James L., and Kathleen E. Franzreb, *Arthropod prey of nestling Red-cockaded Woodpeckers in the upper coastal plain of South Carolina*, 485–495
- hare, European, see *Lepus europaeus*
- Harper, Lee H., see Karwowski, Kenneth, J. Edward Gates, and ———
- Harrier, Northern, see *Circus cyaneus*
- Harris, Lawrence, D., see Greenberg, Cathryn H., ———, and Daniel G. Neary
- Hartshorn, Gary S., see McDade, Lucinda A., Jamaljit S. Bawa, Henry A. Hespendheide, and ———
- hatching
 of *Fregata magnificens* chicks, 328–337
- Hawk, Broad-winged, see *Buteo platypterus*
 Cooper's, see *Accipiter cooperii*
 Red-tailed, see *Buteo jamaicensis*
 Sharp-shinned, see *Accipiter striatus*
 Zone-tailed, see *Buteo albonotatus*
- Hein, Dale, see Turchi, Gail M., Patricia L. Kennedy, Dean Urban, and ———
- Heinrich, Bernd, and Ross Bell, *Winter food of a small insectivorous bird, the Golden-crowned Kinglet*, 558–561
- Heliornis* spp., 101
- Helmitheros* spp., 700
vermivorus, 48, 54, 26–39, 580
- Heron, Great Blue, see *Ardea herodias*
 Tricolored, see *Egretta tricolor*
- Herpestes auropunctatus*, 592, 600
- Hespendheide, Henry A., see McDade, Lucinda A., Jamaljit S. Bawa, ———, and Gary S. Hartshorn
- Heteronetta atricapilla*, 214–234
- Hill, Geoffrey E., and Craig W. Benkman, *Exceptional response by female Red Crossbills to dietary carotenoid supplementation*, 555–557
- Hill, Wendy L., *Intraspecific variation in egg composition*, 382–387
- Himantopus himantopus*, 132
- Hiraldo, Gerardo, José A. Donazar, Olga Ceballos, Alejandro Travani, Javier Bustamante, and Martín Funes, *Breeding biology of a Grey Eagle-Buzzard population in Patagonia*, 675–685
- Hirundo pyrrhonota*, 761
- history
 of artwork of students of Alexander Wilson, 193–213
- Hoatzin, see *Opisthocomus hoatzin*
- Holm, Daniel J., see Bellrose, Frank C., and ———
- Holmes, Richard T., see Confer, John L., and ———
- Holt, Denver W., see Maples, Michael T., ———, and R. Wayne Campbell
- Honeyguide, Lesser, see *Indicator minor*
- Horn, Andrew G., see Martin, Kathy, ———, and Susan J. Hannon
- Howell, Steve N. G., and Mark B. Robbins, *Species limits of the Least Pygmy-Owl (Glaucidium minutissimum) complex*, 7–25
- Howell, Steve N. G., see Robbins, Mark B., and ———
- Hummingbird, Anna's see *Calypte anna*
 Black-chinned, see *Archilochus alexandri*
 Broad-tailed, see *Selasphorus platycercus*
 Magnificent, see *Eugenes fulgens*
 Ruby-throated, see *Archilochus colubris*
- Hylocichla mustelina*, 26–39, 369, 738–741
- Hyman, Jeremy, and Stephen Pruett-Jones,

- Natural history of the Monk Parakeet in Hyde Park, Chicago, 510–517
- Ibis, White, see *Eudocimus albus*
- Ictalurus punctatus*, 258, 261, 262
- Icteria virens*, 26–39
- Icterus galbula*, 374, 566
- parisorum*, 721
- Ictinia mississippiensis*, 762
- Igl, Lawrence D., see Johnson, Douglas H., and ———
- Indicator minor, 103
- information for authors, 574–575
- Ingle, Nina, see Peterson, A. Townsend, ———, and Renato Fernandez
- Ivey, Gary L., see Littlefield, Carroll D., and ———
- Ivey, Gary L., see Scheuering, Eric J., and ———
- Jacana* spp., 102
- jackrabbit, see *Lepus* spp.
- black-tailed, see *Lepus californicus*
- Jackson, Jerome A., review by, 569–571
- Jay, Blue, see *Cyanocitta cristata*
- Florida Scrub, see *Aphelocoma caerulescens caerulescens*
- Gray, see *Perisoreus canadensis*
- Gray-breasted, see *Aphelocoma ultramarina*
- Scrub, see *Aphelocoma caerulescens*
- Stellar's, see *Cyanocitta stelleri diademata*
- Jehl, Joseph R., Jr., and Ned K. Johnson (eds.), A century of avifaunal change in western North America, reviewed, 189–190
- Jenni, Lukas, and Raffael Winkler, Moulting and aging of European passerines, reviewed, 771–772
- Johnson, Douglas H., and Lawrence D. Igl, Contribution of the conservation reserve program to populations of breeding birds in North Dakota, 709–718
- Johnson, Ned K., see Jehl, Joseph R., Jr., and ———
- Junco, Dark-eyed, see *Junco hyemalis*
- Yellow-eyed, see *Junco phaeonotus*
- Junco hyemalis*, 122–130, 193–213, 367, 369, 468, 641–654
- phaeonotus*, 720
- Justice, Michael J., and Cheryl A. Logan, The effects of exogenous testosterone on male Northern Mockingbirds during the breeding season, 538–542
- Kaiser, Gary W., see Butler, Robert., and ———
- Kakapo, see *Strigops habroptilus*
- Karnovsky, Nine, see Emslie, Steven D., ———, and Wayne Trivelpiece
- Karowe, David N., see Rissler, Leslie J., ———, Francesca Cuthbert, and Brian Scholtens
- Karwowski, Kenneth, J. Edward Gates, and Lee H. Harper, Common Terns nesting on navigational aids and natural islands in the St. Lawrence River, New York, 423–436
- Keith, Stuart, Emil K. Urban, and C. Hilary Frey, The birds of Africa, Volume IV, reviewed, 186–187
- Kennedy, Patricia L., see Fair, Jeanne M., ———, and Lowell C. McEwen
- Kennedy, Patricia L., see Turchi, Gail M., ———, Dean Urban, and Dale Hein
- Kestrel, American, see *Falco sparverius*
- Killdeer, see *Charadrius vociferus*
- Kinglet, Golden-crowned, see *Regulus satrapa*
- Ruby-crowned, see *Regulus calendula*
- Kinosternon sonoriense, 261, 262
- Kite, Mississippi, see *Ictinia mississippiensis*
- Kittiwake, Black-legged, see *Rissa tridactyla*
- Kleintjes, Paula K., and Donald L. Dahlsten, Within-season trends in the foraging behavior of the Mountain Chickadee, 655–666
- Kochert, Michael N., see Marti, Carl D., and ———
- Koel, Common, see *Eudynamis scolopacea*
- Kremetz, David G., John T. Seginak, and Grey W. Pendleton, Habitat use at night by wintering American Woodcock in coastal Georgia and Virginia, 686–697
- Kricher, John C., review by, 571–572
- Lagopus lagopus*, 107, 108, 109, 113, 496–509
- lagopus lagopus*, 106, 496
- lagopus scoticus*, 106, 113, 496
- leucurus*, 506
- mutus*, 107, 111

- Lampe, Kevin T, see Marra, Peter P., ———, and Bruce L. Tedford
- landscape characteristics
of *Picoides borealis* cluster sites, 603–614
- Lanius excubitor*, 764
- ludovicianus*, 762–764
- minor, 764
- senator, 764
- Lapwing, see *Vanellus vanellus*
- Redwattled, see *Vanellus indicus*
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus*, 140, 141, 150, 432
- californicus*, 285
- delawarensis*, 140–152, 379–382, 431, 435
- dominicanus*, 317–327
- glaucescens*, 140
- marinus*, 141, 398, 406, 407
- occidentalis*, 321, 325, 326
- schistisagus*, 141
- spp., 102
- Latta, Steven C., Joseph M. Wunderle, Jr., Esteban Terranova, and Michelle Pagán, An experimental study of nest predation in a subtropical wet forest following hurricane disturbance, 590–602
- Laughlin, Sally, review by, 391
- Lauro, Brook, and Erica Nol, Feeding behavior, prey selection, and bill size of Pied and Sooty oystercatchers in Australia, 629–640
- Ledger, John, see Mundy, Peter, Duncan Butchart, ———, and Steven Piper
- Lepomis* spp., 262
- Leptoptilos* spp., 100
- Lepus californicus*, 262
- europaeus*, 675–685
- spp., 261, 619
- Leucosticte arctoa*, 180
- Limnodromus* spp., 131
- Limosa fedora*, 131
- Linder, Eric T., and Eric K. Bollinger, Depredation of artificial Ovenbird nests in a forest patch, 169–174
- Littlefield, Carroll D., Demographics of a declining flock of Greater Sandhill Cranes in Oregon, 667–674
- Littlefield, Carroll D., and Gary Ivey, An unusual record of Sandhill Crane philopatry, 766
- Livezey, Bradley C., Phylogeny and comparative ecology of stiff-tailed ducks (*Anatidae: Oxyurini*), 214–234
- lizard, see *Anolis* spp.
- Loeagering, John P., James D. Fraser, and Lisa L. Loeagering, Ghost crab preys on a Piping Plover chick, 768–769
- Loeagering, Lisa L., see Loeagering, John P., James D. Fraser, and ———
- Logan, Cheryl A., see Justice, Michael J., and ———
- Longspur, Chestnut-collared, see *Calcarius ornatus*
- Lophodytes cucullatus*, 758, 379–382
- Lophorina superba*, 528, 372
- Losito, Michael P., and Guy A. Baldassarre, Wetland use by breeding and post-breeding female Mallards in the St. Lawrence River Valley, 55–63
- Loveland, Robert E., see Graedel, Susannah K., and ———
- Loxia curvirostra*, 389–391, 469, 555–557, 720, 721
- Lozano, George A., and Paul T. Handford, A test of an assumption of delayed plumage maturation hypotheses using female Tree Swallows, 153–164
- Lyrebird, Superb, see *Menura novaehollandiae*
- Macronectes giganteus*, 317–327
- halli, 323
- Magpie, Black-billed, see *Pica pica*
- Mallard, see *Anas platyrhynchos*
- Maples, Michael T., Denver W. Holt, and R. Wayne Campbell, Ground nesting Long-eared Owls, 563–565
- Margarops fuscatus*, 525, 592, 598, 600
- Marr, N. Vern, W. Daniel Edge, Robert G. Anthony, and Ray Valburg, Sheep carcass availability and use by Bald Eagles, 251–257
- Marra, Peter P., Kevin T. Lampe, and Bruce L. Tedford, Plasma corticosterone levels in two species of *Zonotrichia* sparrows under captive and free-living conditions, 296–305
- Marshall, Joe T., Birds of coniferous forest on Mount Graham, Arizona, 719–723

- Marti, Carl D., and Michael N. Kochert, Are Red-tailed Hawks and Great Horned Owls diurnal-nocturnal dietary counterparts? 615-628
- Martin, Kathy, Andrew G. Horn, and Susan J. Hannon, The calls and associated behavior of breeding Willow Ptarmigan in Canada, 496-509
- Mason, J. Russell, and Larry Clark, Capsaicin detection in trained European Starlings: the importance of olfactory and trigeminal chemoreception, 165-169
- Mathias, John R., see Clench, Mary H., and ———
- McCallum, D. Archibald, Frederick R. Gehlbach, and Sophie W. Webb, Life history and ecology of Flammulated Owls in a marginal New Mexico population, 530-537
- McDade, Lucinda A., Jamaljit S. Bawa, Henry A. Hespendheide, and Gary S. Hartshorn (eds.), La Selva, ecology and natural history of a Neotropical rain forest, reviewed, 772-773
- McDougall-Schackleton, Elizabeth A., and Raleigh J. Robertson, Mate guarding tactics used by Great Crested Flycatchers, 757-761
- McEwen, Lowell C., see Fair, Jeanne M., Patricia L. Kennedy, and ———
- McNeil, Raymond, see Thibault, Michel, and ———
- McPeck, Gail A., ed., The birds of Michigan, reviewed, 573
- Meadowlark, Eastern, see *Sturnella magna*
- Western, see *Sturnella neglecta*
- Meek, Susan B., and Raleigh J. Robertson, Time of day of egg laying by Eastern Bluebirds, 377-379
- meetings
Southern Hemisphere Ornithological Congress, 54
Wilson Ornithological Society, 38
- Megalaima spp., 103
- Melanerpes carolinus, 44, 126, 128, 129
formicivorus, 721
spp., 103
uropygialis, 262
- Melanitta nigra, 103
spp., 100
- Meleagris gallopavo, 262, 300, 720
- Melospiza lincolni, 193-213
melodia, 122-130, 368, 541, 651
- Menura novaehollandiae, 103
- Mephitis mephitis, 170, 262, 276, 284
- Merganser, Common, see *Mergus merganser*
- Hooded, see *Lophodytes cucullatus*
- Mergus merganser, 262, 354, 381
spp., 95, 100
- Merlin, see *Falco columbarius*
- Merola, Michele, Fruit in the diet of nestlings of the Puerto Rican Tody, a tropical insectivore, 181-182
- Merops spp., 103
- Metallura odomae, 169
- Meyburg, B.-U., and R. D. Chancellor, Raptor conservation today, reviewed, 773
- Micrathene whitneyi, 721
- Micropterus dolomieu, 262
spp., 262
- Microtus spp., 619
- Miller, Clinton K., see Fair, Jeanne M., and ———
- Milvago chimango, 679
- Milvus spp., 100
- Mimodes graysoni, 551-555
- Mimus polyglottos, 125, 127, 129, 262, 538-542, 551
- Mniotilta varia, 577-589
- Mockingbird, Northern, see *Mimus polyglottos*
- Socorro, see *Mimodes graysoni*
- mollie, sailfin, see *Poecilia latipinna*
- Molothrus ater, 127, 129, 172, 378, 475, 709-718
bonariensis, 475
- molt
in male *Anas platyrhynchos*, 359-365
in male *Aythya valisineria*, 338-358
- mongoose, Indian, see *Herpestes auro-punctatus*
- Morone mississippiensis, 262, 266
- morphology
bill size of *Haematopus longirostris* and *Haematopus fuliginosus*, 629-640
of Alaskan populations of *Brachyramphus murrelets*, 235-250

- Morris, Ralph D., see Brown, Kevin M., and ———
- mortality
of *Fregata magnificens* chicks, 328–337
- Morton, Eugene S., see Warkentin, Ian G., and ———
- mosquitofish, see *Gambusia holbrooki*
- Motacilla cinerea*, 97
- spp., 103
- mouse, see *Peromyscus* spp.
- deer, see *Peromyscus maniculatus*
- movement
of *Calidris alpina* on wintering grounds, 131–139
- Mundy, Peter, Duncan Butchart, John Ledger, and Steven Piper, The vultures of Africa, reviewed, 392–393
- Murre, Common, see *Uria aalge*
- Thick-billed, see *Uria lomvia*
- Murrelet, Kittlitz's, see *Brachyramphus marmoratus*
- Marbled, see *Brachyramphus marmoratus*
- muskrat, see *Ondatra zibethicus*
- Mycteria americana*, 446
- spp., 100
- Myiarchus cinerascens*, 721
- crinitus, 26–39, 44, 48, 51, 757–761
- tuberculifer, 721
- tyrannulus, 566
- Myioborus pictus*, 721
- Myiodynastes luteiventris*, 721 (Frontispiece)
- Myiopsitta monachus*, 510–517, 742–746
- Myocastor coypus*, 254
- natural history
of *Myiopsitta monachus* in Hyde Park, Chicago, 510–517
- of *Otus flammeolus* in marginal habitat, 530–537
- Navarro, Joaquín L., Mónica B. Bartella, and Enrique H. Bucher, Effects of laying date, clutch size, and communal nest size on the reproductive success of Monk Parakeets, 742–746
- Neary, Daniel, G., see Greenberg, Cathryn H., Lawrence D. Harris, and ———
- Nelson, Coleen H., The downy waterfowl of North America, reviewed, 187–188
- Neophron* spp., 100
- Neotoma* spp., 261, 262, 619
- Neotropical migrants
habitat selection on the Isthmus of Tehuantepec, 26–39
- use of undisturbed and human-altered forests in Jamaica, 577–589
- Nerodia compressicauda*, 479
- nest
of *Mimodes graysoni*, 551–555
- predation following hurricane disturbance, 590–602
- predation of *Grus canadensis tabida* in Oregon, 667–674
- nest site
two-box preference in *Sialia sialis*, 289–295
- use of navigational aids and islands by *Sterna hirundo*, 423–436
- nesting
behavior of *Amazona vittata*, 518–529
- Picoides borealis* cavity tree destruction by *Dendroctonus frontalis*, 81–92
- record for *Quiscalus mexicanus* in Oregon, 562–563
- success of *Grus canadensis tabida* in Oregon, 667–674
- unusual structure for *Brachyramphus marmoratus*, 178–179
- nestling
arthropod prey of *Picoides borealis*, 485–495
- movement of *Larus delawarensis* chicks in response to human disturbance, 140–152
- Nestor* spp., 102
- Nettapus coromandelianus*, 97
- spp., 100
- Nettleship, D. N., see Birkhead, T. R., and ———
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*
- Nighthawk, Common, see *Chordeiles minor*
- Nol, Erica, see Lauro, Brook, and ———
- Nomonyx dominicus*, 214–234
- Nores, Ana I., Botfly ectoparasitism of the Brown Cacholote and the Firewood-gatherer, 734–738
- Nothoprocta cinerascens*, 98
- Nothura maculosa*, 99
- spp., 98
- Notornis mantelli*, 110

- Numenius arquata*, 131, 137
 phaeopus, 74
 spp., 102
Numida spp., 101
Nuthatch, Brown-headed, see *Sitta pusilla*
 Pygmy, see *Sitta pygmaea*
 Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
nutria, see *Myocastor coypus*
Nycticorax nycticorax, 432, 434
 spp., 100
Nyctidromus spp., 103
Oceanodroma furcata, 384
 leucorhoa, 100, 384, 398
Ocypode quadrata, 767–768, 768–769
Odocoileus hemionus, 254, 256, 464
Oldsquaw, see *Clangula hyemalis*
olfaction
 role in chemoreception in *Sturnus vulgaris*, 165–169
Ondatra zibethica, 262
Opisthocomus hoatzin, 102, 109, 110
 spp., 95, 97, 102
Oporornis formosus, 26–39
 tolmiei, 464
opossum, Virginia, see *Didelphis virginianus*
Oriole, Northern, see *Icterus galbula*
 Scott's, see *Icterus parisorum*
Oryctolagus cuniculus, 675–685
Osprey, see *Pandion haliaetus*
Otis spp., 101
Otus asio, 530–537
 cooperi, 21
 flammeolus, 530–537, 720
 kennicottii, 21, 531, 721
 nudipes, 452–462
 seductus, 21
Ovenbird, see *Seiurus aurocapillus*
Ovis aries, 251–257, 679
Owl, Burrowing, see *Speotyto cunicularia*
 Elf, see *Micrathene whitneyi*
 European Little, see *Athene noctua*
 Flammulated, see *Otus flammeolus*
 Great Horned, see *Bubo virginianus*
 Northern Spotted, see *Strix occidentalis caurina*
 Short-eared, see *Asio flammeus*
 Spotted, see *Strix occidentalis*
 Tawny, see *Strix aluco*
Owlet, Spotted, see *Athene brama*
Oxyura australis, 214–234
 dominica, 215
 ferruginea, 214–234
 jamaicensis, 214–234
 leucocephala, 214–234
 maccoa, 214–234
 vittata, 214–234
Oystercatcher, African Black, see *Haematopus moquini*
 European, see *Haematopus ostralegus*
 Pied, see *Haematopus longirostris*
 Sooty, see *Haematopus fuliginosus*
Pagán, Michelle, see Latta, Steven C., Joseph M. Wunderle, Jr., Esteban Terranova, and ———
Page, Gary W., see Warnock, Nils, ———, and Lynne E. Stenzel
Pagophila spp., 102
Palila, see *Loxioides bailleui*
Pandion haliaetus, 452–462
 spp., 100
Parakeet, Monk, see *Myiopsitta monachus*
parasite
 two new host species for *Protocalliphora spatulata*, 179–181
Parker, Patricia G., review by, 392–393
Parkes, Kenneth C., reviews by, 388–389, 568–569, 771–772
Parotia sp., 372
Parrot, Bahama, see *Amazona leucocephala bahamensis*
 Puerto Rican, see *Amazona vittata*
 Red-rumped, see *Psephotus haematonotus*
parrot, see *Amazona* spp.
Parrotlet, Green-rumped, see *Forpus passerinus*
Partridge, Gray, see *Perdix perdix*
Parula americana, 580
 pitiayumi, 553
Parula, Northern, see *Parula americana*
 Tropical, see *Parula pitiayumi*
Parus atricapillus, 122–130, 367, 369, 468, 470, 723–727
 bicolor, 126, 128, 129, 367, 369, 542–547, 701, 702, 704
 carolinensis, 122–130, 542–547, 701, 701, 704
 gambeli, 467, 468, 469, 531, 655–666, 720 (Frontispiece)

- spp., 103
 wollweberi, 721
- Passer agrestis*, 206, 207
domesticus, 93, 122–130, 306–316
 spp., 103
- Passerculus sandwichensis*, 179–181, 709–718
- Passerella iliaca*, 650, 702
- Passerina cyanea*, 26–39, 193–213, 368, 582
- Paton, Peter W. C., Breeding biology of Snowy Plovers at Great Salt Lake, Utah, 275–288
- Pavo* spp., 101
- peccary, collared, see *Tayassu tajacu*
- Pelecanus* spp., 100
- Pendleton, Grey W., see Kremenz, David G., John T. Seginak, and ———
- Penguin, Adelie, see *Pygoscelis adeliae*
 Gentoo, see *Pygoscelis papua*
 Jackass, see *Spheniscus demersus*
 King, see *Aptenodytes patagonicus*
- Perdix perdix*, 165
- Perisoreus canadensis*, 468
- Peromyscus maniculatus*, 409
 spp., 262, 619
- Perry, Sue A., review by, 772–773
- Petersen, Wayne R., see Veit, Richard R., and ———
- Peterson, A. Townsend, Nina Ingle, and Renato Fernandez, Notes on the nesting behavior of the White-bellied Woodpecker, 182–184
- Petrel, Giant, see *Macronectes giganteus* and *Macronectes halli*
- Peucedramus taeniatus*, 721, 722
- Pewee, Greater, see *Contopus pertinax*
- Phaethon* spp., 100
- Phalacrocorax niger*, 97
penicillatus, 321, 326
 spp., 100
- Phalaenoptilus nuttallii*, 721 (Frontispiece)
 spp., 103
- Phalarope, Red-necked, see *Phalaropus lobatus*
- Phalaropus lobatus*, 112
- Phasianus colchicus*, 122, 128, 129
 spp., 111, 619
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Phaeucticus melanocephalus*, 720
- Philornis pici*, 734–738
seguyi, 734–738
- Phodilus* spp., 102
- Phoebe, Eastern, see *Sayornis phoebe*
- Phoenicopterus* spp., 100
- Phoeniculus purpureus*, 375
- Phyllotis darwini*, 679
- phylogeny
 comparison of *Pipilo* and *Spizella* based on molecular data, 641–654
- Phyrgilus gayi*, 679
- physiology
 plasma corticosterone levels in *Zonotrichia albicollis* and *Zonotrichia leucophrys*, 296–305
- Piatt, John, see Pitocchelli, Jay, ———, and Matthew A. Cronin
- Pica pica*, 127, 129, 386
- Picoides borealis*, 81–92, 485–495, 603–614
pubescens, 44, 122–130, 367, 369, 468
stricklandi, 721 (Frontispiece)
villosus, 122–130, 468, 471, 720
- Picus viridis*, 103
- Pigeon, Band-tailed, see *Columba fasciata*
 Scaly-naped, see *Columba squamosa*
 White-crowned, see *Columba leucocephala*
- Pinicola enucleator*, 127, 128, 129
- Pintail, Northern, see *Anas acuta*
- Piper, Steven, see Mundy, Peter, Duncan Butchart, John Ledger, and ———
- Pipilo aberti*, 641–654
albicollis, 641–654
chlorurus, 641–654
crissalis, 641–654
erythrophthalmus, 45, 47, 48, 127, 129, 193–213, 368, 553, 701, 702, 721
fuscus, 641–654
ocai, 651
- Pipit, American, see *Anthus rebescens*
- Piranga flava*, 720
ludoviciana, 720
olivacea, 368, 369
rubra, 45, 48
- Pitocchelli, Jay, John Piatt, and Matthew A. Cronin, Morphological and genetic divergence among Alaskan populations of *Brachyramphus murrelets*, 235–250
- Pituophis melanoleucus*, 536

- Platalea* spp., 100
Plectropterus gambensis, 108
 Plissner, Jonathan H., and Patricia Adair Gowaty, Eastern Bluebirds are attracted to two-box sites, 289–295
Plover, Black-bellied, see *Pluvialis squatarola*
 Piping, see *Charadrius melodus*
 Snowy, see *Charadrius alexandrinus*
 Wilson's, see *Charadrius wilsonia*
 plumage
 delayed maturation in female *Tachycineta bicolor*, 153–164
 evolution in *Semioptera wallacii*, 371–373
Pluvialis apricaria, 131
 spp., 102
 squatarola, 131, 137
Podiceps spp., 98
Poecilia latipinna, 448
Poephila spp., 103
Polemaetus spp., 100
Polioptila albilorus, 374
 caerulea, 44, 48, 721
Polyborus plancus, 682, 761–762
 spp., 100
Poocetes gramineus, 709–718
Poorwill, Common, see *Phalaenoptilus nuttallii*
Porphyrio spp., 101
 Power, Dennis M., (ed.), Current ornithology, Volume 11, reviewed, 192
Prairie-Chicken, Attwater's, see *Tympanuchus cupido attwateri*
 Prather, John W., and Alexander Cruz, Breeding biology of Florida Prairie Warblers and Cuban Yellow Warblers, 475–484
 predation
 at penguin colonies on King George Island, Antarctica, 317–327
 effect of *Alopex lagopus* on seabird communities in Labrador, 397–412
 effect of simulation on mixed species flocks, 542–547
 of artificial *Seiurus aurocapillus* nests, 169–174
 of *Tyrannus dominicensis* on Eulampis hummingbird, 565–567
 on *Charadrius melodus* chick by *Ocypode quadrata*, 768–769
 on *Charadrius melodus* eggs by *Ocypode quadrata*, 767–768
 on *Polyborus plancus* by *Solenopsis invicta*, 761–762
 predator-prey
 relationship between *Charadrius wilsonia* and *Uca cumulanta*, 73–80
 prey
 of nestling *Picoides borealis*, 485–495
 selection by *Haematopus longirostris* and *Haematopus fuliginosus*, 629–649
 proceedings
 seventy-sixth annual meeting, 776–789
Procyon lotor, 170, 276, 284, 479, 667–674
Protocalliphora spatulata, 179–181
Protonotaria citrea, 374–376, 580, 765
 Pruett-Jones, Stephen, see Hydman, Jeremy, and ———
Psaltiriparus minimus, 721
Pseudoseisura lophotes, 734–738
Psophia spp., 101
Ptarmigan, Norwegian Rock, see *Lagopus mutus*
 Willow, see *Lagopus lagopus*
 White-tailed, see *Lagopus leucurus*
Pterodroma spp., 100
Pterocles spp., 102
Ptiloris sp., 372
Puffin, Atlantic, see *Fratercula arctica*
Puffinbird, Spotted, see *Bucco tamiata*
Puffinus auricularis, 553
 griseus, 384
 spp., 100
 tenuirostris, 384
Pygmy-Owl, Amazonian, see *Glaucidium hardyi*
 Andean, see *Glaucidium jardinii*
 Brazilian, see *Glaucidium minutissimum*
 Central American, see *Glaucidium griseiceps*
 Colima, see *Glaucidium palmarum*
 Eurasian, see *Glaucidium passerinum*
 Ferruginous, see *Glaucidium brasilianum*
 Least, see *Glaucidium minutissimum*
 Northern [Pygmy Owl], see *Glaucidium gnoma*
 Subtropical, see *Glaucidium parkeri*
 Tamaulipas, see *Glaucidium sanchezi*
Pygoscelis adeliae, 317–327
 papua, 98, 317–327

- Pyloodictis olivaris*, 254, 261, 262
Pyrrhura picta amazonum, 7
 Quail, California, see *Callipepla* [Lophortyx] californica
 Common, see *Coturnix coturnix*
 Gambel's, see *Callipepla gambelii*
 Japanese, see *Coturnix coturnix*
Quiscalus mexicanus, 262, 375, 562–563
 quiscula, 125, 127, 368, 566
 rabbit, brush, see *Sylvilagus bacmani*
 European, see *Oryctolagus cuniculus*
 racer, see *Coluber constrictor*
 racoon, see *Procyon lotor*
Rangifer tarandus, 755
 rat, see *Rattus* sp.
 black, see *Rattus rattus*
Rattus rattus, 592, 597
 sp., 479
 spp., 525
 Raven, Common, see *Corvus corax*
 Razorbill, see *Alca torda*
 record
 new species for Mexico, 765
Recurvirostra novaehollandiae, 132
 Redhead, see *Aythya americana*
 Redpoll, Common, see *Carduelis flammea*
 Redshank, see *Tringa totanus*
 Redstart, American, see *Setophaga ruticilla*
 Painted, see *Myioborus pictus*
Regulus calendula, 44, 51, 127, 129, 468, 469, 701, 720, 721
 regulus, 558
 satrapa, 558–561, 701, 702, 704, 720
 Reid, James B., see Gibbons, David Wingfield, ———, and Robert A. Chapman
Reithrodon auritus, 679
Rhea spp., 98
 Rhodes, Olin E., Jr., see Fedynich, Alan M., and ———
Rhynchotus spp., 98
Rhynchotus spp., 101
 ringtail, see *Bassariscus astutus*
 Rising, J. D., review by, 389–391
Rissa tridactyla, 238, 247, 398, 406
 Rissler, Leslie J., David N. Karowe, Francesca Cuthbert, and Brian Scholtens, The influence of Yellow-bellied Sapsuckers on local insect community structure, 746–752
 Rivera-Milán, Frank F., Detectability and population density of Scaly-naped Pigeons before and after Hurricane Hugo in Puerto Rico and Vieques Island, 727–733
 Rivera-Milán, Frank F., Distribution and abundance of raptors in Puerto Rico, 452–462
 Roadrunner, Greater, see *Geococcyx californianus*
 Robertson, Raleigh J., see MacDougall-Schackleton, Elizabeth A., and ———
 Robertson, Raleigh J., see Meek, Susan B., and ———
 Robbins, Mark B., and Steve N. G. Howell, A new species of Pygmy-Owl (*Strigidae*: *Glaucidium*) from the eastern Andes, 1–6
 Robbins, Mark B., see Howell, Steve N. G., and ———
 Robin, American, see *Turdus migratorius*
 Clay-colored, see *Turdus grayii*
 Roby, Daniel D., see Asch, Andreas, and ———
 Roller, Indian, see *Coracias benghalensis*
 Ross, Bradley D., see Yahner, Richard H., and ———
 Rothwell, Phil, see Davidson, Nick, and ———
 Rudolph, D. Craig, see Conner, Richard N., and ———
Sagittarius serpentarius, 95, 100
 spp., 101
 Sandpiper, Least, see *Calidris minutilla*
 Spotted, see *Actitis macularia*
 Upland, see *Bartramia longicauda*
 Western, see *Calidris mauri*
 Sapsucker, Red-naped, see *Sphyrapicus nuchalis*
 Yellow-bellied, see *Sphyrapicus varius*
Sayornis phoebe, 51, 701, 702
 Scaup, Greater, see *Aythya marila*
 Lesser, see *Aythya affinis*
 Scheuering, Eric J., and Gary L. Ivey, First nesting record of the Great-tailed Grackle in Oregon, 562–563
 Scholtens, Brian, see Rissler, Leslie J., David N. Karowe, Francesca Cuthbert, and ———

- Schriml, Lynn M., see Picman, Jaroslav, and
 Schwab, Larry, review by, 186–187
Sciurus aberti, 536
 spp., 619
Scolopax minor, 686–697
 spp., 101, 102
Scopus spp., 100
 Scoter, Black, see *Melanitta nigra*
 Screech-Owl, Eastern, see *Otus asio*
 Puerto Rican, see *Otus nudipes*
 Western, see *Otus kennicottii*
Scythrops spp., 102
 Searcy, William A., review by, 393–394
 Secretary-bird, see *Sagittarius serpentarius*
 Seginak, John T., see Kremetz, David G.,
 ———, and Grey W. Pendleton
Seiurus auropallus, 26–39, 169–174, 368,
 369, 580
noveboracensis, 580, 581, 582, 587, 765
Selasphorus platycercus, 468, 469, 720
Semioptera wallacii, 371–373
Serinus spp., 103
Setophaga ruticilla, 26–39, 368, 577–589
 Seutin, Gilles, and Victor Apanius, Gray
 Flycatcher predation on a humming-
 bird, 565–567
 sex ratio
 in migrating *Calidris minutilla* in British
 Columbia, 413–422
 shad, see *Dorosoma* sp.
 Shearwater, Short-tailed, see *Puffinus tenui-*
rostris
 Sooty, see *Puffinus griseus*
 Townsend's, see *Puffinus auricularis*
 sheep, see *Ovis aries*
 shiner, golden, see *Notemigonus crysoleucas*
 Shoveler, Northern, see *Anas clypeata*
 Shrike, Great Gray, see *Lanius excubitor*
 Lesser Grey, see *Lanius minor*
 Loggerhead, see *Lanius ludovicianus*
 Woodchat, see *Lanius senator*
Sialia mexicana, 721, 722
sialis, 125, 127, 129, 289–295, 377–379,
 701, 702
 Siskin, Pine, see *Carduelis pinus*
Sitta canadensis, 125, 127, 129, 468, 720
carolinensis, 122–130, 701, 702, 704, 705,
 721
pusilla, 542–547
pygmaea, 720
 Skua, Brown, see *Catharacta lonnbergi*
 South Polar, see *Catharacta maccormicki*
 skunk, hog-nosed, see *Conepatus chinga*
 striped, see *Mephitis mephitis*
 Skylark, Oriental, see *Alauda gulgula*
 Small, Arnold, California birds: their status
 and distribution, reviewed, 571–572
 Smith, Jeff P., Foraging sociability of nesting
 wading birds (*Ciconiiformes*) at Lake
 Okeechobee, Florida, 437–451
 snake, climbing rat, see *Elaphe obsoleta*
 gopher, see *Pituophis melanoleucus*
 mangrove water, see *Nerodia compressi-*
cauda
Solenopsis invicta, 761–762
 Sparrow, American Tree, see *Spizella arbo-*
rea
 Baird's, see *Ammodramus bairdii*
 Black-throated, see *Amphispiza bilineata*
 Black-chinned, see *Spizella atrogularis*
 Brewer's, see *Spizella breweri*
 Chipping, see *Spizella passerina*
 Clay-colored, see *Spizella pallida*
 Field, see *Spizella pusilla*
 Fox, see *Passerella iliaca*
 Golden-crowned, see *Zonotrichia atrica-*
pilla
 Grasshopper, see *Ammodramus savanna-*
rum
 House, see *Passer domesticus*
 "Lesser Field", see *Passer agrestis*
 Lincoln's, see *Melospiza lincolnii*
 Rufous-crowned, see *Aimophila ruficeps*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 Timberline, see *Spizella taverni*
 Vesper, see *Poocetes gramineus*
 White-crowned, see *Zonotrichia leuco-*
phrys
 White-throated, see *Zonotrichia albicollis*
 White-throated × Dark-eyed Junco, see
Zonotrichia albicollis × *Junco hye-*
malis
 Worthen's see *Spizella wortheni*
 species nova
Glaucidium parkeri, 1–6
 species richness

- in relation to isolation in aspen habitat, 463–474
- Speotyto cunicularia, 765
- Spermophilus spp., 254, 262, 619
variegatus, 262
- Spheniscus demersus, 94
spp., 98
- Sphyrapicus nuchalis, 464, 468, 471, 749
varius, 746–752
- Spilornis cheela, 97
spp., 100
- Spiza americana, 709–718
- Spizella arborea, 126, 128, 129, 641–654
atrogularis, 641–654
breweri, 641–654
pallida, 641–654, 709–718
passerina, 641–654
pusilla, 126, 128, 129, 193–213 (Frontis-
piece), 641–654
taverneri, 650
wortheni, 650
- squirrel, Abert's, see *Sciurus aberti*
ground, see *Spermophilus* sp.
red, see *Tamiasciurus grahamensis*
rock, see *Spermophilus variegatus*
- Starling, European, see *Sturnus vulgaris*
- Steatornis spp., 103
- Stenzel, Lynne E., see Warnock, Nils, Gary
W. Page, and ———
- Stercorarius spp., 102
- Sterna albifrons, 767
hirundo, 423–436
spp., 102
- Stevenson, Henry M., and Bruce H. Ander-
son, The birdlife of Florida, re-
viewed, 574
- Stictonetta naevosa, 217
- Stilt, Banded, see *Cladorhynchus leucoceph-*
alus
Black-winged, see *Himantopus himanto-*
pus
- Stint, Rufous-necked, see *Calidris ruficollis*
- Stork, Wood, see *Mycteria americana*
- Storm-petrel, Fork-tailed, see *Oceanodroma*
furcata
Leach's, see *Oceanodroma leucorhoa*
- Streptopelia decaocto, 97
spp., 102
- Strigops spp., 102, 110
- Strix aluco, 536
occidentalis, 721 (Frontispiece)
occidentalis caurina, 604
spp., 103
- Struthio spp., 97
- Sturnella loica, 679
magna, 127, 129
neglecta, 709–718
- Sturnus vulgaris, 122–130, 165–169, 306–
316, 382
- sucker, desert, see *Catostomus clarkii*
Sonora, see *Catostomus insignis*
- Sula spp., 100
- Sunbittern, see *Eurypyga helias*
- sunfish, see *Lepomis* spp.
- Swallow, Cliff, see *Hirundo pyrrhonota*
Tree, see *Tachycineta bicolor*
Violet-green, see *Tachycineta thalassina*
- Sylvia borin, 297, 301
- Sylvilagus audubonii, 261, 262
bachmani, 254
- Syrnhaptes spp., 102
- systematics
review of avian cecum, 93–121
- Tachybaptus ruficollis, 94
spp., 98
- Tachycineta bicolor, 42, 153–164, 294, 378,
468, 471
thalassina, 262, 720
- Taeniopygia guttata, 763
- Takahe, New Zealand, see *Notornis mantelli*
- Tamias spp., 619
striatus, 170
- Tamiasciurus grahamensis, 719*
- Tanager, Hepatic, see *Piranga flava*
Scarlet, see *Piranga olivacea*
Summer, see *Piranga rubra*
Western, see *Piranga ludoviciana*
- Tauraco spp., 102
- taxonomy
Anas platyrhynchos-like ducks, 548–551
Glaucidium minutissimum complex, 7–25
of stiff-tailed ducks (Anatidae: Oxyurini),
214–234
- Tayassu tajacu, 262
- Teal, Blue-winged, see *Anas discors*
Cinnamon, see *Anas cyanoptera*
Cotton, see *Nettapus coromandelianus*
Green-winged, see *Anas crecca*
- Tedford, Bruce L., see Marra, Peter P., Kevin
T. Lampe, and ———

- Temby, I. D., see Emison, W. B., C. M. Beardsell, and ———
 Tern, Common, see *Sterna hirundo*
 Little, see *Sterna albifrons*
 Terranova, Estaban, see Latta, Steven C., Joseph M. Wunderle, Jr., ———, and Michelle Pagán
 Tetrao urogallus, 108
 Thalassornis leuconotus, 214
 Theristicus caudatus, 679
 Thibault, Michel, and Raymond McNeil, Predator-prey relationship between Wilson's Plovers and fiddler crabs in northeastern Venezuela, 73–80
 Thinocorus spp., 102
 Thomlinson, John R., Landscape characteristics associated with active and abandoned Red-cockaded Woodpecker clusters in east Texas, 603–614
 Thompson, Jonathan E., and Ronald D. Drobney, Intensity and chronology of postreproductive molts in male Canvasbacks, 338–358
 Thomson, Tom, Birding in Ohio, reviewed, 572–573
 Thrasher, Brown, see *Toxostoma rufum*
 Pearly-eyed, see *Margarops fuscatus*
 Thrush, Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
 Wood, see *Hylocichla mustelina*
 Thryomanes bewickii, 721
 Thryothorus ludovicianus, 122–130, 701, 702, 704, 705
 Tinamou, Brushland, see *Nothoprocta cinerascens*
 Elegant Crested, see *Eudromia elegans*
 Small-billed, see *Crypturellus parvirostris*
 Spotted, see *Nothura maculosa*
 Tinamus spp., 98
 Titmouse, Bridled, see *Parus wollweberi*
 Tufted, see *Parus bicolor*
 Tityra, Masked, see *Tityra semifasciata*
 Tityra semifasciata, 19, 374
 Todus mexicanus, 103, 181–182
 Tody, Puerto Rican, see *Todus mexicanus*
 Towhee, Abert's, see *Pipilo aberti*
 California, see *Pipilo crissalis*
 Canyon, see *Pipilo fuscus*
 Collared, see *Pipilo ocai*
 Green-tailed, see *Pipilo chlorurus*
 Rufous-sided, see *Pipilo erythrophthalmus*
 White-throated, see *Pipilo albicollis*
 Toxostoma rufum, 44, 701, 702
 spp., 552
 Tragopan, Satyr, see *Tragopan satyra*
 Tragopan satyra, 101
 Travani, Alejandro, see Hiraldo, Fernando, José A. Donázar, Olga Ceballos, ———, Javier Bustamante, and Martín Funes
 Tricholomnas spp., 101
 Tringa melanoleuca, 131
 nebularia, 132
 totanus, 131
 Trionyx spiniferus, 261
 Trivelpiece, Wayne, see Emslie, Steven D., Nina Karnovsky, and ———
 Troglodytes aedon, 51, 468, 471, 701, 702, 704 705, 721 (Frontispiece)
 Trogon spp., 103
 Turchi, Gail M., Patricia L. Kennedy, Dean Urban, and Dale Hein, Bird species richness in relation to isolation of aspen habitat, 463–474
 Turdus falcklandii, 679
 grayi, 375
 migratorius, 44, 51, 125, 127, 129, 378, 468, 702, 720
 spp., 103
 Turkey, Wild, see *Meleagris gallopavo*
 Turnix spp., 101
 Turnstone, Ruddy, see *Arenaria interpres*
 turtle, Sonora mud, see *Kinosternon sonoriense*
 spiny softshell, see *Trionyx spiniferus*
 Tympanuchus cupido attwateri, 761
 Tyrannus dominicensis, 565–567
 Tyto alba, 102
 spp., 103
 Upupa spp., 103
 Urban, Dean, see Turchi, Gail M., Patricia L. Kennedy, ———, and Dale Hein
 Urban, Emil K., see Keith, Stuart, ———, and C. Hilary Fry
 Uria aalge, 321, 325, 326, 397–412
 lomvia, 397–412
 spp., 102
 Urocyon cinereoargenteus, 170
 Valburg, Ray, see Marr, N. Vern, W. Dan-

- iel Edge, Robert G. Anthony, and
- Vanellus chilensis*, 679
- indicus*, 97
- spp., 102
- vanellus*, 131
- Veit, Richard R., and Wayne R. Petersen,
 Birds of Massachusetts, reviewed,
 391
- Vermivora celata*, 721, 722 (Frontispiece)
- chrysoptera*, 579
- peregrina*, 374
- pinus*, 579
- virginiae*, 720
- Vireo flavifrons*, 44, 48, 374, 582
- gilvus*, 464, 468, 469, 720
- griseus*, 26–39, 44
- huttoni*, 721
- olivaceus*, 26–39, 368, 369
- solitarius*, 720
- Vireo*, Hutton's see *Vireo huttoni*
- Red-eyed, see *Vireo olivaceus*
- Solitary, see *Vireo solitarius*
- Warbling, see *Vireo gilvus*
- White-eyed, see *Vireo griseus*
- Yellow-throated, see *Vireo flavifrons*
- vocalization
- of breeding *Lagopus lagopus*, 496–509
- seasonal response to taped-playback songs
 in *Hylocichla mustelina*, 738–741
- Vulpes vulpes*, 170, 276, 284, 287, 397
- Vulture, Turkey, see *Cathartes aura*
- Wagtail, Gray, see *Motacilla cinerea*
- Warbler, Adelaide's, see *Dendroica adelaidae*
- Arrow-headed, Warbler, see *Dendroica pharetra*
- Black-and-white, see *Mniotilta varia*
- Black-throated Blue, see *Dendroica caerulescens*
- Black-throated Gray, see *Dendroica nigrescens*
- Blue-winged, see *Vermivora pinus*
- Cape May, see *Dendroica tigrina*
- Garden, see *Sylvia borin*
- Grace's, see *Dendroica graciae*
- Golden-winged, see *Vermivora chrysoptera*
- Hooded, see *Wilsonia citrina*
- Kentucky, see *Oporornis formosus*
- Kirtland's, see *Dendroica kirtlandii*
- Magnolia, see *Dendroica magnolia*
- MacGillivray's, see *Oporornis tolmiei*
- Olive, see *Peucedramus taeniatus*
- Olive-capped, see *Dendroica pityophila*
- Orange-crowned, see *Vermivora celata*
- Palm, see *Dendroica palmarum*
- Pine, see *Dendroica pinus*
- Plumbeous, see *Dendroica plumbea*
- Prairie, *Dendroica discolor*
- Prothonotary, see *Protonotaria citrea*
- Red-faced, see *Cardellina rubrifrons*
- Tennessee, see *Vermivora peregrina*
- Virginia's, see *Vermivora virginiae*
- Vitelline, see *Dendroica vitellina*
- Wilson's, see *Wilsonia pusilla*
- Worm-eating, see *Helminthos vermivorus*
- Yellow, see *Dendroica petechia*
- Yellow-rumped, see *Dendroica coronata*
- Warkentin, Ian G., and Eugene S. Morton,
 Roosting behavior of Prothonotary
 Warblers in non-breeding season,
 374–376
- Warnock, Nils, Gary W. Page, and Lynne E.
 Stenzel, Non-migratory movements
 of Dunlins on their California winter-
 ing grounds, 131–139
- Waterthrush, Northern, see *Seiurus noveboracensis*
- Watts, Bryan D., and Dana S. Bradshaw,
 Ghost crab preys on Piping Plover
 eggs, 767–768
- Waxwing, Bohemian, see *Bombycilla garrulus*
- Cedar, see *Bombycilla cedrorum*
- Webb, Sophie W., see McCallum, D. Archibald, Frederick R. Gehlbach, and
- Weller, Milton W., review by, 187–188
- wetland
- use by breeding and postbreeding *Anas platyrhynchos*, 55–63
- Whaley, Wayne H., and Clayton M. White,
 Trends in geographic variation of
 Cooper's Hawk and Northern Gos-
 hawk in North America: a multivar-
 iate analysis, reviewed, 770–771
- Whimbrel, see *Numenius phaeopus*
- Whip-poor-will, see *Caprimulgus vociferus*
- White, Clayton M., review by, 188–189

- White, Clayton M., see Whaley, Wayne H., and ———
- Wigeon, American, see *Anas americana*
- Willet, see *Catoptrophorus semipalmatus*
- Wilson, Karen A., Rebecca Field, and Marcia H. Wilson, Successful nesting behavior of Puerto Rican Parrots, 518–529
- Wilson, Marcia H., see Wilson, Karen A., Rebecca Field, and ———
- Wilsonia citrina*, 26–39, 153
- pusilla*, 26–39, 582
- Winker, Kevin, Habitat selection in woodland Nearctic-Neotropical migrants on the isthmus of Tehuantepec I. Autumn migration, 26–39
- Winkler, Raffael, see Jenni, Lukas, and ———
- wintering grounds
- movements of *Calidris alpina*, 131–139
- Wood-Pewee, Western, see *Contopus sordidulus*
- Woodhoopoe, Green, see *Phaeniculus purpureus*
- Woodpecker, Acorn, see *Melanerpes formicivorus*
- Downy, see *Picoides pubescens*
- Eurasian Green, see *Picus viridis*
- Gila, see *Melanerpes uropygialis*
- Hairy, see *Picoides villosus*
- Pileated, see *Dryocopus pileatus*
- Red-bellied, see *Melanerpes carolinus*
- Red-cockaded, see *Picoides borealis*
- Strickland's [Arizona], see *Picoides stricklandi*
- woodrat, see *Neotoma* spp.
- Woods, Christopher P., Food delivery and food holding during copulation in the Loggerhead Shrike, 762–764
- Wren, Bewick's, see *Thryomanes bewickii*
- Cactus, see *Campylorhynchus brunneicapillus*
- Canyon, see *Catherpes mexicanus*
- Carolina, see *Thryothorus ludovicianus*
- House [Brown-throated], see *Troglodytes aedon*
- Sedge, see *Cistothorus platensis*
- Wunderle, Joseph M., Jr., see Latta, Steven C., ———, Esteban Terranova, and Michelle Pagán
- Xanthocephalus xanthocephalus*, 386
- Yahner, Richard H., and Bradley D. Ross, Seasonal response of Wood Thrushes to taped-playback songs, 738–741
- Yahner, Richard H., Habitat use by wintering and breeding bird communities in relation to edge in an irrigated forest, 365–371
- Yaukey, Peter H., Effects of food supplementation and predator simulation on nuthatches and parids within mixed-species flocks, 542–547
- Yellowleg, Greater, see *Tringa melanoleuca*
- Yellowthroat, Common, see *Geothlypis trichas*
- Zaedyus pichiy*, 679
- Zeller, Nanette S., and Jaime A. Collazo, Abundance and distribution of overwintering passerines in bottomland hardwood forests in North Carolina, 698–708
- Zenaida asiatica*, 262
- auriculata*, 679
- aurita*, 460
- macroura*, 126, 128, 129, 262, 709–718
- Zink, Robert M., see Dodge, Anthony G., Adam J. Fry, Rachelle C. Blackwell, and ———
- Zonotrichia albicollis*, 125, 127, 129, 193–213, 296–305, 367, 369, 701, 702, 723–727
- albicollis* × *Junco hyemalis*, 193–213
- atricapilla*, 651
- leucophrys*, 127, 129, 179–181, 296–305, 540

This issue of *The Wilson Bulletin* was published on 27 December 1995.